◆OFFICE OF THE EXECUTIVE ENGINEER EDUCATION WORKS DIVISION KHAIRPUR

NO: T.C/G-55/EW/KHP:/ 13 22 of / 2017 | KHAIRPUR DATED: - \(\frac{1}{2} \) = \(\frac{1}{2} \) = \(\frac{1}{2} \) (2017

To,

M/S Kamran Enterprises Government Contractor

Khairpur

SUBJECT: -

REHABILITATION/RENOVATION OF DANGERIOUS SCHOOL BUILDING
IN DISTRICT KHAIRPUR ADP- 466 I.E (1) GBPS Khokhar Mohalla (2)
GGPS Sanwalo Jamali (3) GBPS Kashmir (4) GBPS Phatt Taluka
Khairpur (INTERNAL ELECTRIFICATION) PACKAGE NO -01

Reference:

Opening Tender opened on : -

3/6/2017

The rate quoted by you for the above-mentioned work on PART-"A" @ 0.18% Below(Schedule Items)entered in schedule'B'has been approved amounting to Rs 781372/-on schedule items.

You are requested to please attend this office within 07 days to complete the tender documents.

You are requested to supply this office a copy of partnership / deed registration deed of the firm ad power of attorney in the name of partnership of employees of the firm whom you have authorized to sign the bills, receive payments and instructions in respect of this work.

You are requested to start the work within 07 days after issue of this work order complete the same within agreement period of (12) Months

Stipulated date of Start

Stipulated date of Completion

IT SHOULD FURTHER BE NOTED THAT

- 1 The work is to be carried out as per PWD specification
- 2 No Cartage for any material either arranged by you or supplied by Government will be paid separately.
- 3 No. Premium will be allowed on Non-Schedule items.
- 4 No Work should be carried out in excess of sanctioned estimate the receipt of this letter may please be acknowledged.

Executive Engineer Education Works Division Khairpur

Copy forwarded with compliments to the: -

- 1 The Superintending Engineer Education Works Circle Sukkur for favour of information please
- Copy along with copy of Schedule 'B" forwarded to the Assistant Engineer Education Elctrical Works Sub Division Sukkur for information and necessary action. He should report actual date of start of the work to this Office

Copy forworded to the Director (C.B) SPPRA Karachi for fayour of information.

Executive Engineer

Education Works Division

Khairpur

M/s Kamran Enterprises
Govt: Contractor

PROCUREMENT OF WORKS

(For Contracts Costing up to Rs 2.5 MILLION)

REHABILITATION/RENOVATION OF DANGERIOUS SCHOOL BUILDING IN DISTRICT KHAIRPUR ADP-, 466 I.E. (1) GBPS Khokhar Mohalla (2) GGPS Sanwalo Jamali (3) GBPS Kashmir (4) GBPS Phatt Taluka Khairpur (INTERNAL **ELECTRIFICATION) PACKAGE NO-01**

Standard Bidding Document is intended as a model for admeasurements PAKISTAN (Percentage Rai PAKISTAN The main text re 5(1) 411111 SPECIAL ADHESIVE EXECUTIVE ENGINEER **EDUCATION WORKS DIVISION** KHAIRPUR

670 01

FORM OF CONTRACT AGREEMENT

	CONTRACT AGREEMENT (hereinafter calle	
day o.	200 between	(hereinafter called the
	ractor") of the one part and	(hereinafter called the
WHE	REAS the Procuring Agency is desirous that	certain Works, viz
should	be executed by the Contractor and has accion and completion of such Works and the rem	cepted a Bid by the Contractor for the
NOW	this Agreement witnesseth as follows:	
1.	In this Agreement words and expressions respectively assigned to them in the Condition	-
2.	The following documents after incorporati relating to Instructions to Bidders, shall be deas part of this Agreement, viz:	
	(a) The Letter of Acceptance;(b) The completed Form of Bid along with	h Schedules to Bid;
	(c) Conditions of Contract & Contract Da	ta;
	(d) The priced Schedule of Prices/Bill of	quantities (BoQ);
	(e) The Specifications; and(f) The Drawings	
3.	In consideration of the payments to be r Contractor as hereinafter mentioned, the Procuring Agency to execute and complete t conformity and in all respects within the prov	Contractor hereby covenants with the he Works and remedy defects therein in
4.	The Procuring Agency hereby covenants to p execution and completion of the Works as per Price or such other sum as may become payar at the times and in the manner prescribed by the sum of the procuring the sum of the procuring	r provisions of the Contract, the Contract ible under Me prøvisions of the Contract

Signature of the Contactor	Signature of the Procuring Agency
(Seal)	(Scal) Districtive engagement European Londo Cintern 2000 Distri
Signed, Sealed and Delivered in the presence of:	
Witness:	Witness:
(Name, Title and Address)	(Name, Title and Address)

IN WITNESS WHEREOF the parties hereto have caused this Contract Agreement to be executed on the day, month and year first before written in accordance with their respective

SINDH PUBLIC PROCUREMENT REGULATORY AUTHORITY

CONTRACT EVALUATION FORM

TO BE FILLED IN BY ALL PROCURING AGENCIES FOR PUBLIC CONTRACTS OF WORKS, SERVICES & GOODS

1)	NAME OF THE ORGANIZATION / DEPTT.	Education & Literact Department
2)	PROVINCIAL / LOCAL GOVT./ OTHER	Provincial
3)	TITLE OF CONTRACT	Reh/Reno Q (1) Khokhan Mohalla (2) Samualo Jamal
4)	TENDER NUMBER	SNO (01) (3) Kashmir (4) Phatt (Int Elect
5)	BRIEF DESCRIPTION OF CONTRACT	Building Work (School Work)
6)	FORUM THAT APPROVED THE SCHEME	A A Issued by P&D Department Karachi
71	U NDER ESTIMATED VALUE	Rs 0.784 (M)
8)	ENGINEER'S ESTIMATE (For civil works only)	T.S. RS. 783000
9)	ESTIMATED COMPLETION PERIOD (AS P	ER CONTRACT) (12) Months
	HINDER OPENED ON (DATE & TIME)	03-06-2017
11)	NUMBER OF TENDER DOCUMENTS SOLI (Attach list of buyers)) Nos
12)	NUMBER OF BIDS RECEIVED	03 Nos
13)	NUMBER OF BIDDERS PRESENT AT THE	TIME OF OPENING OF BIDS 03
[-]	BID EVALUATION REPORT (Enclose a copy)	Copy enclosed
15)	NAME AND ADDRESS OF THE SUCCESSE	UL BIDDER MS Kampan Enterprises.
	CONTRACT AWARD PRICE	Rs 781372
17)	RANKING OF SUCCESSFUL BIDDER IN E- tile, 1st, 2nd, 3rd EVALUATION BID).	VALUATION REPORT Ist
18)	METHOD OF PROCUREMENT USED: - (Ti	ck one)
	a) SINGLE STAGE – ONE ENVELOPE	nnocurrung Yes
	a) Single Stricts (All 1217 Elect 1	PROCEDURE Domestic/ Local
	b) SINGLE STAGE - TWO ENVELOP	
		E PROCEDURE
	b) SINGLE STAGE - TWO ENVELOP	E PROCEDURE

		Chief Engineer Education works Sukkur
[9] API	PROVING AUTHORITY FOR AWARD OF CONTR	RACT
20) WE	HETHER THE PROCUREMENT WAS INCLUDED I	IN ANNUAL PROCUREMENT PLAN?
		Yes V No
21) AD	VERTISEMENT:	
i)	SPPRA Website (If yes, give date and SPPRA Identification No.)	Yes SPPRA S.NO 33094 Dated:- 04-05-2017
		No
ií)	News Papers (If yes, give names of newspapers and dates)	Yes SPPRA S.NO 33094 Dated:- 04-05-2017
		No
22) NA	TURE OF CONTRACT	Local V Int.
	IETHER QUALIFICATION CRI <mark>TERIA</mark> AS INCLUDED IN BIDDING / TENDER DOCUMEN	NTS?
	yes, enclose a copy)	Yes V No
	· All fair and the second seco	
	IETHER BID EVALUATION CRITERIA AS INCLUDED IN BIDDING / TENDER DOCUMEN	NTS? Yes V No
	yes. enclose a copy)	
25) 337	ETHER APPROVAL OF COMPETENT AUTHORI	TW WAS OBTAINED FOR LISTNO A
	THOD OTHER THAN OPEN COMPETITIVE BIDE	
26) WA	AS BID SECURITY OBTAINED FROM ALL THE B	BIDDERS? Yes V No No
	HETHER THE SUCCESSFUL BID WAS LOWEST ED/BEST EVALUATED BID (in case of Consultancie	
•	IETHER THE SUCCESSFUL BIDDER WAS TECH MPLIANT?	NICALI.Y Yes No
	HETHER NAMES OF THE BIDDERS AND THEIR E TIME OF OPENING OF BIDS?	QUOTED PRICES WERE READ OUT AT
30) WI	IETHER EVALUATION REPORT GIVEN TO	BIDDERS BEFORE THE AWARD OF
CO		

31) ANY COMPLAINTS (If yes, result thereof)	RECTIVED	Yes	
		No	
	ROM SPECIFICATIONS GIV	VEN IN THE TENDER NOTICE / DOCUMEN	STS
(If yes, give details)		Yes	
		No	
33) WAS THE EXTENSI (If yes, give reasons)	ON MADE IN RESPONSE T	IME? Yes	
		No	
34) DEVIATION FROM (If yes, give detai le d n	QUALIFICATION CRITERI cas ons .)	A Yes	•
		No	
35) WAS IT ASSURED BLACK LISTED?	BY THE PROCURING AC	BENCY THAT THE SELECTED FIRM IS Yes No	NOT
SUPPLIER'S PREMI	SES IN CONNECTION WIT REGARDING FINANCING	CIAL OF THE PROCURING AGENCY TO FEETHE PROCUREMENT? IF SO, DETAILS OF VISIT, IF ABROAD: Yes No	
	FEGUARDS PROVIDED O ANK GUARANTEE ETC.;?	N M ob ilizati on advance payment	
PAPER A CONDIVIO	ONS, IF ANY (cription)	Yes	
		No	
Signature & Official Stamp of Authorized Officer	f		
DR OFFICE USE ONLY			

<u>SPPRA, Block. No.8, Sindh Secretariat No.4-A, Court Road, Karachi</u> Tele: 021-9205356; 021-9205369 & Fax: 021-9206291

Print Save Reset

BILL OF QUANTITES

(A) Description and rate of items based on composite schedule of rates, 2012 (B) Description and rate of items based on composite schedule of rates, 2004

NAME OF WORK: REHABILITATION / RENOVATION OF DANGEROUS SCHOOL BUILDING IN DISTRICT KHAIRPUR AT (1) GBPS KHOKHAR MOHALLA (2) GGPS SANWALO JAMALI (3) GBPS KASHMIR (4) GBPS PHATT TALUKA KHAIRPUR ADP NO. 466. (INTERNAL ELECTRIFICATION)

	(PACKAGE NO.1)							
(1) G S.NO:	BPS KHOKHAR MOHALLA Description	Oti	Rate	Unit	Amount			
3.80.	Part"A" New Schedule Items 2012	Qty	Kate	l Oilit	Amount			
1	Wiring for light or fan point with 3/.029 PVC insulated wire in 20mm (3/4") channel patti on surface as required. (S.No. 129 P-15).	16	910	per point	14560			
2	Wiring for plug point with 3/.029 PVC insulated wire in 20mm	4	742	per point	2968			
	(3/4") channel patti on surface as required, (S.No. 130 P-15).							
3	Providing & laying (MAIN or SUB MAIN) PVC insulated with size 2-7/.029 copper conductor in %" dia PVC conduit recessed in the wall or column as required. CSI No. 3 Page No. 1)	150	171	per Meter	25650			
4	Providing & laying (MAIN or SUB MAIN) PVC insulated with	80	252	per Meter	20160			
	size 2-7/.036 copper conductor in 3/411 dia PVC conduit							
	recessed in the wall or column as required. (S.I.No:11 P- No:2)							
5	Providing & laying (MAIN or SUB MAIN) PVC insulated with	115	341	per Meter	39215			
a	size 2-7/.044 (6mm2) copper conductor in 1/4" dia PVC conduit							
	recessed in the wall or column as required. (S.I.No;12 P- No;2)							
6	Providing & fixing circuit breaker 6,10,15,20, 30,40,50 & 63amp SP (TB-5S) on prepared board as required (S.I.No:202 P- No:30)	8	916	Each	7328			
7	Providing & fixing circuit breaker 6,10,15,20,30,40,50, & 63amp DP (TB-5S) on perpared board required (S.1.No:204 P-No:31)	1	2425	P.No	2425			
8	Providing & fixing two pin 5amp plug & flush type (S.I.No:225 P- No:33)	4	83	P.No	332			
9 7	Providing & fixing three pin 10/15amp plug & socket flush type (S.1.No:222 P- No:33)	A.S.	162	P.No	810			



	Page 2				
S.NO:	Description	Qty	Rate	Unit	Amount
	Providing & fixing one way SP 5amp switch flush type(S.I.No:219 P- No:33)	16	54	P.No	864
11	Providing & fixing Bakelite ceiling rose with two terminals (S.I.No:228 P- No:33)	6	72	P.No	432
12	Providing & fixing Brass Battern holder c(S.1.No:232 P-No:33)	10	70	P.No	700
13	Providing & fixing Brass Ceiling fan 56" (good quality) (S.I.No:235 P- No:34)	6	3185	P.No	19110
14	Providing & fixing mild seel bar fan clamp 15.8 mm(5/8") dia suitable for Rcc roof (SI No. 1(c) P-14)	6	141.01	P.No	846
15	P/F distribution metal board double shutter to accommodate circuit breakers including painting with enemel paint and for other simmilar job on surface (S.I.No:15 P- No:13)	2	907.96	P.Sft	1816
16	P/Fenergy sever superior quality including fixing on existing holder etc complete.(S.I.No:6 P-No:33) (24 Walt)	10	497.00	Each	4970
17	P/F earthing set with 2"x2"x1/2" cooper plate burried in groud at a depth of 12" or less if water comes out from the ground level with salt and chorcoal .etc,in/c.making the pit 12"deep by excavation of all type of soil. Earth plat to be connected with No:8	1	3610.04	Each	3610
18	P/F A.C ceiling fan regulator on metal board recessed in the walls column and covered with plastic sheet (S.I.No:2b P-No:14)	6	124.30	Each	746
19	P/F wall bracket light fancy type superior quality including necessary electric connection and fixing on wall oe ceiling etc complete.(S.I.No:5 P- No:33)	4	497.00	Each	1988
		1	GRAN	D TOTAL :-	148530
			UKAI	DIVINU[K-4(14)4/37



(2) GGPŚ SANWALO JAMALI.

S.NO.	Description	Qty	Rate	Unit	Amount
4	Part"A" New Schedule Items 2012		. 1	<u> </u>	
ĵ***	Wiring for light or fan point with 3/.029 PVC insulated wire in 20mm (3/4") channel patti on surface as required. (S.No. 129 P-15).	16	910	per point	14560
2	Wiring for plug point with 3/.029 PVC insulated wire in 20mm	4	742	per point	2968
	(3/4") channel patti on surface as required. (S.No. 130 P-15).				
3	Providing & laying (MAIN or SUB MAIN) PVC insulated with size 2-7/.029 copper conductor in 34" dia PVC conduit recessed in the wall or column as required. CSI No. 3 Page No. 1)	150	171	per Meter	25650
4	Providing & laying (MAIN or SUB MAIN) PVC insulated with	80	252	per Meter	20160
	size 2-7/.036 copper conductor in 1/4" dia PVC conduit				
	recessed in the wall or column as required. (S.I.No:11 P- No:2)				
5	Providing & laying (MAIN or SUB MAIN) PVC insulated with	115	341	per Meter	39215
	size 2-7/.044 (6mm2) copper conductor in ¾" dia PVC conduit				
	recessed in the wall or column as required. (S.I.No:12 P- No:2)				
6	Providing & fixing circuit breaker 6,10,15,20, 30,40,50 & 63amp SP (TB-5S) on prepared board as required (S.I.No:202 P- No:30)	8	916	Each	7328
7	Providing & fixing circuit breaker 6,10,15,20,30,40,50, & 63amp DP (TB-5S) on perpared board required (S.I.No:204 P-No:31)	I	2425	P.No	2425
8	Providing & fixing two pin 5amp plug & flush type (S.I.No:225 P- No:33)	4	83	P.No	332
9	Providing & fixing three pin 10/15amp plug & socket flush type (S.1.No:222 P- No:33)	5	162	P.No	810
10	Providing & fixing one way SP 5amp switch flush type(S.I.No:219 P- No:33)	16	54	P.No	864
11	Providing & fixing Bakelite ceiling rose with two terminals (S.I.No:228 P- No:33)	6	72	P.No	432
9			1		



Page 2

	•				
S.NO:	Description	Qty	Rate	Unit	Amount
12	Providing & fixing Brass Battern holder c(S.I.No:232 P-No:33)	10	70	P.No	700
13	Providing & fixing Brass Ceiling fan 56'' (good quality) (S.I.No:235 P- No:34)	6	3185	P.No	19110
14	Providing & fixing mild seel bar fan clamp 15.8 mm(5/8") dia suitable for Rcc roof (SI No. 1(c) P-14)	6	141.01	P.No	846
15	P/F distribution metal board double shutter to accommodate circuit breakers including painting with enemel paint and for other simmilar job on surface (S.1.No:15 P- No:13)	2	907.96	P.Sŕt	1816
16	P/Fenergy sever superior quality including fixing on existing holder etc complete.(S.I.No:6 P- No:33) (24 Walt)	10	497.00	Each	4970
	P/F earthing set with 2"x2"x1/2" cooper plate burried in groud at a depth of 12" or less if water comes out from the ground level with salt and chorcoal .etc,in/c.making the pit 12"deep by excavation of all type of soil. Earth plat to be connected with No:8	1	3610.04	Each	3610
18	P/F A.C ceiling fan regulator on metal board recessed in the walls column and covered with plastic sheet (S.1.No:2b P-No:14)	6	124.30	Each	746
19	P/F wall bracket light fancy type superior quality including necessary electric connection and fixing on wall oe ceiling etc complete.(S.I.No:5 P- No:33)	4	497.00	Each	1988

GRAND TOTAL :-

148530



(3) GBPS KASHMIR.

S.NO:	Description	Qty	Rate	Unit	Amount
*	Part"A" New Schedule Items 2012		•	<u> </u>	
ı *	Wiring for light or fan point with 3/.029 PVC insulated wire in 20mm (3/4") channel patti on surface as required. (S.No. 129	16	910	per point	14560
÷	P-15).				
2	Wiring for plug point with 3/.029 PVC insulated wire in 20mm	4	742	per point	2968
	(3/4") channel patti on surface as required. (S.No. 130 P-15).				
3	Providing & laying (MAIN or SUB MAIN) PVC insulated with size 2-7/.029 copper conductor in ¾" dia PVC conduit recessed in the wall or column as required. CSI No. 3 Page No. 1)	150	171	per Meter	25650
4	Providing & laying (MAIN or SUB MAIN) PVC insulated with	80	252	per Meter	20160
	size 2-7/.036 copper conductor in 3/4" dia PVC conduit				
	recessed in the wall or column as required. (S.I.No:11 P- No:2)				
5	Providing & laying (MAIN or SUB MAIN) PVC insulated with	115	341	per Meter	39215
	size 2-7/.044 (6mm2) copper conductor in ¾" dia PVC conduit				
	recessed in the wall or column as required. (S.I.No:12 P- No:2)				
6	Providing & fixing circuit breaker 6,10,15,20, 30,40,50 &	8	916	Each	7328
•	63amp SP (TB-5S) on prepared board as required (S.I.No:202 P- No:30)				
7	Providing & fixing circuit breaker 6,10,15,20,30,40,50, &	i	2425	P.No	2425
	63amp DP (TB-5S) on perpared board required (S.1.No:204 P-No:31)				
8	Providing & fixing two pin 5amp plug & flush type (S.I.No:225	4	83	P.No	332
	P- No:33)				
9	Providing & fixing three pin 10/15amp plug & socket flush type (S.I.No:222 P- No:33)	5	162	P.No	810
10	Providing & fixing one way SP 5amp switch flush type(S.I.No:219 P- No:33)	16	54	P.No	864
П	Providing & fixing Bakelite ceiling rose with two terminals	6	72	P.No	432



Page 2

e No.	Dogwinting	Otte	Data	11min	A
S.NO:	Description Providing & fixing Brass Battern holder c(S.I.No:232 P-	Qty 10	Rate 70	Unit P.No	Amount 700
 ક	No:33)	10	7.9	1.10	, 50
≱	Providing & fixing Brass Ceiling fan 56'' (good quality) (S.I.No:235 P- No:34)	6	3185	P.No	19130
14	Providing & fixing mild seel bar fan clamp 15.8 mm(5/8") dia suitable for Rec roof (SI No. 1(e) P-14)	6	141.01	P.No	846
15	P/F distribution metal board double shutter to accommodate circuit breakers including painting with enemel paint and for other simmilar job on surface (S.I.No:15 P- No:13)	2	907.96	P.Sft	1816
16	P/Fenergy sever superior quality including fixing on existing holder etc complete.(S.I.No:6 P- No:33) (24 Walt)	10	497.00	Each	4970
17	P/F earthing set with 2"x2"x1/2" cooper plate burried in groud at a depth of 12" or less if water comes out from the ground level with salt and chorcoal ctc,in/c,making the pit 12"deep by excavation of all type of soil. Earth plat to be connected with No:8	1	3610.04	Each	3610
18	P/F A.C ceiling fan regulator on metal board recessed in the walls column and covered with plastic sheet (S.I.No:2b P-No:14)	6	124.30	Each	746
19	P/F wall bracket light fancy type superior quality including necessary electric connection and fixing on wall oe ceiling etc complete.(S.I.No:5 P-No:33)	4	497.00	Each	1988
		•	GRAN	RD TOTAL :-[148530



(4) GBPS PHATT.

S.NO:	Description	Qty	Rate	Unit	Amount
B	Part"A" New Schedule Items 2012				<u> </u>
i 🏕	Wiring for light or fan point with 3/.029 PVC insulated wire in 20mm (3/4") channel patti on surface as required. (S.No. 129 P-15).	50	910	per point	45500
2	Wiring for plug point with 3/.029 PVC insulated wire in 20mm	13	742	per point	9646
	(3/4") channel patti on surface as required. (S.No. 130 P-15).				
3	Providing & laying (MAIN or SUB MAIN) PVC insulated with size 2-7/.029 copper conductor in 3/4" dia PVC conduit recessed in the wall or column as required, CSI No. 3 Page No. 1)	200	171	per Meter	34200
4	Providing & laying (MAIN or SUB MAIN) PVC insulated with	150	252	per Meter	37800
	size 2-7/.036 copper conductor in 3/4" dia PVC conduit				
	recessed in the wall or column as required. (S.I.No:11 P- No:2)				
- 5	Providing & laying (MAIN or SUB MAIN) PVC insulated with	150	341	per Meter	51150
	size 2-7/.044 (6nm2) copper conductor in $\frac{3}{4}$ " dia PVC conduit				
	recessed in the wall or column as required. (S.I.No:12 P- No:2)				
6	Providing & fixing circuit breaker 6,10,15,20, 30,40,50 & 63amp SP (TB-5S) on prepared board as required (S.1.No:202 P-No:30)	12	916	Each	10992
7	Providing & fixing circuit breaker 15,20,30, 40,50,60,75 & 100amp TP (XS-100NS) on prepared board as required (S.I.No:207 P-No:31)	1	9261	P.No	9261
8	Providing & fixing two pin 5amp plug & flush type (S.1.No:225 P- No:33)	13	83	P.No	1079
, 9	Providing & fixing three pin 10/15amp plug & socket flush type (S.LNo:222 P- No:33)	5	162	P.No	810
10	Providing & fixing one way SP 5amp switch flush type(S.I.No:219 P- No:33)	50	54	P.No	2700



	rage 2		·		
S.NO:	Description	Qty	Rate	Unit	Amount
11	Providing & fixing Bakelite ceiling rose with two terminals	20	72	P.No	1440
· 6	(S.I.No:228 P- No:33)				
12	Providing & fixing Brass Battern holder c(S.I.No:232 P-No:33)	30	70	P.No	2100
13	Providing & fixing Brass Ceiling fan 56" (good quality) (S.I.No:235 P- No:34)	20	3185	P.No	63700
14	Providing & fixing junction box as per following specification Size of box 8"×6"×4"MS plate size 16 SWG thick Clamp with nuts & bolts Cover plate with screw Painting two coats of rust preventive red oxide & two coats of ICI oil paint as per site requirement & instruction of EI (SI No. 158 P-24)	20	800	P.No	16000
15	P/F distribution metal board double shutter to accommodate circuit breakers including painting with enemel paint and for other simmilar job on surface (S.I.No:18 P- No:13)	2	1426.33	P.Sft	2853
16	P/Fenergy sever superior quality including fixing on existing holder etc complete.(S.I.No:6 P- No:33) (24 Walt)	30	497.00	Each	14910
17	P/F AC or DC electric bell 200/250 volt 70MM. (S.I.No:21 P-No:11)	1	150.70	Each	151
18	Providing & Fixing of street light 250 watts (SON-T) having 1P66 classification with 250w lamp, choke, capacitor & Internal wiring complete in all respect at the height With the help of hydraulic crane as per site requirement and instruction of El. (CSI No. 163 Page No. 25)	1	24790	P.No	24790
19	P/F flush type electric bell bush button (S.I.No:23 P- No:12)	1	25.19	Each	25
20	P/F earthing set with 2"x2"x1/2" cooper plate burried in groud at a depth of 12" or less if water comes out from the ground level with salt and chorcoal ,etc,in/c.making the pit 12"deep by excavation of all type of soil. Earth plat to be connected with No:8	I	3610.04	Each	3610
21	P/F A.C ceiling fan regulator on metal board recessed in the walls column and covered with plastic sheet (S.I.No:2b P-No:14)	20	124.30	Each	2486



S.NO:	Description	Qty	Rate	Unit	Amoun
22	P/F wall bracket light fancy type superior quality including	4	497.00	Each	1988
B	necessary electric connection and fixing on wall oc ceiling etc complete.(S.I.No:5 P- No:33)				
•			GRAN	D TOTAL :-	33719
	AB\$TRACT			-	
1	GBPS Khokhar Mohalla	Rs:	148530		
2	GGPS Sanwalo Jamali	Rs:	148530		
3	GBPS Kashajir	Rs:	148530		
4	GBPS Phate	Rs:	337191		•
	G-Total	Rs:	782781		
Amoun	i Total (A) 78278 1				
/ 0	. 18 1. % Above /Below on the rates of CSR Rs. 7813	72	/ Amount to be	added/deducte	d on
- -			•		
the bas	sis of premium quoted — Total (B)				
Total (/	A) = in Words & Figure 781372/= Rupees 3	دروس	lacs Es	doth ou	<u>-</u>

CONTRACTOR

EXECUTIVE ENGINEER
EDUCATION WORKS DIVISION
KHAIRPUR

OFFICE OF THE EXECUTIVE ENGINEER EDUCATION WORKS DIVISION KHAIRPUR

NO: T.C/G-55/EW/KHP:/ [223	of / 2017
NO: T.C/G-55/EW/KHP:/ 1323 KHAIRPUR DATED: $-14-9$	$-^{/2017}$

M/S Taha Electric & Civil works Government Contractor

Khairpur

SUBJECT: -

To.

REHABILITATION/RENOVATION OF DANGERIOUS SCHOOL BUILDING

IN DISTRICT KHAIRPUR ADP- 466 I.E (1) GGLES GUJO (2) GBLSS PALAH (3) GBPS ROAD MACHI TALUKA KHAIRPUR (INTERNAL

ELECTRIFICATION) PACKAGE NO -02

Reference:

Opening Tender opened on : -

3/6/2017

The rate quoted by you for the above-mentioned work on PART-"A" @ 0.20% Below(Schedule Items)entered in schedule'B'has been approved amounting to Rs 842457/-on schedule items.

You are requested to please attend this office within 07 days to complete the tender documents.

You are requested to supply this office a copy of partnership / deed registration deed of the firm ad power of attorney in the name of partnership of employees of the firm whom you have authorized to sign the bills, receive payments and instructions in respect of this work.

You are requested to start the work within 07 days after issue of this work order complete the same within agreement period of { 12 } Months

Stipulated date of Start

Stipulated date of Completion

IT SHOULD FURTHER BE NOTED THAT

- 1 The work is to be carried out as per PWD specification
- 2 No Cartage for any material either arranged by you or supplied by Government will be paid separately.
- 3 No. Premium will be allowed on Non-Schedule items.
- 4 No Work should be carried out in excess of sanctioned estimate the receipt of this letter may please be acknowledged.

Executive Engineer
Education Works Division
Khairpur

Copy forwarded with compliments to the: -

- 1 The Superintending Engineer Education Works Circle Sukkur for favour of information please
- Copy along with copy of Schedule 'B" forwarded to the Assistant Engineer Education Electrical Works Sub Division Sukkur for information and necessary action. He should report actual date of start of the work to this Office

Copy forworded to the Director (C.B) SPPRA Karachi for favour of information.

Executive Fogineer

Education Works Division

Khairpur



M/s Taha Electric & Civil Works Govt: Contractor


STANDARD BIDDING DOCUMENT

PROCUREMENT OF WORKS

(For Contracts Costing up to Rs 2.5 MILLION)

REHABILITATION/RENOVATION OF DANGERIOUS SCHOOL BUILDING IN DISTRICT KHAIRPUR ADP- 465 LE (1) GGLES GUJO (2) GBLSS PALAH (3) GBPS ROAD MACHI TALUKA KHAIRPUR (INTERNAL **ELECTRIFICATION) PACKAGE NO -02**

Standard Bidding Document is intended as a model for admirasureme (Percentage Rate/unit price for unit rates in a Bill of Quantities) types of contract



CONTRACTOR

TION WORLS DIVISION

FORM OF CONTRACT AGREEMENT

day of "Procu	CONTRACT AGREEMENT (hereinafter called the "Agreement") made on the
should	REAS the Procuring Agency is desirous that certain Works, viz be executed by the Contractor and has accepted a Bid by the Contractor for the ion and completion of such Works and the remedying of any defects therein.
NOW	this Agreement witnesseth as follows:
1.	In this Agreement words and expressions shall have the same meanings as are respectively assigned to them in the Conditions of Contract hereinafter referred to.
2.	The following documents after incorporating addenda, if any except those parts relating to Instructions to Bidders, shall be deemed to form and be read and construed as part of this Agreement, viz:
	 (a) The Letter of Acceptance; (b) The completed Form of Bid along with Schedules to Bid; (c) Conditions of Contract & Contract Data; (d) The priced Schedule of Prices/Bill of quantities (BoQ); (e) The Specifications; and (f) The Drawings
3.	In consideration of the payments to be made by the Procuring Agency to the Contractor as hereinafter mentioned, the Contractor hereby covenants with the Procuring Agency to execute and complete the Works and remedy defects therein in conformity and in all respects within the provisions of the Contract.
4.	The Procuring Agency hereby covenants to pay the Contractor, in consideration of the execution and completion of the Works as per provisions of the Contract, the Contract Price or such other sum as may become payable under the provisions of the Contract at the times and in the manner prescribed by the Contract.

Signature of the Contactor	Signature of the Procuring Agency
(Seal)	Seally state transfer & Research
Signed, Scaled and Delivered in the p	resence of:
Witness:	Witness:
(Name, Title and Address)	(Name, Title and Address)

IN WITNESS WHEREOF the parties hereto have caused this Contract Agreement to be executed on the day, month and year first before written in accordance with their respective

laws.

SINDH PUBLIC PROCUREMENT REGULATORY AUTHORITY

CONTRACT EVALUATION FORM

TO BE FILLED IN BY ALL PROCURING AGENCIES FOR PUBLIC CONTRACTS OF WORKS, SERVICES & GOODS

I)	NAME OF THE ORGANIZATION / DEPTT.	Education & Literact Department
2)	PROVINCIAL / LOCAL GOVT./ OTHER	Provincial
3)	HITLE OF CONTRACT	Ren/Rema @ in Unio is Palah is Road Mad
4)	FENDER NUMBER	SNO (02) (Int : Elect:)
5)	BRIEF DESCRIPTION OF CONTRACT	Building Work (School Work)
6)	FORUM THAT APPROVED THE SCHEME	A A Issued by P&D Department Karachi
7 _J	TENDER ESTIMATED VALUE	Rs 0.844 (M)
8)	ENGINEER'S ESTIMATE (For civil works only)	T.S RS 844000
91	INTIMATED COMPLETION PERIOD (AS PI	ER CONTRACT) (12) Months
10)	TENDER OPENED ON (DATE & TIME)	03-06-2017
11)	NUMBER OF TENDER DOCUMENTS SOLD (Attach list of buyers)	03 Nos
12)	NUMBER OF BIDS RECEIVED	03 Nos
13)	NUMBER OF BIDDERS PRESENT AT THE	TIME O F OPENING OF BIDS _03
14)	BID EVALUATION REPORT (Enclose a copy)	Copy enclosed
15)	NAME AND ADDRESS OF THE SUCCESSFO	UL BIDDER MIS Taha Electric 21 civil work.
	CONTRACT AWARD PRICE	Rs 842457
17)	RANKING OF SUCCESSFUL BIDDER IN EV (i.e. 15, 2 rd , 3 rd EVALUATION BID).	ALUATION REPORT
18)	METHOD OF PROCUREMENT USED: - (Tic	k one)
	.i) SINGLE STAGE - ONE ENVELOPE	PROCEDURE Yes Domestic/ Local
	b) SINGLE STAGE – TWO ENVELOPE	PROCEDURE
	c) TWO STAGE BIDDING PROCEDUR	E
	d) TWO STAGE – TWO ENVELOPE BI	DDING PROCEDURE
	PLEASE SPECIFY IF ANY OTHER EMERGENCY, DIRECT CONTRACTING	METHOD OF PROCUREMENT WAS ADOPTED i.e. B ETC. WITH BRIBE REASONS:

		Chief Engineer Education works Sukkur
19) APPR	OVING AUTHORITY FOR AWARD OF CONTR.	ACI
20) WHET	THER THE PROCUREMENT WAS INCLUDED II	N ANNUAL PROCUREMENT PLAN? Yes V No
21) ADVE	RIBEMENT:	<u> </u>
ij	SPPRA Website (If yes, give date and SPPRA Identification No.)	Yes SPPRA S NO 33094 Dated:- 04-05-2017
	(A year give date and so ver recommendation rate)	No
ii)	News Papers (If yes, give names of newspapers and dates)	Yes SPPRA S.NO 33094 Dated - 04-05-2017
		No
22) NATU	RE OF CONTRACT	hongon Int.
WAST	THER QUALIFICATION CRITERIA INCLUDED IN BIDDING (TENDER DOCUMEN , enclose a copy)	Yes V No
WASI	THER BID EVALUATION CRITERIA INCLUDED IN BIDDING / TENDER DOCUMEN , enclose a copy)	Yes V No
	THER APPROVAL OF COMPETENT AUTHORIT BOD OTHER THAN OPEN COMPETITIVE BIDD	
26) WAS I	BID SECURITY OBTAINED FROM ALL THE BI	IDDERS? Yes V No
	THER THE SUCCESSFUL BID WAS LOWEST E BEST EVALUATED BID (in case of Consultancies	
	HER THE SUCCESSFUL BIDDER WAS TECHN PLIANT?	NICALLY Yes No
	THER NAMES OF THE BIDDERS AND THEIR TME OF OPENING OF BIDS?	QUOTED PRICES WERE READ OUT AT
CONT	THER EVALUATION REPORT GIVEN TO RACT? In copy of the bid evaluation report)	BIDDERS BEFORE THE AWARD OF

31) ANY COMPLAIN (If yes, result thereo		Yes	
		No	· · · · · · · · · · · · · · · · · · ·
32) ANY DEVIATION (If yes, give details	FROM SPECIFICATIONS (GIVEN IN THE TENDE	R NOTICE DOCUMENTS
		No No	
33) WAS THE EXTEN (If yes, give reason:	SSION MADE IN RESPONSI	E HME? Yes	
		No	
34) DEVIATION FRO. (If yes, give detaile	M QUALIFICATION CRITE d reasons.)	<u> </u>	
		No	
35) WAS IT ASSURE BLACK LISTED?	ED BY THE PROCURING	AGENCY THAT THE	SELECTED FIRM IS NOT Yes No
SUPPLIER'S PRE	MISES IN CONNECTION A D REGARDING FINANCIN	VITH THE PROCURES	CURING AGENCY TO THE MENT? IF SO, DETAILS TO AD:
37) WERE PROPER S THE CONTRACT	SAFEGUARDS PROVIDED (BANK GUARANTEE ETC	ON MOBILIZATION)?	ADVANCE PAYMENT IN Yes No
38) SPECIAL CONDIT	DONS, IF ANY Description)	Yes	
of UM	원왕 	No	
Signature & Official Stamp Authorized Officer	p of		
			<u></u>

SPPRA, Block. No.8, Sindh Secretariat No.4-A, Court Road, Karachi Tele: 021-9205356; 021-9205369 & Fax: 021-9206291

Print Save Reset

BILL OF QUANTITES

(A) Description and rate of items based on composite schedule of rates.2012

(B) Description and rate of items based on composite schedule of rates.2004

NAME OF WORK: REHABILITATION / RENOVATION OF DANGEROUS SCHOOL BUILDING IN DISTRICT KHAIRPUR AT (1) GGELS GUJJO (2) GBLSS PALAH (3) GBPS ROAD MACHI TALUKA KHAIRPUR ADP NO. 466. (INTERNAL ELECTRIFICATION)

(PACKAGE NO.2)

(1) GGELS GUJJO

S.NO:	Description	Qty	Rate	Unit	Amount
L	Part"A" New Schedule Items 2012		<u> </u>	<u> </u>	
I	Wiring for light or fan point with 3/,029 PVC insulated wire in 20mm (3/4") channel patti on surface as required. (S.No. 129 P-15).	46	910	per point	41860
2	Wiring for plug point with 3/.029 PVC insulated wire in 20mm	8	742	per point	5936
	(3/4") channel patti on surface as required. (S.No. 130 P-15).				
3	Providing & laying (MAIN or SUB MAIN) PVC insulated with size 2-7/.029 copper conductor in '4' dia PVC conduit recessed in the wall or column as required, CSI No. 3 Page No. 1)	200	171	per Meter	34200
	Providing & laying (MAIN or SUB MAIN) PVC insulated with size 2-7/.036 copper conductor in 3/4" dia PVC conduit recessed in the wall or column as required. (S.I,No:11 P-No:2)	150	2 52	per Meter	37800
5	Providing & laying (MAIN or SUB MAIN) PVC insulated with size 2-7/.044 (6mm2) copper conductor in 3/2 dia PVC conduit recessed in the wall or column as required. (S.I.No:12 P- No:2)	200	341	per Meter	68290
. 6	Providing & fixing circuit breaker 6,10,15,20, 30,40,50 & 63amp SP (TB-5S) on prepared board as required (S.I.No:202 P- No:30)	12	916	Each	10992
. 7	Providing & fixing circuit breaker 15,20,30, 40,50,60,75 & 100amp TP (XS-100NS) on prepared board as required (S.LNo:207 P-No:31)	1	9261	P.No	9261
8	Providing & fixing two pin 5amp plug & flush type (S.I.No:225 P- No:33)	8	83	P.No	664
9	Providing & fixing three pin 10/15amp plug & socket flush type (S.I.No:222 P- No:33)	5	162	P.No	810
10	Providing & fixing one way SP 5amp switch flush type(S.I.No:219 P- No:33)	16	54	P.No	2484

S.NO:	Description	Qty	Rate	Unit	Amount
ـــــــــــــــــــــــــــــــــــــ	Providing & fixing Bakelite ceiling rose with two terminals (S.1.No:228 P- No:33)	16	72	P.No	1152
. ≠ 12	Providing & fixing Brass Battern holder c(S.I.No:232 P-No:33)	30	70	P.No	2100
13	Providing & fixing Brass Ceiling fan 56" (good quality) (S.I.No:235 P- No:34)	16	3185	P.No	50960
· 14	Providing & fixing junction box as per following specification Size of box 8"×6"×4"MS plate size 16 SWG thick Clamp with nuts & bolts Cover plate with screw Painting two coats of rust preventive red oxide & two coats of ICI oil paint as per	16	800	P.No	12800
15	P/F distribution metal board double shutter to accommodate circuit breakers including painting with enemel paint and for other simmilar job on surface (S.1.No:18 P- No:13)	2	1426.33	P.Sft	2853
. 16	P/Fenergy sever superior quality including fixing on existing holder etc complete.(S.I.No:6 P- No:33) (24 Walt)	30	497.00	Each	14910
17	P/F AC or DC electric bell 200/250 volt 70MM. (S.I.No:21 P-No:11)	1	150.70	Each	151
. 18	Providing & Fixing of street light 250 watts (SON-T) having IP66 classification with 250w lamp, choke, capacitor & Internal wiring complete in all respect at the height With the help of hydraulic crane as per site requirement and instruction of El. (CSI No. 163 Page No. 25)	1	24790	P.No	24790
19	P/F flush type electric bell bush button (S.I.No:23 P- No:12)	1	25.19	Each	25
. 20	P/F earthing set with 2"x2"x1/2" cooper plate burried in groud at a depth of 12" or less if water comes out from the ground level with salt and chorcoal ,etc,in/c.making the pit 12"deep by excavation of all type of soil. Earth plat to be connected with No:8	1	3610.04	Each	3610
21	P/F A.C ceiling fan regulator on metal board recessed in the walls column and covered with plastic sheet (S.I.No:2b P-No:14)	16	124.30	Each	1989
22	P/F wall bracket light fancy type superior quality including necessary electric connection and fixing on wall oe ceiling etc complete.(S.I.No:5 P- No:33)	4	497.00	Each	1988
	· · · · · · · · · · · · · · · · · · ·	Y	GRAN	D TOTAL :-	329534

/(2) GBLSS PALAH.

S.NO:	Description	Qty	Rate	Unit	Amount
<u>_</u>	Part"A" New Schedule Items 2012			A	
	Wiring for light or fan point with 3/.029 PVC insulated wire in 20mm (3/4") channel patti on surface as required. (S.No. 129 P-15).	29	910	per point	26390
2	Wiring for plug point with 3/.029 PVC insulated wire in 20mm	7	742	per point	5194
	(3/4") channel patti on surface as required, (S.No. 130 P-15).				
. 3	Providing & laying (MAIN or SUB MAIN) PVC insulated with size 2-7/.029 copper conductor in ¾" dia PVC conduit recessed in the wall or column as required, CSI No. 3 Page No. 1)	200	171	per Meter	34200
. 4	Providing & laying (MAIN or SUB MAIN) PVC insulated with size 2-7/.036 copper conductor in ¼" dia PVC conduit recessed in the wall or column as required. (S.I.No:11 P-No:2)	150	252	per Meter	37800
5	Providing & laying (MAIN or SUB MAIN) PVC insulated with size 2-7/.044 (6mm2) copper conductor in 3/4" dia PVC conduit recessed in the wall or column as required. (S.I.No:12 P- No:2)	200	341	per Meter	68200
	Providing & fixing circuit breaker 6,10,15,20, 30,40,50 & 63amp SP (TB-5S) on prepared board as required (S.I.No:202 P- No:30)	12	916	Each	10992
7	Providing & fixing circuit breaker 15,20,30, 40,50,60,75 & 100amp TP (XS-100NS) on prepared board as required (S.I.No:207 P- No:31)	1	9261	P.No	9261
. 8	Providing & fixing two pin 5amp plug & flush type (S.I.No:225 P- No:33)	7	83	P.No	581
. 9	Providing & fixing three pin 10/15amp plug & socket flush type (S.I.No:222 P- No:33)	5	162	P.No	810
10	Providing & fixing one way SP 5amp switch flush type(S.1.No:219 P- No:33)	29	A 54	P.No	1566

Ś.NO:	Description	Otv	Poto	Unit	Amount
	Providing & fixing Bakelite ceiling rose with two terminals	Qty 10	Rate 72	P.No	720
	(S.i.No:228 P- No:33)	10	r. =	1,110	740
* 1.3	(3.1.140.2261-140.33)				
	Providing & fixing Brass Battern holder c(S.I.No:232 P-No:33)	19	70	P.No	1330
	Providing & fixing Brass Ceiling fan 56" (good quality) (S.1.No:235 P- No:34)	10	3185	P.No	31850
14	Providing & fixing junction box as per following specification Size of box 8"×6"×4"MS plate size 16 SWG thick Clamp	10	800	P.No	8000
	with nuts & bolts Cover plate with screw Painting two coats of				
-	rust preventive red oxide & two coats of ICI oil paint as per site requirement & instruction of EI (SI No. 158 P-24)				
	P/F distribution metal board double shutter to accommodate circuit breakers including painting with enemel paint and for other simmilar job on surface (S.1.No:18 P- No:13)	2	1426.33	P.Sft	2853
16	P/Fenergy sever superior quality including fixing on existing holder etc complete.(S.I.No:6 P-No:33) (24 Walt)	19	497.00	Each	9443
	P/F AC or DC electric bell 200/250 volt 70MM. (S.I.No:21 P-No:11)	1	150.70	Each	151
. 18	Providing & Fixing of street light 250 watts (SON-T) having 1P66 classification with 250w lamp, choke, capacitor & Internal wiring complete in all respect at the height With the help of hydraulic crane as per site requirement and instruction of EI. (CSI No. 163 Page No. 25)	3	24790	P.No	74370
19	P/F flush type electric bell bush button (S.I.No:23 P- No:12)	1	25.19	Each	25
20	P/F earthing set with 2"x2"x1/2" cooper plate burried in groud at a depth of 12" or less if water comes out from the ground level with salt and chorcoal ,etc,in/c.making the pit 12"deep by excavation of all type of soil. Earth plat to be connected with No:8	į	3610.04	Each	3610
, 21 -	P/F A.C ceiling fan regulator on metal board recessed in the walls column and covered with plastic sheet (S.I.No:2b P-No:14)	10	124.30	Each	1243
22	P/F wall bracket light fancy type superior quality including necessary electric connection and fixing on wall oe ceiling etc complete.(S.I.No:5 P- No:33)	4	497.00	Each	1988

GRAND TOTAL :- 330577

/(3) GBPS ROAD MACHI.

S.NO:	Description	Qty	Rate	Unit	Amount
<u></u>	Part"A" New Schedule Items 2012		l	<u> </u>	
, J	Wiring for light or fan point with 3/.029 PVC insulated wire in 20mm (3/4") channel patti on surface as required. (S.No. 129 P-15).	24	910	per point	21840
2	Wiring for plug point with 3/.029 PVC insulated wire in 20mm	5	742	per point	3710
	(3/4") channel patti on surface as required. (S.No. 130 P-15).				
3	Providing & laying (MAIN or SUB MAIN) PVC insulated with size 2-7/.029 copper conductor in ¼" dia PVC conduit recessed in the wall or column as required. CSI No. 3 Page No. 1)	150	171	per Meter	25650
· 4	Providing & laying (MAIN or SUB MAIN) PVC insulated with	100	252	per Meter	25200
	size 2-7/.036 copper conductor in 3/211 dia PVC conduit				
	recessed in the wall or column as required. (S.I.No:11 P- No:2)				
.5	Providing & laying (MAIN or SUB MAIN) PVC insulated with	140	341	per Meter	47740
	size 2-7/.044 (6mm2) copper conductor in ¾" dia PVC conduit				
	recessed in the wall or column as required. (S.I.No:12 P- No:2)				
6	Providing & fixing circuit breaker 6,10,15,20, 30,40,50 & 63amp SP (TB-5S) on prepared board as required (S.I.No:202 P-No:30)	8	916	Each	7328
. 7	Providing & fixing circuit breaker 6,10,15,20,30,40,50, & 63amp DP (TB-5S) on perpared board required (S.I.No:204 P-No:31)	1	2425	P.No	2425
8	Providing & fixing two pin 5amp plug & flush type (S.I.No:225 P- No:33)	5	83	P.No	415
9	Providing & fixing three pin 10/15amp plug & socket flush type (S.I.No:222 P- No:33)	5	162	P,No	810
10	Providing & fixing one way SP 5amp switch flush type(S.I.No:219 P- No:33)	24	54	P.No	1296
,11	Providing & fixing Bakelite ceiling rose with two terminals (S.I.No:228 P- No:33)	9	72	P.No	648

S.NO:	Description	Qty	Rate	Unit	Amount
 12 2	Providing & fixing Brass Battern holder c(S.I.No:232 P-No:33)	15	70	P.No	1050
13	Providing & fixing Brass Ceiling fan 56" (good quality) (S.I.No:235 P- No:34)	9	3185	P.No	28665
14	Providing & fixing mild seel bar fan clamp 15.8 mm(5/8") dia suitable for Rcc roof (SI No. 1(c) P-14)	9	141.01	P.No	1269
15	P/F distribution metal board double shutter to accommodate circuit breakers including painting with enemel paint and for other simmilar job on surface (S.I.No:15 P- No:13)	2	907.96	P.Sft	1816
16	P/Fenergy sever superior quality including fixing on existing holder etc complete.(S.I.No:6 P- No:33) (24 Walt)	15	497.00	Each	7455
17	P/F earthing set with 2"x2"x1/2" cooper plate burried in groud at a depth of 12" or less if water comes out from the ground level with salt and chorcoal ,etc,in/c,making the pit 12"deep by excavation of all type of soil. Earth plat to be connected with No:8	1	3610.04	Each	3610
18	P/F A.C ceiling fan regulator on metal board recessed in the walls column and covered with plastic sheet (S.I.No:2b P-No:14)	9	124.30	Each	1119
	P/F wall bracket light fancy type superior quality including necessary electric connection and fixing on wall oe ceiling etc complete.(S.l.No:5 P- No:33)	4	497.00	Each	1988

ABSTRACT

1 GGELS Gujjo GBLSS Palah

GBAS Toold Machi

Rs: 329534 Rs: 330577 Rs: 184034

GRAND TOTAL:

G-Total Rs: 844145

Amount Total (A) AMM 5

0-20% % Above /Below on the rates of CSR Rs. 842457 / Amount to be added/deducted on

the basis of premium quoted

Total (B)

Total (A) = in Words & Figure 342457/= Rupees Eight lass Forty Two-

- Thousand form Hundred Sifty seven only

CONTRACTOR

EXECUTIVE INGINEER
EDUCATION WORKS DIVISION

184034

KHAIRPUR

OFFICE OF THE EXECUTIVE ENGINEER EDUCATION WORKS DIVISION KHAIRPUR

To,

M/S Farooque Builders Government Contractor

Khairpur

SUBJECT: -

REHABILITATION/RENOVATION OF DANGERIOUS SCHOOL BUILDING IN DISTRICT KHAIRPUR ADP- 466 I.E (1) GBPS HAJI TAJ MUHAMMAD SHAIKH (2) GBPS BHANO GOTH (3) GBPS NOOR MUHAMMAD BUGHTI (4) GGPS ALI NAWAZ MAITLO (5) GBPS ALLAH DINO SHAIKH TALUKA KHAIRPUR (INTERNAL ELECTRIFICATION) PACKAGE NO -03

Reference:

Opening Tender opened on : -

3/6/2017

The rate quoted by you for the above-mentioned work on PART-"A" @ 0.20% Below(Schedule Items)entered in schedule'B'has been approved amounting to Rs 843457/-on schedule items.

You are requested to please attend this office within 07 days to complete the tender documents.

You are requested to supply this office a copy of partnership / deed registration deed of the firm ad power of attorney in the name of partnership of employees of the firm whom you have authorized to sign the bills, receive payments and instructions in respect of this work.

You are requested to start the work within 07 days after issue of this work order complete the same within agreement period of (12) Months

Stipulated date of Start

Stipulated date of Completion

IT SHOULD FURTHER BE NOTED THAT

- 1 The work is to be carried out as per PWD specification
- 2 No Cartage for any material either arranged by you or supplied by Government will be paid separately.
- 3 No. Premium will be allowed on Non-Schedule items.
- 4 No Work should be carried out in excess of sanctioned estimate the receipt of this letter may please be acknowledged.

Executive Engineer Education Works Division Khairpur

Copy forwarded with compliments to the: -

- 1 The Superintending Engineer Education Works Circle Sukkur for favour of information please
- Copy along with copy of Schedule 'B" forwarded to the Assistant Engineer Education Electrical Works Sub Division Sukkur for information and necessary action. He should report actual date of start of the work to this Office

Copy forworded to the Director (C.B) SPPRA Karachi for favour of information.

Executive Environment

Education Works Division

Khairpur



M/s Farooque Builders
Govt Contractor

STANDARD BIDDING DOCUMENT

PROCUREMENT OF WORKS

(For Contracts Costing up to Rs 2.5 MILLION)

REHABILITATION/RENOVATION OF DANGER!OUS SCHOOL BUILDING IN DISTRICT KHAIRPUR ADP- 466 LE (1) GBPS HAJI TAJ MUHAMMAD SHAIKF! (2) GBPS BHANC GOTH (3) GBPS NOOR MUHAMMAD BUGHT! (4) GGPS ALI NAWAZ MAITLO (5) GBPS ALLAH DINO SHAIKH TALUKA KHAIRPUR (INTERNAL ELECTRIFICATION) PACKAGE NO-03

Standard Bidding Document is intended as a model for admeasurements (Percentage Rate/unit price for unit rates in a Bill of Quantities) types of contract. The main text refers to admeasurements contracts.




EXECUTIVE EXCIDER
EDUCATION WORKS DIVISION
KHAIRPUR

FORM OF CONTRACT AGREEMENT

day of "Procu		cr called the "Agreement") made on the
should	FAS the Procuring Agency is desire by executed by the Contractor and I on and completion of such Works and t	has accepted a Bid by the Contractor for the
NOW	hry Agreement witnesseth as follows:	
l. ·	· • • • • • • • • • • • • • • • • • • •	ssions shall have the same meanings as an inditions of Contract hereinafter referred to.
2		rporating addenda, if any except those parts I be deemed to form and be read and construct
	(in) The Letter of Acceptance; (i) The completed Form of Bid alo (c) Conditions of Contract & Conti (d) The priced Schedule of Prices/ (c) The Specifications; and (1) The Drawings	det Data;
3.	Contractor as hereinafter mentioned	be made by the Procuring Agency to the the Contractor hereby covenants with the plete the Works and remedy defects therein in the provisions of the Contract.
4.	execution and completion of the Work	its to pay the Contractor, in consideration of the s as per provisions of the Contract, the Contract ne payable under the provisions of the Contract ed by the Contract.
		•

Sindh Publi. Procurement Regulatory Authority į www.pprasindh.gov.pk





IN WITHERS WHITREOF the parties hereto have caused this Contract Agreement to be executed on the day, month and year first before written in accordance with their respective laws.

Signature of the Connetor	Signature of the Procuring Agency
(Seal)	(Sept 10 To The time of the Sept 10 To The time of the Sept 10 To The time of time of time of the time of
Signed, Stated and Delivered in the presence of	
Witness	Witness:
Manne, Juffe and Address)	(Name, Title and Address)

SINDH PUBLIC PROCUREMENT REGULATORY AUTHORITY

CONTRACT EVALUATION FORM

TO BE FILLED IN BY ALL PROCURING AGENCIES FOR PUBLIC CONTRACTS OF WORKS, SERVICES & GOODS

1)	NAME OF THE ORGANIZATION / DEPTT.	Education & Literact Department
2)	PROVINCIAL / LOCAL GOVT / OTHER	Provincial
3)	TITLE OF CONTRACT	Reh/Reno: QO Baberloico Buxan Khan Noo
4+	LENDER NUMBER	SNO (O4) (4) Shaikh (Sono shaikh) (5)
5)	BRIEF DESCRIPTION OF CONTRACT	Building Work (School Work) (Int Elect)
6)	FORUM THAT APPROVED THE SCHEME	A A Issued by P&D Department Karachi
7)	TENDER ESTIMATED VALUE	Rs 0.980 (M)
8)	ENGINEER'S ESTIMATE (For civil works only)	TS RS 9 80000
9)	FSTIMATED COMPLETION PERIOD (AS P	ER CONTRACT) (12) Months
10)	LENDER OPENED ON (DATE & TIME)	03-06-2017
[1)	NUMBER OF TENDER DOCUMENTS SOLI (Attach list of buyers)	03 Nos
12)	NUMBER OF BIDS RECEIVED	03 Nos
13)	NUMBER OF BIDDERS PRESENT AT THE	TIME OF OPENING OF BIDS 03
14)	BID EVALUATION REPORT (Enclose a copy)	Copy enciosed
151	NAME AND ADDRESS OF THE SUCCESSE	ULBIDDER MS Saquib & Brothers.
	CONTRACT AWARD PRICE	Rs 917753
17}	RANKING OF SUCCESSFUL BIDDER IN EVICE. $\Gamma^a, 2^{ad}, 3^{re}$ EVALUATION BID).	VALUATION REPORT IST
18)	METHOD OF PROCUREMENT USED: - (Ti	ek one)
	a) SINGLE STAGE – ONE ENVELOPE	PROCEDURE Yes Domestic/ Local
	b) SINGLE STAGE - TWO ENVELOPE	PROCEDURE
	e) TWO STAGE BIDDING PROCEDUI	RE
	d) TWO STAGE – TWO ENVELOPE B	IDDING PROCEDURE
	PLEASE SPECIFY IF ANY OTHER EMERGENCY, DIRECT CONTRACTING	METHOD OF PROCUREMENT WAS ADOPTED is

			Ct	nief Engineer Education works Sukkur
19)	APPRO	OVING AUTHORITY FOR AWARD OF CONTRA	ACT	
20)	WHET	HER THE PROCUREMENT WAS INCLUDED IT	N ANN	UAL PROCUREMENT PLAN? Yes No No
21)	ADVE	RFISEMENT:		
	i)	SPPRA Website (If yes, give date and SPPRA Identification No.)	Yes	SPPRA S.NO 33094 Dated:- 04-05-2017
			No	
	ii)	News Papers (II yes, give names of newspapers and dates)	Yes	SPPRA S.NO 33094 Dated:- 04-05-2017
			No	
22)	NATUI	RE OF CONTRACT		Donath Int.
231		HER QUALIFICATION CRITERIA		
		NCLUDED IN BIDDING (TENDER DOCUMEN enclose a copy)	TS?	Yes V No
24)	WASII	HER BID EVALUATION CRITERIA NCLUDED IN BIDDING / TENDER DOCUMEN enclose a copy)	TS?	Yes V No
25)		HER APPROVAL OF COMPETENT AUTHORIȚ OD OTHER THAN OPEN COMPETITIVE BIDD		S OBTAINED FOR USING A Yes No
26)	WASE	BID SECURITY OBTAINED FROM ALL THE BI	DDER	Yes V No
27)		HER THE SUCCESSFUL BID WAS LOWEST E BEST EVALUATED BID (in case of Consultancies		ATED Yes V No
28)		HER THE SUCCESSFUL BIDDER WAS TECHN LIANT?	GCALI	Yes No
29)		HER NAMES OF THE BIDDERS AND THEIR IME OF OPENING OF BIDS?	QUOT	ED PRICES WERE READ OUT AT
30)		THER EVALUATION REPORT GIVEN TO RACT?	BIDDE	ERS BEFORE THE AWARD OF
		copy of the bid evaluation report)		Yes V No

31) ANY COMPLAINTS RECEIVED (If yes, result thereof)	Yes
	No
32) ANY DEVIATION FROM SPECIFICATIONS GIVEN IN (If yes, give details)	THE TENDER NOTICE / DOCUMENTS
	Yes
33) WAS THE EXTENSION MADE IN RESPONSE TIME?	No
(If yes, give reasons)	Yes
	No
34) DEVIATION FROM QUALIFICATION CRITERIA (If yes, give detailed reasons.)	Yes
	No
35) WAS IT ASSURED BY THE PROCURING AGENCY BLACK LISTED?	THAT THE SELECTED FIRM IS NOT Yes No
36) WAS A VISIT MADE BY ANY OFFICER OFFICIAL O SUPPLIER'S PREMISES IN CONNECTION WITH THE BE ASCERTAINED REGARDING FINANCING OF WISI (If yes, enclose a copy)	PROCUREMENT? IF SO, DETAILS TO T, IF ABROAD:
(ii yest eliciose a copy)	Yes No
37) WERE PROPER SAFEGUARDS PROVIDED ON MÓI THE CONTRACT (BANK GUARANTEE ETC.)?	Yes No
38) SPECIAL CONDITIONS, IF ANY (If yes, prespries Description)	Yes
	No
Signature & Official Stamp of Authorized Officer	-
ROFFICE USE ONLY	
and the second s	

SPPRA, Block. No.8, Sindh Secretariat No.4-A, Court Road, Karachi Tele: 021-9205356; 021-9205369 & Fax: 021-9206291

Print Save Reset

BILL OF QUANTITES.

(A) Description and rate of items based on composite schedule of rates.2012


(B) Description and rate of items based on composite schedule of rates.2004

NAME OF WORK: REHABILITATION / RENOVATION OF DANGEROUS SCHOOL BUILDING IN DISTRICT KHAIRPUR AT (1) GBPS HAJI TAJ MUHAMMAD SHAIKH (2) GBPS BHANO GOTH (3) GBPS NOOR MUHAMMAD BUGTI (4) GGPS ALI NAWAZ MAITLO (5) GBPS ALLAH DINO SHAIKH TALUKA KHAIRPUR ADP NO. 466. (INTERNAL ELECTRIFICATION)

(PACKAGE NO.3)

(1) GBPS HAJI TAJ MUHAMMAD SHAIKH

S.NO:	Description	Qty	Rate	Unit	Amount
	Part"A" New Schedule Items 2012		* · · ·		
1	Wiring for light or fan point with 3/.029 PVC insulated wire in 20mm (3/4") channel patti on surface as required. (S.No. 129 P-15).	24	910	per point	21840
2	Wiring for plug point with 3/,029 PVC insulated wire in 20mm	5	742	per point	3710
	(3/4") channel patti on surface as required. (S.No. 130 P-15).				
3	Providing & laying (MAIN or SUB MAIN) PVC insulated with size 2-7/,029 copper conductor in 3/2 dia PVC conduit recessed in the wall or column as required. CSI No. 3 Page No. 1)	200	171	per Meter	34200
4	Providing & laying (MAIN or SUB MAIN) PVC insulated with size 2-7/.036 copper conductor in '4'' dia PVC conduit recessed in the wall or column as required. (S.I.No:11 P-No:2)	150	252	per Meter	37800
5	Providing & laying (MAIN or SUB MAIN) PVC insulated with size 2-7/.044 (6mm2) copper conductor in 34" dia PVC conduit recessed in the wall or column as required. (S.I.No:12 P-No:2)	150	341	per Meter	51150
6	Providing & fixing circuit breaker 6,10,15,20, 30,40,50 & 63amp SP (TB-5S) on prepared board as required (S.I.No:202 P- No:30)	12	916	Each	10992
7	Providing & fixing circuit breaker 15,20,30, 40,50,60,75 & 100amp TP (XS-100NS) on prepared board as required (S.I.No:207 P- No:31)	1	9261	P.No	9261
8	Providing & fixing two pin 5amp plug & flush type (S.I.No:225 P- No:33)	5	83	P.No	415
9	Providing & fixing three pin 10/15amp plug & socket flush type (S.I.No:222 P- No:33)	5	162	P.No	810



·	Page 2		·		
S.NO:	Description	Qty	Rate	Unit	Amount
	Providing & fixing one way SP 5amp switch flush type(S.LNo:219 P- No:33)	24	54	P.No	1296
11	Providing & fixing Bakelite ceiling rose with two terminals (S.I.No:228 P- No:33)	9	72	P.No	648
12	Providing & fixing Brass Battern holder c(S.I.No:232 P-No:33)	15	70	P.No	1050
. 13	Providing & fixing Brass Ceiling fan 56" (good quality) (S.I.No:235 P- No:34)	9	3185	P.No	28665
- 14	Providing & fixing junction box as per following specification Size of box 8"×6"×4"MS plate size 16 SWG thick Clamp with nuts & bolts Cover plate with screw Painting two coats of rust preventive red oxide & two coats of ICI oil paint as per site requirement & instruction of EI (SI No. 158 P-24)	9	800	P.No	7200
15	P/F distribution metal board double shutter to accommodate circuit breakers including painting with enemel paint and for other simmilar job on surface (S.I.No:18 P- No:13)	2	1426.33	P.Sft	2853
16	P/Fenergy sever superior quality including fixing on existing holder etc complete.(S.i.No:6 P- No:33) (24 Walt)	15	497.00	Each	7455
- 17	P/F AC or DC electric bell 200/250 volt 70MM. (S.f.No:21 P-No:11)	1	150.70	Each	151
18	Providing & Fixing of street light 250 watts (SON-T) having IP66 classification with 250w lamp, choke, capacitor & Internal wiring complete in all respect at the height With the help of hydraulic crane as per site requirement and instruction of El. (CSI No. 163 Page No. 25)	I	24790	P.No	24790
. 19	P/F flush type electric bell bush button (S.I.No:23 P- No:12)	1	25.19	Each	25
20	P/F earthing set with 2"x2"x1/2" cooper plate burried in groud at a depth of 12" or less if water comes out from the ground level with salt and chorcoal etc,in/c,making the pit 12"deep by excavation of all type of soil. Earth plat to be connected with No:8	1	3610.04	Each	3610
21	P/F A.C ceiling fan regulator on metal board recessed in the walls column and covered with plastic sheet (S.I.No:2b P-No:14)	9	124.30	Each	1119
22	P/F wall bracket light fancy type superior quality including necessary electric connection and fixing on wall oe ceiling etc complete.(S.I.No:5 P- No:33)	4	497.00	Each	1988

فعداس

GRAND TOTAL:- 251027

(2) GBPS BHANO GOTH.

S.NO:	Description	Qty	Rate	Unit	Amount
	Part"A" New Schedule Items 2012			<u> </u>	
. 1	Wiring for light or fan point with 3/.029 PVC insulated wire in 20mm (3/4") channel patti on surface as required. (S.No. 129 P-15).	16	910	per point	14560
2	Wiring for plug point with 3/.029 PVC insulated wire in 20mm	4	742	per point	2968
	(3/4") channel patti on surface as required. (S.No. 130 P-15).				
_3	Providing & laying (MAIN or SUB MAIN) PVC insulated with size 2-7/.029 copper conductor in 3/4 dia PVC conduit recessed in the wall or column as required. CSI No. 3 Page No. 1)	150	171	per Meter	25650
4	Providing & laying (MAIN or SUB MAIN) PVC insulated with	80	252	per Meter	20160
-	size 2-7/.036 copper conductor in 3/41 dia PVC conduit				
	recessed in the wall or column as required. (S.1.No:11 P- No:2)				
5	Providing & laying (MAIN or SUB MAIN) PVC insulated with	115	341	per Meter	39215
	size 2-7/.044 (6mm2) copper conductor in $\frac{1}{4}$ dia PVC conduit				
	recessed in the wall or column as required. (S.I.No:12 P- No:2)				
-	Providing & fixing circuit breaker 6,10,15,20, 30,40,50 & 63amp SP (TB-5S) on prepared board as required (S.I.No:202 P- No:30)	8	916	Each	7328
. 7	Providing & fixing circuit breaker 6,10,15,20,30,40,50, & 63 amp DP (TB-5S) on perpared board required (S.I.No:204 P-No:31)	1	2425	P.No	2425
- 8	Providing & fixing two pin 5amp plug & flush type (S.1.No:225 P- No:33)	4	83	P.No	332
9	Providing & fixing three pin 10/15amp plug & socket flush type (S.I.No:222 P- No:33)	5	162	P.No	310
10	Providing & fixing one way SP 5amp switch flush type(S.I.No:219 P- No:33)	16	54	P.No	864
.11	Providing & fixing Bakelite ceiling rose with two terminals (S.I.No:228 P- No:33)	6	72	P.No	432

) . معداسم

	1 480 2				
S.NO:	Description	Qty	Rate	Unit	Amount
12. j	Providing & fixing Brass Battern holder c(S.I.No:232 P-No:33)	10	70	P.No	700
13	Providing & fixing Brass Ceiling fan 56'' (good quality) (S.I.No:235 P-No:34)	6	3185	P.No	19110
. 14	Providing & fixing mild seet bar fan clamp 15.8 mm(5/8") dia suitable for Rec roof (SI No. 1(c) P-14)	6	141.01	P.No	846 .
15	P/F distribution metal board double shutter to accommodate circuit breakers including painting with enemel paint and for other simmilar job on surface (S.I.No:15 P- No:13)	2	907.96	P.Sft	1816
_16	P/Fenergy sever superior quality including fixing on existing holder etc complete.(S.I.No:6 P- No:33) (24 Walt)	10	497.00	Each-	4970
17	P/F earthing set with 2"x2"x1.2" cooper plate burried in groud at a depth of 12" or less if water comes out from the ground level with salt and chorcoal .etc,in/c.making the pit 12"deep by excavation of all type of soil. Earth plat to be connected with No:8	Ī	3610.04	Each	3610
18	P/F A.C ceiling fan regulator on metal board recessed in the walls column and covered with plastic sheet (S.I.No:2b P-No:14)	6	124.30	Each	746
19	P/F wall bracket light fancy type superior quality including necessary electric connection and fixing on wall oe ceiling etc complete.(S.I.No:5 P- No:33)	4	497.00	Each	1988
		<i>y</i>	GRAN	ID TOTAL :-	148530
-					

هجدا سلم

(3) GBPS NOOR MUHAMMAD BUGHTI.

<u></u>					
S.NO.	<u> </u>	Qty	Rate	Unit	Amount
1	Part"A" New Schedule Items 2012 Wiring for light or fan point with 3/.029 PVC insulated wire in 20mm (3/4") channel patti on surface as required. (S.No. 129 P-15).	16	910	per point	14560
2	Wiring for plug point with 3/.029 PVC insulated wire in 20mm	4	742	per point	2968
	(3/4") channel patti on surface as required. (S.No. 130 P-15).				
-3	Providing & laying (MAIN or SUB MAIN) PVC insulated with size 2-7/.029 copper conductor in 1/4" dia PVC conduit recessed in the wall or column as required, CSI No. 3 Page No. 1)	150	171	per Meter	25650
4	Providing & laying (MAIN or SUB MAIN) PVC insulated with size 2-7/.036 copper conductor in 3/4" dia PVC conduit	80	252	per Meter	20160
5	recessed in the wall or column as required. (S.I.No:11 P- No:2) Providing & laying (MAIN or SUB MAIN) PVC insulated with	115	341	per Meter	39215
~	size 2-7/.044 (6mm2) copper conductor in ¾" dia PVC conduit recessed in the wall or column as required. (S.I.No:12 P-No:2)			·	
6	Providing & fixing circuit breaker 6,10,15,20, 30,40,50 & 63amp SP (TB-5S) on prepared board as required (S.1.No:202 P- No:30)	8	916	Each	7328
7	Providing & fixing circuit breaker 6,10,15,20,30,40,50, & 63amp DP (TB-58) on perpared board required (S.I.No:204 P-No:31)	l	2425	P.No	2425
8	Providing & fixing two pin 5amp plug & flush type (S.I.No:225 P- No:33)	4	83	P.No	332
	Providing & fixing three pin 10/15amp plug & socket flush type (S.I.No:222 P- No:33)	5	162	P.No	310
	Providing & fixing one way SP 5amp switch flush type(S.I.No:219 P- No:33)	16 \	54	P.No	864
	Providing & fixing Bakelite ceiling rose with two terminals (S.I.No:228 P- No:33)	6	72	P.No	432

معداسلم

S.NO:	Description	Qty	Rate	Unit	Amount
12	Providing & fixing Brass Battern holder c(S.I.No:232 P-No:33)	10	70	P.No	700
13	Providing & fixing Brass Ceiling fan 56" (good quality) (S.I.No:235 P- No:34)	6	3185	P.No	19110
	Providing & fixing mild seet bar fan clamp 15.8 mm(5/8") dia suitable for Rec roof (SI No. 1(c) P-14)	6	141.01	P.No	846
15	P/F distribution metal board double shutter to accommodate circuit breakers including painting with enemel paint and for other simmilar job on surface (S.I.No:15 P- No:13)	2	907.96	P.Sft	1816
16	P/Fenergy sever superior quality including fixing on existing holder etc complete.(S.I.No:6 P- No:33) (24 Walt)	10	497.00	Each	4970
17	P/F earthing set with 2"x2"x1/2" cooper plate burried in groud at a depth of 12" or less if water comes out from the ground level with salt and chorcoal ,etc,in/c,making the pit 12"deep by excavation of all type of soil. Earth plat to be connected with No:8	1	3610.04	Each	3610
18	P/F A.C ceiling fan regulator on metal board recessed in the walls column and covered with plastic sheet (S.I.No:2b P-No:14)	6	124.30	Each	746
19	P/F wall bracket light fancy type superior quality including necessary electric connection and fixing on wall oe ceiling etc complete.(S.I.No:5 P- No:33)	4	497.00	Each	1988

GRAND TOTAL:- 148530

Mulle

(4) GBPS ALI NAWAZ MAILTLO.

S.NO:	Description	Qty	Rate	Unit	Amount
	Part"A" New Schedule Items 2012			<u></u>	
. 1 .:	Wiring for light or fan point with 3/.029 PVC insulated wire in 20mm (3/4") channel patti on surface as required. (S.No. 129 P-15).	16	910	per point	14560
2	Wiring for plug point with 31.029 PVC insulated wire in 20mm	4	742	per point	2968
	(3/4") channel patti on surface as required. (S.No, 130 P-15).				
3	Providing & laying (MAIN or SUB MAIN) PVC insulated with size 2-7/.029 copper conductor in 3/2" dia PVC conduit recessed in the wall or column as required, CSI No. 3 Page No. 1)	150	171	per Meter	25650
4	Providing & laying (MAIN or SUB MAIN) PVC insulated with	80	252	per Meter	20160
	size 2-7/.036 copper conductor in 1/4" dia PVC conduit				
	recessed in the wall or column as required. (S.I.No:11 P- No:2)				
. 5	Providing & laying (MAIN or SUB MAIN) PVC insulated with	115	341	per Meter	39215
	size 2-7/.044 (6mm2) copper conductor in 3/411 dia PVC conduit				
	recessed in the wall or column as required. (S.l.No:12 P- No:2)				
6	Providing & fixing circuit breaker 6,10,15,20, 30,40,50 & 63amp SP (TB-5S) on prepared board as required (S.I.No:202 P-No:30)	8	916	Each	7328
7	Providing & fixing circuit breaker 6,10,15,20,30,40,50, & 63amp DP (TB-5S) on perpared board required (S.I.No:204 P-No:31)	1	2425	P.No	2425
8	Providing & fixing two pin 5amp plug & flush type (S.I.No:225 P- No:33)	4	83	P.No	332
.9	Providing & fixing three pin 10/15amp plug & socket flush type (S.I.No:222 P- No:33)	5	162	P.No	810
10	Providing & fixing one way SP 5amp switch flush type(S.l.No:219 P- No:33)	16	54	P.No	864
-11	Providing & fixing Bakelite ceiling rose with two terminals (S.1.No:228 P- No:33)	6	72	P.No	432

هراسه

S.NO:	Description	Qty	Rate	Unit	Amount
-12	Providing & fixing Brass Battern holder c(S.I.No:232 P-No:33)	10	70	P.No	700
13	Providing & fixing Brass Ceiling fan 56" (good quality) (S.I.No:235 P- No:34)	6	3185	P.No	19110
14	Providing & fixing mild seel bar fan clamp 15.8 mm(5/8") dia suitable for Rcc roof (SI No. 1(c) P-14)	6	141.01	P.No	846
15	P/F distribution metal board double shutter to accommodate circuit breakers including painting with enemel paint and for other simmilar job on surface (S.I.No:15 P- No:13)	2	907,96	P.Sft	1816
16	P/Fenergy sever superior quality including fixing on existing holder etc complete.(S.I.No:6 P- No:33) (24 Walt)	10	497.00	Each ;	4970
_17	P/F earthing set with 2"x2"x1/2" cooper plate burried in groud at a depth of 12" or less if water comes out from the ground level with salt and chorcoal ,etc,in/c.making the pit 12"deep by excavation of all type of soil. Earth plat to be connected with No:8	i	3610.04	Each	3610
18	P/F A.C ceiling fan regulator on metal board recessed in the walls column and covered with plastic sheet (S.I.No:2b P-No:14)	6	124.30	Each	746
19	P/F wall bracket light fancy type superior quality including necessary electric connection and fixing on wall oe coiling etc complete.(S.I.No:5 P- No:33)	4	497.00	Each	1988

GRAND TOTAL :-

148530

محداسم

(5) GBPS ALLAH DINO SHAIKH.

S.NO.	Description	Qty	Rate	Unit	Amount
•	Part"A" New Schedule Items 2012			<u> </u>	
1	Wiring for light or fan point with 3/.029 PVC insulated wire in	16	910	per point	14560
	20mm (3/4") channel patti on surface as required. (S.No. 129 P-15).				•
. 2	Wiring for plug point with 3/.029 PVC insulated wire in 20mm	4	742	per point	2968
	(3/4") channel patti on surface as required. (S.No. 130 P-15).				
3	Providing & laying (MAIN or SUB MAIN) PVC insulated with size 2-7/.029 copper conductor in ¾" dia PVC conduit recessed in the wall or column as required, CSI No. 3 Page No. 1)	150	171	per Meter	25650
4	Providing & laying (MAIN or SUB MAIN) PVC insulated with	80	252	per Meter	20160
	size 2-7/.036 copper conductor in 1/4" dia PVC conduit				
•	recessed in the wall or column as required. (S.I.No:11 P- No:2)				
5	Providing & laying (MAIN or SUB MAIN) PVC insulated with	115	341	per Meter	39215
	size 2-7/.044 (6mm2) copper conductor in ¾" dia PVC conduit				
·_	recessed in the wall or column as required. (S.1.No:12 P- No:2)				
6	Providing & fixing circuit breaker 6,10,15,20, 30,40,50 & 63amp SP (TB-5S) on prepared board as required (S.I.No;202 P- No;30)	8	916	Each	7328
7 ر	Providing & fixing circuit breaker 6,10,15,20,30,40,50, & 63amp DP (TB-5S) on perpared board required (S.I.No:204 P-No:31)	1	2425	P.No	2425
8	Providing & fixing two pin 5amp plug & flush type (S.I.No:225 P- No:33)	4	83	P.No	332
9	Providing & fixing three pin 10/15amp plug & socket flush type (S.I.No:222 P- No:33)	5	162	P.No	810
10	Providing & fixing one way SP 5amp switch flush type(S.LNo:219 P- No:33)	16	54	P.No	864
11	Providing & fixing Bakelite ceiling rose with two terminals (S.I.No:228 P- No:33)	de	72	P,No	432

MULES

S.NO:	Description	Qty	Rate	Unit	Amount
1,	Providing & fixing Brass Battern holder c(S.I.No:232 P-	10	70	P.No	700
Ž.	No:33)				
12	Providing & fixing Brass Ceiling fan 56" (good quality)	6	3185	P.No	19110
	(S.I.No:235 P- No:34)				
14	Providing & fixing mild seel bar fan clamp 15.8 mm(5.8") dia	6	141.01	P.No	916
177	suitable for Rec roof (Sł No. 1(c) P-14)	U	191.01	11.180	846
15	D.E. distribution motal board double shares	2	007.04	D CA	ture.
15	P.F distribution metal board double shutter to accommodate circuit breakers including painting with enemel paint and for	2	907.96	P.Sft	1316
	other simmilar job on surface (S.I.No:15 P- No:13)				
16	P/Fenergy sever superior quality including fixing on existing	10	497.00	Each	4970
	holder etc complete.(S.I.No:6 P- No:33) (24 Walt)	1.0	427.WU	220511	WIN
17	P/F earthing set with 2"x2"x1/2" cooper plate burried in groud	i	3610.04	Each	3610
	at a depth of 12" or less if water comes out from the ground				
	level with salt and chorcoal etc,in/c,making the pit 12"deep by excavation of all type of soil. Earth plat to be connected with				
	No:8				
1 😯	P/E A C cailing fan regulatur on mount board account in the	۷	103.20	Each	7.16
18	P/F A.C ceiling fan regulator on metal board recessed in the walls column and covered with plastic sheet (S.I.No:2b P-	6	124.30	Each	746
	No:14)				
19	P/F wall bracket light fancy type superior quality including necessary electric connection and fixing on wall oe ceiling etc.	4	497.00	Each	1988
	complete.(\$.1.No:5 P- No:33)				
			GRANI	D TOTAL :-	148530
	ABSTRACT				
1	GBPS Haji Taj Muhammad Shaikh	Rs:	251027		
2	GBPS Bhane Goth	Rs:	148530		
3	GBPS Noor Muhammad Bugti	Rs:	148530		
Acr	GGPS Ali Nawaz Maitlo	Rs:	148530		
	(isits Altah Dino Shaikh	Rs:	148530		
'7 \	G-Total	Rs:	845147		
Διπογίπι	Total(A) 845147				
9-		57	/ Amount to be a	added/deducte	d on
Total (A	1) - in Words & Figure 843457/= Rupee	نع د	ght La	cs for	vet Three
the bas	A)—in Words & Figure 843457 /= Rupee				

- Thousands four Handred Fifty seven only.

وعد اسله

CONTRACTOR

EXECUTIVE MINGINEER
EDUCATION WORKS DIVISION
KHAIRPUR

OFFICE OF THE EXECUTIVE ENGINEER EDUCATION WORKS DIVISION KHAIRPUR

NO: T.C/G-55/EW/KHP:/ $\frac{325 \text{ of } / 2017}{\text{KHAIRPUR DATED:}} - \frac{117 - 9 - 7}{117 - 9 - 7}$

Ĩο,

M/S Saquib & Brothers
Government Contractor

Khairpur

SUBJECT: -

REHABILITATION/RENOVATION OF DANGERIOUS SCHOOL BUILDING IN DISTRICT KHAIRPUR ADP- 466 I.E (1) GGPS BABERLOI (2) GBPS BUXAN KHAN NOONARI (3) GBPS MARKHANI (4) GBPS SHAIKH(SONO

SHAIKH)(5) GBPS UMRANI TALUKA KHAIRPUR (INTERNAL

ELECTRIFICATION) PACKAGE NO -04

Reference:

Opening Tender opened on : -

3/6/2017

The rate quoted by you for the above-mentioned work on PART-"A" @ 0.20% Below(Schedule Items)entered in schedule'B'has been approved amounting to Rs 977753/-on schedule items.

You are requested to please attend this office within 07 days to complete the tender documents.

You are requested to supply this office a copy of partnership / deed registration deed of the firm ad power of attorney in the name of partnership of employees of the firm whom you have authorized to sign the bills, receive payments and instructions in respect of this work.

You are requested to start the work within 07 days after issue of this work order complete the same within agreement period of (12) Months

Stipulated date of Start

Stipulated date of Completion

IT SHOULD FURTHER BE NOTED THAT

- 1 The work is to be carried out as per PWD specification
- 2 No Cartage for any material either arranged by you or supplied by Government will be paid separately.
- 3 No. Premium will be allowed on Non-Schedule items.
- 4 No Work should be carried out in excess of sanctioned estimate the receipt of this letter may please be acknowledged.

Executive Engineer
Education Works Division
Khairpur

Copy forwarded with compliments to the: -


- 1 The Superintending Engineer Education Works Circle Sukkur for favour of information please
- 2 Copy along with copy of Schedule 'B" forwarded to the Assistant Engineer Education Elctrical Works Sub Division Sukkur for information and necessary action. He should report actual date of start of the work to this Office Λ

Copy forworded to the Director (C.B) SPPRA Karachi for favour of information.

Executive Engineer

Education Works Division

Khairour



STANDARD BIDDING DOCUMENT


PROCUREMENT OF WORKS


(For Contracts Costing up to Rs 2.5 MILLION)

REHABILITATION/RENOVATION OF DANGERIOUS SCHOOL BUILDING IN DISTRICT KHAIRPUR ADP- 466 I.E. (1) GGPS BABERLOI (2) GBPS BUXAN KHAN NOONARI (3) GBPS MARKHANI (4) GBPS SHAIKH(SONO SHAIKH)(5) GBPS UMRANI TALUKA KHAIRPUR (INTERNAL ELECTRIFICATION) PACKAGE NO -04

Standard Bidding Document is intended as a model for admeasurements (Percentage Rate/unit price for unit rates in a Bill of Quantities) types of contract.

The main text refers to admeasurements contracts





RYLLENGINEER EDUCATION WORKS DIVISION

FORM OF CONTRACT AGREEMENT

THIS (CONTRACT AGREEMENT (hereinafter called the			
	200 between	(hereinafter called the		
	ractor") of the one part and	(hereinafter called the		
should	REAS the Procuring Agency is desirous that certain be executed by the Contractor and has accepted ion and completion of such Works and the remedying	a Bid by the Contractor for the		
NOW	this Agreement witnesseth as follows:			
1.	In this Agreement words and expressions shall have the same meanings as are respectively assigned to them in the Conditions of Contract hereinafter referred to.			
2.	The following documents after incorporating adrelating to Instructions to Bidders, shall be deemed as part of this Agreement, viz:			
	(a) The Letter of Acceptance;			
	(b) The completed Form of Bid along with Sch	edules to Bid;		
•	(c) Conditions of Contract & Contract Data;(d) The priced Schedule of Prices/Bill of quant	rities (BoO):		
	(e) The Specifications; and			
	(f) The Drawings			
3.	In consideration of the payments to be made Contractor as hereinafter mentioned, the Contr Procuring Agency to execute and complete the W conformity and in all respects within the provisions	actor hereby covenants with the orks and remedy defects therein in		

The Procuring Agency hereby covenants to pay the Contractor, in consideration of the

execution and completion of the Works as per provisions of the Contract, the Contract Price or such other sum as may become payable under the provisions of the Contract

at the times and in the manner prescribed by the Contract.

4.

executed on the day, month and year laws.	first before written in accordance with their respecti
Signature of the Contactor	Signature of the Procuring Agency
(Seal)	Seal) to the Carean service of Education Relations of the Carean Service of the Carean S
Signed, Sealed and Delivered in the pro	esence of:
Witness:	Witness:

(Name, Title and Address)

IN WITNESS WHEREOF the parties hereto have caused this Contract Agreement to be

(Name, Title and Address)

SINDH PUBLIC PROCUREMENT REGULATORY AUTHORITY

CONTRACT EVALUATION FORM

۵

TO BE FILLED IN BY ALL PROCURING AGENCIES FOR PUBLIC CONTRACTS OF WORKS, SERVICES & GOODS

l)	NAME OF THE ORGANIZATION / DEPTT.	Education & Literact Department
2)	PROVINCIAL / LOCAL GOVT./ OTHER	Provincial
3)	TITLE OF CONTRACT	Reh/Reno: QO Baberloi (2) Buxan Khan Noona
4)	FENDER NUMBER	SNO (OY) M) Shaikh (sono shoikh) (5) Um
5)	BRIEF DESCRIPTION OF CONTRACT	Building Work (School Work) (Int Elect.)
6)	FORUM THAT APPROVED THE SCHEME	A A Issued by P&D Department Karachi
71	TENDER ESTIMATED VALUE	Rs 0.980 (M)
81	ENGINEER'S ESTIMATE (For civil works only)	TS RS 980000
91	ESTIMATED COMPLETION PERIOD (AS P	ER CONTRACT) (12) Months
10)	TENDER OPENED ON (DATE & TIME)	03-06-2017
11)	NUMBER OF TENDER DOCUMENTS SOLI) 03 Nos
	(Attach list of buyers)	•
12)	NUMBER OF BIDS RECEIVED	03 Nos
13)	NUMBER OF BIDDERS PRESENT AT THE	TIME OF OPENING OF BIDS 03
14)	BID EVALUATION REPORT (Enclose a copy)	Copy enclosed
15)	NAME AND ADDRESS OF THE SUCCESSE	ULBIDDER MIS Baquilo & Brothers.
	CONTRACT AWARD PRICE	Rs 977753
171	RANKING OF SUCCESSFUL BIDDER IN EV (i.e. 1st, 2nd, 3st EVALUATION BID).	VALUATION REPORT ISI
18)	METHOD OF PROCUREMENT USED : - (Ti	ck one)
	a) SINGLE STAGE – ONE ENVELOPE	PROCEDURE Yes Domestic/ Local
	b) SINGLE STAGE - TWO ENVELOPE	PROCEDURE
	e) TWO STAGE BIDDING PROCEDUR	RE
	d) TWO STAGE – TWO ENVELOPE B	IDDING PROCEDURE
	PLEASE SPECIFY IF ANY OTHER EMERGENCY, DIRECT CONTRACTING	METHOD OF PROCUREMENT WAS ADOPTED i.e. G etc. with Brief reasons:

9) APPROVING AUTHORITY FOR AWARD OF CONTR	Chief Engineer Education works Sukkur
20) WHETHER THE PROCUREMENT WAS INCLUDED I	N ANNUAL PROCUREMENT PLAN? Yes No No
EL) ADVERTISEMENT:	
i) SPPRA Website (If yes, give date and SPPRA Identification No.)	Yes SPPRA S NO 33094 Dated - 04-05-2017
	No
ii) News Papers (If yes, give names of newspapers and dates)	Yes SPPRA S NO 33094 Dated - 04-05-2017
	No
2) NATURE OF CONTRACT	Domestic Licial Int.
WHETHER QUALIFICATION CRITERIA WAS INCLUDED IN BIDDING / TENDER DOCUMEN (If yes, enclose a copy) WHETHER BID EVALUATION CRITERIA WAS INCLUDED IN BIDDING / TENDER DOCUMEN (If yes, enclose a copy)	Yes V No
5) WHETHER APPROVAL OF COMPETENT AUTHORIT METHOD OTHER THAN OPEN COMPETITIVE BIDD	
(6) WAS BID SECURITY OBTAINED FROM ALL THE BI	DDERS? Yes V No
27) WHETHER THE SUCCESSFUL BID WAS LOWEST E BID / BEST EVALUATED BID (in case of Consultancies	'**
8) WHETHER THE SUCCESSFUL BIDDER WAS TECHN COMPLIANT?	HCALLY Yes No V
9) WHETHER NAMES OF THE BIDDERS AND THEIR THE TIME OF OPENING OF BIDS?	QUOTED PRICES WERE READ OUT AT Yes V No No
O) WHETHER EVALUATION REPORT GIVEN TO CONTRACT? (Mach copy of the bid evaluation report)	BIDDERS BEFORE THE AWARD OF

Δ_{\star}	
3D ANY COMPLAINTS RECEIVED (If yes, result thereof)	Yes
	No
32) ANY DEVIATION FROM SPECIFICATIONS GIVEN IN (If yes, give details)	THE TENDER NOTICE / DOCUMENTS
To year give detains)	Yes
	No
33) WAS THE EXTENSION MADE IN RESPONSE TIME? (If yes, give reasons)	Yes
	No
34) DEVIATION FROM QUALIFICATION CRITERIA (If yes, give detailed reasons.)	Yes
	No
35) WAS IT ASSURED BY THE PROCURING AGENCY BLACK LISTED?	THAT THE SELECTED FIRM IS NOT Yes No No
36) WAS A VISIT MADE BY ANY OFFICER/OFFICIAL O SUPPLIER'S PREMISES IN CONFECTION OF THE	PROCUREMENT? IF SO, DETAILS TO
BE ASCERTAINED REGARDING FINANCING OF VISI (If yes, enclose a copy)	Yes No
37) WERE PROPER SAFEGUARDS PROVIDED ON MOE THE CONTRACT (BANK GUARANTEE ETC.)?	Yes No
38) SPECIAL CONDITIONS, IF ANY (If yes, bit Brief Description)	Yes Y
A State of Assessing	No
Magaille Carlotte	
Signature & Official Stamp of Authorized Officer	
FOR OFFICE USE ONLY	

SPPRA, Block. No.8, Sindh Secretariat No.4-A, Court Road, Karachi Tele: 021-9205356; 021-9205369 & Fax: 021-9206291

Print Save Reset

BILL OF QUANTITES

(A) Description and rate of items based on composite schedule of rates.2012 (B) Description and rate of items based on composite schedule of rates.2004

NAME OF WORK :- REHABILITATION / RENOVATION OF DANGEROUS SCHOOL BUILDING

IN DISTRICT KHAIRPUR AT (1) GGPS BABARLOI (2) GBPS BUXAN KHAN NOONARI (3) GBPS MARKHANI (4) GBPS SHAIKH (SONO SHAIKH) (5) GBPS UMRANI TALUKA KHAIRPUR ADP NO. 466. (INTERNAL ELECTRIFICATION)

(PACKAGE NO.4)

(1) G((PACKAGE NO.4) (1) GGHS BABARLOI							
S.NO:	1	Qty	Rate	Unit	Amount			
	Part"A" New Schedule Items 2012	-,	<u></u>					
. 1	Wiring for light or fan point with 3/.029 PVC insulated wire in 20mm (3/4") channel patti on surface as required. (S.No. 129 P-15).	47	910	per point	42770			
2	Wiring for plug point with 3/,029 PVC insulated wire in 20mm	10	742	per point	7420			
	(3/4") channel patti on surface as required. (S.No. 130 P-15).			·	·			
3	Providing & laying (MAIN or SUB MAIN) PVC insulated with size 2-7/.029 copper conductor in '4' dia PVC conduit recessed in the wall or column as required, CSI No. 3 Page No. 1)	220	171	per Meter	37620			
4	Providing & laying (MAIN or SUB MAIN) PVC insulated with	200	252	per Meter	50400			
	size 2-7/.036 copper conductor in 1/4" dia PVC conduit							
	recessed in the wall or column as required. (S.I,No:11 P- No:2)							
5	Providing & laying (MAIN or SUB MAIN) PVC insulated with	150	341	per Meter	51150			
	size 2-7/.044 (6mm2) copper conductor in ¾" dia PVC conduit							
-	recessed in the wall or column as required. (S.I.No:12 P- No;2)							
6	Providing & fixing circuit breaker 6,10,15,20, 30,40,50 & 63amp SP (TB-5S) on prepared board as required (S.I.No:202 P-No:30)	. 12	916	Each	10992			
7	Providing & fixing circuit breaker 15,20,30, 40,50,60,75 & 100amp TP (XS-100NS) on prepared board as required (S.1.No:207 P- No:31)	1	9261	P.No	9261			
8	Providing & fixing two pin 5amp plug & flush type (S.1.No:225 P- No:33)	10	8 3	P.No	830			
9	Providing & fixing three pin 10/15amp plug & socket flush type (S.I.No:222 P- No:33)	5	162	P.No	810			
10	Providing & fixing one way SP 5amp switch flush type(S.1.No:219 P- No:33)	47	54	P.No	2538			
~1 ł	Providing & fixing Bakelite ceiling rose with two terminals (S.I.No:228 P- No:33)	¥21 }	72	P.No	1512			

·	1 age 2				
S.NO:	Description	Qty	Rate	Unit	Amount
12 4	Providing & fixing Brass Battern holder c(S.I.No:232 P-No:33)	26	70	P.No	1820
13	Providing & fixing Brass Ceiling fan 56" (good quality) (S.I.No:235 P- No:34)	21	3185	P.No	66885
14	Providing & fixing junction box as per following specification Size of box 8"×6"×4"MS plate size 16 SWG thick Clamp with nuts & bolts Cover plate with screw Painting two coats of rust preventive red oxide & two coats of ICl oil paint as per site requirement & instruction of EI (SI No. 158 P-24)	21	800	P.No	16800
_15	P/F distribution metal board double shutter to accommodate circuit breakers including painting with enemel paint and for other simmilar job on surface (S.I.No:18 P- No:13)	2	1426,33	P.Sft	2853
16 -	P/Fenergy sever superior quality including fixing on existing holder etc complete.(S.I.No:6 P- No:33) (24 Walt)	26	497.00	Each	12922
17	P/F AC or DC electric bell 200/250 volt 70MM. (S.I.No:21 P-No:11)	1	150.70	Each	151
18	Providing & Fixing of street light 250 watts (SON-T) having IP66 classification with 250w lamp, choke, capacitor & Internal wiring complete in all respect at the height With the help of hydraulic crane as per site requirement and instruction of El. (CSI No. 163 Page No. 25)	1	24790	P.No	24790
19	P/F flush type electric bell bush button (S.I,No:23 P-No:12)	1	25,19	Each	25
20	P/F earthing set with 2"x2"x1/2" cooper plate burried in groud at a depth of 12" or less if water comes out from the ground level with salt and chorcoal ,etc,in/c,making the pit 12"deep by excavation of all type of soil. Earth plat to be connected with No:8	1	3610.04	Each	3610
21	P/F A.C ceiling fan regulator on metal board recessed in the walls column and covered with plastic sheet (S.I.No:2b P-No:14)	21	124.30	Each	2610
22	P/F wall bracket light fancy type superior quality including necessary electric connection and fixing on wall oe ceiling etc complete.(S.I.No:5 P- No:33)	4	497.00	Each	1988
	(1.0-1	•	GRAN	(D TOTAL :-	349757

Juli

· (2) GBPS BUXAN KHAN NOONARI.

S.NO;	Description	Qty	Rate	Unit	Amount
· **	Fart"A" New Schedule Items 2012				
	Wiring for light or fan point with 3/.029 PVC insulated wire in 20mm (3/4") channel patti on surface as required. (S.No. 129 P-15).	16	910	per point	14560
, 2	Wiring for plug point with 3::029 PVC insulated wire in 20mm	4	742	per point	2968
	(3/4") channel patti on surface as required. (S.No. 130 P-15).				
3	Providing & laying (MAIN or SUB MAIN) PVC insulated with size 2-7/.029 copper conductor in '4'' dia PVC conduit recessed in the wall or column as required. CSI No. 3 Page No. 1)	150	171	per Meter	25650
4	Providing & laying (MAIN or SUB MAIN) PVC insulated with	90	252	per Meter	22680
	size 2-7/.036 copper conductor in 3/4" dia PVC conduit				
-	recessed in the wall or column as required. (S.I.No:11 P- No:2)				
5	Providing & laying (MAIN or SUB MAIN) PVC insulated with	140	341	per Meter	47740
	size 2-7/.044 (6mm2) copper conductor in 1/4" dia PVC conduit				
-	recessed in the wall or column as required. (S.I.No:12 P- No:2)				
6	Providing & fixing circuit breaker 6,10,15,20, 30,40,50 & 63amp SP (TB-5S) on prepared board as required (S.I.No:202 P- No:30)	8	916	Each	7328
-7	Providing & fixing circuit breaker 6,10,15,20,30,40,50, & 63amp DP (TB-5S) on perpared board required (S.I.No:204 P-No:31)	1	2425	P.No	2425
8	Providing & fixing two pin 5amp plug & flush type (S.I.No:225 P- No:33)	4	83	P.No	332
	Providing & fixing three pin 10/15amp plug & socket flush type (S.I.No:222 P- No:33)	5	162	P.No	810
	Providing & fixing one way SP 5amp switch flush type(S.1.No:219 P- No:33)	16	54	P.No	864
	Providing & fixing Bakelite ceiling rose with two terminals (S.I.No:228 P-No:33)	05	72	P.No	432

• •	1 age 2				
S.NO:	Description	Qty	Rate	Unit	Amount
12 2	Providing & fixing Brass Battern holder c(\$.1.80:232 P-No:33)	10	70	P.No	700
.13	Providing & fixing Brass Ceiling fan 56" (good quality) (S.I.No:235 P- No:34)	6	3185	P.No	19110
14	Providing & fixing mild seel bar fan clamp 15.8 mm(5/8") dia suitable for Rec roof (SI No. 1(c) P-14)	6	141.01	P,No	846
15	P/F distribution metal board double shutter to accommodate circuit breakers including painting with enemel paint and for other simmilar job on surface (S.I.No:15 P- No:13)	2	907.96	P.Sft	1816
16	P/Fenergy sever superior quality including fixing on existing holder etc complete.(S.I.No:6 P- No:33) (24 Walt)	10	497.00	Each	4970
17	P/F earthing set with 2"x2"x1/2" cooper plate burried in groud at a depth of 12" or less if water comes out from the ground level with salt and chorcoal etc,in/c.making the pit 12"deep by excavation of all type of soil. Earth plat to be connected with No:8	1	3610.04	Each	3610
-18	Providing & Fixing of street light 250 watts (SON-T) having IP66 classification with 250w lamp, choke, capacitor & Internal wiring complete in all respect at the height With the help of hydraulic crane as per site requirement and instruction of EI. (CSI No. 163 Page No. 25)	I	24790	P.No	24790
19	P/F A.C ceiling fan regulator on metal board recessed in the walls column and covered with plastic sheet (S.I.No:2b P-No:14)	6	124.30	Each	746
.20	P/F wall bracket light fancy type superior quality including necessary electric connection and fixing on wall oe ceiling etc complete.(S.l.No:5 P- No:33)	10	497.00	Each	1988
	Saye	Į	GRAN	D TOTAL :-	184365
	<u> </u>				

. (3) GBPS MARKHANI.

S.NO:	Description	Ote	Data	Unit	Amount
3.1107	Part"A" New Schedule Items 2012	Qty	Rate	Ont	Amount
1	Wiring for light or fan point with 3/.029 PVC insulated wire in 20mm (3/4") channel patti on surface as required. (S.No. 129 P-15).	16	910	per point	14560
2	Wiring for plug point with 3:.029 PVC insulated wire in 20mm	4	742	per point	2968
	(3/4") channel patti on surface as required. (S.No. 130 P-15).				
3	Providing & laying (MAIN or SUB MAIN) PVC insulated with size 2-7/.029 copper conductor in ¼" dia PVC conduit recessed in the wall or column as required. CSI No. 3 Page No. 1)	150	171	per Meter	25650
4	Providing & laying (MAIN or SUB MAIN) PVC insulated with	80	252	per Meter	20160
	size 2-7/.036 copper conductor in 1/411 dia PVC conduit				
	recessed in the wall or column as required. (S.I.No:11 P- No:2)				
5	Providing & laying (MAIN or SUB MAIN) PVC insulated with	115	341	per Meter	39215
	size 2-7/.044 (6mm2) copper conductor in ¾" dia PVC conduit				
	recessed in the wall or column as required. (S.I.No:12 P- No:2)				
6	Providing & fixing circuit breaker 6,10,15,20, 30,40,50 & 63amp SP (TB-5S) on prepared board as required (S.I.No:202 P- No:30)	8	916	Each	7328
.7	Providing & fixing circuit breaker 6,10,15,20,30,40,50, & 63amp DP (TB-5S) on perpared board required (S.I.No:204 P-No:31)	1	2425	P.No	2425
	Providing & fixing two pin 5amp plug & flush type (S.I.No:225 P- No:33)	4	83	P.No	332
	Providing & fixing three pin 10/15amp plug & socket flush type (S.I.No:222 P- No:33)	5	162	P.No	810
	Providing & fixing one way SP 5amp switch flush type(S.I.No:219 P- No:33)	16	54	P.No	864
	Providing & fixing Bakelite ceiling rose with two terminals (S.I.No:228 P- No:33)	6	72	P.No	432

S.NO:	Description	Qty	Rate	Unit	Amount
12	Providing & fixing Brass Battern holder c(S.I.No:232 P-No:33)	10	7()	P.No	700
13	Providing & fixing Brass Ceiling fan 56" (good quality) (S.I.No:235 P- No:34)	6	3185	P.No	19110
14	Providing & fixing mild seel bar fan clamp 15.8 mm(5/8") dia suitable for Rec roof (SI No. 1(c) P-14)	6	141,01	P.No	846
15	P/F distribution metal board double shutter to accommodate circuit breakers including painting with enemel paint and for other simmilar job on surface (S.I.No;15 P- No;13)	2	907.96	P.Sft	1816
16	P/Fenergy sever superior quality including fixing on existing holder etc complete.(S,I,No:6 P- No:33) (24 Walt)	10	497.00	Each	4970
17	P/F earthing set with 2"x2"x1/2" cooper plate burried in groud at a depth of 12" or less if water comes out from the ground level with salt and chorcoal .etc,in/c.making the pit 12"deep by excavation of all type of soil. Earth plat to be connected with No:8	1	3610.04	Each	3610
718	P/F A.C ceiling fan regulator on metal board recessed in the walls column and covered with plastic sheet (S.I.No:2b P-No:14)	6	124.30	Each	746
19	P/F wall bracket light fancy type superior quality including necessary electric connection and fixing on wall oe ceiling etc complete.(S.1.No:5 P- No:33)	4	497.00 Λ	Each	1988

K. CI

ND TOTAL :-

148530

(4) GBPS SHAIKH (SONO SHAIKH).

S.NO:	Description	Qty	Rate	Unit	Amount
5,1110	Part"A" New Schedule Items 2012	20)			
Ī	Wiring for light or fan point with 3/.029 PVC insulated wire in 20mm (3'4'') channel patti on surface as required. (S.No. 129 P-15).	16	910	per point	14560
2	Wiring for plug point with 3/.029 PVC insulated wire in 20mm	4	742	per point	2968
	(3/4") channel patti on surface as required. (S.No. 130 P-15).				
3	Providing & laying (MAIN or SUB MAIN) PVC insulated with size 2-7/.029 copper conductor in '4' dia PVC conduit recessed in the wall or column as required. CSI No. 3 Page No. 1)	150	171	per Meter	25650
4	Providing & laying (MAIN or SUB MAIN) PVC insulated with	80	252	per Meter	20160
	size 2-7/.036 copper conductor in 4" dia PVC conduit				
•	recessed in the wall or column as required. (S.I.No:11 P- No:2)				
5	Providing & laying (MAIN or SUB MAIN) PVC insulated with	115	341	per Meter	39215
	size 2-7/.044 (6mm2) copper conductor in ¾" dia PVC conduit				
-	recessed in the wall or column as required. (S.I.No:12 P- No:2)				
	Providing & fixing circuit breaker 6,10,15,20, 30,40,50 & 63amp SP (TB-5S) on prepared board as required (S.I.No:202 P- No:30)	8	916	Each	7328
7	Providing & fixing circuit breaker 6,10,15,20,30,40,50, & 63amp DP (TB-5S) on perpared board required (S.I.No:204 P-No:31)	1	2425	P.No	2425
8	Providing & fixing two pin 5amp plug & flush type (S.I.No:225 P- No:33)	4	83	P.No	332
9	Providing & fixing three pin 10/15amp plug & socket flush type (S.I.No:222 P- No:33)	5	162	P.No	810
10	Providing & fixing one way SP 5amp switch flush type(S.I.No:219 P- No:33)	16	54	P.No	864
11	Providing & fixing Bakelite ceiling rose with two terminals (S.I.No:228 P- No:33)	2 5	7 2	P.No	432

S.NO:	Description	Qty	Rate	Unit	Ancount
12	Providing & fixing Brass Battern holder c(S.I.No:232 P-No:33)	10	70	P.No	700
13	Providing & fixing Brass Ceiling fan 56'' (good quality) (S.L.No:235 P- No:34)	6	3185	P.No	19110
14	Providing & fixing mild seet bar fan clamp 15.8 mm(5/8") dia suitable for Rec roof (SI No. 1(c) P-14)	6	141.01	P.No	846
15	P/F distribution metal board double shutter to accommodate circuit breakers including painting with enemel paint and for other simmilar job on surface (S.I.No:15 P- No:13)	2	907.96	P.Sft	1816
16	P/Fenergy sever superior quality including fixing on existing holder etc complete.(S.I.No:6 P- No:33) (24 Walt)	10	497.00	Each	4970
17	P/F earthing set with 2"x2"x1/2" cooper plate burried in groud at a depth of 12" or less if water comes out from the ground level with salt and chorcoal .etc,in/c.making the pit 12"deep by excavation of all type of soil. Earth plat to be connected with No:8	1	3610.04	Each	3610
18	P/F A.C ceiling fan regulator on metal board recessed in the walls column and covered with plastic sheet (S.I.No:2b P-No:14)	6	124.30	Each	746
19	P/F wall bracket light fancy type superior quality including necessary electric connection and fixing on wall oe ceiling etc complete.(S.I.No:5 P- No:33)	4	497.00	Each	1988
	Lane.		GRAN	ржоты Г	148530

Sogil

GRAND TOTAL :-

148530

(5) GBPS UMRANI.

S.NU:	Description	Qty	Rate	Unit	Amount
- <u></u>	#art"A" New Schedule Items 2012		L	<u></u>	
- I	Wiring for light or fan point with 3/.029 PVC insulated wire in 20mm (3/4") channel patti on surface as required. (S.No. 129 P-15).	16	910	per point	14560
. 2	Wiring for plug point with 3/.029 PVC insulated wire in 20mm	4	742	per point	2968
	(3/4") channel patti on surface as required. (S.No. 130 P-15).				
3	Providing & laying (MAIN or SUB MAIN) PVC insulated with size 2-7/.029 copper conductor in 3/4" dia PVC conduit recessed in the wall or column as required. CSI No. 3 Page No. 1)	150	171	per Meter	25650
4	Providing & laying (MAIN or SUB MAIN) PVC insulated with	80	252	per Meter	20160
	size 2-7/.036 copper conductor in 3/4" dia PVC conduit				
	recessed in the wall or column as required. (S.I.No:11 P-No:2)				
- 5	Providing & laying (MAIN or SUB MAIN) PVC insulated with	115	341	per Meter	39215
	size 2-7/,044 (6mm2) copper conductor in ¾" dia PVC conduit				
	recessed in the wall or column as required. (S.I.No:12 P- No:2)				
6	Providing & fixing circuit breaker 6,10,15,20, 30,40,50 & 63 amp SP (TB-5S) on prepared board as required (S.I.No:202 P-No:30)	8	916	Each	7328
7	Providing & fixing circuit breaker 6,10,15,20,30,40,50, & 63amp DP (TB-5S) on perpared board required (S.1.No:204 P-No:31)	1	2425	P.No	2425
8	Providing & fixing two pin 5amp plug & flush type (S.I.No:225 P- No:33)	4	83	P.No	332
9	Providing & fixing three pin 10/15amp plug & socket flush type (S.I.No:222 P- No:33)	5	162	P.No	810
.710	Providing & fixing one way SP 5amp switch flush type(S.I,No:219 P- No:33)	16	54	P.No	864
11	Providing & fixing Bakelite ceiling rose with two terminals (S.I.No:228 P- No:33)	6	72	P.No	432
-12	Providing & fixing Brass Battern holder c(S.I.No:232 P-No:33)	10	70	P.No	700
13	Providing & fixing Brass Ceiling fan 56" (good quality) (S.I.No:235 P- No:34)	6	3185	P.No	19110
14	Providing & fixing mild seel bar fan clamp 15.8 mm(5/8") dia suitable for Rcc roof (S1 No. 1(c) P-14)	6	141.01	P.No	846

S.NO:	Description	Qty	Rate	Unit	Amount
15	P/F distribution metal board double shutter to accommodate circuit breakers including painting with enemel paint and for other simmilar job on surface (S.I.No:15 P- No:13)		907.96	P.Sft	1816
16	P/Fenergy sever superior quality including fixing on existing holder etc complete.(S.I.No:6 P- No:33) (24 Walt)		497.00	Each	4970
17	P/F earthing set with 2"x2"x1/2" cooper plate burried in groud at a depth of 12" or less if water comes out from the ground level with salt and chorcoal ,etc,in/c.making the pit 12"deep by excavation of all type of soil. Earth plat to be connected with No:8	1	3610.04	Each	3610
18	P/F A.C ceiling fan regulator on metal board recessed in the walls column and covered with plastic sheet (S.1,No:2b P-No:14)		124.30	Each	746
19	P/F wall bracket light fancy type superior quality including necessary electric connection and fixing on wall oe ceiling etc complete.(S.1.No:5 P- No:33)	4	497.00	Each	1988
			GRANI	TOTAL :-	148530
	ABSTRACT			'	
1	GGHS Babarloi	Rs:	349757		
2	GBPS Buxan Khan Noonari	Rs:	184365		
3	GBPS Markhani	Rs:	148530		
Y 4	GBPS Shaikh (Sono Shaikh)	Rs:	148530		
M1-	GBPS Umrani	Rs:	148530		
Amonu V	G-Total (A) 97 9712	Rs:	979712		
Amotin	1 Total (A) 97 9712 - 20 % Above /Below on the rates of CSR Rs. 9777	53	/ Amount to be a	idded/deducts	ed on

the basis of premium quoted

Total (B) -

Total(A) = In Words & Figure 977753/= Rupers Nine Lacs seventy seven -

- Thousand Seven hundred tigty Three only -

CONTRACTOR

EXECUTIVE ENGINEER
EDUCATION WORKS DIVISION
KHAIRPUR

OFFICE OF THE EXECUTIVE ENGINEER EDUCATION WORKS DIVISION KHAIRPUR

KHAIRPUR DATED:

To,

¢

M/S Mushtaque Ali Shah Government Contractor

Khairpur

SUBJECT: -

REHABILITATION/RENOVATION OF DANGERIOUS SCHOOL BUILDING IN DISTRICT KHAIRPUR ADP- 466 I.E (1) GBPS MANGI (2) GBPS LALOO MAITLOL HAJRA MAITLO (3) GBPS DUR MUHAMMAD PHULPOTO (4) GBPS SHAHMEER KALHORO (5) GBPS WASSAN TALUKA KHAIRPUR

(INTERNAL ELECTRIFICATION) PACKAGE NO -05

Reference:

Opening Tender opened on : -

3/6/2017

The rate quoted by you for the above-mentioned work on PART-"A" @ 0.18% Below(Schedule Items)entered in schedule'B'has been approved amounting to Rs 777796/on schedule items.

You are requested to please attend this office within 07 days to complete the tender documents.

You are requested to supply this office a copy of partnership / deed registration deed of the firm ad power of attorney in the name of partnership of employees of the firm whom you have authorized to sign the bills, receive payments and instructions in respect of this work.

You are requested to start the work within 07 days after issue of this work order complete the same within agreement period of (12) Months

Stipulated date of Start

Stipulated date of Completion

IT SHOULD FURTHER BE NOTED THAT

- 1 The work is to be carried out as per PWD specification
- 2 No Cartage for any material either arranged by you or supplied by Government will be paid separately.
- 3 No. Premium will be allowed on Non-Schedule items.
- 4 No Work should be carried out in excess of sanctioned estimate the receipt of this letter may please be acknowledged.

Executive Engineer Education Works Division Khairpur

Copy forwarded with compliments to the: -

- The Superintending Engineer Education Works Circle Sukkur for favour of information 1
- 2 Copy along with copy of Schedule 'B" forwarded to the Assistant Engineer Education Eletrical Works Sub Division Sukkur for information and necessary action. He should report actual date of start of the work to this Office

Copy forworded to the Director (C.B) SPPRA Karachi for favour of information.

Executi **E**ngineer ducation Works Division

Khairpur

670 05


M/s Mushtaque Ali Shah Govt: Contractor

STANDARD BIDDING DOCUMENT

PROCUREMENT OF WORKS

(For Contracts Costing up to Rs 2.5 MILLION)

REHABILITATION/RENOVATION OF DANGERIOUS SCHOOL BUILDING IN DISTRICT KHAIRPUR ADP- 466 I.E. (1) GBPS MANGI (2) GBPS LALOO MAITLOL HAJRA MAITLO (3) GBPS DUR MUHAMMAD PHULPOTO (4) GBPS SHAHMEER KALHORO (5) GBPS WASSAN TALUKA KHAIRPUR (INTERNAL ELECTRIFICATION) PACKAGE NO -05



FORM OF CONTRACT AGREEMENT

	CONTRACT AGREEMENT (hereinafter called the "Agreement") made on the				
"Procu	ring Agency") of the one part and (hereinafter called the				
"Contr	actor") of the other part.				
should	EAS the Procuring Agency is desirous that certain Works, viz be executed by the Contractor and has accepted a Bid by the Contractor for the ion and completion of such Works and the remedying of any defects therein.				
NOW	this Agreement witnesseth as follows:				
I.	In this Agreement words and expressions shall have the same meanings as are respectively assigned to them in the Conditions of Contract hereinafter referred to.				
2.	The following documents after incorporating addenda, if any except those part relating to Instructions to Bidders, shall be deemed to form and be read and construe as part of this Agreement, viz:				
	(a) The Letter of Acceptance;(b) The completed Form of Bid along with Schedules to Bid;				
	(c) Conditions of Contract & Contract Data;				
	(d) The priced Schedule of Prices/Bill of quantities (BoQ); (e) The Specifications; and				
	(e) The Specifications; and (f) The Drawings				
3.	In consideration of the payments to be made by the Procuring Agency to the Contractor as hereinafter mentioned, the Contractor hereby covenants with the Procuring Agency to execute and complete the Works and remedy defects therein it conformity and in all respects within the provisions of the Contract.				
4.	The Procuring Agency hereby covenants to pay the Contractor, in consideration of the execution and completion of the Works as per provisions of the Contract, the Contract Price or such other sum as may become payable under the provisions of the Contract at the times and in the manner prescribed by the Contract.				

01-1

A INI WATNIECO MUTENDATE A CONTRA CON	
IN WITNESS WHEREOF the parties hereto he executed on the day, month and year first before laws.	written in accordance with their respective
Signature of the Contactor	Signature of the Procuring Agency
(Seal)	(Seal) 2007 17 05 07 08 ER Forestian Works Division KNABPIE
Signed, Sealed and Delivered in the presence of:	
Witness:	Witness:
(Name, Title and Address)	(Name, Title and Address)

SINDH PUBLIC PROCUREMENT REGULATORY AUTHORITY

CONTRACT EVALUATION FORM

TO BE FILLED IN BY ALL PROCURING AGENCIES FOR PUBLIC CONTRACTS OF WORKS, SERVICES & GOODS

1)	NAME OF THE ORGANIZATION / DEPTT.	Education & Literact Department		
2)	PROVINCIAL LOCAL GOVT/OTHER	Provincial		
3)	TITLE OF CONTRACT	Reh/Reno @ 17 Mangi (2) Laloo Maitto Hajramaitto		
4)	LENDER NUMBER	SNO (OS) (3) Dur Mond: Phulpoto (4) Shahmirka		
5)	BRIEF DESCRIPTION OF CONTRACT	Building Work (School Work) (5) (1888 Wassan (Int Elect!)		
6)	FORUM THAT APPROVED THE SCHEME	A A Issued by P&D Department Karachi		
7)	TENDER ESTIMATED VALUE	Rs 0.779 (M)		
8)	ENGINEER'S ESTIMATE (For civil works only)	TS RS 779200.		
91	ESTIMATED COMPLETION PERIOD (AS P	ER CONTRACT) (12) Months		
10)	TENDER OPENED ON (DATE & TIME)	03-06-2017		
11)	NUMBER OF TENDER DOCUMENTS SOLE (Attach list of buyers)) 03 Nos		
12)	NUMBER OF BIDS RECEIVED	03 Nos		
13)	NUMBER OF BIDDERS PRESENT AT THE	TIME OF OPENING OF BIDS 03		
14)	BID EVALUATION REPORT (Enclose a copy)	Copy enclosed		
15)	NAME AND ADDRESS OF THE SUCCESSE	UL BIDDER MIS Mushtaque Ali shah.		
16)	CONTRACT AWARD PRICE	Rs 777796		
17)	RANKING OF SUCCESSFUL BIDDER IN EVIDENCE, 1^{st} , 2^{nd} , 3^{rd} EVALUATION BID).	VALUATION REPORT		
18)	METHOD OF PROCUREMENT USED : - (Ti	ck one)		
	a) SINGLE STAGE - ONE ENVELOPE	PROCEDURE Yes Domestic/ Local		
	b) SINGLE STAGE - TWO ENVELOPE	PROCEDURE		
	e) TWO STAGE BIDDING PROCEDUR	<pre></pre>		
	d) TWO STAGE – TWO ENVELOPE B	IDDING PROCEDÜRE		
	PLEASI SPECIFY IF ANY OTHER EMERGENCY, DIRECT CONTRACTIN	METHOD OF PROCUREMENT WAS ADOPTED TO G ETC. WITH BRIEF REASONS:		

	Chief Engineer Education works Sukkur					
19) APPROV	ANG AUTHORITY FOR AWARD OF CONTR	ACT				
20) WHETH	ER THE PROCUREMENT WAS INCLUDED B	IN ANNUAL PROCUREMENT PLAN? Yes				
21) ADVER1	DISEMENT:					
	SPPRA Website (If yes, give date and SPPRA Identification No.)	Yes SPPRA S NO 33094 Dated - 04-05-2017				
	News Papers (If yes, give names of newspapers and dates)	Yes SPPRA S.NO 33094 Dated 04-05-2017				
		No				
22) NATURI	OF CONTRACT	Signal Int.				
WAS INC (If yes, er	ER QUALIFICATION CRITERIA CLUDED IN BIDDING / TENDER DOCUMEN nolose a copy)	Yes V No				
WAS INC	ER BID EVALUATION CRITERIA CLUDED IN BIDDING / TENDER DOCUMEN iclose a copy)	NTS? Yes V No				
	ER APPROVAL OF COMPETENT AUTHORIȚ D OTHER THAN OPEN COMPETITIVE BIDD					
26) WAS BID SECURITY OBTAINED FROM ALL THE BIDDERS? Yes No No						
27) WHETHER THE SUCCESSFUL BID WAS LOWEST EVALUATED BID / BEST EVALUATED BID (in case of Consultancies)						
28) WHETH COMPLI	ER THE SUCCESSFUL BIDDER WAS TECHN ANT?	NICALLY Yes No				
	ER NAMES OF THE BIDDERS AND THEIR ME OF OPENING OF BIDS?	QUOTED PRICES WERE READ OUT AT Yes No No				
CONTRA	ER EVALUATION REPORT GIVEN TO ACT? opy of the bid evaluation report)	BIDDERS BEFORE THE AWARD OF Yes No No				

Y	
31) ANY COMPLAINTS RECEIVED (If yes, result thereof)	Yes
	No
32) ANY DEVIATION FROM SPECIFICATIONS GIVEN IN (If yes, give details)	THE TENDER NOTICE DOCUMENTS Yes
	No
33) WAS THE EXTENSION MADE IN RESPONSE TIME? (If yes, give reasons)	Yes
-	No
34) DEVIATION FROM QUALIFICATION CRITERIA (If yes, give detailed reasons.)	Yes
	No
35) WAS IT ASSURED BY THE PROCURING AGENCY BLACK LISTED? 36) WAS A VISIT MADE BY ANY OFFICER/OFFICIAL C SUPPLIER'S PREMISES IN CONNECTION WITH THE BE ASCERTAINED REGARDING FINANCING OF VIS (If yes, enclose a copy)	Yes No No DF THE PROCURING AGENCY TO THE PROCUREMENT? IF SO, DETAILS TO SIT, IF ABROAD:
37) WERE PROPER SAFFGUARDS PROVIDED ON MO THE CONTRACT (BANK GUARANTEE ETC.)?	<u> </u>
38) SPECIAL CONDITIONS IF ANY (If yes give Up a Description)	Yes
AMARIALE AMARIANE	No
Signature & Official Stamp of Authorized Officer	_
OR OFFICE USE ONLY	

SPPRA, Block. No.8, Sindh Secretariat No.4-A, Court Road, Karachi Tele: 021-9205356; 021-9205369 & Fax: 021-9206291

Print Save

3/3

BILL OF QUANTITES

(A) Description and rate of items based on composite schedule of rates.2012 (B) Description and rate of items based on composite schedule of rates.2004

-NAME OF WORK: REHABILITATION / RENOVATION OF DANGEROUS SCHOOL BUILDING IN DISTRICT KHAIRPUR AT (1) GBPS MANGI (2) GGPS LALOO MAITLO @ HAJRA MAITLO (3) GBPS DUR MUHAMMAD PHULPOTO (4) GBPS SHAHMEER KALHORO (5) GBPS WASSAN TALUKA KHAIRPUR ADP NO. 466. (INTERNAL ELECTRIFICATION)

(PACKAGE NO.5)

(1) GBPS MANGI

S.NO:	Description	Qty	Rate	Unit	Amount
	Part"A" New Schedule Items 2012		<u></u>		
i	Wiring for light or fan point with 3/.029 PVC insulated wire in 20mm (3/4") channel patti on surface as required. (S.No. 129 P-15).	16	910	per point	14560
,2	Wiring for plug point with 3/.029 PVC insulated wire in 20mm	4	742	per point	2068
	(3/4") channel patti on surface as required. (S.No. 130 P-15).				
3	Providing & laying (MAIN or SUB MAIN) PVC insulated with size 2-7/.029 copper conductor in '4'' dia PVC conduit recessed in the wall or column as required. CSI No. 3 Page No. 1)	150	171	per Meter	25650
4	Providing & laying (MAIN or SUB MAIN) PVC insulated with	80	252	per Meter	20160
	size 2-7/,036 copper conductor in 3/4" dia PVC conduit				i
	recessed in the wall or column as required. (S.I.No:11 P- No:2)				
5	Providing & laying (MAIN or SUB MAIN) PVC insulated with	115	341	per Meter	39215
	size 2-7/.044 (6mm2) copper conductor in ¾" dia PVC conduit				
	recessed in the wall or column as required. (S.LNo:12 P- No:2)				
• 6	Providing & fixing circuit breaker 6,10,15,20, 30,40,50 & 63amp SP (TB-5S) on prepared board as required (S.I.No:202 P- No:30)	8	916	Each	7328
•7	Providing & fixing circuit breaker 6,10,15,20,30,40,50, & 63amp DP (TB-5S) on perpared board required (S.I.No:204 P-No:31)	1	2425	P.No	2425
8	Providing & fixing two pin 5amp plug & flush type (S. No:225 P- No:33)	14	83	P.No	332



Page 2

	Page 2						
S.NO:	Description	Qty	Rate	Unit	Amount		
. 9	Providing & fixing three pin 10/15amp plug & socket flush type (S.I.No:222 P- No:33)	5	162	P.No	810		
10	Providing & fixing one way SP 5amp switch flush type(S.I.No:219 P- No:33)	16	54	P.No	864		
31	Providing & fixing Bakelite ceiling rose with two terminals (S.I.No:228 P- No:33)	6	72	P.No	432		
12	Providing & fixing Brass Battern holder c(S.I.No:232 P-No:33)	10	70	P.No	700		
.13	Providing & fixing Brass Ceiling fan 56" (good quality) (S.I.No:235 P- No:34)	6	3185	P.No	19110		
ia	Providing & fixing mild seel bar fan clamp 15.8 mm(5/8") dia suitable for Rec roof (SI No. 1(c) P-14)	6	141.01	P.No	8:16		
<u>,</u> 15	P/F distribution metal board double shutter to accommodate circuit breakers including painting with enemel paint and for other simmilar job on surface (S.I.No:15 P- No:13)	2	907.96	P.Sft	18 16		
16	P/Fenergy sever superior quality including fixing on existing holder etc complete.(S.I.No:6 P- No:33) (24 Walt)	10	497.00	Each	4970		
	P/F earthing set with 2"x2"x1/2" cooper plate burried in groud at a depth of 12" or less if water comes out from the ground level with salt and chorcoal .etc,in/c,making the pit 12"deep by excavation of all type of soil. Earth plat to be connected with No:8	1	3610.04	Each	3610		
18	P/F A.C ceiling fan regulator on metal board recessed in the walls column and covered with plastic sheet (S.I.No:2b P-No:14)	6	124.30	Each	746		
-19	P/F wall bracket light fancy type superior quality including necessary electric connection and fixing on wall oe coiling etc complete.(S.I.No:5 P- No:33)	4	497.00	Each	1988		
			GRAN	ID TOTAL :-	148530		



(2) GBPS LALO MAILTLO @ HAJRA MAITLO.

S.NO:	Description	Qty	Rate	Unit	Amount
·	Fort"A" New Schedule Items 2012		<u> </u>	<u> </u>	
	Wiring for light or fan point with 3/.029 PVC insulated wire in 20mm (3/4") channel patti on surface as required. (S.No. 129 P-15).	24	910	per point	21840
2	Wiring for plug point with 3/.029 PVC insulated wire in 20mm	5	742	per point	3710
	(3/4") channel patti on surface as required. (S.No. 130 P-15).				
	Providing & laying (MAIN or SUB MAIN) PVC insulated with size 2-7/.029 copper conductor in '4'' dia PVC conduit recessed in the wall or column as required. CSI No. 3 Page No. 1)	100	171	per Meter	17100
.4	Providing & laying (MAIN or SUB MAIN) PVC insulated with	50	252	per Meter	12600
	size 2-7/.036 copper conductor in 3/411 dia PVC conduit				
	recessed in the wall or column as required. (S.I.No:11 P- No:2)				
5	Providing & laying (MAIN or SUB MAIN) PVC insulated with	100	341	per Meter	34100
4	size 2-7/.044 (6mm2) copper conductor in 3/4" dia PVC conduit				
	recessed in the wall or column as required. (S.1.No:12 P- No:2)				
6	Providing & fixing circuit breaker 6,10,15,20, 30,40,50 & 63amp SP (TB-5S) on prepared board as required (S.I.No:202 P-No:30)	8	916	Each	7328
7	Providing & fixing circuit breaker 6,10,15,20,30,40,50, & 63amp DP (TB-5S) on perpared board required (S.I.No:204 P-No:31)	l	2425	P.No	2425
. 8	Providing & fixing two pin 5amp plug & flush type (S.I.No:225 P- No:33)	5	83	P.No	415
9	Providing & fixing three pin 10/15amp plug & socket flush type (S.I.No:222 P- No:33)	5	162	P.No	810
10	Providing & fixing one way SP 5amp switch flush type(S.I.No:219 P- No:33)	24	54	P.No	1296
. 11	Providing & fixing Bakelite ceiling rose with the terminals (S.I.No:228 P- No:33)	9	72	P.No	648

9)

Page 2

S.NO:	Description	Qty	Rate	Unit	Amount
12 . /	Providing & fixing Brass Battern holder c(S.I,No:232 P-No:33)	15	70	P,No	1050
13	Providing & fixing Brass Ceiling fan 56" (good quality) (S.I.No:235 P- No:34)	9	3185	P.No	28665
14	Providing & fixing mild seel bar fan clamp 15.8 mm(5/8") dia suitable for Rec roof (SI No. 1(c) P-14)	9	141.01	P.No	1269
15	P/F distribution metal board double shutter to accommodate circuit breakers including painting with enemel paint and for other simmilar job on surface (S.I.No:15 P-No:13)	2	907.96	P.Sft	1816
16	P/Fenergy sever superior quality including fixing on existing holder etc complete.(S.I.No:6 P- No:33) (24 Walt)	15	497.00	Each	7455
	P/F earthing set with 2"x2"x1/2" cooper plate burried in groud at a depth of 12" or less if water comes out from the ground level with salt and chorcoal etc,in/c,making the pit 12"deep by excavation of all type of soil. Earth plat to be connected with No:8	1	3610.04	Each	3610
	P/F A.C ceiling fan regulator on metal board recessed in the walls column and covered with plastic sheet (S.1.No:2b P-No:14)	9	124.30	Each	1119
	P/F wall bracket light fancy type superior quality including necessary electric connection and fixing on wall oe ceiling etc complete.(S.I.No:5 P- No:33)	4	497.00	Each	1988

GRAND TOTAL :-

149244

J. W

(3) GBPS DUR MUHAMMAD PHULPOTO.

S.NO:	Description	Qty	Rate	Unit	Amount
	best 191011	ζ0	Rate	Oilt	Amount
1	Wiring for light or fan point with 3/.029 PVC insulated wire in 20mm (3/4") channel patti on surface as required. (S.No. 129 P-15).	16	910	per point	14560
. 2	Wiring for plug point with 3/.029 PVC insulated wire in 20mm	4	742	per point	2968
	(3/4") channel patti on surface as required. (S.No. 130 P-15).				
	Providing & laying (MAIN or SUB MAIN) PVC insulated with size 2-7/.029 copper conductor in 4" dia PVC conduit recessed in the wall or column as required. CSI No. 3 Page No. 1)	150	171	per Meter	25650
4	Providing & laying (MAIN or SUB MAIN) PVC insulated with	90	252	per Meter	22680
	size 2-7/.036 copper conductor in 3/4" dia PVC conduit				
•	recessed in the wall or column as required. (S.I.No:11 P- No:2)				
5	Providing & laying (MAIN or SUB MAIN) PVC insulated with	140	341	per Meter	47740
	size 2-7/.044 (6mm2) copper conductor in 3/414 dia PVC conduit				
	recessed in the wall or column as required. (S.I.No:12 P- No:2)				
. 6	Providing & fixing circuit breaker 6,10,15,20, 30,40,50 & 63amp SP (TB-5S) on prepared board as required (S.I.No:202 P- No:30)	8	916	Each	7328
	Providing & fixing circuit breaker 6,10,15,20,30,40,50, & 63amp DP (TB-5S) on perpared board required (S.1.No:204 P-No:31)	1	2425	P.No	2425
8	Providing & fixing two pin 5amp plug & flush type (S.I.No:225 P- No:33)	4	83	P.No	332
	Providing & fixing three pin 10/15amp plug & socket flush type (S.I.No:222 P- No:33)	5	162	P.No	810
	Providing & fixing one way SP 5amp switch flush type(S.I.No:219 P- No:33)	16	54	P.No	864
	Providing & fixing Bakelite ceiling rose with two terminals (S.I.No;228 P- No;33)	6	72	P.No	432



<u></u>	rage 2				
S.NO:	Description	Qty	Rate	Unit	Amount
12 7	Providing & fixing Brass Battern holder c(S.I.No:232 P-No:33)	10	70	P.No	700
13	Providing & fixing Brass Ceiling fan 56" (good quality) (S.I.No:235 P- No:34)	6	3185	P.No	19110
14	Providing & fixing mild seel bar fan clamp 15.8 mm(5/8") dia suitable for Rcc roof (SI No. 1(c) P-14)	6	141.01	P.No	846
15	P/F distribution metal board double shutter to accommodate circuit breakers including painting with enemel paint and for other simmilar job on surface (S.l.No:15 P- No:13)	2	907.96	P.Sfi	1816
16	P/Fenergy sever superior quality including fixing on existing holder etc complete.(S.l.No:6 P- No:33) (24 Walt)	10	497.00	Each	4970
	P/F earthing set with 2"x2"x1/2" cooper plate burried in groud at a depth of 12" or less if water comes out from the ground level with salt and chorcoal ctc,in/c,making the pit 12"deep by excavation of all type of soil. Earth plat to be connected with No:8	t	3610.04	Each	3610
	Providing & Fixing of street light 250 watts (SON-T) having IP66 classification with 250w lamp, choke, capacitor & Internal wiring complete in all respect at the height With the help of hydraulic crane as per site requirement and instruction of El. (CSI No. 163 Page No. 25)	1	24790	P.No	24790
19	P/F A.C ceiling fan regulator on metal board recessed in the walls column and covered with plastic sheet (S.1.No:2b P-No:14)	6	124.30	Each	746
.20	P/F wall bracket light fancy type superior quality including necessary electric connection and fixing on wall oe cuiling etc complete.(S.I.No:5 P- No:33)	4	497.00	Each	1988
	•		CDAN	D TOTAL	184365

GRAND TOTAL :-

184365

(4) CBPS SHAHMEER KALHORO.

C NO.			Data	Unit	Amount
S.NO:	Description Ant''A" New Schedule Items 2012	Qty	Rate	Unit	Amount
l	Wiring for light or fan point with 3/.029 PVC insulated wire in 20mm (3/4**) channel patti on surface as required. (S.No. 129 P-15).	16	910	per point	14560
2	Wiring for plug point with 3/.029 PVC insulated wire in 20mm	4	742	per point	2968
	(3/4") channel patti on surface as required. (S.No. 130 P-15).				
3	Providing & laying (MAIN or SUB MAIN) PVC insulated with size 2-7/.029 copper conductor in ¾" dia PVC conduit recessed in the wall or column as required. CSI No. 3 Page No. 1)	150	171	per Meter	25650
4	Providing & laying (MAIN or SUB MAIN) PVC insulated with	80	252	per Meter	20160
	size 2-7/.036 copper conductor in 3/41 dia PVC conduit				
	recessed in the wall or column as required. (S.I.No:11 P- No:2)				
٠5	Providing & laying (MAIN or SUB MAIN) PVC insulated with	115	341	per Meter	39215
	size 2-7/.044 (6mm2) copper conductor in 1/4" dia PVC conduit				
	recessed in the wall or column as required. (S.I.No:12 P- No:2)				
.6	Providing & fixing circuit breaker 6,10,15,20, 30,40,50 & 63amp SP (TB-5S) on prepared board as required (S.I.No:202 P- No:30)	8	916	Each	7328
7	Providing & fixing circuit breaker 6,10,15,20,30,40,50, & 63amp DP (TB-5S) on perpared board required (S.1.No:204 P-No:31)	1	2425	P.No	2425
8	Providing & fixing two pin 5amp plug & flush type (S.I.No:225 P- No:33)	4	83	P.No	332
, 9	Providing & fixing three pin 10/15amp plug & socket flush type (S.1.No:222 P- No:33)	5	162	P.No	810
10	Providing & fixing one way SP 5amp switch flush type(S.I.No:219 P- No:33)	16	54	P.No	864
11	Providing & fixing Bakelite ceiling rose with we terminals (S.I.No:228 P- No:33)	6	72	P.No	432

Page 2

S.NO:	Description	Qty	Rate	Unit	Amount
12	Providing & fixing Brass Battern holder c(S.I.No:232 P-No:33)	10	70	P.No	700
13	Providing & fixing Brass Ceiling fan 56" (good quality) (S.I.No:235 P- No:34)	6	3185	P.No	19110
14	Providing & fixing mild seet bar fan clamp 15.8 mm(5/8") dia suitable for Rec roof (SI No. 1(c) P-14)	6	141.01	P.No	846
15	P/F distribution metal board double shutter to accommodate circuit breakers including painting with enemel paint and for other simmilar job on surface (S.I.No:15 P- No:13)	2	907.96	P.Sft	1816
.16	P/Fenergy sever superior quality including fixing on existing holder etc complete.(S.l.No:6 P- No:33) (24 Walt)	10	497.00	Each	4970
	P/F earthing set with 2"x2"x1/2" cooper plate burried in groud at a depth of 12" or less if water comes out from the ground level with salt and chorcoal ,etc,in/c,making the pit 12"deep by excavation of all type of soil. Earth plat to be connected with No:8	1	3610.04	Each	3610
18	P/F A.C ceiling fan regulator on metal board recessed in the walls column and covered with plastic sheet (S.I.No:2b P-No:14)	6	124.30	Each	746
19	P/F wall bracket light fancy type superior quality including necessary electric connection and fixing on wall oe ceiling etc complete.(S.I.No:5 P- No:33)	4	497.00	Each	1988

GRAND TOTAL:- 148530

(5) GBPS WASSAN.

S.NO:	Description	Qty	Rate	Unit	Amount
	gart"A" New Schedule Items 2012		<u></u>	<u> </u>	
. 1	Wiring for light or fan point with 3/.029 PVC insulated wire in 20mm (3/4") channel patti on surface as required. (S.No. 129 P-15).	16	910	per point	14560
2	Wiring for plug point with 3/.029 PVC insulated wire in 20mm	4	742	per point	2968
	(3/4") channel patti on surface as required. (S.No. 130 P-15).				
3	Providing & laying (MAIN or SUB MAIN) PVC insulated with size 2-7/.029 copper conductor in 3/4" dia PVC conduit recessed in the wall or column as required, CSI No. 3 Page No. 1)	150	171	per Meter	25650
· 4	Providing & laying (MAIN or SUB MAIN) PVC insulated with	80	252	per Meter	20160
	size 2-7/.036 copper conductor in 1/4" dia PVC conduit	60	272	per meter	20100
	recessed in the wall or column as required. (S.I.No:11 P- No:2)				
5	Providing & laying (MAIN or SUB MAIN) PVC insulated with	115	341	per Meter	39215
	size 2-7/.044 (6mm2) copper conductor in 3/4" dia PVC conduit				
	recessed in the wall or column as required, (S.I.No:12 P- No:2)				
.6	Providing & fixing circuit breaker 6,10,15,20, 30,40,50 & 63amp SP (TB-5S) on prepared board as required (S.1.No:202 P- No:30)	8	916	Each	7328
7	Providing & fixing circuit breaker 6,10,15,20,30,40,50, & 63amp DP (TB-5S) on perpared board required (S.I.No:204 P-No:31)	1	2425	P.No	2425
8	Providing & fixing two pin 5amp plug & flush type (S.I.No:225 P- No:33)	4	83	P.No	332
.9	Providing & fixing three pin 10/15amp plug & socket flush type (S.I.No:222 P- No:33)	5	162	P.No	810
10	Providing & fixing one way SP 5amp switch flush type(S.l.No:219 P- No:33)	16	54	P.No	864
	Providing & fixing Bakelite ceiling rose with (S.I.No:228 P- No:33)	6	72	P.No	432



.NO:	Description	Qty	Rate	Unit	Amount
12	Providing & fixing Brass Battern holder c(S.I.No:232 P-	10	70	P.No	700
ú	No:33)				
₹ -13	Providing & fixing Brass Ceiling fan 56'' (good quality)	6	3185	P.No	19110
	(S.I.No:235 P- No:34)	-			
	(3.17.10.17.17.17.17.17.17.17.17.17.17.17.17.17.				
14	Providing & fixing mild seel bar fan clamp 15.8 mm(5/8") dia	6	141.01	P.No	846
	suitable for Rec roof (SI No. 1(c) P-14)				
15	P/F distribution metal board double shutter to accommodate	2	907.96	P.Sft	1816
	circuit breakers including painting with enemel paint and for				
	other simmilar job on surface (S.I.No:15 P- No:13)				
1.6	D/Farague course comparing quality including fixing on existing	10	497.00	Each	4970
16	P/Fenergy sever superior quality including fixing on existing holder etc complete.(S.I.No:6 P- No:33) (24 Walt)	10	497.00	Lacii	4770
	(
17	P/F earthing set with 2"x2"x1/2" cooper plate burried in groud	1	3610.04	Each	3610
. 1	at a depth of 12" or less if water comes out from the ground	-	= : • •		
	level with salt and chorcoal etc,in/c.making the pit 12"deep by				
	excavation of all type of soil. Earth plat to be connected with				
	No:8				
18	P/F A.C ceiling fan regulator on metal board recessed in the	6	124.30	Each	746
	walls column and covered with plastic sheet (S.I.No:2b P-No:14)				
	(10.14)				
19	P/F wall bracket light fancy type superior quality including	4	497.00	Each	1988
	necessary electric connection and fixing on wall oe ceiling etc				
	complete.(S.I.No:5 P- No:33)			_	
			GRANI	TOTAL:-	148530
	ABSTRACT	_			
1	GBPS Mangi	Rs:	148530		
2	GGPS Laloo Maitlo @ Hajra Maitlo	Rs:	149244		
3	GBPS Dur Muhammad Phulpoto	Rs:	184365		
\\\delta \\	GBPS Shahmeer Kalhoro	Rs:	148530		
¥⁄.	GBPS Wassan	Rs:	148530		
7	G-Total G-Total	Rs:	779199		
moun	t Total (A) 179199	Rs:	779200		
/	- 1" · · · · · · -	~ .			
0.	18 %/ % Above /Below on the rates of CSR Rs. 7777	13.6 13.6	/ Amount to be a	added/deducted	lon
has	sis of premium quoted Total (B) -				
~~~				•	
Cotal (a	A) = in Words & Figure 777778  = Rupees	Seve	Uth zene	m Lacs	
	- seven Thousand seven hundr				

CONTRACTOR

EXECUTIVE ENGINEER
EDUCATION WORKS DIVISION
KHAIRPUR

#### * OFFICE OF THE EXECUTIVE ENGINEER EDUCATION WORKS DIVISION KHAIRPUR

NO: T.C/G-55/EW/KHP://327 of/2017 KHAIRPUR DATED: - /2017

Τø,

M/S Momin Enterprises
Government Contractor

Khairpur

SUBJECT: -

REHABILITATION/RENOVATION OF DANGERIOUS SCHOOL BUILDING IN DISTRICT KHAIRPUR ADP- 466 I.E (1) GBPS SHER KHAN CHANDIO (2) GBPS GAGRI (3) GGPS KOT PULL (4) GBPS NAZAL PHULPOTO (5) GGPS RAMEJA TALUKA KHAIRPUR (INTERNAL ELECTRIFICATION)

PACKAGE NO -06

Reference:

Opening Tender opened on : -

3/6/2017

The rate quoted by you for the above-mentioned work on PART-"A" @ 0.18% Below(Schedule Items)entered in schedule'B'has been approved amounting to Rs 772446/-on schedule items.

You are requested to please attend this office within 07 days to complete the tender documents.

You are requested to supply this office a copy of partnership / deed registration deed of the firm ad power of attorney in the name of partnership of employees of the firm whom you have authorized to sign the bills, receive payments and instructions in respect of this work.

You are requested to start the work within 07 days after issue of this work order complete the same within agreement period of ( 12 ) Months

Stipulated date of Start

Stipulated date of Completion

#### IT SHOULD FURTHER BE NOTED THAT

- 1 The work is to be carried out as per PWD specification
- 2 No Cartage for any material either arranged by you or supplied by Government will be paid separately.
- 3 No. Premium will be allowed on Non-Schedule items.
- 4 No Work should be carried out in excess of sanctioned estimate the receipt of this letter may please be acknowledged.

Executive Engineer Education Works Division Khairpur

Copy forwarded with compliments to the: -

- 1 The Superintending Engineer Education Works Circle Sukkur for favour of information please
- Copy along with copy of Schedule 'B" forwarded to the Assistant Engineer Education Electrical Works Sub Division Sukkur for information and necessary action. He should report actual date of start of the work to this Office

3 Copy forworded to the Director (C.B) SPPRA Karachi for fayeur of information.

Executive Engineer

Education Works Division

Khairpur


M/s Momin Enterprises
Govt: Contractor

STANDARD BIDDING DOCUMENT

PROCUREMENT OF WORKS

(For Contracts Costing up to Rs 2.5 MILLION)

REHABILITATION/RENOVATION OF DANGERIOUS SCHOOL BUILDING IN DISTRICT KHAIRPUR ADP- 466 I.E. (1) GBPS SHER KHAN CHANDIO (2) GBPS GAGRI (3) GGPS KOT PULL (4) GBPS NAZAL PHULPOTO (5) GGPS RAMEJA TALUKA KHAIRPUR (INTERNAL **ELECTRIFICATION) PACKAGE NO-06** 



670 06

#### FORM OF CONTRACT AGREEMENT

THIS	CONTRACT AGREEMENT (hereina	fter called the "Agreement") made on the
day o	f 200 between	(hereinafter called the
"Procu "Cont	uring Agency") of the one part a ractor") of the other part.	(hereinafter called the und (hereinafter called the
should	REAS the Procuring Agency is desirn be executed by the Contractor and tion and completion of such Works and	has accepted a Bid by the Contractor for the
NOW	this Agreement witnesseth as follows:	
1,		essions shall have the same meanings as are onditions of Contract hereinafter referred to.
2.	<del></del>	orporating addenda, if any except those parts all be deemed to form and be read and construed
	<ul> <li>(a) The Letter of Acceptance;</li> <li>(b) The completed Form of Bid al</li> <li>(c) Conditions of Contract &amp; Con</li> <li>(d) The priced Schedule of Prices</li> <li>(e) The Specifications; and</li> <li>(f) The Drawings</li> </ul>	tract Data;
3.	Contractor as hereinafter mentione	to be made by the Procuring Agency to the d, the Contractor hereby covenants with the implete the Works and remedy defects therein in the provisions of the Contract.
4.	The Procuring Agency hereby covena	ints to pay the Contractor, in consideration of the

execution and completion of the Works as per provisions of the Contract, the Contract Price or such other sum as may become payable under the provisions of the Contract

Agrafatus

at the times and in the manner prescribed by the Contract.

IN WITNESS WHEREOF the parties hereto trive caused this Contract Agreement to be executed on the day, month and year first before written in accordance with their respective laws.

Signature of the Contactor

(Seal)

Signature of the Contactor

Signature of the Contactor

Signature of the Contactor

Witness:

Witness:

Witness:

(Name, Title and Address)

(Name, Title and Address)

# SINDH PUBLIC PROCUREMENT REGULATORY AUTHORITY

#### CONTRACT EVALUATION FORM

# TO BE FILLED IN BY ALL PROCURING AGENCIES FOR PUBLIC CONTRACTS OF WORKS, SERVICES & GOODS

1)	NAME OF THE ORGANIZATION / DEPTT, Ec	ducation & Literact Department
2)	PROVINCIAL LOCAL GOVE/ OTHER $= \frac{\overline{Pr}}{Pr}$	ovincial
3)	TITLE OF CONTRACT	en/Rono Q(1) Shorkhan chambio as Chagri as to
4)		NO ( 06 ) MINAZA Phulpoto (E) CACIPS Ram
5)	BRIEF DESCRIPTION OF CONTRACT B	uilding Work (School Work) (Int Elect)
6)	FORUM THAT APPROVED THE SCHEME $-\underline{\mathtt{A}}$	A Issued by P&D Department Karachi
7)	TENDER ESTIMATED VALUE	5 0.778 (M)
8)	ENGINEER'S ESTIMATE T (For civil works only)	S RS 774000
9)	ESTIMATED COMPLETION PERIOD (AS PER	CONTRACT) ( 12 ) Months
	1887 - Carlotte G. W. (1987)	3-06-2017
il)	NUMBER OF TENDER DOCUMENTS SOLD(Anach list of buyers)	03 Nos
12)	NUMBER OF BIDS RECEIVED	03 Nos
13)	NUMBER OF BIDDERS PRESENT AT THE TIME	
14)	BID EVALUATION REPORT (Enclose a copy)	opy enclosed
15)	) NAME AND ADDRESS OF THE SUCCESSFUL	BIDDER M'S Momin Enterprises.
16)	O) CONTRACT AWARD PRICE R	5 772446
17)	(i.e. 1 ⁵¹ , 2 nd , 3 rd EVALUATION BID).	LUATION REPOR'I
	_	
18)	- 3) METHOD OF PROCUREMENT USED : - (Tick o	one)
	a) SINGLE STAGE – ONE ENVELOPE PR	ROCEDURE Yes Domestic/ Local
	b) SINGLE STAGE TWO ENVELOPE PI	ROCEDURE
	c) TWO STAGE BIDDING PROCEDURE	
	d) TWO STAGE – TWO ENVELOPE BIDE	
	PLEASE SPECIFY IF ANY OTHER MI EMERGENCY, DIRECT CONTRACTING E	ETHOD OF PROCUREMENT WAS ADOPTED i.e. TC: WITH BRIEF REASONS

(9)	APPROVING AUTHORITY FOR AWAR	D OF CONTRACT	
20)	WHETHER THE PROCUREMENT WAS	INCLUDED IN AN	NUAL PROCUREMENT PLAN?  Yes  No  No
21)	ADVERTISEMENT:		\\\ \ \ \ \ \ \ \ \ \ \ \ \ \ \
	SPPRA Website     (Hyes, give date and SPPRA Iden		SPPRA S NO 33094 Dated:- 04-05-2017
		No	
	ii) News Papers (If yes, give names of newspapers	and dates)	SPPRA S NO 33094 Dated:- 04-05-2017
		No	
22)	NATURE OF CONTRACT		Computer   Int.
	WHETHER QUALIFICATION CRITERIA WAS INCLUDED IN BIDDING / TENDE (If yes, enclose a copy)		Yes V No
	WHETHER BID EVALUATION CRITER WAS INCLUDED IN BIDDING / TENDE (If yes, enclose a copy)		Yes V No
25)	WHETHER APPROVAL OF COMPETER METHOD OTHER THAN OPEN COMPE		
26)	WAS BID SECURITY OBTAINED FROM	M ALL THE BIDDE	RS? Yes V No
27)	WHETHER THE SUCCESSFUL BID WA BID / BEST EVALUATED BID (in case of		ATED Yes V No
(8)	WHETHER THE SUCCESSFUL BIDDER COMPLIANT?	R WAS TECHNICAI	J.Y Yes No
29)	WHETHER NAMES OF THE BIDDERS THE TIME OF OPENING OF BIDS?	AND THEIR QUO	TED PRICES WERE READ OUT AT
	WHETHER EVALUATION REPORT CONTRACT? (Attach copy of the bid evaluation report)	GIVEN TO BIDE	DERS BEFORE THE AWARD OF

ă	
31) ANY COMPLAINTS RECEIVED (If yes, result thereof)	Yes
	No
32) ANY DEVIATION FROM SPECIFICATIONS GIVEN IN (If yes, give details)	THE TENDER NOTICE / DOCUMENTS Yes
	No
33) WAS THE EXTENSION MADE IN RESPONSE TIME? (If yes, give reasons)	Yes
	No No
34) DEVIATION FROM QUALIFICATION CRITERIA (If yes, give detailed reasons.)	Yes
	No
35) WAS IT ASSURED BY THE PROCURING AGENCY BLACK LISTED?	THAT THE SELECTED FIRM IS NOT Yes V No No
36) WAS A VISIT MADE BY ANY OFFICER/OFFICIAL C SUPPLIER'S PREMISES IN CONNECTION WITH THE BE ASCERTAINED REGARDING FINANCING OF VIS. (If yes, enclose a copy)	PROCUREMENT? IF SO, DETAILS TO
37) WERE PROPER SAFEGUARDS PROVIDED ON MO THE CONTRACT (BANK GUARANTEE ETC.)?	BILIZATION ADVANCE PAYMENT IN Yes No V
38) SPECIAL CONDITIONS, IF ANY (If yes aim Brief Description)	Yes
Final Control Stope	No
Signature & Official Stamp of Authorized Officer	-
OR OFFICE USE ONLY	

<u>SPPRA, Block. No.8, Sindh Secretariat No.4-A, Court Road, Karachi</u> Tele: 021-9205356; 021-9205369 & Fax: 021-9206291

Print Save Reset

#### **BILL OF QUANTITES**

(A) Description and rate of items based on composite schedule of rates.2012
(B) Description and rate of items based on composite schedule of rates.2004

NAME OF WORK: REHABILITATION / RENOVATION OF DANGEROUS SCHOOL BUILDING IN DISTRICT KHAIRPUR AT (1) GBPS SHER KHAN CHANDIO (2) GGPS GAGRI (3) GGPS KOT PULL (4) GBPS NAZAL PHULPOTO (5) GGPS RAMAJA TALUKA KHAIRPUR ADP NO. 466. (INTERNAL ELECTRIFICATION)

(1) G	(PACKAGE NO.6) 1) GBPS SHER KHAN CHANDIO					
S.NO:		Qty	Rate	Unit	Amoun	
	Part"A" New Schedule Items 2012		<u> </u>	_!	·	
1	Wiring for light or fan point with 3/.029 PVC insulated wire in 20mm (3/4") channel patti on surface as required. (S.No. 129 P-15).	16	910	per point	14560	
2	Wiring for plug point with 3/.029 PVC insulated wire in 20mm	4	742	per point	2968	
	(3/411) channel patti on surface as required. (S.No. 130 P-15).					
- 3	Providing & laying (MAIN or SUB MAIN) PVC insulated with size 2-7/,029 copper conductor in 34" dia PVC conduit recessed in the wall or column as required. CSI No. 3 Page No. 1)	150	171	per Meter	25650	
4	Providing & laying (MAIN or SUB MAIN) PVC insulated with	80	252	per Meter	20160	
	size 2-7/.036 copper conductor in 1/4" dia PVC conduit					
	recessed in the wall or column as required. (S.I.No:11 P- No:2)					
5	Providing & laying (MAIN or SUB MAIN) PVC insulated with	115	341	per Meter	39215	
	size 2-7/.044 (6mm2) copper conductor in 1/4" dia PVC conduit					
	recessed in the wall or column as required. (S.I.No:12 P- No:2)					
6	Providing & fixing circuit breaker 6,10,15,20, 30,40,50 & 63amp SP (TB-5S) on prepared board as required (S.I.No:202 P- No:30)	8	916	Each	7328	
7	Providing & fixing circuit breaker 6,10,15,20,30,40,50, & 63amp DP (TB-5S) on perpared board required (S.I.No:204 P-No:31)	l ··	2425	P.No	2425	
8	Providing & fixing two pin 5amp plug & flush type (S.I.No:225 P- No:33)	4	83	P,No	332	
9	Propriding & fixing three pin 10/15amp plug & socret flush	5	162	P.No	\$10	

"Mark

	r age 2				
S.NO:	Description	Qty	Rate	Unit	Amount
10 2	Providing & fixing one way SP 5amp switch flush type(S.I.No:219 P- No:33)	16	54	P.No	864
11	Providing & fixing Bakelite ceiling rose with two terminals (S.I.No:228 P- No:33)	6	72	P.No	432
12	Providing & fixing Brass Battern holder c(S.I.No:232 P-No:33)	10	70	P.No	700
13	Providing & fixing Brass Ceiling fan 56" (good quality) (S.I.No:235 P- No:34)	6	3185	P.No	19110
14	Providing & fixing mild seel bar fan clamp 15.8 mm(5/8") dia suitable for Rcc roof (SI No. 1(c) P-14)	6	141.01	P.No	846
15	P/F distribution metal board double shutter to accommodate circuit breakers including painting with enemel paint and for other simmilar job on surface (S.I.No:15 P- No:13)	2	907.96	P.Sft	1816
16	P/Fenergy sever superior quality including fixing on existing holder etc complete.(S.l.No:6 P- No:33) (24 Walt)	10	497.00	Each	4970
17	P/F earthing set with 2"x2"x1/2" cooper plate burried in groud at a depth of 12" or less if water comes out from the ground level with salt and chorcoal ,etc,in/c.making the pit 12"deep by excavation of all type of soil. Earth plat to be connected with No:8	1	3610.04	Each	3610
18	P/F A,C ceiling fan regulator on metal board recessed in the walls column and covered with plastic sheet (S.I.No:2b P-No:14)	6	124.30	Each	746
19	P/F wall bracket light fancy type superior quality including necessary electric connection and fixing on wall oe ceiling etc complete.(S.I.No:5 P- No:33)	4	497.00	Each	1988
			CRAN	D TOTAL :-	148530
	ì		GRAN	DIVIAL	170550

Dropul.e

# (2) GGPS GAGRI.

.No.	Description	Qty	Rate	Unit	Amount
<b>—</b> ₹	Part ^o A ^o New Schedule Items 2012				
1	Wiring for light or fan point with 3/.029 PVC insulated wire in 20mm (3/4") channel patti on surface as required. (S.No. 129 P-15).	16	910	per point	14560
2	Wiring for plug point with 3/,029 PVC insulated wire in 20mm	4	742	per point	2968
	(3'4") channel patti on surface as required. (S.No. 130 P-15).				
3	Providing & laying (MAIN or SUB MAIN) PVC insulated with size 2-7/.029 copper conductor in 3/4" dia PVC conduit recessed in the wall or column as required. CSI No. 3 Page No. 1)	150	171	per Meter	25650
4	Providing & laying (MAIN or SUB MAIN) PVC insulated with	80	252	per Meter	20160
	size 2-7/.036 copper conductor in 3/4" dia PVC conduit				
	recessed in the wall or column as required. (S.I.No:11 P- No:2)				
5	Providing & laying (MAIN or SUB MAIN) PVC insulated with	115	341	per Meter	39215
	size 2-7/.044 (6mm2) copper conductor in 3/411 dia PVC conduit				
	recessed in the wall or column as required. (S.I.No:12 P- No:2)				
6	Providing & fixing circuit breaker 6,10,15,20, 30,40,50 & 63amp SP (TB-5S) on prepared board as required (S.I.No:202 P- No:30)	8	916	Each	7328
7	Providing & fixing circuit breaker 6,10,15,20,30,40,50, & 63amp DP (TB-5S) on perpared board required (S.I.No:204 P-No:31)	1	2425	P.No	2425
8	Providing & fixing two pin 5amp plug & flush type (S.I.No:225 P- No:33)	4	83	P.No	332
9	Providing & fixing three pin 10/15amp plug & socket flush type (S.I.No:222 P- No:33)	5	162	P.No	810
.10	Providing & fixing one way SP 5amp switch flush type(S.I.No:219 P- No:33)	16 <b>l</b>	54	P.No	864
!1	Providing & fixing Bakelite ceiling rose with two terminals (S.I.No:228 P- No:33)	6	72	P.No	432

Destales

Page 2

S.NO:	Description	Qty	Rate	Unit	Amount
12	Providing & fixing Brass Battern holder c(S.I.No:232 P-No:33)	10	70	P.No	700
13	Providing & fixing Brass Ceiling fan 56" (good quality) (S.I.No:235 P- No:34)	6	3185	P.No	19110
14	Providing & fixing mild seel bar fan clamp 15.8 mm(5/8") dia suitable for Rcc roof (SI No. 1(c) P-14)	6	141.01	P.No	846
. 15	P/F distribution metal board double shutter to accommodate circuit breakers including painting with enemel paint and for other simmilar job on surface (S.I.No:15 P- No:13)	2	907.96	P.Sít	1816
16	P/Fenergy sever superior quality including fixing on existing holder etc complete.(S.I.No:6 P- No:33) (24 Walt)	10	497.00	Each	4970
17	P/F earthing set with 2"x2"x1/2" cooper plate burried in groud at a depth of 12" or less if water comes out from the ground level with salt and chorcoal .etc,in/c.making the pit 12"deep by excavation of all type of soil. Earth plat to be connected with No:8	1	3610.04	Each	3610
. 18	P/F A.C ceiling fan regulator on metal board recessed in the walls column and covered with plastic sheet (S.I.No:2b P-No:14)	6	124.30	Each	746
19	P/F wall bracket light fancy type superior quality including necessary electric connection and fixing on wall oe ceiling etc complete.(S.I.No:5 P- No:33)	4	497.00	Each	1988
				!	140520

GRAND TOTAL :- 148530

## (3) GGPS KOT PUL.

S.NG:	Description	Qty	Rate	Unit	Amount
	Part"A" New Schedule Items 2012				<del></del>
1	Wiring for light or fan point with 3/.029 PVC insulated wire in 20mm (3/4") channel patti on surface as required, (S.No. 129 P-15).	16	910	per point	14560
2	Wiring for plug point with 3/.029 PVC insulated wire in 20mm	4	742	per point	2968
	(3/4") channel patti on surface as required. (S.No. 130 P-15).				
3	Providing & laying (MAIN or SUB MAIN) PVC insulated with size 2-7/.029 copper conductor in 3/41 dia PVC conduit recessed in the wall or column as required, CSI No. 3 Page No. 1)	150	171	per Meter	25650
4	Providing & laying (MAIN or SUB MAIN) PVC insulated with	80	252	per Meter	20160
	size 2-7/.036 copper conductor in 4" dia PVC conduit				
	recessed in the wall or column as required. (S.I.No:11 P- No:2)				
5	Providing & laying (MAIN or SUB MAIN) PVC insulated with	115	341	per Meter	39215
	size 2-7/.044 (6mm2) copper conductor in 3/11 dia PVC conduit				
	recessed in the wall or column as required. (S.1.No:12 P- No:2)				
6	Providing & fixing circuit breaker 6,10,15,20, 30,40,50 & 63amp SP (TB-5S) on prepared board as required (S.I.No:202 P- No:30)	8	916	Each	7328
7	Providing & fixing circuit breaker 6,10,15,20,30,40,50, & 63amp DP (TB-5S) on perpared board required (S.I.No:204 P-No:31)	1	2425	P.No	2425
8	Providing & fixing two pin 5amp plug & flush type (S.I.No:225 P- No:33)	4	83	P.No	332
9	Providing & fixing three pin 10/15amp plug & socket flush type (S.I.No:222 P- No:33)	5	162	P.No	810
10	Providing & fixing one way SP 5amp switch flush type(S.I,No:219 P- No:33)	16	54	P,No	864
11	Providing & fixing Bakelite ceiling rose with two terminals (S.I.No:228 P- No:33)	6	72	P.No	432

Amother

			· · · · · · · · · · · · · · · · · · ·		
S.NO:	Description	Qty	Rate	Unit	Amount
ا غر	Providing & fixing Brass Battern holder c(S.I.No:232 P-No:33)	10	70	P.No	700
13	Providing & fixing Brass Ceiling fan 56" (good quality) (S.I.No:235 P-No:34)	6	3185	P.No	19110
14	Providing & fixing mild seet bar fan clamp 15.8 mm(5/8") dia suitable for Rcc roof (SI No. 1(c) P-14)	6	141.01	P.No	846
15	P/F distribution metal board double shutter to accommodate circuit breakers including painting with enemel paint and for other simmilar job on surface (S.I.No:15 P- No:13)	2	907.96	P.Sft	1816
.16	P/Fenergy sever superior quality including fixing on existing holder etc complete.(S.I.No:6 P- No:33) (24 Walt)	10	497.00	Each	4970
	P/F earthing set with 2"x2"x1/2" cooper plate burried in groud at a depth of 12" or less if water comes out from the ground level with salt and chorcoal etc,in/c,making the pit 12"deep by excavation of all type of soil. Earth plat to be connected with No:8	1	3610.04	Each	3610
18	P/F A.C ceiling fan regulator on metal board recessed in the walls column and covered with plastic sheet (S.I.No:2b P-No:14)	6	124,30	Each	746
19	P/F wall bracket light fancy type superior quality including necessary electric connection and fixing on wall oe ceiling etc complete.(S.f.No:5 P- No:33)	4	497.00	Each	1988

GRAND TOTAL :- 148530

Mentales.

# (4) GBPS NAZAL PHULPOTO.

				<u> </u>	
S.NO	Description	Qty	Rate	Unit	Amount
	Art"A" New Schedule Items 2012				
1	Wiring for light or fan point with 3/.029 PVC insulated wire in 20mm (3/4") channel patti on surface as required. (S.No. 129	21	910	per point	19110
	P-15).				
2	Wiring for plug point with 3/.029 PVC insulated wire in 20mm	5	742	per point	3710
a	(3/4") channel patti on surface as required. (S.No. 130 P-15).				
3	Providing & laying (MAIN or SUB MAIN) PVC insulated with size 2-7/.029 copper conductor in 3/4" dia PVC conduit recessed in the wall or column as required. CSI No. 3 Page No. 1)	100	171	per Meter	17100
4	Providing & laying (MAIN or SUB MAIN) PVC insulated with	60	252	per Meter	15120
	size 2-7/.036 copper conductor in 4" dia PVC conduit				
	recessed in the wall or column as required. (S.I.No:11 P- No:2)				
5	Providing & laying (MAIN or SUB MAIN) PVC insulated with	100	341	per Meter	34100
	size 2-7/.044 (6mm2) copper conductor in ¾" dia PVC conduit				
	recessed in the wall or column as required. (S.I.No:12 P- No:2)				
6	Providing & fixing circuit breaker 6,10,15,20, 30,40,50 & 63amp SP (TB-5S) on prepared board as required (S.I.No:202 P-No:30)	8	916	Each	7328
7	Providing & fixing circuit breaker 6,10,15,20,30,40,50, & 63amp DP (TB-5S) on perpared board required (S.I.No:204 P-No:31)	1	2425	P.No	2425
. 8	Providing & fixing two pin 5amp plug & flush type (S.I.No:225 P- No:33)	5	83	P.No	415
9	Providing & fixing three pin 10/15amp plug & socket flush type (S.I.No:222 P- No:33)	5	162	P.No	810
10	Providing & fixing one way SP 5amp switch flush type(S.I.No:219 P- No:33)	21	54	P.No	1134
_11	Providing & fixing Bakelite ceiling rose with two terminals (S.I.No:228 P- No:33)	8	72	P.No	576

Janfalir

Page 2

	rage z				
S.NO:	Description	Qty	Rate	Unit	Amount
12	Providing & fixing Brass Battern holder c(S.I.No:232 P-No:33)	13	70	P.No	910
13	Providing & fixing Brass Ceiling fan 56" (good quality) (S.1.No:235 P- No:34)	8	3185	P,No	25480
14	Providing & fixing mild seel bar fan clamp 15.8 mm(5/8") dia suitable for Rec roof (SI No. 1(c) P-14)	8	141.01	P.No	1128
-15	P/F distribution metal board double shutter to accommodate circuit breakers including painting with enemel paint and for other simmilar job on surface (S.I.No:15 P- No:13)	2	907.96	P.Sft	1816
16	P/Fenergy sever superior quality including fixing on existing holder etc complete.(S.I.No:6 P- No:33) (24 Walt)	13	497.00	Each	6461
.17	P/F earthing set with 2"x2"x1/2" cooper plate burried in groud at a depth of 12" or less if water comes out from the ground level with salt and chorcoal ,etc,in/c.making the pit 12"deep by excavation of all type of soil. Earth plat to be connected with No:8	1	3610.04	Each	3610
. 18	P/F A.C ceiling fan regulator on metal board recessed in the walls column and covered with plastic sheet (S.I.No:2b P-No:14)	8	124.30	Each	994
<b>19</b>	P/F wall bracket light fancy type superior quality including necessary electric connection and fixing on wall oe ceiling etc complete.(S.1.No:5 P- No:33)	4	497.00	Each	1988

GRAND TOTAL: 144215

# (5) GGPS RAMEJA.

			···		
S.NO	Description	Qty	Rate	Unit	Amount
	Sart"A" New Schedule Hems 2012				
1	Wiring for light or fan point with 3/,029 PVC insulated wire in	24	910	per point	21840
	20mm (3/4") channel patti on surface as required. (S.No. 129				
	P-15).				
2	Wiring for plug point with 3/.029 PVC insulated wire in 20mm	5	742	per point	3710
	(3/4") channel patti on surface as required. (S.No. 130 P-15).				
3	Providing & laying (MAIN or SUB MAIN) PVC insulated with	150	171	per Meter	25650
	size 2-7/,029 copper conductor in 1/4" dia PVC conduit				
	recessed in the wall or column as required. CSI No. 3 Page No. 1)				
	•,				
4	Providing & laying (MAIN or SUB MAIN) PVC insulated with	100	252	per Meter	25200
	size 2-7/.036 copper conductor in 41" dia PVC conduit				
	recessed in the wall or column as required. (S.I.No:11 P- No:2)				
5	Providing & laying (MAIN or SUB MAIN) PVC insulated with	140	341	per Meter	47740
		110	311	per mierer	
	size 2-7/.044 (6mm2) copper conductor in 3/4" dia PVC conduit				
	recessed in the wall or column as required. (S.1.No:12 P- No:2)				
6	Providing & fixing circuit breaker 6,10,15,20, 30,40,50 &	8	916	Each	7328
	63amp SP (TB-5S) on prepared board as required (S.I.No:202				
	P- No:30)				
7	Providing & fixing circuit breaker 6,10,15,20,30,40,50, &	1	2425	P.No	2425
	63amp DP (TB-5S) on perpared board required (\$.I.No:204 P-				
	No:31)				
8	Providing & fixing two pin 5amp plug & flush type (S.I.No:225	5	83	P.No	415
	P- No:33)				
9	Providing & fixing three pin 10/15amp plug & socket flush	5	162	P.No	810
	type (S.I.No:222 P- No:33)				
10	Providing & fixing one way SP 5amp switch flush	24	54	P.No	1296
	type(S.I.No:219 P- No:33)				
11	Providing & fixing Bakelite ceiling rose with two terminals	9	72	P.No	648
11	(S.I.No:228 P- No:33)	,	, 2	1.110	0.0
					1050
12	Providing & fixing Brass Battern holder c(\$.1.No:232 P-No:33)	15	70	P.No	1050
			1	D.M.	20665
13	Providing & fixing Brass Ceiling fan 56" (good quality) (S.I.No:235 P- No:34)	9	3185	P.No	28665
			TV .		
J'a	Providing & fixing mild seel bar fan clamp 15.8 mm(5/8") dia suitable for Rec roof (SI No. 1(c) P-14)	9	441,01	P.No	1269
<b>√</b> \	The state of the s				

Hout

NO:	Description	Qty	Rate	Unit	Amount
مو ۱۵	P/F distribution metal board double shutter to accommodate cuit breakers including painting with enemel paint and for other simmilar job on surface (S.I.No:15 P- No:13)	2	907.96	P.Sft	1816
16	P/Fenergy sever superior quality including fixing on existing holder etc complete.(S.I.No:6 P- No:33) ( 24 Walt)	15	497.00	Each	7455
17	P/F earthing set with 2"x2"x1/2" cooper plate burried in groud at a depth of 12" or less if water comes out from the ground level with salt and chorcoal ,etc,in/c,making the pit 12"deep by excavation of all type of soil. Earth plat to be connected with No:8	!	3610.04	Each	3610
8	P/F A.C ceiling fan regulator on metal board recessed in the walls column and covered with plastic sheet (S.I.No:2b P-No:14)	9	124.30	Each	1119
9	P/F wall bracket light fancy type superior quality including necessary electric connection and fixing on wall oe ceiling etc complete.(S.I.No:5 P- No:33)	4	497.00	Each	1988
			GRANI	D TOTAL :-	184034
	ABSTRACT				
_	GBPS Sher Khan Chandio	Rs:	148530		
	GGPS Gagri	Rs:	148530		
i	GGPS Kot Pull	Rs:	148530		
ļ	GBPS Nazal Phulpoto	Rs:	144215		
5/	GGPS Ramaja	Rs:	184034		
	Ø/\/ G-Total	Rs:	773839		
~ •ħ	Say	Rs:	774000		
	Total (A) 773839  18% Above Below on the rates of CSR Rs. 7729 is of premium quoted Total (B)		/ Amount to be a	added. deducted	on

four hundred forty six only

CONTRACTOR

EXECUTIVE ENGINEER
EDUCATION WORKS DIVISION
KHAIRPUR

## SINDH PUBLIC PROCUREMENT REGULATORY AUTHORITY

### CONTRACT EVALUATION FORM

# TO BE FILLED IN BY ALL PROCURING AGENCIES FOR PUBLIC CONTRACTS OF WORKS, SERVICES & GOODS

		Education & Literact Department
	NAME OF THE ORGANIZATION / DEPTT.	Provincial Provincial
2)	PROVINCIAL / LOCAL GOVT / OTHER	
3)	TITLE OF CONTRACT	Reh/Runo Q () Crarki a) Hussoin Bus to toi (3) Co
4)	TENDER NUMBER	S.NO ( O7 )- Kalhoro (Int: Elect:)
5)	BRIEF DESCRIPTION OF CONTRACT	Building Work (School Work)
6)	FORUM THAT APPROVED THE SCHEME	A A Issued by P&D Department Karachi
7)	TENDER ESTIMATED VALUE	Rs 0.750 (M)
8)	ENGINEER'S ESTIMATE (For civil works only)	T.S. RS. 7 Socoo
9)	ESTIMATED COMPLETION PERIOD (AS P.	ER CONTRACT) ( 12 ) Months
10)	TENDER OPENED ON (DATE & TIME)	03-06-2017
11)	NUMBER OF TENDER DOCUMENTS SOLE (Attach list of buyers)	) 03 Nos
12)	NUMBER OF BIDS RECEIVED	03 Nos
13)	NUMBER OF BIDDERS PRESENT AT THE	TIME OF OPENING OF BIDS 03
	BID EVALUATION REPORT (Enclose a copy)	Gopy enclosed
15)	NAME AND ADDRESS OF THE SUCCESSF	UL BIDDER MIS Abra Electric & civil work.
	CONTRACT AWARD PRICE	Rs 748557
17)	RANKING OF SUCCESSFUL BIDDER IN EVIL.e. 181, 2nd, 3rd EVALUATION BID).	VALUATION REPORT
18)	METHOD OF PROCUREMENT USED: - (Ti	ck one)
	a) SINGLE STAGE - ONE ENVELOPE	PROCEDURE Yes Domestic/ Local
	h) SINGLE STAGE - TWO ENVELOPE	PROCEDURE
	ci TWO STAGE BIDDING PROCEDUR	RE
	d) TWO STAGE – TWO ENVELOPE B	IDDING PROCEDURE
	PLEASE SPECIFY IF ANY OTHER EMERGENCY, DIRECT CONTRACTING	METHOD OF PROCUREMENT WAS ADOPTED i.e. G ETC. WITH BRIEF REASONS:

	Chief Engineer Education works Sukkur
19) APPROVING AUTHORITY FOR AWARD OF CONTE	RACT
20) WHETHER THE PROCUREMENT WAS INCLUDED	IN ANNUAL PROCUREMENT PLAN?  Yes No No
(1) ADVERTISEMENT:	├ <del> </del>
i) SPPRA Website (If yes, give date and SPPRA Identification No.)	Yes SPPRA S.NO 33094 Dated:- 04-05-2017
	No
ii) News Papers (If yes, give names of newspapers and dates)	Yes SPPRA S.NO 33094 Dated:- 04-05-2017
	No
22) NATURE OF CONTRACT	Domestic Int. Int.
23) WHETHER QUALIFICATION CRITERIA WAS INCLUDED IN BIDDING / TENDER DOCUME (If yes, enclose a copy)	NTS?  Yes V No
24) WHETHER BID EVALUATION CRITERIA WAS INCLUDED IN BIDDING / TENDER DOCUME (If yes, enclose a copy)	NTS? Yes V No
25) WHETHER APPROVAL OF COMPETENT AUTHORI METHOD OTHER THAN OPEN COMPETITIVE BIDI	
26) WAS BID SECURITY OBTAINED FROM ALL THE E	BIDDERS? Yes No No
27) WHETHER THE SUCCESSFUL BID WAS LOWEST F BID / BEST EVALUATED BID (in case of Consultancia	
28) WHETHER THE SUCCESSFUL BIDDER WAS TECH COMPLIANT?	NICALLY Yes No
29) WHETHER NAMES OF THE BIDDERS AND THEIR THE TIME OF OPENING OF BIDS?	QUOTED PRICES WERE READ OUT AT  Yes No No
80) WHETHER EVALUATION REPORT GIVEN TO CONTRACT?	BIDDERS BEFORE THE AWARD OF
CONTINUE	

<b>%</b>	
ir	
31) ANY COMPLAINTS RECEIVED	
(If yes, result thereof)	Yes
	No
22) ONV DEVIATION CHOICE CHECK TRONG CHEEVING	THE TOURS AND THE TOURS
32) ANY DEVIATION FROM SPECIFICATIONS GIVEN (N° (If'yes, give details)	THE TENDER NOTICE / DOCUMENTS
	Yes
	No
22) WAS THE EVENIGION OF IN DEPOS OF THE CO.	
33) WAS THE EXTENSION MADE IN RESPONSE TIME? (If yes, give reasons)	Yes
,	
gr. All Sanda	No
	NO
34) DEVIATION FROM QUALIFICATION CRITERIA (If yes, give detailed reasons.)	Yes
	N
	No
35) WAS IT ASSURED BY THE PROCURING AGENCY BLACK LISTED?	
BLACK EIGHED!	Yes V No
36) WAS A VISIT MADE BY ANY OFFICER/OFFICIAL O	ATTIE BROCHING ACENCY TO THE
SUPPLIER'S PREMISES IN CONNECTION WITH, THE	
BE ASCERTAINED REGARDING FINANCING OF VISI	
(If yes, enclose a copy)	Yes No
AT MERC MONTH OF FROM PROPERTY ON A SECOND	
37) WERE PROPER SAFEGUARDS PROVIDED ON MOB THE CONTRACT (BANK GUARANTEE ETC.)?	
A CONTRACT (DIAMETER)	Yes No
38) SPECIAL CONDITIONS, IF ANY	, \$\frac{1}{2}
(If yes, given rief Description)	Yes 27
WEXEL THE STATE OF	
GOWANIE	No
KHACHUR	
Signature & Official Stamp of	
Authorized Officer	
FOR OFFICE USE ONLY	

SPPRA, Block. No.8, Sindh Secretariat No.4-A, Court Road, Karachi Tele: 021-9205356; 021-9205369 & Fax: 021-9206291

Print Save Reset

### OFFICE OF THE EXECUTIVE ENGINEER EDUCATION WORKS DIVISION KHAIRPUR

NO: T.C/G-55/EW/KHP://328 of/2017 KHAIRPUR DATED: - / 2017

To.

M/S Abra Electric & Civil Work Government Contractor

Khairpur

SUBJECT: -

REHABILITATION/RENOVATION OF DANGERIOUS SCHOOL BUILDING IN DISTRICT KHAIRPUR ADP- 466( 2016-17) I.E (1) GBPS GARHI (2) GBPS HUSSAIN BUX JATOI (3) GBPS GAHNO KALHORO TALUKA KHAIRPUR (INTERNAL ELECTRIFICATION) PACKAGE NO -07

Reference:

Opening Tender opened on : -

3/6/2017

The rate quoted by you for the above-mentioned work on PART-"A" @ 0.19% Below(Schedule Items) entered in schedule 'B' has been approved amounting to Rs 748557/= on schedule items.

You are requested to please attend this office within 07 days to complete the tender documents.

You are requested to supply this office a copy of partnership / deed registration deed of the firm ad power of attorney in the name of partnership of employees of the firm whom you have authorized to sign the bills, receive payments and instructions in respect of this work.

You are requested to start the work within 07 days after issue of this work order complete the same within agreement period of ( 12 ) Months

Stipulated date of Start

Stipulated date of Completion

#### IT SHOULD FURTHER BE NOTED THAT

- 1 The work is to be carried out as per PWD specification
- 2 No Cartage for any material either arranged by you or supplied by Government will be paid separately.
- 3 No. Premium will be allowed on Non-Schedule items.
- 4 No Work should be carried out in excess of sanctioned estimate the receipt of this letter may please be acknowledged.

Executive Engineer
Education Works Division
Khairpur

Copy forwarded with compliments to the: -

- 1 The Superintending Engineer Education Works Circle Sukkur for favour of information please
- Copy along with copy of Schedule 'B" forwarded to the Assistant Engineer Education Electrical Works Sub Division Sukkur for information and necessary action. He should report actual date of start of the work to this Office


Copy forworded to the Director (C.B) SPPRA Karachi for favour

Executive Engineer

Education Works Division

Khairpur

of information.



### FORM OF CONTRACT AGREEMENT

	f 200 between				
"Proci	f 200 between uring Agency") of the one part and aractor") of the other part.	(hereinafter called the			
should	REAS the Procuring Agency is desirous the document by the Contractor and has a tion and completion of such Works and the reserved.	ecepted a Bid by the Contractor for the			
NOW	this Agreement witnesseth as follows:	•			
۱,	In this Agreement words and expressions respectively assigned to them in the Condition	_			
2.	The following documents after incorporating addenda, if any except those parts relating to Instructions to Bidders, shall be deemed to form and be read and construed as part of this Agreement, viz:				
	<ul> <li>(a) The Letter of Acceptance;</li> <li>(b) The completed Form of Bid along with the Conditions of Contract &amp; Contract D</li> <li>(d) The priced Schedule of Prices/Bill of the Specifications; and</li> <li>(f) The Drawings</li> </ul>	ata;			
3.	In consideration of the payments to be Contractor as hereinafter mentioned, the Procuring Agency to execute and complete conformity and in all respects within the pro-	Contractor hereby covenants with the the Works and remedy defects therein in			
4.	The Procuring Agency hereby covenants to execution and completion of the Works as p Price or such other sum as may become pay	er provisions of the Contract, the Contract			

at the times and in the manner prescribed by the Contract.

IN WITNESS WHEREOF the parties hereto have caused this Contract Agreement to be executed on the day, month and year first before written in accordance with their respective laws.

Signature of the Contactor  (Seal)	Signature of the Procuring Agency (Seal). (Se
Signed, Sealed and Delivered in the presence of:	
Witness:	Witness:
(Name, Title and Address)	(Name, Title and Address)

# SINDH PUBLIC PROCUREMENT REGULATORY AUTHORITY

### CONTRACT EVALUATION FORM

# TO BE FILLED IN BY ALL PROCURING AGENCIES FOR PUBLIC CONTRACTS OF WORKS, SERVICES & GOODS

b	NAME OF THE ORGANIZATION / DEPTT.	Education & Literact Department				
2)	PROVINCIAL LOCAL GOVIL/OTHER	Provincial				
3)	HELE OF CONTRACT	Reh/ Rano Q as Crarki as Hussain Bus Tatoi (?) Ga				
4)	TENDER NUMBER	S.No ( O7 )- Kalhoro (Int: Elect:)				
5)	BRIEF DESCRIPTION OF CONTRACT	Building Work (School Work)				
6)	FORUM THAT APPROVED THE SCHEME	A A Issued by P&D Department Karachi				
7)	HINDER ESTIMATED VALUE	Rs 0.750 (M)				
8)	ENGINEER'S ESTIMATE (For civil works only)	T.S RS 7 Seeco				
9)	I STIMATED COMPLETION PERIOD (AS P.	ER CONTRACT) ( 12 ) Months				
	TENDER OPENED ON (DATE & TIME)	03-06-2017				
Ш	NUMBER OF TENDER DOCUMENTS SOLE (Attach list of buyers)	) 03 Nos				
12)	NUMBER OF BIDS RECEIVED	03 Nos				
13)	NUMBER OF BIDDERS PRESENT AT THE	TIME OF OPENING OF BIDS 03				
	BID EVALUATION REPORT	Copy enclosed				
	(Enclose a copy)	<b>A</b>				
15)	NAME AND ADDRESS OF THE SUCCESSE	UL BIDDER M/S Abra Electric & civil work.				
16)	CONTRACT AWARD PRICE	RS 748557				
17)	RANKING OF SUCCESSFUL BIDDER IN EV (i.e. 1 st , 2 nd , 3 rd EVALUATION BID).	VALUATION REPORT				
18)	METHOD OF PROCUREMENT USED : - (Ti	ck one)				
	a) SINGLE STAGE - ONE ENVELOPE	PROCEDURE Yes Domestic/ Local				
	b) SINGLE STAGE - TWO ENVELOPE	PROCEDURE				
	TWO STAGE BIDDING PROCEDURE					
	(t) TWO STAGE – TWO ENVELOPE 8					
	PLEASE SPECIFY IF ANY OTHER EMERGENCY, DIRECT CONTRACTING	METHOD OF PROCUREMENT WAS ADOPTED LE G etc. with Brief reasons:				

<b>L</b> OS	Apppo	VING AUTHORITY FOR	) AWADD OUZYS		ef Engineer Education works Sukkur	
171	ALL IXV	VINUACTHORUS FOR	YO TO CONAWA	O KACT	· · · · · · · · · · · · · · · · · · ·	
20)	WHETI	IER THE PROCUREMEN	NT WAS INCLUDE	D IN ANNU	AL PROCUREMENT PLAN?	<b>-</b>
					Yes V No	
21)	ADVER	CHSEMENT:				
	i)	SPPRA Website		Yes s	PPRA S.NO 33094 Dated 04-05-201	17
	.,	(If yes, give date and SPI	RA Identification N	(o.)		
				No		
	ii)	News Papers (If yes, give names of new	wspapers and dates)	Yes S	PPRA S NO 33094 Dated - 04-05-20	17
		, <u>-</u>	, ,			
				No		
22)	NATUR	E OF CONTRACT			Federate V Int.	η
					Total Title	Ш
23)		HER QUALIFICATION C CLUDED IN BIDDING		HENTES		
		enclose a copy)	TI. IDEREDOCOM	mara.	Yes V No	П
					\ <u>\</u>	Ш
24)		IER BID EVALUATION ICLUDED IN BIDDING /		(DN) men	Yes V No	77
		enclose a copy)	TENDER DOCUM		[ · · · · ·   ]   ]   ]	IJ
25)	WHETI	IER APPROVAL OF COM DOTHER THAN OPEN	MPETENT AUTHO COMPETITIVE BI	RITY WAS (	OBTAINED FOR USING A	TI
	.,,,,,,,,,,		CO.M. ETTIVE BI	<i>DD</i> <b>11</b> (0,	Yes No 🗸	Ш
26)	WAS B	D SECURITY OBTAINE	D FROM ALL THI	BIDDERS?	Yes V No	T
					1000	
		HER THE SUCCESSFUL			ED Yes V No	
	BID / B.	EST EVALUATED BID (	in case of Consultan	cies)	· · · · · · · · · · · · · · · · · · ·	_
28)	WHETT	HER THE SUCCESSFUL	BIDDER WAS TEC	HNICALLY	Yes No V	П
	COMPL				L	
29)				IR QUOTEI	PRICES WERE READ OUT A	T
	THE III	ME OF OPENING OF BII	08?		Yes V No	
(0)	WHETI	HER EVALUATION RE	EPORT GIVEN T	O BIDDER	S BEFORE THE AWARD C	)F
	CONTR (Attach)	ACT? copy of the bid evaluation	remorti		, , , , , , , , , , , , , , , , , , ,	•
	v. materi	copy or the ord evaluation	теропу		Yes V No	

•	
<b>.</b>	
31) ANY COMPLAINTS RECEIVED	
(If yes, result thereof)	Yes
(ii year result thereof)	
	· · · · · · · · · · · · · · · · · · ·
	No
23. AN VINEARA LION EDAMA CHECUTION LIONG CHARALD	2.77
32) ANY DEVIATION FROM SPECIFICATIONS GIVEN B (If yes, give details)	N THE TENDER NOTICE / DOCUMENTS
(ii) yes. give details)	Yes
	No
33) WAS THE EXTENSION MADE IN RESPONSE TIME?	-
(If yes, give reasons)	Yes
vit year give relations)	
	No :
34) DEVIATION FROM QUALIFICATION CRITERIA	
(If yes, give detailed reasons)	Yes
· · · · · · · · · · · · · · · · · · ·	1 23
	No
25. WAS IT ASSERTED BY THE PROGRAMMA ADDRESS	7 TO A TO THE DELLA TERM OF THE PARTY OF THE
35) WAS IT ASSURED BY THE PROCURING AGENCY BLACK LISTED?	
Ota Wil Elottaza	Yes V No
36) WAS A VISIT MADE BY ANY OFFICER-OFFICIAL (	OF THE PROCURING AGENCY TO THE
SUPPLIER'S PREMISES IN CONNECTION WITH TH BE ASCERTAINED REGARDING FINANCING OF VIS	E PROCUREMENT? IF SO, DETAILS TO
(If yes, enclose a copy)	SIT, IF ABROAD:
Till yes, ellektot a copyr	Yes No V
	· · · · · · · · · · · · · · · · · · ·
37) WERE PROPER SAFEGUARDS PROVIDED ON MO	
THE CONTRACT (BANK GUARANTEE ETC.)?	Yes No V
٨	<u> </u>
38) SPECIAL CONDITIONS, IF ANY	
(If yes, giverBrief Description)	Yes
up: \ \\	
The Mark Mark	No
	.507
Signature & Official Stamp of	
Authorized Officer	_
OD OFFICE USE ONLY	<del>_</del>
OR OFFICE USE ONLY	

<u>SPPRA, Block. No.8, Sindh Secretariat No.4-A, Court Road, Karachi</u> Tele: 021-9205356; 021-9205369 & Fax: 021-9206291

Print

Save

Pocat

### **BILL OF QUANTITES**

(A) Description and rate of items based on composite schedule of rates.2012

(B) Description and rate of items based on composite schedule of rates, 2004

NAME OF WORK: REHABILITATION / RENOVATION OF DANGEROUS SCHOOL BUILDING IN DISTRICT KHAIRPUR AT (1) GBPS GARHI (2) GBPS HUSSAIN BUX JATOI (3) GBPS GAHNO KALHORO TALUKA KHAIRPUR ADP NO. 466. (INTERNAL ELECTRIFICATION)

(PACKAGE NO.7)

(1) G)	(1) GBPS GARHI						
S.NO:	Description	Qty	Rate	Unit	Amount		
	Part"A" New Schedule Items 2012	<u> </u>	<u> </u>	Cint	Amount		
1	Wiring for light or fan point with 3/.029 PVC insulated wire in 20mm (3/4") channel patti on surface as required. (S.No. 129 P-15).	16	910	per point	14560		
. 2	Wiring for plug point with 3/.029 PVC insulated wire in 20mm	4	742	per point	2968		
	(3/4") channel patti on surface as required. (S.No. 130 P-15).				* *,		
3	Providing & laying (MAIN or SUB MAIN) PVC insulated with size 2-7/.029 copper conductor in 3/4" dia PVC conduit recessed in the wall or column as required. CSI No. 3 Page No. 1)	200	171	per Meter	34200		
4	Providing & laying (MAIN or SUB MAIN) PVC insulated with	150	252	per Meter	37800		
	size 2-7/.036 copper conductor in 1/4" dia PVC conduit						
	recessed in the wall or column as required. (S.I.No:11 P- No:2)						
.75	Providing & laying (MAIN or SUB MAIN) PVC insulated with	150	341	per Meter	51150		
	size 2-7/,044 (6mm2) copper conductor in 1/4" dia PVC conduit				: '		
	recessed in the wall or column as required. (\$.1.No:12 P- No:2)						
.6	Providing & fixing circuit breaker 6,10,15,20, 30,40,50 & 63amp SP (TB-5S) on prepared board as required (S.I.No:202 P- No:30)	12	916	Each	10992		
7	Providing & fixing circuit breaker 15,20,30, 40,50,60,75 & 100amp TP (XS-100NS) on prepared board as required (S.I.No:207 P- No:31)	1	9261	P.No	9261		
8	Providing & fixing two pin 5amp plug & flush type (S.I.No:225 P- No:33)	4	8.3	P.No	332		
9	Providing & fixing three pin 10/15amp plug & socket flush type (S.I.No:222 P- No:33)	5	162	P.No	810		
10	Providing & fixing one way SP 5amp switch flush type(S.I.No:219 P- No:33)	16	54	P.No	864		

Sjahr

22.0	rage 2		<u> </u>	<del></del>	
S.NO:	<u>-1,                                      </u>	Qty	Rate	Unit	Amount
11	Providing & fixing Bakelite ceiling rose with two terminals	6	72	P.No	432
. <	(S.I.No:228 P- No:33)				
12	Providing & fixing Brass Battern holder c(S.I.No:232 P-No:33)	10	70	P.No	700
13	Providing & fixing Brass Ceiling fan 56" (good quality) (S.I.No:235 P-No:34)	6	3185	P.No	19110
14	Providing & fixing junction box as per following specification Size of box 8''×6''×4''MS plate size 16 SWG thick Clamp	6	800	P.No	4800
•	with nuts & bolts Cover plate with screw Painting two coats of rust preventive red oxide & two coats of ICI oil paint as per site requirement & instruction of EI (SI No. 158 P-24)				
. 15	P/F distribution metal board double shutter to accommodate circuit breakers including painting with enemel paint and for other sinumilar job on surface (S.I.No:18 P- No:13)	2	1426.33	P.Sft	2853
16	P/Fenergy sever superior quality including fixing on existing holder etc complete.(S.I.No:6 P- No:33) (24 Walt)	10	497.00	Each	4970
17	P/F AC or DC electric bell 200/250 volt 70MM. (S.I.No:21 P-No:11)	1	150.70	Each	151
	Providing & Fixing of street light 250 watts (SON-T) having IP66 classification with 250w lamp, choke, capacitor & Internal wiring complete in all respect at the height With the help of hydraulic crane as per site requirement and instruction of El. (CSI No. 163 Page No. 25)	2	24790	P.No	49580
19	P/F flush type electric bell bush button (S.1.No:23 P- No:12)	i	25.19	Each	25
20	P/F earthing set with 2"x2"x1/2" cooper plate burried in groud at a depth of 12" or less if water comes out from the ground level with salt and chorcoal ,etc,in/c.making the pit 12"deep by excavation of all type of soil. Earth plat to be connected with No:8	1	3610.04	Each	3610
-21	P/F A.C ceiling fan regulator on metal board recessed in the walls column and covered with plastic sheet (S.I.No:2b P-No:14)	6	124.30	Each	746
.22	P/F wall bracket light fancy type superior quality including necessary electric connection and fixing on wall oe ceiling etc complete.(S.I.No:5 P- No:33)	4/2	497.00	Each	1988
	+	,	GRAN	D TOTAL :-	251901

Jahhr

### (2) GBPS HUSSAIN BUX JATOI.

S.NG:	Description	Qty	Rate	Unit	Amount
	Part"A" New Schedule Items 2012		<u> </u>		
	Wiring for light or fan point with 3/.029 PVC insulated wire in 20mm (3/4") channel patti on surface as required, (S.No. 129 P-15).	16	910	per point	14560
2	Wiring for plug point with 3/.029 PVC insulated wire in 20mm	4	742	per point	2968
	(3/4") channel patti on surface as required, (S,No, 130 P-15).				
3	Providing & laying (MAIN or SUB MAIN) PVC insulated with size 2-7/.029 copper conductor in '4'' dia PVC conduit recessed in the wall or column as required. CSI No. 3 Page No. 1)	150	171	per Meter	25650
•4	Providing & laying (MAIN or SUB MAIN) PVC insulated with	80	252	per Meter	20160
	size 2-7/.036 copper conductor in 3/4" dia PVC conduit				
•	recessed in the wall or column as required. (S.I.No:11 P- No:2)				
5	Providing & laying (MAIN or SUB MAIN) PVC insulated with	115	341	per Meter	39215
	size 2-7/.044 (6mm2) copper conductor in 1/4" dia PVC conduit				
	recessed in the wall or column as required. (S.I.No:12 P- No:2)				
6	Providing & fixing circuit breaker 6,10,15,20, 30,40,50 & 63amp SP (TB-5S) on prepared board as required (S.I.No:202 P- No:30)	8	916	Each	7328
7	Providing & fixing circuit breaker 6,10,15,20,30,40,50, & 63amp DP (TB-5S) on perpared board required (S.I.No:204 P-No:31)	1	2425	P.No	2425
8	Providing & fixing two pin 5amp plug & flush type (S.I.No:225 P- No:33)	4	83	P.No	332
9	Providing & fixing three pin 10/15amp plug & socket flush type (S.1.No:222 P- No:33)	5	162	P.No	810
10	Providing & fixing one way SP 5amp switch flush type(S.1.No:219 P- No:33)	16	54	P.No	864
	Providing & fixing Bakelite ceiling rose with two terminals (S.I.No:228 P-No:33)	6	72	P.No	432

	· · -				
S.NO:	Description	Qty	Rate	Unit	Amount
.12	Providing & fixing Brass Battern holder c(S.I.No:232 P-No:33)	10	70	P.No	700
13	Providing & fixing Brass Ceiling fan 56'' (good quality) (S.I.No:235 P- No:34)	6	3185	P.No	19110
14	Providing & fixing mild seel bar fan clamp 15.8 mm(5/8") dia suitable for Rcc roof (SI No. 1(c) P-14)	6	141.01	P.No	846
15	P/F distribution metal board double shutter to accommodate circuit breakers including painting with enemel paint and for other simmilar job on surface (S.I.No:15 P- No:13)	2	907.96	P.Sft	1816
16	P/Fenergy sever superior quality including fixing on existing	10	497.00	Each	4970
	holder etc complete.(S.I.No:6 P- No:33) ( 24 Walt)				
. 17	P/F earthing set with 2"x2"x1'2" cooper plate burried in groud at a depth of 12" or less if water comes out from the ground level with salt and chorcoal ,etc,in/c.making the pit 12"deep by excavation of all type of soil. Earth plat to be connected with No:8	1	3610.04	Each	3610
18	P/F A.C ceiling fan regulator on metal board recessed in the walls column and covered with plastic sheet (S.I.No:2b P-No:14)	6	124.30	Each	746
19	P/F wall bracket light fancy type superior quality including necessary electric connection and fixing on wall oe ceiling etc complete.(S.1.No:5 P- No:33)	4	497.00	Each	1988

GRAND TOTAL:-

148530

Jahr

### (3) GBPS GAHNO KALHORO.

N.:		Qty	Rate	Unit _	Amount
<del></del>	Part"A" New Schedule Items 2012		<u> </u>		
1	Wiring for light or fan point with 3/.029 PVC insulated wire in 20mm (3/4") channel patti on surface as required. (S.No. 129 P-15).	51	910	per point	46410
2	Wiring for plug point with 3/.029 PVC insulated wire in 20mm	8	742	per point	5936
	(3/4") channel patti on surface as required. (S.No. 130 P-15).				
3	Providing & laying (MAIN or SUB MAIN) PVC insulated with size 2-7/.029 copper conductor in '4'' dia PVC conduit recessed in the wall or column as required. CSI No. 3 Page No.	200	171	per Meter	34200
	1)				in the second second
4	Providing & laying (MAIN or SUB MAIN) PVC insulated with	195	252	per Meter	49140
	size 2-7/,036 copper conductor in 1/4" dia PVC conduit				
	recessed in the wall or column as required. (S.I.No:11 P- No:2)				
5	Providing & laying (MAIN or SUB MAIN) PVC insulated with	150	341	per Meter	51150
	size 2-7/,044 (6mm2) copper conductor in ¾" dia PVC conduit				
	recessed in the wall or column as required. (S.I.No:12 P- No:2)				
6	Providing & fixing circuit breaker 6,10,15,20, 30,40,50 & 63amp SP (TB-5S) on prepared board as required (S.I.No:202 P- No:30)	12	916	Each	10992
7	Providing & fixing circuit breaker 15,20,30, 40,50,60,75 & 100amp TP (XS-100NS) on prepared board as required (S.I.No:207 P-No:31)	1	9261	P.No	9261
8	Providing & fixing two pin 5amp plug & flush type (S.I.No:225 P- No:33)	8	83	P.No	664
9	Providing & fixing three pin 10/15amp plug & socket flush type (S.I.No:222 P- No:33)	5	162	P.No	810
10	Providing & fixing one way SP 5amp switch flush type(S.I.No:219 P- No:33)	51	54	P.No	2754
11	Providing & fixing Bakelite ceiling rose with two terminals (S.l.No:228 P- No:33)	21	72	P.No	1512 

Sjahlle

	Page 2				
S.NO:	Description	Qty	Rate	Unit	Amount
• ¹²	Providing & fixing Brass Battern holder c(S.I.No:232 P-No:33)	30	70	P.No	2100
13	Providing & fixing Brass Ceiling fan 56" (good quality) (S.I.No:235 P- No:34)	21	3185	P.No	66885
	Providing & fixing junction box as per following specification Size of box 8"×6"×4"MS plate size 16 SWG thick Clamp with nuts & bolts Cover plate with screw Painting two coats of rust preventive red oxide & two coats of ICl oil paint as per site requirement & instruction of EI (SI No. 158 P-24)	21	800	P.No	16800
	P/F distribution metal board double shutter to accommodate circuit breakers including painting with enemel paint and for other simmilar job on surface (S.I.No:18 P- No:13)	2	1426.33	P.Sfi	2853
16	P/Fenergy sever superior quality including fixing on existing holder etc complete.(S.I.No:6 P- No:33) ( 24 Walt)	30	497.00	Each	14910
17	P/F AC or DC electric bell 200/250 volt 70MM. (S.I.No:21 P-No:11)	1	150.70	Each	151
	Providing & Fixing of street light 250 watts (SON-T) having 1P66 classification with 250w lamp, choke, capacitor & Internal wiring complete in all respect at the height With the help of hydraulic crane as per site requirement and instruction of EL (CSI No. 163 Page No. 25)	1	24790	P.No	24790
19	P/F flush type electric bell bush button (S.l.No:23 P- No:12)	1	25.19	Each	25
20	P/F earthing set with 2"x2"x1/2" cooper plate burried in groud at a depth of 12" or less if water comes out from the ground level with salt and chorcoal ,etc,in/c,making the pit 12"deep by excavation of all type of soil. Earth plat to be connected with No:8	1	3610.04	Each	3610
21	P/F A.C ceiling fan regulator on metal board recessed in the walls column and covered with plastic sheet (S.I.No:2b P-No:14)	2	124.30	Each	2610

Statcher

Page 3

S.NO:	Description		Qty	Rate	Unit	Amount
- 22	P/F wall bracket light fancy type superior on necessary electric connection and fixing on we complete.(S.I.No:5 P- No:33)		4	497,00	Each	1988
				GRAN	D TOTAL :-[	349551
	ABSTRACT				_	
1	GBPS Garhi		Rs:	251901		
2	GNPS Hussain Bux Jatoi		Rs:	148530		
3	GBRS/Ciphipo Kalhoro		Rs:	349551		
	7/18/10	G-Total	Rs:	749982		
/		Say	Rs:	750000		
+	or Total (A) 74-19982  Or 19% Above Below on the rates of C  sis of premium quoted —	CSR Rs. <u>748</u> Total (B) _		/ Amount to be	added/deducte	d on
otal (	A) in Words & Figure 748557	1= Rupe<9	_ 3ev	en lace	forty	- Eigh
Total	- Thousand five hum	·			•	

CONTRACTOR

EXECUTIVE ENGINEER
EDUCATION WORKS DIVISION
KHAIRPUR

#### #OFFICE OF THE EXECUTIVE ENGINEER EDUCATION WORKS DIVISION KHAIRPUR

NO: T.C/G-55/EW/KHP://339 of/2017 KHAIRPUR DATED: - /2017

To,

M/S Haque Baho Electric Service Government Contractor

Khairpur

SUBJECT: -

REHABILITATION/RENOVATION OF DANGERIOUS SCHOOL BUILDING IN DISTRICT KHAIRPUR ADP- 466 I.E (1) GBPS ABAD (2) GBPS NOOR BOZDAR (3) GBPS QAIM KHAN GOPANG (4) GBPS ALI BUX HAJANO (5)

GBPS ALI BUX BUGHTI TALUKA KOT DIJI (INTERNAL

**ELECTRIFICATION) PACKAGE NO -08** 

Reference:

Opening Tender opened on : -

3/6/2017

The rate quoted by you for the above-mentioned work on PART-"A" @ 0.20% Below(Schedule Items) entered in schedule'B'has been approved amounting to Rs887686/-on schedule items.

You are requested to please attend this office within 07 days to complete the tender documents.

You are requested to supply this office a copy of partnership / deed registration deed of the firm ad power of attorney in the name of partnership of employees of the firm whom you have authorized to sign the bills, receive payments and instructions in respect of this work.

You are requested to start the work within 07 days after issue of this work order complete the same within agreement period of (12) Months

Stipulated date of Start

Stipulated date of Completion

#### IT SHOULD FURTHER BE NOTED THAT

- 1 The work is to be carried out as per PWD specification
- 2 No Cartage for any material either arranged by you or supplied by Government will be paid separately.
- 3 No. Premium will be allowed on Non-Schedule items.
- 4 No Work should be carried out in excess of sanctioned estimate the receipt of this letter may please be acknowledged.

Executive Engineer Education Works Division Khairpur

Copy forwarded with compliments to the: -

- 1 The Superintending Engineer Education Works Circle Sukkur for favour of information please
- 2 Copy along with copy of Schedule 'B" forwarded to the Assistant Engineer Education Elctrical Works Sub Division Sukkur for information and necessary action. He should report actual date of start of the work to this Office Λ

Copy forwarded to the Director (C.B) SPPRA Karachi for favour of information.

Executive Engineer

Education Works Division

Khairpur

Q.



M/s Haque Baho Electric :Vork

Govt: Contractor

### STANDARD BIDDING DOCUMENT

#### PROCUREMENT OF WORKS

(For Contracts Costing up to Rs 2.5 MILLION)

REHABILITATION/RENOVATION OF DANGERIOUS SCHOOL BUILDING IN DISTRICT KHAIRPUR ADP- 466 LE (1) GBPS ABAD (2) GBPS NOOR BOZDAR (3) GBPS OAIM KHAN GOPANG (4) GBPS ALI BUX HAJANO (5) GBPS ALI BUX BUGHTI TALUKA KOT DIJI (INTERNAL ELECTRIFICATION) PACKAGE NO -08

(Percentage Rate/unit price for unit rates in a Bill of Our Transport of contract. The main text refers to admeasure the pands from Pands from

#### FORM OF CONTRACT AGREEMENT

	CONTRACT AGREEMENT (hereinafter called the "Agreement") made on the
day of	200 between (hereinafter called the ming Agency") of the one part and (hereinafter called the
"Conti	ractor") of the other part.
should	REAS the Procuring Agency is desirous that certain Works, viz
execut	ion and completion of such Works and the remedying of any defects therein.
NOW	this Agreement witnesseth as follows:
1.	In this Agreement words and expressions shall have the same meanings as are respectively assigned to them in the Conditions of Contract hereinafter referred to.
2.	The following documents after incorporating addenda, if any except those parts relating to Instructions to Bidders, shall be deemed to form and be read and construed as part of this Agreement, viz:
	<ul> <li>(a) The Letter of Acceptance;</li> <li>(b) The completed Form of Bid along with Schedules to Bid;</li> <li>(c) Conditions of Contract &amp; Contract Data;</li> <li>(d) The priced Schedule of Prices/Bill of quantities (BoQ);</li> <li>(e) The Specifications; and</li> <li>(f) The Drawings</li> </ul>
3.	In consideration of the payments to be made by the Procuring Agency to the Contractor as hereinafter mentioned, the Contractor hereby covenants with the Procuring Agency to execute and complete the Works and remedy defects therein in conformity and in all respects within the provisions of the Contract.
4.	The Procuring Agency hereby covenants to pay the Contractor, in consideration of the execution and completion of the Works as per provisions of the Contract, the Contract Price or such other sum as may become payable under the provisions of the Contract at the times and in the manner prescribed by the Contract.

IN WITNESS WHEREOF the parties hereto have caused this Contract Agreement to be executed on the day, month and year first before written in accordance with their respective laws.

Signature of the Contactor	Signature of the Procuring Agency
(Seal)  Signed, Sealed and Delivered in the presence of:	(Seal)  Enucular Ports Unison KHANSUS
Witness:	Witness:
(Name, Title and Address)	(Name, Title and Address)

### SINDH PUBLIC PROCUREMENT REGULATORY AUTHORITY

#### CONTRACT EVALUATION FORM

## TO BE FILLED IN BY ALL PROCURING AGENCIES FOR PUBLIC CONTRACTS OF WORKS, SERVICES & GOODS

1)	NAME OF THE ORGANIZATION ( DEPTT,	Education & Literact Department
2)	PROVINCIAL LOCAL GOVIZ OTHER	Provincial
3)	THE OF CONTRACT	Reh Reno @ (1) CABB Abad A) Noon Box Dan (3) Ora
4)	TENDER NUMBER	S.No ( 08 )- Whom Cropang 4) Ali Bux hajano
5)	BRIEF DESCRIPTION OF CONTRACT	Building Work (School Work) & LARPS Ali Bux Bughti Unt
6)	FORUM THAT APPROVED THE SCHEME	A A Issued by P&D Department Karachi
7)	TENDER ESTIMATED VALUE	Rs 0.889 (M)
8)	FNGINEER'S ESTIMATE (For civil works only)	TS RS 8 89000
9)	ESTIMATED COMPLETION PERIOD (AS P	ER CONTRACT) ( 12 ) Months
10)	TENDER OPENED ON (DATE & TIME)	03-06-2017
11)	NUMBER OF TENDER DOCUMENTS SOLI (Attach list of buyers)	)
12)	NUMBER OF BIDS RECEIVED	03 Nos
13)	NUMBER OF BIDDERS PRESENT AT THE	TIME OF OPENING OF BIDS 03
	BID EVALUATION REPORT (Enclose a copy)	Copy enclosed
15)		UL BIDDER MIS Haque Baho Electric Service.
	CONTRACT AWARD PRICE	Rs 887686
17)	RANKING OF SUCCESSFUL BIDDER IN E' (i.e. 1 st , 2 nd , 3 rd EVALUATION BID).	VALUATION REPORT
18)	METHOD OF PROCUREMENT USED: - (To	ck one)
	a) SINGLE STAGE – ONE ENVELOPE	PROCEDURE: Yes Domestic/ Local
	b) SINGLE STAGE - TWO ENVELOP	E PROCEDURE
	b) SINGLE STAGE - TWO ENVELOPE c) TWO STAGE BIDDING PROCEDU	
		RE

		Chief Engineer Education works Sukkur
19) APPR	OVING AUTHORITY FOR AWARD OF CONT	TRACT
20) WIE	THER THE PROCUREMENT WAS INCLUDED	DIN ANNUAL PROCUREMENT PLAN?  Yes     No
21) ADV	ERTISEMENT:	
i)	SPPRA Website (If yes, give date and SPPRA Identification No	Yes SPPRA S.NO 33094 Dated:- 04-05-2017
ii)	News Papers (If yes, give names of newspapers and dates)	Yes SPPRA S NO 33094 Dated - 04-05-2017
	ps*	No
22) NATU	TRE OF CONTRACT	Zemesk Text Int.
WAS	THER QUALIFICATION CRI <b>TERIA</b> INCLUDED IN BIDDING / TENDER <b>DOCUM</b> I s. enclose a copy)	ENTS?
WAS	THER BID EVALUATION CRITERIA INCLUDED IN BIDDING / TENDER DOCUME (, enclose a copy)	ENTS? Yes V No No
	THER APPROVAL OF COMPETENT AUTHOR HOD OTHER THAN OPEN COMPETITIVE BID	
26) WAS	BID SECURITY OBTAINED FROM ALL THE	BIDDERS? Yes No
	THER THE SUCCESSFUL BID WAS LOWEST BEST EVALUATED BID (in case of Consultanci	1 7 80 11 11 11
•	THER THE SUCCESSFUL BIDDER WAS TECH PLIANT?	INICALLY Yes No
	THER NAMES OF THE BIDDERS AND THEIR TIME OF OPENING OF BIDS?	R QUOTED PRICES WERE READ OUT AT
CONT	THER EVALUATION REPORT GIVEN TO RACT?  It copy of the bid evaluation report)	Yes No

31) ANY COMPLAINTS RECEIVED (If yes, result thereof)	Yes
	No
32) ANY DEVIATION FROM SPECIFICATIONS (If yes, give details)	S GIVEN IN THE TENDER NOTICE / DOCUMENTS
in yes, give detainsy	Yes
	No
33) WAS THE EXTENSION MADE IN RESPON (If yes, give reasons)	SE TIME? Yes
	No
34) DEVIATION FROM QUALIFICATION CRIT (If yes, give detailed reasons.)	TERIA Yes
(if you give detailed (editals.)	103
	No
35) WAS IT ASSURED BY THE PROCURING BLACK LISTED?	G AGENCY THAT THE SELECTED FIRM IS NOT Yes V No No
	OFFICIAL OF THE PROCURING AGENCY TO THE WITH THE PROCUREMENT? IF SO. DETAILS TO ING OF VISIT, IF ABROAD:  Yes No V
37) WERE PROPER SAFEGUARDS PROVIDE THE CONTRACT (BANK GUARANTEE ET	ED ON MOBILIZATION ADVANCE PAYMENT IN Yes No V
38) SPECIAL CONDITIONS, IF ANY (If year gift Brief Description)	Yes
Enterior Sugar District	No
Signature & Official Stamp of Authorized Officer	
OR OFFICE USE ONLY	

<u>SPPRA, Block. No.8, Sindh Secretariat No.4-A, Court Road, Karachi</u> Tele: 021-9205356; 021-9205369 & Fax: 021-9206291

Print Save Reset

#### **BILL OF QUANTITES**

# (A) Description and rate of items based on composite schedule of rates.2012 (B) Description and rate of items based on composite schedule of rates.2004

NAME OF WORK: REHABILITATION / RENOVATION OF DANGEROUS SCHOOL BUILDING IN DISTRICT KHAIRPUR AT (1) GBPS ABAD (2) GBPS NOOR BOZDAR (3) GBPS QAIM KHAN GOPANG (4) GBPS ALI BUX HAJANO (5) GBPS ALI BUX BUGTI TALUKA KOTDIJI ADP NO. 466. (INTERNAL ELECTRIFICATION)

#### (PACKAGE NO.8)

#### (1) GBPS ABAD

S.NO:	Description	Qty	Rate	Unit	Amount
	Part"A" New Schedule Items 2012			<del></del> \	
-1	Wiring for light or fan point with 3/.029 PVC insulated wire in	16	910	per point	14560
	20mm (3/4") channel patti on surface as required. (S.No. 129				
	P-15).				
2	Wiring for plug point with 3/.029 PVC insulated wire in 20mm	4	742	per point	2968
-					
	(3/4") channel patti on surface as required. (S.No. 130 P-15).				
3	Providing & laying (MAIN or SUB MAIN) PVC insulated with	150	171	per Meter	25650
	size 2-7/.029 copper conductor in 1/4" dia PVC conduit				
-	recessed in the wall or column as required. CSI No. 3 Page No. 1)				
4	Providing & laying (MAIN or SUB MAIN) PVC insulated with	70	252	per Meter	17640
	size 2-7/.036 copper conductor in 3/4" dia PVC conduit				
**	recessed in the wall or column as required. (S.I.No:11 P- No:2)				
5	Providing & laying (MAIN or SUB MAIN) PVC insulated with	120	341	per Meter	40920
	size 2-7/.044 (6mm2) copper conductor in ¾" dia PVC conduit				
	recessed in the wall or column as required. (S.I.No:12 P- No:2)				
6	Providing & fixing circuit breaker 6,10,15,20, 30,40,50 &	8	916	Each	7328
	63amp SP (TB-5S) on prepared board as required (S.I.No:202				
	P- No:30)				· .
7	Providing & fixing circuit breaker 6,10,15,20,30,40,50, &	ı	2425	P.No	2425
-	63amp DP (TB-5S) on perpared board required (S.I.No:204 P-				
	No:31)				
8	Providing & fixing two pin 5amp plug & flush type (S.I.No:225	4	83	P.No	332
	P- No:33)	ı			
- 9	Providing & fixing three pin 10/15amp plug & socket flush	5	162	P.No	810
-	type (S.I.No:222 P-No:33)		-		

•	t uge 2				
S.NO:	Description	Qty	Rate	Unit	Amount
10	Providing & fixing one way SP 5amp switch flush type(S.I.No:219 P- No:33)	16	54	P.No	864
11	Providing & fixing Bakelite ceiling rose with two terminals (S.f.No:228 P- No:33)	6	72 .	P.No	432
12	Providing & fixing Brass Battern holder c(S.I.No:232 P-No:33)	10	70	P.No	700
13	Providing & fixing Brass Ceiling fan 56" (good quality) (S.I.No:235 P- No:34)	6	3185	P.No	19110
14	Providing & fixing mild seel bar fan clamp 15.8 mm(5/8") dia suitable for Rcc roof (SI No. 1(c) P-14)	6	141.01	P.No	846
- 15	P/F distribution metal board double shutter to accommodate circuit breakers including painting with enemel paint and for other simmilar job on surface (S.l.No:15 P- No:13)	2	<b>90</b> 7.96	P.Sft	1816
16	P/Fenergy sever superior quality including fixing on existing holder etc complete.(S.I.No:6 P- No:33) (24 Walt)	10	497.00	Each	4970
17	P/F earthing set with 2"x2"x1/2" cooper plate burried in groud at a depth of 12" or less if water comes out from the ground level with salt and chorcoal ,etc,in/c,making the pit 12"deep by excavation of all type of soil. Earth plat to be connected with No:8	1	3610.04	Each	3610
-18	Providing & Fixing of street light 250 watts (SON-T) having 1P66 classification with 250w lamp, choke, capacitor & Internal wiring complete in all respect at the height With the help of hydraulic crane as per site requirement and instruction of El. (CSI No. 163 Page No. 25)	1	24790	P.No	24790
-19	P/F A.C ceiling fan regulator on metal board recessed in the walls column and covered with plastic sheet (S.I.No:2b P-No:14)	6	124.30	Each	746
20	P/F wall bracket light fancy type superior quality including necessary electric connection and fixing on wall oe ceiling excomplete.(S.I.No:5 P- No:33)	4	497.00	Each	1988

**∠** •___ GRAND TOTAL :-

172505

### (2) GBPS NOOR BOZDAR.

·	-			1	
S.NO:	Description	Qty	Rate	Unit	Amount
	Part"A" New Schedule Items 2012		<u> </u>		
!	Wiring for light or fan point with 3/.029 PVC insulated wire in 20mm (3/4") channel patti on surface as required. (S.No. 129 P-15).	16	910	per point	14560
2	Wiring for plug point with 31.029 PVC insulated wire in 20mm	4	742	per point	2968
	(3/4") channel patti on surface as required. (S.No. 130 P-15).				
3	Providing & laying (MAIN or SUB MAIN) PVC insulated with size 2-7/.029 copper conductor in 3/4" dia PVC conduit recessed in the wall or column as required. CSI No. 3 Page No. 1)	150	171	per Meter	25650
4	Providing & laying (MAIN or SUB MAIN) PVC insulated with	65	252	per Meter	16380
	size 2-7/.036 copper conductor in 3/4" dia PVC conduit				
	recessed in the wall or column as required. (S.I.No:11 P- No:2)				
_ 5	Providing & laying (MAIN or SUB MAIN) PVC insulated with	100	341	per Meter	34100
	size 2-7/.044 (6mm2) copper conductor in '4'' dia PVC conduit				
	recessed in the wall or column as required. (S.1.No:12 P- No:2)				
-	Providing & fixing circuit breaker 6,10,15,20, 30,40,50 & 63amp SP (TB-5S) on prepared board as required (S.I.No:202 P- No:30)	8	916	Each	7328
7	Providing & fixing circuit breaker 6,10,15,20,30,40,50, & 63amp DP (TB-5S) on perpared board required (S.I.No:204 P-No:31)	1	2425	P.No	2425
8	Providing & fixing two pin 5amp plug & flush type (S.I.No:225 P- No:33)	4	83	P.No	332
9	Providing & fixing three pin 10/15amp plug & socket flush type (S.I.No:222 P- No:33)	5	162	P.No	810
10	Providing & fixing one way SP 5amp switch flush type(S.1.No:219 P- No:33)	16	54	P.No	. 864
-11	Providing & fixing Bakelite ceiling rose with two terminals (S.I.No:228 P- No:33)	6	72	P.No	432
	<b>ب</b>				•

<u>'</u> -	Page 2				
S.NO:	Description	Qty	Rate	Unit	Amount
12	Providing & fixing Brass Battern holder c(S.I.No:232 P-No:33)	10	70	P.No	700
13	Providing & fixing Brass Ceiling fan 56" (good quality) (S.I.No:235 P- No:34)	6	3185	P.No	19110
14	Providing & fixing mild seel bar fan clamp 15.8 mm(5/8") dia suitable for Rcc roof (Sl No. 1(c) P-14)	6	141.01	P.No	846
15	P/F distribution metal board double shutter to accommodate circuit breakers including painting with enemel paint and for other simmilar job on surface (S.I.No:15 P- No:13)	2	907.96	P.Sft	1816
16	P/Fenergy sever superior quality including fixing on existing holder etc complete.(S.I.No:6 P- No:33) (24 Walt)	10	497.00	Each	4970
-17	P/F earthing set with 2"x2"x1/2" cooper plate burried in groud at a depth of 12" or less if water comes out from the ground level with salt and chorcoal ,etc,in/c.making the pit 12"deep by excavation of all type of soil. Earth plat to be connected with No:8	1	3610.04	Each	3610
_18	Providing & Fixing of street light 250 watts (SON-T) having IP66 classification with 250w lamp, choke, capacitor & Internal wiring complete in all respect at the height With the help of hydraulic crane as per site requirement and instruction of EI. (CSI No. 163 Page No. 25)	2	24790	P.Na	49580
_19	P/F A.C ceiling fan regulator on metal board recessed in the walls column and covered with plastic sheet (S.I.No:2b P-No:14)	6	124.30	Each	746
20	P/F wall bracket light fancy type superior quality including necessary electric connection and fixing on wall or ceiling etc. complete.(S.I.No:5 P- No:33)	4	497.00	Each	1988

GRAND TOTAL:- 1

189215



### (3) GBPS QAIM K IAN GOPANG.

S.NO:	Description	Qty	Rate	Unit	Amount
<u> </u>	"art"A" New ! chedule Items 2012		·	I	
Î l	Wiring for light or fan point with 3/.029 PVC insulated wire in 20mm (3/4") channel patti on surface as required. (S.No. 129 P-15).	16	910	per point	14560
2	Wiring for plug point with 3/.029 PVC insulated wire in 20mm	4	742	per point	2968
	(3/4") channel patti on surface as required. (S.No. 130 P-15).				
3	Providing & laying (MAIN or SUB MAIN) PVC insulated with size 2-7/.029 copper conductor in 1/4" dia PVC conduit recessed in the wall or column as required. CSI No. 3 Page No. 1)	150	171	per Meter	25650
4	Providing & laying (MAIN or SUB MAIN) PVC insulated with	70	252	per Meter	17640
	size 2-7/.036 copper conductor in 3/4" dia PVC conduit				
-	recessed in the wall or column as required. (S.I.No:11 P- No:2)				
5	Providing & laying (MAIN or SUB MAIN) PVC insulated with	130	341 .	per Meter	44330
	size 2-7/.044 (6mm2) copper conductor in ¾" dia PVC conduit				
	recessed in the wall or column as required. (S.1.No:12 P- No:2)				
6	Providing & fixing circuit breaker 6,10,15,20, 30,40,50 & 63amp SP (TE-5S) on prepared board as required (S.I.No:202 P- No:30)	8	916	Each	7328
_7	Providing & fixing circuit breaker 6,10,15,20,30,40,50, & 63amp DP (TE-5S) on perpared board required (S.I.No:204 P-No:31)	1	2425	P.No	2425
8	Providing & fixing two pin 5amp plug & flush type (S.I.No:225 P- No:33)	4	83	P.No	332
9	Providing & fixing three pin 10/15amp plug & socket flush type (S.I.No:2:22 P- No:33)	5	162	P.No	810
10	Providing & fixing one way SP 5amp switch flush type(S.l.No:219 P- No:33)	16	54	P.No	864
11	Providing & fixing Bakelite ceiling rose with two terminals (S.I.No:228 P- No:33)	6	72	P.No	432

	Page 2				· ·
S.NO:	Description	Qty	Rate	Unit	Amount
12	Providing & fixing Brass Battern holder c(S.I.No:232 P-No:33)	10	70	P.No	700
13	Providing & fixing Brass Ceiling fan 56" (good quality) (S.I.No:235 P- No:34)	6	3185	P.No	19110
14	Providing & fixing mild seel bar fan clamp 15.8 mm(5/8") dia suitable for Rcc roof (SI No. 1(c) P-14)	6	141.01	P.No	846
.15	P/F distribution metal board double shutter to accommodate circuit breakers including painting with enemel paint and for other simmilar job on surface (S.1.No:15 P- No:13)	2	907.96	P.Sft	1816
16	P/Fenergy sever superior quality including fixing on existing holder etc complete.(S.I.No:6 P- No:33) (24 Walt)	10	497.00	Each	4970
17	P/F earthing set with 2"x2"x1/2" cooper plate burried in groud at a depth of 12" or less if water comes out from the ground level with salt and chorcoal ,etc,in/c,making the pit 12"deep by excavation of all type of soil. Earth plat to be connected with No:8	1	3610.04	Each	3610
. 18	Providing & Fixing of street light 250 watts (SON-T) having IP66 classification with 250w lamp, choke, capacitor & Internal wiring complete in all respect at the height With the help of hydraulic crane as per site requirement and instruction of El. (CSI No. 163 Page No. 25)	1	24790	P.No	24790
19	P/F A.C ceiling fan regulator on metal board recessed in the walls column and covered with plastic sheet (S.1.No:2b P-No:14)	6	124.30	Each	746
_20	P/F wall bracket light fancy type superior quality including necessary electric connection and fixing on wall oe ceiling etc complete.(S.I.No:5 P- No:33)	4	497.00	Each	1988
			GRAN	D TOTAL :-	175915

GRAND TOTAL:

175915

### (4) GBPS ALI BUX HAJANANO.

S.NQ:	Description	Qty	Rate	Unit	Amount
	Part"A" New Schedule Items 2012	7.0304.5.1.785.1.74.5.T	·		
1	Wiring for light or fan point with 3/.029 PVC insulated wire in	16	910	per point	14560
	20mm (3/4") channel patti on surface as required, (S.No. 129 P-15).				·
2	Wiring for plug point with 3/.029 PVC insulated wire in 20mm	4	742	per point	2968
	(3/4") channel patti on surface as required. (S.No. 130 P-15).				
_3	Providing & laying (MAIN or SUB MAIN) PVC insulated with size 2-7/.029 copper conductor in '4' dia PVC conduit recessed in the wall or column as required, CSI No. 3 Page No. 1)	150	171	per Meter	25650
	'				1. No. 1
4	Providing & laying (MAIN or SUB MAIN) PVC insulated with	70	<b>25</b> 2	per Meter	17640
-	size 2-7/.036 copper conductor in 1/4" dia PVC conduit				
	recessed in the wall or column as required. (S.I.No:11 P- No:2)				
5	Providing & laying (MAIN or SUB MAIN) PVC insulated with	130	341	per Meter	44330
_	size 2-7/.044 (6mm2) copper conductor in 3/4" dia PVC conduit				
	recessed in the wall or column as required. (S.I,No:12 P- No:2)				
. 6	Providing & fixing circuit breaker 6,10,15,20, 30,40,50 & 63amp SP (TB-5S) on prepared board as required (S.I.No:202 P-No:30)	8	916	Each	7328
7	Providing & fixing circuit breaker 6,10,15,20,30,40,50, & 63amp DP (TB-5S) on perpared board required (S.I.No:204 P-No:31)	1	2425	P.No	2425
-8	Providing & fixing two pin 5amp plug & flush type (S.I.No:225 P- No:33)	4	83	P.No	332
	1-140.33)				
9	Providing & fixing three pin 10/15amp plug & socket flush type (S.I.No:222 P- No:33)	5	162	P.No	810
10	Providing & fixing one way SP 5amp switch flush type(S.I.No:219 P- No:33)	16	54	P.No	864
i1 -	Providing & fixing Bakelite ceiling rose with two terminals (S.I.No:228 P- No:33)	6	72	P.No	432

•	rage 2				
S.NO:	Description	Qty	Rate	Unit	Amount
12	Providing & fixing Brass Battern holder c(S.I.No:232 P-No:33)	10	70	P.No	700
13	Providing & fixing Brass Ceiling fan 56" (good quality) (S.I.No:235 P- No:34)	6	3185	P.No	19110
14	Providing & fixing mild seel bar fan clamp 15.8 mm(5/8") dia suitable for Rcc roof (Si No. 1(c) P-14)	6	141.01	P.No	846
15	P/F distribution metal board double shutter to accommodate circuit breakers including painting with enemel paint and for other simmilar job on surface (S.I.No:15 P- No:13)	2	907.96	P.Sft	1816
-16	P/Fenergy sever superior quality including fixing on existing holder etc complete.(S.I.No:6 P- No:33) (24 Walt)	10	497.00	Each	4970
17	P/F earthing set with 2"x2"x1/2" cooper plate burried in groud at a depth of 12" or less if water comes out from the ground level with salt and chorcoal ,etc,in/c.making the pit 12"deep by excavation of all type of soil. Earth plat to be connected with No:8	1	3610.04	Each	3610
18	Providing & Fixing of street light 250 watts (SON-T) having IP66 classification with 250w lamp, choke, capacitor & Internal wiring complete in all respect at the height With the help of hydraulic crane as per site requirement and instruction of El.	1	24790	P.No	24790
	(CSI No. 163 Page No. 25)				• •
19	P/F A.C ceiling fan regulator on metal board recessed in the walls column and covered with plastic sheet (S.I.No:2b P-No:14)	6	124.30	Each	746
20	P/F wall bracket light fancy type superior quality including necessary electric connection and fixing on wall oe ceiling to complete.(S.1.No:5 P- No:33)	4	497.00	Each	1988
			CDAX	D TOTAL :-	175915
-			GRAN	O LOTAL:	1/39/3

S.NO:	Description	Qty	Rate	Unit	Amount
<u> </u>	Part"A" New Schedule Items 2012				
1	Wiring for light or fan point with 3/.029 PVC insulated wire in	16	910	per point	14560
-	20mm (3/4") channel patti on surface as required. (S.No. 129 P-15).				
2	Wiring for plug point with 3/.029 PVC insulated wire in 20mm	4	742	per point	2968
	(3/4") channel patti on surface as required. (S.No. 130 P-15).				
_3	Providing & laying (MAIN or SUB MAIN) PVC insulated with size 2-7/.029 copper conductor in ¾1" dia PVC conduit recessed in the wall or column as required. CSI No. 3 Page No. 1)	150	171	per Meter	25650
4	Providing & laying (MAIN or SUB MAIN) PVC insulated with	70	252	per Meter	17640
. <del>-</del>	size 2-7/.036 copper conductor in 3/4" dia PVC conduit				
	recessed in the wall or column as required. (S.I.No:11 P- No:2)				
5	Providing & laying (MAIN or SUB MAIN) PVC insulated with	130	341	per Meter	44330
	size 2-7/.044 (6mm2) copper conductor in 3/414 dia PVC conduit				•
_	recessed in the wall or column as required. (S.I.No;12 P- No;2)				
6	Providing & fixing circuit breaker 6,10,15,20, 30,40,50 & 63amp SP (TB-5S) on prepared board as required (S.I.No:202 P- No:30)	8	916	Each	7328
.7	Providing & fixing circuit breaker 6,10,15,20,30,40,50, & 63amp DP (TB-5S) on perpared board required (S.1.No:204 P-No:31)	1	2425	P.No	2425
8	Providing & fixing two pin 5amp plug & flush type (S.I.No:225 P- No:33)	4	83	P.No	332
- 9	Providing & fixing three pin 10/15amp plug & socket flush type (S.f.No:222 P- No:33)	5	162	P.No	810
10	Providing & fixing one way SP 5amp switch flush type(S.I.No:219 P- No:33)	16	54	P,No	864
_11	Providing & fixing Bakelite ceiling rose with two terminals (S.I.No:228 P- No:33)	6	<b>7</b> 2	P.No	432
12	Providing & fixing Brass Battern holder c(S.I.No:232 P-No:33)	10	70	P.No	700
. 13	Providing & fixing Brass Ceiling fan 56" (good quality) (S.I.No:235 P- No:34)	6	3185	P.No	19110
14	Providing & fixing mild seel bar fan clamp 15.8 mm(5/8") dia satiable for Rcc roof (Sl No. 1(c) P-14)	6	141.01	P.No	846

	Page 2		.,		<u>.                                    </u>
5.NO:	Description	Qty	Rate	Unit	Amount
-	P/F distribution metal board double shutter to accommodate circuit breakers including painting with enemel paint and for other simmilar job on surface (S.I.No:15 P-No:13)	2	907.96	P.Sft	1816
16	P/Fenergy sever superior quality including fixing on existing holder etc complete.(S.I.No:6 P- No:33) (24 Walt)	10	497.00	Each	4970
17	P/F earthing set with 2"x2"x1/2" cooper plate burried in groud at a depth of 12" or less if water comes out from the ground level with salt and chorcoal ,etc,in/c,making the pit 12"deep by excavation of all type of soil. Earth plat to be connected with No:8	1	3610.04	Each	3610
18	Providing & Fixing of street light 250 watts (SON-T) having IP66 classification with 250w lamp, choke, capacitor & Internal wiring complete in all respect at the height With the help of hydraulic crane as per site requirement and instruction of EL (CSI No. 163 Page No. 25)	,l	24790	P.No	24790
19	P/F A.C ceiling fan regulator on metal board recessed in the walls column and covered with plastic sheet (S.I.No:2b P-No:14)	6	124.30	Each	746
20	P/F wall bracket light fancy type superior quality including necessary electric connection and fixing on wall oe ceiling etc complete.(S.I.No:5 P- No:33)	4	497.00	Each	1988
	,		GRANI	D TOTAL :-	175915
	ABSTRACT			_	· ·
1	GBPS Abad	Rs:	172505		
2	GBPS Noor Bozdar	Rs:	189215		
3	GBPS Qaim Khan Gopang	Rs:	175915		
4	GBPS Ali Bux Hajano	Rs:	175915		
بركز	GBPS Ali Bux Bugti	Rs:	175915		
3/k	7\\\( G-Total	Rs:	889465		
- >					
moun	(Total (A) \$89465				
/ n	-20% / Above /Below on the rates of CSR Rs. 887	1834	/ Amount to be a	added/deducted	on

the basis of premium quoted Total (B)

Total (A) = in Words & Figure 887686/= Rupees Eight Lacs Eighty seven-

CONTRACTOR

**EDUCATION WORKS DIVISION** KHAIRPUR

#### OFFICE OF THE EXECUTIVE ENGINEER EDUCATION WORKS DIVISION KHAIRPUR

NO: T.C/G-55/EW/KHP:/:330 of/2011

KHAIRPUR DATED:  $-\frac{1}{14} = 9 = \frac{7201}{1201}$ 

To,

M/S Mutahar Electric Government Contractor

Khairpur

SUBJECT: -

REHABILITATION/RENOVATION OF DANGERIOUS SCHOOL BUILDING IN DISTRICT KHAIRPUR ADP- 466 I.E (1) GBPS CHANNA THEBA (2) GGPS TANDO SHAH (3) GBPS PIR GUDO (4) GGPS NOOR BOZDAR TALUKA KOT DIJI (INTERNAL ELECTRIFICATION) PACKAGE NO -09

Reference:

Opening Tender opened on : -

3/6/2017

The rate quoted by you for the above-mentioned work on PART-"A" @ 0.20% Below(Schedule Items)entered in schedule'B'has been approved amounting to Rs 653760/- on schedule items.

You are requested to please attend this office within 07 days to complete the tender documents.

You are requested to supply this office a copy of partnership / deed registration deed of the firm ad power of attorney in the name of partnership of employees of the firm whom you have authorized to sign the bills, receive payments and instructions in respect of this work.

You are requested to start the work within 07 days after issue of this work order complete the same within agreement period of (12) Months

Stipulated date of Start

Stipulated date of Completion

#### IT SHOULD FURTHER BE NOTED THAT

- The work is to be carried out as per PWD specification
- 2 No Cartage for any material either arranged by you or supplied by Government will be paid separately.
- 3 No. Premium will be allowed on Non-Schedule items.
- 4 No Work should be carried out in excess of sanctioned estimate the receipt of this letter may please be acknowledged.

Executive Engineer
Education Works Division
Khairpur

Copy forwarded with compliments to the: -

- 1 The Superintending Engineer Education Works Circle Sukkur for favour of information please
- Copy along with copy of Schedule 'B" forwarded to the Assistant Engineer Education Elctrical Works Sub Division Sukkur for information and necessary action. He should

report actual date of start of the work to this Office
Copy forworded to the Director (C.B) SPPRA Karachi for favour of information.

Executive Engineer

Feducation Works Division

Khairpur

Rolly

670 09

M/s Mutahir Electric
Govt: Contractor

#### STANDARD BIDDING DOCUMENT

#### PROCUREMENT OF WORKS

(For Contracts Costing up to Rs 2.5 MILLION)

REHABILITATION/RENOVATION OF DANGERIOUS SCHOOL BUILDING IN DISTRICT KHAIRPUR ADP- 466 I.E. (1) GBPS CHANNA THEBA (2) GGPS TANDO SHAH (3) GBPS PIR GUDO (4) GGPS NOOR BOZDAR TALUKA KOT DIJI (INTERNAL ELECTRIFICATION) PACKAGE NO -09



Standard Bidding Document is intended as a model for admeasurements (Percentage Rate/unit price for unit rates in a Bill of Quantities) types of contract. The main text refers to admeasurements contracts.





EXECUTIVE ENGINEER **EDUCATION WORKS DIVISION** KHAIRPUR

CONTRACTOR

executed on the day, month and year laws.	first before written in accordance with their respective
Signature of the Contactor	Signature of the Procuring Agency
(Seal)	Soul) James Englinger The Clark Called Allenda, MARSON
Signed, Sealed and Delivered in the pro-	esence of:
Witness:	Witness:
(Name Title and Address)	(Name Title and Address)

IN WITNESS WITEREOF the parties hereto have caused this Contract Agreement to be

#### FORM OF CONTRACT AGREEMENT

THIS C	ONTRACT AGREEMEI	NT (hereinafter called the "Agree	ement") made on the
		etween	
"Procur	ing Agency") of the ctor") of the other part.	one part and	(hereinafter called the
		ncy is desirous that certain Wo	
		ntractor and has accepted a Bid h Works and the remedying of an	=
NOW (1	nis Agreement witnesseth	as follows:	
		ls and expressions shall have them in the Conditions of Contrac	
1		ts after incorporating addenda, Bidders, shall be deemed to form , viz:	
	(a) The Letter of Acce	eptance;	
		orm of Bid along with Schedules t	o Bid;
	•	ntract & Contract Data;	
	(d) The priced Schedu	ale of Prices/Bill of quantities (B	oQ);
	(e) The Specifications	s; and	
	(f) The Drawings		
(	Contractor as hereinafte Procuring Agency to exec	payments to be made by the er mentioned, the Contractor he cute and complete the Works an ects within the provisions of the Contractors.	ereby covenants with the d remedy defects therein in

4. The Procuring Agency hereby covenants to pay the Contractor, in consideration of the execution and completion of the Works as per provisions of the Contract. Price or such other sum as may become payable under the provisions of the Contract at the times and in the manner prescribed by the Contract.



### SINDH PUBLIC PROCUREMENT REGULATORY AUTHORITY

#### **CONTRACT EVALUATION FORM**

### TO BE FILLED IN BY ALL PROCURING AGENCIES FOR PUBLIC CONTRACTS OF WORKS, SERVICES & GOODS

1)	NAME OF THE ORGANIZATION / DEPTT.	Education & Literact Department
2)	PROVINCIAL / LOCAL GOVT / OTHER	Provincial
3)	TITLE OF CONTRACT	Reh /Rono Q no Channa The ba (2) Tandro Shah
4)	TENDER NUMBER	SNO ( 09 ) (3) Pir Cru Do (1) CACAPS NOON BOTA
5)	BRIEF DESCRIPTION OF CONTRACT	Building Work (School Work) (Int Electi)
6)	FORUM THAT APPROVED THE SCHEME	A A Issued by P&D Department Karachi
7)	TENDER ESTIMATED VALUE	Rs 0.655(M)
8)	ENGINEER'S ESTIMATE (For civil works only)	TS RS 6 \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$
9)	ESTIMATED COMPLETION PERIOD (AS P	ER CONTRACT) ( 12 ) Months
	TENDER OPENED ON (DATE & TIME)	03-06-2017
11)	NUMBER OF TENDER DOCUMENTS SOLI (Attach list of buyers)	03 Nos
12)	NUMBER OF BIDS RECEIVED	03 Nos
13)	NUMBER OF BIDDERS PRESENT AT THE	TIME OF OPENING OF BIDS 03
14)	BID EVALUATION REPORT (Unclose a copy)	Copy enclosed
15)	NAME AND ADDRESS OF THE SUCCESSF	ULBIDDER MS Mutahav Electric
,,,		
	CONTRACT AWARD PRICE	Rs 653760
16)		Rs 653760
16)	CONTRACT AWARD PRICE  RANKING OF SUCCESSFUL BIDDER IN EV	RS 653760 VALUATION REPORT
16) 17)	CONTRACT AWARD PRICE  RANKING OF SUCCESSFUL BIDDER IN EV	RS 653760 VALUATION REPORT
16) 17)	CONTRACT AWARD PRICE  RANKING OF SUCCESSFUL BIDDER IN EVIDER, 15, 2 nd , 3 nd EVALUATION BID).	Rs 653760 VALUATION REPORT Ist  ck one)
16) 17)	CONTRACT AWARD PRICE  RANKING OF SUCCESSFUL BIDDER IN EVIDER 15, 2 nd , 3 nd EVALUATION BID).  METHOD OF PROCUREMENT USED: - (Ti	Rs 653766  VALUATION REPORT  Ist  ck one)  PROCEDURE Yes Domestic/ Local
16) 17)	CONTRACT AWARD PRICE  RANKING OF SUCCESSFUL BIDDER IN EXTREM 15. 2 rd , 3 rd EVALUATION BID).  MIETHOD OF PROCUREMENT USED: - (Ti	PROCEDURE Yes Domestic/ Local
16) 17)	CONTRACT AWARD PRICE  RANKING OF SUCCESSFUL BIDDER IN EXTREM 15, 2nd, 3nd EVALUATION BID).  MIETHOD OF PROCUREMENT USED: - (Time) SINGLE STAGE - ONE ENVELOPE  5) SINGLE STAGE - TWO ENVELOPE	Rs 653766  VALUATION REPORT  Ist  Cek one)  PROCEDURE Yes Domestic/ Local  PROCEDURE

		Chief Engineer Education works Sukkur
19) APP	PROVING AUTHORITY FOR AWARD OF CONTI	RACT
20) WH	ETHER THE PROCUREMENT WAS INCLUDED	IN ANNUAL PROCUREMENT PLAN?  Yes
21) AD	VERTISEMENT:	
i)	SPPRA Website (If yes, give date and SPPRA Identification No.	Yes SPPRA S.NO 33094 Dated:- 04-05-2017
i:)	News Papers (If yes, give names of newspapers and dates)	Yes SPPRA S.NO 33094 Dated 04-05-2017
	en e	No
22) NAI	TURE OF CONTRACT	Demotic Int.
WA	ETHER QUALIFICATION CRITERIA S INCLUDED IN BIDDING - TENDER DOCUME es, enclose a copy)	NTS?  Yes V No
WA	ETHER BID EVALUATION CRITERIA S INCLUDED IN BIDDING / TENDER DOCUME es. enclose a copy)	NTS? Yes V No No
	ETHER APPROVAL OF COMPETENT AUTHORITHOD OTHER THAN OPEN COMPETITIVE BID	
26) WA	S BID SECURITY OBTAINED FROM ALL THE I	BIDDERS? Yes No No
	ETHER THE SUCCESSFUL BID WAS LOWEST I BEST EVALUATED BID (in case of Consultancia	
	ETHER THE SUCCESSFUL BIDDER WAS TECH MPLIANT?	NICALLY Yes No
	ETHER NAMES OF THE BIDDERS AND THEIR TIME OF OPENING OF BIDS?	QUOTED PRICES WERE READ OUT AT  Yes   No
COM	ETHER EVALUATION REPORT GIVEN TO NTRACT? such copy of the bid evaluation report)	BIDDERS BEFORE THE AWARD OF Yes V No

31) ANY COMPLAINTS RECEIVED	
(If yes, result thereof)	Yes
	No
32) ANY DEVIATION FROM SPECIFICATIONS GIVE	IN IN THE TENDER NOTICE / DOCUMENTS
(If yes, give details)	Yes
	No
33) WAS THE EXTENSION MADE IN RESPONSE TIME	ME? Yes
(If yes, give reasons)	res
	NI.
24 14 14 14 14 14 14 14 14 14 14 14 14 14	No
34) DEVIATION FROM QUALIFICATION CRITERIA (11 yes, give detailed reasons.)	Yes
	No
35) WAS IT ASSURED BY THE PROCURING AGE	NOV THAT THE SELECTED FIRM IS NOT
BI ACK LISTED?	Yes V No
36) WAS A VISH MADE BY ANY OFFICER OFFICE SUPPLIER'S PREMISES IN CONNECTION WITH	
BE ASCERTAINED REGARDING FINANCING OF	
(If yes, enclose a copy)	Yes No V
37) WERE PROPER SAFEGUARDS PROVIDED ON	MOBILITATION ADVANCE BANAGINE IN
THE CONTRACT (BANK GUARANTEE ETC.)?	Yes No Yes
Λ /	168   X0
38) SPECIAL COXDITIONS, IF ANY	Yes
(Historian Description)	
With the state of	No
Make the second of the second	
Signature & Official Stamp of	
Authorized Officer	<u></u>
OR OFFICE USE ONLY	

SPPRA, Block. No.8, Sindh Secretariat No.4-A, Court Road, Karachi Tele: 021-9205356; 021-9205369 & Fax; 021-9206291

Print Save Reset

#### BILL OF QUANTITES

#### (A) Description and rate of items based on composite schedule of rates.2012

(B) Description and rate of items based on composite schedule of rates.2004

NAME OF WORK:- REHABILITATION / RENOVATION OF DANGEROUS SCHOOL BUILDING

#### IN DISTRICT KHAIRPUR AT GBPS CHANNA THIBA. (INTERNAL ELECTRIFICATION)

S.NO;	Description	Qty	Rate	Unit	Amount
	Part"A" New Schedule Items 2012		<u> </u>		
I	Wiring for light or fan point with 3/,029 PVC insulated wire in 20mm (3/4") channel patti on surface as required. (S.No. 129 P-15).	16	910	per point	14560
2	Wiring for plug point with 3/.029 PVC insulated wire in 20mm	4	742	per point	2968
	(3/4") channel patti on surface as required. (S.No. 130 P-15).				
3	Providing & laying (MAIN or SUB MAIN) PVC insulated with size 2-7/.029 copper conductor in ¼" dia PVC conduit recessed in the wall or column as required. CSI No. 3 Page No. 1)	150	171	per Meter	25650
4	Providing & laying (MAIN or SUB MAIN) PVC insulated with size 2-7/.036 copper conductor in 34" dia PVC conduit recessed in the wall or column as required. (S.I.No:11 P-No:2)	<b>7</b> 0	252	per Meter	17640
5	Providing & laying (MAIN or SUB MAIN) PVC insulated with size 2-7/.044 (6mm2) copper conductor in ¼" dia PVC conduit recessed in the wall or column as required. (S.I.No:12 P- No:2)	125	341	per Meter	42625
6	Providing & fixing circuit breaker 6,10,15,20, 30,40,50 & 63amp SP (TB-5S) on prepared board as required (S.I.No:202 P- No:30)	8	916	Each	7328
7	Providing & fixing circuit breaker 6.10,15,20,30,40,50, & 63amp DP (TB-5S) on perpared board required (S.I.No:204 P-No:31)	1	2425	P.No	2425
8	Providing & fixing two pin 5amp plug & flush type (S.I.No:225 P- No:33)	4	83	P.No	332
9	Providing & fixing three pin 10/15amp plug & socket flush type (S.I.No:222 P- No:33)	5	162	P.No	810
łÙ	Providing & fixing one way SP 5amp switch flust type(S.I.No:219 P-70;33)	<b>P</b> 16	54	P.No	864

,						
S.NO:	Description	Qty	Rate	Unit	Amount	
<b>8</b> , 11	Providing & fixing Bakelite ceiling rose with two terminals (S.I.No;228 P- No;33)	6	72	P.No	432	
12	Providing & fixing Brass Battern holder c(S.l.No:232 P-No:33)	10	70	P.No	700	
13	Providing & fixing Brass Ceiling fan 56" (good quality) (S.I.No:235 P- No:34)	6	3185	P.No	19110	
14	Providing & fixing mild seel bar fan clamp 15.8 mm(5/8") dia suitable for Rec roof (SI No. I(c) P-14)	6	141.01	P.No	846	
15	P/F distribution metal board double shutter to accommodate circuit breakers including painting with enemel paint and for other simmilar job on surface (S.I.No:15 P- No:13)	2	907.96	P.Sft	1816	
16	P/Fenergy sever superior quality including fixing on existing holder etc complete.(S.I.No:6 P- No:33) ( 24 Walt)	10	497.00	Each	4970	
17	P/F carthing set with 2"x2"x1/2" cooper plate burried in groud at a depth of 12" or less if water comes out from the ground level with salt and chorcoal ,etc,in/c,making the pit 12"deep by excavation of all type of soil. Earth plat to be connected with No:8	1	3610.04	Each	3610	
18	Providing & Fixing of street light 250 watts (SON-T) having IP66 classification with 250w lamp, choke, capacitor & Internal wiring complete in all respect at the height With the help of hydraulic crane as per site requirement and instruction of EL (CSI No. 163 Page No. 25)	2	24790	P.No	49580	
19	P/F A.C ceiling fan regulator on metal board recessed in the walls column and covered with plastic sheet (S.I.No:2b P-No:14)	6/0	124,30	Each	746	

Page 3

	S.NO:	Description	Qty	Rate	Unit	Amount
	20	P.F. wall bracket light fancy type superior quality including	4	497,00	Each	1988
		necessary electric connection and fixing on wall oe ceiling etc				
į		complete_(S.I.Noi5 P- Noi3A)	\			

1

GRAND TOTAL:

199000

#### BILL OF QUANTITES

(A) Description and rate of items based on composite schedule of rates.2012

(B) Description and rate of items based on composite schedule of rates.2004

NAME OF WORK: REHABILITATION / RENOVATION OF DANGEROUS SCHOOL BUILDING

#### IN DISTRICT KHAIRPUR AT GBPS TANDO SHAH (INTERNAL ELECTRIFICATION)

S.NO:	Description	Qty	Rate	Unit	Amount
	Part"A" New Schedule Hems 2012			-tt.	
1	Wiring for light or fan point with 37.029 PVC insulated wire in 20mm (3/411) channel patti on surface as required, (S.No. 129 P-15).	16	910	per point	14560
2	Wiring for plug point with 3/,029 PVC insulated wire in 20mm	4	742	per point	2968
	(3/411) channel patti on surface as required, (S.No. 130 P-15).				
3	Providing & laying (MAIN or SUB MAIN) PVC insulated with	200	171	per Meter	34200
	size 2-7/ $029$ copper conductor in $\%$ dia PVC conduit recessed				
	in the wall or column as required, CSI No. 3 Page No. 1)				
4	Providing & Jaying (MAIN or SUB MAIN) PVC insulated with	80	252	per Meter	20160
	size 2-7/,036 copper conductor in ¾" dia PVC conduit recessed				
	in the wall or column as required. (S.I.No:11 P- No:2)				
5	Providing & laying (MAIN or SUB MAIN) PVC insulated with	135	341	per Meter	46035
	size 2-7/.044 (6mm2) copper conductor in 3/21 dia PVC conduit				
	recessed in the wall or column as required. (S.I.No:12 P+ No:2)				
6	Providing & fixing circuit breaker 6,10,15,20, 30,40,50 & 63amp SP (TB-5S) on prepared board as required (S.I.No:202 P No:30)	8	916	Each	7328
7	Providing & fixing circuit breaker 6,10,15,20,30,40,50, & 63amp DP (TB-5S) on perpared board required (\$1 No:204 P-No:31)	1	2425	P.No	2425
8	Providing & fixing two pin 5amp plug & flush type (S.I.No.225 P- No.33)	4	8.3	P.No	332
9	Providing & fixing three pin 10/15amp plug & socket flush type (S.I.No:222 P- No:33)	5	162	P No	810
10	Providing & fixing one way SP 5amp switch flight type(S.I No:219 P- No:33)	16	54	P No	864

	· · · · · · · · · · · · · · · · · · ·					
S.NO:	Description	Qty	Rate	Unit	Amount	
11	Providing & fixing Bakelite ceiling rose with two terminals (S.I.No:228 P- No:33)	6	72	P.No	432	
12	Providing & fixing Brass Battern holder c(S.I.No:232 P+ No:33)	10	70	P.No	700	
13	Providing & fixing Brass Ceiling fan 56" (good quality) (S.I.No.235 P- No:34)	ń	3185	P.No	19110	
14	Providing & fixing mild see! bar fan clump 15.8 mm(5/8") dia suitable for Rec roof (SI No. 1(c) P-14)	6	141.01	P.No	846	
15	P/F distribution metal board double shutter to accommodate circuit breakers including painting with enemel paint and for other simmilar job on surface (S.l.No:15 P- No:13)	2	907.96	P.Sú	1816	
16	P/Fenergy sever superior quality including fixing on existing holder etc complete.(S.I.No.6 P- No.33) ( 24 Walt)	10	497.00	Each	4970	
17	P/F earthing set with 2"x2"x1/2" cooper plate burried in groud at a depth of 12" or less if water comes out from the ground level with salt and chorcoal jetc,in/c,making the pit 12"deep by excavation of all type of soil. Earth plat to be connected with No:8	1	3610.04	Each	3610	
18	P/F A.C ceiling fan regulator on metal board recessed in the walls column and covered with plastic sheet (S.I.No:2b P-No:14)	6	124.30	Each	746	
19	P/F wall bracket light fancy type superior quality including necessary electric connection and fixing on wall or ceiling etc complete.(S.I.No.5 P- No:33)	<b>2</b>	497.00	Each	1988	

GRAND TOTAL :- 163900

#### **BILL OF QUANTITES**

(A) Description and rate of items based on composite schedule of rates, 2012

(B) Description and rate of items based on composite schedule of rates, 2004

NAME OF WORK: REHABILITATION / RENOVATION OF DANGEROUS SCHOOL BUILDING

#### IN DISTRICT KHAIRPUR AT GBPS PIR GUDO. (INTERNAL ELECTRIFICATION)

s.no:	Description	Qty	Rate	Unit	Amount
	Part"A" New Schedule Items 2012	· · · · · · · · · · · · · · · · · · ·	.!		<del></del>
i	Wiring for light or fan point with 3/.029 PVC insulated wire in 20mm (3/4") channel patti on surface as required. (S.No. 129 P-15).	16	910	per point	14560
2	Wiring for plug point with 3/.029 PVC insulated wire in 20mm	4	742	per point	2968
	(3/4") channel patti on surface as required. (S,No. 130 P-15).				
3	Providing & laying (MAIN or SUB MAIN) PVC insulated with size 2-7/.029 copper conductor in '4' dia PVC conduit recessed in the wall or column as required. CSI No. 3 Page No. 1)	150	171	per Meter	25650
4	Providing & laying (MAIN or SUB MAIN) PVC insulated with size 2-7/.036 copper conductor in 3/2 dia PVC conduit recessed in the walf or column as required. (S.I.No:11 P-No:2)	50	252	per Meter	12600
5	Providing & laying (MAIN or SUB MAIN) PVC insulated with size 2-7/.044 (6mm2) copper conductor in %" dia PVC conduit recessed in the wall or column as required. (S.I.No:12 P-No:2)	130	341	per Moter	44330
6	Providing & fixing circuit breaker 6,10,15,20, 30,40,50 & 63amp SP (TB-5S) on prepared board as required (S.I.No:202 P- No:30)	8	916	Each	7328
7	Providing & fixing circuit breaker 6,10,15,20,30,40.50, & 63amp DP (TB-5S) on perpared board required (S.I.No:204 P-No:31)	I	2425	P.No	2425
8	Providing & fixing two pin 5amp plug & flush type (S.I.No:225 P- No:33)	4	83	P.No	332
9	Providing & fixing three pin 10/15amp plug & socket flush type (S.I.No:222 P- No:33)	5	162	P,No	810
10	Providing & fixing one way SP 5amp switch fluth type(S.I.No:219 P- No:33)	X6	54	P.No	864

S.NO:	Description	Qty	Rate	Unit	Amount	
- II <b>-</b> ₹*	Providing & fixing Bakelite ceiling rose with two terminals (S.I.No:228 P- No:33)	6	72	P.No	432	
12	Providing & fixing Brass Battern holder c(S.I.No:232 P-No:33)	10	70	P.No	700	
13	Providing & fixing Brass Ceiling fan 56" (good quality) (S.I.No:235 P- No:34)	6	3185	P.No	19110	
14	Providing & fixing mild seel bar fan clamp 15.8 mm(5/8") dia suitable for Rec roof (SI No. 1(c) P-14)	6	141.01	P.No	846	
15	P/F distribution metal board double shutter to accommodate circuit breakers including painting with enemel paint and for other simmilar job on surface (S.I.No:15 P- No:13)	2	907,96	P.Sfi	1816	
16	P/Fenergy sever superior quality including fixing on existing holder etc complete.(S.i.No:6 P- No:33) (24 Walt)	10	497.00	Each	4970	
17	P/F earthing set with 2"x2"x1/2" cooper plate burried in groud at a depth of i2" or less if water comes out from the ground level with salt and chorcoal ,etc,in/c.making the pit 12"deep by excavation of all type of soil. Earth plat to be connected with No:8	I	3610.04	Each	3610	
18	P/F A.C ceiling fan regulator on metal board recessed in the walls column and covered with plastic sheet (S.I.No:2b P-No:14)	6	124.30	Each	746	
19	P/F wall bracket light fancy type superior quality including necessary electric connection and fixing on wall or ceiling complete.(S.J.No:5 P-No:33)	4 2	497.00	Each	1988	

GRAND TOTAL:-

### **BILL OF QUANTITES**

### (A) Description and rate of items based on composite schedule of rates 2012

## (B) Description and rate of items based on composite schedule of rates 2004

NAME OF WORK: REHABILITATION / RENOVATION OF DANGEROUS SCHOOL BUILDING IN DISTRICT KHAIRPUR AT GGPS NOOR BOZDAR. (INTERNAL ELECTRIFICATION)

S.NO:	Description	Qty	Rate	1 nit	Amount
	Part"A" New Schedule Items 2012		<u> </u>	. <del>I</del>	
I	Wiring for light or fan point with 3/.029 PVC insulated wire in 20mm (3/4'') channel patti on surface as required. (S.No. 129 P-15).	16	910	per point	14560
2	Wiring for plug point with 3/,029 PVC insulated wire in 20mm	4	<b>7</b> 42	per point	2968
	(3/4") channel patti on surface as required. (S,No. 130 P-15).				
3	Providing & laying (MAIN or SUB MAIN) PVC insulated with size 2-7/.029 copper conductor in '4'' dia PVC conduit recessed in the wall or column as required, CSI No. 3 Page No. 1)	150	171	per Meter	25650
4	Providing & laying (MAIN or SUB MAIN) PVC insulated	50	252	per Meter	12600
	with size 2-77.036 copper conductor in $\frac{3}{4}$ dia PVC conduit				
	recessed in the wall or column as required. (S.I.No:11 P- No:2)				
5	Providing & laying (MAIN or SUB MAIN) PVC insulated with size 2-7/.044 (6mm2) copper conductor in %" dia PVC conduit recessed in the wall or column as required. (S.I.No:12 P- No:2)	130	341	per Meter	44330
6	Providing & fixing circuit breaker 6,10,15,20, 30,40,50 & 63amp SP (TB-5S) on prepared board as required (S.I.No:202 P- No:30)	8	916	Each	7328
7	Providing & fixing circuit breaker 6,10.15,20,30,40.50. & 63amp DP (TB-5S) on perpared board required (S.I.No:204 P-No:31)	1	2425	P.No	2425
8	Providing & fixing two pin 5amp plug & flush type (S.I.No:225 P- No:33)	4	83	P.No	332
9	Providing & fixing three pin 10/15amp plug & socket flush type (S.I.No:222 P- No:33)	5	162	P.No	810
10	Providing & fixing one way SP 5amp switch flush type(S.I.No:219 R.No:33)	16	54	P.No	864

S:NO:	Description	Qty	Rate	Unit	Amount
11	Providing & fixing Bakelite ceiling rose with two terminals (S.I.No:228 P- No:33)	6	72	P.No	432
12	Providing & fixing Brass Battern holder c(\$.1,No:232 P-No:33)	10	70	P.No	700
13	Providing & fixing Brass Ceiling fan 56" (good quality) (S.L.No:235 P- No:34)	6	3185	P.No	19110
. 14	Providing & fixing mild seel bar fan clamp 15.8 mm(5/8") dia suitable for Rcc roof (Sl No. 1(c) P-14)	6	141.01	P.No	846
15	P/F distribution metal board double shutter to accommodate circuit breakers including painting with enemel paint and for other simmilar job on surface (S.I.No:15 P- No:13)	2	907.96	P.Sft	1816
16	P/Fenergy sever superior quality including fixing on existing holder etc complete.(S.I.No:6 P- No:33) (24 Walt)	10	497.00	Each	4970
17	P/F earthing set with 2"x2"x1/2" cooper plate burried in groud at a depth of 12" or less if water comes out from the ground level with salt and chorcoal ,etc,in/c,making the pit 12"deep by excavation of all type of soil. Earth plat to be connected with No:8	l	3610.04	Each	3610
18	P/F A.C ceiling fan regulator on metal board recessed in the walls column and covered with plastic sheet (S.I.No:2b P-No:14)	6	124.30	Each	746
19	P/F wall bracket light fancy type superior quality including necessary electric connection and fixing on wall oe ceiling etc complete.(S.I.No:5 P- No:33)	4	497.00	Each	1988
				I	

**GRAND TOTAL:-**

ABSTRACT

GBPS CHANNA THEBA

199000 Rs: Rs: 163900 Rs: 146085 Rs: 146085 G-Total Rs: 655070

Aphount Total (A)

_% Above /Below on the rates of CSR Rs. __653760 / Amount to be added/deducted on

the basis of premium quoted

Total (A) = in Words & Figure 653760/= Rupees six Lass Fifty Three -

- Thousand seven hundred stary only

CONTRACTOR

EXECUTIVE **EDUCATION WORKS DIVISION KHAIRPUR** 

### OFFICE OF THE EXECUTIVE ENGINEER EDUCATION WORKS DIVISION KHAIRPUR

NO: T.C/G-55/EW/KHP:/ [33] of / 2017 KHAIRPUR DATED: - 14 -9- / 2017

To,

MR Fareed Khan Electric Works Government Contractor

Khairpur

SUBJECT: -

REHABILITATION/RENOVATION OF DANGERIOUS SCHOOL BUILDING

IN DISTRICT KHAIRPUR ADP- 466( 2016-17) I.E (1) GGPS LANISHAN (2)

GGPS SHAH BUX MANGI (3) GGPS KOT DIJI-II (4) GBHS KUMB
TALUKA KOT DIJI (INTERNAL ELECTRIFICATION) PACKAGE NO -10

Reference:

Opening Tender opened on : -

3/6/2017

The rate quoted by you for the above-mentioned work on PART-"A" @ 0.20% Below(Schedule Items)entered in schedule'B'has been approved amounting to Rs 897805/- on schedule items.

You are requested to please attend this office within 07 days to complete the tender documents.

You are requested to supply this office a copy of partnership / deed registration deed of the firm ad power of attorney in the name of partnership of employees of the firm whom you have authorized to sign the bills, receive payments and instructions in respect of this work.

You are requested to start the work within 07 days after issue of this work order complete the same within agreement period of (12) Months

Stipulated date of Start

Stipulated date of Completion

#### IT SHOULD FURTHER BE NOTED THAT

- 1 The work is to be carried out as per PWD specification
- No Cartage for any material either arranged by you or supplied by Government will be paid separately.
- 3 No. Premium will be allowed on Non-Schedule items.
- 4 No Work should be earried out in excess of sanctioned estimate the receipt of this letter may please be acknowledged.

Executive Engineer Education Works Division Khairpur

Copy forwarded with compliments to the: -

- 1 The Superintending Engineer Education Works Circle Sukkur for favour of information please
- 2 Copy along with copy of Schedule 'B" forwarded to the Assistant Engineer Education Electrical Works Sub Division Sukkur for information and necessary action. He should report actual date of start of the work to this Office Λ

Copy forworded to the Director (C.B) SPPRA Karachi for favour of information.

Executive Engineer Feducation Works Division Khairpur



DOG Mr Fareed Khan Electric Works Govt Cumhactor


### STANDARD BIDDING DOCUMENT

### PROCUREMENT OF WORKS

(For Contracts Costing up to Rs 2.5 MILLION)

REHABILITATION/RENOVATION OF DANGERIOUS SCHOOL BUILDING IN DISTRICT KHAIRPUR ADP- 466 ( 2016-17) I.E (1) GGPS LANISHAN (2) GGPS SHAH BUX MANGI (3) GGPS KOT DIJEH (4) GBHS KUMB TALUKA KOT DIJI (INTERNAL ELECTRIFICATION) PACKAGE NO -10

Standard Bidding Document is intended as a model for admeasurements (Percentage Rate/unit price for unit rates in a Bill of Quantities) types of contract. The main text refers to admeasurements contracts.



### FORM OF CONTRACT AGREEMENT

	CONTRACT AGREEMENT (hereinafter called the "Ag	
	f200between uring Agency") of the one part and	(hereinafter called the
	iractor") of the other part.	
shoule	RPAS the Procuring Agency is desirous that certain Volume executed by the Contractor and has accepted a B tion and completion of such Works and the remedying of a second completion of such Works and the remedying of a second completion of such Works and the remedying of a second completion of such Works and the remedying of a second completion of such Works and the remedying of a second completion of such works are considered.	id by the Contractor for the
NOW	this Agreement witnesseth as follows:	
1.	In this Agreement words and expressions shall have respectively assigned to them in the Conditions of Contra	
2.	The following documents after incorporating addendated that ing to Instructions to Bidders, shall be deemed to for as part of this Agreement, viz:	
	<ul> <li>(a) The Letter of Acceptance;</li> <li>(b) The completed Form of Bid along with Schedule</li> <li>(c) Conditions of Contract &amp; Contract Data;</li> <li>(d) The priced Schedule of Prices/Bill of quantities</li> <li>(e) The Specifications; and</li> <li>(f) The Drawings</li> </ul>	
3.	In consideration of the payments to be made by the Contractor as hereinafter mentioned, the Contractor Procuring Agency to execute and complete the Works elimformity and in all respects within the provisions of the	hereby covenants with the and remedy defects therein in
4.	The Procuring Agency hereby covenants to pay the Cones, cution and completion of the Works as per provision Price or such other sum as may become payable under at the times and in the manner prescribed by the Contract	s of the Contract, the Contract the provisions of the Contract
Sindh	Public Procurement Regulatory Authority   www.pprasindh.gov.pk	

**CONTRACTOR** 

IN WITRESS WHEREOF the parties hereto have caused this Contract Agreement to be executed on the day, month and year first before written in accordance with their respective laws.

Signature of the Contactor	Signature of the Procuring Agency
(Seal)	(Seal) Seal Seal Seal Seal Seal Seal Seal Seal
Signed, Similed and Delivered in the presence of:	
Witness	Witness:
	(Name, Title and Address)

### SINDH PUBLIC PROCUREMENT REGULATORY AUTHORITY

### CONTRACT EVALUATION FORM

# TO BE FILLED IN BY ALL PROCURING AGENCIES FOR PUBLIC CONTRACTS OF WORKS, SERVICES & GOODS

	ELEMENT OF THE ORDER OF THE ORDER	Education & Literact Department
1)	NAME OF THE ORGANIZATION / DEPTT.	Provincial
2)	PROVINCIAL / LOCAL GOVT./ OTHER	
3)	TITLE OF CONTRACT	Reh/Rema Caristan (2) Shah Bux Mang; to Kot Diji-II (4) Kumb
4)	TENDER NUMBER	SNO ( Traterial Electrification)
51	BRIEF DESCRIPTION OF CONTRACT	Building Work (School Work)
6)	FORUM THAT APPROVED THE SCHEME	A A Issued by P&D Department Karachi
7)	TENDER ESTIMATED VALUE	Rs 0.899 (M)
8)	ENGINEER'S ESTIMATE (For civil works only)	TS RS 899600
9)	ESTIMATED COMPLETION PERIOD (AS P	ER CONTRACT) ( 12 ) Months
10)	TENDER OPENED ON (DATE & TIME)	03-06-2017
<b>I</b> 1)	NUMBER OF TENDER DOCUMENTS SOLI (Attach list of buyers)	O 03 Nos
12)	NUMBER OF BIDS RECEIVED	03 <b>N</b> os
13)	NUMBER OF BIDDERS PRESENT AT THE	TIME OF OPENING OF BIDS 03
14}	BID EVALUATION REPORT (Enclose a copy)	Copy enclosed
151	NAME AND ADDRESS OF THE SUCCESSE	UL BIDDER MS Foreed Khan Electric works
1,	THE GOCCESSI	·
16)	CONTRACT AWARD PRICE	Rs 897805
17)	RANKING OF SUCCESSFUL BIDDER IN EVICE. 1st, 2nd, 3th EVALUATION BID).	VALUATION REPORT  Ist
18)	METHOD OF PROCUREMENT USED : - (Ti	ck one)
	a) SINGLE STAGE - ONE ENVELOPE	PROCEDURE Yes Domestic/ Local
	b) SINGLE STAGE – TWO ENVELOPE	PROCEDURE
	c) TWO STAGE BIDDING PROCEDUR	RE
	d) TWO STAGE - TWO ENVELOPE B	IDDING PROCEDURE
	PLEAST SPECIFY IF ANY OTHER EMERGENCY, DIRECT CONTRACTING	METHOD OF PROCUREMENT WAS ADOPTED i.e.  G ETC. WITH BRIEF REASONS:

		Chief Engineer Education works Sukkur
19) APPR	ROVING AUTHORITY FOR AWARD OF CONTR	ACT
20) WHE	THER THE PROCUREMENT WAS INCLUDED I	N ANNUAL PROCUREMENT PLAN?  Yes V No No
21) ADVI	ERTISEMENT:	<del></del>
i)	SPPRA Website (If yes, give date and SPPRA Identification No.)	· ·
ii)	News Papers (If yes, give names of newspapers and dates)	Yes SPPRA S NO 33094 Dated - 04-05-2017
		No
22) NATU	TRE OF CONTRACT	Derivate Int.
WAS	THER QUALIFICATION CRITERIA INCLUDED IN BIDDING / TENDER DOCUMEN s. enclose a copy)	TS?
WAS	THER BID EVALUATION CRITERIA INCLUDED IN BIDDING / TENDER DOCUMEN s, enclose a copy)	TS? Yes No No
	THER APPROVAL OF COMPETENT AUTHORITHOD OTHER THAN OPEN COMPETITIVE BIDD	
26) WAS	BID SECURITY OBTAINED FROM ALL THE BI	DDERS? Yes V No
	THER THE SUCCESSFUL BID WAS LOWEST ET BEST EVALUATED BID (in case of Consultancies	
	THER THE SUCCESSFUL BIDDER WAS TECHN PLIANT?	ICALLY Yes No
	THER NAMES OF THE BIDDERS AND THEIR TIME OF OPENING OF BIDS?	QUOTED PRICES WERE READ OUT AT  Yes No No
CONT	THER EVALUATION REPORT GIVEN TO FRACT? h copy of the bid evaluation report)	BIDDERS BEFORE THE AWARD OF  Yes No No

31) ANY COMPLAINTS RECEIVED (If yes, result thereof)	Yes
	No
<ol> <li>ANY DEVIATION FROM SPECIFICATIONS GIVEN IN (If yes, give details)</li> </ol>	
	Yes No
33) WAS THE EXTENSION MADE IN RESPONSE TIME? (If yes, give reasons)	Yes
	No
34) DEVIATION FROM QUALIFICATION CRITERIA (If yes, give detailed reasons.)	Yes
	No
35) WAS IT ASSURED BY THE PROCURING AGENCY BLACK LISTED?	THAT THE SELECTED FIRM IS NOT Yes V No No
36) WAS A VISIT MADE BY ANY OFFICER/OFFICIAL C SUPPLIER'S PREMISES IN CONNECTION WITH THE BE ASCERTAINED REGARDING FINANCING OF VIS (If yes, enclose a copy)	E PROCUREMENT? IF SO, DETAILS TO IT, IF ABROAD:
37) WERE PROPER SAFEGUARDS PROVIDED ON MOTHER CONTRACT (BANK GUARANTEE ETC.)?	Yes No Y  BILIZATION ADVANCE PAYMENT IN  Yes No Y
38) SPECIAL CONDITIONS, IF ANY (If yes, give bright Description)	Yes
A Section of The Section 1980s.	No
Signature & Official Stamp of Authorized Officer	-
OFFICE USE ONLY	

SPPRA, Block. No.8, Sindh Secretariat No.4-A, Court Road, Karachi Tele: 021-9205356; 021-9205369 & Fax: 021-9206291

Print Save Reset

### **BILL OF QUANTITES**

(A) Description and rate of items based on composite schedule of rates.2012
(B) Description and rate of items based on composite schedule of rates.2004

NAME OF WORK: REHABILITATION / RENOVATION OF DANGEROUS SCHOOL BUILDING IN DISTRICT KHAIRPUR AT (1) GGPS LANISHAN (2) GGPS SHAH BUX MANGI (3) GGPS KOTDIJI-II (4) GBHS KUMB TALUKA KOTDIJI ADP NO. 466. (INTERNAL ELECTRIFICATION)

(PACKAGE NO.10)

(1) G	GPS LANISHAN	.10)	<del></del>		
S.NO:		Qty	Rate	Unit	Amount
L	Part"A" New Schedule Items 2012		<u> </u>	<u></u>	
. 1	Wiring for light or fan point with 3/.029 PVC insulated wire in 20mm (3/4") channel patti on surface as required, (S.No. 129 P-15).	16	910	per point	14560
2	Wiring for plug point with 3/.029 PVC insulated wire in 20mm	4	742	per point	2968
•	(3/4") channel patti on surface as required. (S.No. 130 P-15).				
3	Providing & laying (MAIN or SUB MAIN) PVC insulated with size 2-7/.029 copper conductor in '4' dia PVC conduit recessed in the wall or column as required. CSI No. 3 Page No. 1)	150	171	per Meter	25650
4	Providing & laying (MAIN or SUB MAIN) PVC insulated with	50	252	per Meter	12600
	size 2-7/.036 copper conductor in 1/4" dia PVC conduit				
	recessed in the wall or column as required. (S.I.No:11 P- No:2)				
. 5	Providing & laying (MAIN or SUB MAIN) PVC insulated with	130	341	per Meter	44330
	size 2-7/.044 (6mm2) copper conductor in ¾" dia PVC conduit				
	recessed in the wall or column as required. (S.I.No:12 P- No:2)				
-6	Providing & fixing circuit breaker 6,10,15,20, 30,40,50 & 63amp SP (TB-5S) on prepared board as required (S.I.No:202 P- No:30)	8	916	Each	7328
7	Providing & fixing circuit breaker 6,10,15,20,30,40,50, & 63amp DP (TB-5S) on perpared board required (S.I.No:204 P-No:31)	l	2425	P.No	2425
8	Providing & fixing two pin 5amp plug & flush type (\$.1.No:225 P- No:33)	4	83	P.No	,332
~9	Providing & fixing three pin 10/15amp plug & socket flush type (S.I.No:222 P- No:33)	5	162	P.No	810

	Page 2				
S.NO:	Description	Qty	Rate	Unit	Amount
<u>10</u>	Providing & fixing one way SP 5amp switch flush type(S.I.No:219 P- No:33)	16	54	P.No	864
11	Providing & fixing Bakelite ceiling rose with two terminals (S.l.No:228 P- No:33)	6	72	P.No	432
."	Providing & fixing Brass Battern holder c(S.I.No:232 P-No:33)	10	70	P.No	700
13	Providing & fixing Brass Ceiling fan 56" (good quality) (S.1.No:235 P- No:34)	6	3185	P,No	19110
14	Providing & fixing mild seel bar fan clamp 15.8 mm(5/8") dia suitable for Rcc roof (SI No. 1(c) P-14)	6	141.01	P.No	846
15	P/F distribution metal board double shutter to accommodate circuit breakers including painting with enemel paint and for other siminilar job on surface (S.I.No:15 P- No:13)	2	907.96	P.Sft	1816
16	P/Fenergy sever superior quality including fixing on existing holder etc complete.(S.I.No:6 P- No:33) (24 Walt)	10	497.00	Each	4970
17	P/F earthing set with 2"x2"x1/2" cooper plate burried in groud at a depth of 12" or less if water comes out from the ground level with salt and chorcoal .etc,in/c.making the pit 12"deep by excavation of all type of soil. Earth plat to be connected with No:8	I	3610.04	Each	3610
18	P/F A.C ceiling fan regulator on metal board recessed in the walls column and covered with plastic sheet (S.I.No:2b P-No:14)	6	124.30	Each	746
19	P/F wall bracket light fancy type superior quality including necessary electric connection and fixing on wall oe ceiling etc complete.(S.I.No:5 P-No:33)	4	497.00	Each	1988
-	ممعة في	ľ	<del></del>	,	

نمبخر فجر

GRAND TOTAL:-

# (2) GGPS SHAH BUX MANGI.

S.NQ:	Description	Qty	Rate	Unit	Amount
(l-	Part"A" New Schedule Items 2012				711104111
1	Wiring for light or fan point with 3/.029 PVC insulated wire in 20mm (3/4") channel patti on surface as required. (S.No. 129 P-15).	23	910	per point	20930
2	Wiring for plug point with 3/.029 PVC insulated wire in 20mm	7	742	per point	5194
	(3/4") channel patti on surface as required. (S.No. 130 P-15).				
3	Providing & laying (MAIN or SUB MAIN) PVC insulated with size 2-7/.029 copper conductor in %" dia PVC conduit recessed in the wall or column as required. CSI No. 3 Page No. 1)	150	171	per Meter	25650
4	Providing & laying (MAIN or SUB MAIN) PVC insulated with	50	252	per Meter	12600
	size 2-7/.036 copper conductor in 34" dia PVC conduit				
	recessed in the wall or column as required. (S.I.No:11 P- No:2)				
- 5	Providing & laying (MAIN or SUB MAIN) PVC insulated with	130	341	per Meter	44330
	size 2-7/.044 (6mm2) copper conductor in '4'' dia PVC conduit				
	recessed in the wall or column as required. (S.I.No:12 P- No:2)				
-	Providing & fixing circuit breaker 6,10,15,20, 30,40,50 & 63amp SP (TB-5S) on prepared board as required (S.I.No:202 P- No:30)	8	916	Each	7328
	Providing & fixing circuit breaker 6,10,15,20,30,40,50, & 63amp DP (TB-5S) on perpared board required (S.I.No:204 P-No:31)	1	2425	P.No	2425
	Providing & fixing two pin 5amp plug & flush type (S.I.No:225 P- No:33)	7	83	P.No	581
•	Providing & fixing three pin 10/15amp plug & socket flush type (S.I.No:222 P- No:33)	5	162	P.No	810
	Providing & fixing one way SP 5amp switch flush type(S.f.No:219 P- No:33)	23	54	P.No	1242
	Providing & fixing Bakelite ceiling rose with two terminals (S.I.No:228 P- No:33)	8	72	P.No	576

مِنزعِير

S.NO:	Description	Qty	Rate	Unit	Amount
12	Providing & fixing Brass Battern holder c(S.I.No:232 P-340:33)	15	70	P.No	1050
13	Providing & fixing Brass Ceiling fan 56" (good quality) (S.I.No:235 P- No:34)	8	3185	P.No	25480
14	Providing & fixing mild seel bar fan clamp 15.8 mm(5/8") dia suitable for Rcc roof (Sl No. 1(c) P-14)	8	141.01	P.No	1128
15	P/F distribution metal board double shutter to accommodate circuit breakers including painting with enemel paint and for other simunilar job on surface (S.I.No:15 P- No:13)	2	907,96	P.Sft	1816
16	P/Fenergy sever superior quality including fixing on existing holder etc complete.(S.I.No:6 P- No:33) (24 Walt)	15	497.00	Each	7455 .
-17	P/F earthing set with 2"x2"x1/2" cooper plate burried in groud at a depth of 12" or less if water comes out from the ground level with salt and chorcoal .etc,in/c.making the pit 12"deep by excavation of all type of soil. Earth plat to be connected with No:8	1	3610.04	Each	3610
_18	P/F A.C ceiling fan regulator on metal board recessed in the walls column and covered with plastic sheet (S.I.No:2b P-No:14)	8	124.30	Each	994
19	P/F wall bracket light fancy type superior quality including necessary electric connection and fixing on wall oe ceiling etc complete.(S.I.No:5 P-No:33)	4	497.00	Each	1988

فمؤرج

GRAND TOTAL :-

## (3) GGPS KOTDIJI-II.

S.NO;	Description	Qty	Rate	Unit	Amount
y <del>la</del>	Part"A" New Schedule Items 2012		<u>L ,</u>	ł	
- 1	Wiring for light or fan point with 3/,029 PVC insulated wire in 20mm (3/4") channel patti on surface as required. (S.No. 129 P-15).	23	910	per point	20930
2	Wiring for plug point with 3/.029 PVC insulated wire in 20mm	7	742	per point	5194
	(3/411) channel patti on surface as required. (S.No. 130 P-15).				
3	Providing & laying (MAIN or SUB MAIN) PVC insulated with size 2-7/.029 copper conductor in '4'' dia PVC conduit recessed in the wall or column as required. CSI No. 3 Page No. 1)	150	171	per Meter	25650
4	Providing & laying (MAIN or SUB MAIN) PVC insulated with	90	252	per Meter	22680
	size 2-7/.036 copper conductor in 3/4" dia PVC conduit				
	recessed in the wall or column as required. (S.I.No:11 P- No:2)				·
5	Providing & laying (MAIN or SUB MAIN) PVC insulated with	130	341	per Meter	44330
	size 2-7/.044 (6mm2) copper conductor in ¾11 dia PVC conduit				
	recessed in the wall or column as required. (S.1.No:12 P- No:2)				
6	Providing & fixing circuit breaker 6,10,15,20, 30,40,50 & 63amp, SP (TB-5S) on prepared board as required (S.I.No:202 P-No:30)	8	916	Each	7328
.7	Providing & fixing circuit breaker 6,10,15,20,30,40,50, & 63amp DP (TB-5S) on perpared board required (S.I.No:204 P-No:31)	1	2425	P.No	2425
8	Providing & fixing two pin 5amp plug & flush type (S.I.No:225 P- No:33)	7	83	P.No	581
9	Providing & fixing three pin 10/15amp plug & socket flush type (S.I.No:222 P- No:33)	5	162	P.No	810
10	Providing & fixing one way SP 5amp switch flush type(S.1.No:219 P- No:33)	23	54	P.No	1242
11	Providing & fixing Bakelite ceiling rose with two terminals (S.I.No:228 P- No:33)	8	72	P.No	576

مترجر

S.NO:	Description	Qty	Rate	Unit	Amount
12	Providing & fixing Brass Battern holder c(S.I.No;232 P-No;33)	15	70	P.No	1050
13	Providing & fixing Brass Ceiling fan 56" (good quality) (S.I.No:235 P- No:34)	8	3185	P.No	25480
14	Providing & fixing mild seel bar fan clamp 15.8 mm(5/8") dia suitable for Rcc roof (Sl No. 1(c) P-14)	8	141.01	P.No	1128
15	P/F distribution metal board double shutter to accommodate circuit breakers including painting with enemel paint and for other simmilar job on surface (S.I.No:15 P- No:13)	2	907.96	P.Sft	1816
16	P/Fenergy sever superior quality including fixing on existing holder etc complete.(S.I.No:6 P- No:33) (24 Walt)	15	497.00	Each	7455
17	P/F earthing set with 2"x2"x1/2" cooper plate burried in groud at a depth of 12" or less if water comes out from the ground level with salt and chorcoal ,etc,in/c.making the pit 12"deep by excavation of all type of soil. Earth plat to be connected with No:8	1	3610.04	Each	3610
18	P/F A.C ceiling fan regulator on metal board recessed in the walls column and covered with plastic sheet (S.I.No:2b P-No:14)	8	124.30	Each	994
19 -	P/F wall bracket light fancy type superior quality including necessary electric connection and fixing on wall oe ceiling etc complete.(S.I.No:5 P- No:33)	4	497.00	Each	1988
	עם ע		,		<del> </del>

بفرجو

GRAND TOTAL :-

S.NO:	Description	Qty	Rate	Unit	Amount
	Yart"A" New Schedule Items 2012			.1	
i	Wiring for light or fan point with 3/.029 PVC insulated wire in 20mm (3/4") channel patti on surface as required. (S.No. 129 P-15).	59	910	per point	53690
··· <u>2</u>	Wiring for plug point with 3/.029 PVC insulated wire in 20mm	15	742	per point	11130
	(3/4") channel patti on surface as required. (S.No. 130 P-15).				
3	Wiring for call bell point with 3/.029 PVC insulated wire in 20mm (3/4") channel patti on surface as required. (S.No. 131 P-15).	1	1590	per point	1590
4	Providing & laying (MAIN or SUB MAIN) PVC insulated with size 2-7/.029 copper conductor in ¼" dia PVC conduit recessed in the wall or column as required. CSI No. 3 Page No. 1)	250	171	per Meter	42750
5	Providing & laying (MAIN or SUB MAIN) PVC insulated with	100	252	per Meter	25200
	size 2-7/.036 copper conductor in 3/4" dia PVC conduit				
	recessed in the wall or column as required. (S.I.No:11 P- No:2)				. :
6	Providing & laying (MAIN or SUB MAIN) PVC insulated with	150	341	per Meter	51150
•	size 2-7/.044 (6mm2) copper conductor in 3/4" dia PVC conduit				
	recessed in the wall or column as required. (S.I.No:12 P- No:2)				
7	Providing & fixing circuit breaker 6,10,15,20, 30,40,50 & 63amp SP (TB-5S) on prepared board as required (S.I.No:202 P-No:30)	12	916	Each	10992
8	Providing & fixing circuit breaker 15,20,30, 40,50,60,75 & 100amp TP (XS-100NS) on prepared board as required (S.1.No:207 P-No:31)	1	9261	P.No	9261
9	Providing & fixing circuit breaker 125,150,200 & 225amp TP (XS-225NS) on prepared board as required. (CSI No. 208 Page No.31).	1	25541	P.No	25541
10	Providing & fixing two pin 5amp plug & flush type (S.I.No:225 P- No:33)	15	83	P.No	1245
-11	Providing & fixing three pin 10/15amp plug & socket flush type (S.I.No:222 P- No:33)	5	162	P.No	810
12	Providing & fixing one way SP 5amp switch flush type(S.I.No:219 P- No:33)	59	<b>9</b> /54	P.No	3186
_13	Providing & fixing Bakelite ceiling rose with two terminals (S.I.No:228 P- No:33)	23	72	P.No	1656

ــــــــــــــــــــــــــــــــــــــ	T 1180 2				
S.NO:	Description	Qty	Rate	Unit	Amount
, ,	Providing & fixing Brass Battern holder c(S.I.No:232 P-No:33)	36	70	P.No	2520
15	Providing & fixing Brass Ceiling fan 56" (good quality) (S.I.No:235 P- No:34)	23	3185	P.No	73255
16	Providing & fixing junction box as per following specification Size of box 8"×6"×4"MS plate size 16 SWG thick Clamp	23	800	P.No	18400
	with nuts & bolts Cover plate with screw Painting two coats of rust preventive red oxide & two coats of IC1 oil paint as per site requirement & instruction of EI (SI No. 158 P-24)				
	Providing & Fixing of street light 250 watts (SON-T) having 1P66 classification with 250w lamp, choke, capacitor & Internal wiring complete in all respect at the height With the help of hydraulic crane as per site requirement and instruction of El. (CSI No. 163 Page No. 25)	1	24790	P.No	24790
19	Providing & fixing DP 1/C change over switch 500volts 100amp on a prepared board (S.I.No:197 P- No:30)	1	7612	P.No	7612
20	P/F distribution metal board double shutter to accommodate circuit breakers including painting with enemel paint and for other simmilar job on surface (S.I.No:18 P- No:13)	5	1426.33	P.Sft	7132
21	P/Fenergy sever superior quality including fixing on existing holder etc complete.(S.1.No:6 P- No:33) (24 Walt)	36	497.00	Each	17892
22	P/F AC or DC electric bell 200/250 volt 70MM. (S.I.No:21 P-No:11)	1	150.70	Each	151
-23	P/F flush type electric bell bush button (S.I.No:23 P- No:12)	1	25.19	Each	25
24	P/F earthing set with 2"x2"x1/2" cooper plate burried in groud at a depth of 12" or less if water comes out from the ground level with salt and chorcoal ,etc,in/c,making the pit 12"deep by excavation of all type of soil. Earth plat to be connected with No:8	2	3610.04	Each	7220
25	P/F A.C ceiling fan regulator on metal board recessed in the walls column and covered with plastic sheet (S.I.No:2b P-No:14)	23	124.30	Each	2859
.26	P/F wall bracket light fancy type superior quality including necessary electric connection and fixing on wall oe ceiling etc complete.(S.I.No:5 P- No:33)	10	497.00	Each	4970

بسريخر

Page 3

S.NO:	Description	Qty	Rate	Unit	Amount
<del>-</del> 1 <del>27</del>	P/F on a prepared board iron clade bus bar with for	core strip of 1	8038.00	Each	8038
	igen 200 amp in 24.4 mm x 5.5 mm (1"x7/32")	section with			
	Chamber of over all size 1828x419mm (72" x 16.5				
	18 Pno. 19).				
			GRA	ND TOTAL :-	413065
ì	ABSTRACT	Γ			
- 1 ≬	GGPS Lanishan	Rs:	146085	i	
2	GNPS Shah Bux Mangi	Rs:	165187	•	
3	VØCPS Kotdiji-H	Rs:	175267	•	
4	GBHS Kumb	Rs:	413065	<u>;</u>	
	170tal (A) 899604	G-Total Rs:	89960-	ļ	
7	Above/Below on the rates of CSR sis of premium quoted	Rs. 897805 Total (B) —	_/ Amount to b	e added/deduct	ed on
\	A) = in Words & Figure 897805/= 1	, ,	را خمامة	ace Nim	LU SEVEL
Qtai (i	A) - III Words & Figure	15×17×25	<u> </u>	1111	7
	- Thousand zight hund	ared five	only-	·	
				/1	

EDUCATION WORKS DIVISION KHAIRPUR

### <u>, OFFICE OF THE EXECUTIVE ENGINEER EDUCATION WORKS DIVISION KHAIRPUR</u>

NO: T.C/G-55/EW/KHP:/  $\frac{33.2 \text{ of } / 2017}{\text{KHAIRPUR DATED: } -\frac{3}{12} = \frac{3}{12} = \frac{1}{12}$ 

Tc.

M/S Kamran Enterprises
Government Contractor

Khairpur

SUBJECT: -

REHABILITATION/RENOVATION OF DANGERIOUS SCHOOL BUILDING IN DISTRICT KHAIRPUR ADP- 466 I.E (1) GGHS SADAR JI BHATYOON (2) GBHS RAHOOJA TALUKA KINGRI (INTERNAL ELECTRIFICATION)

PACKAGE NO -11

Reference:

 $\sqrt{3}$ 

Opening Tender opened on : -

3/6/2017

The rate quoted by you for the above-mentioned work on PART-"A" @ 0.18 % Below(Schedule Items)entered in schedule'B'has been approved amounting to Rs 899212/-on schedule items.

You are requested to please attend this office within 07 days to complete the tender documents.

You are requested to supply this office a copy of partnership / deed registration deed of the firm ad power of attorney in the name of partnership of employees of the firm whom you have authorized to sign the bills, receive payments and instructions in respect of this work.

You are requested to start the work within 07 days after issue of this work order complete the same within agreement period of (12) Months

Stipulated date of Start

Stipulated date of Completion

#### IT SHOULD FURTHER BE NOTED THAT

- 1 The work is to be carried out as per PWD specification
- 2 No Cartage for any material either arranged by you or supplied by Government will be paid separately.
- 3 No. Premium will be allowed on Non-Schedule items.
- 4 No Work should be carried out in excess of sanctioned estimate the receipt of this letter may please be acknowledged.

Executive Engineer
Education Works Division
Khairpur

Copy forwarded with compliments to the: -

- 1 The Superintending Engineer Education Works Circle Sukkur for favour of information please
- Copy along with copy of Schedule 'B" forwarded to the Assistant Engineer Education Electrical Works Sub Division Sukkur for information and necessary action. He should report actual date of start of the work to this Office

Copy forworded to the Director (C.B) SPPRA Karachi for favour of information.

Executive Engineer
Education Works Division
Khairpur





M/s Kamran Enterprises
Govt: Contractor


### STANDARD BIDDING DOCUMENT

### PROCUREMENT OF WORKS

(For Contracts Costing up to Rs 2.5 MILLION)

REHABILITATION/RENOVATION OF DANGERIOUS SCHOOL BUILDING IN DISTRICT KHAIRPUR ADP- 466 I.E (1) GGHS SADAR JI BHATYOON (2) GBHS RAHOOJA TALUKA KINGRI (INTERNAL ELECTRIFICATION) PACKAGE NO -11

Standard Bidding Document is intended as a model for admeasurements (Percentage Rate/unit price for unit rates in a Bill of Quantities) types of contract.



Signature of the Contactor

(Seal)

Signature of the Contactor

(Seal)

Signature of the Procuring Agency

Beautiful Linearing

(Marriella Marriella

Witness:

Witness:

(Name, Title and Address)

IN WITNESS WHEREOF the parties hereto have caused this Contract Agreement to be executed on the day, month and year first before written in accordance with their respective

laws.

### FORM OF CONTRACT AGREEMENT

11177	CONTROLL MONDEMENT (UCICIIMITE)	rancu inc. Agreement ) made on inc	
day o	of 200 between	(hereinafter called the	he
"Proc "Con	of 200 between curing Agency") of the one part and stractor") of the other part.	(hereinafter called the	he
	EREAS the Procuring Agency is desirous		
	ld be executed by the Contractor and has ution and completion of such Works and the		he
NOW	V this Agreement witnesseth as follows:		
1.	In this Agreement words and expression respectively assigned to them in the Condi	ons shall have the same meanings as a tions of Contract hereinafter referred to.	re
2.		rating addenda, if any except those pare deemed to form and be read and construct	
	(a) The Letter of Acceptance;		
	<ul><li>(b) The completed Form of Bid along</li><li>(c) Conditions of Contract &amp; Contract</li></ul>		
	<ul><li>(c) Conditions of Contract &amp; Contract</li><li>(d) The priced Schedule of Prices/Bill</li></ul>	•	
	(e) The Specifications; and	1	
	(f) The Drawings		
3.	Contractor as hereinafter mentioned, the	e made by the Procuring Agency to the Contractor hereby covenants with the the Works and remedy defects therein involvisions of the Contract.	ne
4.	execution and completion of the Works as	o pay the Contractor, in consideration of the per provisions of the Contract, the Contract and the provisions of the Contract the Contract.	ct

### SINDH PUBLIC PROCUREMENT REGULATORY AUTHORITY

### CONTRACT EVALUATION FORM

# TO BE FILLED IN BY ALL PROCURING AGENCIES FOR PUBLIC CONTRACTS OF WORKS, SERVICES & GOODS

-1)	NAME OF THE ORGANIZATION / DEPTT.	Education & Literact Department	
2)	PROVINCIAL / LOCAL GOVT./ OTHER	Provincial	· <del>-</del>
3)	TITLE OF CONTRACT	Reh Rome: Q (1) Salar J. Bhatyoor	n 12) Rahmia
4)	TENDER NUMBER	SNO ( 11 ) [Int: Edect: ]	
5)	BRIEF DESCRIPTION OF CONTRACT	Building Work (School Work)	•
6)	FORUM THAT APPROVED THE SCHEME	A A Issued by P&O Department Karachi	
7)	LENDER ESTIMATED VALUE	Rs 0. 900 (M)	
8)	ENGINEER'S ESTIMATE (For civil works only)	T.S. RS 901000	<del></del> .
9)	ESTIMATED COMPLETION PERIOD (AS P	ER CONTRACT) ( 12 ) Months	
	LENDER OPENED ON (DATE & TIME)	03-06-2017	
11)	NUMBER OF TENDER DOCUMENTS SOLI (Attach list of buyers)	O 03 Nos	
12)	NUMBER OF BIDS RECEIVED	. 03 Nos	
13)	NUMBER OF BIDDERS PRESENT AT THE	TIME OF OPENING OF BIDS 03	_
14)	BID EVALUATION REPORT (Enclose a copy)	Copy enclosed	
15)		ULBIDDER M/S Kamran Enter pr	ises.
[6]	CONTRACT AWARD PRICE	Rs 899212	_
		Rs 899212	_
	CONTRACT AWARD PRICE  RANKING OF SUCCESSFUL BIDDER IN EVICE. 191, 2nd, 3rd EVALUATION BID).	Rs 899212	
	RANKING OF SUCCESSFUL BIDDER IN E	RS 899212 VALUATION REPORT	
	RANKING OF SUCCESSFUL BIDDER IN E	RS 899212 VALUATION REPORT	
17)	RANKING OF SUCCESSFUL BIDDER IN EVICE. 1 rd , 2 nd , 3 rd EVALUATION BID).	RS 899212 VALUATION REPORT	
17)	RANKING OF SUCCESSFUL BIDDER IN E	RS 899212 VALUATION REPORT	
17)	RANKING OF SUCCESSFUL BIDDER IN EVICE. 1 rd , 2 nd , 3 rd EVALUATION BID).	RS 899212 VALUATION REPORT  Ist  ck one)	
17)	RANKING OF SUCCESSFUL BIDDER IN EX- tile. 1 rd , 2 nd , 3 rd EVALUATION BID).  METHOD OF PROCUREMENT USED: - (Ti	VALUATION REPORT    st	
17)	RANKING OF SUCCESSFUL BIDDER IN EX- tile. 1 st , 2 nd , 3 rd EVALUATION BID).  METHOD OF PROCUREMENT USED: - (Ti	VALUATION REPORT  Ist  Ck one)  PROCEDURE Yes Domestic/	
17)	RANKING OF SUCCESSFUL BIDDER IN EXTIRE. 1 rd , 2 nd , 3 rd EVALUATION BID).  METHOD OF PROCUREMENT USED: - (Ti a) SINGLE STAGE ONE ENVELOPE  b) SINGLE STAGE – TWO ENVELOPE	VALUATION REPORT    st	

		Chief Engineer Education works Sukkur
19) APPR	OVING AUTHORITY FOR AWARD OF CONTI	RACT
20) WHIT	THER THE PROCUREMENT WAS INCLUDED	IN ANNUAL PROCUREMENT PLAN?  Yes  No
21) ADVI	ERTISEMENT:	
is	SPPRA Website (If yes, give date and SPPRA Identification No.	
ii)	News Papers (If yes, give names of newspapers and dates)	Yes SPPRA S.NO 33094 Dated:- 04-05-2017
		No
22) NATU	TE OF CONTRACT	District Int.
WAS	THER QUALIFICATION CRITERIA INCLUDED IN BIDDING / TENDER DOCUME i, enclose a copy)	Yes V No No
WAS	THER BID EVALUATION CRITERIA INCLUDED IN BIDDING / TENDER DOCUME i. enclose a copy)	Yes V No No
	THER APPROVAL OF COMPETENT AUTHOR IOD OTHER THAN OPEN COMPETITIVE BID	
26) WAS	BID SECURITY OBTAINED FROM ALL THE	BIDDERS? Yes No No
	THER THE SUCCESSFUL BID WAS LOWEST BEST EVALUATED BID (in case of Consultance	100
,	THER THE SUCCESSFUL BIDDER WAS TECH PLIANT?	HNICALLY Yes No V
	THER NAMES OF THE BIDDERS AND THEIR TIME OF OPENING OF BIDS?	R QUOTED PRICES WERE READ OUT AT
CONT	THER EVALUATION REPORT GIVEN TO TRACT? It copy of the bid evaluation report)	Yes No No

AL ANNO COMBLAINER BEOURINGS	<u></u>
3D ANY COMPLAINTS RECEIVED (If yes, result thereof)	Yes
Th yest result (hereon)	
	No
32) ANY DEVIATION FROM SPECIFICATIONS GIVEN IN	NITHE TENDER NOTICE / DOCUMENTS
(If yes, give details)	Yes
	No
33) WAS THE EXTENSION MADE IN RESPONSE TIME?	
(If yes, give reasons)	Yes
	No
34) DEVIATION FROM QUALIFICATION CRITERIA (If yes, give detailed reasons.)	Yes
(11 yes, give delitted reasons,)	163
	No
35) WAS IT ASSURED BY THE PROCURING AGENCY	Y THAT THE SELECTED FIRM IS NOT
BLACK LISTED?	Yes V No
36) WAS A VISIT MADE BY ANY OFFICER/OFFICIAL	
SUPPLIER'S PREMISES IN CONNECTION WITH <b>TH</b> BE ASCERTAINED REGARDING FINANCING <b>OF VI</b> S	
(If yes, enclose a copy)	
,	Yes No
37) WERE PROPER SAFEGUARDS PROVIDED ON MC	ORILIZATION ADVANCE PAYMENT IN
THE CONTRACT (BANK GUARANTEE ETC.)?	·
A	Yes No
38) SPECIAL CONDITIONS, IF ANY	
(If (es. gively ief Description)	Yes
M FART (TO MANAGE AND	
The state of the s	No
ASIARENA	<u> </u>
Signature & Official Stamp of	
Authorized Officer	
	· · · · · · · · · · · · · · · · · · ·
OFFICE USE ONLY	
OFFICE USE ONLY	

<u>SPPRA, Block. No.8, Sindh Secretariat No.4-A, Court Road, Karachi</u> Tele: 021-9205356; 021-9205369 & Fax: 021-9206291

Print Save Reset

### BILL OF QUANTITES

(A) Description and rate of items based on composite schedule of rates.2012

(B) Description and rate of items based on composite schedule of rates.2004

§ NAME OF WORK: REHABILITATION / RENOVATION OF DANGEROUS SCHOOL BUILDING

#### IN DISTRICT KHAIRPUR AT GGHS SADAR-JI-BHATYOON. (INTERNAL ELECTRIFICATION)

S.NO:	Description	Qty	Rate	Unit	Amount
	Part"A" New Schedule Items 2012				
l	Wiring for light or fan point with 37.029 PVC insulated wire in 20mm (3/4**) channel patti on surface as required. (S.No. 129 P-15).	41	910	per point	37310
2	Wiring for plug point with 3/.029 PVC insulated wire in 20mm	9	742	per point	6678
	(3/411) channel patti on surface as required. (S.No. 130 P-15).				
3	Providing & laying (MAIN or SUB MAIN) PVC insulated with size 2-7/.029 copper conductor in ½21 dia PVC conduit recessed in the wall or column as required, CSI No. 3 Page No. 1)	300	171	per Meter	51300
4	Providing & laying (MAIN or SUB MAIN) PVC insulated with size 2-7/.036 copper conductor in 4° dia PVC conduit recessed in the wall or column as required. (S.I.No:11 P-No:2)	200	252	per Meter	50400
5	Providing & laying (MAIN or SUB MAIN) PVC insulated with size 2-7/.044 (6mm2) copper conductor in %" dia PVC conduit recessed in the wall or column as required. (S.I.No:12 P- No:2)	200	341	per Meter	68200
6	Providing & fixing circuit breaker 6,10,15,20, 30.40,50 & 63amp SP (TB-5S) on prepared board as required (S.I.No:202 P- No:30)	12	916	Each	10992
7	Providing & fixing circuit breaker 15,20,30, 40,50,60,75 & 100amp TP (XS-100NS) on prepared board as required (S.I.No:207 P- No:31)	1	9261	P.No	9261
8	Providing & fixing two pin 5amp plug & flush type (S.I.No:225 P- No:33)	9	83	P.No	747
9	Providing & fixing three pin 10/15amp plug & socket flush type (S.LNo:222 P-No:33)	5	162	P.No	810
10	Providing & fixing one way SP 5amp switch tlush type(S.I.No;219 P- No;33)	11	2 5:	P.No	2214



	rage 2				
S.NO:	Description	Qty	Rate	Unit	Amount
	Providing & fixing Bakelite ceiling rose with two terminals (S.I.No:228 P- No:33)	18	72	P.No	1296
12	Providing & fixing Brass Battern holder c(S.I.No:232 P-No:33)	23	70	P.No	1610
13	Providing & fixing Brass Ceiling fan 56" (good quality) (S.l.No:235 P- No:34)	18	3185	P.No	57330
!4	Providing & fixing junction box as per following specification Size of box 8"×6"×4"MS plate size 16 SWG thick Clamp with nuts & bolts Cover plate with screw Painting two coats of rust preventive red oxide & two coats of ICI oil paint as per site requirement & instruction of EI (SI No. 158 P-24)	18	800	P.No	14400
15	P/F distribution metal board double shutter to accommodate circuit breakers including painting with enemel paint and for other simmilar job on surface (S.I.No;18 P- No;13)	5	1426.33	P.Sft	7132
16	P/Fenergy sever superior quality including fixing on existing holder etc complete.(S.I.No:6 P- No:33) (24 Walt)	23	497.00	Each	11431
17	P/F AC or DC electric bell 200/250 volt 70MM. (S.I.No:21 P-No:11)	1	150.70	Each	151
18	Providing & Fixing of street light 250 watts (SON-T) having IP66 classification with 250w lamp, choke, capacitor & Internal wiring complete in all respect at the height With the help of hydraulic crane as per site requirement and instruction of El. (CSI No. 163 Page No. 25)	4	24790	P.No	99160
19	P/F flush type electric bell bush button (S.I.No:23 P- No:12)	1	25.19	Each	25
20	P/F earthing set with 2"x2"x1/2" cooper plate burried in groud at a depth of 12" or less if water comes out from the ground level with salt and chorcoal ,etc,in/c,making the pit 12"deep by excavation of all type of soil. Earth plat to be connected with No:8	2	3610.04	Each	7220
21	P/F A.C ceiling fan regulator on metal board recessed in the walls column and covered with plastic sheet (S.I.No:2b P-No:14)	18	124.30	Each	2237



Page 3

S.NO:	Description	Qty	Rate	Unit	Amount
22	P/F wall bracket light fancy type superior quality including necessary electric connection and fixing on wall oe ceiling etc complete.(S.I.No:5 P- No:33)	4	497.00	Each	1988

GRAND TOTAL :-



### **BILL OF QUANTITES**

(A) Description and rate of items based on composite schedule of rates.2012
(B) Description and rate of items based on composite schedule of rates.2004

NAME OF WORK:- REHABILITATION / RENOVATION OF DANGEROUS SCHOOL BUILDING

### IN DISTRICT KHAIRPUR AT GBHS RAHUJA. (INTERNAL ELECTRIFICATION)

S.NO:	Description		Rate	Unit	Amount
3,:10,	Part"A" New Schedule Items 2012	Qty	Rate	Unit	Amount
I	Wiring for light or fan point with 3/.029 PVC insulated wire in 20mm (3/4") channel patti on surface as required, (S.No. 129 P-15).	41	910	per point	37310
2	Wiring for plug point with 3/.029 PVC insulated wire in 20mm	9	742	per point	6678
	(3/4") channel patti on surface as required. (S.No. 130 P-15),				
3	Providing & laying (MAIN or SUB MAIN) PVC insulated with size 2-7/.029 copper conductor in '4'' dia PVC conduit recessed in the wall or column as required, CSI No. 3 Page No. 1)	300	171	per Meter	51300
4	Providing & laying (MAIN or SUB MAIN) PVC insulated with size 2-7/.036 copper conductor in 3/211 dia PVC conduit recessed in the wall or column as required. (S.I.No:11 P-No:2)	200	252	per Meter	50400
5	Providing & laying (MAIN or SUB MAIN) PVC insulated with size 2-7/.044 (6mm2) copper conductor in ¼" dia PVC conduit recessed in the wall or column as required. (S.I.No:12 P- No:2)	250	341	per Mcter	85250
6	Providing & fixing circuit breaker 6,10,15,20, 30,40,50 & 63amp SP (TB-5S) on prepared board as required (S.I.No:202 P- No:30)	12	916	Each	10992
7	Providing & fixing circuit breaker 15,20,30, 40,50,60,75 & 100amp TP (XS-100NS) on prepared board as required (S.1.No:207 P- No:31)	I	9261	P.No	9261
8	Providing & fixing two pin 5amp plug & flush type (S.I.No:225 P- No:33)	9	83	P.No	747
9	Providing & fixing three pin 10/15amp plug & socket flush type (S.I.No:222 P- No:33)	5	162	P.No	810
10	Providing & fixing one way SP 5amp switch flush type(S.I.No:219 P- No:33)	41	54	P.No	2214



Page 2					
S.NO:	Description	Qty	Rate	Unit	Amount
<u>                                     </u>	Providing & fixing Bakelite ceiling rose with two terminals (S.I.No:228 P- No:33)	18	72	P.No	1296
12	Providing & fixing Brass Battern holder c(\$.1.No:232 P-No:33)	23	70	P.No	1610
13	Providing & fixing Brass Ceiling fan 56" (good quality) (S.I.No:235 P- No:34)	18	3185	P.No	57330
14	Providing & fixing junction box as per following specification Size of box 8"×6"×4"MS plate size 16 SWG thick Clamp with nuts & bolts Cover plate with screw Painting two coats of rust preventive red oxide & two coats of ICI oil paint as per site requirement & instruction of EI (SI No. 158 P-24)	18	800	P.No	14400
15	P/F distribution metal board double shutter to accommodate circuit breakers including painting with enemel paint and for other simmilar job on surface (S.I.No:18 P- No:13)	5	1426.33	P.Sft	7132
16	P/Fenergy sever superior quality including fixing on existing holder etc complete.(S.I.No:6 P- No:33) (24 Walt)	23	497.00	Each	11431
17	P/F AC or DC electric bell 200/250 volt 70MM. (S.f.No:21 P-No:11)	1	150.70	Each	151
18	Providing & Fixing of street light 250 watts (SON-T) having IP66 classification with 250w lamp, choke, capacitor & Internal wiring complete in all respect at the height With the help of hydraulic crane as per site requirement and instruction of EL (CSI No. 163 Page No. 25)	4	24790	P.No	99160
19	P/F flush type electric bell bush button (S.I.No:23 P- No:12)	1	25.19	Each	25
20	P/F earthing set with 2"x2"x1/2" cooper plate burried in groud at a depth of 12" or less if water comes out from the ground level with salt and chorcoal ,etc,in/c,making the pit 12"deep by excavation of all type of soil. Earth plat to be connected with No:8	2	3610.04	Each	7220
21	P/F A.C ceiling fan regulator on metal board recessed in the walls column and covered with plastic sheet (S.I.No:2b P-No:14)	18	124:30	Each	2237



_		1 age 3				
	Sino:	Description	Qty	Rate	Unit	Amount
1	22	P/F wall bracket light fancy type superior quality including	4	497.00	Each	1988
Ł	es.	necessary electric connection and fixing on wall oe ceiling etc				
		Ebmplete.(S.I.No:5 P- No:33)			г	00.45
			, _	GRAN	D TOTAL :-	458942
		ABSTRACT		_ (		
	ł	•	Rs:	441892		
	2		Rs:	458942		
	. 1	G-Total	Rs:	900834		
	Amount	Total (A) 900 834				
		18% Above Below on the rates of CSR Rs. 899	210	(		
	10	Above Below on the rates of CSR Rs. OII	212	/ Amount to be	added/deducte	ea on
	the basi	is of premium quoted Total (B) ~	-			
	Total	) = in Words & Figure 899212/= Pupees	Eigh	A Lace	Mody 1	Wine Thousas
	/	9	V		Ü	
		18/17- Two hundred Twelve or	nly -	•		
	(	₺ \ `	U		1	
					//_	
	_	ρ				1
	<b>(</b>	<del>}</del> /				
	_	$\alpha$		n	(ECUTIVE EN)	GINEER
	CONTR	ACTOR		EDUCA	ATION WORK	
				7	KHAIRPU	R

#### *OFFICE OF THE EXECUTIVE ENGINEER EDUCATION WORKS DIVISION KHAIRPUR

NO: T.C/G-55/EW/KHP://337 of/2017 KHAIRPUR DATED: - 4 -9 - /2017

To,

M/S Raza Builders

Government Contractor

Khairpur

SUBJECT: -

REHABILITATION/RENOVATION OF DANGERIOUS SCHOOL BUILDING IN DISTRICT KHAIRPUR ADP- 466 I.E (1) GBPS AHMEDPUR (2) GBPS PIR JO GOTH-II TALUKA KINGRI (INTERNAL ELECTRIFICATION)

PACKAGE NO -12

Reference:

Opening Tender opened on : -

3/6/2017

The rate quoted by you for the above-mentioned work on PART-"A" @ 0.18% Below(Schedule Items)entered in schedule'B'has been approved amounting to Rs782130/-on schedule items.

You are requested to please attend this office within 07 days to complete the tender documents.

You are requested to supply this office a copy of partnership / deed registration deed of the firm ad power of attorney in the name of partnership of employees of the firm whom you have authorized to sign the bills, receive payments and instructions in respect of this work.

You are requested to start the work within 07 days after issue of this work order complete the same within agreement period of ( 12 ) Months

Stipulated date of Start

Stipulated date of Completion

#### IT SHOULD FURTHER BE NOTED THAT

- 1 The work is to be carried out as per PWD specification
- 2 No Cartage for any material either arranged by you or supplied by Government will be paid separately.
- 3 No. Premium will be allowed on Non-Schedule items.
- 4 No Work should be carried out in excess of sanctioned estimate the receipt of this letter may please be acknowledged.

Executive Engineer Education Works Division Khairpur

Copy forwarded with compliments to the: -

- 1 The Superintending Engineer Education Works Circle Sukkur for favour of information please
- Copy along with copy of Schedule 'B" forwarded to the Assistant Engineer Education Electrical Works Sub Division Sukkur for information and necessary action. He should report actual date of start of the work to this Office
- 3 Copy forworded to the Director (C.B) SPPRA Karachi for favour of information.

Executive Engineer

Education Works Division

Khairpur

670 12

M/s Raza Builders
Govt: Contractor


REDDING DOCUMENT

### PROCUREMENT OF WORKS

(For Contracts Costing up to Rs 2.5 MILLION)

Rehabilitation/Renovation of Dangerous School Buildings In District Khairpur @ 1) GBPS Ahmed Pur, 2) GBPS Pir Jo Goth-II, Taluka Kingri (Internal Electrification)

Standard Bidding Document is intended as a model for admeasurements (Percentage Rate/unit price for unit rates in a Bill of Quantities) types of contract.



CONTRACTOR

₹#. EXECUT**NÆ** EDUCATION WORKS DIVISION KHAIRPUR

### FORM OF CONTRACT AGREEMENT

day of	CONTRACT AGREEMENT (hereinafter called the "Agreement") made on the
"Procui	ring Agency") of the one part and (hereinafter called the actor") of the other part.
should	EAS the Procuring Agency is desirous that certain Works, viz be executed by the Contractor and has accepted a Bid by the Contractor for the on and completion of such Works and the remedying of any defects therein.
NOW t	his Agreement witnesseth as follows:
1.	In this Agreement words and expressions shall have the same meanings as are respectively assigned to them in the Conditions of Contract hereinafter referred to.
2.	The following documents after incorporating addenda, if any except those parts relating to Instructions to Bidders, shall be deemed to form and be read and construed as part of this Agreement, viz:
	<ul> <li>(a) The Letter of Acceptance;</li> <li>(b) The completed Form of Bid along with Schedules to Bid;</li> <li>(c) Conditions of Contract &amp; Contract Data;</li> <li>(d) The priced Schedule of Prices/Bill of quantities (BoQ);</li> <li>(e) The Specifications; and</li> <li>(f) The Drawings</li> </ul>
3.	In consideration of the payments to be made by the Procuring Agency to the Contractor as hereinafter mentioned, the Contractor hereby covenants with the Procuring Agency to execute and complete the Works and remedy defects therein in conformity and in all respects within the provisions of the Contract.
4.	The Procuring Agency hereby covenants to pay the Contractor, in consideration of the execution and completion of the Works as per provisions of the Contract, the Contract Price or such other sum as may become payable under the provisions of the Contract at the times and in the manner prescribed by the Contract
	/4

کتم	IN WITNESS WHEREOF the parties hereto has executed on the day, month and year first before laws.	ave caused this Contract Agreement to b written in accordance with their respective
	Signature of the Contactor (Seal)	Signature of the Procuring Agency  Real Trace Education  Real Marks Division
	Signed, Sealed and Delivered in the presence of:	
	Witness:	Witness:

(Name, Title and Address)

(Name, Title and Address)

# SINDH PUBLIC PROCUREMENT REGULATORY AUTHORITY

### CONTRACT EVALUATION FORM

# TO BE FILLED IN BY ALL PROCURING AGENCIES FOR PUBLIC CONTRACTS OF WORKS, SERVICES & GOODS

T)	NAME OF THE ORGANIZATION / DEPTT,	Education & Literact Department
21	PROVINCIAL / LOCAL GOVT / OTHER	Provincial
3)	TIFLE OF CONTRACT	Rehlpans @ m/1888 Ab =Do to 1888 Parts
4)	TENDER NUMBER	Rehleno @ MURPS Ammed pur (2) (1898 Pirdo: 5 No 1 12 12 (Internal Electrica) cation)
5)	BRIEF DESCRIPTION OF CONTRACT	Building Work (School Work)
6)	FORUM THAT APPROVED THE SCHEME	A A Issued by P&D Department Karachi
7)	TENDER ESTIMATED VALUE	Rs 0.784 (M)
8)	ENGINEER'S ESTIMATE (For civil works only)	TS RS 784000
9)	USTIMATED COMPLETION PERIOD (AS P	ER CONTRACT) ( 12 ) Months
10)	TENDER OPENED ON (DATE & TIME)	03-06-2017
11)	NUMBER OF TENDER DOCUMENTS SOLE (Attach list of buyers)	) 03 Nos
(2)	NUMBER OF BIDS RECEIVED	03 Nos
13)	NUMBER OF BIDDERS PRESENT AT THE	TIME <b>OF</b> OPENING OF BIDS 03
14)	BID EVALUATION REPORT (Enclose a copy)	Copy enclosed
15)	NAME AND ADDRESS OF THE SUCCESSE	UL BIDDER MIS Raza Builders.
16)	CONTRACT AWARD PRICE	Rs 782130
<b>(</b> 7)	RANKING OF SUCCESSFUL BIDDER IN EVOLUTION BID. (i.e. $1^s$ , $2^{sd}$ , $3^{sd}$ EVALUATION BID).	VALUATION REPORT
18)	METHOD OF PROCUREMENT USED : - (Tid	ck one)
	3) SINGLE STAGE - ONE ENVELOPE	PROCEDURE Yes Domestic/ Local
	b) SINGLE STAGE – TWO ENVELOPE	PROCEDURE
	c) TWO STAGE BIDDING PROCEDUR	ti
	di TWO STAGE – TWO ENVELOPE BI	
	PLEASE SPECIFY IF ANY OTHER EMERGENCY, DIRECT CONTRACTING	METHOD OF PROCUREMENT WAS ADOPTED i.e. 5 ETC. WITH BRIEF REASONS:

			С	hief Engineer Education works Sukkur
191	APPRO	VING AUTHORITY FOR AWARD OF CONTRA	ACT _	
20)	WHETE	IER THE PROCUREMENT WAS INCLUDED IN	N ANN	TUAL PROCUREMENT PLAN?
				Yes V No
21)	ADVER	CTISEMENT :		
	:1	SPPRA Website	Yes	SPPRA S.NO 33094 Dated - 04-05-2017
		(If yes, give date and SPPRA Identification No.)	No	<del></del>
	ii)	News Papers	\ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \	2007 6 410 2000 4 D 4 4 4 5 5 5 5 5 7
	,	(If yes, give names of newspapers and dates)	Yes	SPPRA S.NO 33094 Dated 04-05-2017
			No	
22)	NATUR	E OF CONTRACT		Domestic / Int.
				(ACA)   V   1116.
23)	WHETE WAS IN	IER QUALIFICATION CR <mark>ITERIA</mark> (CLUDED IN BIDDING / TENDER <b>DOCUM</b> EN)	TS?	
	(If yes, e	enclose a copy)		Yes No
241	WHETT	IER BID EVALUATION CRITERIA		
	WAS IN	CLUDED IN BIDDING : TENDER DOCUMEN' enclose a copy)	TS?	Yes No
25)		HER APPROVAL OF COMPETENT AUTHORIT		S OBTAINED FOR USING A
	METHO	OD OTHER THAN OPEN COMPETITIVE BIDDI	NG?	Yes No
26)	WAS B	ID SECURITY OBTAINED FROM ALL THE BI	DDER	S? Yes V No
		HER THE SUCCESSFUL BID WAS LOWEST EVENTED BID (in case of Consultancies		ATED Yes No No
	WHETE COMPL	HER THE SUCCESSFUL BIDDER WAS TECHN JANT?	ICALI	Yes No
29)		IER NAMES OF THE BIDDERS AND THEIR OME OF OPENING OF BIDS?	QUOT	
		01 <u>B</u> 0 <u>B</u> 2		Yes V No
	WHE IT	IER EVALUATION REPORT GIVEN TO I	BIDDE	ERS BEFORE THE AWARD OF
		copy of the bid evaluation report)		

<b>→</b>	
31) ANY COMPLAINTS RECEIVED (If yes, result thereof)	Yes
	No
32) ANY DEVIATION FROM SPECIFICATIONS GIVEN IN	THE TENDER NOTICE / DOCUMENTS
(If yes, give details)	Yes
	No
33) WAS THE EXTENSION MADE IN RESPONSE TIME? (If yes, give reasons)	Yes
sette e	No
34) DEVIATION FROM OF ALIFICATION CRITERIA	IND
(If yes, give detailed reasons.)	Yes
	No
35) WAS IT ASSURED BY THE PROCURING AGENCY BLACK LISTED?	<u> </u>
36) WAS A VISIT MADE BY ANY OFFICER/OFFICIAL OF SUPPLIER'S PREMISES IN CONNECTION WITH THE BE ASCERTAINED REGARDING FINANCING OF VISI	PROCUREMENT? IF SO, DETAILS TO
(If yes, enclose a copy)	Yes No
37) WERE PROPER SAFEGUARDS PROVIDED ON MOB THE CONTRACT (BANK GUARANTEE ETC.)?	ILIZATION ADVANCE PAYMENT IN  Yes No
38) SPECIAL CONDITIONS, IF ANY (If yes, give Edge) Description)	Yes
	No
Signature & Official Stamp of Authorized Officer	
FOR OFFICE USE ONLY	
POR OFFICE USE UNLI	

<u>SPPRA, Block. No.8, Sindh Secretariat No.4-A, Court Road, Karachi</u> Tele: 021-9205356; 021-9205369 & Fax: 021-9206291

Print Save Reset

### BILL OF QUANTITES

(A) Description and rate of items based on composite schedule of rates, 2012
(B) Description and rate of items based on composite schedule of rates, 2004

NAME OF WORK: REHABILITATION / RENOVATION OF DANGEROUS SCHOOL BUILDING IN DISTRICT KHAIRPUR AT (1) GBPS AHMED PUR (2) GBPS PIR JO GOTH-II TALUKA KINGRI ADP NO. 466. (INTERNAL ELECTRIFICATION)

#### (PACKAGE NO.12)

(1) <b>G</b>	BPS AHMED PUR	12)	<del> </del>	<del></del>	
S.NO:		Qty	Rate	Unit	Amount
<u></u>	Part"A" New Schedule Items 2012		l	<u> </u>	
	Wiring for light or fan point with 3/.029 PVC insulated wire in 20mm (3/4") channel patti on surface as required. (S.No. 129 P-15).	46	910	per point	41860
2	Wiring for plug point with 3/,029 PVC insulated wire in 20mm	10	742	per point	7420
	(3/4") channel patti on surface as required. (S.No. 130 P-15).				
. 3	Providing & laying (MAIN or SUB MAIN) PVC insulated with size 2-7/.029 copper conductor in 3/4" dia PVC conduit recessed in the wall or column as required, CSI No. 3 Page No. 1)	150	171	per Meter	25650
4	Providing & laying (MAIN or SUB MAIN) PVC insulated with	75	252	per Meter	18900
	size 2-7/.036 copper conductor in 3/4" dia PVC conduit				
	recessed in the wall or column as required. (S.I.No:11 P- No:2)				
5	Providing & laying (MAIN or SUB MAIN) PVC insulated with	100	341	per Meter	34100
	size 2-7/.044 (6mm2) copper conductor in 3/4" dia PVC conduit				
	recessed in the wall or column as required, (S.I.No:12 P- No:2)				
6	Providing & fixing circuit breaker 6,10,15,20, 30,40,50 & 63amp SP (TB-5S) on prepared board as required (S.I.No:202 P- No:30)	8	916	. Each	7328
•7	Providing & fixing circuit breaker 15,20,30, 40,50,60,75 & 100amp TP (XS-100NS) on prepared board as required (S.I.No:207 P- No:31)	-1	9261	P.No	9261
8	Providing & fixing two pin 5amp plug & flush type (S.I.No:225	10	83	P.No	830
	P- No:33)				
9	Providing & fixing three pin 10/15amp plug & socket flush type (S.I.No:222 P- No:33)	5	162	P.No	810
	Providing & fixing one way SP 5amp switch flush type(S.I.No:219 P- No:33)	46	54	P.No	2484

<del></del>	rage 2		·		
S.NO:	1	Qty	Rate	Unit	Amount
11	Providing & fixing Bakelite ceiling rose with two terminals (S.I.No:228 P- No:33)	16	72	P.No	1152
12	Providing & fixing Brass Battern holder c(S.I.No;232 P-No;33)	30	70	P.No	2100
13	Providing & fixing Brass Ceiling fan 56" (good quality) (S.I.No:235 P- No:34)	16	3185	P.No	50960
14	Providing & fixing junction box as per following specification	16	800	P.No	12800
	Size of box 8''×6''×4''MS plate size 16 SWG thick Clamp				
	with nuts & bolts Cover plate with screw Painting two coats of				
	rust preventive red oxide & two coats of ICI oil paint as per site				
•	requirement & instruction of EI (SI No. 158 P-24)				
15	P/F distribution metal board double shutter to accommodate circuit breakers including painting with enemel paint and for other simmilar job on surface (S.I.No:18 P- No:13)	2	1426.33	P.Sft	2853
16	P/Fenergy sever superior quality including fixing on existing holder etc complete.(S.I.No:6 P- No:33) (24 Walt)	30	497.00	Each	14910
17	P/F AC or DC electric bell 200/250 volt 70MM. (S.I.No:21 P-No:11)	1	150.70	Each	151
	Providing & Fixing of street light 250 watts (SON-T) having IP66 classification with 250w lamp, choke, capacitor & Internal wiring complete in all respect at the height With the help of hydraulic crane as per site requirement and instruction of El. (CSI No. 163 Page No. 25)	1	24790	P.No	24790
19	P/F flush type electric bell bush button (S.I.No:23 P- No:12)	1	25.19	Each	25
20	P/F earthing set with 2"x2"x1/2" cooper plate burried in groud at a depth of 12" or less if water comes out from the ground level with salt and chorcoal ,etc,in/c,making the pit 12"deep by excavation of all type of soil. Earth plat to be connected with No:8	1	3610.04	Each	3610
21	P/F A.C ceiling fan regulator on metal board recessed in the walls column and covered with plastic sheet (S.I.No:2b P-No:14)	16	124.30	Each	1989
22	P/F wall bracket light fancy type superior quality including necessary electric connection and fixing on wall oe ceiling etc complete.(S.I.No:5 P- No:33)	4	497.00	Each	1988
	li		l .		

Quelle

GRAND TOTAL :-

265970

# (2) GBPS PI-JO-GOTH-II.

(2) (3)	5 11-00-d0111-11.	<del></del> .	<del>,</del>	<del>,</del>	
S.NO?	Description	Qty	Rate	Unit	Amount
	Part"A" New Schedule Items 2012	•			
ì	Wiring for light or fan point with 3/.029 PVC insulated wire in 20mm (3/4") channel patti on surface as required. (S.No. 129 P-15).	39	910	per point	35490
. 2	Wiring for plug point with 3/.029 PVC insulated wire in 20mm	8	742	per point	5936
	(3/4") channel patti on surface as required. (S.No. 130 P-15).				
3	Wiring for call bell point with 3/.029 PVC insulated wire in 20mm (3/4") channel patti on surface as required. (S.No. 131 P-15).	1	1590	per point	1590
	Providing & laying (MAIN or SUB MAIN) PVC insulated with size 2-7/.029 copper conductor in 3/4" dia PVC conduit recessed in the wall or column as required. CSI No. 3 Page No. 1)	300	171	per Meler	51300
. 5	Providing & laying (MAIN or SUB MAIN) PVC insulated with	200	252	per Meter	50400
	size 2-7/.036 copper conductor in 341 dia PVC conduit				
,	recessed in the wall or column as required. (S.J.No:11 P- No:2)				
6	Providing & laying (MAIN or SUB MAIN) PVC insulated with	250	341	per Meter	85250
	size 2-7/.044 (6mm2) copper conductor in 341 dia PVC conduit				
	recessed in the wall or column as required, (S.I,No:12 P- No:2)				
7	Providing & fixing circuit breaker 6,10,15,20, 30,40,50 & 63amp SP (TB-5S) on prepared board as required (S.I.No:202 P- No:30)	12	916	Each	10992
. 8	Providing & fixing circuit breaker 15,20,30, 40,50,60,75 & 100amp TP (XS-100NS) on prepared board as required (S.I.No:207 P- No:31)	1	9261	P.No	9261
9	Providing & fixing circuit breaker 125,150,200 & 225amp TP (XS-225NS) on prepared board as required. (CSI No. 208 Page No.31).	1	25541	P.No	25541
10	Providing & fixing two pin 5amp plug & flush type (S.I.No:225 P- No:33)	8	83	P.No	664
. 11	Providing & fixing three pin 10/15amp plug & socket flush type (S.I. 11)222 P- No:33)	5	162	P.No	810

<u>}</u>	r age 2			1114	Amount
S.NO:	Description	Qty	Rate	Unit	Amount
ام 12	Providing & fixing one way SP 5amp switch flush type(S.I.No:219 P- No:33)	39	54	P.No	2106
13	Providing & fixing Bakelite ceiling rose with two terminals (S.I.No:228 P- No:33)	18	72	P.No	1296
14	Providing & fixing Brass Battern holder c(S.I.No:232 P-No:33)	21	70	P,No	1470
15	Providing & fixing Brass Ceiling fan 56" (good quality) (S.I.No:235 P- No:34)	18	3185	P.No	57330
16	Providing & fixing junction box as per following specification Size of box 8"×6"×4"MS plate size 16 SWG thick Clamp with nuts & bolts Cover plate with screw Painting two coats of rust preventive red oxide & two coats of ICl oil paint as per site requirement & instruction of El (SI No. 158 P-24)	18	800	P.No	14400
-17	Providing & Fixing of street light 250 watts (SON-T) having IP66 classification with 250w lamp, choke, capacitor & Internal wiring complete in all respect at the height With the help of hydraulic crane as per site requirement and instruction of EL (CSI No. 163 Page No. 25)	5	24790	P.No	123950
18	Providing & fixing DP I/C change over switch 500volts 100amp on a prepared board (S.I.No:197 P- No:30)	1	7612	P.No	7612
	P/F distribution metal board double shutter to accommodate circuit breakers including painting with enemel paint and for other simmilar job on surface (S.I.No:18 P- No:13)	5	1426.33	P.Sft	7132
20	P/Fenergy sever superior quality including fixing on existing holder etc complete.(S.I.No:6 P- No:33) (24 Walt)	21	497.00	Each	10437
-21	P/F AC or DC electric bell 200/250 volt 70MM. (S.1.No:21 P-No:11)	1	150.70	Each	151
22	P/F flush type electric bell bush button (S.I.No:23 P- No:12)	ì	25.19	Each	25
23	P/F earthing set with 2"x2"x1'2" cooper plate burried in groud at a depth of 12" or less if water comes out from the ground level with salt and chorcoal ,etc,in/c.making the pit 12"deep by excavation of all type of soil. Earth plat to be connected with No:8	2	3610.04	Each	7220

S.NO:	Description	Qty	Rate	Unit	Amount
24 <b>∀</b>	P.F. A.C ceiling fan regulator on metal board recessed in the walls column and covered with plastic sheet (S.I.No;2b P-No;14)	18	124.30	Each	2237
25	P/F wall bracket light fancy type superior quality including necessary electric connection and fixing on wall oe ceiling etc complete.(S.I.No:5 P- No:33)	10	497.00	Each	4970
			GRAN	D TOTAL :-	517570
	ABSTRACT				
1		Rs:	265970		
2	GBPS Pir Jo Goth-fl G-Total	Rs:	517570 783540		
<i>(</i>	Total (4) 783540	ıan	/ Amount to be	addud/dadusts	d on
he bas	Above /Below on the rates of CSR Rs. 782	-	Amount to be		
he bas	Above /Below on the rates of CSR Rs. 782 is of premium quoted  Total (B) -  Total (B) -  Total (B) -	-			
he bas	Above /Below on the rates of CSR Rs. 782	-			
ne bas	Above /Below on the rates of CSR Rs. 782 is of premium quoted  Total (B) -  Total (B) -  Total (B) -	-		ighty To	

### OFFICE OF THE EXECUTIVE ENGINEER EDUCATION WOF

NO: T.C/G-KHAIRPU

To,

M/S Kamran Enterprises
Government Contractor

Khairpur

SUBJECT: -

REHABILITATION/RENOVATION OF DANGERIOUS SCH.
IN DISTRICT KHAIRPUR ADP- 466 LE (1) GBPS GEHALPU.
GAMBAT NO;-I (3) GBPS GAMBAT-II TALUKA GAMBAT (INTE

**ELECTRIFICATION) PACKAGE NO -13** 

Reference:

Opening Tender opened on : -

3/6/2017

The rate quoted by you for the above-mentioned work on PART-"A" @ 0.20% Below(Schedule Items)entered in schedule'B'has been approved amounting to Rs 749631/-on schedule items.

You are requested to please attend this office within 07 days to complete the tender documents.

You are requested to supply this office a copy of partnership / deed registration deed of the firm ad power of attorney in the name of partnership of employees of the firm whom you have authorized to sign the bills, receive payments and instructions in respect of this work.

You are requested to start the work within 07 days after issue of this work order complete the same within agreement period of ( 12 ) Months

Stipulated date of Start

Stipulated date of Completion

#### IT SHOULD FURTHER BE NOTED THAT

- 1 The work is to be carried out as per PWD specification
- No Cartage for any material either arranged by you or supplied by Government will be paid separately.
- 3 No. Premium will be allowed on Non-Schedule items.
- 4 No Work should be carried out in excess of sanctioned estimate the receipt of this letter may please be acknowledged.

Executive Engineer
Education Works Division
Khairpur

Copy forwarded with compliments to the: -

- 1 The Superintending Engineer Education Works Circle Sukkur for favour of information please
- Copy along with copy of Schedule 'B" forwarded to the Assistant Engineer Education Electrical Works Sub Division Sukkur for information and necessary action. He share report actual date of start of the work to this Office

Copy forworded to the Director (C.B) SPPRA Karachi for favour of information.

Executive Engineer Education Works Divi Khairpur M/s Kamran Enterprises

Ontractor


### STANDARD BIDDING DOCUMENT

### PROCUREMENT OF WORKS

(For Contracts Costing up to Rs 2.5 MILLION)

REHABILITATION/RENOVATION OF DANGERIOUS SCHOOL BUILDING IN DISTRICT KHAIRPUR ADP- 466 I.E. (1) GBPS GEHALPUR (2) GBPS GAMBAT NO;-I (3) GBPS GAMBAT-II TALUKA GAMBAT (INTERNAL **ELECTRIFICATION) PACKAGE NO -13** 

Standard Bidding Document is intended as a model for admeasurements (Percentage Rate/unit price for unit rates in a Bill of Quantities) types of contract The main text refers to admeasurements contracts.



### FORM OF CONTRACT AGREEMENT

	CONTRACT AGREEMENT (hereinafter called the "Agreement") made on the
"Procu	ring Agency") of the one part and (hereinafter called the actor") of the other part.
should	EAS the Procuring Agency is desirous that certain Works, viz be executed by the Contractor and has accepted a Bid by the Contractor for the ion and completion of such Works and the remedying of any defects therein.
NOW	this Agreement witnesseth as follows:
1.	In this Agreement words and expressions shall have the same meanings as are respectively assigned to them in the Conditions of Contract hereinafter referred to.
2.	The following documents after incorporating addenda, if any except those parts relating to Instructions to Bidders, shall be deemed to form and be read and construed as part of this Agreement, viz:
	<ul> <li>(a) The Letter of Acceptance;</li> <li>(b) The completed Form of Bid along with Schedules to Bid;</li> <li>(c) Conditions of Contract &amp; Contract Data;</li> <li>(d) The priced Schedule of Prices/Bill of quantities (BoQ);</li> <li>(e) The Specifications; and</li> <li>(f) The Drawings</li> </ul>
3.	In consideration of the payments to be made by the Procuring Agency to the Contractor as hereinafter mentioned, the Contractor hereby covenants with the Procuring Agency to execute and complete the Works and remedy defects therein in conformity and in all respects within the provisions of the Contract.
4.	The Procuring Agency hereby covenants to pay the Contractor, in consideration of the execution and completion of the Works as per provisions of the Contract, the Contract Price or such other sum as may become payable under the provisions of the Contract at the times and in the manner prescribed by the Contract

Signal reforms Procuring Agency
(Seal)

(Seal)

Signal reforms Procuring Agency
(Seal)

(Seal)

Signal reforms Procuring Agency
(Seal)

(Seal)

Witness:

Witness:

(Name, Title and Address)

IN WITNESS WHEREOF the parties hereto have caused this Contract Agreement to be executed on the day, month and year first before written in accordance with their respective

laws.

# SINDH PUBLIC PROCUREMENT REGULATORY AUTHORITY

### CONTRACT EVALUATION FORM

# TO BE FILLED IN BY ALL PROCURING AGENCIES FOR PUBLIC CONTRACTS OF WORKS, SERVICES & GOODS

l i	NAME OF THE ORGANIZATION (DEPTT.	Education & Literact Department
2)	PROVINCIAL / LOCAL GOVE / OTHER	
3)	LITLE OF CONTRACT	Reh / Reno Q (1) Cae halpon as Chamboot I Cas Cramb
4)	TENDER NUMBER	SNO ( 13 ) [Internal Electriciation-)
5)	BRIEF DESCRIPTION OF CONTRACT	Building Work (School Work)
6)	FORUM THAT APPROVED THE SCHEME	A A Issued by P&D Department Karachi
7)	LENDER ESTIMATED VALUE	Rs 0.75 (M)
8)	ENGINEER'S ESTIMATE (For civil works only)	TS RS 751000
9)	ESTIMATED COMPLETION PERIOD (AS PI	ER CONTRACT) ( 12 ) Months
10)	TENDER OPENED ON (DATE & TIME)	03-06-2017
<b>i</b> I }	NUMBER OF TENDER DOCUMENTS SOLE (Attach list of buyers)	) 03 Nos
12)	NUMBER OF BIDS RECEIVED	03 Nos
13)	NUMBER OF BIDDERS PRESENT AT THE	TIME <b>O</b> F OPENING OF BIDS 03
	BID EVALUATION REPORT (Enclose a copy)	Copy enclosed
15)	NAME AND ADDRESS OF THE SUCCESSE	ULBIDDER MIS Kamvan Enterprises
	CONTRACT AWARD PRICE	Rs 749631
17)	RANKING OF SUCCESSFUL BIDDER IN EV (i.e. 1 st , 2 nd , 3 rd EVALUATION BID).	VALUATION REPORT
18)	METHOD OF PROCUREMENT USED : - (Tie	ck one)
	a) SINGLE STAGE - ONE ENVELOPE	PROCEDURE Yes Domestic/ Local
	b) SINGLE STAGE - TWO ENVELOPE	PROCEDURE
	c) TWO STAGE BIDDING PROCEDUR	RE
	d) TWO STAGE – TWO ENVELOPE BI	IDDING PROCEDURE
	PLEASE SPECIFY IF ANY OTHER EMERGENCY, DIRECT CONTRACTING	METHOD OF PROCUREMENT WAS ADOPTED LE

			CI	hief Engineer Education works Sukkur
(9)	APPRO	VING AUTHORITY FOR AWARD OF CONTRA	ACT _	
20)	WHETH	HER THE PROCUREMENT WAS INCLUDED IN	v ANN	UAL PROCUREMENT PLAN?  Yes   V   No
21+	ADVER	UISEMENT:		
	i)	SPPRA Website (If yes, give date and SPPRA Identification No.)	Yes	SPPRA S.NO 33094 Dated:- 04-05-2017
			No	
	ii)	News Papers (If yes, give names of newspapers and dates)	Yes	SPPRA S.NO 33094 Dated:- 04-05-2017
			No	
22)	NATUR	EE OF CONTRACT		those, V Int.
23)	WAS IN	HER QUALIFICA <b>TIO</b> N CR <b>ITERIA</b> «CLUDED IN BIDDING / TENDER <b>DOCUM</b> ENT enclose a copy)	ΓS?	Yes V No
24)	WAS IN	HER BID EVALUATION CRITERIA CCLUDED IN BIDDING / TENDER DOCUMENT enclose a copy)	\$- TS?	Yes V No
25+		HER APPROVAL OF COMPETENT AUTHORIT DD OTHER THAN OPEN COMPETITIVE BIDDI		S OBTAINED FOR USING A  Yes No
26)	WAS B.	ID SECURITY OBTAINED FROM ALL THE BII	DDERS	S? Yes V No
27)		HER THE SUCCESSFUL BID WAS LOWEST EVENT EVALUATED BID (in case of Consultancies)		Yes V No
28)	WHETE COMPL	IER THIL SUCCESSFUL BIDDER WAS TECHNI JANT?	ICALI	Yes No V
29)		IER NAMES OF THE BIDDERS AND THEIR OME OF OPENING OF BIDS?	QUΘΤΊ	ED PRICES WERE READ OUT AT
3() i	CONTR	IFR EVALUATION REPORT GIVEN TO EACT? copy of the bid evaluation report)	BIDDE	Yes V No

38) SPEC.	WCONDIPIONS, IF ANY cell Bref Description)	[	Yes	
37) WERE	,	PROVIDED ON MOBI ANTEE ETC.)?	LIZAT	Yes No V  TION ADVANCE PAYMENT IN Yes No V
SUPPL BE AS	A VISIT MADE BY ANY C JER'S PREMISES IN CON CERTAINED REGARDING enclose a copy)	NECTION WITH <b>TH</b> E I	² ROCI	
35) WAS I BLACI	IT ASSURED BY THE PR CLISTED?	OCURING AGENCY 1	НАТ	THE SELECTED FIRM IS NOT Yes No No
<b>,</b>	T.		No	
	TION FROM QUALIFÍCA' give detailed reasons.)	HON CRITERIA	Yes	
21. (2020)	CHOS: EDOM OTTAL DESCRIP	FION CONTUNE	No	
	HE EXTENSION MADE IN give reasons)	CRESPONSE TIME?	Yes	
			No	
	DEVIATION FROM SPECIF give details)	ICA HONS GIVEN IN T	HE TE Yes	ENDER NOTICE / DOCUMENTS
22 207.0			No	
rir yes.	result thereof)	-	Yes	

SPPRA, Block. No.8, Sindh Secretariat No.4-A, Court Road, Karachi Tele: 021-9205356; 021-9205369 & Fax: 021-9206291

Print Save Reset

### **BILL OF QUANTITES**

- (A) Description and rate of items based on composite schedule of rates.2012
- (B) Description and rate of items based on composite schedule of rates.2004

NAME OF WORK :- REHABILITATION / RENOVATION OF DANGEROUS SCHOOL BUILDING IN DISTRICT KHAIRPUR AT (1) GBPS GHEAL PUR (2) GBPS GAMBAT NO-I (3) GBPS GAMBAT NO-II TALUKA GAMBAT ADP NO. 466. (INTERNAL ELECTRIFICATION)

	(PACKAGE NO.13)						
(1) G	BPS GHEAL PUR						
S.NO:	Description	Qty	Rate	Unit	Amount		
	Part"A" New Schedule Items 2012						
1	Wiring for light or fan point with 3/.029 PVC insulated wire in 20mm (3/4") channel patti on surface as required, (S.No. 129 P-15).	20	910	per point	18200		
2	Wiring for plug point with 3/.029 PVC insulated wire in 20mm	6	742	per point	4452		
	(3/4") channel patti on surface as required. (S.No. 130 P-15).						
3	Providing & laying (MAIN or SUB MAIN) PVC insulated with size 2-7/.029 copper conductor in 34" dia PVC conduit recessed in the wall or column as required, CSI No. 3 Page No. 1)	150	171	per Meter	25650		
4	Providing & laying (MAIN or SUB MAIN) PVC insulated with	50	252	per Meter	12600		
_	size 2-7/.036 copper conductor in 1/4" dia PVC conduit						
·	recessed in the wall or column as required. (S.l.No:11 P- No:2)						
5	Providing & laying (MAIN or SUB MAIN) PVC insulated with	100	341	per Meter	34100		
	size 2-7/.044 (6mm2) copper conductor in ¾" dia PVC conduit						
	recessed in the wall or column as required, (S.I.No:12 P- No:2)						
6	Providing & fixing circuit breaker 6,10,15,20, 30,40,50 & 63amp SP (TB-5S) on prepared board as required (S.I.No:202 P- No:30)	8	916	Each	7328		
7	Providing & fixing circuit breaker 6,10,15,20,30,40,50, & 63amp DP (TB-5S) on perpared board required (S.I.No:204 P-No:31)	1	2425	P.No	2425		
. 8	Providing & fixing two pin 5amp plug & flush type (S.1.No:225 P- No:33)	6	83	P.No	.:28		
9 አ	Providing & fixing three pin 10/15amp plug & socket flush type (S.1.No:222 P- No:33)	5	162	P.No	810		

1	1 450 2				<del></del>
S.NO:	Description	Qty	Rate	Unit	Amount
10	Providing & fixing one way SP 5amp switch flush type(S.I.No:219 P- No:33)	20	54	P.No	1080
11	Providing & fixing Bakelite ceiling rose with two terminals (S.I.No:228 P- No:33)	8	72	P.No	576
12	Providing & fixing Brass Battern holder c(S.I.No:232 P-No:33)	12	70	P.No	840
13	Providing & fixing Brass Ceiling fan 56" (good quality) (S.I.No:235 P- No:34)	8	3185	P.No	25480
14	Providing & fixing mild seel bar fan clamp 15.8 mm(5/8") dia suitable for Rcc roof (SI No. 1(c) P-14)	8	141.01	P.No	.1128
.15	P/F distribution metal board double shutter to accommodate circuit breakers including painting with enemel paint and for other simmilar job on surface (S.I.No:15 P- No:13)	2	907.96	P.Sft	1816
16	P/Fenergy sever superior quality including fixing on existing holder etc complete.(S.I.No:6 P- No:33) (24 Walt)	12	497.00	Each	5964
17	P/F earthing set with 2"x2"x1/2" cooper plate burried in groud at a depth of 12" or less if water comes out from the ground level with salt and chorcoal .etc,in/c.making the pit 12"deep by excavation of all type of soil. Earth plat to be connected with No:8	1	3610.04	Each	3610
18	P/F A.C ceiling fan regulator on metal board recessed in the walls column and covered with plastic sheet (S.I.No:2b P-No:14)	8	124.30	Each	994
.19	P/F wall bracket light fancy type superior quality including necessary electric connection and fixing on wall oe ceiling etc complete.(S.1.No:5 P- No:33)	4	497.00	Each	1988

Out >

# (2) GBPS GAMBAT-I.

s,n₫:	Description	Qty	Rate	Unit	Amount
4	Part"A" New Schedule Items 2012	<del>.</del>		I	
1	Wiring for light or fan point with 3/.029 PVC insulated wire in 20mm (3/4") channel patti on surface as required. (S.No. 129	73	910	per point	66430
	P-15).				
2	Wiring for plug point with 3/.029 PVC insulated wire in 20mm	18	742	per point	13356
	(3/4") channel patti on surface as required. (S.No. 130 P-15).				
3	Providing & laying (MAIN or SUB MAIN) PVC insulated with size 2-7/.029 copper conductor in 3/4" dia PVC conduit recessed in the wall or column as required, CSI No. 3 Page No. 1)	200	171	per Meter	34200
				:	
4	Providing & laying (MAIN or SUB MAIN) PVC insulated with	50	252	per Meter	12600
	size 2-7/.036 copper conductor in 1/4" dia PVC conduit				
	recessed in the wall or column as required. (S,I,No;11 P-No;2)				
5	Providing & laying (MAIN or SUB MAIN) PVC insulated with	100	341	per Meter	34100
	size 2-7/.044 (6mm2) copper conductor in 3/411 dia PVC conduit				
	recessed in the wall or column as required. (S.I.No:12 P- No:2)				
	Providing & fixing circuit breaker 6,10,15,20, 30,40,50 & 63amp SP (TB-5S) on prepared board as required (S.I.No:202 P- No:30)	8	916	Each	7328
7	Providing & fixing circuit breaker 15,20,30, 40,50,60,75 & 100amp TP (XS-100NS) on prepared board as required (S.1.No:207 P- No:31)	1	9261	P.No	9261
. 8	Providing & fixing two pin 5amp plug & flush type (S.I.No:225 P- No:33)	18	83	P.No	1494
9	Providing & fixing three pin 10/15amp plug & socket flush type (S.I.No:222 P- No:33)	5	162	P.No	810
10	Providing & fixing one way SP 5amp switch flush type(S.I.No:219 P- No:33)	73	54	P.No	3942
11	Providing & fixing Bakelite ceiling rose with two terminals (S.I.No:228 P- No:33)	31	12	P.No	2232



	rage 2				•
/NO:	Description	Qty	Rate	Unit	Amount
12	Providing & fixing Brass Battern holder c(S.I.No;232 P-No;33)	42	70	P.No	2940
13	Providing & fixing Brass Ceiling fan 56" (good quality) (S.1.No:235 P-No:34)	31	3185	P.No	98735
14	Providing & fixing junction box as per following specification Size of box 8"×6"×4"MS plate size 16 SWG thick Clamp with nuts & bolts Cover plate with screw Painting two coats of rust preventive red oxide & two coats of ICI oil paint as per site requirement & instruction of EI (SI No. 158 P-24)	31	800	P.No	24800
15	P/F distribution metal board double shutter to accommodate circuit breakers including painting with enemel paint and for other siminilar job on surface (S.I.No:18 P- No:13)	5	1426.33	P.Sft	7132
16	P/Fenergy sever superior quality including fixing on existing holder etc complete.(S.I.No:6 P- No:33) (24 Walt)	42	497.00	Each	20874
17	P/F AC or DC electric bell 200/250 volt 70MM. (S.I.No:21 P-No:11)	1	150.70	Each	151
18	P/F flush type electric bell bush button (S.I.No:23 P- No:12)	1	25.19	Each	/ <b>25</b>
19	P/F earthing set with 2"x2"x1/2" cooper plate burried in groud at a depth of 12" or less if water comes out from the ground level with salt and chorcoal ,etc,in/c.making the pit 12"deep by excavation of all type of soil. Earth plat to be connected with No:8	l	3610.04	Each	3610
·· <b>2</b> 0	P/F A.C ceiling fan regulator on metal board recessed in the walls column and covered with plastic sheet (S.I.No:2b P-No:14)	31	124.30	Each	3853
21	P/F wall bracket light fancy type superior quality including necessary electric connection and fixing on wall oe ceiling etc complete.(S.I.No:5 P- No:33)	4	497.00	Each	1988

Our

GRAND TOTAL:-

349861

# (3) GBPS GAMBAT-II.

S.NC.	Description	Qty	Rate	Unit	Amount
3.14.7.	Part"A" New Schedule Items 2012	Q13	Rate		Timount
. 1	Wiring for light or fan point with 3/.029 PVC insulated wire in 20mm (3/4") channel patti on surface as required. (S.No. 129 P-15).	50	910	per point	45500
2	Wiring for plug point with 3/,029 PVC insulated wire in 20mm	10	742	per point	7420
	(3/4") channel patti on surface as required. (S.No. 130 P-15).				
3	Providing & laying (MAIN or SUB MAIN) PVC insulated with size 2-7/.029 copper conductor in 3/4" dia PVC conduit recessed in the wall or column as required, CSI No. 3 Page No. 1)	150	171	per Meter	25650
4	Providing & laying (MAIN or SUB MAIN) PVC insulated with	50	252	per Meter	12600
•	size 2-7/.036 copper conductor in 3/4" dia PVC conduit				
	recessed in the wall or column as required. (S.I.No:11 P- No:2)				
5	Providing & laying (MAIN or SUB MAIN) PVC insulated with	100	341	per Meter	34100
	size 2-7/.044 (6mm2) copper conductor in ¾" dia PVC conduit				
•	recessed in the wall or column as required. (S.I.No:12 P- No:2)				
6	Providing & flxing circuit breaker 6,10,15,20, 30,40,50 & 63amp SP (TB-5S) on prepared board as required (S.I.No:202 P- No:30)	8	916	Each	7328
.7	Providing & fixing circuit breaker 15,20,30, 40,50,60,75 & 100amp TP (XS-100NS) on prepared board as required (S.1.No:207 P- No:31)	1	9261	P.No	9261
8	Providing & fixing two pin 5amp plug & flush type (S.I.No:225 P- No:33)	10	83	P.No	830
.9	Providing & fixing three pin 10/15amp plug & socket flush type (S.I.No:222 P- No:33)	5	162	P.No	810
. 10	Providing & fixing one way SP 5amp switch flush type(\$.1.No:219 P- No:33)	50	54	P.No	2700
11	Providing & fixing Bakelite ceiling rose with two terminals	17	72	P.No	1224
	(S.I.No:228 P- No:33)				
12	Providing & fixing Brass Battern holder c(S.I.No:232 P-No:33)	38	70	P.No	2660
13	Providing & fixing Brass Ceiling fan 56" (good quality) (S.I.No:235 P- No:34)	17	3185	P.No	54145
-14	Providing & fixing junction box as per following specification.  Size of box 8"×6"×4"MS plate size 16 SWG thick Clamp	17	800	P.No	13600
٨	with nuts & bolts Cover plate with screw Painting two coats of		l		
?	rust preventive red oxide & two coats of ICI oil paint as per site				·
	requirement & instruction of El (Sl No. 158 P-24)				



S.NO:	Description	Qty	Rate	Unit	Amount
15	P/F distribution metal board double shutter to accommodate circuit breakers including painting with enemel paint and for wher simmilar job on surface (S.I.No:18 P- No:13)	5	1426.33	P.Sft	7132
16	P/Fenergy sever superior quality including fixing on existing holder etc complete.(S.I.No:6 P- No:33) (24 Walt)	38	497.00	Each	18886
17	P/F AC or DC electric bell 200/250 volt 70MM. (S.I.No:21 P-No:11)	i	150.70	Each	151
18	P/F flush type electric bell bush button (S.I.No:23 P- No:12)	1	25.19	Each	25
19	P/F earthing set with 2"x2"x1/2" cooper plate burried in groud at a depth of 12" or less if water comes out from the ground level with salt and chorcoal ,etc,in/c,making the pit 12"deep by excavation of all type of soil. Earth plat to be connected with No:8	}	3610.04	Each	3610
20	P/F A.C ceiling fan regulator on metal board recessed in the walls column and covered with plastic sheet (S.I.No:2b P-No:14)	17	124.30	Each	2113
21	P/F wall bracket light fancy type superior quality including necessary electric connection and fixing on wall oe ceiling etc complete.(S.I.No:5 P- No:33)	4	497.00	Each	1988

6%/% Above /Below on the rates of CSR Rs. 349631 / Amount to be added/deducted on

e basis of premium quoted

Total (B)

Total (A) = in Words & Figure 749631/= seven Lacs Forty Nine Thousand Six

- hundred Thirty one only-

CONTRACTOR

EXECUTIVÉ ÉNGINEER
EDUCATION WORKS DIVISION
KHAIRPUR

251733

### OFFICE OF THE EXECUTIVE ENGINEER EDUCATION WORKS DIVISION KHAIRPUR

NO: T.C/G-55/EW/KHP:/ 333 of / 2017 KHAIRPUR DATED: - 1/2 -9 -/ 2017

Τo,

M/S Abdul Majeed Shaikh & Co Government Contractor

Khairpur

SUBJECT: -

REHABILITATION/RENOVATION OF DANGERIOUS SCHOOL BUILDING IN DISTRICT KHAIRPUR ADP. 466 LE (1) GBPS JAMRA (2) GBPS SATABO TALUKA GAMBAT (INTERNAL ELECTRIFICATION) PACKAGE NO -14

Reference:

Opening Tender opened on : -

3/6/2017

The rate quoted by you for the above-mentioned work on PART-"A" @ 0.18% Below(Schedule Items)entered in schedule'B'has been approved amounting to Rs 369574/-on schedule items.

You are requested to please attend this office within 07 days to complete the tender documents.

You are requested to supply this office a copy of partnership / deed registration deed of the firm ad power of attorney in the name of partnership of employees of the firm whom you have authorized to sign the bills, receive payments and instructions in respect of this work.

You are requested to start the work within 07 days after issue of this work order complete the same within agreement period of (12) Months

Stipulated date of Start

Stipulated date of Completion

#### IT SHOULD FURTHER BE NOTED THAT

- 1 The work is to be carried out as per PWD specification
- 2 No Cartage for any material either arranged by you or supplied by Government will be paid separately.
- 3 No. Premium will be allowed on Non-Schedule items.
- 4 No Work should be carried out in excess of sanctioned estimate the receipt of this letter may please be acknowledged.

Executive Engineer Education Works Division Khairpur

Copy forwarded with compliments to the: -

- 1 The Superintending Engineer Education Works Circle Sukkur for favour of information please
- Copy along with copy of Schedule 'B" forwarded to the Assistant Engineer Education Electrical Works Sub Division Sukkur for information and necessary action. He should report actual date of start of the work to this Office

Copy forworded to the Director (C.B) SPPRA Karachi for favour information.

Executive Engineer

Education Works Division

Khairpur



14



Goot Contractor

## STANDARD BIDDING DOCUMENT

### PROCUREMENT OF WORKS

(For Contracts Costing up to Rs 2.5 MILLION)

REHABILITATION/RENOVATION OF DANGERIOUS SCHOOL BUILDING IN DISTRICT KHARPUR ADP- 456 LE (1) GBPS JAMRA (2) GBPS SATABO TALUKA GAMBAT (INTERNAL ELECTRIFICATION) PACKAGE NO -14

Standard Bidding Document is intended as a model for admeasurement. (Percentage Rate unit price for unit rates in a Bill of Quantities) types of contract. The main text refers to admeasurements contracts.



CONTRACTOR

KHAIRPUR

### FORM OF CONTRACT AGREEMENT

THIS day of	1	EEMENT (hereinafter ea	•		ed the
"Proci		f the one part and		(hereinafter calle	
should	bb executed by t	g Agency is desirous the Contractor and has a of such Works and the re	necepted a Bid by	the Contractor for	or the
NOW	i this Agreement wit	nesseth as follows:			
1.		1 words and expression ed to them in the Condit			
<u> </u>		cuments after incorporations to Bidders, shall be sement, viz:	_	•	•
	<ul><li>(b) The complete Conditions</li><li>(d) The priced</li></ul>	of Acceptance; eted Form of Bid along w of Contract & Contract I Schedule of Prices/Bill ications; and ngs	Data;		
<b>3</b> .	Contractor as he Possuring Agency	of the payments to be reination mentioned, the to execute and complete all respects within the pro-	Contractor here the Works and re	by covenants wit emedy defects ther	h the
1.	evictution and con Price or such other	ency hereby covenants to apletion of the Works as a r sum as may become pa the manner prescribed by	per provisions of the provider the property	ie Contract, the Co	ntract
	1		·		
	:				
	:				

Sindh Public Procurement Resolutory Authority (www.pprasindh.gov.pk





IN WITISTSS WHEREOF the parties hereto have caused this Contract Agreement to be executed on the day, month and year first before written in accordance with their respective haws.

Signature of the Contactor	Signature of the Procuring Agency
(Scal)	(Scal)
	Rimosiles soon a Civilian Kinaserisa
Signed, Sorded and Delivered in the presence of:	
Winness	Witness:
(Blame, Dille and Address)	(Name, Title and Address)

# SINDH PUBLIC PROCUREMENT REGULATORY AUTHORITY

### CONTRACT EVALUATION FORM

# TO BE FILLED IN BY ALL PROCURING AGENCIES FOR PUBLIC CONTRACTS OF WORKS, SERVICES & GOODS

I)	NAME OF THE ORGANIZATION / DEPTT.	Education & Literact Department
2)	PROVINCIAL / LOCAL GOVT/OTHER	Provincial
31	HILE OF CONTRACT	Reh/Reno @in Janza & Satabo (Interal Electric
4)	HENDER NUMBER	SNO ( 14 )
5)	BRIEF DESCRIPTION OF CONTRACT	Building Work (School Work)
6)	FORUM THAT APPROVED THE SCHEME	A A Issued by P&D Department Karachi
71	HENDER ESTIMATED VALUE	Rs 0.340 (M)
8)	ENGINEER'S ESTIMATE (For civil works only)	TS RS 370000
9)	ESTIMATED COMPLETION PERIOD (AS P.	PER CONTRACT) ( 12 ) Months
	HENDER OPENED ON (DATE & TIME)	03-06-2017
11)	NUMBER OF TENDER DOCUMENTS SOLE (Attach list of buyers)	D 03 Nos
	NUMBER OF BIDS RECEIVED	03 Nos
13)	NUMBER OF BIDDERS PRESENT AT THE	TIME OF OPENING OF BIDS
14)	BID EVALUATION REPORT (Enclose a copy)	Copy enclosed
15)	NAME AND ADDRESS OF THE SUCCESSF	FUL BIDDER MS About Majeed shaikh st co:
	CONTRACT AWARD PRICE	Rs 3 69 574
17)	RANKING OF SUCCESSFUL BIDDER IN EV (i.e. 1 st , 2 nd , 3 rd EVALUATION BID).	VALUATION.REPORT  Ist
18)	METHOD OF PROCUREMENT USED : - (Ti	ick one)
	a) SINGLE STAGE – ONE ENVELOPE	E PROCEDURE Yes Domestic/ Local
	b) SINGLE STAGE – TWO ENVELOPE	E PROCEDURE
	c) TWO STAGE BIDDING PROCEDUI	RE
	d) TWO STAGE – TWO ENVELOPE B	SIDDING PROCEDURE
	PLEASE SPECIFY IF ANY OTHER EMERGENCY, DIRECT CONTRACTING	METHOD OF PROCUREMENT WAS ADOPTED i.e. IG ETC. WITH BRIEF REASONS:

					Chief Engineer Education works Sukkur
19)	APPRO	VING AUTHORITY FOR AWARD (	OF CONTRAC	CT_	
20)	WHET	HER THE PROCUREMENT WAS IN	CLUDED IN A	ANN	SUAL PROCUREMENT PLAN?
					Yes 🖊 No
21)	ADVE	RTISEMENT:			
	i)	SPPRA Website	,	Yes	SPPRA S NO 33094 Dated:- 04-05-2017
	1)	(If yes, give date and SPPRA Identific	cation No.)		
				No	
	ii)	News Papers (If yes, give names of newspapers and	l dates)	Yes	SPPRA S NO 33094 Dated - 04-05-2017
		:			
		.•	1	No	
221	NATUE	RE OF CONTRACT			Democra V Int.
	•				focat 11111.
23)		HER QUALIFICATION CRITERIA	NACI II 40 NEC		
		NCLUDED IN BIDDING / TENDER D enclose a copy)	OCCUMENTS	57	Yes V No
		,,			Yes V No
24)		HER BID EVALUATION CRITERIA			
		NCLUDED IN BIDDING / TENDER E enclose a copy)	OCUM <b>EN</b> TS	S?	Yes   V   No
25 i	WHETE	HER APPROVAL OF COMPETENT /	AUTHORITY	WA9	S OBTAINED FOR USING A
	МЕТНО	DD OTHER THAN OPEN COMPETIT	TIVE BIDD <b>IN</b>	G?	Yes No
•					
26)	WASB	ID SECURITY OBTAINED FROM A	LL THE BIDE	DERS	S? Yes V No
2-1		IER THE SUCCESSFUL BID WAS LEST EVALUATED BID (in case of Co		\LUA	ATED Yes V No
28)	WHETE	HER THE SUCCESSFUL BIDDER W.	AS TECHNIC	`ALL	LY Yes No
	COMPL	LIMINT:			
29)	WHETI	HER NAMES OF THE BIDDERS AN	D THEIR QU	UOTI	ED PRICES WERE READ OUT AT
	THE TI	ME OF OPENING OF BIDS?			Yes No
30)	WHETE	HER EVALUATION REPORT GIV	VEN TO BI	IDDF.	ERS BEFORE THE AWARD OF
	CONTR				
		and the control of the second second second in the control of the			

$\dot{\sigma}$	
31) ANY COMPLAINTS RECEIVED (If yes, result thereof)	Yes
	No
32) ANY DEVIATION FROM SPECIFICATIONS GIVEN IN (If yes, give details)	THE TENDER NOTICE   DOCUMENTS
, -	Yes
33) WAS THE EXTENSION MADE IN RESPONSE TIME?	No
(If yes, give reasons)	Yes
	No
34) DEVIATION FROM QUALIFICATION CRITERIA (If yes, give detailed reasons.)	Yes
	No
35) WAS IT ASSURED BY THE PROCURING AGENCY BLACK LISTED?	THAT THE SELECTED FIRM IS NOT  Yes   No   No
36) WAS A VISLE MADE BY ANY OFFICER OFFICIAL OSUPPLIER'S PREMISES IN CONNECTION WITH THE BE ASCERTAINED REGARDING FINANCING OF VISI (If yes, enclose a copy)	PROCUREMENT? IF SO, DETAILS TO
37) WERE PROPER SAFEGUARDS PROVIDED ON MOE THE CONTRACT (BANK GUARANTEE ETC.)?	BILIZATION ADVANCE PAYMENT IN  Yes No V
38) SPECIAL CONDITIONS, IF ANY (1) yes, give Brief Description)	Yes
Executive San Former Education Works Objeton	No
AMAIRPUR Signature & Official Stamp of	
Authorized Officer	-
FOR OFFICE USE ONLY	

<u>SPPRA, Block. No.8, Sindh Secretariat No.4-A, Court Road, Karachi</u> Tele: 021-9205356; 021-9205369 & Fax: 021-9206291

Print Save Reset

### **BILL OF QUANTITES**

(A) Description and rate of items based on composite schedule of rates, 2012

(B) Description and rate of items based on composite schedule of rates.2004

NAME OF WORK:- REHABILITATION / RENOVATION OF DANGEROUS SCHOOL BUILDING
IN DISTRICT KHAIRPUR AT (1) GBPS JAMRA (2) GGPS SATABO TALUKA GAMBAT ADP NO.

466. (INTERNAL ELECTRIFICATION)

(PACKAGE NO.14)

(1) GI	1) GBPS JAMRA							
S.NO:	Description	Qty	Rate	Unit	Amount			
	Part"A" New Schedule Items 2012			<u>, , , , , , , , , , , , , , , , , , , </u>				
1	Wiring for light or fan point with 3/.029 PVC insulated wire in	33	910	per point	30030			
	20mm (3/4") channel patti on surface as required. (S.No. 129							
	P-15).							
2	Wiring for plug point with 3/.029 PVC insulated wire in 20mm	10	742	per point	7420			
	(3/4") channel patti on surface as required, (S.No. 130 P-15).							
3	Providing & laying (MAIN or SUB MAIN) PVC insulated with	150	171	per Meter	25650			
	size 2-7/.029 copper conductor in '4'' dia PVC conduit recessed in the wall or column as required. CSI No. 3 Page No.							
	1)							
4	Providing & laying (MAIN or SUB MAIN) PVC insulated with	55	252	per Meter	13860			
	size 2-7/.036 copper conductor in 3/4" dia PVC conduit							
	recessed in the wall or column as required. (S.I.No:11 P- No:2)							
5	Providing & laying (MAIN or SUB MAIN) PVC insulated with	50	341	per Meter	17050			
	size 2-7/.044 (6mm2) copper conductor in 3/411 dia PVC conduit							
	recessed in the wall or column as required. (S.l.No:12 P- No:2)							
6	Providing & fixing circuit breaker 6,10,15,20, 30,40,50 &	12	916	Each	10992			
	63amp SP (TB-5S) on prepared board as required (S.I.No:202							
	P- No:30)							
7	Providing & fixing circuit breaker 15,20,30, 40,50,60,75 &	1	9261	P.No	9261			
	100amp TP (XS-100NS) on prepared board as required (S.I.No:207 P- No:31)							
					220			
8	Providing & fixing two pin 5amp plug & flush type (S.I.No:225	10	83	P.No	830			
	P- No:33)							
9	Providing & fixing three pin 10/15amp plug & socket flush	5	162	P.No	810			
	type (S.I.No:222 P- No:33)							
10	Providing & fixing one way SP 5amp switch flush	33	54	P.No	1782			
	type(S.f.No:219 P- No:33)		1					
H	Providing & fixing Bakelite ceiling rose with two terminals	14	72	P.No	1008			
	(S.I.No:228 P- No:33)							

M__

<u>.</u>	Page 2				
S.NO:	Description	Qty	Rate	Unit	Amount
12	Providing & fixing Brass Battern holder c(S.I.No:232 P-No:33)	19	70	P.No	1330
13	Providing & fixing Brass Ceiling fan 56" (good quality) (S.I.No:235 P- No:34)	14	3185	P.No	44590
14	Providing & fixing junction box as per following specification	1-4	800	P.No	11200
	Size of box 8"×6"×4"MS plate size 16 SWG thick Clamp				
	with nuts & bolts Cover plate with screw Painting two coats of				
	rust preventive red oxide & two coats of ICI oil paint as per site				
	requirement & instruction of El (SI No. 158 P-24)				
15	P/F distribution metal board double shutter to accommodate circuit breakers including painting with enemel paint and for other simmilar job on surface (S.I.No:18 P- No:13)	2	1426.33	P.Sft	2853
. 16	P/Fenergy sever superior quality including fixing on existing holder etc complete.(S.1.No:6 P- No:33) (24 Walt)	19	497.00	Each	9443
17	P/F AC or DC electric bell 200/250 volt 70MM. (S.I.No:21 P-No:11)	1	150.70	Each	151
18	Providing & Fixing of street light 250 watts (SON-T) having IP66 classification with 250w lamp, choke, capacitor & Internal wiring complete in all respect at the height With the help of hydraulic crane as per site requirement and instruction of El. (CSI No. 163 Page No. 25)	l	24790	P.No	24790
19	P/F flush type electric bell bush button (S.I.No:23 P- No:12)	ł	25.19	Each	25
. 20	P/F earthing set with 2"x2"x1/2" cooper plate burried in groud at a depth of 12" or less if water comes out from the ground level with salt and chorcoal ,etc,in/c,making the pit 12"deep by excavation of all type of soil. Earth plat to be connected with No:8	1	3610.04	Each	3610
21	P/F A.C ceiling fan regulator on metal board recessed in the walls column and covered with plastic sheet (S.I.No:2b P-No:14)	14	124.30	Each	1740
22	P/F wall bracket light fancy type superior quality including necessary electric connection and fixing on wall oe ceiling etc complete.(S.I.No:5 P- No:33)	4	497.00	Each	1988
		/c	GRAN	D TOTAL :-	220413
		,		i.	

M

# (2) GGPS SATABO.

S.Ned	Description	Qty	Rate	Unit	Amount
	Part"A" New Schedule Items 2012		<del></del>	<del></del>	
l	Wiring for light or fan point with 3/.029 PVC insulated wire in 20mm (3/4") channel patti on surface as required. (S.No. 129 P-15).	23	910	per point	20930
2	Wiring for plug point with 3/.029 PVC insulated wire in 20mm	7	742	per point	5194
	(3/4") channel patti on surface as required. (S.No. 130 P-15).				
	Providing & laying (MAIN or SUB MAIN) PVC insulated with size 2-7/.029 copper conductor in 3/4" dia PVC conduit recessed in the wall or column as required. CSI No. 3 Page No. 1)	120	171	per Meter	20520
4	Providing & laying (MAIN or SUB MAIN) PVC insulated with	50	252	per Meter	12600
	size 2-7/.036 copper conductor in 1/4" dia PVC conduit				
	recessed in the wall or column as required. (S.I.No:11 P- No:2)				
5	Providing & laying (MAIN or SUB MAIN) PVC insulated with	100	341	per Meter	34100
	size 2-7/.044 (6mm2) copper conductor in ¾" dia PVC conduit				
	recessed in the wall or column as required. (S.1.No:12 P- No:2)				
6	Providing & fixing circuit breaker 6,10,15,20, 30,40,50 & 63amp SP (TB-5S) on prepared board as required (S.I.No:202 P- No:30)	8	916	Each	7328
7	Providing & fixing circuit breaker 6,10,15,20,30,40,50, & 63amp DP (TB-5S) on perpared board required (S.1.No:204 P-No:31)	1	2425	P.No	2425
8	Providing & fixing two pin 5amp plug & flush type (S.I.No:225 P- No:33)	7	83	P.No	581
9	Providing & fixing three pin 10/15amp plug & socket flush type (S.I.No:222 P- No:33)	5	162	P.No	810
10	Providing & fixing one way SP 5amp switch flush type(S.1.No:219 P- No:33)	23	54	P.No	1242
11	Providing & fixing Bakelite ceiling rose with two terminals (S.I.No:228 P- No:33)	8	72	P.No	576

M

S.NO:	Description	Qty	Rate	Unit	Amount
12	Providing & fixing Brass Battern holder c(S.I.No:232 P-No:33)	15	70	P.No	1050
13	Providing & fixing Brass Ceiling fan 56" (good quality) (S.I.No:235 P- No:34)	8	3185	P.No	25480
14	Providing & fixing mild seel bar fan clamp 15.8 mm(5/8") dia suitable for Rcc roof (SI No. 1(c) P-14)	8	141.01	P.No	1128
15	P/F distribution metal board double shutter to accommodate circuit breakers including painting with enemel paint and for other simmilar job on surface (S.1.No:15 P- No:13)	2	907.96	P.Sft	1816
16	P/Fenergy sever superior quality including fixing on existing holder etc complete.(S.I.No:6 P- No:33) (24 Walt)	15	497.00	Each	7455
17	P/F earthing set with 2"x2"x1/2" cooper plate burried in groud at a depth of 12" or less if water comes out from the ground level with salt and chorcoal ,etc,in/c.making the pit 12"deep by excavation of all type of soil. Earth plat to be connected with No:8	1	3610.04	Each	3610
18	P/F A.C ceiling fan regulator on metal board recessed in the walls column and covered with plastic sheet (S.1.No:2b P-No:14)	8	124,30	Each	994
19	P/F wall bracket light fancy type superior quality including necessary electric connection and fixing on wall oe ceiling etc complete.(S.I.No:5 P- No:33)	4	497,00	Each	1988

ABSTRACT

Rs: 220413 Rs: 149827

370240 G-Total Rs:

% Above /Below on the rates of CSR Rs. 369574 / Amount to be added/deducted on

Total (B) the basis of premium quoted

Total (A) = in Words & Figure 369574/= Rupees Three Lacs sixty Nine =

- Thousand five Hudred seventy four only.

EXECUTIVE FINGINEER **EDUCATION WORKS DIVISION** KHAIRPUR

**GRAND TOTAL:** 

149827

## OFFICE OF THE EXECUTIVE ENGINEER EDUCATION WORKS DIVISION KHAIRPUR

NO: T.C/G-55/EW/KHP:// KHAIRPUR DATED: -

 $\frac{3}{3}$  of  $\frac{72017}{2017}$ 

To,

M/S Shabir Enterprises
Government Contractor

Khairpur

SUBJECT: -

REHABILITATION/RENOVATION OF DANGERIOUS SCHOOL BUILDING IN DISTRICT KHAIRPUR ADP- 466 I.E (1) GBPS WADHAN PATO (2) GBPS ALI NAWAZ SAHITO (3) GGPS BANGUL KHAN CHANG TALUKA SOBHODERO (INTERNAL ELECTRIFICATION) PACKAGE NO -15

Reference:

Opening Tender opened on : -

3/6/2017

The rate quoted by you for the above-mentioned work on PART-"A" @ 0.20% Below(Schedule Items)entered in schedule'B'has been approved amounting to Rs 444699/-on schedule items.

You are requested to please attend this office within 07 days to complete the tender documents.

You are requested to supply this office a copy of partnership / deed registration deed of the firm ad power of attorney in the name of partnership of employees of the firm whom you have authorized to sign the bills, receive payments and instructions in respect of this work.

You are requested to start the work within 07 days after issue of this work order complete the same within agreement period of (12) Months

Stipulated date of Start

Stipulated date of Completion

#### IT SHOULD FURTHER BE NOTED THAT

- 1 The work is to be carried out as per PWD specification
- No Cartage for any material either arranged by you or supplied by Government will be paid separately.
- 3 No. Premium will be allowed on Non-Schedule items.
- 4 No Work should be carried out in excess of sanctioned estimate the receipt of this letter may please be acknowledged.

Executive Engineer
Education Works Division
Khairpur

Copy forwarded with compliments to the: -

- 1 The Superintending Engineer Education Works Circle Sukkur for favour of information please
- Copy along with copy of Schedule 'B" forwarded to the Assistant Engineer Education Elctrical Works Sub Division Sukkur for information and necessary action. He should report actual date of start of the work to this Office

Copy forworded to the Director (C.B) SPPRA Karachi for favour of information.

Executive Engineer

Education Works Division

Khairpur

670 15

M/s Shabir Enterprises
Govt: Contractor

PROCUREMENT OF WORKS


(For Contracts Costing up to Rs 2.5 MILLION)

REHABILITATION/RENOVATION OF DANGERIOUS SCHOOL BUILDING IN DISTRICT KHAIRPUR ADP- 466 I.E.

- (1) GBPS WADHAN PATO (2) GBPS ALI NAWAZ SAHITO
- (3) GGPS BANGUL KHAN CHANG TALUKA SOBHODERO (INTERNAL ELECTRIFICATION) PACKAGE NO -15

Standard Bidding Document is intended as a model for admeasurements (Percentage Rate/unit price for unit rates in a Bill of Quantities) types of contract

The main text refers to



CONTRACTOR

EXECUTIVE ENGINEER EDUCATION WORKS DIVISION. KHAIRPUR

### FORM OF CONTRACT AGREEMENT

THIS	CONTRACT AGREEMENT (hereinafter called the "Agreement") made on the
day d	200 between (hereinafter called the ring Agency") of the one part and (hereinafter called the
"Proc "Conf	ring Agency") of the one part and (hereinafter called the actor") of the other part.
shoul	EAS the Procuring Agency is desirous that certain Works, viz be executed by the Contractor and has accepted a Bid by the Contractor for the on and completion of such Works and the remedying of any defects therein.
NOW	his Agreement witnesseth as follows:
1.	In this Agreement words and expressions shall have the same meanings as are respectively assigned to them in the Conditions of Contract hereinafter referred to.
2.	The following documents after incorporating addenda, if any except those parts relating to Instructions to Bidders, shall be deemed to form and be read and construed as part of this Agreement, viz:
	(a) The Letter of Acceptance;
	(b) The completed Form of Bid along with Schedules to Bid;
	(c) Conditions of Contract & Contract Data;
	(d) The priced Schedule of Prices/Bill of quantities (BoQ);
	(e) The Specifications; and
	(f) The Drawings
3.	In consideration of the payments to be made by the Procuring Agency to the Contractor as hereinafter mentioned, the Contractor hereby covenants with the Procuring Agency to execute and complete the Works and remedy defects therein in conformity and in all respects within the provisions of the Contract.
4.	The Procuring Agency hereby covenants to pay the Contractor, in consideration of the execution and completion of the Works as per provisions of the Contract, the Contract Price or such other sum as may become payable under the provisions of the Contract

Stateahe

at the times and in the manner prescribed by the Contract.

Signature of the Contactor

Signature of the Contactor

Signature of the Fracturing Agency

Witness:

Witness:

Witness:

(Name, Title and Address)

IN WITNESS WHEREOF the parties hereto have caused this Contract Agreement to be

(Name, Title and Address)

### SINDH PUBLIC PROCUREMENT REGULATORY AUTHORITY

### CONTRACT EVALUATION FORM

## TO BE FILLED IN BY ALL PROCURING AGENCIES FOR PUBLIC CONTRACTS OF WORKS, SERVICES & GOODS

E)	NAME OF THE ORGANIZATION / DEPTT.	Education & Literact Department
2)	PROVINCIAL / LOCAL GOVT./ OTHER	Provincial
3)	TITLE OF CONTRACT	Reh/Reno @ 12 washan Pota (>) Ali Nawax Satisto (5)
4)	TENDER NUMBER	S.No ( 15 ) Khan Chang (Internal Elect
5)	BRIEF DESCRIPTION OF CONTRACT	Building Work (School Work)
6)	FORUM THAT APPROVED THE SCHEME	A A Issued by P&D Department Karachi
7)	TENDER ESTIMATED VALUE	Rs 0.446 (M)
8)	ENGINEER'S ESTIMATE (For civil works only)	TS RS 446000
9)	ESTIMATED COMPLETION PERIOD (AS P	ER CONTRACT) ( 12 ) Months
10)	TENDER OPENED ON (DATE & TIME)	03-06-2017
11)	NUMBER OF TENDER DOCUMENTS SOLE (Attach list of buyers)	03 Nos
12)	NUMBER OF BIDS RECEIVED	03 Nos
13)	NUMBER OF BIDDERS PRESENT AT THE	TIME OF OPENING OF BIDS 03
14)	BID EVALUATION REPORT (Enclose a copy)	Copy enclosed
15)	NAME AND ADDRESS OF THE SUCCESSF	UL BIDDER MIS Shabir Enterprises.
16)	CONTRACT AWARD PRICE	Rs 444 699
17)	RANKING OF SUCCESSFUL BIDDER IN EV (i.e. 1 st , 2 nd , 3 rd EVALUATION BID).	VALUATION REPORT
18)	METHOD OF PROCUREMENT USED: - (Tie	ck one)
	a) SINGLE STAGE – ONE ENVELOPE	PROCEDURE Yes Domestic/ Local
	b) SINGLE STAGE – TWO ENVELOPE	PROCEDURE
	e) TWO STAGE BIDDING PROCEDUR	RE
	d) TWO STAGE - TWO ENVELOPE B	IDDING PROCEDURE
	PLEASE SPECIFY IF ANY OTHER EMERGENCY, DIRECT CONTRACTING	METHOD OF PROCUREMENT WAS ADOPTED i.e.  G ETC. WITH BRIEF REASONS:

		Chief Engineer Education works Sukkur
19) APPR	OVING AUTHORITY FOR AWARD OF CONTE	RACT
20) WHE	THER THE PROCUREMENT WAS INCLUDED	IN ANNUAL PROCUREMENT PLAN?  Yes   V   No
21) ADVI	ERTISEMENT:	
iı	SPPRA Website (If yes, give date and SPPRA Identification No.)	
ii)	News Papers (If yes, give names of newspapers and dates)	Yes SPPRA S.NO 33094 Dated 04-05-2017
		No
22) NATU	TRE OF CONTRACT	Trousis,
WAS	THER QUALIFICATION CRITERIA INCLUDED IN BIDDING / TENDER DOCUMEN s. enclose a copy)	Yes V No
WAS	THER BID EVALUATION CRITERIA INCLUDED IN BIDDING / TENDER DOCUM <b>EN</b> , enclose a copy)	Yes V No
	THER APPROVAL OF COMPETENT AUTHORI HOD OTHER THAN OPEN COMPETITIVE BIDE	
26) WAS	BII) SECURITY OBTAINED FROM ALL THE B	IDDERS? Yes V No
	THER THE SUCCESSFUL BID WAS LOWEST F BEST EVALUATED BID (in case of Consultancie	
	THER THE SUCCESSFUL BIDDER WAS TECH PLIANT?	NICALLY Yes No
	THER NAMES OF THE BIDDERS AND THEIR TIME OF OPENING OF BIDS?	QUOTED PRICES WERE READ OUT AT  Yes     No
CONT	THER EVALUATION REPORT GIVEN TO RACT? h copy of the bid evaluation report)	BIDDERS BEFORE THE AWARD OF  Yes V No

r.	
<b>€</b>	
31) ANY COMPLAIN I'S RECEIVED (Byes, result thereof)	Yes
	No
32) ANY DEVIATION FROM SPECIFICATIONS GIVEN IN (If yes, give details)	
	Yes
33) WAS THE EXTENSION MADE IN RESPONSE TIME?	No
(If yes, give reasons)	Yes
	No
34) DEVIATION FROM QUALIFICATION CRITERIA (If yes, give detailed reasons.)	Yes
	No l
35) WAS IT ASSURED BY THE PROCURING AGENCY BLACK LISTED?	
36) WAS A VISIT MADE BY ANY OFFICER/OFFICIAL OF SUPPLIER'S PREMISES IN CONNECTION WITH THE BE ASCERTAINED REGARDING FINANCING OF VISION (If yes, enclose a copy)	PROCUREMENT? IF SO, DETAILS TO
(i) yes, enclose a copy)	Yes No
37) WERE PROPER SAFEGUARDS PROVIDED ON MOB- THE CONTRACT (BANK GUARANTEE ETC.)?	Yes No
38) SPECIAL CONDETIONS, IF ANY (V. S. Brig Description)	Yes
We will be a second of the sec	No
Signature & Official Stamp of Authorized Officer	
OR OFFICE USE ONLY	

SPPRA, Block. No.8, Sindh Secretariat No.4-A, Court Road, Karachi Tele: 021-9205356; 021-9205369 & Fax: 021-9206291

Print Save Reset

#### BILL OF QUANTITES

(A) Description and rate of items based on composite schedule of rates.2012
(B) Description and rate of items based on composite schedule of rates.2004

NAME OF WORK: REHABILITATION / RENOVATION OF DANGEROUS SCHOOL BUILDING
IN DISTRICT KHAIRPUR AT (1) GBPS WADHAN PATO (2) GBPS ALI NAWAZ SAHITO (3)

GGPS BANGUL KHAN CHANG TALUKA SOBHODERO ADP NO. 466. (INTERNAL ELECTRIFICATION)

(PACKAGE NO.15)

	(PACKAGE NO.	10)		· <del></del>	
S.NO:	Description	Qty	Rate	Unit	Amount
	(1) GBPS WADHAN PATO				
	Part"A" New Schedule Items 2012				
1	Wiring for light or fan point with 3/,029 PVC insulated wire in 20mm (3/4") channel patti on surface as required. (S.No. 129 P-15).	16	910	per point	14560
2	Wiring for plug point with 3/.029 PVC insulated wire in 20mm	4	742	per point	2968
	(3/4") channel patti on surface as required. (S.No. 130 P-15).				
3	Providing & laying (MAIN or SUB MAIN) PVC insulated with size 2-7/.029 copper conductor in 3/4" dia PVC conduit recessed in the wall or column as required. CSI No. 3 Page No. 1)	150	171	per Meter	25650
4	Providing & laying (MAIN or SUB MAIN) PVC insulated with	80	252	per Meter	20160
	size 2-7/.036 copper conductor in $\frac{1}{2}$ dia PVC conduit				
	recessed in the wall or column as required. (S.1.No:11 P- No:2)				
5	Providing & laying (MAIN or SUB MAIN) PVC insulated with	115	341	per Meter	39215
	size 2-7/.044 (6mm2) copper conductor in ¾" dia PVC conduit				
	recessed in the wall or column as required. (S.I.No:12 P- No:2)				
6	Providing & fixing circuit breaker 6,10,15,20, 30,40,50 & 63amp SP (TB-5S) on prepared board as required (S.I.No:202 P- No:30)	8	916	Each	7328
7	Providing & fixing circuit breaker 6,10,15,20,30,40,50, & 63amp DP (TB-5S) on perpared board required (S.I.No:204 P-No:31)	1	2425	P.No	2425
. 8	Providing & fixing two pin 5amp plug & flush type (S.I.No:225 P- No:33)	4	83	P.No	332
9	Providing & fixing three pin 10/15amp plug & socket flush type (S.I.No:222 P- No:33)	ithe	162	P.No	\$10

	Page 2				
ś.no:	Description	Qty	Rate	Unit	Amount
184	Providing & fixing one way SP 5amp switch flush type(S.I.No:219 P- No:33)	16	54	P.No	864
-11	Providing & fixing Bakelite ceiling rose with two terminals (S.I.No:228 P- No:33)	6	72	P.No	432
12	Providing & fixing Brass Battern holder c(S.I.No:232 P-No:33)	10	70	P.No	700
13	Providing & fixing Brass Ceiling fan 56" (good quality) (S.LNo:235 P- No:34)	6	3185	P.No	19110
14	Providing & fixing mild seel bar fan clamp 15.8 mm(5/8") dia suitable for Rcc roof (SI No. 1(c) P-14)	6	141.01	P.No	846
15	P/F distribution metal board double shutter to accommodate circuit breakers including painting with enemel paint and for other simmilar job on surface (S.I.No:15 P- No:13)	2	907.96	P.Sft	1816
16	P/Fenergy sever superior quality including fixing on existing holder etc complete.(S.I.No:6 P- No:33) (24 Walt)	10	497.00	Each	4970
17	P/F earthing set with 2"x2"x1/2" cooper plate burried in groud at a depth of 12" or less if water comes out from the ground level with salt and chorcoal etc,in/c.making the pit 12"deep by excavation of all type of soil. Earth plat to be connected with No:8	1	3610.04	Each	3610
	P/F A.C ceiling fan regulator on metal board recessed in the walls column and covered with plastic sheet (S.I.No:2b P-No:14)	6	124.30	Each	746
	P/F wall bracket light fancy type superior quality including necessary electric connection and fixing on wall oe ceiling etc complete.(S.I.No:5 P- No:33)	4	497.00	Each	1988

Statistic

GRAND TOTAL :-

148530

## (2) GBPS ALI NAWAZ SAHITO.

<u>, , , , , , , , , , , , , , , , , , , </u>	<u> </u>				
S.NO:	Description	Qty	Rate	Unit	Amount
<del>,</del>	Part"A" New Schedule Items 2012		···		
1	Wiring for light or fan point with 3/.029 PVC insulated wire in	16	910	per point	14560
	20mm (3/4") channel patti on surface as required. (S.No. 129				
	P-15).				
2	Wiring for plug point with 3/.029 PVC insulated wire in 20mm	4	742	per point	2968
-	witing for plug point with 57.0271 ve insulated wife in 2011in	4	74-	per point	2900
	(3/4") channel patti on surface as required. (S.No. 130 P-15).				
. 3	Providing & laying (MAIN or SUB MAIN) PVC insulated with size 2-7/.029 copper conductor in '4' dia PVC conduit	150	171	per Meter	25650
_	recessed in the wall or column as required. CSI No. 3 Page No.				
	I)				
4	Providing & laying (MAIN or SUB MAIN) PVC insulated with	80	252	per Meter	20160
·	size 2-7/.036 copper conductor in 24" dia PVC conduit	00	232	per meter	20.00
	recessed in the wall or column as required. (S.I.No:11 P- No:2)				
5	Providing & laying (MAIN or SUB MAIN) PVC insulated with	115	341	per Meter	39215
	size 2-7/.044 (6mm2) copper conductor in 3/4" día PVC conduit				
	recessed in the wall or column as required. (S.I.No;12 P- No;2)				
6	Providing & fixing circuit breaker 6,10,15,20, 30,40,50 &	8	916	Each	7328
0	63amp SP (TB-5S) on prepared board as required (S.I.No:202	0	910	Lacii	1520
	P- No:30)				
. 7	Providing & fixing circuit breaker 6,10,15,20,30,40,50, &	1	2425	P.No	2425
	63amp DP (TB-5S) on perpared board required (S.I.No:204 P-No:31)				
	,				
8	Providing & fixing two pin 5amp plug & flush type (S.I.No:225	4	83	P.No	332
	P- No:33)				
9	Describing & Guing share win 10/15emm when & contrat Gueb		160	D No	810
y	Providing & fixing three pin 10/15amp plug & socket flush type (S.I.No:222 P- No:33)	5	162	P.No	810
	Providing & fixing one way SP 5amp switch flush	16	54	P.No	864
	type(S.I.No:219 P- No:33)		18		
11	Providing & fixing Bakelite ceiling rose with two terminals	6	72	P.No	432
	(S.I.No:228 P- No:33)				
	r \				

Stamah

_ <del>-</del>	1 age 2	<del></del> .	<del> </del>		
S.NO:	Description	Qty	Rate	Unit	Amount
·12	Providing & fixing Brass Battern holder c(S,I,No;232 P-No:33)	10	70	P.No	700
13	Providing & fixing Brass Ceiling fan 56'' (good quality) (S.1.No:235 P- No:34)	6	3185	P.No	19110
14	Providing & fixing mild seel bar fan clamp 15.8 mm(5/8°) dia suitable for Rec roof (SI No. 1(c) P-14)	6	141.01	P.No	846
15	P/F distribution metal board double shutter to accommodate circuit breakers including painting with enemel paint and for other simmilar job on surface (S.I.No:15 P- No:13)	2	907.96	P.Sft	1816
16	P/Fenergy sever superior quality including fixing on existing holder etc complete.(S.I.No:6 P- No:33) (24 Walt)	10	497.00	Each	4970
17	P/F earthing set with 2"x2"x1/2" cooper plate burried in groud at a depth of 12" or less if water comes out from the ground level with salt and chorcoal ,etc,in/c,making the pit 12"deep by excavation of all type of soil. Earth plat to be connected with No:8	1	3610.04	Each	3610
18	P/F A.C ceiling fan regulator on metal board recessed in the walls column and covered with plastic sheet (S.I.No:2b P-No:14)	6	124,30	Each	746
19	P/F wall bracket light fancy type superior quality including necessary electric connection and fixing on wall oe ceiling etc complete.(S.I.No:5 P- No:33)	4	497.00	Each	1988

Stahah

GRAND TOTAL :- 148530

### (3) GGPS BANGAL KHAN CHANG.

S.NO:	Description	Qty	Rate	Unit	Amount
1	Part"A" New Schedule Items 2012 Wiring for light or fan point with 3/.029 PVC insulated wire in 20mm (3/4") channel patti on surface as required. (S.No. 129 P-15).	16	910	per point	14560
2	Wiring for plug point with 3/,029 PVC insulated wire in 20mm	4	742	per point	2968
	(3/4") channel patti on surface as required. (S.No. 130 P-15).				
3	Providing & laying (MAIN or SUB MAIN) PVC insulated with size 2-7/.029 copper conductor in 1/4" dia PVC conduit recessed in the wall or column as required. CSI No. 3 Page No. 1)	150	171	per Meter	25650
4	Providing & laying (MAIN or SUB MAIN) PVC insulated with	80	252	per Meter	20160
	size 2-7/,036 copper conductor in 3/4" dia PVC conduit				
	recessed in the wall or column as required. (S.l.No:11 P- No:2)				
5	Providing & laying (MAIN or SUB MAIN) PVC insulated with	115	341	per Meter	39215
	size 2-7/.044 (6mm2) copper conductor in ¾" dia PVC conduit				
	recessed in the wall or column as required. (S.I.No:12 P- No:2)				
6	Providing & fixing circuit breaker 6,10,15,20, 30,40,50 & 63amp SP (TB-5S) on prepared board as required (S.I.No:202 P- No:30)	8	916	Each	7328
	Providing & fixing circuit breaker 6,10,15,20,30,40,50, & 63amp DP (TB-5S) on perpared board required (S.I.No:204 P-No:31)	I	2425	P.No	2425
. 8	Providing & fixing two pin 5amp plug & flush type (S.I.No:225 P- No:33)	4	83	P.No	332
9	Providing & fixing three pin 10/15amp plug & socket flush type (S.I.No:222 P- No:33)	5	162	P.No	810
10	Providing & fixing one way SP 5amp switch flush type(S.I.No:219 P- No:33)	16	54	P.No	864
11	Providing & fixing Bakelite ceiling rose with two terminals (S.I.No:228 P- No:33)	6	72	P.No	432
12	Providing & fixing Brass Battern holder c(S.I.No:232 P-No:33)	10	70	P.No	700
13	Providing & fixing Brass Ceiling fan 56" (good quality) (S.I.No:235 P- No:34)	6	3185	P.No	19110
14	Providing & fixing mild seel bar fan clamp 15.8 mm(5/8") dia suitable for Rec roof (SI No. 1(c) P-14)	6	141.01	P.No	846

ŝ.no:	Description	Qty	Rate	Unit	Amount
15 <b>4</b> *	P/F distribution metal board double shutter to accommodate circuit breakers including painting with enemel paint and for other simmilar job on surface (S.I.No:15 P- No:13)	2	907.96	P.Sft	1816
16	P/Fenergy sever superior quality including fixing on existing holder etc complete.(S.I.No:6 P- No:33) (24 Walt)	10	497.00	Each	4970
17	P/F earthing set with 2"x2"x1/2" cooper plate burried in groud at a depth of 12" or less if water comes out from the ground level with salt and chorcoal ,etc,in/c.making the pit 12"deep by excavation of all type of soil. Earth plat to be connected with No:8	1	3610.04	Each	3610
18	P/F A.C ceiling fan regulator on metal board recessed in the walls column and covered with plastic sheet (S.I.No:2b P-No:14)	6	124.30	Each	746
19	P/F wall bracket light fancy type superior quality including necessary electric connection and fixing on wall oe ceiling etc complete.(S.I.No:5 P- No:33)	4	497.00	Each	1988
			GRAN	ID TOTAL :-	148530

ABSTRACT GBPS Wadhan Pato Rs: 148530 GBPS Ali Nawaz Sahito Rs: 148530 bGPS Bangal Khan Chang Rs: 148530 G-Total Rs: 445590

Amount Total (A) 44 5590

% Above Below on the rates of CSR Rs. 444 6 99 / Amount to be added/deducted on

the basis of premium quoted

Total (B)

Total (A) = in Words & Figure 444699/= Rupees For Lace Forty Four

- Thousands six hundred Ninty Nine only

CONTRACTOR

EXECUTIVE ENGINEER **EDUCATION WORKS DIVISION** 

**KHAIRPUR** 

#### *OFFICE OF THE EXECUTIVE ENGINEER EDUCATION WORKS DIVISION KHAIRPUR

NO: T.C/G-55/EW/KHP:/ 1335 of / 2017 KHAIRPUR DATED: - / 201

To,

1 %

M/S Dharti Electric Works Government Contractor

Khairpur

SUBJECT: -

REHABILITATION/RENOVATION OF DANGERIOUS SCHOOL BUILDING

IN DISTRICT KHAIRPUR ADP- 466( 2016-17) I.E (1) GBPS SETHARJA BALA (2) GBPS GHULAM AKBAR LASHARI TALUKA SOBHODERO

(INTERNAL ELECTRIFICATION) PACKAGE NO -16

Reference:

Opening Tender opened on : -

3/6/2017

The rate quoted by you for the above-mentioned work on PART-"A" @ 0.20% Below(Schedule Items) entered in schedule 'B' has been approved amounting to Rs 372527/= on schedule items.

You are requested to please attend this office within 07 days to complete the tender documents.

You are requested to supply this office a copy of partnership / deed registration deed of the firm ad power of attorney in the name of partnership of employees of the firm whom you have authorized to sign the bills, receive payments and instructions in respect of this work.

You are requested to start the work within 07 days after issue of this work order complete the same within agreement period of (12) Months

Stipulated date of Start

Stipulated date of Completion

#### IT SHOULD FURTHER BE NOTED THAT

- 1 The work is to be carried out as per PWD specification
- No Cartage for any material either arranged by you or supplied by Government will be paid separately.
- 3 No. Premium will be allowed on Non-Schedule items.
- 4 No Work should be carried out in excess of sanctioned estimate the receipt of this letter may please be acknowledged.

Executive Engineer Education Works Division Khairpur

Copy forwarded with compliments to the: -

- 1 The Superintending Engineer Education Works Circle Sukkur for favour of information please
- Copy along with copy of Schedule 'B" forwarded to the Assistant Engineer Education Electrical Works Sub Division Sukkur for information and necessary action. He should report actual date of start of the work to this Office

Copy forworded to the Director (C.B) SPPRA Karachi for favour eninformation.

Executive Engineer

Education Works Division

Khairpur



OMICE

M/s Dharti Electric Works
Govt, Contractor


STANDARD BIDDING DOCUMENT

PROCUREMENT OF WORKS

(For Contracts Costing up to Rs 2.5 MILLION)

REHABILITATION/RENOVATION OF CANGERIOLE SCHOOL BUILDING IN DISTRICT A FEBRUARIA (I.) GERS (2016-17) TE (1) GERS SETHARUARIA ELECTRIFICATION PACKAGE NO -16

Standard Bidding Document is intended as a model for admeasurements (Percentage Rate/unit price for unit rates in a Bill of Quantities) types of contract. The main text refers to the property of the case.



CONTRACTOR

EDE OF THE RESIDEN

### FORM OF CONTRACT AGREEMENT

day o	CONTRACT AGREFMENT (hereinafter called the "Agreement") made on the
	uring Agency") of the one part and (hereinafter called the ractor") of the other part.
should	REAS the Procuring Agency is desirous that certain Works, viz  I be executed by the Contractor and has accepted a Bid by the Contractor for the tion and completion of such Works and the remedying of any defects therein.
NOW	this Agreement witnesseth as follows:
t.	In this Agreement words and expressions shall have the same meanings as are respectively assigned to them in the Conditions of Contract hereinafter referred to.
2.	the following documents after incorporating addenda, if any except those parts relating to Instructions to Bidders, shall be deemed to form and be read and construed as part of this Agreement, viz:
	(a) The Letter of Acceptance; (b) The completed Form of Bid along with Schedules to Bid; (c) Conditions of Contract & Contract Data; (d) The priced Schedule of Prices/Bill of quantities (BoQ); (e) The Specifications; and (f) The Drawings
7.	In consideration of the payments to be made by the Procuring Agency to the Contractor as hereinafter mentioned, the Contractor hereby covenants with the Procuring Agency to execute and complete the Works and remedy defects therein in conformity and in all respects within the provisions of the Contract.
- <b>i</b> .	The Procuring Agency hereby covenants to pay the Contractor, in consideration of the execution and completion of the Works as per provisions of the Contract, the Contract Price or such other sum as may become payable under the provisions of the Contract at the times and in the manner prescribed by the Contract.
· <del>-</del>	ः —
Sin.ih l	Public Precognizar Regulatory Authority   www.pprasindh.gov.pk

CONTRACTOR

IN WITHESS WHERFOF the parties hereto have eaused this Contract Agreement to be executed on the day, month and year first before written in accordance with their respective laws.

Signature of the Contactor	Signature of the Procuring Agency
(Scal)	Ageorgical Values Statement
Signed, Sorted and Delivered in the presence of:	
Witness	Witness:
(Name, Title and Address)	(Name, Title and Address)

## SINDH PUBLIC PROCUREMENT REGULATORY AUTHORITY

#### CONTRACT EVALUATION FORM

# TO BE FILLED IN BY ALL PROCURING AGENCIES FOR PUBLIC CONTRACTS OF WORKS, SERVICES & GOODS

1)	NAME OF THE ORGANIZATION / DEPTT.	Education & Literact Department
2)	PROVINCIAL / LOCAL GOVT / OTHER	Provincial
3)	TITLE OF CONTRACT	Bety Reno @ (4) Solhanja Rala (2) (1/1): Athan Last
4)	TENDER NUMBER	SNO ( 16 ) (Internal Electrification)
5)	BRIEF DESCRIPTION OF CONTRACT	Building Work (School Work)
6)	FORUM THAT APPROVED THE SCHEME	A A Issued by P&D Department Karachi
7)	TENDER ESTIMATED VALUE	Rs 0.373 (M)
8)	ENGINEER'S ESTIMATE (For civil works only)	T.S RS 373000
9)	ESTIMATED COMPLETION PERIOD (AS P	·
	TENDER OPENED ON (DATE & TIME)	03-06-2017
11)	NUMBER OF TENDER DOCUMENTS SOLD (Attach list of buyers)	) 03 Nos
12)	NUMBER OF BIDS RECEIVED	03 Nos
13)	NUMBER OF BIDDERS PRESENT AT THE	TIME OF OPENING OF BIDS 03
14)	BID EVALUATION REPORT (Enclose a copy)	Copy enclosed
15)	NAME AND ADDRESS OF THE SUCCESSF	UL BIDDER MS Dhart Electric works.
16)	CONTRACT AWARD PRICE	Rs 371 S27
17)	RANKING OF SUCCESSFUL BIDDER IN EV (i.e. 1st, 2nd, 3rd EVALUATION BID).	VALUATION REPORT
		<u> </u>
18)	METHOD OF PROCUREMENT USED : - (Tic	ek one)
	a) SINGLE STAGE ~ ONE ENVELOPE	PROCEDURE Yes Domestic/ Local
	b) SINGLE STAGE – TWO ENVELOPE	PROCEDURE
	c) TWO STAGE BIDDING PROCEDUR	KE
	d) TWO STAGE – TWO ENVELOPE BI	DDING PROCEDURE
	PLEASE SPECIFY IF ANY OTHER EMERGENCY, DIRECT CONTRACTING	METHOD OF PROCUREMENT WAS ADOPTED i.e. G ETC. WITH BRIEF REASONS:

			C	Chief Engineer Education works Sukkur
19)	APPRO	VING AUTHORITY FOR AWARD OF CON	TRACT_	
20)	WHETI	HER THE PROCUREMENT WAS INCLUDE	D IN ANN	SUAL PROCUREMENT PLAN?
				Yes V No
21)	ADVER	CTISEMENT:		
	i)	SPPRA Website (Iffyes, give date and SPPRA Identification N	O.) Yes	SPPRA S.NO 33094 Dated - 04-05-2017
			No	
	ir)	News Papers (If yes, give names of newspapers and dates)	Yes	SPPRA S NO 33094 Dated - 04-05-2017
			No	
22)	NATUR	RE OF CO <b>NTRACT</b>		Decrees Im.
	WAS IN	IER QUALIFICATION CRITERIA ICLUDED IN BIDDING / TENDER DOCUM enclose a copy)	ENTS?	Yes V No
·	WAS IN	HER BID EVALUATION CRITERIA ICLUDED IN BIDDING / TENDER DOCUM Inclose a copy)	ENTS?	Yes V No
		IER APPROVAL OF COMPETENT AUTHO DD OTHER THAN OPEN COMPETITIVE BL		
26)	WAS BI	ID SECURITY OBTAINED FROM ALL THE	BIDDER	S? Yes V No
		IER THE SUCCESSFUL BID WAS LOWEST EST EVALUATED BID (in case of Consultant		ATED Yes V No
	WHETE COMPL	HER THE SUCCESSFUL BIDDER WAS TEC HANT?	HNICALI	Y Yes No
29)		HER NAMES OF THE BIDDERS AND THE ME OF OPENING OF BIDS?	IR QUOT	Yes V No
	WHETH CONTR	IER EVALUATION REPORT GIVEN TO ACT?	O BIDDI	ERS BEFORE THE AWARD OF
	(Attach c	copy of the bid evaluation report)		Yes V No

Υ	
<b>√</b>	
31) ANY COMPLAINTS RECEIVED (If yes, result thereof)	Yes
	No
32) ANY DEVIATION FROM SPECIFICATIONS GIVEN IN (If yes, give details)	
	Yes
33) WAS THE EXTENSION MADE IN RESPONSE TIME?	
(If yes, give reasons)	Yes
	No
34) DEVIATION FROM QUALIFICATION CRITERIA (If yes, give detailed reasons.)	Yes
	No
35) WAS IT ASSURED BY THE PROCURING AGENCY BLACK LISTED?	THAT THE SELECTED FIRM IS NOT  Yes   No   No
36) WAS A VISIT MADE BY ANY OFFICER/OFFICIAL OF SUPPLIER'S PREMISES IN CONNECTION WITH THE BE ASCERTAINED REGARDING FINANCING OF VISIT (If yes, enclose a copy)	PROCUREMENT? IF SO, DETAILS TO
37) WERE PROPER SAFEGUARDS PROVIDED ON MOB THE CONTRACT (BANK GUARANTEE ETC.)?	Yes No
38) SPECIAL CONDITIONS, IF ANY (If yos, girls Brief Description)	Yes
	No
Signature & Official Stamp of	
Authorized Officer	·
FOR OFFICE USE ONLY	

<u>SPPRA, Block. No.8, Sindh Secretariat No.4-A, Court Road, Karachi</u> Tele: 021-9205356; 021-9205369 & Fax: 021-9206291

Print Save Reset

### **BILL OF QUANTITES**

(A) Description and rate of items based on composite schedule of rates.2012
(B) Description and rate of items based on composite schedule of rates.2004

NAME OF WORK: REHABILITATION / RENOVATION OF DANGEROUS SCHOOL BUILDING
IN DISTRICT KHAIRPUR AT (1) GBPS SETHARJA BALA (2) GBPS GHULAM AKBAR LASHARI

TALUKA SOBHODERO ADP NO. 466. (INTERNAL ELECTRIFICATION)

(PACKAGE NO.16)

#### (1) GBPS SETHARJA BALA

0.010			T	11. 11	<u> </u>
S.NO:	<u> </u>	Qty	Rate	Unit	Amount
ŀ	Part"A" New Schedule Items 2012 Wiring for light or fan point with 3/.029 PVC insulated wire in	24	910	per point	21840
	20mm (3/4") channel patti on surface as required. (S.No. 129 P-15).		7.0	L. L	
2	Wiring for plug point with 3/.029 PVC insulated wire in 20mm	5	<b>7</b> 42	per point	3710
-	(3/4") channel patti on surface as required. (S.No. 130 P-15).				
3	Providing & laying (MAIN or SUB MAIN) PVC insulated with size 2-7/.029 copper conductor in 3/4" dia PVC conduit recessed in the wall or column as required, CSI No. 3 Page No. 1)	200	171	per Meter	34200
4	Providing & laying (MAIN or SUB MAIN) PVC insulated with	85	252	per Meter	21420
	size 2-7/.036 copper conductor in 1/4" dia PVC conduit				
	recessed in the wall or column as required. (S.I.No:11 P- No:2)				
_5	Providing & laying (MAIN or SUB MAIN) PVC insulated with	100	341	per Meter	34100
	size 2-7/.044 (6mm2) copper conductor in ¾" dia PVC conduit				
	recessed in the wall or column as required. (S.l.No:12 P- No:2)				
-	Providing & fixing circuit breaker 6,10,15,20, 30,40,50 & 63amp SP (TB-5S) on prepared board as required (S.I.No:202 P- No:30)	8	916	Each	7328
7	Providing & fixing circuit breaker 6,10,15,20,30,40,50, & 63amp DP (TB-5S) on perpared board required (S.I.No:204 P-No:31)	1	2425	P.No	2425
8	Providing & fixing two pin 5amp plug & flush type (S.I.No:225 P- No:33)	5	83	P.No	415
9	Providing & fixing three pin 10/15amp flug & socket flush type (S.1.No:222 P-No:33)	5	162	P.No	810

31 "	1 Age 2			·	
S.NO:	Description	Qty	Rate	Unit	Amount
10	Providing & fixing one way SP 5amp switch flush type(S.LNo:219 P- No:33)	24	54	P.No	1296
11	Providing & fixing Bakelite ceiling rose with two terminals (S.I.No:228 P- No:33)	9	72	P.No	648
-12	Providing & fixing Brass Battern holder c(S.I.No:232 P-No:33)	15	70	P.No	1050
13	Providing & fixing Brass Ceiling fan 56" (good quality) (S.1.No:235 P- No:34)	9	3185	P.No	28665
-14	Providing & fixing mild seel bar fan clamp 15.8 mm(5/8") dia suitable for Rcc roof (Sl No. 1(c) P-14)	9	141.01	P.No	1269
15	P/F distribution metal board double shutter to accommodate circuit breakers including painting with enemel paint and for other simmilar job on surface (S.I.No:15 P- No:13)	2	907.96	P.Sft	1816
16	P/Fenergy sever superior quality including fixing on existing holder etc complete.(S.I.No:6 P- No:33) (24 Walt)	15	497.00	Each	7455
.17	P/F earthing set with 2"x2"x1/2" cooper plate burried in groud at a depth of 12" or less if water comes out from the ground level with salt and chorcoal ,etc,in/c,making the pit 12"deep by excavation of all type of soil. Earth plat to be connected with No:8	1	3610.04	Each	3610
19	Providing & Fixing of street light 250 watts (SON-T) having IP66 classification with 250w lamp, choke, capacitor & Internal wiring complete in all respect at the height With the help of hydraulic crane as per site requirement and instruction of EL (CSI No. 163 Page No. 25)	2	24790	P.No	49580
20	P/F A.C ceiling fan regulator on metal board recessed in the walls column and covered with plastic sheet (S.I.No:2b P-No:14)	9	124.30	Each	1119
21	P/F wall bracket light fancy type superior quality including necessary electric connection and fixing on wall oe ceiling etc complete.(S.I.No:5 P- No:33)	4	497.00	Each	1988

GRAND TOTAL:- 224744

## (2) GBPS GHULAM AKBAR LASHARI

			T	1	
S.NO:	Description	Qty	Rate	Unit	Amount
- 1	Part"A" New Schedule Items 2012 Wiring for light or fan point with 3/.029 PVC insulated wire in	16	910	per point	14560
	20mm (3/4") channel patti on surface as required. (S.No. 129	- •	3.10	per perm	
-,	P-15).				
2	Wiring for plug point with 3/.029 PVC insulated wire in 20mm	4	742	per point	2968
	(3/4") channel patti on surface as required. (S.No. 130 P-15).				
3	Providing & laying (MAIN or SUB MAIN) PVC insulated with size 2-7/.029 copper conductor in 4" dia PVC conduit recessed in the wall or column as required. CSI No. 3 Page No. 1)	150	171	per Meter	25650
4	Providing & laying (MAIN or SUB MAIN) PVC insulated with	80	252	per Meter	20160.
	size 2-7/.036 copper conductor in 34" dia PVC conduit				
-	recessed in the wall or column as required. (S.I.No:11 P- No:2)				
•	•				
5	Providing & laying (MAIN or SUB MAIN) PVC insulated with	115	341	per Meter	39215
	size 2-7/.044 (6mm2) copper conductor in ¾" dia PVC conduit				
_	recessed in the wall or column as required. (S.1.No:12 P- No:2)				
б	Providing & fixing circuit breaker 6,10,15,20, 30,40,50 & 63amp SP (TB-5S) on prepared board as required (S.I.No:202 P-No:30)	8	916	Each	7328
7	Providing & fixing circuit breaker 6,10,15,20,30,40,50, & 63amp DP (TB-5S) on perpared board required (S.I.No:204 P-No:31)	ì	2425	P.No	2425
8	Providing & fixing two pin 5amp plug & flush type (S.I.No:225 P- No:33)	4	83	P.No	332
.9	Providing & fixing three pin 10/15amp plug & socket flush type (S.1.No:222 P- No:33)	5	162	P.No	810
10	Providing & fixing one way SP 5amp switch flush type(S.1.No:219 P- No:33)	16	54	P.No	864
11	Providing & fixing Bakelite ceiling rose with two terminals (S.I.No:228 P- No:33)	6	72	P.No	432
12	Providing & fixing Brass Battern holder c(S.I.No:232 P-No:33)	10	70	P.No	700
13	Providing & fixing Brass Ceiling fan 56" (good quality) (S.I.No:235 P-No:34)	6	3185	P.No	19110
14	Providing & fixing mild seel bar fan clamp 15.8/fmm(5/8") dia suitable for Rcc roof (SI No. 1(c) P-14)	6	141.01	P.No	846

S.NQ:	Description	Qty	Rate	Unit	Amount
15)	P/F distribution metal board double shutter to accommodate circuit breakers including painting with enemel paint and for other simmilar job on surface (S.I.No:15 P- No:13)	2	907.96	P.Sft	1816
•					
16	P/Fenergy sever superior quality including fixing on existing holder etc complete.(S.I.No:6 P- No:33) (24 Walt)	10	497.00	Each	4970
117	P/F earthing set with 2"x2"x1/2" cooper plate burried in groud at a depth of 12" or less if water comes out from the ground level with salt and chorcoal ,etc,in/c,making the pit 12"deep by excavation of all type of soil. Earth plat to be connected with No:8	I	3610.04	Each	3610
18	P/F A.C ceiling fan regulator on metal board recessed in the walls column and covered with plastic sheet (S.1.No:2b P-No:14)	6	124.30	Each	746
19	P/F wall bracket light fancy type superior quality including necessary electric connection and fixing on wall oe ceiling etc complete.(S.I.No:5 P- No:33)	4	497.00	Each	1988
			CDAN	D TOTAL :-	148530

ABSTRACT

(I) GBPS SETHARJA BALA

(2) GBPS GHULAM AKBAR LASHARI

Rs: 224744

Rs: 148530

G-Total Rs: 3'

Amount Total (A) 373274

0.20% Above /Below on the rates of CSR Rs. 372527 / Amount to be added/deducted on

the basis of premium quoted

Total (B)

Total (A) = in Words & Figure 372527/= Rupees Three lacs seventy Two -

- Thousand Five Hundred Twenty seven only

CONTRACTOR

EXECUTIVE ENGINEER
EDUCATION WORKS DIVISION
KHAIRPUR

#### HE EXECUTIVE ENGINEER EDUCATION WORKS DIVISION KHAIRPUR

NO: T.C/G-55/EW/KHP:/ 1339 of/2017 KHAIRPUR DATED:  $-\frac{339}{114}$  /2017

M/S Allah Wahi Electric Store Government Contractor Khairpur

SUBJECT: -

REHABILITATION/RENOVATION OF DANGERIOUS SCHOOL BUILDING IN DISTRICT KHAIRPUR ADP- 466 LE (1) GBPS HASANUDDIN (2) GBPS MATLO LUND (3) GBPS SANJER KHAN LUND TALUKA THARI MIRWAH (INTERNAL ELECTRIFICATION) PACKAGE NO -17

Reference:

Opening Tender opened on : -

3/6/2017

The rate quoted by you for the above-mentioned work on PART-"A" @ 0.18% Below(Schedule Items)entered in schedule'B'has been approved amounting to Rs 550138/-on schedule items.

You are requested to please attend this office within 07 days to complete the tender documents.

You are requested to supply this office a copy of partnership / deed registration deed of the firm ad power of attorney in the name of partnership of employees of the firm whom you have authorized to sign the bills, receive payments and instructions in respect of this work.

You are requested to start the work within 07 days after issue of this work order complete the same within agreement period of (12) Months

Stipulated date of Start

Stipulated date of Completion

#### IT SHOULD FURTHER BE NOTED THAT

- The work is to be carried out as per PWD specification
- 2 No Cartage for any material either arranged by you or supplied by Government will be paid separately.
- 3 No. Premium will be allowed on Non-Schedule items.
- 4 No Work should be carried out in excess of sanctioned estimate the receipt of this letter may please be acknowledged.

Executive Engineer
Education Works Division
Khairpur

Copy forwarded with compliments to the: -

- 1 The Superintending Engineer Education Works Circle Sukkur for favour of information please
- Copy along with copy of Schedule 'B" forwarded to the Assistant Engineer Education Electrical Works Sub Division Sukkur for information and necessary action. He should report actual date of start of the work to this Office

Copy forworded to the Director (C.B) SPPRA Karachi for favour of information

Executive Engineer
Education Works Division
Khairpur



M/s Allah Wahi Electric Store Govt: Contractor

### STANDARD BIDDING DOCUMENT

#### PROCUREMENT OF WORKS

(For Contracts Costing up to Rs 2.5 .AILLION)

REHABILITATION/RENOVATION OF DANGERIOUS SCHOOL BUILDING IN DISTRICT KHAIRPUR ADP- 466 LE (1) GBPS HASANUDDIN (2) GBPS MATLO LUND (3) GBPS SANJER KHAN LUND TALUKA THARI MIRWAH (INTERNAL ELECTRIFICATION) PACKAGE NO -17

Standard Bidding Document is intended as a model for admeasurements (Percentage Rate/unit price for unit rates in a Bill of Openities) tenes of contract.



#### FORM OF CONTRACT AGREEMENT

	of 200 between	
"Proc	of 200 between curing Agency") of the one part and attractor") of the other part.	(hereinafter called the
shoul	EREAS the Procuring Agency is desirous ld be executed by the Contractor and has ution and completion of such Works and the	accepted a Bid by the Contractor for the
NOW	V this Agreement witnesseth as follows:	
1.	In this Agreement words and expression respectively assigned to them in the Condi	ons shall have the same meanings as are tions of Contract hereinafter referred to.
2.		rating addenda, if any except those parts deemed to form and be read and construed
	(a) The Letter of Acceptance;	
	(b) The completed Form of Bid along	
	(e) Conditions of Contract & Contract	
	(d) The priced Schedule of Prices/Bill	of quantities (BoQ);
	<ul><li>(e) The Specifications; and</li><li>(f) The Drawings</li></ul>	
3.	Contractor as hereinafter mentioned, th	e made by the Procuring Agency to the e Contractor hereby covenants with the e the Works and remedy defects therein in rovisions of the Contract.
4.	execution and completion of the Works as	pay the Contractor, in consideration of the per provisions of the Contract, the Contract ayable under the provisions of the Contract

at the times and in the manner prescribed by the Contract.

IN WITNESS WHEREOF the parties hereto have caused this Contract Agreement to be executed on the day, month and year first before written in accordance with their respective laws.

Signature of the Contactor

(Seal)

(S

(Name, Title and Address) (Name, Title and Address)

60

### SINDH PUBLIC PROCUREMENT REGULATORY AUTHORITY

### CONTRACT EVALUATION FORM

## TO BE FILLED IN BY ALL PROCURING AGENCIES FOR PUBLIC CONTRACTS OF WORKS, SERVICES & GOODS

1)	NAME OF THE ORGANIZATION / DEPTT.	Education & Literact Department
2)	PROVINCIAL / LOCAL GOVT / OTHER	Provincial
3)	TITLE OF CONTRACT	Reh/Reno @ Hassam uddin 12 Matto Lund
41	TENDER NUMBER	SNO ( 17 ) Sanjar Khan Lind (Int Elect:
5)	BRIEF DESCRIPTION OF CONTRACT	Building Work (School Work)
6)	FORUM THAT APPROVED THE SCHEME	A A Issued by P&D Department Karachi
7)	TENDER ESTIMATED VALUE	Rs <b>6.551</b> (M)
8)	FNGINEER'S ESTIMATE (For civil works only) - *	TS RS \$\$\000
9)	ESTIMATED COMPLETION PERIOD (AS P	ER CONTRACT) ( 12 ) Months
10)	TENDER OPENED ON (DATE & TIME)	03-06-2017
11)	NUMBER OF TENDER DOCUMENTS SOLI (Attach list of buyers)	) 03 Nos
12)	NUMBER OF BIDS RECEIVED	03 Nos
13)	NUMBER OF BIDDERS PRESENT AT THE	TIME OF OPENING OF BIDS 03
	BID EVALUATION REPORT	Copy enclosed
14)	(Enclose a copy)	
15)	NAME AND ADDRESS OF THE SUCCESSF	UL BIDDER MIS Allahwahi Electric Store.
16)	CONTRACT AWARD PRICE	Rs SSOIS8
	CONTRACT AWARD PRICE  RANKING OF SUCCESSFUL BIDDER IN EV (i.e. 1 st , 2 nd , 3 ^{nl} EVALUATION BID).	Rs <b>550138</b>
	RANKING OF SUCCESSFUL BIDDER IN 19	VALUATION REPORT
ړ−۱	RANKING OF SUCCESSFUL BIDDER IN 19	RS SSÓIS 8 VALUATION REPORT Ist
ړ−۱	RANKING OF SUCCESSFUL BIDDER IN EVICE, 1 st , 2 nd , 3 ^{nl} EVALUATION BID).	Rs SSÓNS 8  VALUATION REPORT   Ist  ck one)
ړ−۱	RANKING OF SUCCESSFUL BIDDER IN EX G.e. 1 st , 2 nd , 3 ^{nl} EVALUATION BID).  METHOD OF PROCUREMENT USED : - (Ti	RS SSOVS 8  VALUATION REPORT  Ist  ck one)  PROCEDURE Yes Domestic/ Local
ړ−۱	RANKING OF SUCCESSFUL BIDDER IN EX (i.e. 1 st , 2 nd , 3 ^{nl} EVALUATION BID).  METHOD OF PROCUREMENT USED: - (Ti ) SINGLE STAGE - ONE ENVELOPE  b) SINGLE STAGE - TWO ENVELOPE	RS SSOVS 8  VALUATION REPORT   Ist  ck one)  PROCEDURE Yes   Domestic/ Local  E PROCEDURE
ړ−۱	RANKING OF SUCCESSFUL BIDDER IN EXTREME IN 19 (i.e. 15, 26d, 3th EVALUATION BID).  METHOD OF PROCUREMENT USED: - (Time)  SINGLE STAGE - ONE ENVELOPE  b) SINGLE STAGE - TWO ENVELOPE	RS SSOVS 8  VALUATION REPORT  Ist  Ck one)  PROCEDURE Yes Domestic/ Local  E PROCEDURE
ړ−۱	RANKING OF SUCCESSFUL BIDDER IN EX (i.e. 1 st , 2 nd , 3 ^{nt} EVALUATION BID).  METHOD OF PROCUREMENT USED: - (Ti ) SINGLE STAGE - ONE ENVELOPE b) SINGLE STAGE - TWO ENVELOPE c) TWO STAGE BIDDING PROCEDURE	RS SSOVS 8  VALUATION REPORT  Ist  Ck one)  PROCEDURE Yes Domestic/ Local  E PROCEDURE

19)	APPRO	VING AUTHORITY FOR AWARD OF CONTR.	ACT
<b>2</b> 0)	WHETI	IER THE PROCUREMENT WAS INCLUDED II	N ANNUAL PROCUREMENT PLAN?  Yes   V   No
21)	ADVER	TISEMEN1:	<u></u>
	i)	SPPRA Website (If yes, give date and SPPRA Identification No.)	
	ii)	News Papers (If yes, give names of newspapers and dates)	Yes SPPRA S NO 33094 Dated - 04-05-201
			No
22)	NATUR	E OF CONTRACT	Demons tixu Int.
23)	WAS IN	HER QUALIFICA <b>ŤION CRITERIA</b> ICLUDED IN BIDDING TIE <mark>NDER DOCUM</mark> EN Inclose a copy)	Yes Yo No
24)	WAS IN	HER BID EVALUATION CRITERIA ICLUDED IN BIDDING / TENDER DOCU <b>MEN</b> enclose a copy)	Yes V No
25)		IER APPROVAL OF COMPETENT AUTHORIT DD OTHER THAN OPEN COMPETITIVE BIDD	
26)	WAS BI	ID SECURITY OBTAINED FROM ALL THE BI	IDDERS? Yes V No
27)		HER THE SUCCESSFUL BID WAS LOWEST F EST EVALUATED BID (in case of Consultancies	
28)	WHETI COMPL	HER THE SUCCESSFUL BIDDER WAS TECHN JAN 1?	NICALLY Yes No V
29)		HER NAMES OF THE BIDDERS AND THEIR ME OF OPENING OF BIDS?	QUOTED PRICES WERE READ OUT A
H))	WHETI CONTR	IER EVALUATION REPORT GIVEN TO ACT?	BIDDERS BEFORE THE AWARD C
	(Attach	copy of the bid evaluation report)	Yes V No

31) ANY COMPLAINTS RECEIVED (If yes, result thereof)	Yes
	No
32) ANY DEVIATION FROM SPECIFICATIONS GIVEN (If yes, give details)	<del></del>
	Yes
	No
33) WAS THE EXTENSION MADE IN RESPONSE TIME (If yes, give reasons)	Yes Yes
	No
34) DEVIATION FROM QUALIFICATION CRITERIA (If yes, give detailed reasons.)	Yes
	No
35) WAS IT ASSURED BY THE PROCURING AGENO BLACK LISTED?	CY THAT THE SELECTED FIRM IS NOT Yes No No
36) WAS A VISIT MADE BY ANY OFFICER OFFICIAL SUPPLIER'S PREMISES IN CONNECTION WITH THE BE ASCERTAINED REGARDING FINANCING OF VOICE, (If yes, enclose a copy)	THE PROCUREMENT? IF SO, DETAILS TO
(ii yes. enclose a copy)	Yes No
37) WERE PROPER SAFEGUARDS PROVIDED ON M THE CONTRACT (BANK GUARANTEE ETC.)?	MOBILIZATION ADVANCE PAYMENT IN  See No P
38) SPECIAL CONDITIONS, IF ANY (H) est gave xizer Description)	Yes
WELL CONTRACTOR OF THE PARTY OF	No
Simple B. OSS to Express C	
Signature & Official Stamp of Authorized Officer	<u> </u>
R OFFICE USE ONLY	
···	

<u>SPPRA, Block. No.8, Sindh Secretariat No.4-A, Court Road, Karachi</u> Tele: 021-9205356; 021-9205369 & Fax: 021-9206291

Print Save Reset

#### **BILL OF QUANTITES**

(A) Description and rate of items based on composite schedule of rates.2012
(B) Description and rate of items based on composite schedule of rates.2004

NAME OF WORK :- REHABILITATION / RENOVATION OF DANGEROUS SCHOOL BUILDING

IN DISTRICT KHAIRPUR AT (1) GBPS HASSANUDDIN (2) GBPS MATLO LUND (3) SANJER LUND LEGHARI TALUKA THARI MIRWAH ADP NO. 466. (INTERNAL ELECTRIFICATION)

(PACKAGE NO.17)

#### (1) GBPS HASSANUDDIN

(1) G	BPS HASSANUDDIN				
S.NO:	Description	Qty	Rate	Unit	Amount
	Part"A" New Schedule Items 2012				
1	Wiring for light or fan point with 3/,029 PVC insulated wire in	16	910	per point	14560
	20mm (3/4") channel patti on surface as required. (S.No. 129				
•	P-15).				
2	Wiring for plug point with 3/.029 PVC insulated wire in 20mm	3	742	per point	2226
	(3/4") channel patti on surface as required. (S.No. 130 P-15).				
	Providing & laying (MAIN or SUB MAIN) PVC insulated with	150	171	per Meter	25650
	size 2-7/.029 copper conductor in '4'' dia PVC conduit			•	
	recessed in the wall or column as required. CSi No. 3 Page No. 1)				
					•
4	Providing & laying (MAIN or SUB MAIN) PVC insulated with	50	252	per Meter	12600
	size 2-7/.036 copper conductor in 1/4" dia PVC conduit				
	recessed in the wall or column as required. (S.I.No:11 P- No:2)				
. 5	Providing & laying (MAIN or SUB MAIN) PVC insulated with	120	341	per Meter	40920
	size 2-7/.044 (6mm2) copper conductor in 3/411 dia PVC conduit				
	recessed in the wall or column as required. (S.1.No:12 P- No:2)				
6	Providing & fixing circuit breaker 6,10,15,20, 30,40,50 &	8	916	Each	7328
	63amp SP (TB-5S) on prepared board as required (S.1.No:202				
	P- No:30)				
7	Providing & fixing circuit breaker 6,10,15,20,30,40,50, &	1	2425	P.No	2425
	63amp DP (TB-5S) on perpared board required (S.I.No:204 P-				
	No:31)				
8	Providing & fixing two pin 5amp plug & flush type (S.I.No:225	3	1 83 /	P.No	249
	P- No:33)		6		
			1		
<b>9</b> -	Providing & fixing three pin 10/15amp plug & socket flush type (S.I.No:222 P- No:33)	5	162	P.No	810

S.NO:	Description	Qty	Rate	Unit	Amount
10	Providing & fixing one way SP 5amp switch flush type(S.f.No:219 P- No:33)	16	54	P.No	864
11	Providing & fixing Bakelite ceiling rose with two terminals (S.I.No:228 P- No:33)	6	72	P.No	432
12	Providing & fixing Brass Battern holder c(S.I.No:232 P-No:33)	10	70	P.No	700
13	Providing & fixing Brass Ceiling fan 56" (good quality) (S.1.No:235 P- No:34)	6	3185	P.No	19110
14	Providing & fixing mild seel bar fan clamp 15.8 mm(5/8") dia suitable for Rcc roof (SI No. 1(c) P-14)	6	141.01	P.No	846
15	P/F distribution metal board double shutter to accommodate circuit breakers including painting with enemel paint and for other simmilar job on surface (S.I.No:15 P- No:13)	2	907.96	P.Sft	1816
16	P/Fenergy sever superior quality including fixing on existing holder etc complete.(S.I.No:6 P- No:33) (24 Walt)	10	497.00	Each	4970
	P/F earthing set with 2"x2"x1/2" cooper plate burried in groud at a depth of 12" or less if water comes out from the ground level with salt and chorcoal ,etc,in/c.making the pit 12"deep by excavation of all type of soil. Earth plat to be connected with No:8	1	3610.04	Each	3610
	Providing & Fixing of street light 250 watts (SON-T) having 1P66 classification with 250w lamp, choke, capacitor & Internal wiring complete in all respect at the height With the help of hydraulic crane as per site requirement and instruction of El. (CSI No. 163 Page No. 25)	1	24790	P.No	24790
19	P/F A.C ceiling fan regulator on metal board recessed in the walls column and covered with plastic sheet (S.I.No:2b P-No:14)	6	124.30	Each	746
20	P/F wall bracket light fancy type superior quality including necessary electric connection and fixing on wall oe ceiling etc complete.(S.I.No:5 P- No:33)	4	497.00	Each	1988

GRAND TOTAL: 166640

S.NO:	Description	Qty	Rate	Unit	Amo
	Part"A" New Schedule Items 2012				
1	Wiring for light or fan point with 3/.029 PVC insulated wire in 20mm (3/4") channel patti on surface as required. (S.No. 129 P-15).	16	910	per point	145
2	Wiring for plug point with 37,029 PVC insulated wire in 20mm	3	742	per point	22
	(3/4**) channel patti on surface as required. (S.No. 130 P-15).				
3	Providing & laying (MAIN or SUB MAIN) PVC insulated with size 2-7/.029 copper conductor in '4' dia PVC conduit recessed in the wall or column as required. CSI No. 3 Page No. 1)	150	171	per Meter	256
4	Describing P. Loving (MAATN) on CUID AGAIN) DVC insulated with	70	252	nor Motor	176
4	Providing & laying (MAIN or SUB MAIN) PVC insulated with	70	252	per Meter	170
	size 2-7/.036 copper conductor in '4'' dia PVC conduit				
	recessed in the wall or column as required. (S.I.No:11 P- No:2)				
5	Providing & laying (MAIN or SUB MAIN) PVC insulated with	130	341	per Meter	443
	size 2-7/.044 (6mm2) copper conductor in %" dia PVC conduit				
	recessed in the wall or column as required. (S.I.No:12 P- No:2)	•			
6	Providing & fixing circuit breaker 6,10,15,20, 30,40,50 & 63amp SP (TB-5S) on prepared board as required (S.I.No:202 P- No:30)	8	916	Each	73.
7	Providing & fixing circuit breaker 6,10,15,20,30,40,50, & 63amp DP (TB-5S) on perpared board required (S.1.No:204 P-No:31)	1	2425	P.No	24:
8	Providing & fixing two pin 5amp plug & flush type (S.I.No:225	3	83	P.No	24
	P- No:33)				
9	Providing & fixing three pin 10/15amp plug & socket flush type (S.I.No;222 P- No:33)	5	162	P.No	81
-10	Providing & fixing one way SP 5amp switch flush type(S.I.No:219 P- No:33)	16	54	P.No	86
11	Providing & fixing Bakelite ceiling rose with two terminals (S.I.No:228 P- No:33)	6	72	P.No	43
12	Providing & fixing Brass Battern holder c(S.1.No:232 P-No:33)	10	70	P.No	7(

i.	rage z					
S.NO:	Description	Qty	Rate	Unit	Amount	
126	Providing & fixing Brass Ceiling fan 56'' (good quality) (S.I.No:235 P- No:34)	6	3185	P.No	19110	
14	Providing & fixing mild seel bar fan clamp 15.8 mm(5/8") dia suitable for Rcc roof (Si No. 1(c) P-14)	6	141.01	P.No	846	
15	P/F distribution metal board double shutter to accommodate circuit breakers including painting with enemel paint and for other simmilar job on surface (S.I.No:15 P- No:13)	2	907.96	P.Sft	1816	
16	P/Fenergy sever superior quality including fixing on existing holder etc complete.(S.I.No:6 P- No:33) (24 Walt)	10	497.00	Each	4970	
17	P/F earthing set with 2"x2"x1/2" cooper plate burried in groud at a depth of 12" or less if water comes out from the ground level with salt and chorcoal ,etc,in/c.making the pit 12"deep by excavation of all type of soil. Earth plat to be connected with No:8	1	3610.04	Each	3610	
18	Providing & Fixing of street light 250 watts (SON-T) having IP66 classification with 250w lamp, choke, capacitor & Internal wiring complete in all respect at the height With the help of hydraulic crane as per site requirement and instruction of EI. (CSI No. 163 Page No. 25)	3	24790	P.No	74370	
19	P/F A.C ceiling fan regulator on metal board recessed in the walls column and covered with plastic sheet (S.I.No:2b P-No:14)	6	124.30	Each	746	
20	P/F wall bracket light fancy type superior quality including necessary electric connection and fixing on wall oe ceiling etc complete.(S.I.No:5 P- No:33)	4	497.00	Each	1988	

GRAND TOTAL :- 224670

## (3) GBPS SANJER LUND LEGHARI

(-, )	1	<del></del> · · · _I		Ţ <del>-</del> - 1	
S.NO:	Description	Qty	Rate	Unit	Amount
1	Part"A" New Schedule Items 2012 Wiring for light or fan point with 3/.029 PVC insulated wire in 20mm (3/4") channel patti on surface as required. (S.No. 129 P-15).	16	910	per point	14560
2	Wiring for plug point with 3/.029 PVC insulated wire in 20mm	3	742	per point	2226
	(3/4") channel patti on surface as required. (S.No. 130 P-15).				
	Providing & laying (MAIN or SUB MAIN) PVC insulated with size 2-7/.029 copper conductor in '4'' dia PVC conduit recessed in the wall or column as required. CSI No. 3 Page No. 1)	150	171	per Moter	25650
4	Providing & laying (MAIN or SUB MAIN) PVC insulated with	50	252	per Meter	12600
	size 2-7/.036 copper conductor in 3/4" dia PVC conduit				
•	recessed in the wall or column as required. (S.l.No:11 P- No:2)				
5	Providing & laying (MAIN or SUB MAIN) PVC insulated with	100	341	per Meter	34100
	size 2-7/.044 (6mm2) copper conductor in ¾" dia PVC conduit				
	recessed in the wall or column as required. (S.I.No:12 P- No:2)				
6	Providing & fixing circuit breaker 6,10,15,20, 30,40,50 & 63amp SP (TB-5S) on prepared board as required (S.1.No:202 P- No:30)	8	916	Each	7328
. 7	Providing & fixing circuit breaker 6,10,15,20,30,40,50, & 63amp DP (TB-5S) on perpared board required (S.I.No;204 P-No;31)	1	2425	P.No	2425
8	Providing & fixing two pin 5amp plug & flush type (\$.I.No:225 P- No:33)	3	83	P.No	249
9	Providing & fixing three pin 10/15amp plug & socket flush type (S.I.No:222 P- No:33)	5	162	P.No	810
10	Providing & fixing one way SP 5amp switch flush type(S.I.No:219 P- No:33)	16	54	P.No	864
11	Providing & fixing Bakelite ceiling rose with two terminals (S.I.No:228 P- No:33)	6	72	P.No	432
. 12	Providing & fixing Brass Battern holder c(S.I.No:232 P-No:33)	10	70	P.No	700
13	Providing & fixing Brass Ceiling fan 56'' (good quality) (S.I.No:235 P- No:34)	6	3185	P.No	19110
14	Providing & fixing mild seel bar fan clamp 15.8 mm(5/8") dia suitable for Rec roof (SI No. 1(c) P-14)	6	141.01	P.No	846

ΝΟį	Description		Qty	Rate	Unit	Amount
150	P/F distribution metal board double shutter to accommo eircuit breakers including painting with enemel paint and other simmilar job on surface (S.I.No:15 P- No:13)		2	907.96	P.Sft	1816
16	P/Fenergy sever superior quality including fixing on exist holder etc complete.(S.f.No:6 P- No:33) (24 Walt)	sting	10	497.00	Each	4970
17	P/F earthing set with 2"x2"x1/2" cooper plate burried in groud at a depth of 12" or less if water comes out from the ground level with salt and chorcoal ,etc,in/c,making the pit 12"deep by excavation of all type of soil. Earth plat to be connected with No:8		1	3610.04	Each	3610
18	Providing & Fixing of street light 250 watts (SON-T) ha IP66 classification with 250w lamp, choke, capacitor & Interwiring complete in all respect at the height With the hel hydraulic crane as per site requirement and instruction of (CSI No. 163 Page No. 25)	ernal p of	1	24790	P.No	24790
19	P/F A.C ceiling fan regulator on metal board recessed in walls column and covered with plastic sheet (S.I.No:20 No:14)		6	124.30	Each	746
20	P/F wall bracket light fancy type superior quality inclunecessary electric connection and fixing on wall oe ceiling complete.(S.I.No:5 P- No:33)	-	4	497.00	Each	1988
				GRAND	TOTAL :-	159820
	ABSTRACT					
	(1) GBPS HASSANUDDIN	Rs:		166640		
/	(2) GBPS MATLO LUND	Rs:		224670	•	
x/\	GRPS SANJER LUND LEGHARI	Rs:		159820		
1/ M	G-T LTOIAL(A) SS 1130	otal Rs:		551130		

0.18% / % Above /Below on the rates of CSR Rs. 550138 / Amount to be added/deducted on

the basis of premium quoted

Total (B)

Total (A) = in Words & Figure 550 128/= Rupees Fire Lacs Fifty Thousa

CONTRACTOR

**EDUCATION WORKS DIVISION KHAIRPUR** 

#### OFFICE OF THE EXECUTIVE ENGINEER EDUCATION WORKS DIVISION KHAIRPUR

NO: T.C/G-55/EW/KHP:/ 1340 of / 2017 KHAIRPUR DATED: - 14 - 9 - / 2017

To,

M/S Bis Millah Traders Government Contractor

Sukkur

SUBJECT: -

REHABILITATION/RENOVATION OF DANGERIOUS SCHOOL BUILDING

IN DISTRICT KHAIRPUR ADP- 466 I.E (1) GBPS GARHI RANGAL SHAH

(2) GBPS M.ARAB KATOHAR (3) GBPS GHULAM MUHAMMAD GOPANG (4) GBPS WALI MUHAMMAD BHATTI TALUKA KOT DIJI

(INTERNAL ELECTRIFICATION) PACKAGE NO -18

Reference:

Opening Tender opened on : -

3/6/2017

The rate quoted by you for the above-mentioned work on PART-"A" @ 0.30% Below(Schedule Items)entered in schedule'B'has been approved amounting to Rs 400709/on schedule items.

You are requested to please attend this office within 07 days to complete the tender documents.

You are requested to supply this office a copy of partnership / deed registration deed of the firm ad power of attorney in the name of partnership of employees of the firm whom you have authorized to sign the bills, receive payments and instructions in respect of this work.

You are requested to start the work within 07 days after issue of this work order complete the same within agreement period of (12) Months

Stipulated date of Start

Stipulated date of Completion

#### IT SHOULD FURTHER BE NOTED THAT

- 1 The work is to be carried out as per PWD specification
- No Cartage for any material either arranged by you or supplied by 2 Government will be paid separately.
- 3 No. Premium will be allowed on Non-Schedule items.
- 4 No Work should be carried out in excess of sanctioned estimate the receipt of this letter may please be acknowledged.

**Executive Engineer Education Works Division** Khairpur

Copy forwarded with compliments to the: -

- 1 The Superintending Engineer Education Works Circle Sukkur for favour of information please
- Copy along with copy of Schedule 'B" forwarded to the Assistant Engineer Education Electrical Works Sub Division Sukkur for information and necessary action. He should report actual date of start of the work to this Office

Copy forworded to the Director (C.B) SPPRA Karachi for favour/of information.

Executive En**x**ineer ducation Works Division Khairpur



. 70 18



M/s Bismillah Traden. Govt Contractor


STANDARD BIDDING DOCUMENT

PROCUREMENT OF WORKS

(For Contracts Costing up to Rs 2.5 MILLION)

REHABILITATION/RENOVATION OF DANGERIOUS SCHOOL BUILDING IN DISTRICT KHALRRUR ADP. 480. LE (1) GBPS GARHERANGAL SHAH (2) GRPS IM ARAB KATOHAR (3) GBPS GHULAM MUHAMMAD GOPANG (4) GBPS WALLMUHAMMAD BHATTL TALUKA KOT DIJ. (INTERNAL ELECTRIFICATION) PACKAGE NO -18

Standard Bidding Document is intended as a model for admeasurements (Percentage Rate/unit price for unit rates in a Bill of Quantities) types of contract. The main texmander dimeasurements contracts.



CONTRACTOR

#### FORM OF CONTRACT ACREEMENT

THIS day o			"Agreement") made on the(hereinafter called the
"Proc	oring Agency") of	the one part and	(hereinafter called the
"Cont	ractor") of the other pa	nft.	
should	l be executed by the	Agency is desirous that cert Contractor and has accepted such Works and the remedying	d a Bid by the Contractor for the
NOW	this Agreement witnes	sseth as follows:	
1.			have the same meanings as are Contract hereinafter referred to.
2.		is to Bidders, shall be deemed	ldenda, if any except those parts to form and be read and construed
	ter Conditions of	d Form of Bid along with Sch Contract & Contract Data; hedule of Prices/Bill of quant tions; and	
3.	Contractor as herein Prescuring Agency to	nafter mentioned, the Contr	by the Procuring Agency to the actor hereby covenants with the orks and remedy defects therein in of the Contract.
1.	execution and comple Price or such other s	ction of the Works as per prov	Contractor, in consideration of the visions of the Contract, the Contract of the provisions of the Contract ontract.



Sindh Public Procurement Regulatory Authority [ www.pprasindh.gov.pk





IN WITHESS WHEREOF the parties bereto have caused this Contract Agreement to be executed on the day, month and year first before written in accordance with their respective laws.

Signature of the Contactor	Signific of the Procuring Agency
(Seal)	SEASON CONTRACTOR CONT
Signed, Smiled and Delivered in the pre	sence of:
Witness:	Witness:
(Name, Title and Address)	(Name, Title and Address)

# SINDH PUBLIC PROCUREMENT REGULATORY AUTHORITY

## CONTRACT EVALUATION FORM

# TO BE FILLED IN BY ALL PROCURING AGENCIES FOR PUBLIC CONTRACTS OF WORKS, SERVICES & GOODS

L)	NAME OF THE ORGANIZATION / DEPTT.	Education & Literact Department
2)	PROVINCIAL LOCAL GOVE/ OTHER	Provincial
3)	THEE OF CONTRACT	Rehab/Rena @ W Enarth Rangal Shah (2) M. Arab Kato
4)	TENDER NUMBER	SNO ( 18 )-mont Englang (w) wah; mhd : Batti
5)	BRIEF DESCRIPTION OF CONTRACT	Building Work (School Work)
6)	FORUM THAT APPROVED THE SCHEME	A A Issued by P&D Department Karachi
7)	TENDER ESTIMATED VALUE	Rs 4 0 4 000 (M)
8)	FNGINEER'S ESTIMATE (For civil works only)	TSRS 401000
9)	ESTIMATED COMPLETION PERIOD (AS P	ER CONTRACT) ( 12 ) Months
	TENDER OPENED ON (DATE & TIME)	03-06-2017
11)	NUMBER OF TENDER DOCUMENTS SOLE (Attach list of buyers)	03 Nos
121	NUMBER OF BIDS RECEIVED	03 Nos
	NUMBER OF BIDDERS PRESENT AT THE	TIME OF OPENING OF BIDS 03
	5.7	Copy enclosed
14)	BID EVALUATION REPORT (Enclose a copy)	
151	NAME AND ADDRESS OF THE SUCCESSE	UL BIDDER MS Bismillah Traders
	CONTRACT AWARD PRICE	Rs 400709
17)	RANKING OF SUCCESSFUL BIDDER IN EX- (i.e. 1 st , 2 nd , 3 rd EVALUATION BID).	VALUATION REPORT
18)	METHOD OF PROCUREMENT USED : - (Tie	ek one)
	a) SINGLE STAGE – ONE ENVELOPE	PROCEDURE Yes Domestic/ Local
	b) SINGLE STAGE – TWO ENVELOPE	PROCEDURE
	e) TWO STAGE BIDDING PROCEDUR	RE
	d) TWO STAGE – TWO ENVELOPE BI	IDDING PROCEDURE
	PLEASE SPECIFY IF ANY OTHER EMERGENCY, DIRECT CONTRACTING	METHOD OF PROCUREMENT WAS ADOPTED i.e. G etc with brief reasons:

19)	APPRO	OVING AUTHORITY FOR AWARD OF CONTI		Chief Engineer Education works Sukkur
20)	WHET	HER THE PROCUREMENT WAS INCLUDED	IN ANN	NUAL PROCUREMENT PLAN?  Yes No No
21)	ADVE	RTISEMENT:		
			Yes	SPPRA S NO 33094 Dated - 04-05-2017
	i)	SPPRA Website		
		(If yes, give date and SPPRA Identification No.	No	
	ii)	News Papers (If yes, give names of newspapers and dates)	Yes	SPPRA S.NO 33094 Dated - 04-05-2017
		or devispapers and ditesy		
			No	
22)	NATU	RE OF CONTRACT		taga / Int.
יבכ	WHET	HER QUALIFICA <b>TIO</b> N C <b>RITERIA</b>		
23)		ner qualification erteria NCLUDED IN BIDDING / TENDER DOCUME	NTS?	
		enclose a copy)		Yes V No
			,	<u> </u>
24)		HER BID EVALUATION CRITERIA		
		NCLUDED IN BIDDING / TENDER DOCUMEN enclose a copy)	STS?	Yes No
	\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\	enclose a copy		
25)	WHETI	HER APPROVAL OF COMPETENT AUTHORI	Γ <b>Ý</b> WΑ	S OBTAINED FOR USING A
		OD OTHER THAN OPEN COMPETITIVE BIDI		Yes No V
			· .	, L
26)	WAS B	SID SECURITY OBTAINED FROM ALL THE B	IDDER	S? Yes V No
27)	WHETI	HER THE SUCCESSFUL BID WAS LOWEST F	VALU	ATED Yes V No
		BEST EVALUATED BID (in case of Consultancie		1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1
		HER THE SUCCESSFUL BIDDER WAS TECH	NICALI	Y Yes No
	COMP	JANT?		
NO:	11/17/2009	HISD NAMES OF THE STREET		
29)		HER NAMES OF THE BIDDERS AND THEIR ME OF OPENING OF BIDS?	QUOT	
				Yes V No
	WHETH	HER EVALUATION REPORT GIVEN TO	BIDDE	ERS BEFORE THE AWARD OF
(0)		RACT?		
		copy of the bid evaluation report)		

31) ANY COMPLAINTS RECEIVED	Yes
(If yes, result thereof)	
	No
	GIVEN IN THE TENDER NOTICE / DOCUMENTS
(If yes, give details)	Yes
	No
<ol> <li>WAS THE EXTENSION MADE IN RESPONS (If yes, give reasons)</li> </ol>	SE TIME? Yes
,	
	No
34) DEVIATION FROM QUALIFICATION CRIT (If yes, give detailed reasons.)	ERIA Yes
	No
35) WAS IT ASSURED BY THE PROCURING BLACK LISTED?	AGENCY THAT THE SELECTED FIRM IS NOT  Yes No No
36) WAS A VISIT MADE BY ANY OFFICER/O SUPPLIER'S PREMISES IN CONNECTION BE ASCERTAINED REGARDING FINANCIA (If yes, enclose a copy)	FFICIAL OF THE PROCURING AGENCY TO THE WITH THE PROCUREMENT? IF SO, DETAILS TO NG OF VISIT, IF ABROAD:  Yes No V
	O ON MOBILIZATION ADVANCE PAYMENT IN
THE CONTRACT (BANK GUARANTEE ETC	Yes No V
38) SPECIAL CONDITIONS, IF ANY (It's season being Description)	Yes
O EXECUTIVE A TOUR OF THE	
Subcation Works Civinian WHAIRPUR	No
Signature & Official Stamp of Authorized Officer	

SPPRA, Block. No.8, Sindh Secretariat No.4-A, Court Road, Karachi Tele: 021-9205356; 021-9205369 & Fax: 021-9206291

Print Save Reset

### **BILL OF QUANTITES**

(A) Description and rate of items based on composite schedule of rates.2012
(B) Description and rate of items based on composite schedule of rates.2004

NAME OF WORK: REHABILITATION / RENOVATION OF DANGEROUS SCHOOL BUILDING
IN DISTRICT KHAIRPUR AT (1) GBPS GARHI RANGAL SHAH (2) GBPS M.ARAB KATOHAR
TALUKA KHAIRPUR (3) GBPS GHULAM MUHAMMAD GOPANG (4) GBPS WALI MUHAMMAD
BHATTI TALUKA KOTDIJI ADP NO. 466. (INTERNAL ELECTRIFICATION)
(PACKAGE NO.18)

(1) GBPS GARHI RANGAL SHAH

P- No:33)

S.NO:	Description	Qty	Rate	Unit	Amount
	Part"A" New Schedule Items 2012				1.0
1	Wiring for light or fan point with 3/.029 PVC insulated wire in	10	910	per point	9100
	20mm (3/4") channel patti on surface as required, (S.No. 129			:	
	P-15).				
.2	Wiring for plug point with 3/.029 PVC insulated wire in 20mm	2	742	per point	1484
	(3/4") channel patti on surface as required. (S.No. 130 P-15).				
3	Providing & laying (MAIN or SUB MAIN) PVC insulated with size 2-7/.029 copper conductor in 1/4" dia PVC conduit recessed in the wall or column as required. CSI No. 3 Page No.	100	171	per Meter	17100
	1)				445 445
4	Providing & laying (MAIN or SUB MAIN) PVC insulated with	23	252	per Meter	5796
	size 2-7/.036 copper conductor in 1/4" dia PVC conduit				
÷	recessed in the wall or column as required. (S.I.No:11 P- No:2)				: :
,	D. 12. O.L. MAADY OUD MADY DIVOT LA LA MA	50	241	Mataa	17050
5	Providing & laying (MAIN or SUB MAIN) PVC insulated with	50	341	per Meter	17050
•	size 2-7/.044 (6mm2) copper conductor in %" dia PVC conduit				
	recessed in the wall or column as required. (S.I.No:12 P- No:2)				
6	Providing & fixing circuit breaker 6,10,15,20, 30,40,50 &	4	916	Each	3664
	63amp SP (TB-5S) on prepared board as required (S.I.No:202 P- No:30)				· .
.7	Providing & fixing circuit breaker 6,10,15,20,30,40,50, &	1	2425	P.No	2425
	63amp DP (TB-5S) on perpared board required (S.I.No:204 P-				• .
	No:31)	a			
8	Providing & fixing two pin 5amp plug & flush type (S.I.No:225	J 2	83	P.No	166

	Page Z				
S.NO:	Description	Qty	Rate	Unit	Amount
9	Providing & fixing three pin 10/15amp plug & socket flush type (S.I.No;222 P- No:33)	3	162	P.No	486
10	Providing & fixing one way SP 5amp switch flush type(S.I,No:219 P- No:33)	10	54	P.No	540
11	Providing & fixing Bakelite ceiling rose with two terminals (S.I.No:228 P- No:33)	3	72	P.No	216
12	Providing & fixing Brass Battern holder c(S.I.No:232 P-No:33)	7	70	P.No	490
13	Providing & fixing Brass Ceiling fan 56" (good quality) (S.I.No:235 P- No:34)	3	3185	P.No	9555
14	Providing & fixing mild seel bar fan clamp 15.8 mm(5/8") dia suitable for Rec roof (SI No. 1(c) P-14)	3	141.01	P.No	423
15	P/F distribution metal board double shutter to accommodate circuit breakers including painting with enemel paint and for other simmilar job on surface (S.1.No:15 P- No:13)		907.96	P.Sft	908
16	P/Fenergy sever superior quality including fixing on existing holder etc complete.(S.I.No:6 P- No:33) (24 Walt)	7	497.00	Each	3479
17	P/F A.C ceiling fan regulator on metal board recessed in the walls column and covered with plastic sheet (S.I.No:2b P-No:14)	3	124.30	Each	373
18	P/F wall bracket light fancy type superior quality including necessary electric connection and fixing on wall oe ceiling etc complete.(S.I.No:5 P- No:33)	3	497.00	Each	1491

da

GRAND TOTAL :-

74746

# (2) GBPS M.ARAB KATOHAR

S.NC	Description	Qty	Rate	Unit	Amount
<del> </del>	Part"A" New Schedule Items 2012			-	-
1	Wiring for light or fan point with 3/.029 PVC insulated wire in 20mm (3/4") channel patti on surface as required. (S.No. 129 P-15).	16	910	per point	14560
2	Wiring for plug point with 3/.029 PVC insulated wire in 20mm	3	742	per point	2226
	(3/4") channel patti on surface as required. (S.No. 130 P-15).				
3	Providing & laying (MAIN or SUB MAIN) PVC insulated with size 2-7/.029 copper conductor in '4'' dia PVC conduit recessed in the wall or column as required. CSI No. 3 Page No. 1)	50	171	per Meter	8550
.4	Providing & laying (MAIN or SUB MAIN) PVC insulated with	15	252	per Meter	3780
	size 2-7/.036 copper conductor in 3/4" dia PVC conduit				
	recessed in the wall or column as required. (S.I.No:11 P- No:2)				
5	Providing & laying (MAIN or SUB MAIN) PVC insulated with	30	341	per Meter	10230
•	size 2-7/.044 (6mm2) copper conductor in 3/411 dia PVC conduit				
	recessed in the wall or column as required. (S.1,No:12 P- No:2)				
6	Providing & fixing circuit breaker 6,10,15,20, 30,40,50 & 63amp SP (TB-5S) on prepared board as required (S.I.No:202 P-No:30)	3	916	Each	2748
7	Providing & fixing circuit breaker 6,10,15,20,30,40,50, & 63amp DP (TB-5S) on perpared board required (S.I.No:204 P-No:31)	1	2425	P.No	2425
8	Providing & fixing two pin 5amp plug & flush type (S.I.No:225 P- No:33)	2	83	P.No	166
9	Providing & fixing three pin 10/15amp plug & socket flush type (S.I.No:222 P- No:33)	2	162	P.No	324
10	Providing & fixing one way SP 5amp switch flush type(\$.1.No:219 P- No:33)	16	54	P.No	864
11	Providing & fixing Bakelite ceiling rose with two terminals (S.1.No:228 P- No:33)	6	72	P.No	432

Jan

S.NO:	Description	Qty	Rate	Unit	Amount
12	Providing & fixing Brass Battern holder c(\$.1.No:232 P-No:33)	10	70	P.No	700
13	Providing & fixing Brass Ceiling fan 56" (good quality) (S.I.No:235 P- No:34)	6	3185	P.No	19110
14	Providing & fixing mild seel bar fan clamp 15.8 mm(5/8") dia suitable for Rcc roof (SI No. 1(c) P-14)	6	141.01	P.No	846
15	P/F distribution metal board double shutter to accommodate circuit breakers including painting with enemel paint and for other simmilar job on surface (S.I.No:15 P- No:13)	1	907.96	P.Sft	908
16	P/Fenergy sever superior quality including fixing on existing holder etc complete.(S.I.No:6 P- No:33) (24 Walt)	10	497.00	Each	4970
17	P/F A.C ceiling fan regulator on metal board recessed in the walls column and covered with plastic sheet (S.I.No:2b P-No:14)	6	124.30	Each	746
18	P/F wall bracket light fancy type superior quality including necessary electric connection and fixing on wall oe ceiling etc complete.(S.1.No:5 P- No:33)	je	497.00	Each	994
•	// 0	ſ	GRAN	ID TOTAL :-	74579

# (3) GBPS GHULAM MUHAMMAD GOPANG

	S.Nt	Description	Qty	Rate	Unit	Amount
-	<b></b>	Part"A" New Schedule Items 2012			1	
•	1	Wiring for light or fan point with 3/.029 PVC insulated wire in 20mm (3/4") channel patti on surface as required, (S.No. 129 P-15).	16	910	per point	14560
	2	Wiring for plug point with 37.029 PVC insulated wire in 20mm	3	742	per point	2226
		(3/4") channel patti on surface as required. (S.No. 130 P-15).				
	3	Providing & laying (MAIN or SUB MAIN) PVC insulated with size 2-7/.029 copper conductor in 3/411 dia PVC conduit recessed in the wall or column as required, CSI No. 3 Page No. 1)	130	171	per Meter	22230
	-4	Providing & laying (MAIN or SUB MAIN) PVC insulated with	60	252	per Meter	15120
		size 2-7/.036 copper conductor in 3/4" dia PVC conduit				
		recessed in the wall or column as required. (S.I.No:11 P- No:2)				
	5	Providing & laying (MAIN or SUB MAIN) PVC insulated with	100	341	per Meter	34100
		size 2-7/.044 (6mm2) copper conductor in ¾" dia PVC conduit				
		recessed in the wall or column as required. (S.I.No:12 P- No:2)				٠.
	6	Providing & fixing circuit breaker 6,10,15,20, 30,40,50 & 63amp SP (TB-5S) on prepared board as required (S.I.No:202 P- No:30)	5	916	Each	4580
	7	Providing & fixing circuit breaker 6,10,15,20,30,40,50, & 63amp DP (TB-5S) on perpared board required (S.l.No:204 P-No:31)	1	2425	P.No	2425
Via	8	Providing & fixing two pin 5amp plug & flush type (S.I.No:225 P- No:33)	2	83	P.No	166
	9	Providing & fixing three pin 10/15amp plug & socket flush type (S.I.No:222 P- No:33)	2	162	P.No	324
	10	Providing & fixing one way SP 5amp switch flush type(S.I.No:219 P- No:33)	16	54	P.No	864
	.11	Providing & fixing Bakelite ceiling rose with two terminals (S.I.No:228 P- No:33)	6	72	P.No	432

	1 050 2				
S.NO:	Description	Qty	Rate	Unit	Amount
J2	Providing & fixing Brass Battern holder c(S.I.No:232 P-No:33)	10	70	P.No	700
13	Providing & fixing Brass Ceiling fan 56" (good quality) (S.1.No:235 P- No:34)	6	3185	P.No	19110
.14	Providing & fixing mild seel bar fan clamp 15.8 mm(5/8") dia suitable for Rcc roof (Sl No. 1(c) P-14)	6	141.01	P.No	846
-15	P/F distribution metal board double shutter to accommodate circuit breakers including painting with enemel paint and for other simmilar job on surface (S.I.No:15 P- No:13)	1	907.96	P,Sft	908
•					
16	P/Fenergy sever superior quality including fixing on existing holder etc complete.(S.f.No:6 P- No:33) (24 Walt)	10	497.00	Each	4970
17	P/F A.C ceiling fan regulator on metal board recessed in the walls column and covered with plastic sheet (S.I.No;2b P-No:14)	6	124.30	Each	746
18	P/F wall bracket light fancy type superior quality including necessary electric connection and fixing on wall oe ceiling etc complete.(S.I.No:5 P- No:33)	4	497.00	Each	1988
•		P	GRAN	ND TOTAL :-	126295

Mary .

# • (4) GBPS WALI MUHAMMAD BHATTI

`. '					
S.Nt.	Description	Qty	Rate	Unit	Amount
}	Part"A" New Schedule Items 2012				
1	Wiring for light or fan point with 3/.029 PVC insulated wire in	16	910	per point	14560
	20mm (3/4") channel patti on surface as required. (S.No. 129 P-15).				
2	Wiring for plug point with 3/.029 PVC insulated wire in 20mm	3	742	per point	2226
	(3/4") channel patti on surface as required. (S.No. 130 P-15).				
3	Providing & laying (MAIN or SUB MAIN) PVC insulated with size 2-7/.029 copper conductor in '4' dia PVC conduit recessed in the wall or column as required. CSI No. 3 Page No. 1)	130	171	per Meter .	22230
4	Providing & laying (MAIN or SUB MAIN) PVC insulated with	60	252	per Meter	15120
	size 2-7/.036 copper conductor in 3/411 dia PVC conduit				
	recessed in the wall or column as required. (S.I.No:11 P- No:2)				
'5	Providing & laying (MAIN or SUB MAIN) PVC insulated with	100	341	per Meter	34100
	size 2-7/.044 (6mm2) copper conductor in ¾" dia PVC conduit				·. · ;
	recessed in the wall or column as required. (S.I.No:12 P- No:2)				
.6	Providing & fixing circuit breaker 6,10,15,20, 30,40,50 & 63amp SP (TB-5S) on prepared board as required (S.I.No:202 P- No:30)	5	916	Each	4580
7	Providing & fixing circuit breaker 6,10,15,20,30,40,50, & 63amp DP (TB-5S) on perpared board required (S.I.No:204 P-No:31)	1	2425	P.No	2425
8	Providing & fixing two pin 5amp plug & flush type (S.1.No:225 P- No:33)	2	83	P.No	166
.9	Providing & fixing three pin 10/15amp plug & socket flush type (S.I.No:222 P- No:33)	2	162	P.No	324
. 10	Providing & fixing one way SP 5amp switch flush type(S.1.No:219 P- No:33)	16	54	P.No	864
11	Providing & fixing Bakelite ceiling rose with two terminals (S.I.No:228 P- No:33)	6	72	P.No	432

Mag

	Page	2				
S.NO:	Description		Qty	Rate	Unit	Amount
12	Providing & fixing Brass Battern holder c(S.I.N No:33)	o:232 P-	10	70	P.No	700
13	Providing & fixing Brass Ceiling fan 56" (good (S.I.No:235 P- No:34)	f quality)	6	3185	P.No	19110
14	Providing & fixing mild seel bar fan clamp 15.8 mm suitable for Rcc roof (SI No. 1(c) P-14)	(5/8") dia	6	141.01	P.No	846
15	P/F distribution metal board double shutter to accedircuit breakers including painting with enemel pain other simmilar job on surface (S.I.No:15 P- No:13)		I	907.96	P.Sft	908
16	P/Fenergy sever superior quality including fixing of holder etc complete.(S.1,No:6 P- No:33) (24 Walt)	n existing	10	497.00	Each	4970
17	P/F A.C ceiling fan regulator on metal board recess walls column and covered with plastic sheet (S.I. No:14)		6	124.30	Each	746
18	P/F wall bracket light fancy type superior quality necessary electric connection and fixing on wall oe complete.(S.I.No:5 P- No:33)	_	4	497.00	Each	1988
				GRANI	TOTAL :-	126295
	ABSTRACT				_	
	(1) GBPS GARHI RANGAL SHAH	Rs	;	74746		
	(2) GBPS M.ARAB KATOHAR	Rs	:	74579		
<b>/</b>	(3) GBPS GHULAM MUHAMMAD GOPANG	Rs	;	126295		
برهاء	(M) GBPS WALI MUHAMMAD BHATTI	Rs		126295		
4 <u>}</u>	Total (A) 401815	G-Total Rs	ĭ	401915		

[13] % Above /Below on the rates of CSR Rs. 100 +01 / Amount to be added/deducted on

the basis of premium quoted

Total (B)

Total (A) = in Words & Figure 400 708/= Rupees four Lacs

CONTRACTOR

**EDUCATION WORKS DIVISION** KHAIRPUR

### OFFICE OF THE EXECUTIVE ENGINEER EDUCATION WORKS DIVISION KHAIRPUR

NO: T.C/G-55/EW/KHP:/ 3// of/2017 KHAIRPUR DATED: - // 2017

To.

M/S G.A.Electric & Civil Works Government Contractor

Khairpur

SUBJECT: -

REHABILITATION/RENOVATION OF DANGERIOUS SCHOOL BUILDING IN DISTRICT KHAIRPUR ADP- 466 I.E (1) GGPS NATIONALIZED KOT DIJI (2) GGPS SUHABG MOHALLA (3) GBPS MUNSHI HUSSAIN BUX TALUKA KOT DIJI (4) GBPS GANDAHO AT PIR BUX KHASKHELY TALUKA NARA (INTERNAL ELECTRIFICATION) PACKAGE NO -19

Reference:

Opening Tender opened on : -

3/6/2017

The rate quoted by you for the above-mentioned work on PART-"A" @ 0.18% Below(Schedule Items)entered in schedule'B'has been approved amounting to Rs 498850/- on schedule items.

You are requested to please attend this office within 07 days to complete the tender documents.

You are requested to supply this office a copy of partnership / deed registration deed of the firm ad power of attorney in the name of partnership of employees of the firm whom you have authorized to sign the bills, receive payments and instructions in respect of this work.

You are requested to start the work within 07 days after issue of this work order complete the same within agreement period of ( 12 ) Months

Stipulated date of Start

Stipulated date of Completion

#### IT SHOULD FURTHER BE NOTED THAT

- 1 The work is to be carried out as per PWD specification
- 2 No Cartage for any material either arranged by you or supplied by Government will be paid separately.
- 3 No. Premium will be allowed on Non-Schedule items.
- 4 No Work should be carried out in excess of sanctioned estimate the receipt of this letter may please be acknowledged.

Executive Engineer
Education Works Division
Khairpur

Copy forwarded with compliments to the: -

- The Superintending Engineer Education Works Circle Sukkur for favour of information please
- Copy along with copy of Schedule 'B" forwarded to the Assistant Engineer Education Electrical Works Sub Division Sukkur for information and necessary action. He should

report actual date of start of the work to this Office
Copy forworded to the Director (C.B) SPPRA Karachi for favouring (Information

Executive Engineer

Leducation Works Division

Khairpur



M/s G.A Electric & Civil Works Govt Contractor


STANDARD BIDDING DOCUMENT

PROCUREMENT OF WORKS

(For Contracts Costing up to Rs 2.5 MILLION)

REHABILITATION/RENOVATION OF DANGERIOUS SCHOOL BUILDING IN DISTRICT KHAIRPUR ADP- 466 LE (1) GGPS NATIONALIZED KOT DIJI (2) GGPS SUHABG MOHALLA (3) GBPS MUNSHI HUSSAIN BUX TALUKA I KOT DIJI (4) GBPS GANDAHO AT PIR BUX, KHASKHELY TALUKA NARA (INTERNAL ELECTRIF DATION PACKAGE NO -19

Standard Bidding Document is intended as a model for admeasurements (Percentage Rate unit price for unit rates in a Bill of Quantities) types of contract. The main text refers to admeasurements contracts.



CONTRACTOR

EAR CURVE AND MEER EDUCATION ACRES DIVISION

KHAIRPEI

## FORM OF CONTRACT AGREEMENT

day ol "Procu	t   arine	200	between he one part an	-	ement") made on the(hereinafter called (hereinafter called	the
should	l bệ es	secuted by the	Contractor and h	is that certain Wor as accepted a Bid acremedying of any	by the Contractor for	the
NOW	this Ag	greement witnes	seth as follows:			
1.		•	•		he same meanings as hereinafter referred to.	
2.	are atii		is to Bidders, shall		if any except those part and be read and const	-
		Conditions of	d Form of Bid alor Contract & Contro hedule of Prices/F tions: and	ng with Schedules to ict Data; Bill of quantitics (Bo		
<b>1</b> .	- Contr - Priscu	metor as herein tring Agency to	nafter mentioned, execute and comp	the Contractor h	Procuring Agency to ereby covenants with dremedy defects therest Contract.	the
	execu Price	ition and completion such other si	ction of the Works	as per provisions o e payable under the	ctor, in consideration of the Contract, the Con provisions of the Con	tract.
	: !					

Small Public Procurement Regulatory Authority ( www.pprasmdh.gov.pk





4N WITSESS WHEREOF the parties hereto have eaused this Contract Agreement to be executed on the day, month and year first before written in accordance with their respective layer.

Signature of the Contactor	Signature Procuring Agency
(Seal)	(Seal): The Company of the Company o
Signed, Sorted and Delivered in the presence of:	KANEFUR
Witness:	Witness:
(Rame, Title and Address)	(Name, Title and Address)

# SINDH PUBLIC PROCUREMENT REGULATORY AUTHORITY

## CONTRACT EVALUATION FORM

# TO BE FILLED IN BY ALL PROCURING AGENCIES FOR PUBLIC CONTRACTS OF WORKS, SERVICES & GOODS

		1
L	NAME OF THE ORGANIZATION / DEPTT.	Education & Literact Department
2)	PROVINCIAL (LOCAL GOVT./ OTHER	Provincial
3)	TITLE OF CONTRACT	Reh / Reno: @ on Suhag Mohalla (+) Nationalize Koto
4)	TENDER NUMBER	S.No ( 19 ) B) Munghi Husenin Bux & Grand
5)	BRIEF DESCRIPTION OF CONTRACT	Building Work (School Work) (Int: Elect:)
6)	FORUM THAT APPROVED THE SCHEME	A A Issued by P&D Department Karachi
7)	TENDER ESTIMATED VALUE	Rs 0.505 (M)
8)	PNGINEER'S ESTIMATE (For civil works only)	TS RS 500000
9)	ESTIMATED COMPLETION PERIOD (AS P.	ER CONTRACT) ( 12 ) Months
	TENDER OPENED ON (DATE & TIME)	03-06-2017
H)	NUMBER OF TENDER DOCUMENTS SOLE (Attach list of buyers)	) 03 Nos
12)	NUMBER OF BIDS RECEIVED	03 Nos
13)	NUMBER OF BIDDERS PRESENT AT THE	TIME <b>O</b> F OPENING OF BIDS 03
14)	BID EVALUATION REPORT (Enclose a copy)	Copy enclosed
15)	NAME AND ADDRESS OF THE SUCCESSE	UL BIDDER MIS G. A Electric & ciril work.
	CONTRACT AWARD PRICE	Rs 498850
17)	RANKING OF SUCCESSFUL BIDDER IN EV (i.e. 1 st , 2 nd , 3 rd EVALUATION BID).	VALUATION; REPORT
18+	METHOD OF PROCUREMENT USED : - (Tig	ck one)
	a) SINGLE STAGE – ONE ENVELOPE	PROCEDURE Yes Domestic/ Local
	b) SINGLE STAGE – TWO ENVELOPE	PROCEDURE
	e) TWO STAGE BIDDING PROCEDUR	RE
	d) TWO STAGE TWO ENVELOPE BI	IDDING PROCEDURE
	PLEASE, SPECIFY IF ANY OTHER EMERGENCY, DIRECT CONTRACTING	METHOD OF PROCUREMENT WAS ADOPTED i.e.  G ETC. WITH BRIEF REASONS:

(9)	APPRO	VING AUTHORITY FOR AWARD OF CONTR.		Chief Engineer Education works Sukkur
20)	WHETI	HER THE PROCUREMENT WAS INCLUDED II	NAN	SUAL PROCUREMENT PLAN?  Yes V No No
21)	ADVER	RTISEMENT :		
,			Yes	CDDDA CNO 22004 D. J. O. O. O. O.
	iı	SPPRA Website (If yes, give date and SPPRA Identification No.)	105	SPPRA S.NO 33094 Dated:- 04-05-2017
			No	
	ii)	News Papers (If yes, give names of newspapers and dates)	Yes	SPPRA S.NO 33094 Dated:- 04-05-2017
		· · · · · · · · · · · · · · · · · · ·	No	
22)	NATUE	RE OF CONTRACT		thought, V Int.
23)	WASIN	HER QUALIFICATION CRITERIA NCLUDED IN BIDDING / TENDER DOCUMEN enclose a copy)	TS?	Yes V No
24)	WAS IN	HER BID EVALUATION CRITERIA NCLUDED IN BIDDING : TENDER DOCU <b>MEN</b> enclose a copy)	TS?	Yes V No
25)		HER APPROVAL OF COMPETENT AUTHORIT OD OTHER THAN OPEN COMPETITIVE BIDD		AS OBTAINED FOR USING A  Yes No
26)	WAS B	ID SECURITY OBTAINED FROM ALL THE BI	DDER	Yes V No
27)		HER THE SUCCESSFUL BID WAS LOWEST E EST EVALUATED BID (in case of Consultancies		ATED Yes V No
28)	WHETI COMPI	HER THE SUCCESSFUL BIDDER WAS TECHN JANT?	acal	LY Yes No
29)		HER NAMES OF THE BIDDERS AND THEIR ME OF OPENING OF BIDS?	QUOT	TED PRICES WERE READ OUT AT
30)	CONTR	HER EVALUATION REPORT GIVEN TO CACT? copy of the bid evaluation report)	BIDD	ERS BEFORE THE AWARD OF

r	
31) ANY COMPLAINTS RECEIVED	Yes
(If yes, result thereof)	
	No
	FICATIONS GIVEN IN THE TENDER NOTICE / DOCUMENTS
(If yes, give details)	Yes
5	
	No
33) WAS THE EXTENSION MADE IN	N RESPONSE TIME?
(If yes, give reasons)	Yes
2000 1110	No
34) DEVIATION FROM QUALIFICA	TION CRITERIA
(If yes, give detailed reasons.)	Yes
	No
, s	
35) WAS IT ASSURED BY THE PR BLACK LISTED?	ROCURING AGENCY THAT THE SELECTED FIRM IS NOT
BUACK LISTED:	Yes V No
26) WAS A VISIT MADE DV AND	OFFICER/OFFICIAL OF THE PROCURING AGENCY TO THE
	INECTION WITH THE PROCUREMENT? IF SO, DETAILS TO
BE ASCERTAINED REGARDING	G FINANCING OF VISIT, IF ABROAD:
(If yes, enclose a copy)	Yes No V
	To the second of
37) WERE PROPER SAFEGUARDS THE CONTRACT (BANK GUAR)	PROVIDED ON MOBILIZATION ADVANCE PAYMENT IN
THE CONTRACT (BANK GUAR)	Yes No
38) SPECIAL CONDITIONS, IF ANY (If yes, by Prief Description)	Yes
Acres de la	
WEAR ALL STORY STORY	No
AND THE PARTY OF T	
Signature & Official Stamp of	
Authorized Officer	
FOR OFFICE USE ONLY	
FOR OFFICE USE ONLY	

<u>SPPRA, Block. No.8, Sindh Secretariat No.4-A, Court Road, Karachi</u> Tele: 021-9205356; 021-9205369 & Fax: 021-9206291

Print Save

Reset

### **BILL OF QUANTITES**

(A) Description and rate of items based on composite schedule of rates.2012

(B) Description and rate of items based on composite schedule of rates.2004

NAME OF WORK: REHABILITATION / RENOVATION OF DANGEROUS SCHOOL BUILDING
IN DISTRICT KHAIRPUR AT (1) GGPS NATIONALIZED KOTDIJI (2) GGPS SUHAG MOHALLA

(3) GBPS MUNSHI HUSSAIN BUX TALUKA KOTDIJI (4) GBPS GANDAHO @ PIR BUX

KHASKHELI TALUKA NARA ADP NO. 466. (INTERNAL ELECTRIFICATION)

(PACKAGE NO.19)

S.NO:	Description	Qty	Rate	Unit	Amount
<del></del>	(1) GGPS NATIONALIZED KOTDIJI		. L		····
	Part"A" New Schedule Items 2012				
1	Wiring for light or fan point with 3/,029 PVC insulated wire in 20mm (3/4") channel patti on surface as required. (S.No. 129 P-15).	16	910	per point	14560
2	Wiring for plug point with 3/.029 PVC insulated wire in 20mm	3	742	per point	2226
	(3/4") channel patti on surface as required, (S.No. 130 P-15).				
3	Providing & laying (MAIN or SUB MAIN) PVC insulated with size 2-7:.029 copper conductor in 34" dia PVC conduit recessed in the wall or column as required, CSI No. 3 Page No. 1)	150	171	per Meter	25650
4	Providing & laying (MAIN or SUB MAIN) PVC insulated with	65	252	per Meter	16380
	size 2-7/.036 copper conductor in 1/4" dia PVC conduit				
	recessed in the wall or column as required. (S.I.No:11 P- No:2)				
5	Providing & laying (MAIN or SUB MAIN) PVC insulated with	130	341	per Meter	44330
	size 2-7/.044 (6mm2) copper conductor in 3/4" dia PVC conduit				
	recessed in the wall or column as required. (S.I.No:12 P- No:2)				
6	Providing & fixing circuit breaker 6,10,15,20, 30,40,50 & 63amp SP (TB-5S) on prepared board as required (S.I.No:202 P-No:30)	5	916	Each	4580
7	Providing & fixing circuit breaker 6,10,15,20,30,40,50, & 63amp DP (TB-5S) on perpared board required (S.I.No:204 P-No:31)	l	2425	P.No	2425
8	Providing & fixing two pin 5amp plug & flush type (S.I.No:225 P- No:33)	2	83	P.No	166

•					
S.NO:	Description	Qty	Rate	Unit	Amount
9-	Providing & fixing three pin 10/15amp plug & socket flush type (S.I.No:222 P- No:33)	2	162	P.No	324
.10	Providing & fixing one way SP 5amp switch flush type(S.I.No:219 P- No:33)	16	54	P.No	864
11	Providing & fixing Bakelite ceiling rose with two terminals (S.I.No:228 P- No:33)	6	72	P.No	432
12	Providing & fixing Brass Battern holder c(S.LNo:232 P-No:33)	10	70	P.No	700
13	Providing & fixing Brass Ceiling fan 56" (good quality) (S.1.No:235 P- No:34)	6	3185	P.No	19110
14	Providing & fixing mild seel bar fan clamp 15.8 mm(5/8") dia suitable for Rec roof (SI No. 1(c) P-14)	6	141.01	P.No	846
15	P/F distribution metal board double shutter to accommodate circuit breakers including painting with enemel paint and for other simmilar job on surface (S.I.No:15 P- No:13)	1	907.96	P.Sft	908
16	P/Fenergy sever superior quality including fixing on existing holder etc complete.(S.I.No:6 P- No:33) (24 Walt)	10	497.00	Each	4970
.17	P/F A.C ceiling fan regulator on metal board recessed in the walls column and covered with plastic sheet (S.I.No:2b P-No:14)	6	124.30	Each	746
18	P/F wall bracket light fancy type superior quality including necessary electric connection and fixing on wall oe ceiling etc complete.(S.1,No:5 P- No:33)	4	497.00	Each	1988

GRAND TOTAL :- 141205

(2) GGPS SUHAG MOHALLA

	(2) GGI S SUIIAG MICHALLA		т	· <del> ,</del>	
S.NO.	Description	Qty	Rate	Unit	Amount
٠.,	Part"A" New Schedule Items 2012				
I	Wiring for light or fan point with 3/.029 PVC insulated wire in	16	910	per point	14560
	20mm (3/4") channel patti on surface as required, (S.No. 129				
	P-15).				
2	Wiring for plug point with 3/.029 PVC insulated wire in 20mm	3	742	per point	2226
	(2/41)				
	(3/4") channel patti on surface as required. (S.No. 130 P-15).				
3	Providing & laying (MAIN or SUB MAIN) PVC insulated with	130	171	Moton	22220
,	size 2-7/.029 copper conductor in '4'' dia PVC conduit	130	171	per Meter	22230
	recessed in the wall or column as required. CSI No. 3 Page No.				
	1)				
,	Describing & Invited (MANN) - GUD MANN DUG ( ) 1 1 1 2	60			1.510.0
4	Providing & laying (MAIN or SUB MAIN) PVC insulated with	60	252	per Meter	15120
	size 2-7/.036 copper conductor in 1/4" dia PVC conduit				
	recessed in the wall or column as required. (S.I.No:11 P- No:2)				
5	Providing & laying (MAIN or SUB MAIN) PVC insulated with	100	341	per Meter	34100
	size 2-7/.044 (6mm2) copper conductor in ¾" dia PVC conduit				
	recessed in the wall or column as required. (S.I.No:12 P- No:2)				
6	Providing & fixing circuit breaker 6,10,15,20, 30,40,50 &	5	916	Each	4580
	63amp SP (TB-5S) on prepared board as required (S.I.No:202				
	P- No:30)				
7	Providing & fixing circuit breaker 6,10,15,20,30,40,50, &	I	2425	P.No	2425
,	63amp DP (TB-5S) on perpared board required (S.I.No:204 P-	'	2423	r,no	2423
	No:31)				
8	Providing & fixing two pin 5amp plug & flush type (S.I.No:225	2	83	P.No	166
	P- No:33)				
0	Description & Galactic description of the Control o		1.60	D. V.	224
	Providing & fixing three pin 10/15amp plug & socket flush type (S.I.No:222 P- No:33)	2	162	P.No	324
	(ype (3)))((3))				
10	Providing & fixing one way SP 5amp switch flush	16 ↑	/54	P.No	864
	type(S.I.No:219 P- No:33)	16			
		l			
	Providing & fixing Bakelite ceiling rose with two terminals	6	72	P.No	432
	(\$.1.No:228 P- No:33)				

Page 2

S.NO:	Description	Qty	Rate	Unit	Amount
ا ور	Providing & fixing Brass Battern holder c(\$.1.No:232 P-No:33)	10	70	P.No	700
13	Providing & fixing Brass Ceiling fan 56'' (good quality) (S.1.No:235 P- No:34)	6	3185	P.No	19110
14	Providing & fixing mild seel bar fan clamp 15.8 mm(5/8") dia suitable for Rec roof (Si No. 1(c) P-14)	6	141.01	P.No	846
15	P/F distribution metal board double shutter to accommodate circuit breakers including painting with enemel paint and for other simmilar job on surface (S.I.No:15 P- No:13)	1	907.96	P.Sft	908
16	P/Fenergy sever superior quality including fixing on existing holder etc complete.(S.i.No:6 P-No:33) (24 Walt)	10	497.00	Each	4970
	P/F A.C ceiling fan regulator on metal board recessed in the walls column and covered with plastic sheet (S.I.No:2b P-No:14)	6	124.30	Each	746
	P/F wall bracket light fancy type superior quality including necessary electric connection and fixing on wall oe ceiling etc complete.(S.I.No:5 P- No:33)	4	497.00	Each	1988
		5	GRAN	D TOTAL :-	126295

(3) GBPS MUNSHI HUSSAIN BUX

	(3) GBPS MUNSHI HUSSAIN BUX		<u> </u>	11.24	
S.NO:	Description Part'A" New Schedule Items 2012	Qty	Rate	Unit	Amount
. 1	Wiring for light or fan point with 3/.029 PVC insulated wire in 20mm (3/4") channel patti on surface as required, (S.No. 129 P-15).	16	910	per point	14560
2	Wiring for plug point with 3/.029 PVC insulated wire in 20mm	3	742	per point	2226
	(3/4") channel patti on surface as required. (S.No. 130 P-15).				
3	Providing & laying (MAIN or SUB MAIN) PVC insulated with size 2-7/.029 copper conductor in '4'' dia PVC conduit recessed in the wall or column as required, CSI No. 3 Page No. 1)	100	171	per Meter	17100
. 4	Providing & laying (MAIN or SUB MAIN) PVC insulated with	40	252	per Meter	10080
	size 2-7/.036 copper conductor in ¼11 dia PVC conduit				
	recessed in the wall or column as required. (S.I.No:11 P- No:2)				
5	Providing & laying (MAIN or SUB MAIN) PVC insulated with	100	341	per Meter	34100
	size 2-7/.044 (6mm2) copper conductor in ¾11 dia PVC conduit				
	recessed in the wall or column as required. (S.I.No:12 P- No:2)				
6	Providing & fixing circuit breaker 6,10,15,20, 30,40,50 & 63amp SP (TB-5S) on prepared board as required (S,1.No:202 P- No:30)	5	916	Each	4580
. 7	Providing & fixing circuit breaker 6,10,15,20,30,40,50, & 63amp DP (TB-5S) on perpared board required (S.I.No:204 P-No:31)	ì	2425	P.No	2425
8	Providing & fixing two pin 5amp plug & flush type (S.I.No:225 P- No:33)	2	83	P.No	166
Ŋ	Providing & fixing three pin 10/15amp plug & socket flush type (S.I.No:222 P- No:33)	2	162	P.No	324
10	Providing & fixing one way SP 5amp switch flush type(S.I.No:219 P- No:33)	16	54	P.No	864
11	Providing & fixing Bakelite ceiling rose with two terminals (S.I.No:228 P- No:33)	6	2 72	P.No	432

S.NO:	Description	Qty	Rate	Unit	Amount
12	Providing & fixing Brass Battern holder c(S.I.No:232 P-No:33)	10	70	P.No	700
13	Providing & fixing Brass Ceiting fan 56" (good quality) (S.I.No:235 P- No:34)	6	3185	P.No	19110
14	Providing & fixing mild seel bar fan clamp 15.8 mm(5/8") dia suitable for Rcc roof (SI No. 1(c) P-14)	6	141,01	P.No	846
15	P/F distribution metal board double shutter to accommodate circuit breakers including painting with enemel paint and for other simmilar job on surface (S.I.No:15 P- No:13)	1	907.96	P.Sft	908
16	P/Fenergy sever superior quality including fixing on existing holder etc complete.(S.I.No:6 P- No:33) (24 Walt)	10	497.00	Each	4970
17	P/F A.C ceiling fan regulator on metal board recessed in the walls column and covered with plastic sheet (S.I.No:2b P-No:14)	6	124.30	Each	746
18	P/F wall bracket light fancy type superior quality including necessary electric connection and fixing on wall oe ceiling etc complete.(S.I.No:5 P- No:33)	4	497.00	Each	1988
			GRANI	TOTAL :-	116125

(4) GBPS GANDAHO @ PIR BUX KHASKHELI

Providing & fixing circuit breaker 6,10,15,20,30,40,50, & 6 3amp SP (TB-SS) on prepared board required (S.I.No.222 P. No.33)	(4) GBPS GANDAHO (a) PIR BUX KHASKHELI						
Wiring for light or fan point with 37.029 PVC insulated wire in 20mm (3/4") channel patti on surface as required. (S.No. 129 P-15).  Wiring for plug point with 37.029 PVC insulated wire in 20mm 3 742 per point 2226 (3/4") channel patti on surface as required. (S.No. 130 P-15).  Providing & laying (MAIN or SUB MAIN) PVC insulated with size 2-77.039 copper conductor in ¾" dia PVC conduit recessed in the wall or column as required. (S.No. 130 P-15).  Providing & laying (MAIN or SUB MAIN) PVC insulated with size 2-77.036 copper conductor in ¾" dia PVC conduit recessed in the wall or column as required. (S.I.No:11 P- No.2)  Providing & laying (MAIN or SUB MAIN) PVC insulated with size 3-77.044 (6mm2) copper conductor in ¾" dia PVC conduit recessed in the wall or column as required. (S.I.No:12 P- No.2)  Providing & fixing circuit breaker 6,10,15,20, 30,40,50 & 5 916 Each 4580 63 mp SP (TB-5S) on prepared board as required (S.I.No:202 P- No.30)  Providing & fixing circuit breaker 6,10,15,20,30,40,50, & 1 2425 P- No.31)  Providing & fixing two pin 5 amp plug & flush type (S.I.No:225 2 83 P- No 166 P- No.33)  Providing & fixing three pin 10/15 amp plug & socket flush type (S.I.No:222 P- No.33)  Providing & fixing one way SP 5 amp switch flush type (S.I.No:229 P- No.33)  Providing & fixing one way SP 5 amp switch flush type (S.I.No:219 P- No.33)	S.NO:	Description	Qty	Rate	Unit	Amount	
20mm (3/4") channel patti on surface as required. (S.No. 129 P-15).  2 Wiring for plug point with 3/.029 PVC insulated wire in 20mm 3 742 per point 2226 (3/4") channel patti on surface as required. (S.No. 130 P-15).  3 Providing & laying (MAIN or SUB MAIN) PVC insulated with size 2-7/.029 copper conductor in ½" dia PVC conduit recessed in the wall or column as required. CSI No. 3 Puge No. 1)  4 Providing & laying (MAIN or SUB MAIN) PVC insulated with size 2-7/.036 copper conductor in ½" dia PVC conduit recessed in the wall or column as required. (S.I.No:11 P- No.2)  5 Providing & laying (MAIN or SUB MAIN) PVC insulated with size 2-7/.044 (6mm²) copper conductor in ½" dia PVC conduit recessed in the wall or column as required. (S.I.No:12 P- No.2)  6 Providing & fixing circuit breaker 6,10,15,20, 30,40,50 & 5 916 Each 4580 63amp SP (TB-SS) on prepared board as required (S.I.No:202 P- No:30)  7 Providing & fixing circuit breaker 6,10,15,20,30,40,50, & 1 2425 P-No 2425 63amp DP (TB-SS) on perpared board required (S.I.No:204 P-No:31)  8 Providing & fixing two pin 5amp plug & flush type (S.I.No:225 2 83 P-No 166 P-No:33)  9 Providing & fixing three pin 10/15amp plug & socket flush type (S.I.No:222 P-No:33)  10 Providing & fixing one way SP 5amp switch flush type (S.I.No:219 P-No:33)	4. "	Part"A" New Schedule Items 2012					
P-15).  2 Wiring for plug point with 37,029 PVC insulated wire in 20mm 3 742 per point 2226 (3/4") channel parti on surface as required. (S.No. 130 P-15).  3 Providing & laying (MAIN or SUB MAIN) PVC insulated with size 2-77,029 copper conductor in 3/" dia PVC conduit recessed in the wall or column as required. CSI No. 3 Page No. 1)  4 Providing & laying (MAIN or SUB MAIN) PVC insulated with size 2-77,036 copper conductor in 3/" dia PVC conduit recessed in the wall or column as required. (S.I.No:11 P- No.2)  5 Providing & laying (MAIN or SUB MAIN) PVC insulated with size 3-77,044 (6mm2) copper conductor in 3/" dia PVC conduit recessed in the wall or column as required. (S.I.No:11 P- No.2)  6 Providing & fixing circuit breaker 6,10,15,20, 30,40,50 & 5 916 Each 4580 63amp SP (TB-5S) on prepared board as required (S.I.No:202 P- No.30)  7 Providing & fixing circuit breaker 6,10,15,20,30,40,50, & 1 2425 P.No 2425 63amp DP (TB-5S) on perpared board required (S.I.No:204 P- No:31)  8 Providing & fixing two pin 5amp plug & flush type (S.I.No:225 2 83 P.No 166 P- No:33)  9 Providing & fixing three pin 10/15amp plug & socket flush type (S.I.No:222 P- No:33)  10 Providing & fixing one way SP 5amp switch flush type (S.I.No:2219 P- No:33)  11 Providing & fixing Bakelite ceiling rose with two terminals 6 72 P.No 432	1	Wiring for light or fan point with 3/.029 PVC insulated wire in	16	910	per point	14560	
2 Wiring for plug point with 3/.029 PVC insulated wire in 20mm 3 742 per point 2226 (3/4") channel potti on surface as required. (S.No. 130 P-15).  3 Providing & laying (MAIN or SUB MAIN) PVC insulated with size 2-7/.029 copper conductor in ½" dia PVC conduit recessed in the wall or column as required. CSI No. 3 Page No. 1)  4 Providing & laying (MAIN or SUB MAIN) PVC insulated with size 2-7/.036 copper conductor in ¾" dia PVC conduit recessed in the wall or column as required. (S.I.No:11 P- No.2)  5 Providing & laying (MAIN or SUB MAIN) PVC insulated with size 3-7/.044 (6mm2) copper conductor in ¾" dia PVC conduit recessed in the wall or column as required. (S.I.No:12 P- No.2)  6 Providing & fixing circuit breaker 6,10,15,20, 30,40,50 & 5 916 Each 4580 63 amp SP (TB-5S) on prepared board as required (S.I.No:202 P- No.30)  7 Providing & fixing circuit breaker 6,10,15,20,30,40,50, & 1 2425 P.No 2425 63 amp DP (TB-SS) on perpared board required (S.I.No:204 P- No:31)  8 Providing & fixing two pin 5 amp plug & flush type (S.I.No:225 2 83 P.No 166 P- No:33)  9 Providing & fixing three pin 10/15 amp plug & socket flush type (S.I.No:227 P- No:33)  10 Providing & fixing one way SP 5 amp switch flush type (S.I.No:219 P- No:33)		•					
(3/4") channel patti on surface as required. (S.No. 130 P-15).  Providing & laying (MAIN or SUB MAIN) PVC insulated with size 2-7/.029 copper conductor in %" dia PVC conduit recessed in the wall or column as required. CSI No. 3 Page No. 1)  Providing & laying (MAIN or SUB MAIN) PVC insulated with size 2-7/.036 copper conductor in %" dia PVC conduit recessed in the wall or column as required. (S.I.No:11 P-No:2)  Providing & laying (MAIN or SUB MAIN) PVC insulated with size 2-7/.044 (6mm2) copper conductor in %" dia PVC conduit recessed in the wall or column as required. (S.I.No:12 P-No:2)  Providing & fixing circuit breaker 6,10,15,20, 30,40,50 & 5 916 Each 4580 63amp SP (TB-5S) on prepared board as required (S.I.No:202 P-No:30)  Providing & fixing circuit breaker 6,10,15,20,30,40,50, & 1 2425 P.No 2425 63amp DP (TB-5S) on perpared board required (S.I.No:204 P-No:31)  Providing & fixing two pin 5amp plug & flush type (S.I.No:225 2 83 P.No 166 P-No:33)  Providing & fixing three pin 10/15amp plug & socket flush 2 162 P.No 324 type (S.I.No:229 P-No:33)  Providing & fixing one way SP 5amp switch flush 16 54 P.No 864 type(S.I.No:219 P-No:33)		P-15).					
(3/4") channel patti on surface as required. (S.No. 130 P-15).  Providing & laying (MAIN or SUB MAIN) PVC insulated with size 2-7/.029 copper conductor in %" dia PVC conduit recessed in the wall or column as required. CSI No. 3 Page No. 1)  Providing & laying (MAIN or SUB MAIN) PVC insulated with size 2-7/.036 copper conductor in %" dia PVC conduit recessed in the wall or column as required. (S.I.No:11 P-No:2)  Providing & laying (MAIN or SUB MAIN) PVC insulated with size 2-7/.044 (6mm2) copper conductor in %" dia PVC conduit recessed in the wall or column as required. (S.I.No:12 P-No:2)  Providing & fixing circuit breaker 6,10,15,20, 30,40,50 & 5 916 Each 4580 63amp SP (TB-5S) on prepared board as required (S.I.No:202 P-No:30)  Providing & fixing circuit breaker 6,10,15,20,30,40,50, & 1 2425 P.No 2425 63amp DP (TB-5S) on perpared board required (S.I.No:204 P-No:31)  Providing & fixing two pin 5amp plug & flush type (S.I.No:225 2 83 P.No 166 P-No:33)  Providing & fixing three pin 10/15amp plug & socket flush 2 162 P.No 324 type (S.I.No:229 P-No:33)  Providing & fixing one way SP 5amp switch flush 16 54 P.No 864 type(S.I.No:219 P-No:33)	า	Wiring for plug point with 2/020 BVC inpulsted wire in 20.	2	242	• .	222	
Providing & laying (MAIN or SUB MAIN) PVC insulated with size 2-7/.029 copper conductor in %" dia PVC conduit recessed in the wall or column as required. CSI No. 3 Page No. 1)  4 Providing & laying (MAIN or SUB MAIN) PVC insulated with size 2-7/.036 copper conductor in %" dia PVC conduit recessed in the wall or column as required. (S.I.No:11 P- No:2)  5 Providing & laying (MAIN or SUB MAIN) PVC insulated with size 2-7/.044 (6mm2) copper conductor in %" dia PVC conduit recessed in the wall or column as required. (S.I.No:11 P- No:2)  6 Providing & fixing circuit breaker 6,10,15,20, 30,40,50 & 5 916 Each 4580 63amp SP (TB-5S) on prepared board as required (S.I.No:202 P- No:30)  7 Providing & fixing circuit breaker 6,10,15,20,30,40,50, & 1 2425 P.No 2425 63amp DP (TB-5S) on perpared board required (S.I.No:204 P- No:31)  8 Providing & fixing circuit breaker 6,10,15,20,30,40,50 & 2 83 P.No 166 P- No:33)  9 Providing & fixing three pin 10/15amp plug & socket flush type (S.I.No:222 P- No:33)  10 Providing & fixing one way SP 5amp switch flush type (S.I.No:219 P- No:33)	-	writing to pring point with 37.029 F ve insurated wife in 20min	3	/42	per point	2226	
size 2-77.029 copper conductor in ¾" dia PVC conduit recessed in the wall or column as required. CSI No. 3 Page No. 1)  4 Providing & laying (MAIN or SUB MAIN) PVC insulated with 40 252 per Meter 10080 size 2-77.036 copper conductor in ¾" dia PVC conduit recessed in the wall or column as required. (S.I.No:11 P- No:2)  5 Providing & laying (MAIN or SUB MAIN) PVC insulated with 100 341 per Meter 34100 size 2-77.044 (6mm2) copper conductor in ¾" dia PVC conduit recessed in the wall or column as required. (S.I.No:12 P- No:2)  6 Providing & fixing circuit breaker 6,10,15,20, 30,40,50 & 5 916 Each 4580 63amp SP (TB-5S) on prepared board as required (S.I.No:202 P- No:30)  7 Providing & fixing circuit breaker 6,10,15,20,30,40,50, & 1 2425 P.No 2425 63amp DP (TB-5S) on perpared board required (S.I.No:204 P- No:31)  8 Providing & fixing two pin 5amp plug & flush type (S.I.No:225 2 83 P.No 166 P- No:33)  9 Providing & fixing three pin 10/15amp plug & socket flush 2 162 P.No 324 type (S.I.No:222 P- No:33)  10 Providing & fixing one way SP 5amp switch flush 16 5.1 P.No 864 type(S.I.No:219 P- No:33)	•	(3/4") channel patti on surface as required. (S.No. 130 P-15).					
size 2-77.029 copper conductor in ¾" dia PVC conduit recessed in the wall or column as required. CSI No. 3 Page No. 1)  4 Providing & laying (MAIN or SUB MAIN) PVC insulated with 40 252 per Meter 10080 size 2-77.036 copper conductor in ¾" dia PVC conduit recessed in the wall or column as required. (S.I.No:11 P- No:2)  5 Providing & laying (MAIN or SUB MAIN) PVC insulated with 100 341 per Meter 34100 size 2-77.044 (6mm2) copper conductor in ¾" dia PVC conduit recessed in the wall or column as required. (S.I.No:12 P- No:2)  6 Providing & fixing circuit breaker 6,10,15,20, 30,40,50 & 5 916 Each 4580 63amp SP (TB-5S) on prepared board as required (S.I.No:202 P- No:30)  7 Providing & fixing circuit breaker 6,10,15,20,30,40,50, & 1 2425 P.No 2425 63amp DP (TB-5S) on perpared board required (S.I.No:204 P- No:31)  8 Providing & fixing two pin 5amp plug & flush type (S.I.No:225 2 83 P.No 166 P- No:33)  9 Providing & fixing three pin 10/15amp plug & socket flush 2 162 P.No 324 type (S.I.No:222 P- No:33)  10 Providing & fixing one way SP 5amp switch flush 16 5.1 P.No 864 type(S.I.No:219 P- No:33)							
recessed in the wall or column as required. CSI No. 3 Page No. 1)  4 Providing & laying (MAIN or SUB MAIN) PVC insulated with 40 252 per Meter 10080 size 2-7/.036 copper conductor in ¾" dia PVC conduit recessed in the wall or column as required. (S.I.No:11 P- No:2)  5 Providing & laying (MAIN or SUB MAIN) PVC insulated with 100 341 per Meter 34100 size 3-7/.044 (form2) copper conductor in ¾" dia PVC condult recessed in the wall or column as required. (S.I.No:12 P- No:2)  6 Providing & fixing circuit breaker 6,10,15,20, 30,40,50 & 5 916 Each 4580 63amp SP (TB-5S) on prepared board as required (S.I.No:202 P- No:30)  7 Providing & fixing circuit breaker 6,10,15,20,30,40,50, & 1 2425 P.No 2425 63amp DP (TB-5S) on perpared board required (S.I.No:204 P- No:31)  8 Providing & fixing two pin 5amp plug & flush type (S.I.No:225 2 83 P.No 166 P- No:33)  9 Providing & fixing three pin 10/15amp plug & socket flush 2 162 P.No 324 type (S.I.No:222 P- No:33)  10 Providing & fixing one way SP 5amp switch flush 16 51 P.No 864 type(S.I.No:219 P- No:33)	3		100	171	per Meter	17100	
1)  4 Providing & laying (MAIN or SUB MAIN) PVC insulated with 40 252 per Meter 10080 size 2-77.036 copper conductor in ¾" dia PVC conduit recessed in the wall or column as required. (S.I.No:11 P- No:2)  5 Providing & laying (MAIN or SUB MAIN) PVC insulated with 100 341 per Meter 34100 size 3-77.044 (6mm²) copper conductor in ¾" dia PVC condult recessed in the wall or column as required. (S.I.No:12 P- No:2)  6 Providing & fixing circuit breaker 6,10,15,20, 30,40,50 & 5 916 Each 4580 63amp SP (TB-5S) on prepared board as required (S.I.No:202 P- No:30)  7 Providing & fixing circuit breaker 6,10,15,20,30,40,50, & 1 2425 P.No 2425 63amp DP (TB-5S) on perpared board required (S.I.No:204 P- No:31)  8 Providing & fixing two pin 5amp plug & flush type (S.I.No:225 2 83 P.No 166 P- No:33)  9 Providing & fixing three pin 10/15amp plug & socket flush 2 162 P.No 324 type (S.I.No:222 P- No:33)  10 Providing & fixing one way SP 5amp switch flush 16 54 P.No 864 type(S.I.No:219 P- No:33)		• •					
size 2-7/.036 copper conductor in %" dia PVC conduit recessed in the wall or column as required. (S.I.No:11 P- No:2)  5 Providing & laying (MAIN or SUB MAIN) PVC insulated with 100 341 per Meter 34100 size 2-7/.044 (6mm²) copper conductor in %" dia PVC condult recessed in the wall or column as required. (S.I.No:12 P- No:2)  6 Providing & fixing circuit breaker 6,10,15,20, 30,40,50 & 5 916 Each 4580 63amp SP (TB-5S) on prepared board as required (S.I.No:202 P- No:30)  7 Providing & fixing circuit breaker 6,10,15,20,30,40,50, & 1 2425 P.No 2425 63amp DP (TB-5S) on perpared board required (S.I.No:204 P- No:31)  8 Providing & fixing two pin 5amp plug & flush type (S.I.No:225 2 83 P.No 166 P- No:33)  9 Providing & fixing three pin 10/15amp plug & socket flush 2 162 P.No 324 type (S.I.No:222 P- No:33)  10 Providing & fixing one way SP 5amp switch flush 16 54 P.No 864 type(S.I.No:219 P- No:33)		,					
size 2-7/.036 copper conductor in %" dia PVC conduit recessed in the wall or column as required. (S.I.No:11 P- No:2)  5 Providing & laying (MAIN or SUB MAIN) PVC insulated with 100 341 per Meter 34100 size 2-7/.044 (6mm²) copper conductor in %" dia PVC condult recessed in the wall or column as required. (S.I.No:12 P- No:2)  6 Providing & fixing circuit breaker 6,10,15,20, 30,40,50 & 5 916 Each 4580 63amp SP (TB-5S) on prepared board as required (S.I.No:202 P- No:30)  7 Providing & fixing circuit breaker 6,10,15,20,30,40,50, & 1 2425 P.No 2425 63amp DP (TB-5S) on perpared board required (S.I.No:204 P- No:31)  8 Providing & fixing two pin 5amp plug & flush type (S.I.No:225 2 83 P.No 166 P- No:33)  9 Providing & fixing three pin 10/15amp plug & socket flush 2 162 P.No 324 type (S.I.No:222 P- No:33)  10 Providing & fixing one way SP 5amp switch flush 16 54 P.No 864 type(S.I.No:219 P- No:33)							
recessed in the wall or column as required. (S.I.No:11 P- No:2)  5 Providing & laying (MAIN or SUB MAIN) PVC insulated with 100 341 per Meter 34100 size 2-7/.044 (6mm2) copper conductor in ¼" dia PVC condult recessed in the wall or column as required. (S.I.No:12 P- No:2)  6 Providing & fixing circuit breaker 6,10,15,20, 30,40,50 & 5 916 Each 4580 63amp SP (TB-5S) on prepared board as required (S.I.No:202 P- No:30)  7 Providing & fixing circuit breaker 6,10,15,20,30,40,50, & 1 2425 P.No 2425 63amp DP (TB-5S) on perpared board required (S.I.No:204 P- No:31)  8 Providing & fixing two pin 5amp plug & flush type (S.I.No:225 2 83 P.No 166 P- No:33)  9 Providing & fixing three pin 10/15amp plug & socket flush 2 162 P.No 324 type (S.I.No:222 P- No:33)  10 Providing & fixing one way SP 5amp switch flush 16 54 P.No 864 type(S.I.No:219 P- No:33)	4	Providing & laying (MAIN or SUB MAIN) PVC insulated with	40	252	per Meter	10080	
Providing & laying (MAIN or SUB MAIN) PVC insulated with 100 341 per Meter 34100 size 2-77.044 (6mm2) copper conductor in ¼" dia PVC conduit recessed in the wall or column as required. (S.I.No:12 P- No:2)  Providing & fixing circuit breaker 6,10,15,20, 30,40,50 & 5 916 Each 4580 63amp SP (TB-5S) on prepared board as required (S.I.No:202 P- No:30)  Providing & fixing circuit breaker 6,10,15,20,30,40,50, & 1 2425 P.No 2425 63amp DP (TB-5S) on perpared board required (S.I.No:204 P- No:31)  Providing & fixing two pin 5amp plug & flush type (S.I.No:225 2 83 P.No 166 P- No:33)  Providing & fixing three pin 10/15amp plug & socket flush type (S.I.No:222 P- No:33)  Providing & fixing one way SP 5amp switch flush type (S.I.No:219 P- No:33)		size 2-7/.036 copper conductor in 34" dia PVC conduit					
size 2-7/,044 (6mm2) copper conductor in %" dia PVC conduit recessed in the wall or column as required. (S.I.No:12 P- No:2)  6 Providing & fixing circuit breaker 6,10,15,20, 30,40,50 & 5 916 Each 4580 63amp SP (TB-5S) on prepared board as required (S.I.No:202 P- No:30)  7 Providing & fixing circuit breaker 6,10,15,20,30,40,50, & 1 2425 P.No 2425 63amp DP (TB-5S) on perpared board required (S.I.No:204 P- No:31)  8 Providing & fixing two pin 5amp plug & flush type (S.I.No:225 2 83 P.No 166 P- No:33)  9 Providing & fixing three pin 10/15amp plug & socket flush 2 162 P.No 324 type (S.I.No:222 P- No:33)  10 Providing & fixing one way SP 5amp switch flush 16 54 P.No 864 type(S.I.No:219 P- No:33)		recessed in the wall or column as required. (S.I.No:11 P- No:2)					
size 2-7/,044 (6mm2) copper conductor in %" dia PVC conduit recessed in the wall or column as required. (S.I.No:12 P- No:2)  6 Providing & fixing circuit breaker 6,10,15,20, 30,40,50 & 5 916 Each 4580 63amp SP (TB-5S) on prepared board as required (S.I.No:202 P- No:30)  7 Providing & fixing circuit breaker 6,10,15,20,30,40,50, & 1 2425 P.No 2425 63amp DP (TB-5S) on perpared board required (S.I.No:204 P- No:31)  8 Providing & fixing two pin 5amp plug & flush type (S.I.No:225 2 83 P.No 166 P- No:33)  9 Providing & fixing three pin 10/15amp plug & socket flush 2 162 P.No 324 type (S.I.No:222 P- No:33)  10 Providing & fixing one way SP 5amp switch flush 16 54 P.No 864 type(S.I.No:219 P- No:33)							
recessed in the wall or column as required. (S.I.No:12 P- No:2)  6	5	Providing & laying (MAIN or SUB MAIN) PVC insulated with	100	341	per Meter	34100	
6 Providing & fixing circuit breaker 6,10,15,20, 30,40,50 & 5 916 Each 4580 63amp SP (TB-5S) on prepared board as required (S.1.No:202 P- No:30)  7 Providing & fixing circuit breaker 6,10,15,20,30,40,50, & 1 2425 P.No 2425 63amp DP (TB-5S) on perpared board required (S.1.No:204 P- No:31)  8 Providing & fixing two pin 5amp plug & flush type (S.1.No:225 2 83 P.No 166 P- No:33)  9 Providing & fixing three pin 10/15amp plug & socket flush 2 162 P.No 324 type (S.1.No:222 P- No:33)  10 Providing & fixing one way SP 5amp switch flush 16 54 P.No 864 type(S.1.No:219 P- No:33)		size 2-7/,044 (6mm2) copper conductor in ¼" dia PVC conduit					
63amp SP (TB-5S) on prepared board as required (S.I.No:202 P-No:30)  7 Providing & fixing circuit breaker 6,10,15,20,30,40,50, & 1 2425 P.No 2425 63amp DP (TB-5S) on perpared board required (S.I.No:204 P-No:31)  8 Providing & fixing two pin 5amp plug & flush type (S.I.No:225 2 83 P.No 166 P-No:33)  9 Providing & fixing three pin 10/15amp plug & socket flush 2 162 P.No 324 type (S.I.No:222 P-No:33)  10 Providing & fixing one way SP 5amp switch flush 16 54 P.No 864 type(S.I.No:219 P-No:33)		recessed in the wall or column as required. (S.I.No:12 P- No:2)					
63amp SP (TB-5S) on prepared board as required (S.I.No:202 P-No:30)  7 Providing & fixing circuit breaker 6,10,15,20,30,40,50, & 1 2425 P.No 2425 63amp DP (TB-5S) on perpared board required (S.I.No:204 P-No:31)  8 Providing & fixing two pin 5amp plug & flush type (S.I.No:225 2 83 P.No 166 P-No:33)  9 Providing & fixing three pin 10/15amp plug & socket flush 2 162 P.No 324 type (S.I.No:222 P-No:33)  10 Providing & fixing one way SP 5amp switch flush 16 54 P.No 864 type(S.I.No:219 P-No:33)							
P- No:30)  7 Providing & fixing circuit breaker 6,10,15,20,30,40,50, & 1 2425 P.No 2425 63amp DP (TB-5S) on perpared board required (S.I.No:204 P-No:31)  8 Providing & fixing two pin 5amp plug & flush type (S.I.No:225 2 83 P.No 166 P-No:33)  9 Providing & fixing three pin 10/15amp plug & socket flush 2 162 P.No 324 type (S.I.No:222 P-No:33)  10 Providing & fixing one way SP 5amp switch flush 16 54 P.No 864 type(S.I.No:219 P-No:33)	6	Providing & fixing circuit breaker 6,10,15,20, 30,40,50 &	5	916	Each	4580	
Providing & fixing circuit breaker 6,10,15,20,30,40,50, & 1 2425 P.No 2425 63amp DP (TB-5S) on perpared board required (S.I.No:204 P-No:31)  Providing & fixing two pin 5amp plug & flush type (S.I.No:225 2 83 P.No 166 P-No:33)  Providing & fixing three pin 10/15amp plug & socket flush 2 162 P.No 324 type (S.I.No:222 P-No:33)  Providing & fixing one way SP 5amp switch flush 16 54 P.No 864 type(S.I.No:219 P-No:33)		• • •					
63amp DP (TB-5S) on perpared board required (S.I.No:204 P-No:31)  8 Providing & fixing two pin 5amp plug & flush type (S.I.No:225 2 83 P.No 166 P-No:33)  9 Providing & fixing three pin 10/15amp plug & socket flush 2 162 P.No 324 type (S.I.No:222 P-No:33)  10 Providing & fixing one way SP 5amp switch flush 16 54 P.No 864 type(S.I.No:219 P-No:33)		P- No:30)					
63amp DP (TB-5S) on perpared board required (S.I.No:204 P-No:31)  8 Providing & fixing two pin 5amp plug & flush type (S.I.No:225 2 83 P.No 166 P-No:33)  9 Providing & fixing three pin 10/15amp plug & socket flush 2 162 P.No 324 type (S.I.No:222 P-No:33)  10 Providing & fixing one way SP 5amp switch flush 16 54 P.No 864 type(S.I.No:219 P-No:33)	7	Providing & fixing circuit breaker 6.10.15.20.30.40.50 &	1	2425	P No	2425	
Providing & fixing two pin 5amp plug & flush type (S.I.No:225 2 83 P.No 166 P- No:33)  Providing & fixing three pin 10/15amp plug & socket flush 2 162 P.No 324 type (S.I.No:222 P- No:33)  Providing & fixing one way SP 5amp switch flush 16 P.No 864 type(S.I.No:219 P- No:33)  Providing & fixing Bakelite ceiling rose with two terminals 6 72 P.No 432			,	242,7	1,110	2423	
P- No:33)  9 Providing & fixing three pin 10/15amp plug & socket flush 2 162 P.No 324 type (S.I.No:222 P- No:33)  10 Providing & fixing one way SP 5amp switch flush 16 54 P.No 864 type(S.I.No:219 P- No:33)  11 Providing & fixing Bakelite ceiling rose with two terminals 6 72 P.No 432		No:31)					
P- No:33)  9 Providing & fixing three pin 10/15amp plug & socket flush 2 162 P.No 324 type (S.I.No:222 P- No:33)  10 Providing & fixing one way SP 5amp switch flush 16 54 P.No 864 type(S.I.No:219 P- No:33)  11 Providing & fixing Bakelite ceiling rose with two terminals 6 72 P.No 432							
9 Providing & fixing three pin 10/15amp plug & socket flush 2 162 P.No 324 type (S.I.No:222 P- No:33)  10 Providing & fixing one way SP 5amp switch flush 16 54 P.No 864 type(S.I.No:219 P- No:33)  11 Providing & fixing Bakelite ceiling rose with two terminals 6 72 P.No 432			2	83	P.No	166	
type (S.I.No:222 P- No:33)  10 Providing & fixing one way SP 5amp switch flush 16 type(S.I.No:219 P- No:33)  11 Providing & fixing Bakelite ceiling rose with two terminals 6 72 P.No 432		P- No:33)					
type (S.I.No:222 P- No:33)  10 Providing & fixing one way SP 5amp switch flush 16 type(S.I.No:219 P- No:33)  11 Providing & fixing Bakelite ceiling rose with two terminals 6 72 P.No 432	9	Providing & fixing three nin 10/15amn plug & socket flush	2	162	P No	324	
type(S.I.No:219 P- No:33)  11 Providing & fixing Bakelite ceiling rose with two terminals 6 72 P.No 432			-	102	1,110	,	
type(S.I.No:219 P- No:33)  11 Providing & fixing Bakelite ceiling rose with two terminals 6 72 P.No 432							
11 Providing & fixing Bakelite ceiling rose with two terminals 6 72 P.No 432			16	54	P.No	864	
		type(S.I.No:219 P- No:33)	,				
	3.1	Providing & fixing Bakelite ceiling rose with two terminals	6	72	P No	432	
(S.I,No:228 P- No:33)		(S.I.No:228 P- No:33)	v	, _	1.1.10	7 20 20	

S.NO:	Description	Qty	Rate	Unit	Amount
12	Providing & fixing Brass Battern holder c(S.I.No:232 P-No:33)		70	P.No	700
<b>)</b> A					
13	Providing & fixing Brass Ceiling fan 56" (good quality) (S.I.No:235 P- No:34)	6	3185	P.No	19110
14	Providing & fixing mild seel bar fan clamp 15.8 mm(5/8") dia suitable for Rec roof (SI No. 1(c) P-14)	6	141.01	P.No	846
15	P/F distribution metal board double shutter to accommodate circuit breakers including painting with enemel paint and for other simmilar job on surface (S.I.No:15 P- No:13)	I	907.96	P.Sft	908
16	P/Fenergy sever superior quality including fixing on existing holder etc complete.(S.I.No:6 P- No:33) (24 Walt)	10	497.00	Each	4970
17	P/F A.C ceiling fan regulator on metal board recessed in the walls column and covered with plastic sheet (S.I.No:2b P-No:14)	6	124.30	Each	746
18	P/F wall bracket light fancy type superior quality including necessary electric connection and fixing on wall oe ceiling etc complete.(S.I.No:5 P- No:33)	4	497.00	Each	1988

GRAND TOTAL: 116125

ABSTRACT

(I) GGPS NATIONALIZED KOTDIJI (2) GGPS GGPS SUHAG MOHALLA ិទុBPS GANDAHO @ PIR BUX KHASKHELI

Rs: 141205 126295 Rs: Rs: 116125 Rs: 116125 G-Total Rs: 499750 Say Rs: 0.500 (M)

% Above /Below on the rates of CSR Rs. 48850 / Amount to be added/deducted on

the basis of premium quoted

Total (A) = in Words & Figure 498850/= Rupeas four Lacs Ninty Eight Thousand

CONTRACTOR

**EDUCATION WORKS DIVISION KHAIRPUR** 

#### OFFICE OF THE EXECUTIVE ENGINEER EDUCATION WORKS DIVISION KHAIRPUR

NO: T.C/G-55/EW/KHP:/ 13 4 20f/2017 KHAIRPUR DATED: - 14 -9 -/2017

To.

M/S Faisal & Brothers Government Contractor

Khairpur

SUBJECT: -

REHABILITATION/RENOVATION OF DANGERIOUS SCHOOL BUILDING
IN DISTRICT KHAIRPUR ADP- 466 I.E (1) GBPS MUHAMMAD PANAH
NIZAMANI (2) GGPS RAB NAWAZ NIZAMANI (3) GGPS TAJJAL (4)
GBPS DARYA KHAN RAJPER @ MUHAMMAD SULEMAN RAJPER
TALUKA NARA (INTERNAL ELECTRIFICATION) PACKAGE NO -20

Reference:

Opening Tender opened on : -

3/6/2017

The rate quoted by you for the above-mentioned work on PART-"A" @ 0.17% Below(Schedule Items)entered in schedule'B'has been approved amounting to Rs 497706/-on schedule items.

You are requested to please attend this office within 07 days to complete the tender documents.

You are requested to supply this office a copy of partnership / deed registration deed of the firm ad power of attorney in the name of partnership of employees of the firm whom you have authorized to sign the bills, receive payments and instructions in respect of this work.

You are requested to start the work within 07 days after issue of this work order complete the same within agreement period of (12) Months

Stipulated date of Start

Stipulated date of Completion

#### IT SHOULD FURTHER BE NOTED THAT

- 1 The work is to be carried out as per PWD specification
- 2 No Cartage for any material either arranged by you or supplied by Government will be paid separately.
- 3 No. Premium will be allowed on Non-Schedule items.
- 4 No Work should be carried out in excess of sanctioned estimate the receipt of this letter may please be acknowledged.

Executive Engineer
Education Works Division
Khairpur

Copy forwarded with compliments to the: -

- 1 The Superintending Engineer Education Works Circle Sukkur for favour of information please
- Copy along with copy of Schedule 'B" forwarded to the Assistant Engineer Education Electrical Works Sub Division Sukkur for information and necessary action. He should report actual date of start of the work to this Office

Copy forworded to the Director (C.B) SPPRA Karachi for favour of Information.

Executive Engineer

Education Works Division

Khairpur

670 20

M/s Faisal & Brothers
Govt: Contractor


# STANDARD BIDDING DOCUMENT

### PROCUREMENT OF WORKS

(For Contracts Costing up to Rs 2.5 MILLION)

REHABILITATION/RENOVATION OF DANGERIOUS SCHOOL BUILDING IN DISTRICT KHAIRPUR ADP- 466 I.E. (1) GBPS MUHAMMAD PANAH NIZAMANI (2) GGPS RAB NAWAZ NIZAMANI (3) GGPS TAJJAL (4) GBPS DARYA KHAN RAJPER @ MUHAMMAD SULEMAN RAJPER TALUKA NARA (INTERNAL ELECTRIFICATION) PACKAGE

Standard Bidding Document is intended as a model for admeasurement (Percentage Rate/unit price for unit rates in a Bill of Quantities) types of The main text refers to admeasurements contracts.



EDUCATION WORKS DIVISION KHA!RPUR

### FORM OF CONTRACT AGREEMENT

day of	CONTRACT AGREEMENT (hereinafter called the "Agreement") made on the
	ring Agency") of the one part and (hereinafter called the actor") of the other part.
should	teas the Procuring Agency is desirous that certain Works, viz be executed by the Contractor and has accepted a Bid by the Contractor for the ion and completion of such Works and the remedying of any defects therein.
NOW	this Agreement witnesseth as follows:
1,	In this Agreement words and expressions shall have the same meanings as are respectively assigned to them in the Conditions of Contract hereinafter referred to.
2.	The following documents after incorporating addenda, if any except those parts relating to Instructions to Bidders, shall be deemed to form and be read and construed as part of this Agreement, viz:
	<ul> <li>(a) The Letter of Acceptance;</li> <li>(b) The completed Form of Bid along with Schedules to Bid;</li> <li>(c) Conditions of Contract &amp; Contract Data;</li> <li>(d) The priced Schedule of Prices/Bill of quantities (BoQ);</li> <li>(e) The Specifications; and</li> <li>(f) The Drawings</li> </ul>
3.	In consideration of the payments to be made by the Procuring Agency to the Contractor as hereinafter mentioned, the Contractor hereby covenants with the Procuring Agency to execute and complete the Works and remedy defects therein in conformity and in all respects within the provisions of the Contract.
4.	The Procuring Agency hereby covenants to pay the Contractor, in consideration of the execution and completion of the Works as per provisions of the Contract, the Contract Price or such other sum as may become payable under the provisions of the Contract at the times and in the manner prescribed by the Contract.

Signature of the Contactor	Signature of the Procuring Agency
(Seal)	Sealle Do To Tenter Parties Official Reports Official Reports Official Reports Official Reports Official Reports Official Reports Office of the Reports Of
Signed, Sealed and Delivered in the pr	esence of:

(Name, Title and Address)

IN WITNESS WHEREOF the parties hereto have caused this Contract Agreement to be

14

(Name, Title and Address)

# SINDH PUBLIC PROCUREMENT REGULATORY AUTHORITY

# CONTRACT EVALUATION FORM

# TO BE FILLED IN BY ALL PROCURING AGENCIES FOR PUBLIC CONTRACTS OF WORKS, SERVICES & GOODS

1)	NAME OF THE ORGANIZATION / DEPTT.	Education & Literact Department
2)	PROVINCIAL / LOCAL GOVT./ OTHER	Provincial
3)	TITLE OF CONTRACT	Reh/Remo @ Mohd: Panah Ningamani (2) Rabon
4)	TENDER NUMBER	SNO ( 20 ) MCAGPS Taffal (4) Dary
5)	BRIEF DESCRIPTION OF CONTRACT	Building Work (School Work) Raj Per @ Moha : Sulem
6)	FORUM THAT APPROVED THE SCHEME	A A Issued by P&D Department Karachi (Tn) Electi)
7)	TENDER ESTIMATED VALUE	Rs 0.504(M)
8)	ENGINEER'S ESTIMATE (For eivil works only)	T.S RS 499000
9}	ESTIMATED COMPLETION PERIOD (AS P	ER CONTRACT) ( 12 ) Months
10)	HENDER OPENED ON (DATE & TIME)	03-06-2017
11)	NUMBER OF TENDER DOCUMENTS SOLI (Attach list of buyers)	O03
12)	NUMBER OF BIDS RECEIVED	03 Nos
13)	NUMBER OF BIDDERS PRESENT AT THE	TIME OF OPENING OF BIDS 03
	BID EVALUATION REPORT (Enclose a copy)	Copy enclosed
15)	NAME AND ADDRESS OF THE SUCCESSE	ULBIDDER MIS Faisal & Brothers.
16)	CONTRACT AWARD PRICE	Rs 491706
17)	RANKING OF SUCCESSFUL BIDDER IN EVIL. 1st, 2nd, 3rd EVALUATION BID).	VALUATION REPORT
		S. T.
18)	METHOD OF PROCUREMENT USED : - (Ti	ck one)
	a) SINGLE STAGE – ONE ENVELOPE	PROCEDURE Yes Domestic/ Local
	b) SINGLE STAGE – TWO ENVELOPE	PROCEDURE
	e) TWO STAGE BIDDING PROCEDUI	RE
	d) TWO STAGE – TWO ENVELOPE B	IDDING PROCEDURE
	PLEASE SPECIFY IF ANY OTHER EMERGENCY, DIRECT CONTRACTIN	METHOD OF PROCUREMENT WAS ADOPTED i.e. G ETC. WITH BRIEF REASONS:

<b>(9)</b>	APPROVING	AUTHORITY FO	R AWARD OF CONTR		Chief Engineer Education works Sukkur
20)	WHETHER T	HE PROCUREME	ENT WAS INCLUDED I	n ann	NUAL PROCUREMENT PLAN?  Yes   No   No   No   No   No   No   No   N
21)	ADVERTISE	MENT:			<del></del>
		A Website is, give date and SP	PRA Identification No.)	Yes	SPPRA S NO 33094 Dated:- 04-05-2017
		s Papers es, give names of ne	ewspapers and dates)	Yes	SPPRA S.NO 33094 Dated:- 04-05-2017
		· · · · · · · · · · · · · · · · · · ·	'	No	
					<del></del>
22)	NATURE OF	CONTRACT			Demestic / Int.
24)	WAS INCLUI (If yes, enclose WHETHER B	e a copy) HD EVALUATION DED IN BIDDING	/TENDER DOCUMEN		Yes V No
			OMPETENT AUTHORIT N COMPETITIVE BIDD	****	S OBTAINED FOR USING A  Yes No
26)	WAS BID SE	CURITY OBTAIN	ED FROM ALL THE B	IDDER	Yes V No
			BID WAS LOWEST E (in case of Consultancies		ATED Yes V No
	WHETHER T COMPLIANT		. BIDDER WAS TECHN	NCAL	LY Yes No V
		SAMES OF THE L F OPENING OF B		QUO1	TED PRICES WERE READ OUT AT
	WHETHER    CONTRACT?		REPORT GIVEN TO	BIDD	ERS BEFORE THE AWARD OF

~		
•		
<b>S</b>		
31) ANY	COMPLAINTS RECEIVED	
	es, result thereof)	Yes
		No
	DEVIATION FROM SPECIFICATIONS GIVE es, give details)	EN IN THE TENDER NOTICE / DOCUMENTS
		Yes
		No
	STHE EXTENSION MADE IN RESPONSE TI: es, give reasons)	ME?
111 30	as gree (casons)	163
	# * 1 4 4	No
	IATION FROM QUALIFICATION CRITERIA	
(If ye	es, give detailed reasons.)	Yes
		No
351 1648	CIT ASSURED BY THE BROOTHING ACE	ENCY THAT THE SELECTED FIRM IS NOT
BLA	CK LISTED?	Yes No Yes
********		
SUPI	PLIER'S PREMISES IN CONNECTION WITH	TAL OF THE PROCURING AGENCY TO THE 1 THE PROCUREMENT? IF SO, DETAILS TO
BE A	SCERTAINED REGARDING FINANCING OF (5) enclose a copy)	FVISIT, IF ABROAD:
,		Yes No
37) WER	E PROPER SAFEGUARDS PROVIDED ON CONTRACT (BANK GUARANTEE ETC.)?	MOBILIZATION ADVANCE PAYMENT IN
11112	L CONTRACT (BANK GOARANTEE ETC.):	Yes No V
	CIAL CONDITIONS, IF ANY	Yes
(If Ye	s ene Brief Description)	
MEXECUSION	CONTRACTOR OF THE CONTRACTOR O	No
•	Official Stamp of sed Officer	
724440412	ed Officer	<del></del>
OR OFFICE U	SE ONLY	

<u>SPPRA, Block. No.8, Sindh Secretariat No.4-A, Court Road, Karachi</u> Tele: 021-9205356; 021-9205369 & Fax: 021-9206291

Print Save Reset

### **BILL OF QUANTITES**

(A) Description and rate of items based on composite schedule of rates.2012
(B) Description and rate of items based on composite schedule of rates.2004

NAME OF WORK: REHABILITATION / RENOVATION OF DANGEROUS SCHOOL BUILDING IN DISTRICT KHAIRPUR AT (1) GBPS MOHAMMAD PANAH NIZAMANI (2) RAB NAWAZ NIZAMANI (3) GGPS TAJJAL (4) DARYA KHAN RAJPER @ MUHAMMAD SULEMAN RAJPER TALUKA NARA ADP NO. 466. (INTERNAL ELECTRIFICATION)

(PACKAGE No. 20)

S.NO:	Description	- <del>-                                   </del>		1 1	
5.110.		Qty	Rate	Unit	Amount
•	(1) GBPS MUHAMMAD PANAH NIZAMANI Part"A" New Schedule Items 2012				
,					
1	Wiring for light or fan point with 3/.029 PVC insulated wire in 20mm (3/4") channel patti on surface as required. (S.No. 129	16	910	per point	14560
	P-15).				
	,				
`2	Wiring for plug point with 3'.029 PVC insulated wire in 20mm	3	742	per point	2226
	(3/4") channel patti on surface as required. (S.No. 130 P-15).				•
3	Providing & laying (MAIN or SUB MAIN) PVC insulated with	130	171	per Meter	22230
-	size 2-7/.029 copper conductor in 3/4" dia PVC conduit	150	(71	per meter	12450
	recessed in the wall or column as required. CSI No. 3 Page No. 1)				
	')				
. 4	Providing & laying (MAIN or SUB MAIN) PVC insulated with	51	252	per Meter	12852
	size 2-7/.036 copper conductor in 3/4" dia PVC conduit				
•	recessed in the wall or column as required. (S.I.No:11 P- No:2)				
5	Providing & laying (MAIN or SUB MAIN) PVC insulated with	102	341	per Meter	34782
	size 2-7/.044 (6mm2) copper conductor in 1/4" dia PVC conduit				
-	recessed in the wall or column as required, (S.I.No:12 P- No:2)				
					:
6	Providing & fixing circuit breaker 6,10,15,20, 30,40,50 &	5	916	Each	4580 . :
	63amp SP (TB-5S) on prepared board as required (S.1.No:202 P- No:30)				
7	Providing & fixing circuit breaker 6,10,15,20,30,40,50, &	1	2425	P.No	2425
	63amp DP (TB-5S) on perpared board required (S.I.No:204 P-		$\Lambda$	,	
	No:31)		1		•.
8	Providing & fixing two pin 5amp plug & flush type (S.I.No:225	2	\ ₈₃	P.No	166
7	P- No:33)				

	rage 2				
S.NO:	Description	Qty	Rate	Unit	Amount
9	Providing & fixing three pin 10/15amp plug & socket flush type (S.I.No:222 P- No:33)	2	162	P.No	324
10	Providing & fixing one way SP 5amp switch flush type(S.I.No:219 P- No:33)	16	54	P.No	864
11	Providing & fixing Bakelite ceiling rose with two terminals (S.I.No:228 P- No:33)	6	72	P.No	432
12	Providing & fixing Brass Battern holder c(S.I.No:232 P-No:33)	10	70	P.No	700
13	Providing & fixing Brass Ceiling fan 56" (good quality) (S.I.No;235 P- No;34)	6	3185	P.No	19110
14	Providing & fixing mild seet bar fan clamp 15.8 mm(5/8") dia suitable for Rec roof (SI No. 1(c) P-14)	6	141.01	P.No	846
15	P/F distribution metal board double shutter to accommodate circuit breakers including painting with enemel paint and for other simmilar job on surface (S.I.No:15 P- No:13)	l	907.96	P.Sñ	908
<u>.</u> 16	P/Fenergy sever superior quality including fixing on existing holder etc complete.(S.l.No:6 P- No:33) (24 Walt)	10	497.00	Each	4970
17	P/F A.C ceiling fan regulator on metal board recessed in the walls column and covered with plastic sheet (S.I.No;2b P-No;14)	6	124.30	Each	746
18	P/F wall bracket light fancy type superior quality including necessary electric connection and fixing on wall oe ceiling etc complete.(S.I.No:5 P- No:33)	4	497.00	Each	1988

GRAND TOTAL :- 124709

(2) GGPS RAB NAWAZ NIZAMANI

<del></del>	(2) GGPS RAB NAWAZ NIZAMANI		· · · · · · · · · · · · · · · · · · ·		
S.NO:	Description	Qty	Rate	Unit	Amount
Q.	Part"A" New Schedule Items 2012				
	Wiring for light or fan point with 3/.029 PVC insulated wire in 20mm (3/4") channel patti on surface as required. (S.No. 129 P-15).	16	910	per point	14560
2	Wiring for plug point with 3/,029 PVC insulated wire in 20mm	3	742	per point	2226
	(3/4") channel patti on surface as required. (S.No. 130 P-15).				
3	Providing & laying (MAIN or SUB MAIN) PVC insulated with size 2-7/.029 copper conductor in '4'' dia PVC conduit recessed in the wall or column as required. CSI No. 3 Page No. 1)	130	171	per Meter	22230
4	Providing & laying (MAIN or SUB MAIN) PVC insulated with	50	252	per Meter	12600
	size 2-7/.036 copper conductor in 3/4" dia PVC conduit				
	recessed in the wall or column as required. (S.l.No:11 P- No:2)				
.5	Providing & laying (MAIN or SUB MAIN) PVC insulated with	001	341	per Meter	34100
	size 2-7/.044 (6mm2) copper conductor in ¼" dia PVC conduit				
	recessed in the wall or column as required. (S.I.No:12 P- No:2)				
. 6	Providing & fixing circuit breaker 6,10,15,20, 30,40,50 & 63amp SP (TB-5S) on prepared board as required (S.I.No:202 P-No:30)	5	916	Each	4580
. 7	Providing & fixing circuit breaker 6,10,15,20,30,40,50, & 63amp DP (TB-5S) on perpared board required (S.I.No:204 P-No:31)	1	2425	P.No	2425
8	Providing & fixing two pin 5amp plug & flush type (S.I.No:225 P- No:33)	2	83	P.No	166
.9	Providing & fixing three pin 10/15amp plug & socket flush type (S.I.No:222 P- No:33)	2	162	P.No	324
10	Providing & fixing one way SP 5amp switch flush type(S.I.No:219 P- No:33)	16	54	P.No	:864
<b>-11</b>	Providing & fixing Bakelite ceiling rose with two terminals (S.I.No:228 P- No:33)	6	72	P.No	432
12	Providing & fixing Brass Battern holder c(S.I.No:232 P-No:33)	10	70	P.No	700

Page 2

S.NO:	Description	Qty	Rate	Unit	Amount
iŞ.	Providing & fixing Brass Ceiling fan 56" (good quality) (S.L.No:235 P- No:34)	6	3185	P.No	19110
14	Providing & fixing mild seel bar fan clamp 15.8 mm(5/8") dia suitable for Rec roof (SI No. 1(c) P-14)	6	141.01	P.No	846
15	P/F distribution metal board double shutter to accommodate circuit breakers including painting with enemel paint and for other simmilar job on surface (S.I.No:15 P- No:13)	ì	907.96	P.Sfi	908
16	P/Fenergy sever superior quality including fixing on existing holder etc complete.(S.I.No:6 P- No:33) ( 24 Walt)	10	497.00	Each	4970
17	P/F A.C ceiling fan regulator on metal board recessed in the walls column and covered with plastic sheet (S.1.No:2b P-No:14)	6	124.30	Each	746
18	P/F wall bracket light fancy type superior quality including necessary electric connection and fixing on wall oe ceiling etc complete.(S.1.No:5 P- No:33)	4	497.00	Each	1988

GRAND TOTAL :- 123775

(3) GGPS TAJJAL

	(3) GGPS TAJJAL	·	——————————————————————————————————————	<del></del>	
S.NO:	Description	Qty	Rate	Unit	Amount
77	Part ^o A ^o New Schedule Items 2012				
ì	Wiring for light or fan point with 3/.029 PVC insulated wire in	16	910	per point	14560
•	20mm (3/4") channel patti on surface as required. (S.No. 129 P-15).				
2	Wiring for plug point with 3/.029 PVC insulated wire in 20mm	3	742	per point	2226
	(3/4") channel patti on surface as required. (S.No. 130 P-15).				
3	Providing & laying (MAIN or SUB MAIN) PVC insulated with size 2-7/,029 copper conductor in 3/4" dia PVC conduit recessed in the wall or column as required, CSI No. 3 Page No. 1)	130	171	per Meter	22230
4	Providing & laying (MAIN or SUB MAIN) PVC insulated with	60	252	per Meter	15120
	size 2-7/.036 copper conductor in 34" dia PVC conduit				;
	recessed in the wall or column as required. (S.l.No:11 P- No:2)				
⁻ 5	Providing & laying (MAIN or SUB MAIN) PVC insulated with	100	341	per Meter	34100
	size 2-7/.044 (6mm2) copper conductor in ¾" dia PVC conduit				
	recessed in the wall or column as required. (S.I.No:12 P- No:2)				
.6	Providing & fixing circuit breaker 6,10,15,20, 30,40,50 & 63amp SP (TB-5S) on prepared board as required (S.I.No:202 P-No:30)	5	916	Each	4580
7	Providing & fixing circuit breaker 6,10,15,20,30,40,50, & 63amp DP (TB-5S) on perpared board required (S.I.No:204 P-No:31)	1	2425	P.No	2425
8	Providing & fixing two pin 5amp plug & flush type (S.I.No:225 P- No:33)	2	83	P,No	166
.9	Providing & fixing three pin 10/15amp plug & socket flush type (S.I.No:222 P- No:33)	2	162	P.No	324
10	Providing & fixing one way SP 5amp switch flush type(S.I.No:219 P- No:33)	16	54	P.No	864
11	Providing & fixing Bakelite ceiling rose with two terminals (S.I.No:228 P- No:33)	6	72	P.No	432

S.NO:	Description	Qty	Rate	Unit	Amount
12	Providing & fixing Brass Battern holder c(\$.1.No:232 P-No:33)	10	70	P.No	700
13	Providing & fixing Brass Ceiling fan 56'' (good quality) (S.1.No:235 P- No:34)	6	3185	P.No	19110
14	Providing & fixing mild seel bar fan clamp 15.8 mm(5/8") dia suitable for Rcc roof (Sl No. 1(c) P-14)	6	141.01	P.No	846
	P/F distribution metal board double shutter to accommodate circuit breakers including painting with enemel paint and for other simmilar job on surface (S.I.No:15 P- No:13)	1	907.96	P.Sft	908
16	P/Fenergy sever superior quality including fixing on existing holder etc complete.(S.I.No:6 P- No:33) (24 Walt)	10	497.00	Each	4970
:17	P/F A,C ceiling fan regulator on metal board recessed in the walls column and covered with plastic sheet (S.I.No:2b P-No:14)	6	124.30	Each	746
18	P/F wall bracket light fancy type superior quality including necessary electric connection and fixing on wall oe ceiling etc complete.(S.I.No:5 P- No:33)	4	497,00	Each	1988
			GRAN	D TOTAL :-	126295
			_	<u>L</u>	*

# (4) GBPS DARYA KHAN RAJPER @

## MUAMMAD SULEMAN RAJPER

S.5/9:	Description	Qty	Rate	Unit	Amount
L_ <u>\</u>	Part"A" New Schedule Items 2012		<u> </u>		
1 .	Wiring for light or fan point with 3/.029 PVC insulated wire in 20mm (3/4") channel patti on surface as required. (S.No. 129 P-15).	16	910	per point	14560
2	Wiring for plug point with 3/.029 PVC insulated wire in 20mm	3	742	per point	2226
s.	(3/4") channel patti on surface as required. (S.No. 130 P-15).				
3	Providing & laying (MAIN or SUB MAIN) PVC insulated with size 2-7/.029 copper conductor in "4" dia PVC conduit recessed in the wall or column as required. CSI No. 3 Page No. 1)	130	171	per Meter	22230
4	Providing & laying (MAIN or SUB MAIN) PVC insulated with	60	252	per Meter	15120
	size 2-7/.036 copper conductor in $\frac{3}{4}$ " dia PVC conduit				
	recessed in the wall or column as required. (S.I.No:11 P-No:2)				
• 5	Providing & laying (MAIN or SUB MAIN) PVC insulated with	100	341	per Meter	34100
	size 2-7/.044 (6mm2) copper conductor in ¾" dia PVC conduit				
	recessed in the wall or column as required. (S.I.No:12 P- No:2)				
. 6	Providing & fixing circuit breaker 6,10,15,20, 30,40,50 & 63amp SP (TB-5S) on prepared board as required (S.I.No:202 P-No:30)	5	916	Each	4580
7	Providing & fixing circuit breaker 6,10,15,20,30,40,50, & 63amp DP (TB-5S) on perpared board required (S.I.No:204 P-No:31)	1	2425	P.No	2425
8	Providing & fixing two pin 5amp plug & flush type (S.I.No:225 P- No:33)	2	83	P.No	.166
.9	Providing & fixing three pin 10/15amp plug & socket flush type (S.I.No:222 P- No:33)	2	162	P.No	324
10	Providing & fixing one way SP 5amp switch flush type(S.I.No:219 P- No:33)	16	54	P.No	864
7,1	Providing & fixing Bakelite ceiling rose with two terminals (S.I.No:228 P- No:33)	6	72	P.No	432

Page 2						
S.NO:	Description	Qty	Rate	Unit	Amount	
12	Providing & fixing Brass Battern holder c(S.I.No:232 P-	10	70	P.No	700	
0	No:33)					
13	Providing & fixing Brass Ceiling fan 56" (good quality)	6	3185	P.No	19110	
	(S.I.No:235 P+ No:34)					
14	Providing & fixing mild seel bar fan clamp 15.8 mm(5/8") dia	6	141.01	P,No	846	
	suitable for Rcc roof (SI No. I(c) P-14)					
15	P/F distribution metal board double shutter to accommodate	ì	907.96	P.Sft	908	
	circuit breakers including painting with enemel production other simmilar job on surface (S.I.No:15 P					
	•					
		_		- ·	*050	
16	P/Fenergy sever superior quality including fixing on existing holder etc complete.(S.I.No:6 P- No:33) (24 Walt)	10	497.00	Each	4970	
17	P/F A.C ceiling fan regulator on metal board recessed in the	6	124.30	Each	746	
	walls column and covered with plastic sheet (\$.1.No:2b P-No:14)					
18	P/F wall bracket light fancy type superior quality including	4	497.00	Each	1988	
	necessary electric connection and fixing on wall oe ceiling etc complete.(S.I.No:5 P- No:33)					
			COAN	D TOTAL :-	126295	
	ABSTRACT		GRAN	DIGIAL	120275	
	(1) GBPS MUHAMMAD PANAH NIZAMANI	Rs:	124709.00			
	(2) GGPS RAB NAWAZ NIZAMANI	Rs:	123775.00			
\	(3) GBPS TAJJAL	Rs:	123775.00			
\Q /	(4) GBPS SARYA KHAN RAJPER @ MUHAMMAD					
$V_{\wedge}$	ANIEMAN RAJPER	Rs:	126294.82			
Amoun	t Total (A) 4 8 8 5 5 4 G-Total	Rs:	498553.82			
<u> </u>	17% Above /Below on the rates of CSR Rs. 497	106	/ Amount to be	added/deduct	ed on	
the bas	sis of premium quoted Total (B)	-				
Totale	x) = in Words & Figure 497706/= Rupees	-Fow	v lacs	Ninty	seren -	

Jan

CONTRACTOR

EXECUTIVE ENGINEER
EDUCATION WORKS DIVISION
KHAIRPUR

### OFFICE OF THE EXECUTIVE ENGINEER EDUCATION WORKS DIVISION KHAIRPUR

NO: T.C/G-55/EW/KHP:/

172017 72017

To,

M/S Faisal & Brothers Government Contractor

Khairpur

SUBJECT: -

REHABILITATION/RENOVATION OF DANGERIOUS SCHOOL BUILDING IN DISTRICT KHAIRPUR ADP- 466 I.E (1) GBPS AR MUHAMMAD JATOI TAL; KINGRI (2) GGPS MUHAMMAD HAYAT PHULL (3) GBPS MARORO

(4) GBPS AHMEDABAD TALUKA THARI MIRWAH INTERNAL

**ELECTRIFICATION) PACKAGE NO -21** 

Reference:

Opening Tender opened on : -

3/6/2017

The rate quoted by you for the above-mentioned work on PART-"A" @ 0.18% Below(Schedule Items)entered in schedule'B'has been approved amounting to Rs 432221/-on schedule items.

You are requested to please attend this office within 07 days to complete the tender documents.

You are requested to supply this office a copy of partnership / deed registration deed of the firm ad power of attorney in the name of partnership of employees of the firm whom you have authorized to sign the bills, receive payments and instructions in respect of this work.

You are requested to start the work within 07 days after issue of this work order complete the same within agreement period of (12) Months

Stipulated date of Start

Stipulated date of Completion

#### IT SHOULD FURTHER BE NOTED THAT

- 1 The work is to be carried out as per PWD specification
- 2 No Cartage for any material either arranged by you or supplied by Government will be paid separately.
- 3 No. Premium will be allowed on Non-Schedule items.
- 4 No Work should be carried out in excess of sanctioned estimate the receipt of this letter may please be acknowledged.

Executive Engineer
Education Works Division
Khairpur

Copy forwarded with compliments to the: -

- 1 The Superintending Engineer Education Works Circle Sukkur for favour of information please
- Copy along with copy of Schedule 'B" forwarded to the Assistant Engineer Education Electrical Works Sub Division Sukkur for information and necessary action. He should report actual date of start of the work to this Office

3 Copy forwarded to the Director (C.B) SPPRA Karachi for favour of information

Executive Engineer

Education Works Division

Khairpur

670 21

NGDOC IDDI

M/s Faisal & Brothers Govt: Contractor

# STANDARD BIDDING DOCUMENT

### PROCUREMENT OF WORKS

(For Contracts Costing up to Rs 2,5 MILLION)

REHABILITATION/RENOVATION OF DANGERIOUS SCHOOL BUILDING IN DISTRICT KHAIRPUR ADP- 466 I.E. (1) GBPS AR MUHAMMAD JATOI TAL; KINGRI (2) GGPS MUHAMMAD HAYAT PHULL (3) GBPS MARORO (4) GBPS AHMEDABAD TALUKA THÁRI MIRWAH INTERNAL **ELECTRIFICATION) PACKAGE NO -21** 

Standard-Ridding Document is intended as a model for admeasurements (Percentage Rate/unit price for unit rates in a Bill of Quantities) types of contract. The main text refers to admeasurements contracts.



TIVE ENGINEER **EDUCATION WORKS DIVISION** KHAIRPUR

## FORM OF CONTRACT AGREEMENT

THIS	CONTRACT AGREEMENT (hereinafter called the "Agreement") made on the
	200 between (hereinafter called the
	aring Agency") of the one part and (hereinafter called the ractor") of the other part.
MHEI	REAS the Procuring Agency is desirous that certain Works, viz
should	be executed by the Contractor and has accepted a Bid by the Contractor for the ion and completion of such Works and the remedying of any defects therein.
NOW	this Agreement witnesseth as follows:
1.	In this Agreement words and expressions shall have the same meanings as are respectively assigned to them in the Conditions of Contract hereinafter referred to.
2.	The following documents after incorporating addenda, if any except those parts relating to Instructions to Bidders, shall be deemed to form and be read and construed as part of this Agreement, viz:
	<ul> <li>(a) The Letter of Acceptance;</li> <li>(b) The completed Form of Bid along with Schedules to Bid;</li> <li>(c) Conditions of Contract &amp; Contract Data;</li> <li>(d) The priced Schedule of Prices/Bill of quantities (BoQ);</li> <li>(e) The Specifications; and</li> <li>(f) The Drawings</li> </ul>
3.	In consideration of the payments to be made by the Procuring Agency to the Contractor as hereinafter mentioned, the Contractor hereby covenants with the Procuring Agency to execute and complete the Works and remedy defects therein in conformity and in all respects within the provisions of the Contract.
4.	The Procuring Agency hereby covenants to pay the Contractor, in consideration of the execution and completion of the Works as per provisions of the Contract Price or such other sum as may become payable under the provisions of the Contract at the times and in the manner prescribed by the Contract.

executed on the day, month and year first before laws.	written in accordance with their respective
Signature of the Contactor	Signature of the Procuring Agency
(Scal)	(Seal) Education words Division KHARFLE
Signed, Sealed and Delivered in the presence of:	
Witness:	Witness:

(Name, Title and Address)

IN WITNESS WHEREOF the parties hereto have caused this Contract Agreement to be

(Name, Title and Address)

# SINDH PUBLIC PROCUREMENT REGULATORY AUTHORITY

#### CONTRACT EVALUATION FORM

# TO BE FILLED IN BY ALL PROCURING AGENCIES FOR PUBLIC CONTRACTS OF WORKS, SERVICES & GOODS

11	NAME OF THE ORGANIZATION/DEPTT.	Education & Literact Department
2)	PROVINCIAL / LOCAL GOVT, OTHER	Provincial
3)	LITLE OF CONTRACT	Reh/Reno@ Arx Mond: Jatoi a) mond: Hay
4)	TENDER NUMBER	SNO ( 21 ) (3) Marara (1) Abmedaland
5)	BRIEF DESCRIPTION OF CONTRACT	Building Work (School Work)
6)	FORUM THAT APPROVED THE SCHEME	A A Issued by P&D Department Karachi
7)	TENDER ESTIMATED VALUE	Rs <b>ዕ.</b> ኒላ ጌኃ (M)
8)	ENGINEER'S ESTIMATE (For civil works only)	TS RS 433000
9)	FSTIMATED COMPLETION PERIOD (AS P	ER CONTRACT) ( 12 ) Months
10)	TENDER OPENED ON (DATE & TIME)	03-06-2017
11)	NUMBER OF TENDER DOCUMENTS SOLI (Attach list of bayers)	O 03 Nos
12)	NUMBER OF BIDS RECEIVED	03 Nos
	NUMBER OF BIDDERS PRESENT AT THE	TIME OF OPENING OF BIDS 03
	BID EVALUATION REPORT	Copy enclosed
1-1)	(Enclose a copy)	
15)	NAME AND ADDRESS OF THE SUCCESSE	ULBIDDER MS Faisal & Brothers.
		946
16)	CONTRACT AWARD PRICE	Rs 432221
17)	RANKING OF SUCCESSFUL BIDDER IN EVIC. $1^{st}$ , $2^{td}$ , $3^{rd}$ EVALUATION BID).	VALUATION REPORT  ist
18)	METHOD OF PROCUREMENT USED: - (Ti	iek one)
	a) SINGLE STAGE - ONE ENVELOPE	PROCEDURE Yes Domestic/ Local
	b) SINGLE STAGE TWO ENVELOPE	E PROCEDURE
	e) TWO STAGE BIDDING PROCEDU	RE
	d) TWO STAGE - TWO ENVELOPE B	
	G TWO STANDS TOWN BOYTE OF LO	
	PLEASE SPECIFY IF ANY OTHER EMERGENCY, DIRECT CONTRACTIN	METHOD OF PROCUREMENT WAS ADOPTED i.e.  G ETC. WITH BRIEF REASONS:

1.43	. 1.7515		M	_	ineer Education works Sukkur
19)	APPRO	VING AUTHORITY FOR A	WARD OF CONTRA	ACT	
20)	WHETI	HER THE PROCUREMENT	WAS INCLUDED IN	NANNUAL P	[
					Yes V No
21)	ADVER	CTISEMENT:	ſ		
	ij	SPPRA Website (If yes, give date and SPPRA	VIdentification No.)	Yes SPPRA	S NO 33094 Dated - 04-05-2017
			l	No	
	ıi)	News Papers (If yes, give names of newsp	apers and dates)	Yes SPPRA	A S.NO 33094 Dated - 04-05-2017
				No	
22)	NATUR	RE OF CONTRACT	N.		Benesta Togat / Int.
		HER QUALIFICATION CRIS		Pica	
		SCLUDED IN BIDDING TE enclose a copy)	ENDER DUCUMEN	157	Yes V No
	WAS IN	HER BID EVALUATION CR NCLUDED IN BIDDING / TE unclose a copy)		TS?	Yes V No
		IER APPROVAL OF COMP DD OTHER THAN OPEN CO			AINED FOR USING A  Yes No
26)	WAS B	ID SECURITY OBTAINED	FROM ALL THE BI	DDERS?	Yes No
		IER THE SUCCESSFUL BI EST EVALUATED BID (in c			Yes V No
	WHE H	HER THE SUCCESSFUL BII JANT?	DDER WAS TECHN	ICALLY	Yes No
		IER NAMES OF THE BIDI ME OF OPENING OF BIDS:		QUOTED PR	Yes V No No
			DRT GIVEN TO I	BIDDERS B	EFORE THE AWARD OF
	CONTR (Attach	ACT? copy of the bid evaluation rep	ort)		Yes V No

V -	
4	
31) ANY COMPLAINTS RECEIVED (If yes, result thereof)	Yes
	No
32) ANY DEVIATION FROM SPECIFICATIONS GIVEN IN (If yes, give details)	THE TENDER NOTICE / DOCUMENTS Yes
	No
33) WAS THE EXTENSION MADE IN RESPONSE TIME? (If yes, give reasons)	Yes
	No
34) DEVIATION FROM QUALIFICATION CRITERIA (If yes, give detailed reasons)	Yes
	No .
35) WAS IT ASSURED BY THE PROCURING AGENCY BLACK LISTED?	THAT THE SELECTED FIRM IS NOT  Yes     No
36) WAS A VISIT MADE BY ANY OFFICER/OFFICIAL OF SUPPLIER'S PREMISES IN CONNECTION WITH THE BE ASCERTAINED REGARDING FINANCING OF VISIT (11 yes, enclose a copy)	PROCUREMENT? IF SO, DETAILS TO
	Yes No
37) WERE PROPER SAFEGUARDS PROVIDED ON MOB THE CONTRACT (BANK GUARANTEE ETC.)?	Yes No V
38) SPICIAL CONDITIONS, IF ANY This give brief Description)	Yes
Courses of Charles and the Course of Charles and Charles of Charle	No
AltAilChail Signature & Official Stamp of Authorized Officer	
FOR OFFICE USE ONLY	

<u>SPPRA, Block. No.8, Sindh Secretariat No.4-A, Court Road, Karachi</u> Tele: 021-9205356; 021-9205369 & Fax: 021-9206291

Print Save Reset

#### **BILL OF QUANTITES**

# (A) Description and rate of items based on composite schedule of rates, 2012

(B) Description and rate of items based on composite schedule of rates.2004

NAME OF WORK: REHABILITATION / RENOVATION OF DANGEROUS SCHOOL BUILDING IN DISTRICT KHAIRPUR AT (1) GBPS ARZ MOHAMMAD JATOI TALUKA KINGRI (2) GGPS MUHAMMAD HAYAT PHULL (3) GBPS MARORO (4) GBPS AHMED ABAD TALUKA THARI MIRWAH ADP NO. 466 (INTERNAL ELECTRIFICATION)

(PACKAGE NO. 21)

S.NO;	Description	Qty	Rate	Unit	Amount
	(1) GBPS ARZ MUHAMMAD JATOI				
	Part"A" New Schedule Items 2012				
I	Wiring for light or fan point with 3/.029 PVC insulated wire in 20mm (3/411) channel patti on surface as required. (S.No. 129 P-15).	16	910	per point	14560
2	Wiring for plug point with 3/.029 PVC insulated wire in 20mm	3	742	per point	2226
	(3/4**) channel patti on surface as required, (S.No. 130 P-15).				
3	Providing & laying (MAIN or SUB MAIN) PVC insulated with size 2-7/.029 copper conductor in %11 dia PVC conduit recessed in the wall or column as required. CSI No. 3 Page No. 1)	50	171	per Meter	8550
4	Providing & laying (MAIN or SUB MAIN) PVC insulated with size 2-7/.036 copper conductor in 3/2 dia PVC conduit recessed in the wall or column as required. (S.I.No:11 P-No:2)	25	252	per Meter	6300
5	Providing & laying (MAIN or SUB MAIN) PVC insulated with size 2-7/.044 (6mm2) copper conductor in ¼" dia PVC conduit recessed in the wall or column as required, (S.I.No:12 P- No:2)	50	341	per Meter	17050
6	Providing & fixing circuit breaker 6,10,15,20, 30,40,50 & 63amp SP (TB-5S) on prepared board as required (S.l.No:202 P- No:30)	3	916	Each	2748
7	Providing & fixing circuit breaker 6,10,15,20,30,40,50, & 63amp DP (TB-5S) on perpared board required (S.I.No:204 P-No:31)	1	2425	P.No	2425
8	Providing & lixing two pin 5amp plug & flush type (S.I.No:225 P- No:33)	2	83	P.No	166
9	Providing & fixing three pin 10/15amp plug & socket flush type (S.I,No:222 P- No:33)	2	162	P.No	324
10	Providing & fixing one way SP 5amp switch tlush type(S.I.No:219 P- No:33)	16	54	P.No	864

S.NO:	Description	Qty	Rate	Unit	Amount
<del>, 4</del> 1	Providing & fixing Bakelite ceiling rose with two terminals (S.I.No:228 P- No:33)	6	72	P.No	432
12	Providing & fixing Brass Battern holder c(\$.i.No:232 P-No:33)	10	70	P.No	700
13	Providing & fixing Brass Ceiling fan 56" (good quality) (S.I.No:235 P- No:34)	6	3185	P.No	19110
14	Providing & fixing mild seel bar fan clamp 15.8 mm(5/8") dia suitable for Rec roof (SI No. 1(c) P-14)	6	141.01	P.No	846
15	P/F distribution metal board double shutter to accommodate circuit breakers including painting with enemel paint and for other simmilar job on surface (S.I.No:15 P- No:13)	1	907.96	P.Sû	908
16	P/Fenergy sever superior quality including fixing on existing holder etc complete.(S.1,No:6 P- No:33) ( 24 Walt)	10	497.00	Each	4970
17	P/F A.C ceiling fan regulator on metal board recessed in the walls column and covered with plastic sheet (S.I.No:2b P-No:14)	6	124.30	Each	746
18	P/F wall bracket light fancy type superior quality including necessary electric connection and fixing on wall oe ceiling etc complete.(S.I.No:5 P- No:33)	2	497.00	Each	994
		j	GRAN	D TOTAL :-	84000

(2) GGPS MUHAMMAD HAYAT PHULL

· · · · · · · · · · · · · · · · · · ·	(2) GGPS MUHAMMAD HAYAT PHULL				
S.NC.	Description	Qty	Rate	Unit	Amount
5	Part"A" New Schedule Items 2012				
1	Wiring for light or fan point with 3/.029 PVC insulated wire in 20mm (3/4") channel patti on surface as required. (S.No. 129 P-15).	16	910	per point	14560
2	Wiring for plug point with 3/.029 PVC insulated wire in 20mm	3	742	per point	2226
	(3/4") channel patti on surface as required. (S.No. 130 P-15).				
	Providing & laying (MAIN or SUB MAIN) PVC insulated with size 2-7/.029 copper conductor in '4'' dia PVC conduit recessed in the wall or column as required. CSI No. 3 Page No. 1)	50	171	per Meter	8550
4	Providing & laying (MAIN or SUB MAIN) PVC insulated with	22	252	per Meter	5544
	size 2-7/.036 copper conductor in 3/4" dia PVC conduit				
	recessed in the wall or column as required. (S.I.No:11 P- No:2)				
5	Providing & laying (MAIN or SUB MAIN) PVC insulated with	45	341	per Meter	15345
	size 2-7/.044 (6mm2) copper conductor in 3/411 dia PVC conduit				
	recessed in the wall or column as required. (S.I.No:12 P- No:2)				
. 6	Providing & fixing circuit breaker 6,10,15,20, 30,40,50 & 63amp SP (TB-5S) on prepared board as required (S.I.No:202 P- No:30)	3	916	Each	2748
7	Providing & fixing circuit breaker 6,10,15,20,30,40,50, & 63amp DP (TB-5S) on perpared board required (S.I.No:204 P-No:31)	1	2425	P.No	2425
. 8	Providing & fixing two pin 5amp plug & flush type (S.I.No:225 P- No:33)	2	83	P.No	166
9	Providing & fixing three pin 10/15amp plug & socket flush type (S.1.No:222 P- No:33)	2	162	P.No	324
10	Providing & fixing one way SP 5amp switch flush type(S.I.No:219 P- No:33)	16	54	P.No	864
11	Providing & fixing Bakelite ceiling rose with two terminals (S.I.No:228 P- No:33)	6	72	P.No	432
12	Providing & fixing Brass Battern holder c(S.I.No:232 P-No:33)	10	70	P.No	700

S.NO:	Description	Qty	Rate	Unit	Amount
ं 13 <del>है।</del>	Providing & fixing Brass Ceiling fan 56" (good quality) (S.I.No:235 P- No:34)	6	3185	P.No	19110
14	Providing & fixing mild seel bar fan clamp 15.8 mm(5/8") dia suitable for Rcc roof (SI No. I(c) P-14)	6	141.01	P.No	846
15	P/F distribution metal board double shutter to accommodate circuit breakers including painting with enemel paint and for other simmilar job on surface (S.I.No:15 P- No:13)	1	907.96	P.Sft	908
16	P/Fenergy sever superior quality including fixing on existing holder etc complete.(S.f.No:6 P- No:33) (24 Walt)	10	497.00	Each	4970
17	P/F A.C ceiling fan regulator on metal board recessed in the walls column and covered with plastic sheet (S.1.No:2b P-No:14)	6	124.30	Each	746
18	P/F wall bracket light fancy type superior quality including necessary electric connection and fixing on wall oe ceiling etc complete.(S.I.No:5 P- No:33)	2	497.00	Each	994
		}	GRAN	D TOTAL :-	82000

(3) GBPS MARORO

	(3) GBPS MARORO				
S.NO	Description	Qty	Rate	Unit	Amount
, i	Part"A" New Schedule Items 2012				
1	Wiring for light or fan point with 3/.029 PVC insulated wire in 20mm (3/4") channel patti on surface as required. (S.No. 129 P-15).	16	910	per point	14560
2	Wiring for plug point with 3/.029 PVC insulated wire in 20mm	3	742	per point	2226
	(3/4") channel patti on surface as required. (S.No. 130 P-15).				
3	Providing & laying (MAIN or SUB MAIN) PVC insulated with size 2-7/.029 copper conductor in '4' dia PVC conduit recessed in the wall or column as required. CSI No. 3 Page No. 1)	130	174	per Meter	22230
4	Providing & laying (MAIN or SUB MAIN) PVC insulated with	60	252	per Meter	15120
	size 2-7/.036 copper conductor in 4" dia PVC conduit				
	recessed in the wall or column as required. (S.I.No:11 P- No:2)				
5	Providing & laying (MAIN or SUB MAIN) PVC insulated with	105	341	per Meter	35805
•	size 2-7/.044 (6mm2) copper conductor in ¾11 dia PVC conduit				
	recessed in the wall or column as required. (S.l.No;12 P- No;2)				
6	Providing & fixing circuit breaker 6,10,15,20, 30,40,50 & 63amp SP (TB-5S) on prepared board as required (S.I.No:202 P-No:30)	5	916	Each	4580
7	Providing & fixing circuit breaker 6,10,15,20,30,40,50, & 63amp DP (TB-5S) on perpared board required (S.I.No:204 P-No:31)	1	2425	P.No	2425
8	Providing & fixing two pin 5amp plug & flush type (S.I.No:225 P- No:33)	2	83	P.No	166
9	Providing & fixing three pin 10/15amp plug & socket flush type (S.1.No:222 P- No:33)	2	162	P.No	324
10	Providing & fixing one way SP 5amp switch flush type(S.l.No:219 P- No:33)	16	54	P.No	864
11	Providing & fixing Bakelite ceiling rose with two terminals (S.I.No:228 P- No:33)	6	72	P.No	432
12	Providing & fixing Brass Battern holder c(S.1.No:232 P-No:33)	10	70	P.No	⁷⁰⁰ .

<del></del>	Description	Qty	Rate	Unit	Amount
13 🐧	Providing & fixing Brass Ceiling fan 56" (good quality) (S.I.No:235 P- No:34)	6	3185	P.No	19110
14	Providing & fixing mild seel bar fan clamp 15.8 mm(5/8") dia suitable for Rcc roof (SI No. 1(c) P-14)	6	141.01	P.No	846
15	P/F distribution metal board double shutter to accommodate circuit breakers including painting with enemel paint and for other simmilar job on surface (S.I.No:15 P- No:13)	Į	907.96	P.Sñ	908
.16	P/Fenergy sever superior quality including fixing on existing holder etc complete.(S.I.No:6 P- No:33) (24 Walt)	10	497.00	Each	4970
17	P/F A.C ceiling fan regulator on metal board recessed in the walls column and covered with plastic sheet (S.1.No:2b P-No:14)	6	124.30	Each	746
18	P/F wall bracket light fancy type superior quality including necessary electric connection and fixing on wall oe ceiling etc complete.(S.I.No:5 P- No:33)	4	497.00	Each	1988

GRAND TOTAL:- 128000

(4) GBPS AHMED ABAD

	(4) GBPS AHMED ABAD		<del>-,</del>		
S.NO	Description	Qty	Rate	Unit	Amount
	Part"A" New Schedule Items 2012				
1	Wiring for light or fan point with 3/.029 PVC insulated wire in	16	910	per point	14560
	20mm (3/4") channel patti on surface as required. (S.No. 129				
	P-15).				
2	Wiring for plug point with 3/.029 PVC insulated wire in 20mm	3	742	per point	2226
	(3/4") channel patti on surface as required. (S.No. 130 P-15).				
3	Providing & laying (MAIN or SUB MAIN) PVC insulated with size 2-7/.029 copper conductor in %" dia PVC conduit recessed in the wall or column as required, CSI No. 3 Page No.	150	171	per Meter	25650
-	1)				
4	Providing & laying (MAIN or SUB MAIN) PVC insulated with	55	252	per Meter	13860
	size 2-7/.036 copper conductor in $34$ " dia PVC conduit				
	recessed in the wall or column as required. (S.1.No:11 P- No:2)				
5	Providing & laying (MAIN or SUB MAIN) PVC insulated with	131	341	per Meter	44671
	size 2-7/.044 (6mm2) copper conductor in 3/4" dia PVC conduit				
	recessed in the wall or column as required. (S.l.No:12 P- No:2)				
6	Providing & fixing circuit breaker 6,10,15,20, 30,40,50 &	5	916	Each	4580
	63amp SP (TB-5S) on prepared board as required (S.LNo:202 P- No:30)				
. 7	Providing & fixing circuit breaker 6,10,15,20,30,40,50, &	1	2425	P.No	2425
	63amp DP (TB-5S) on perpared board required (S.I.No:204 P-No:31)				
8	Providing & fixing two pin 5amp plug & flush type (S.I.No:225	2	83	P.No	166
	P- No:33)		•		
9	Providing & fixing three pin 10/15amp plug & socket flush type (S.1.No:222 P- No:33)	2	162	P.No	324
10	Providing & fixing one way SP 5amp switch flush type(S.I.No:219 P- No:33)	16	54	P.No	864
	NEXTONIA COLONIA COLON		A CONTRACTOR OF THE PARTY OF TH		
11	Providing & fixing Bakelite ceiling rose with two terminals (S.1.No:228 P- No:33)	6	72	P.No	432

0.240	D	Otto	Data	Unit	Amount
S.NO:	Description	Qty	Rate		,
12	Providing & fixing Brass Battern holder c(\$.1.No:232 P-No:33)	10	70	P.No	700
13	Providing & fixing Brass Ceiling fan 56" (good quality) (S.I.No:235 P-No:34)	6	3185	P.No	19110
14	Providing & fixing mild seel bar fan clamp 15.8 mm(5/8") dia suitable for Rec roof (SI No. 1(c) P-14)	6	141.01	P.No	846
15	P.F distribution metal board double shutter to accommodate circuit breakers including painting with enemel paint and for other simmilar job on surface (S.I.No:15 P- No:13)	l	907.96	P.Sft	908
16	P/Fenergy sever superior quality including fixing on existing holder etc complete.(S.I.No:6 P- No:33) (24 Walt)	10	497.00	Each	4970
17	P'F A.C ceiling fan regulator on metal board recessed in the walls column and covered with plastic sheet (S.I.No:2b P-No:14)	6	124.30	Each	746
18	P/F wall bracket light fancy type superior quality including necessary electric connection and fixing on wall oe ceiling etc complete.(S.I.No:5 P- No:33)	4	497.00	Each	1988

GRAND TOTAL :-139000

#### ABSTRACT

84000 (I) GBPS ARZ MUHAMMAD JATOI Rs: (2) GGPS MUHAMMAD HAYAT PHULL Rs: 82000 128000 Rs: 139000 Rs: G-Total Rs: 433000

Amount Total (A) 4 33000

0-18 % / Above /Below on the rates of CSR Rs. 432221 / Amount to be added/deducted on

basis of premium quoted thd

Total (B)

Total (A) = in Words & Figure 432221/= Rupees Four Lacs Thirty

- Two Hundred Twenty one only -

CONTRACTOR

**EDUCATION WORKS DIVISION** 

**KHAIRPUR** 

## DEFICE OF THE EXECUTIVE ENGINEER EDUCATION WORKS DIVISION KHAIRPUR

NO: T.C/G-55/EW/KHP:/ 1336 of / 2017 KHAIRPUR DATED: - 14 - 9 - / 2017

To.

M/S Rashid Electric Store Government Contractor

Khairpur

SUBJECT: -

REHABILITATION/RENOVATION OF DANGERIOUS SCHOOL BUILDING

IN DISTRICT KHAIRPUR ADP- 466 I.E (1) GBPS HASHIMABAD (2) GGPS AZIZUDDIN PANJABI (3) GGPS NANGER SHAR (4) GGPS MUHAMMAD

IBRAHIM SHAR (5) GGPS ALI SHER SHAR (INTERNAL

Reference:

Opening Tender opened on : -

3/6/2017

The rate quoted by you for the above-mentioned work on PART-"A" @ 0.18% Below(Schedule Items) entered in schedule 'B' has been approved amounting to Rs 659810/= on schedule items.

You are requested to please attend this office within 07 days to complete the tender documents.

You are requested to supply this office a copy of partnership / deed registration deed of the firm ad power of attorney in the name of partnership of employees of the firm whom you have authorized to sign the bills, receive payments and instructions in respect of this work.

You are requested to start the work within 07 days after issue of this work order complete the same within agreement period of ( 12 ) Months

Stipulated date of Start

Stipulated date of Completion

#### IT SHOULD FURTHER BE NOTED THAT

- 1 The work is to be carried out as per PWD specification
- 2 No Cartage for any material either arranged by you or supplied by Government will be paid separately.
- 3 No. Premium will be allowed on Non-Schedule items.
- 4 No Work should be carried out in excess of sanctioned estimate the receipt of this letter may please be acknowledged.

Executive Engineer
Education Works Division
Khairpur

Copy forwarded with compliments to the: -

- 1 The Superintending Engineer Education Works Circle Sukkur for favour of information please
- Copy along with copy of Schedule 'B" forwarded to the Assistant Engineer Education Electrical Works Sub Division Sukkur for information and necessary action. He should report actual date of start of the work to this Office Λ

3 Copy forworded to the Director (C.B) SPPRA Karachi for favour of information.

Executive Engineer

Education Works Division

Khairpur

670 22



M/s Rashid Electric Store Govt: Contractor


# STANDARD BEDDING DOCUMENT

## PROCUREMENT OF WORKS

(For Contracts Costing up to Rs 2.5 MILLION)

REHABILITATION/RENOVATION OF DANGERIOUS SCHOOL BUILDING IN DISTRICT KHAIRPUR ADP- 466 LE (1) GBPS HASHIMABAD (2) GGPS AZIZUDDIN PANJABI (3) GGPS NANGER SHAR (4) GGPS MUHAMMAD IBRAHIM SHAR (5) GGPS ALI SHER SHAR (INTERNAL ELECTRIFICATION) PACKAGE NO -22

Standard Bidding Docume : Wherended as a model for admeasurements (Percentage Rate/unit price for whit rates in a Bill of Quantities) types of contract. The main text refers to admeasurements contracts.



#### FORM OF CONTRACT AGREEMENT

day o	f
"Proc	aring Agency") of the one part and (hereinafter called the ractor") of the other part.
should	REAS the Procuring Agency is desirous that certain Works, viz  I be executed by the Contractor and has accepted a Bid by the Contractor for the tion and completion of such Works and the remedying of any defects therein.
NOW	this Agreement witnesseth as follows:
1.	In this Agreement words and expressions shall have the same meanings as are respectively assigned to them in the Conditions of Contract hereinafter referred to.
2.	The following documents after incorporating addenda, if any except those parts relating to Instructions to Bidders, shall be deemed to form and be read and construed as part of this Agreement, viz:
	(a) The Letter of Acceptance;
	(b) The completed Form of Bid along with Schedules to Bid;
	<ul><li>(c) Conditions of Contract &amp; Contract Data;</li><li>(d) The priced Schedule of Prices/Bill of quantities (BoQ);</li></ul>
	(e) The Specifications; and
	(f) The Drawings
3.	In consideration of the payments to be made by the Procuring Agency to the Contractor as hereinafter mentioned, the Contractor hereby covenants with the Procuring Agency to execute and complete the Works and remedy defects therein in conformity and in all respects within the provisions of the Contract.
4.	The Procuring Agency hereby covenants to pay the Contractor, in consideration of the execution and completion of the Works as per provisions of the Contract, the Contract Price or such other sum as may become payable under the provisions of the Contract at the times and in the manner prescribed by the Contract.



IN WITNESS WHEREOF the parties hereto have caused this Contract Agreement to be executed on the day, month and year first before written in accordance with their respective laws.

Signature of the Contactor	Signature of the Proparing Agency
Signature of the Confactor	Signature of the Hoxaring Agency
(Seal)	SALAND TO THE SERVICE OF THE SERVICE
Signed, Sealed and Delivered in the presence of:	
Witness:	Witness:
(Name, Title and Address)	(Name, Title and Address)

# SINDH PUBLIC PROCUREMENT REGULATORY AUTHORITY

#### CONTRACT EVALUATION FORM

# TO BE FILLED IN BY ALL PROCURING AGENCIES FOR PUBLIC CONTRACTS OF WORKS, SERVICES & GOODS

1)	NAME OF THE ORGANIZATION / DEPTT.	Education & Literact Department
2)	PROVINCIAL / LOCAL GOVT./ OTHER	Provincial
3)	TITLE OF CONTRACT	Reh [ Reno: @ Hashimabad as Azizuadin Panjabi
4)	TENDER NUMBER	S.No ( 22 ) B Nanger Shar (4) moh D: I brahim shar.
5)	BRIEF DESCRIPTION OF CONTRACT	Building Work (School Work) (5) Ali shew show - (Int Elect:)
6)	FORUM THAT APPROVED THE SCHEME	A A Issued by P&D Department Karachi
7)	TENDER ESTIMATED VALUE	Rs 0.661 (M)
81	ENGINEER'S ESTIMATE (For civil works only)	T.S RS 661000
9)	ESTIMATED COMPLETION PERIOD (AS P	ER CONTRACT) ( 12 ) Months
10)	TENDER OPENED ON (DATE & TIME)	03-06-2017
11)	NUMBER OF TENDER DOCUMENTS SOLI (Attach list of buyers)	) 03 Nos
12)	NUMBER OF BIDS RECEIVED	03 Nos
13)	NUMBER OF BIDDERS PRESENT AT THE	TIME OF OPENING OF BIDS
14)	BID EVALUATION REPORT (Enclose a copy)	Copy enclosed
15)	NAME AND ADDRESS OF THE SUCCESSF	ULBIDDER MIS Rashia Electric Store-
	CONTRACT AWARD PRICE	Rs 659810
17)	RANKING OF SUCCESSFUL BIDDER IN E st (i.e. 1 st , 2 nd , 3 rd EVALUATION BID).	VALUATION REPORT Ist
18)	METHOD OF PROCUREMENT USED : - (Ti	ck one)
	a) SINGLE STAGE – ONE ENVELOPE	PROCEDURE Yes Domestic/ Local
	b) SINGLE STAGE – TWO ENVELOPE	PROCEDURE
	e) TWO STAGE BIDDING PROCEDUR	RE
	d) TWO STAGE – TWO ENVELOPE B	IDDING PROCEDURE
	PLEASE SPECIFY IF ANY OTHER EMERGENCY, DIRECT CONTRACTIN	METHOD OF PROCUREMENT WAS ADOPTED i.e. G ETC. WITH BRIEF REASONS:

10 - A DDD	OVING AUTHORITY FOR AWARD OF CONTR	Chief Engineer Education works Sukkur
	THER THE PROCUREMENT WAS INCLUDED I	
21) ADVI	ERTISEMENT :	Yes No
711 MINAT	ACTESE, VIEWE	Yes   SPPRA S.NO 33094   Dated - 04-05-2017
iı	SPPRA Website (If yes, give date and SPPRA Identification No.)	
ii,	News Papers (If yes, give names of newspapers and dates)	Yes SPPRA S.NO 33094 Dated:- 04-05-2017
	nda.	No
22) NATU	JRE OF CONTRACT	Dramestic V Int.
W 48	THER QUALIFICA <b>TIO</b> N CRI <b>TERIA</b> INCLUDED IN BIDDING - TENDE <b>R DOCUME</b> N Lenclose a copy)	NTS" Yes     No
WAS	THER BID EVALUATION CRITERIA INCLUDED IN BIDDING / TENDER DOCUMEN s. enclose a copy)	Yes V No No
	THER APPROVAL OF COMPETENT AUTHORITHOD OTHER THAN OPEN COMPETITIVE BIDD	
26) WAS	BID SECURITY OBTAINED FROM ALL THE BI	IDDERS? Yes V No
	THER THE SUCCESSFUL BID WAS LOWEST E BEST EVALUATED BID (in case of Consultancies	
•	THER THE SUCCESSFUL BIDDER WAS TECHN PLIANT?	NICALLY Yes No V
	THER NAMES OF THE BIDDERS AND THEIR TIME OF OPENING OF BIDS?	QUOTED PRICES WERE READ OUT AT  Yes   V   No
CONT	THER EVALUATION REPORT GIVEN TO RACT? h copy of the bid evaluation report)	BIDDERS BEFORE THE AWARD OF  Yes V No No

Ţ	
AL AND COMPLAINTS DECUMES	
31) ANY COMPLAINTS RECEIVED (If yes, result thereof)	Yes
the year restain the rest,	
	No
32) ANY DEVIATION FROM SPECIFICATIONS GIVEN (If yes, give details)	IN THE TENDER NOTICE / DOCUMENTS
(ii) jest give details)	Yes
	No
	NO
33) WAS THE EXTENSION MADE IN RESPONSE TIME	
(If yes, give reasons)	Yes
en.	
	No
34) DEVIATION FROM QUALIFICATION CRITERIA	
(II yes, give detailed reasons)	Yes
	No
35) WAS IT ASSURED BY THE PROCURING AGENC	CY THAT THE SELECTED FIRM IS NOT
BLACK LISTED?	Yes No
36) WAS A VISIT MADE BY ANY OFFICER/OFFICIAL	OF THE PROCURING AGENCY TO THE
SUPPLIER'S PREMISES IN CONNECTION WITH T BE ASCERTAINED REGARDING FINANCING OF V	THE PROCUREMENT? IF SO, DETAILS TO
(If yes, enclose a copy)	
	Yes No
37) WERE PROPER SAFEGUARDS PROVIDED ON M	10BILIZATION ADVANCE PAYMENT IN
THE CONTRACT (BANK GUARANTEE ETC.)?	Yes No V
٨	
38) SPECIA CONDITIONS, IF ANY	Yes &
(It'res, give Brief Description)	108
A STATE OF THE PARTY	
	No
Signature & Official Stamp of	
Authorized Officer	
OR OFFICE USE ONLY	

SPPRA, Block. No.8, Sindh Secretariat No.4-A, Court Road, Karachi Tele: 021-9205356; 021-9205369 & Fax: 021-9206291

Print

..Save

Decet

#### BILL OF QUANTITES

(A) Description and rate of items based on composite schedule of rates, 2012

(B) Description and rate of items based on composite schedule of rates, 2004

NAME OF WORK: REHABILITATION / RENOVATION OF DANGEROUS SCHOOL BUILDING IN DISTRICT KHAIRPUR AT (1) GBPS HASHIMABAD (2) AZIZUDDIN PANJABI (3) GBPS NANGAR SHAR (4) GGPS MUHAMMAD IBRAHIM SHAR (5) GGPS ALI SHER SHAR TALUKA FAIZ GANJ ADP NO. 466. (INTERNAL ELECTRIFICATION)

(PACKAGE NO.22)

S.NO:	Description	Qty	Rate	Unit	Amount
	(1) GBPS HASHIMABAD		<u> </u>	· <del>·</del>	
	Part"A" New Schedule Items 2012				
, l	Wiring for light or fan point with 3/.029 PVC insulated wire in 20mm (3/4") channel patti on surface as required, (S.No. 129	16	910	per point	14560
	P-15).				
·	,				grate of
2	Wiring for plug point with 3/.029 PVC insulated wire in 20mm	3	<b>7</b> 42	per point	2226
٠	(3/4'') channel patti on surface as required. (S.No. 130 P-15).				
3	Providing & laying (MAIN or SUB MAIN) PVC insulated with size 2-7/.029 copper conductor in '4'' dia PVC conduit recessed in the wall or column as required. CSI No. 3 Page No. 1)	150	171	per Meter	25650
4	Providing & laying (MAIN or SUB MAIN) PVC insulated with	55	252	per Meter	13860
	size 2-7/.036 copper conductor in 3/4" dia PVC conduit			•	
	recessed in the wall or column as required. (S.I.No:11 P- No:2)				
	recessed in the wall of column as required. (5.1.140.11 r-140.2)				
5	Providing & laying (MAIN or SUB MAIN) PVC insulated with	131	341	per Meter	44671
	size 2-7/.044 (6mm2) copper conductor in %" dia PVC conduit				
	recessed in the wall or column as required. (S.I.No:12 P- No:2)				
-6	Providing & fixing circuit breaker 6,10,15,20, 30,40,50 &	5	916	Each	4580
	63amp SP (TB-5S) on prepared board as required (S.1.No:202 P- No:30)				:.
7	Providing & fixing circuit breaker 6,10,15,20,30,40,50, &	1	2425	P.No	2425
-	63amp DP (TB-5S) on perpared board required (S.I.No:204 P-No:31)			No.	
8	Providing & fixing two pin 5amp plug & flush type (S.I.No:225 P- No:33)	2	83	P.No	166



1~	Page 2				
S.NO:	Déscription	Qty	Rate	Unit	Amount
_	Providing & fixing three pin 10/15amp plug & socket flush type (S.1.No:222 P- No:33)	2	162	P.No	324
-10	Providing & fixing one way SP 5amp switch flush type(S.I.No:219 P- No:33)	16	54	P.No	864
11	Providing & fixing Bakelite ceiling rose with two terminals (S.I.No:228 P-No:33)	6	72	P.No	432
12	Providing & fixing Brass Battern holder c(S.I.No:232 P-No:33)	10	70	P.No	700
13	Providing & fixing Brass Ceiling fan 56" (good quality) (S.I.No:235 P- No:34)	6	3185	P,No	19110
14	Providing & fixing mild seel bar fan clamp 15.8 mm(5/8") dia suitable for Rcc roof (Si No. 1(c) P-14)	6	141.01	P.No	846
15	P/F distribution metal board double shutter to accommodate circuit breakers including painting with enemel paint and for other simmilar job on surface (S.I.No:15 P- No:13)	1	907.96	P.Sft	908
16	P/Fenergy sever superior quality including fixing on existing holder etc complete.(S.I.No:6 P- No:33) (24 Walt)	10	497.00	Each	4970
17	P/F A.C ceiling fan regulator on metal board recessed in the walls column and covered with plastic sheet (S.l.No:2b P-No:14)	6	124.30	Each	746
 18	P/F wall bracket light fancy type superior quality including necessary electric connection and fixing on wall oe ceiling etc complete.(S.I.No:5 P- No:33)	4	497.00	Each	1988
			j	TOTAL :-	139000

اسشح

. `	Page 3				· · . · · · · · · · · · · · · · · ·
S.NO:	Description	Qty	Rate	Unit	Amount
	全) GGPS AZIZUDDIN PANJABI				
1	Part"A" New Schedule Items 2012 Wiring for light or fan point with 3/.029 PVC insulated wire in 20mm (3/4") channel patti on surface as required. (S.No. 129 P-15).	16	910	per point	14560
2	Wiring for plug point with 3/.029 PVC insulated wire in 20mm	3	742	per point	2226
	(3/4") channel patti on surface as required. (S.No. 130 P-15).				
3	Providing & laying (MAIN or SUB MAIN) PVC insulated with size 2-7/.029 copper conductor in 3/4" dia PVC conduit recessed in the wall or column as required. CSI No. 3 Page No. 1)	101	171	per Met <del>e</del> r	17271
4	Providing & laying (MAIN or SUB MAIN) PVC insulated with	40	252	per Meter	10080
7	size 2-7/.036 copper conductor in 3/4" dia PVC conduit			•	
-	recessed in the wall or column as required. (S.I.No:11 P- No:2)				
5	Providing & laying (MAIN or SUB MAIN) PVC insulated with	67	341	per Meter	22847
	size 2-7/.044 (6mm2) copper conductor in 1/4" dia PVC conduit				
•	recessed in the wall or column as required. (S.I.No:12 P- No:2)				
6	Providing & fixing circuit breaker 6,10,15,20, 30,40,50 & 63amp SP (TB-5S) on prepared board as required (S.I.No:202 P- No:30)	5	916	Each	4580
7	Providing & fixing circuit breaker 6,10,15,20,30,40,50, & 63amp DP (TB-5S) on perpared board required (S.I.No:204 P-No:31)	1	2425	P.No	2425
8	Providing & fixing two pin 5amp plug & flush type (S.I.No:225 P- No:33)	2	83	P.No	166
9	Providing & fixing three pin 10/15amp plug & socket flush type (S.1.No:222 P- No:33)	2	162	P.No	324
· 10	Providing & fixing one way SP 5amp switch flush type(S.f.No:219 P- No:33)	16	54	P.No	864
11	Providing & fixing Bakelite ceiling rose with two terminals (S.1.No:228 P- No:33)	6	72	P.No	432
-12	Providing & fixing Brass Battern holder c(S.I.No:232 P-No:33)	10	70	P.No	700
13	Providing & fixing Brass Ceiling fan 56" (good quality) (S.I.No:235 P- No:34)	6	3185	P.No	19110
14 -	Providing & fixing mild seel bar fan clamp 15.8 mm(5/8") dia suitable for Rcc roof (SI No. 1(c) P-14)	6	141.01	P.No	846



					<u>.</u>
S.NO:	Description	Qty	Rate	Unit	Amount
	P/F distribution metal board double shutter to accommodate circuit breakers including painting with enemel paint and for other simmilar job on surface (S.I.No:15 P- No:13)	1	907.96	P.Sft	908
16	P/Fenergy sever superior quality including fixing on existing holder etc complete.(S.I.No:6 P- No:33) (24 Walt)	10	497.00	Each	4970
17	P/F A.C ceiling fan regulator on metal board recessed in the walls column and covered with plastic sheet (S.I.No:2b P-No:14)	6	124.30	Each	746
•	P/F wall bracket light fancy type superior quality including necessary electric connection and fixing on wall oe ceiling etc.	4	497.00	Each	1988
	complete.(S.I.No:5 P- No:33)		1	:	

ديستم

TOTAL :- 105000

	Page 5		γ	<del>,</del>	
S.NO:	Description	Qty	Rate	Unit	Amount
	3) GGPS NANGER SHAR				
. 1	Part"A" New Schedule Items 2012 Wiring for light or fan point with 3/.029 PVC insulated wire in 20mm (3/4") channel patti on surface as required. (S.No. 129 P-15).	16	910	per point	14560
2	Wiring for plug point with 3/.029 PVC insulated wire in 20mm	3	742	per point	2226
-	(3/4") channel patti on surface as required. (S.No. 130 P-15).				
3	Providing & laying (MAIN or SUB MAIN) PVC insulated with size 2-7/.029 copper conductor in '4'' dia PVC conduit recessed in the wall or column as required. CSI No. 3 Page No. 1)	150	171	per Meter	25650
_4	Providing & laying (MAIN or SUB MAIN) PVC insulated with	56	252	per Meter	14112
	size 2-7/.036 copper conductor in 3/4" dia PVC conduit				
	recessed in the wall or column as required. (S.I.No:11 P- No:2)				
5	Providing & laying (MAIN or SUB MAIN) PVC insulated with	130	341	per Meter	44330
	size 2-7/.044 (6mm2) copper conductor in ¾" dia PVC conduit				
-	recessed in the wall or column as required. (S.I.No:12 P- No:2)				
6	Providing & fixing circuit breaker 6,10,15,20, 30,40,50 & 63amp SP (TB-5S) on prepared board as required (S.I.No:202 P- No:30)	5	916	Each	4580
- 7	Providing & fixing circuit breaker 6,10,15,20,30,40,50, & 63amp DP (TB-5S) on perpared board required (S.I.No:204 P-No:31)	1	2425	P.No	2425
8	Providing & fixing two pin 5amp plug & flush type (S.I.No:225 P- No:33)	2	83	P.No	166
. 9	Providing & fixing three pin 10/15amp plug & socket flush type (S.I.No:222 P- No:33)	2	162	P.No	324
10	Providing & fixing one way SP 5amp switch flush type(S.I.No:219 P- No:33)	16	54	P.No	864
11 -	Providing & fixing Bakelite ceiling rose with two terminals (S.I.No:228 P- No:33)	6	72	P.No	432
. 12	Providing & fixing Brass Battern holder c(S.I.No:232 P-No:33)	10	70	P.No	700
13	Providing & fixing Brass Ceiling fan 56" (good quality) (S.I.No:235 P- No:34)	6	3185	P.No	19110
14	Providing & fixing mild seet bar fan clamp 15.8 mm(5/8") dia suitable for Rec roof (SI No. 1(c) P-14)	6	141.01	P.No	846
15	P/F distribution metal board double shutter to accommodate circuit breakers including painting with enemel paint and for other simmilar job on surface (S.I.No:15 P- No:13)	1	907.96	P.Sft	908



Page 6

S.NO:	Description	Qty	Rate	Unit	Amount
	Prenergy sever superior quality including fixing on existing holder etc complete.(S.I.No:6 P- No:33) (24 Walt)	10	497.00	Each	4970
^17	P/F A.C ceiling fan regulator on metal board recessed in the walls column and covered with plastic sheet (S.I.No:2b P-No:14)	6	124.30	Each	746
18	P/F wall bracket light fancy type superior quality including necessary electric connection and fixing on wall oe ceiling etc complete.(S.I.No:5 P- No:33)	4	497.00	Each	1988
	رستج		1	TOTAL :-	139000

S.NO:	Description	Qty	Rate	Unit	Amount
	(4) GGPS MUHAMMAD IBRAHIM SHAR	V.7			
, I	Part"A" New Schedule Items 2012 Wiring for light or fan point with 3/.029 PVC insulated wire in 20mm (3/4") channel patti on surface as required. (S.No. 129 P-15).	16	910	per point	14560
`2	Wiring for plug point with 3/.029 PVC insulated wire in 20mm	3	742	per point	2226
	(3/4") channel patti on surface as required. (S.No. 130 P-15).				
3	Providing & laying (MAIN or SUB MAIN) PVC insulated with size 2-7/.029 copper conductor in '4' dia PVC conduit recessed in the wall or column as required. CSI No. 3 Page No. 1)	150	171	per Meter	25650
4	Providing & laying (MAIN or SUB MAIN) PVC insulated with	56	252	per Meter	14112
	size 2-7/.036 copper conductor in 3/4" dia PVC conduit				
	recessed in the wall or column as required. (S.I.No:11 P- No:2)				
5	Providing & laying (MAIN or SUB MAIN) PVC insulated with	130	341	per Meter	44330
	size 2-7/.044 (6mm2) copper conductor in 3/4 dia PVC conduit				
	recessed in the wall or column as required. (S.I.No:12 P- No:2)				٠.
6	Providing & fixing circuit breaker 6,10,15,20, 30,40,50 & 63amp SP (TB-5S) on prepared board as required (S.I.No;202 P- No;30)	5	916	Each	4580
7	Providing & fixing circuit breaker 6,10,15,20,30,40,50, & 63amp DP (TB-5S) on perpared board required (S.I.No:204 P-No:31)	I	2425	P.No	2425
_ 8	Providing & fixing two pin 5amp plug & flush type (S.I.No:225 P- No:33)	2	83	P,No	166
. 9	Providing & fixing three pin 10/15amp plug & socket flush type (S.1.No:222 P- No:33)	2	162	P.No	324
10	Providing & fixing one way SP Samp switch flush type(S.1.No:219 P- No:33)	16	54	P.No	864
11	Providing & fixing Bakelite ceiling rose with two terminals (S.1.No:228 P- No:33)	6	72	P.No	432
12	Providing & fixing Brass Battern holder c(S.I.No:232 P-No:33)	10	70	P.No	700
13	Providing & fixing Brass Ceiling fan 56" (good quality) (S.I.No:235 P- No:34)	6	3185	P.No	19110
14	Providing & fixing mild seel bar fan clamp 15.8 mm(5/8") dia suitable for Rec roof (SI No. 1(c) P-14)	6	141.01	P.No	846
-15	P/F distribution metal board double shutter to accommodate circuit breakers including painting with enemel paint and for other simmilar job on surface (S.1.No;15 P- No;13)	, 10	907.96	P.Sft	908



Page 8

S.NO:	Description	Qty	Rate	Unit	Amount
160	P/Fenergy sever superior quality including fixing on existing holder etc complete.(S.I.No:6 P- No:33) (24 Walt)	10	497.00	Each	4970
17	P/F A.C ceiling fan regulator on metal board recessed in the walls column and covered with plastic sheet (S.I.No:2b P-No:14)	6	124.30	Each	746
18	P/F wall bracket light fancy type superior quality including necessary electric connection and fixing on wall oe ceiling etc complete.(S.I.No:5 P- No:33)	4	497.00	Each	1988

رستق

GRAND TOTAL:-

139000

S.NO:	Description	Qty	Rate	Unit	['] Amount
	8) GGPS ALI SHER SHAR	······································	· — • · · · · · · · · · · · · · · · · ·		
1	Part"A" New Schedule Items 2012 Wiring for light or fan point with 3/.029 PVC insulated wire in 20mm (3/4") channel patti on surface as required. (S.No. 129 P-15).	16	910	per point	14560
2	Wiring for plug point with 3/.029 PVC insulated wire in 20mm	3	742	per point	2226
	(3/4") channel patti on surface as required. (S.No. 130 P-15).				• .
. 3	Providing & laying (MAIN or SUB MAIN) PVC insulated with size 2-7/.029 copper conductor in ¼" dia PVC conduit recessed in the wall or column as required, CSI No. 3 Page No. 1)	150	171	per Meter	25650
4	Providing & laying (MAIN or SUB MAIN) PVC insulated with	56	252	per Meter	14112
.,	size 2-7/.036 copper conductor in 3/4" dia PVC conduit				
	recessed in the wall or column as required. (S.1.No:11 P- No:2)				
5	Providing & laying (MAIN or SUB MAIN) PVC insulated with	130	341	per Meter	44330
	size 2-7/.044 (6mm2) copper conductor in ¾" dia PVC conduit				
_	recessed in the wall or column as required. (S.I.No:12 P- No:2)				
6	Providing & fixing circuit breaker 6,10,15,20, 30,40,50 & 63amp SP (TB-5S) on prepared board as required (S.I.No:202 P- No:30)	5	916	Each	4580
7	Providing & fixing circuit breaker 6,10,15,20,30,40,50, & 63amp DP (TB-5S) on perpared board required (S.I.No:204 P-No:31)	1	2425	P.No	2425
8	Providing & fixing two pin 5amp plug & flush type (S.LNo:225 P- No:33)	2	83	P.No	166
.9	Providing & fixing three pin 10/15amp plug & socket flush type (S.l.No:222 P- No:33)	2	162	P.No	324
10	Providing & fixing one way SP 5amp switch flush type(S.I,No:219 P- No:33)	16	54	P.No	864
-11	Providing & fixing Bakelite ceiling rose with two terminals (S.I.No:228 P- No:33)	6	72	P.No	432
12	Providing & fixing Brass Battern holder c(S.I.No:232 P-No:33)	10	70	P.No	700
13	Providing & fixing Brass Ceiling fan 56" (good quality) (S.1.No:235 P- No:34)	6	3185	P.No	19110
14	Providing & fixing mild seel bar fan clamp 15.8 mm(5/8") dia suitable for Rcc roof (Sl No. I(c) P-14)	6	141.01	P.No	846

ارمست

•	Page 10				
S.NO:	Description	Qty	Rate	Unit '	Amount
15	P.F distribution metal board double shutter to accommodate circuit breakers including painting with enemel paint and for other simmilar job on surface (S.I.No:15 P- No:13)	ŀ	907.96	P.Sfi	908
16	P/Fenergy sever superior quality including fixing on existing holder etc complete.(S.I.No:6 P- No:33) (24 Walt)	10	497.00	Each	4970
17	P/F A.C ceiling fan regulator on metal board recessed in the walls column and covered with plastic sheet (S.I.No:2b P-No:14)	6	124.30	Each	746
!8	P/F wall bracket light fancy type superior and ding necessary electric connection and fixing on war complete.(S.I.No:5 P- No:33)	4	497.00	Each	1988
	•		GRAN	D TOTAL :-[	139000
	ABST				
	(1) 221 211 111 111 121 12	₹\$: } e+	139000 105000		

ABST		
(1) GBPS HASHIMABAD	Rs:	139000
(2) GGPS AZIZUDDIN PANJABI	Rs:	105000
(3) GGPS NANGER SHAR	Rs:	139000
(H) GGPS MUHAMMAD IBRAHIM SHAR	Rs:	139000
M (5) GGPS ALI SHER SHAR	Rs:	139000
	G-Total Rs:	661000
Amount Total (A) 661000	/ O.S.	
Above Below on the rates of CSR Rs.	92 X 8 10	_/ Amount to be added/deducted on
the basis of prenyium quoted	otal (B)	
Total(A) = m Words & Figure 65 9810/= R	wpees six	· lacs fifty Nine -
- Thousand eight hund	red Ten	on14-

( سیرے contractor EXECUTIVE ENGINEER

EDUCATION WORKS DIVISION

KHAIRPUR