SINDH PUBLIC PROCUREMENT REGULATORY AUTHORITY

CONTRACT EVALUATION FORM

TO BE FILLED IN BY ALL PROCURING AGENCIES FOR PUBLIC CONTRACTS OF WORKS, SERVICES & GOODS

1)	NAME OF THE ORGANIZATION / DEPTT. Karachi Water and Sewerage Board
2)	PROVINCIAL / LOCAL GOVT./ OTHER Local Government REPLACEMENT OF 8"DIA SUNK DOWN SEWERS AT DIFFERENT PALCES OF UC-8 PECHS BLOCK-
·	TITLE OF CONTRACT 2, JAMSHED TOWN (SEWERAGE)-I.
	TENDER NUMBER S.No.35324
5)	BRIEF DESCRIPTION OF CONTRACT For improvement of sewerage system.
6)	FORUM THAT APPROVED THE SCHEME Managing Director, KW&SB
7)	TENDER ESTIMATED VALUE Less than 1.00 Million
8)	ENGINEER'S ESTIMATE Rs.9,80,214/= (For civil works only)
9)	ESTIMATED COMPATION ERIOD (AS PER CONTRACT) 25 Days
10)	TENDER OPENEL ON (BATE & TIME) 13-12-2017 at 02.30 P.M.
11)	NUMBER OF TENLER OCCUMENTS SOLD 03 Nos. (Attach list of buyers)
17	NUMBER OF BIDS REQUIVED 03 Nos.
	NUMBER OF BIDDERS' RESENT AT THE TIME OF OPENING OF BIDS 03 Nos.
,	
14)	BID EVALUATION REPORT Already sent to authority web site (Enclose a cop
15)	NAME AND ADDRESS OF THE SUCCESSFUL BIDDER M/s.M.A. Khan Group of Construction, House No.A-1176, Nawab Colony, UC-2, Baldia Tow Karachi.
16)	CONTRACT AWARD PRICE Rs.9,80,148/=
17)	RANKING OF SUCCESSFUL BIDDER IN EVALUATION REPORT (i.e. 1 st , 2 nd , 3 rd EVALUATION BID). 1 st Lowest
191	METHOD OF The same
10)	METHOD OF PROCUREMENT USED: - (Tick one)
	a) SINGLE STAGE -ONE ENVELOPE PROCEDURE Domestic/ Loca
	b) SINGLE STAGE -TWO ENVELOPE PROCEDURE NIL
(TWO STAGE BIDDING PROCEDURE
C	d) TWO STAGE -TWO ENVELOPE BIDDING PROCEDURE
	PLEASE SPECIFY IF ANY OTHER METHOD OF PROCUREMENT WAS ADOPTED.

)) WHE	THER THE PROCUREMENT WAS INCLUDED	IN ANNUAL I	PROCUREMEN	I PLAN?	
			Yes √	No	
l) ADV	ERTISEMENT :		C.N. 200	12.1	
i)	SPPRA Website		-17 S.No. 353	124	
	(If yes, give date and SPPRA Identification No	No No			
ii)	News Papers (If yes, give names of newspapers and dates)	Yes	•	,	
		No			
2) NATI	URE OF CONTRACT		Domestic/ Local	Int.	
	THER QUALIFICATION CRITERIA				
	INCLUDED IN BY IDD CONTENDER DOCUME s, enclose a copy	ENTS?			✓
(11) 0.	s, enclose a cops)		Yes	No	
4) WHE WAS	THER BID EVALUATION CRUITRIA INCLUDED IN BIDDING A VIDER DOCUME	ENTS?	Yes	No	-
(If yes	s, enclose a copy)				
5) WHF	THER APPROVAL OF COMPETENT AUTHO I	TV WORT	INED FOR	LISING:A	
	HOD OTHER THAN OPEN COMPETITIVE BIDDI		Yes	No No	√
	SPPRA				
6) WAS 1	BID SECURITY OBTAINED FROM ALL THE BIDDI	ERS?	Yes	No	
				Z	
	THER THE SUCCESSFUL BID WAS LOWEST BEST EVALUATED BID (in case of Consultance)		Yes	✓ No	
	THER THE SUCCESSFUL BIDDER WAS TECH PLIANT?	INICALLY	Yes	No	✓
					_
•	THER NAMES OF THE BIDDERS AND THEIR TIME OF OPENING OF BIDS?	QUOTED PRIC	Yes Yes	AD OUT A'	1
) WHE	THER EVALUATION REPORT GIVEN TO BID	DERS BEFORE	E THE AWARD	OF CONT	RACT

31) ANY COMPLAINTS RECEIVED (If yes, result thereof)	Yes	
	No	V
32) ANY DEVIATION FROM SPECIFICATIONS GIVEN IN (If yes, give details)	THE T	ENDER NOTICE / DOCUMENTS
(1. J.vo., g.i.v dottallo)	Yes	
	No	✓
33) WAS THE EXTENSION MADE IN RESPONSE TIME? (If yes, give reasons)	Yes	
	No	✓
34) DEVIATION FROM QUALIFICATION CRITERIA (If yes, give detailed reasons.)	Yes	
	No	✓
35) WAS IT ASSURED BY THE ROCURING AGENCY THA BLACK LISTED	VITHE	Yes No
36) WAS A VISIT MADE BY ANY SEFICIR/OFFICIAL OF T SUPPLIER' PREMISES IN CONNECTION WITH THE BE ASCERTAINED REGARDING INANCING OF VISIT	OC.	UREMENT? IF SO, DETAILS TO
(If yes, enclose a copy)		Yes No /
37) WERE PROPER SAFEGUARDS PROVIDED ON MOBIL. THE CONTRACT (BANK GUARANTEE ETC.)?	IZ T	ION DVANCE PAYMENT IN
SPPRA		Yes No 🗸
38) SPECIAL CONDITIONS, IF ANY (If yes, give Brief Description)	Yes	
	No	√
Signature & Official Stamp of ABD VI AH IMRAN EXECUTIVE ENGINEER (SEW)-I JANSHED TOWN, KWASE		
FOR OFFICE USE ONLY		

<u>SPPRA, Block. No.8, Sindh Secretariat No.4-A, Court Road, Karachi</u> Tele: 021-9205356; 021-9205369 & Fax: 021-9206291

KARACHI WATER AND SEWERAGE BOARD

OFFICE OF THE EXECUTIVE ENGINEER (SEW)-I (JAMSHED TOWN) BLOCK-B, KMC MARKET, SINDHI MUSLIM SOCIETY

NO.EE/SEW-I/JT/KW&SB/2018/45

DATED: 15-02-2018

M/s.M.A. Khan Group of Construction, House No.A-1176, Nawab Colony, UC-2, Baldia Town, KARACHI.

WORK ORDER / L.O.C

SUBJECT:-

REPLACEMENT OF 8"DIA SUNK DOWN SEWERS AT DIFFERENT PALCES OF UC-8 PECHS BLOCK-2, JAMSHED TOWN (SEWERAGE)-I.

Your Tenders dated 13-12-2017, has been approved by the competent authority, KW&SB, for amounting to Rs.9,80,148/= (Rupees Nine lacs eighty thousand one hundred forty eight only). You are therefore, requested to start the above mentioned works as per design and specification.


The each work is to be completed with 25 days, failing which penalty of Rs.1,000/= per day will be imposed / recovered as per terms and conditions of the contract.

You are further requested to contact the Sub-Engineer Jamshed Town (Sew), KW&SB, in connection with commencement of supervision for necessary instructions of the works.

EXECUTIVE ENCINEER (SEW)-1 JAMSHED KOWN, KW&SB

Copy to :-

- 1. The Superintending Engineer, District East-A, KW&SB.
- 2. Budget Office, KW&SB.
- 3. Asstt. Director (LFA), KW&SB.
- 4. Office Copy.




ZEESHAN STAMP VENDOGONTRACT AGREEMENT

se-I. Guldstanderene Made this 0 9 FFB 2010 by of Learning 2018, in the sure to with Address warage. Board Made Lity of the Karachi, as conferred the powers of Chief Income With Address warage. Board Made Lity of the Karachi, as conferred the powers of Chief Income With Address warage. Board Made Lity of the Karachi, as conferred the powers of Chief Income With Address warage. Board Made Lity of the Karachi, as conferred the powers of Chief Income With Address warage. Board Made Lity of the Karachi, as conferred the powers of Chief Income Lity of the Conferred to Deputy Managing Director (T/S), was known with Address with

WHEREAS the Employer is desirous to execute the work "REPLACEMENT OF 8" DIA SUNK DOWN SEWERS AT DIFFERENT PLACES OF UC-8, PECHS BLOCK-2, JAMSHED TOWN (SEW-I)" KW&SB'S OWN FUNDED PROGRAMME, for RS.9,80,148/= (RUPEES NINE LACS EIGHTY THOUSAND ONE HUNDRED FORTY EIGHT ONLY), for the construction and completion of such WORKS and the remedying of an defects therein. The tender called upon through Authority's Website of SPPRARULE-2010 under Serial NO.35324.

AND WHEREAS THE CONTRACTOR has already deposited 2% Pay Order for amounting to Rs.20,000/=, vide Pay Order No.18439245 dated: 12-12-2017, issued from Habib Bank Limited, Hassan Square Branch Karachi remaining 8% for amounting to Rs.78,015/= will be deducted of 10% Performance Security as Security Deposit from his bill, he same will be kept with the EMPLOYER till the maintenance period of the work for the due fulfillment of the CONTRACTOR. Further 1% Water Charges will also be deducted from his bill as per Standard Operating Procedure (SOP).



Licence No. 144, Shop No.A-6 NOW this Advantagement witings FEB 201

(RUPLIS OUR THOUSAND ONLY)

Through With Address...

Issued to With Address I... In this Agreement words and expression shall have the same meanings as Paspose The Past of the Past o

Memps Vendor's Signature Art VOIS Andrews Bank Guardeshall become the AMPA TO MANAGE THE COMMENT OF THE COMMENT OF

Merculewing documents which for the purpose of identification have been signed by MR. NOORAN SHAH on behalf of the contractor and by DY. MANAGING DIRECTOR(T/S), KW&SB, on behalf the EMPLOYER all of which shall be deemed to form and be read and construed as part of

- This Form of Agreement. a).
- b). Employer letter Acceptance A/W&S/KW&SB/2018/.38 No.DMD/TS/SE/DEdated: バーの2
- c). The Tender.
- d). The conditions of the Particular Application – Part-II-A & II-B.
- e). The General Conditions - Part-I.
- f). The Drawings.
- g). The specifications and
- The Priced Bill of Quantities. h).
- i) Time period is 90 Days.
- 3. In consideration of the payments to be made by the EMPLOYER to the CONTRACTOR has hereinafter mentioned, the CONTRACTOR hereby covenants with the EMPLOYER to execute and complete the WORK and to remedy any defects therein and maintaining the same in conformity in all respects with the provisions of the CONTRACT.
- 4. THE EMPLOYER hereby covenants to pay to the CONTRACT in the manner prescribed by the CONTRACT.




ZEESHAN STAMP VENDOR

12 FEB 2018 FOR THE WORK OF

SEWERS AT DIFFERENT PLACES OF UC-8, PECHS BLOCK-2, JAMSHED TOWN (SEW-I).

> FOR AMOUNTING TO RS.9,80,148/= (RUPEES NINE LACS EIGHTY THOUSAND ONE HUNDRED FORTY EIGHT ONLY)

> > M/S. M.A.KHAN GROUP OF CONSTRUCTIONS.



ZEESHAN STANT WENESS WHEREOF, the parties hereto have set their respective hands

Phase-I. Gulistan-e-Johan, Karachi	eto have set their r
base With Across Signed Sedled and Delivered by the. Purpose Series Americas	
MA FOR USE BOTH CONTRACTOR OF THE CONTRACTOR OF	For and on behalf of CONTRACTOR
73ed levely	. CTOR

DEPUTY MANAGING DIRECTOR (T/S)

NODRAN SHAH MANAGING PARTNER M/S. M.A.KHAN GROUP OF CONSTRUCTION.

programment is a

WITNESS OF EMPLOYER


K.W.&.S.B.

WITNESS OF CONTRACTOR

SUPERINTENDING ENGINEER DISTRICT EAST-A, KW&SB.

EXECUTIVE ENGINEER (SEW-I)
JAMSHED TOWN, DISTRICT EAST-A K.₩.&.S.B.

Gul Muhamad blen 3/8molo



State State

PECHS BLOCK-2, JAMSHED TOWN (SEW-I).

FOR AMOUNTING TO RS.9,80,148/=
(RUPEES NINE LACS EIGHTY THOUSAND ONE HUNDRED
FORTY EIGHT ONLY)

M/S. M.A.KHAN GROUP OF CONSTRUCTIONS.

MM

OFFICE OF THE EXECUTIVE ENGINEER (SEWERAGE)-I, (JAMSHED TOWN). BLOCK-B, KMC MARKET, SINDHI MUSLIM SOCIETY

JBJECT:

REPLACEMENT OF 8"DIA SUNK DOWN SEWERS AT DIFFERENT PLACES OF UC-3 PECHS BLCK-2, JAMSHED TOWN (SEWERAGE)-I.

Rupees in Figures. Rupees in Figures. Rupees in Figures. Rupees in Figures. Rupees in Words ITEM 1. Dismantling and removing road metalling. 2. Excavation for pipe line in trenches, and pits in all kind of soils of murum i/c trimming and dressing sides to true alignment and shape leveling of beds of trenches to correct level and grade, cutting joint holes and disposal of surplus earth within a one chain as directed by Engineer Incharge. Providing fence guards, lights, flags and temporary crossings for non-vehicular traffic where ever required lift upto 5 ft. (1.52m) and lead upto one chain (30.5m). i. Lift 0'-5' ii. Lift 5'-8' 1770 Cft (\$200). Four thousand by words WOCft 212.49%. Four thousand by words **WoCft 45584**/ **Nondred fifts **Tree thanomed two hundred for the provided	L.	DESCRIPTION	QTY.		RATE		AMOUNT
Dismantling and removing road metalling. Excavation for pipe line in trenches, and pits in all kind of soits of murum i/c trimming and dressing sides to true alignment and shape leveling of beds of trenches to correct level and grade, cutting joint holes and disposal of surplus earth within a one chain as directed by Engineer Incharge. Providing fence guards, lights, flags and temporary crossings for non-vehicular traffic where ever required lift upto 5 ft. (1.52m) and lead upto one chain (30.5m). i. Lift 0'-5' ii. Lift 5'-8' 1770 Cft	Ю.					1	IN
2 Excavation for pipe fine in trenches, and pits in all kind of soils of murum i/c trimming and dressing sides to true alignment and shape leveling of beds of trenches to correct level and grade, cutting joint holes and disposal of surplus earth within a one chain as directed by Engineer Incharge. Providing fence guards, lights, flags and temporary crossings for non-vehicular traffic where ever required lift upto 5 ft. (1.52m) and lead upto one chain (30.5m). i. Lift 0'-5' ii. Lift 5'-8' 1770 Cft 52001. Four thousand by hundred fifts in. Lift 5'-8' 7 Providing M/H 4ft inside with CI frame (15 kg) and 5 feet clear depth 1:2.4 cast in situ in 9 inch thick wall 1:4:8 cement concrete in 6ft dia and 6' inch thick in foundation 1:2:4 cc in benching. 1/2' thick cement plastering with 1:3 cement mortar on inside wall and surface of channel/benching i/c making required Nos of main and branch channels, X'' dia bar footrest at 12'' C/C i/c cost of excavation of all kinds of soil, backfilling and disposal of excavated stuff etc complete, as per design and instruction of the Engineer Incharage. Add/deduct per ft depth.	1	metalling.	3540 Cft	(600)	Six hundred		21240/
Providing M/H 4ft inside with CI frame (15 kg) and 5 feet clear depth 1:2.4 cast in situ in 9 inch thick wall 1:4:8 cement concrete in 6ft dia and 6" inch thick in foundation 1:2:4 c.c in benching, ½" thick cement plastering with 1:3 cement mortar on inside wall and surface of channel/benching i/c making required Nos of main and branch channels, ¾" dia bar footrest at 12" C/C i/c cost of excavation of all kinds of soil, backfilling and disposal of excavated stuff etc complete, as per design and instruction of the Engineer Incharage. Add/deduct per ft depth. Tuo thousand five	2	and pits in all kind of soils of murum i/c trimming and dressing sides to true alignment and shape leveling of beds of trenches to correct level and grade, cutting joint holes and disposal of surplus earth within a one chain as directed by Engineer Incharge. Providing fence guards, lights, flags and temporary crossings for non-vehicular traffic where ever required lift upto 5 ft. (1.52m) and lead upto one chain (30.5m).	14160 Cft	46501.)	Form thousand Six	·	Barrier
frame (15 kg) and 5 feet clear depth 1:2.4 cast in situ in 9 inch thick wall 1:4:8 cement concrete in 6ft dia and 6" inch thick in foundation 1:2:4 c.c in benching, ½" thick cement plastering with 1:3 cement mortar on inside wall and surface of channel/benching i/c making required Nos of main and branch channels, ¾" dia bar footrest at 12" C/C i/c cost of excavation of all kinds of soil, backfilling and disposal of excavated stuff etc complete, as per design and instruction of the Engineer Incharage. Add/deduct per ft depth. Tuo thousand five		ii. Lift 5'-8'	1770 Cft 🐧	52001.)	Five thanomed two hundred	%0Cft	9204/
1 1 1 1 1 1 2 1 1 2 740/	3	frame (15 kg) and 5 feet clear depth 1:2.4 cast in situ in 9 inch thick wall 1:4:8 cement concrete in 6ft dia and 6" inch thick in foundation 1:2:4 c.c in benching, ½" thick cement plastering with 1:3 cement mortar on inside wall and surface of channel/benching i/c making required Nos of main and branch channels, ¾" dia bar footrest at 12" C/C i/c cost of excavation of all kinds of soil, backfilling and disposal of excavated stuff etc complete, as per design and instruction of the Engineer Incharage.	15 Nos.	a production of the second	Foorteen thousand fine hundred thirts	· · · · · · · · · · · · · · · · · · ·	217950%
		Add/deduct per tt depth.	(+) 5 Ft.	(25401.	Two thousand five		12700%

d h

UBJECT:- REPLACEMENT OF 8"DIA SUNK DOWN SEWERS AT DIFFERENT PLACES OF UC-8
PECHS BLCK-2, JAMSHED TOWN (SEWERAGE)-L

SL.	DESCRIPTION					
ίΟ.	DESCRIPTION	QTY.		RATE	PER	AMOUNT
			Rupees in	Rupees in	UNIT	IN
			Figures.	Words	1	RUPEES
4	Full hire charges of the pumping set per		 		ITEM	<u> </u>
	day i/c of wages of driver and Assistant					
	fuel or electric energy plate forms				-	
	required for placing pumps etc at lower		1			}
	depth with suction and delivery pipe for					
	pumping out water found at various					
	depth from trenches i/c the cost of			}		
}	errection and dismantling after			- سوشنى يالالاناس.		1
	completion of the job. Hire charges of		and the same of th	A H		ĺ
1	pumping set upto 10 HP pumping out	C		one inousand		and the state of t
	water from 10 ft deep trench.	22 Days	15001:)	Fine hundred		
5	Providing, laying RCC pipes with	22 Days	10001:	7 11	P/Day	33000/.
	(Rubber Ring Joint and fitting in trench					
}	i/c cutting, fitting and jointing with		}	1		
}	rubber ring i/c testing with water to		· Opens	The state of the s	·	
	specified pressure.	2 20 3 5	Section of the Sectio	Two hundred 814		The state of the s
}	8" dia	1416 Rft	(206/)	410	D.D.C	2011011
_	Manufacturing and supplying of 21 inch	1410 KII	2001	019	P/Rft	291696)
}	diameter RCC Manhole Covers cast in	Ì				
- }	i:2:4 cement concrete ratio 3"inch	1			ţ	
	deep at centre rain-forced with 1/2" dia	}				
	M.S. tor bars with 4" c/c welded to a	ļ				
1	3/16" thick 2" wide M.S.Plat and two					
-	hook of 3/8" dia tor bars including	l		- Care Care Care Care Care Care Care Care		
	compacting, curing and transportation	j				
	within 10 miles etc.	W. Cartin St. St. St.		Nine hunbred		and Care
	· ·	35 Nos.	(9/3/:)	thirteen	Fools	31955%
	21" dia.	33 NOS.	(1/3/:)	and the second s	_Each_	311331
	Making connection with the existing			No.		.:
	manhole i/c the cost of cutting hole in	ļ		William Control of the Control of th	1	iki paliki. I
	wall, making them good in C.C 1:2:4	agin the state of		one hundred		
1	and making required channel etc	5 XI	1801:)	eighty	Each	900/-
	complete.	5 Nos.	1001:		Lacii	
	Manufacturing & supplying of RCC ring	ł			ł	
İ	slab 21"dia (inside) and 36"dia outside	ļ		}	1	
1	7.5 width and 6"thick i/c 3/8"dia tor	ļ				
	steel bars two concentric rings with 3/8"					
}	dia 8 Nos cross linked bars welded and	Ì				
}	two sunk type hooks, casted in 1:1 1/2:3					
	concrete with embedded 15 Kg C.1					
	frame in perfect position I/C			1		
ļ	transportation charges for an average			One mawa)
	lead of 20KM per trip from casting yard	ACCOMAL *	de la companya de la	who hundred	(Mee	
	to town offices (A minimum of 25 stabs	75 Ninn 4	(1905)	one thousand nine hundred frue.	Each	66675%
	per trip will be transported).	35 Nos. (11001	17.7		<u> </u>

(Cont....on page No.3)