H PUBLIC PROCUREMENT REGULATORY AUTHORITY

CONTRACT EVALUATION FORM

FILLED IN BY ALL PROCURING AGENCIES FOR PUBLIC CONTRACTS OF WORKS, SERVICES & GOODS

| 1) | NAME OF THE ORGANIZATION / DEPTT. | Karachi Water and Sewerage Board | | | | |
|-----|--|---|--|--|--|--|
| | PROVINCIAL / LOCAL GOVT./ OTHER TITLE OF CONTRACT | Local Government REPLACEMENT OF 15"DIA & 8"DIA SUNK DOWN SEWERS & RAISING OF EXISTING MANHOLE AT FATIMA JINNAH COLONY, BAGHDADI MASJID UC-13 AND SHIKARPUR COLONY UC-14 IN JAMSHED TOWN (SEWERAGE)-II. | | | | |
| ŕ | TENDER NUMBER | S.No.35482 | | | | |
| - | BRIEF DESCRIPTION OF CONTRACT | For improvement of sewerage system. | | | | |
| 6) | FORUM THAT APPROVED THE SCHEME | Managing Director, KW&SB | | | | |
| 7) | TENDER ESTIMATED VALUE | Over 1.00 Million | | | | |
| 8) | | s.15,00,622/ = | | | | |
| | (For civil works only) | | | | | |
| 9) | ESTIMATED SAFETION ERIOD (AS P. | ER CONTRACT) 25 Days | | | | |
| 10) | TENDER OPENED OY (LA LA TIME) | 21-12-2017 at 2.30 P.M. | | | | |
| 11) | | DLD <u>03 Nos.</u> | | | | |
| | (Attach list of buyers) | | | | | |
| 12) | NUMBER OF BIDS RECEIVED | 03 Nos. | | | | |
| 13) | NUMBER OF BIDDERS PRESENT AT THE | TIME OF OPENING OF BIDS 03 Nos. | | | | |
| 14) | BID EVALUATION REPORT | Already sent Authority's web site | | | | |
| 15) | NAME AND ADDRESS OF THE SUCCESSF | UL BIDDER M/s.Universal Enterprises H.No.B-146, Bl-3, Gulistan-e-Jauhar, Kara | | | | |
| 16) | CONTRACT AWARD PRICE | Rs.15,00,557/= | | | | |
| 17) | RANKING OF SUCCESSFUL BIDDER IN E (i.e. 1 st , 2 nd , 3 rd EVALUATION BID). | VALUATION REPORT 1 st Lowest | | | | |
| | | | | | | |
| 18) | METHOD OF PROCUREMENT USED : - (Tie | ck one) | | | | |
| | a) SINGLE STAGE -ONE ENVELOPE | PROCEDURE Domestic/ Local | | | | |
| | b) SINGLE STAGE –TWO ENVELOPE | PROCEDURE NIL | | | | |
| | c) TWO STAGE BIDDING PROCEDURE | ENIL | | | | |
| | d) TWO STAGE –TWO ENVELOPE BIDDING PROCEDURE NIL | | | | | |
| | | | | | | |

TO STORY TO ANY OTHER METHOD OF BROCHBEMENT WAS ADOPTED TO

| 19) APP | ROVING AUTHORITY FOR AWARD OF CO | ONTRACT | Managing Director, KW&SB |
|--|--|------------------------|---|
| 20) WHE | ETHER THE PROCUREMENT WAS INCLUI | DED IN ANNUA | L PROCUREMENT PLAN? |
| 21) ADV | ERTISEMENT : | | Yes No No |
| i) | SPPRA Website (If yes, give date and SPPRA Identification | No.) Yes | |
| ii) | News Papers (If yes, give names of newspapers and dates | v Daily | "the Nation, "Kainat" & Pak Karachi 29-11-2017 |
| 22) NATL | JRE OF CONTRACT | hh | Domestic/ Local Int. |
| WAS (If yes WAS) (If yes) (If yes) (If yes) | THER QUALIFICATION CRITERIA INCLUDED IN BIODIC TENDER DOCUM , enclose a copy THER BID EVALUATION CRITERIA INCLUDED IN BIDDING TIMDER DOCUM , enclose a copy) HER APPROVAL OF COMPETENT AUTHOR | MENTS? ITY WAS OBTA | |
| | SINGA METHOD OTHER THAN OPEN COMPET BID SECURITY OBTAINED FROM ALL THE BIE | | Yes No |
| 27) WHET BID / I | THER THE SUCCESSFUL BID WAS LOWES BEST EVALUATED BID (in case of Consulta | ST EVALUATED | |
| | THER THE SUCCESSFUL BIDDER WAS TE PLIANT? | CHNICALLY | Yes No |
| THE | THER NAMES OF THE BIDDERS AND THE TIME OF OPENING OF BIDS? | | Yes |
| 0) WHE (Attac | THER EVALUATION REPORT GIVEN TO E | BIDDERS BEFOR | Yes No No |

| 31) ANY COMPLAINTS RECEIVED (If yes, result thereof) | |
|---|--|
| v v vouit mereor) | Yes |
| | No |
| 2) ANY DEVIATION FROM SPECIFIC (If yes, give details) | CATIONS GIVEN IN THE TENDER NOTICE / |
| | Yes THE TENDER NOTICE / |
| 33) WAS THE EXTENSION MADE IN RESP | No |
| TIME? (If yes, give reasons) | ONSE |
| | Yes |
| M) DEVIS | No |
| 34) DEVIATION FROM QUALIFICATION CRITE (1f yes, give detailed reasons.) | ERIA |
| | Yes |
| | No |
| i) WAS IT ASSURED BY THE POOR NO AGI BLACK LISTED? | ENCY THAT THE SELECTED FIRM IS NOT |
| | Yes No |
| WAS A VISIT MADE BY ANY OFFICE OF SUPPLIER' PREMISES IN CONNECTION WITH | CIAL OF THE PROCURING AGENCY TO THE |
| BE ASCERTAINED REGARDING FINANCING (If yes, enclose a copy) | H THE OCUREMENT? IF SO, DETAILS TO OF VISIT, IF BRO D: |
| | Yes No |
| WERE PROPER SAFEGUARDS PROVIDED ON THE CONTRACT (BANK GUARANTEE ETC.)? | MOBILIZ TION DVANCE PAYMENT IN |
| SPPRA | Yes No |
| SPECIAL CONDITIONS, IF ANY (If yes, give Brief Description) | Yes |
| | |
| | No V |
| Signature & Official Stamp of EXECUTIVE ENGIN | MAD EJAZ NEER (SEW) |
| Authorized Officer JAMSHED TOW | N, KW&SB |

KARACHI WATER AND SEWERAGE BOARD OFFICE OF THE EXECUTIVE ENGINEER (SEW)-II (JAMSHED TOWN) BLOCK-B, KMC MARKET, SINCHI MUSLIM SOCIETY

NO.EE/SEW-II/JT/KW&SB/2018/46

DATED: 21-02-2018.

M/s. Universal Enterprises, H.No.B-146, Bl-3, Gulistan-e-Jauhar,

WORK ORDER / L.O.C

SUBJECT:-

REPLACEMENT OF 15"DIA & 8"DIA SUNK DOWN SEWERS & RAISING OF EXISTING MANHOLE AT FATIMA JINNAH COLONY, BAGHDADI MASJID UC-13 AND SHIKARPUR COLONY UC-14 IN JAMSHED TOWN (SEWERAGE)-II.

Your Tenders dated 21-12-2017, has been approved by the competent authority, KW&SB, for amounting to Rs.15,00,557/= (Rupees Fifteen lacs five hundred fifty seven only). You are therefore, requested to start the above mentioned works as per design and


The each work is to be completed with 25 Days, failing which penalty of Rs.1,000/= per day will be imposed / recovered as per terms and conditions of the contract.

You are further requested to contact the Sub-Engineer (Sew), Jamshed Town (Sew), KW&SB, in connection with commencement of supervision for necessary instructions of the works.

> EXECUTIVE ENGINEER (SEW)-II JAMSHED TOWN, KW&SB

Copy to:

- The Deputy managing Director (T/S), KY/&SB. 1. The Superintending Engineer, District East-A, KW&SB.
- 2.
- Budget Office, KW&SB. 3.
- Asstt. Director (LFA), KW&SB. 4.
- Office Copy. 5.




STAMP OFFICE CITY COURT, RARACHI

CNIC/LEG MChristian ** The thousand Eighteen between the Warachi Water & Vide D.S.R. Rewerage Board of the City of the Karachi as conformal Water & On behalf of Engineer 1985), KW&SB, delegated to Deputy Managing Director (T/S), KW&SB communicated vide O/O NO.KW&SB/DMD/HRD&A/1141 dated: for the purposmo October, 2016, heremafter, called the Board (which expression shall Entry No include their successors) of the one part and las first Party M/S. UNIVERSAL ENTERPRISES having their office at House No.B-146, Block-3, Gulistan-e-Jauhar Karachi, Represented by the MR. ZAFAR MEHMOOD asipotovirular hereinafter called the "Contractor" (which expression shall wherever the context so admit or required be deemed to include their Executors. Administrators. Successors and permitted Assignees) on other part as second party.

WHEREAS the Employer is desirous to execute the work "REPLACEMENT OF 15" DIA & 8" DIA SUNK DOWN SEWER & RAISING OF EXISTING MANHOLE AT FATIMA JINNAH COLONY, BAGHDADI MASJID UC-13 <u>AND SHIKARPUR COLONY UC-14 IN JAMSHED TOWN (SEW-II)"</u> KW&SB'S OWN FUNDED PROGRAMME, for RS.15,00,557/= (RUPEES FIFTEEN LACS AND FIVE HUNDRED AND FIFTY SEVEN ONLY), for the construction and completion of such WORKS and the remedying of an defects therein. The tender called upon through Authority's Website of SPPRA Rule-2010 under Serial NO.35482.

AND WHEREAS THE CONTRACTOR has already deposited 2% Pay Order for amounting to Rs.30,000/=, vide Pay Order No.18589556 dated : 20-12-2017, issued from Habib Bank Limited, Saeedabad Karachi, Rs.7,000/= vide Pay Order No.18497446 dated: 07-11-Total Rs.37,000/= 2017, from HBL Gulistan-e-Jauhar Branch, remaining 8% for amounting to Rs.1,13,056/= will be deducted of 10% Performance Security as Security Deposit from his bill, he same will be kept with the EMPLOYER till the maintenance period of the work for the due fulfillment of the CONTRACTOR. Further 1% Water Charges will also be




Shop No. 69, Sikandar Gollows:-

DATE:

In this Agreement words and expression shall have the same meanings as ISSUED TO WITH ADDRESS are respectively 143 igned to them, in the conditions of Contract hereinafter THROUGH WITH ADDRESS STAMP VENDOR SIGNATURE (ATTESTED) Advocate

PURPOSE NOT OR USED DIVOR VALUE RS

- The following documents which for the purpose of identification have been signed by MR. ZAFAR MEHMOOD SIDDIQUI on behalf of the contractor and by DY. MANAGING DIRECTOR(T/S), KW&SB, on behalf the EMPLOYER all of which shall be deemed to form and be read and construed as part of this Agreement.
- a), This Form of Agreement.
- b). Employer letter A/W&S/KW&SB/2018/41 of Acceptance No.DMD/TS/SE/DEdated: 21-02 - -2018. c).
- The Tender.
- d). The conditions of the Particular Application \sim Part-II-A & II-B. e).
- The General Conditions Part-I.
- f). The Drawings.
- g). The specifications and
- h). The Priced Bill of Quantities.
- i) Time period is 90 Days.
- In consideration of the payments to be made by the EMPLOYER to the CONTRACTOR has hereinafter mentioned, the CONTRACTOR hereby covenants with the EMPLOYER to execute and complete the WORK and to remedy any defects therein and maintaining the same in conformity in all respects with the provisions of the CONTRACT.
- THE EMPLOYER hereby covenants to pay to the CONTRACT in the manner 4. prescribed by the CONTRACT.



AAMIR ALI STAMP VENOVIENESS WHEREOF, the parties hereto have set their respective hands NUV The control of Avrance Plaza, Garden West, Karachi and Seats the day and year first above written. Mamp Office, City Count

M. HAMMAD FOR AND ON DEDAUGE EMPLOYER

DEPUTY MANAGING DIRECTOR (T/S) * K.W.&.S.B.

For and on behalf of CONTRACTOR

ZAFAR MEHMOOD SIDDIQUI MANAGING PARTNER M/S. UNIVERSAL ENTERPRISES.

WITNESS OF EMPLOYER

WITNESS OF CONTRACTOR

SUPERINTENDING ENGINEER DISTRICT EAST-A, KW&SB.

EXECUTIVE ENGINEER (SEW-II) JAMSHED FOWN, DISTRICT EAST-A K.W.&.S.B.

OFFICE OF THE EXECUTIVE ENGINEER (SEWERAGE)-II, (JAMSHED TOWN). BLOCK-B, KMC MARKET, SINDHI MUSLIM SOCIETY

SUBJECT :- REPLACEMENT OF 15"DIA & 8"DIA SUNK DOWN SEWERS & RAISING OF EXISTING MANHOLE AT FATIMA JINNAH COLONY, BAGHDADI MASJID UC-13 AND SHIKARPUR COLONY UC-14 IN JAMSHED TOWN (SEWERAGE)-II.

| SL. | DESCRIPTION | ·QTY. | | RATE | PER | AMOUN |
|-------|---|---|--------------|---|------------|--------------|
| NO. | l | - | Rupees in | Rupees in | UNIT | IN |
| 1 | • | | Figures. | Words | . 1 | RUPEES |
| 1 | Dismantling and | ļ | - Tourse | | ITEM | |
| 1 | Dismantling and removing road metalling. | 5197.5 Cft | (LOS) | Six hundred five | 0/00 | 314451 |
| 2 | Excavation for pipe line in trenches, and | 317/3 CIt | 1 | Dive | %Cft | 017751 |
| 1 - 1 | pits in all kind of soils of murum i/c | | | · ; | *** | |
| 1 | trimming and dressing sides to true | | } | 1 | } | |
| } | alignment and shape leveling of beds of | | | 1 | ļ | } |
| | trenches to correct level and grade, | f | i | } | • | ! |
| | cutting joint holes and disposal of | | 1 | (| į . | : |
| j | surplus earth within a one chain as | | 1 | t | 1 | 1 |
| | directed by Engineer Incharge. |) | 1 | l j | ţ . | - |
| | Providing fence guards, lights, flags and | • | 1 | ł | ξ., | |
| 1 | temporary crossings for non-vehicular | 1 | } | (| <i>(</i>) | \$ |
| į į | traffic where ever required lift upto 5 ft. | i J | | | ! | |
| 1 | (1.52m) and lead upto one chain | | 1 | 1 | 1 | |
| | (30.5m). | · · · · · · · · · · · · · · · · · · · | COMM | Five themsal | 1 | INDOFAS |
| | i. Lift 0'-5' | 20790 Cft (| 50001.) | , - ,, | %0Cfi | 103950% |
| | 110 52 93 | 3937.5 Cft | 52001 | Five thomsal two | 4 | 9 2/201 |
| 1 | ii. Lift 5'-8' | 3957.5 Cft € | | hundred / | %0Cft | 20475/ |
| { | iii. Lift 8'-11' | 1968.75 Ĉſt | 57001. | five thempsel fundred five thansal from hundred | oknor t | 11222/ |
| | Ditt 0 *1 P · · · · | 1700.73 CII (| | hundred | %0Cft | ., |
| 3 | Providing M/H 4ft inside with CI frame | | | | · | |
| | (15 kg) and 5 feet clear depth 1:2:4 cast | İ | 1 | · ! | i | į |
| | in situ in 9 inch thick wall 1:4:8 cement | } | 1 | | 1 | 1 |
| | concrete in 6ft dia and 6" inch thick in | ļ | 1 | } | 1 | i |
| | foundation 1:2:4 c.c in benching, 1/2" |) | Ì | | į | İ |
| } | thick cement plastering with 1:3 cement | ا. | • | | 1 | i i |
| | mortar on inside wall and surface of | ļ | - | | 1 | İ |
| | channel/benching i/c making required | Le la companya de la | Į. | | : | : |
| | Nos of main and branch channels, 3/4" | · · | t { | , | : 1 | i |
| : ! | dia bar footrest at 12" C/C i/c cost of | 1 desired | 1 | | 1 | ì |
| | excavation of all kinds of soil, | ļ | ! | | ! | ! |
| 1 | backfilling and disposal of excavated | · · | 1 | W. Karina | • 1 | <u> </u> |
| į | stuff etc complete, as per design and | ` <u>}</u> | 140001. | Fourteen thansal | 10~~* | 1400002 |
| | instruction of the Engineer Incharage. | 10 Nos. | 170001 | • | Each | 10000 |
| 3(i) | Add/deduct per ft depth. | | } | T. 4. 1 | ! 324 | Ac. |
| } | | (1) 10 m. | (2600/. | Two themand Six hundred | P/Ft | 46800% |
| | 1 | (+) 18 Ft. | 2000/ | or pure | | Lance - |

(Cont....on page No.2)

SUBJECT:- REPLACEMENT OF 15"DIA & 8"DIA SUNK DOWN SEWERS & RAISING OF EXISTING MANHOLE AT FATIMA JINNAH COLONY, BAGHDADI MASJID UC-13 AND SHIKARPUR COLONY UC-14 IN JAMSHED TOWN (SEWERAGE)-IL

| SL. | DESCRIPTION | QTY. | | RATE | PER | AMOUNT |
|----------|---|--|--------------|--|-----------|--|
| NO. | | • | Rupees in | Rupees in | UNIT | IN |
| , | | | Figures. | Words | / (TCM | RUPEES |
| 4 | Full him always of the number out non | | | 1 | ITEM | |
| 4 | Full hire charges of the pumping set per day i/c of wages of driver and Assistant | | | | | j |
| ; | fuel or electric energy plate forms | | ļ i | <u> </u> | · . | \$ 1 |
| | required for placing pumps etc at lower | | 1 | | \ | 1 |
| | depth with suction and delivery pipe for | | • | | | |
| | pumping out water found at various | | | • | | 1 1 |
| | depth from trenches i/c the cost of | | | | | |
| ' | errection and dismantling after | | ļ | | | |
| , | completion of the job. Hire charges of | | Wheeler Com. | and thousand | ĺ | ** |
| | pumping set upto 10 HP pumping out | Warmen. | (15001.) | one thousand five hudred | Para Car | 48000% |
| <u> </u> | water from 10 ft deep trench. | 32 Days | 750071 | Dive pulmer | P/Day | 70000/, |
| 5 | Providing, laying RCC pipes with (Rubber Ring Joint and fitting in trench | | | | | 1 |
| | i/c cutting, fitting and jointing with | | } | | | |
| ' | rubber ring i/c testing with water to | • | | · | | |
| | specified pressure. | | | and the state of t | | 1 0 8 |
| | | Ç. | | Tax In Aced | - 100 mm. | W |
| | i. 15" dia | 375 Rft | (435%) | Four hudred Throng five. Two hudred | P/Rft | 163125% |
| | 000.11 | | (2 47/ | Top by sked & | | 3216786 |
| | ii. 08" dia | 1554 Rft | (207/.) | Seven. | P/Rft | 3216105 |
| 6 | Manufacturing and supplying of 21 inch | | • | 30000 | ļ | |
| | diameter RCC Manhole Covers cast in | | | | | ! |
| | 1:2:4 cement concrete ratio 3"inch | | ļ Ī | | | |
| ; i ; | deep at centre rain-forced with 1/2" dia | | | ļ | | ; |
| | M.S. tor bars with 4" c/c welded to a | | | | : | |
| : | 3/16" thick 2" wide M.S.Plat and two | | 1 | | | |
| | hook of 3/8" dia tor bars including | | | ! | | |
| | compacting, curing and transportation within 10 miles etc. | | The second | : | | The state of the s |
| | 21" dia. | 30 Nos. | (900/.) | Nine hudred | Each | 27000/. |
| 7 | Making connection with the existing | 30 1105. | 100/ | 7 | Eath | |
| , | manhole i/c the cost of cutting hole in | | | | | |
| | wall, making them good in C.C 1:2:4 | | Market and | nietar. | : | ne de la companya de la companya de la companya de la companya de la companya de la companya de la companya de |
| | and making required channel etc | in the state of th | (0) | | | |
| | complete. | 10 Nos. | (1801.) | one hundred ashf | Each | 1800% |

(Cont....on page No.3)

SUBJECT:- REPLACEMENT OF:15"DIA & 8"DIA SUNK DOWN SEWERS & RAISING OF EXISTING MANHOLE AT FATIMA JINNAH COLONY, BAGHDADI MASJID UC-13 AND SHIKARPUR COLONY UC-14 IN JAMSHED TOWN (SEWERAGE)-II.

| SL. | DESCRIPTION | QTY. | QTY. RATE | | | AMOUNT |
|--------|--|---------------------------------------|-----------------|------------------------|---|---|
| NO. | | | Rupees | Rupees in | UNIT | IN |
| } | | | in i | Words | / | RUPEES |
| ļ | • | | Figures. | | ATEM | <u> </u> |
| 8 | Manufacturing & supplying of RCC | | } | | <i>!</i> | 1 |
| ļ | ring slab 21"dia (inside) and 36"dia | | | | | |
| ! | outside 7.5 width and 6"thick i/c | | Ì | | \ | ļ |
| | 3/8"dia tor steel bars two concentric | | į | | | |
| ! | rings with 3/8" dia 8 Nos cross linked bars welded and two sunk type hooks, | | · | | | |
| : | casted in 1:1 1/2:3 concrete with | | | | ! : | Ĭ I |
| | embedded 15 Kg C.I frame in perfect | | | | <u> </u> | ! ! |
| j | position i/e transportation charges for | | ļ | | ! | ! |
| Ì | an average lead of 20KM per trip from | | | | i | i i |
| ļ · | casting yard to town offices (A | | - Aller Control | one thansoil | | i I |
| 7 | minimum of 25 slabs per trip will be | Service . | (1244) | nine hundred | : · ************************************ | |
| | transported). | 30 Nos. | (1900/.) | nine hunmed | Each | 570001. |
| 9 | Shifting to the site and fixing 36" dia | | - | | | : ! |
| | ring slab in perfect position on damaged | | į | | į | |
| | manhole i/c cutting of the position of | | _ | ; | |] |
| | damaged manhole in proper shape laying in layer of C.M in 2" thickness | | | barrain Anna | 1 | 1 |
| i | and disposal of the debris. | 30 Nos. | (6001) | Six hundred | Fach * | 18000% |
| 10 | Cement concrete plain including | 50 1103. | 000, | 0.774.727 | Laci | ,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,, |
| 10 | placing compacting, fitting finishing | | | | į | İ |
| | and curing, complete (including | , | ļ | · - - | į | |
| [] | screening and washing at stone | | 1 | Contract of the second | | ļ ļ |
| Ì | aggregate without shuttering. | W | Cit and | Forten Thursd | | WEEKEN 0001/ |
| | Ratio 1:2:4 | 1027.29 Cft | (140001.) | HOWTERN INCUSAN | %Cft | 143821/ |
| 11 | Providing and fixing C.I.Frame | 250 1/2 | (60/:) | 674 C | DUZ - | 15000/ |
| 12 | including cost of material etc. | 250 Kgs. | 100/: | 5779 F | P/Kg | 139007 |
| 12 | Hire charges of steel shuttering both side for the construction of main hole | • | | | | Ì |
| | (circular) at side i/c its erection in | | | | Ì | † |
| 1 | proper position and removal after | * | | Washin. | ! | gradus. |
| | concrete etc complete. | 112.5 Ft. | (100%) | one hindred | P/Ft | 11250% |
| 13 | Sand Haro or any other source Sand of | | 14 | | | |
| | the same modulus of the Fineness (Hill | المنتينين المنتفقة | 1 | Two thand four | · | 21- |
| | Sand). | 3937.5 Cft | 12400/ |)/sundrel | %Cft | 94500% |
| 14 | Refilling the excavated stuff in trenches | JP. | شور | 5 H. J. | 1 | |
| | 6" thick layer i/c watering ramming to | 21251 72 00 | (2700/ | Two theward seven | 0/000 | 573801. |
| 15 | full compaction etc. complete. | 21251.72 Cft | 21001 | number | %0Cft | 1 7 7 3 60% |
| 15 | Carriage of 100 Cft/ 5 Tons of all materials like stone aggregate, spawal, | | | | | |
| | coal, lime, surkhi etc: B.G. Rail | | | | | |
| | fastening points and crossing bridge, | | | | <u>!</u> ! | |
| | Girders. Pipes. Sheets Rail, M.S. Bars | | | |] | İ |
| | etc: or 1000 Nos: bricks, 10"x6"x2" or | | | | ļ | |
| | 150 Cft or timber or 100 Maunds of | | • | | ! | |
| | fuel wood by trucks or any other means | · · · · · · · · · · · · · · · · · · · | : | · | Comment of the second | |
| | owned by the contractors. | 5444.53.00 | (700/) | Seven hundred | 0/ 00 | 38/12/ |
| - | Upto 5 th Mile. | 5444.53 Cft | (1001) | VVVVII ANNONIN | %Cft | 20112/2 |

SUBJECT:- REPLACEMENT OF 15"DIA & 8"DIA SUNK DOWN SEWERS & RAISING OF EXISTING MANHOLE AT FATIMA JINNAH COLONY, BAGHDADI MASJID UC-13 AND SHIKARPUR COLONY UC-14 IN JAMSHED TÖWN (SEWERAGE)-IL

| SL. | DESCRIPTION | QTY. | <u> </u> | RATE | PER | AMOUNT |
|-----|---|-----------|--------------------|--------------------|-------------------|--------------|
| NO. | | | Rupees in Figures. | Rupees in Words | UNIT / ITEM | IN RUPEES |
| 16 | Cleaning inside sewerage lines completely restoring original silt free space / diameter of pipe lines by labour and equipment (Mechanically / Electrically driven). Including accessories like pulley's Steel rope, buckets and draggers sizing from 6" to 18" dia Their "to and fro" pulling action (No of passes shall be as many as required) would be undertaken in two phases (Firs:Phase entire length from downstream to upstream) bringing down peak hours sewerage to flow inside pipe line (as free flow) and in second phase from upstream to downstream of entire length ensuring no site is observed in buckets (6" dia to 18"dia) except only sewage water and finally passing a steel ball of dia 12" lesser than the diameter of pipe but not exceeding 48" dia ball even for larger dia pipe to ensure perfect cleaning. The job includes all the hire/cost of equipment and accessories of above winching machine / devices along with / Engines with winching drum set having, steel rope pulley mounted over it, steel bucket from 6" dia to 18" dia hooks and other protections likes safely barriers, traffic sings, traffic cones ensuring no damage to pipe line along with ensuring safety to labour and other public property / | • | | | | |
| | lives and removal of silts / solid during desilting and clearance of site etc complete as per full satisfaction of site Engineer. | Section 2 | - | And the second | | Access |
| | I5" dia | 1500 Ft. | (1001.) | one himsted. | P/Ft | 150000% |
| | | | | TOTAL | RS: 1500 | 0557/- |

EXECUTIVE ENGINEER (SEW)-II JAMSHED TOWN, KW&SB. Rs. 15,00,557/, Fifteen laws five I/We quoted bid. hereby amount 1. Tender received in Note:- All existing SPPRA Rule will Signature of Contractor Address. Bollib Haro & Ciuliste Conting or Overnating is hot found I found. 0302 822 00 53 4. Pay Order Attaches / Not Attached. 5. P.O No. 1958955 (Dated 20 1217 Rs 30,000/ DPONO.18497446 Dt. 07-1127