

KARACHI WATER & SEWERAGE BOARD

OFFICE OF THE DEPUTY MANAGING DIRECTOR (T/S) /

CHIEF ENGINEER (W&S)

1ST Floor Block-"B" 9th Mile Karsaz, Shahrah-e-Faisal Karachi.

No:DMD/TS/DE-B/KW&SB/ACCTT/2018/52

Dated: -19-3 - 2018

M/s. Naseem Enterprises, F-94-A, Jail Road, Karachi.

LETTER OF ACCEPTANCE / SANCTION ORDER

SUBJECT:-

REPLACEMENT OF 15" DIA SUNK DOWN SEWERAGE LINE IN BLOCK-13/C, UC-22 AND 12" DIA & 8" DIA SUNK DOWN SEWERAGE LINE AT DIFFERENT LOCATIONS IN GULSHAN-E-IOBAL DIVISION.

As conferred the powers of Chief Engineer (W&S),KW&SB delegated to undersigned by the Managing Director, KW&SB communicated vide O/O No.KW&SB/DMD/HRD&A/1141 dated: 26th October, 2016, on behalf of the employer, it is notified that following the approval of the Managing Director, Karachi Water & Sewerage Board, vide para-58/N, tender called upon through Authority's Website of SPPRA Rule-2010 under Serial NO.35535, as recommended by the Procurement Committee-I, KW&SB, vide para--35(01)/N to para-41(07)/N, your bid for the subject is hereby accepted for the sum of Rs.9,95,358/= (Rupees Nine Lacs Ninety Five Thousand Three Hundred Fifty Eight Only), duly concurred by the Finance Department, vide para-47/N to para-56/N. The expenditure will be charged from the Head of Account B.G.No. H-024-16, for the year 2017-2018.

There is now binding contract between KW&SB and M/s. Naseem Enterprises.

In accordance with the General Condition of Contract, you are required to enter in to and execute a contract agreement on non judicial stamp paper for Rs.3,484/= @ 0.35%, within 03 days positively. This agreement shall be signed by the employer and M/s. Naseem Enterprises.

Please be noted that 2% Performance Security may be provided in advance & remaining 8% Performance Security will be deducted from your bill for due fulfillment of defect liability.

All correspondence onward shall be carried out through Executive Engineer (Sew), Gulshan-e-Iqbal Division, District East-B, KW&SB.

(ASAD ULLAH KHAN)

DPUTY MANAGING DIRECTOR (T/S

Copy to :-

The Superintending Engineer, District East-B, KW&SB.

2. XEN (Sew) Gulshan-e-Iqbal Division, District East-B KW&SB.

3. Office Copy.



KARACHI WATER AND SEWERAGE BOARD OFICE OF THE EXECUTIVE ENGINEER, (SEW) GULSHAN-E-IQBAL TOWN

ST-2, BLOCK-14, SCHEME-24, MAIN UNIVERSITY ROAD NEAR CIVIC CENTRE

NO.EE/GIT/SEW/KW&SB/AC/ESTT:/17-2018/49

DATED: - 20/03/2018

M/S. NASEEM ENTERPRISES. Contractor, Karachi.

WORK ORDER / L.O.C.

SUBJECT:- REPLACEMENT OF 15" DIA SUNK DOWN SEWERAGE LINE IN BLOCK-13/C, UC-22 AND 12" DIA AND 8" DIA SUNK DOWN SEWERAGE LINE AT DIFFERENT LOCATIONS IN GULSHAN-E-IQBAL DIVISION

Your tender dated: <u>28/12/2017</u> has been approved by the Competent Authority, KW&SB on item rate basis for amounting to Rs.9,95,358/= <u>(Rupees Nine Lacs Ninety Five Thousand Three Hundred Fifty Eight Only)</u> You are therefore, requested to start the above mentioned work as per design and specification.


The work is to be completed within 10 days, failing which penalty of Rs.1000/= per day will be imposed / recovered as per terms and conditions of the contact.

You are further requested to contact the concerned A.E.E. in connection with commencement of supervision for necessary instructions of the work.

EXECUTIVE ENGINEER (SEW)
GULSHAN-E-IQBALTOWNKW&SB

Copy to:

- 1. The Chief Engineer ,(W&S)KW&SB.
- 2. Superintending Engineer District (East),
- 3. Accounts Officer, (Gulshan Town)
- 4. A.O.(Budget).
- 5. Office Copy




ZEESHAN STAMP VEND CONTRACT AGREEMENT
Licence No. 144, Shoot No. And Shoot of Staff Heights 0 2 MAR 2018

Phase-I, Gulistan account S No. 25 lagresment made this _ 2018, in the _day of _ bound to With Add Christian year Two thousand Eighteen between the Karachi Water & By With Add Sewerage Board of the City of the Karachi, as conferred the powers of Chief Engineer (W&S), PKW&SB delegated to Deputy Managing Director (T/S), Stanges Vendor's SinKW&SB communicated vide O/O NO.KW&SB/DMD/HRD&A/1141 dated: 26th October 2016, hereinafter, called the Board (which expression shall include their successors) of the one part and as first Party M/S. NASEEM ENTERPRISES having their office at F-94-A, Jail Road Karachi, Represented by the MR. MUHAMMAD NASEEM hereinafter called the "Contractor" (which expression shall wherever the context so admit or required be deemed to include their Executors, Administrators, Successors

and permitted Assignees) on other part as second party.

WHEREAS the Employer is desirous to execute the work "REPLACEMENT OF 15" DIA SUNK DOWN SEWERAGE LINE IN BLOCK-13/C, UC-22 AND 12" DIA & 8" DIA SUNK DOWN SEWERAGE LINE AT <u>DIFFERENT LOCATIONS IN GULSHAN-E-IOBAL</u> UNDER KW&SB'S OWN FUNDED PROGRAMME, for RS.9,95,358/= (RUPEES NINE LACS NINETY FIVE THOUSAND THREE HUNDRED FIFTY EIGHT ONLY), for the construction and completion of such WORKS and the remedying of an defects therein. The tender called upon through Authority's Website of SPPRA Rule-2010 under Serial NO.35535.

AND WHEREAS THE CONTRACTOR has already deposited 2% Pay Order for amounting to Rs.50,000/=, vide Pay Order No.13092645 dated : 27-12-2017, issued from United Bank Limited, PIB Colony Branch Karachi remaining 8% for amounting to Rs.49,536/= will be deducted of 10% Performance Security as Security Deposit from his bill, he same will be kept with the EMPLOYER till the maintenance period of the work for the due fulfillment of the CONTRACTOR. Further 1% Water Charges will also be deducted from his bill as per Standard Operating Procedure (SOP).



Licence No. 144, Shop No.A-6, Block-17, Rufi Heights

Phase-I. Gulistan-s-JNOW this Agreement witnesses profollows:-


RUPLES ONE THOUSAND OTEN

Issued to With Address.

Through With Address

- The following documents which for the purpose of identification have been signed by <u>MR. MUHAMMAD NASEEM</u> on behalf of the contractor and by <u>MR. ASADULLAH KHAN, DY. MANAGING DIRECTOR(T/S)</u>. KW&SB, on behalf the EMPLOYER all of which shall be deemed to form and be read and construed as part of this Agreement.
- a). This Form of Agreement.
- b). Employer letter of Acceptance No.DMD/TS/SE/DS-B/W&S/KW&SB/2018/54 dated: 19-63-2018.
- c). The Tender.
- d). The conditions of the Particular Application Part-II-A & II-B.
- e). The General Conditions Part-I.
- f). The Drawings.
- g). The specifications and
- h). The Priced Bill of Quantities.
- i) Time period is 90 Days.
- 3. In consideration of the payments to be made by the EMPLOYER to the CONTRACTOR has hereinafter mentioned, the CONTRACTOR hereby covenants with the EMPLOYER to execute and complete the WORK and to remedy any defects therein and maintaining the same in conformity in all respects with the provisions of the CONTRACT.
- THE EMPLOYER hereby covenants to pay to the CONTRACT in the manner prescribed by the CONTRACT.

Maser



ZEESHAN STAMP VENDOR Licence No. 144. Shoand seats the day and year first above written. Phase-I. Gulistan-e-Johan, Karachi. (RUPEES FIVE HUNDRED ONLY) 0 2 MAR 2018

Suc. 051125 Signed, Sealed and Delivered by the. through With Address: TAHA SIDLING Фиграза..... Stamps Vender's Signam 44-4 EMPLOYER

DEPUTY MANAGING DIRECTOR (T/S) K.W.&.S.B.

WITNESS OF EMPLOYER

SUPERINTENDING ENGINEER DISTRICT EAST-B, KW&SB.

For and on behalf of CONTRACTOR

MUHAMMAD NASEEM MANAGING PARTNER M/S. NASEEM ENTERPRISES.

WITNESS OF CONTRACTOR

EXECUTIVE ENGINEER (SEW)
GULSHAN-E-IQBAL DIV. DISTRICT EAST-B K.W.&.S.B.

SINDH PUBLIC PROCUREMENT REGULATORY AUTHORITY

CONTRACT EVALUATION FORM

TO BE FILLED IN BY ALL PROCURING AGENCIES FOR PUBLIC CONTRACTS OF WORKS, SERVICES & GOODS

1)	NAME OF THE ORGANIZATION / DEPTT.	ARACHI WATER & SEWERAGE BOARD					
2)	PROVINCIAL / LOCAL GOVT./ OTHER						
3)	TITLE OF CONTRACT	Replacement of 15" diasunk down sew line B/L-13/C Uc-22					
4)	TENDER NUMBER	SPPRA Sr No.35535 I D NO.					
5)	BRIEF DESCRIPTION OF CONTRACT	Replacement of 15" diasunk down sew line B/L-13/C Uc-22					
6)	FORUM THAT APPROVED THE SCHEME	Managing Director KW&SB					
7)	TENDER ESTIMATED VALUE	Rs. 9,95,997/=					
8)	ENGINEER'S ESTIMATE (For civil works only)	Rs 9,95,997/=					
9)	ESTIMATED COMPLETION PERIOD (AS P.	ER CONTRACT) 10 days					
10)	TENDER OPENED ON (DATE & TIME)	28-12-2017 02:30 AM					
11)	NUMBER OF TENDER DOCUMENTS SOLI (Attach list of buyers))3 (Three)					
12)	NUMBER OF BIDS RECEIVED	3 (Three)					
13)	NUMBER OF BIDDERS PRESENT AT THE	TIME OF OPENING OF BIDS 3 (Three)					
14)	BID EVALUATION REPORT	Copy Attached					
	(Enclose a copy)						
15)	NAME AND ADDRESS OF THE SUCCESSF	TUL BIDDER MS NASEEM ENTERPRISES					
		CUL BIDDER M/S NASEEM ENTERPRISES Rs.9,95,354/=					
16)	NAME AND ADDRESS OF THE SUCCESSF CONTRACT AWARD PRICE RANKING OF SUCCESSFUL BIDDER IN EV	Rs.9,95,354/=					
16)	NAME AND ADDRESS OF THE SUCCESSF CONTRACT AWARD PRICE	Rs.9,95,354/= VALUA'TION REPORT					
16)	NAME AND ADDRESS OF THE SUCCESSF CONTRACT AWARD PRICE RANKING OF SUCCESSFUL BIDDER IN EV	Rs.9,95,354/= VALUATION REPORT M/S NASEEM ENTERPRISES					
16) 17)	NAME AND ADDRESS OF THE SUCCESSF CONTRACT AWARD PRICE RANKING OF SUCCESSFUL BIDDER IN EV (i.e. 1 st , 2 nd , 3 rd EVALUATION BID).	Rs.9,95,354/= VALUATION REPORT M/S NASEEM ENTERPRISES M/S SERENA ENTERPRISES. M/S SHAH FAISAL & BROTHERS.					
16) 17)	NAME AND ADDRESS OF THE SUCCESSF CONTRACT AWARD PRICE RANKING OF SUCCESSFUL BIDDER IN EV	Rs.9,95,354/= VALUATION REPORT M/S NASEEM ENTERPRISES M/S SERENA ENTERPRISES. M/S SHAH FAISAL & BROTHERS.					
16) 17)	NAME AND ADDRESS OF THE SUCCESSF CONTRACT AWARD PRICE RANKING OF SUCCESSFUL BIDDER IN EV (i.e. 1 st , 2 nd , 3 rd EVALUATION BID).	Rs.9,95,354/= VALUATION REPORT M/S NASEEM ENTERPRISES M/S SERENA ENTERPRISES. M/S SHAH FAISAL & BROTHERS.					
16) 17)	NAME AND ADDRESS OF THE SUCCESSF CONTRACT AWARD PRICE RANKING OF SUCCESSFUL BIDDER IN EV (i.e. 1 st , 2 nd , 3 rd EVALUATION BID). METHOD OF PROCUREMENT USED: - (Ti	Rs.9,95,354/= VALUATION REPORT M/S NASEEM ENTERPRISES M/S SERENA ENTERPRISES. M/S SHAH FAISAL & BROTHERS. ck one) E PROCEDURE Domestic/ Local					
16) 17)	NAME AND ADDRESS OF THE SUCCESSF CONTRACT AWARD PRICE RANKING OF SUCCESSFUL BIDDER IN EV (i.e. 1 st , 2 nd , 3 rd EVALUATION BID). METHOD OF PROCUREMENT USED: - (Ti a) SINGLE STAGE – ONE ENVELOPE	Rs.9,95,354/= VALUA'TION REPORT M/S NASEEM ENTERPRISES M/S SERENA ENTERPRISES. M/S SHAH FAISAL & BROTHERS. ck one) E PROCEDURE Domestic/ Local E PROCEDURE					
16) 17)	NAME AND ADDRESS OF THE SUCCESSF CONTRACT AWARD PRICE RANKING OF SUCCESSFUL BIDDER IN EV (i.e. 1 st , 2 nd , 3 rd EVALUATION BID). METHOD OF PROCUREMENT USED: - (Ti a) SINGLE STAGE – ONE ENVELOPE b) SINGLE STAGE – TWO ENVELOPE c) TWO STAGE BIDDING PROCEDUI	Rs.9,95,354/= VALUA'TION REPORT M/S NASEEM ENTERPRISES M/S SERENA ENTERPRISES. M/S SHAH FAISAL & BROTHERS. ck one) E PROCEDURE Domestic/ Local E PROCEDURE					
16) 17)	NAME AND ADDRESS OF THE SUCCESSF CONTRACT AWARD PRICE RANKING OF SUCCESSFUL BIDDER IN EV (i.e. 1 st , 2 nd , 3 rd EVALUATION BID). METHOD OF PROCUREMENT USED: - (Ti a) SINGLE STAGE – ONE ENVELOPE b) SINGLE STAGE – TWO ENVELOPE	Rs.9,95,354/= VALUATION REPORT M/S NASEEM ENTERPRISES M/S SERENA ENTERPRISES. M/S SHAH FAISAL & BROTHERS. ck one) E PROCEDURE Domestic/ Local E PROCEDURE					

EMERGENCY, DIRECT CONTRACTING ETC. WITH BRIEF REASONS.

			I.D KW&SB
19)	APPROVING AUTHORITY FOR AWARD OF CONTRA	ACT_	
20)	WHETHER THE PROCUREMENT WAS INCLUDED II	N ANI	NUAL PROCUREMENT PLAN? Yes V No
21)	ADVERTISEMENT:		
		Yes	SPPRA Sr No.35535 ID NO.
	i) SPPRA Website	0.5540	
	(If yes, give date and SPPRA Identification No.)	No	
		1.10	
	ii) News Papers (If yes, give names of newspapers and dates)	Yes	
	here and the same of the	No	
22)	NATURE OF CONTRACT	18	thencess / Int.
23)	WHETHER QUALIFICATION CRITERIA WAS INCLUDED IN BIDDING / TENDER DOCUMENT (If yes, enclose a copy)	TS?	Yes No V
24)	WHETHER BID EVALUATION CRITERIA WAS INCLUDED IN BIDDING / TENDER DOCUMEN (If yes, enclose a copy)	TS?	Yes No V
25)	WHETHER APPROVAL OF COMPETENT AUTHORIT	YWA	S OBTAINED FOR USING A
	METHOD OTHER THAN OPEN COMPETITIVE BIDD		Yes No /
26)	WAS BID SECURITY OBTAINED FROM ALL THE BI	DDER	S? Yes V No.
27)	WHETHER THE SUCCESSFUL BID WAS LOWEST EV BID / BEST EVALUATED BID (in case of Consultancies		ATED Yes / No
28)	WHETHER THE SUCCESSFUL BIDDER WAS TECHN	ICALI	y Yes / No
20)	COMPLIANT?	TC/TIL	
lever !	The Asset Control of the State		
29)	WHETHER NAMES OF THE BIDDERS AND THEIR OTHE TIME OF OPENING OF BIDS?	QUOT	Yes V No
30)	WHETHER EVALUATION REPORT GIVEN TO CONTRACT?	BIDDI	ERS BEFORE THE AWARD OF
	(Attach copy of the bid evaluation report)		Yes / No

31) ANY COMPLAINTS RECEIVED (If yes, result thereof)	Yes	
	No	
32) ANY DEVIATION FROM SPECIFICATIONS GI	VEN IN THE TEND	ER NOTICE / DOCUMENTS
(If yes, give details)	Yes	
	- No	<u></u>
33) WAS THE EXTENSION MADE IN RESPONSE T (If yes, give reasons)	TIME?	
	No	<u> </u>
 DEVIATION FROM QUALIFICATION CRITERI (If yes, give detailed reasons.) 	A Yes	
90	100	
The same property and the same	No	
35) WAS IT ASSURED BY THE PROCURING AC BLACK LISTED?	ENCY THAT THE	Yes No No
	CIAL OF THE PRO	Yes No CURING AGENCY-TO THE MENT? IF SO. DETAILS TO
BLACK LISTED? 36) WAS A VISIT MADE BY ANY OFFICER/OFFI SUPPLIER'S PREMISES IN CONNECTION WITH BE ASCERTAINED REGARDING FINANCING	CIAL OF THE PROTIFIC THE PROCURE OF WISIT, IF ABROAD ON MOBILIZATION	Yes No CURING AGENCY-TO THE MENT? IF SO. DETAILS TO AD: Yes No No
BLACK LISTED? 36) WAS A VISIT MADE BY ANY OFFICER/OFFI SUPPLIER'S PREMISES IN CONNECTION WIT BE ASCERTAINED REGARDING FINANCING (If yes, enclose a copy) 37) WERE PROPER SAFEGUARDS PROVIDED OF THE PROPER SAFEGUARDS PROP	CIAL OF THE PROTIFIC THE PROCURE OF WISIT, IF ABROAD ON MOBILIZATION	Yes No CURING AGENCY-TO THE MENT? IF SO. DETAILS TO AD: Yes No No ADVANCE PAYMENT IN
36) WAS A VISIT MADE BY ANY OFFICER/OFFI SUPPLIER'S PREMISES IN CONNECTION WIT BE ASCERTAINED REGARDING FINANCING (If yes, enclose a copy) 37) WERE PROPER SAFEGUARDS PROVIDED OF THE CONTRACT (BANK GUARANTEE ETC.)? 38) SPECIAL CONDITIONS, IF ANY (If yes, give Brief Description)	CTAL OF THE PROTE THE PROCURE OF WISIT, IF ABROAM MOBILIZATION	Yes No CURING AGENCY-TO THE MENT? IF SO. DETAILS TO AD: Yes No No ADVANCE PAYMENT IN
36) WAS A VISIT MADE BY ANY OFFICER/OFFI SUPPLIER'S PREMISES IN CONNECTION WIT BE ASCERTAINED REGARDING FINANCING (If yes, enclose a copy) 37) WERE PROPER SAFEGUARDS PROVIDED OF THE CONTRACT (BANK GUARANTEE ETC.)? 38) SPECIAL CONDITIONS, IF ANY (If yes, give Brief Description)	CIAL OF THE PROTITE THE PROCURES OF WISIT, IF ABROADING MOBILIZATION Yes No	Yes No CURING AGENCY-TO THE MENT? IF SO. DETAILS TO AD: Yes No No ADVANCE PAYMENT IN
36) WAS A VISIT MADE BY ANY OFFICER/OFFI SUPPLIER'S PREMISES IN CONNECTION WIT BE ASCERTAINED REGARDING FINANCING (If yes, enclose a copy) 37) WERE PROPER SAFEGUARDS PROVIDED OF THE CONTRACT (BANK GUARANTEE ETC.)? 38) SPECIAL CONDITIONS, IF ANY (If yes, give Brief Description)	CTAL OF THE PROTECTION OF WISIT, IF ABROAM YES NO MOBILIZATION NO CHARLES (SEW)	Yes No CURING AGENCY-TO THE MENT? IF SO. DETAILS TO AD: Yes No No ADVANCE PAYMENT IN
36) WAS A VISIT MADE BY ANY OFFICER/OFFI SUPPLIER'S PREMISES IN CONNECTION WIT BE ASCERTAINED REGARDING FINANCING (If yes, enclose a copy) 37) WERE PROPER SAFEGUARDS PROVIDED OF THE CONTRACT (BANK GUARANTÉE ETC.)? 38) SPECIAL CONDITIONS, IF ANY (If yes, give Brief Description) 39) Date of Award of Contract: Signature & Official Stamp of Authorized Officer EXECUTIVE ENGINEER	CTAL OF THE PROTECTION OF WISIT, IF ABROAM YES NO MOBILIZATION NO CHARLES (SEW)	Yes No CURING AGENCY-TO THE MENT? IF SO. DETAILS TO AD: Yes No No ADVANCE PAYMENT IN

SPPRA, Block. No.8, Sindh Secretariat No.4-A, Court Road, Karachi Tele: 021-9205356; 021-9205369 & Fax: 021-9206291

Print

Save

Reset

BIDDING DATA

01	Name of Procuring Agency:-	KARACHI WATER AND SEWERAGE BOARD.
02	Brief Description of Works:-	REPLACEMENT OF 15" DIA SUNK DOWN SEWERAGE LINE IN BLOCK-13/C, UC-22 AND 12" DIA AND 8" DIA SUNK DOWN SEWERAGE LINE AT DIFFERENT LOCATIONS IN GULSHAN-E-IQBAL DIVISION
03	Procuring Agency's address:-	ST-2 BLOCK 14 SCHEME-24 MAIN UNIVERSITY ROAD NEAR CIVIC CENTER
04	Estimated Cost:-	Rs.9,95,997/=
05	Amount of Bid Security:-	5% of Bid Amount
06	Period of Bid Validity (days):-	90 DAYS
07	Security Deposit:-	5%
08	Issuing of Tender	Tender can be purchased since 1st issuance from//2017,
09	Venue of Submission of Bid.	The tender in sealed cover super scribed with the name of the work should be dropped in the Tender Box kept in office of the Director (design & Estimate)KW&SB At Situated at COI Filter Plant Block-17 Gulshan-e-Iqbal Karachi
10	Deadline for Submission of Bids along with time opening of Bid.	28 / 12/,2017 AT 2:00 pm 28 / 12/,2017 AT 2:30 pm (same day)
11	Time for Completion :-	10 DAYS
12	Liquidity damages:-	Rs. 1000/= Per Day (Daily)
13	Bid issued to firm:-	Ms. Nascen Enterprises.
14	Deposit Receipt No: & Date:-	Ms. Nascem Enterprides. R. No. 51, DT: 21-12-2017.
15	Tender Cost:-	Rs. 1000/=
16	Eligiblity of contracter:-	i) Having Registration with Sales Tax, National Tax No.(Copy May Attached) Alonwith returns. ii) Three Years Relevant Work Experience, may be attached alongwith work orders. iii) Three Years Turn Over Rs. 10,00,000/= along with Bank Statement. iv) Registration With SRB.

Marche Executive Engineer (Sew)
Gulshan-E-Iqbal Div: Kw&Sb REVENUE AIC SECTION
FINANCE DEPTT, KW&SB
Signature of Issuing Authority
K.W.&.S.B.

OFFICE OF THE EXECUTIVE ENGINEER (SEW) GULSHAN-E-IQBAL (TOWN) KARACHI WATER AND SEWERAGE BAORD

SCHEDULE 'B'

ME OF WORK:- REPLACEMENT OF 15" DIA SUNK DOWN SEWERAGE LINE IN BLOCK13/C, UC-22 AND 12" DIA AND 8" DIA SUNK DOWN SEWERAGE
LINE AT DIFFERENT LOCATIONS IN GULSHAN-E-IQBAL DIVISION.

DESCRIPTION	QUANTITY	RATE IN FIGURE	RATE IN WORKS	PER	AMOUNT
carifying the existing road urface.	2280 Sft.	(116/2)	one Hughered Sixlaur	% Sft	2644/2
Dismantling and removal road natling.	2280 Cft. (604/2	Sip Hundered & Four		13771/2
Excavation for pipe line in renches and pits in all kinds of soils of murum i.c trimming and dressing sides to true alignment and shape, leveling of beds of trenches to correct evel and grade, cutting joint noles and disposal of surplus					
earth within one chain as directed by Engineering In charge, providing fence quards, lights, flags and emporary crossing for non rehicular traffic where ever			Six Hundred ond fifty		
equired lift up to 5 ft and lead up to one chain. Lift 00'- 05'	3228 Cft. (4650/2		%0 Cft	150/0/2
Excavation for pipe line in rench and pits in wet soils, clay or mud i/c trimming & dressing sides to true alignment and shape, leveling			Fin thusul Faroffuld		
of beds of tranches to correct evel and grade, cutting joint toles and disposal of surplus earth in one chain as directed by Engineer In-charge, providing fence guards, lights, lags, and temporary crossing		e	Huybreko a Fen Sin Museccolo Fine Huxbook	y.	
or non vehicular traffic where ver required lift up to 5ft and ead up to one chain Lift 00'-05' Lift 05'-08' Lift 08'-11'	4686 Cft. 3180 Cft. 2088 Cft.	5400/2 59/6/2 6500/2	Serve Mugacolo	%0 Cft %0 Cft %0 Cft	25304/2 18794/2 13572/2
Lift 11'-14' Providing & Laying of R.C.C. sipe with Rubber ring joint and litting in trench including	936 Cft.	7640/		%0 Cit	65.89/2
cutting, fitting and jointing with ubber ring i/c testing with vater to specified pressure. 15" dia pipe 12" dia pipe	120 Rft. 266 Rft. 204 Rft.	136/2 367/3	Fair Hundred thanky Six Thire Hundred Stall Sairon Two Hundred & Twice	P/Rft P/Rft P/Rft	52320/3 97622/= 4/820/=

m/4

Providing manhole 4ft dia (inside) and 5ft clear depth.				1	
with C.I. Frame (15 kg) cast in situ with 1:2:4 C.C in 9" thick					
6" inch thick in foundation 1:2: C.C. in benching, ½"					
1:3 C.M. on all inside wall surfaces, channel and			- 11 (
benching i/c making required Nos of main and branch channels, ¾" dia M.S footrest			Forker this wike		
@ 12" c/c i/c cost of excavation in all kinds of soil, backfilling and disposal of			Live Hudowal.		
excavated stuff etc complete as per design and instruction	12 No.			1	10000001
Add or deduct for extra / less depth than 5ft of 4ft dia	A part	100	Two Mas eal of me		159,808/2
manholes i/c footrest. Full hire charges of the numping set per day i/c of	(+) 20.0Ft.	(2538/	3,000	P/Rft	50760/2
wages of driver and Assistant fuel or Electric Energy plate					
pumps etc at lower depth with suction and delivery pipes for					
pumping out water found at various depth from trenches i/c the cost of erection and			a 1.00		
dismantling after completion of the job. Hire charges of		A.	fullun		
pumping out water from 10 feet deep trench.	32 Days	(1500/2	Mudmon"	P/Day	48000/=
existing manhole i.c the cost of cutting hole in wall, making			am Huckerel		
making required channel etc complete.	10 Nos.	(170/=	Sounds	Each	1700/2
R.C.C Manhole covers cast in 1:2:4 concrete ratio 3"inch					
1/2" dia tor steel bars @ 4" C.C etc, welded to 3/16" thick			Di. H. u. done)	
of 3/8" dia tor bar i/c compacting i/c curing and		1,2	of I flair		
21" dia.	11 Nos.	(9/3/2)	1	Lacii	10043/2
sand of same modulus of the fineness (Hill Sand).	2060 Cft.	2 lasta	Hudrel Tant Fin	0 %cft	49955/2
	(inside) and 5ft clear depth, with C.I. Frame (15 kg) cast in situ with 1:2:4 C.C in 9" thick wall, 4:4:8 C.C. in 6ft dia and 6" inch thick in foundation 1:2:4 C.C. in benching, ½" thick cement plastering with 1:3 C.M. on all inside wall surfaces, channel and benching i/c making required Nos of main and branch channels, ¾" dia M.S footrest @ 12" c/c i/c cost of excavation in all kinds of soil, backfilling and disposal of excavated stuff etc complete as per design and instruction of the Engineer In-charge. Add or deduct for extra / less depth than 5ft of 4ft dia manholes i/c footrest. Full hire charges of the pumping set per day i/c of wages of driver and Assistant fuel or Electric Energy plate form required for placing pumps etc at lower depth with suction and delivery-pipes for pumping out water found at various depth from trenches i/c the cost of erection and dismantling after completion of the job. Hire charges of pumping set upto 10 HP pumping out water from 10 feet deep trench. Making connection with the existing manhole i.c the cost of cutting hole in wall, making them good in C.C 1:2:4 and making required channel etc complete. Manufacturing and supplying R.C.C Manhole covers cast in 1:2:4 concrete ratio 3"inch deep at center, rain-forced with 1/2" dia tor steel bars @ 4" C.C etc, welded to 3/16" thick 2" wide M.S. plate two hooks of 3/8" dia tor bar i/c compacting i/c curing and transportation with in ten miles. 21" dia. Sand Haro or any other source	(inside) and 5ft clear depth, with C.I. Frame (15 kg) cast in situ with 1:2:4 C.C in 9" thick wall, 1:4:8 C.C. in 6ft dia and 6" inch thick in foundation 1:2:1 C.C. in benching, ½" thick cement plastering with 1:3 C.M. on all inside wall surfaces, channel and benching i/c making required Nos of main and branch channels, ¾" dia M.S footrest @ 12" c/c i/c cost of excavation in all kinds of soil, backfilling and disposal of excavated stuff etc complete as per design and instruction of the Engineer In-charge. Add or deduct for extra / less depth than 5ft of 4ft dia manholes i/c footrest. Full hire charges of the pumping set per day i/c of wages of driver and Assistant fuel or Electric Energy plate form required for placing pumps etc at lower depth with suction and delivery pipes for pumping out water found at various depth from trenches i/c the cost of erection and dismantling after completion of the job. Hire charges of pumping set upto 10 HP pumping out water from 10 feet deep trench. Making connection with the existing manhole i.c the cost of cutting hole in wall, making them good in C.C 1:2:4 and making required channel etc complete. Manufacturing and supplying R.C.C Manhole covers cast in 1:2:4 concrete ratio 3"inch deep at center, rain-forced with 1/2" dia tor steel bars @ 4" C.C etc, welded to 3/16" thick 2" wide M.S. plate two hooks of 3/8" dia tor bar i/c compacting i/c curing and transportation with in ten miles. 21" dia. Sand Haro or any other source	(inside) and 5ft clear depth, with C.I. Frame (15 kg) cast in situ with 1:2:4 C.C. in 9" thick wall, 4:4:8 C.C. in 6ft dia and 6" inch thick in foundation 1:2:4 C.C. in benching, ½" thick cement plastering with 1:3 C.M. on all inside wall surfaces, channel and benching i/c making required Nos of main and branch channels, ¾" dia M.S footrest @ 12" c/c i/c cost of excavation in all kinds of soil, backfilling and disposal of excavated stuff etc complete as per design and instruction of the Engineer In-charge. Add or deduct for extra / less depth than 5ft of 4ft dia manholes i/c footrest. Full hire charges of the pumping set per day i/c of wages of driver and Assistant fuel or Electric Energy plate form required for placing pumps etc at lower depth with suction and delivery-pipes for pumping out water found at various depth from trenches i/c the cost of erection and dismantling after completion of the job. Hire charges of pumping set upto 10 HP pumping out water from 10 feet deep trench. Making connection with the existing manhole i.c the cost of cutting hole in wall, making them good in C.C 1:2:4 and making required channel etc complete. Manufacturing and supplying R.C.C Manhole covers cast in 1:2:4 concrete ratio 3"inch deep at center, rain-forced with 1/2" dia tor steel bars @ 4" C.C etc, welded to 3/16" thick 2" wide M.S. plate two hooks of 3/8" dia tor bar i/c compacting i/c curing and transportation with in ten miles. Sand Haro or any other source	(inside) and 5ft clear depth, with C.I. Frame (15 kg) cast in situ with 1:2:4 C.C in 9" thick wall, 1:4:8 C.C. in 6ft dia and 6" inch thick in foundation 1:2:2" C.C. in benching, ½" thick cement plastering with 1:3 C.M. on all inside wall surfaces, channel and benching i/c making required Nos of main and branch channels, ¾" dia M.S footrest @ 12" c/c i/c cost of excavation in all kinds of soil, backfilling and disposal of excavated stuff etc complete as per design and instruction of the Engineer In-charge. Add or deduct for extra / less depth than 5ft of 4ft dia manholes i/c footrest. Full hire charges of the pumping set per day i/c of wages of driver and Assistant fuel or Electric Energy plate form required fore placing pumps etc at lower depth with suction and delivery-pipes for pumping out water found at various depth from trenches i/c the cost of erection and dismantling after completion of the job. Hire charges of pumping set upto 10 HP pumping out water from 10 feet deep trench. Making connection with the existing manhole i.c the cost of cutting hole in wall, making them good in C.C 1:2:4 and making required channel etc complete. Manufacturing and supplying R.C.C Manhole covers cast in 1:2:4 concrete ratio 3"inch deep at center, rain-forced with 1/2" dia tor steel bars @ 4" C.C etc, welded to 3/16" thick 2" wide M.S. plate two hooks of 3/8" dia tor bar i/c compacting i/c curing and transportation with in ten miles. 21" dia. Sand Haro or any other source	(Inside) and 5ft clear depth, with C.I. Frame (15 kg) cast in situ with 1:24 C.C. in 9° thick wall, 1:4:8 C.C. in 6ft dia and 6° inch thick in foundation 1:2: C.C. in benching, ½° thick cement plastering with 1:3 C.M. on all inside wall surfaces, channel and benching it/c making required Nos of main and branch channels, ½° dia M.S footrest @ 12° c/c i/c cost of excavation in all kinds of soil, backfilling and disposal of excavated stuff etc complete as per design and instruction of the Engineer In-charge. Add or deduct for extra / less depth than 5ft of 4ft dia manholes i/c footrest. Full hire charges of the pumping set per day i/c of wages of driver and Assistant fuel or Electric Energy plate form required for placing pumps etc at lower depth with suction and delivery-pipes for pumping out water found at various depth from trenches i/c the cost of erection and dismantling after completion of the job. Hire charges of pumping set upto 10 HP pumping out water found at various depth from trenches i/c the cost of erection and dismantling after completion of the job. Hire charges of the pumping set upto 10 HP pumping out water from 10 feet deep trench. 32 Days Assign and instruction of the existing manhole i.c the cost of creation and making required channel etcomplete. Manufacturing and supplying R.C.C Manhole covers cast in 1:2:4 concrete ratio 3"inch deep at center, rain-forced with 1:2" dia tor steel bars @ 4" C.C etc, welded to 3/16" thick 2" wide M.S. plate two hooks of 3/8" dia tor bar i/c compacting i/c curing and transportation with in ten miles. 21" dia. Sand Haro or any other source

ing sub-base by ing and spreading well in pit bed run gravel a liquit limit not greater 5 and plasticity index not in than 6 in proper er and grade i/c watering, and compacting in not exceeding 6" acted up to 98-100 % by as per modified IO density (Rates i/c all			Thise Shesen. Thisee Mudows		
of materials T&P and ge up to 3 chains.	3852 Cft.	3340/2		% Cft.	1,28,656/2
ng the excavated stuff in nes 6"thick layer i.c ing, ramming to full action etc complete.	9790 Cft.	2755/2	Tever thanulo Sauce Murdrels Siffy pui	%0 Cft	
age of 100 Cft of all rials like stone aggregate, I, surkhi etc; (excavate B.G. Rail fastening s and crossing bridges, ers, pipes sheets Rail, Bars etc; or 1000 Nos: s, 10"x5"x3" or 1000 Nos:			NASEEM ENTERPRISES		
. 12"x6"x2" or 150 Cft of er or 100 Maunds of fuel d by trucks or any other ins owned by the ractors. Carriage for 05 Miles	8255 Cft.	(7/4/2)	Seuce Huben.	% Cft	58940/=

A G

1

" to and fro " pulling action (No of passes shell be as many as required) would be under taken in two Phases (1st phase ent length from down stream to up stream) bringing down peak hours sewerage to flow inside pipe line (as free flow) and in 2nd phase from up stream to down stream of entire length insuring no silt is observed in buckets (6" dia to 18" dia) except only sewerage water and finally passing a steel ball of dia 12" less than the diameter of pipe. But not exceeding 48" dia ball even for larger dia of pipe to insure perfect cleaning . The job include all the hire / cost of equipment and accessories of above winching machine / devises along with / engine with winching drum sets having steel rope, pulley mounted over it, steel bucket from 6" dia to 18" dia, hocks and other protections like Tighty & Pairs safety barriers, traffic signs, traffic cones, ensuring no damage to pipe line along with ensuring safety to labour and other public property / lives and removal of silt / solid during desalting and clearance of site etc complete as per full satisfaction of site engineer P/Rft 1/30 2150 Rft. (80,50 12" dia **EXECUTIVE ENGINEER (SEW)** GULSHAN-E-IQBAL TOWN KW&SB der Quoted Amount Re 1- Two thusacy Sign:/Stamp of Bidder: Waseom Alfren. 1=118, Jail Road kee Address of Bidder 03022695811. Cell No.

Proprietor