

KARACHI WATER & SEWERAGE BOARD OFFICE OF THE EXECUTIVE ENGINEER SEWS PUMPING DIV.

NO.E.E/SPD/WORKS/KW&SB/2018//84

Dated: 30-5-2018

M/S.AL- HANNAN BUILDERS. KARACHI.

WORK ORDER

SUBJECT: REPLACEMENT OF OLD/ UNSERVICEABLE 16" DIA ASBESTOS AND 12" DIA RCC RISING MAIN WITH MS PIPE AT EJECTOR-14

Sanction order has been issued by the competent authority vide order no. CE/E&M-sew/works/2018//303 Dated: 29 -05-2018 for the expenditure amounting to RS.92,5,336/= (Rupees. NINE LAC TWNEYT FIVE THOUSANDS THREE HUNDERED THRITY SIX.ONLY), for the above sanctioned work from allocated head of account budget grant 8453-46 for the financial year 2017-2018.

You are herby directed to start the above work immediately and complete the same within 10 days from the receipt of this work order, in case of failure penalty of 0.5% per day will be recovered.

EXECUTIVE ENGINEER)
SEW PUMP DIV.
(KW&SB)

Copy to:-

- 1. C.E (E&M SEW) KW&SB.
- 2. S.E SPC KW&SB.
- 3. DAO SPD, KW&SB.
- 4. AEE SPD KW&SB
- 5. Office Copy.

SINDH PUBLIC PROCUREMENT REGULATORY AUTHORITY

CONTRACT EVALUATION FORM

TO BE FILLED IN BY ALL PROCURING AGENCIES FOR PUBLIC CONTRACTS OF WORKS, SERVICES & GOODS


		KARACHI WATER & SEWARAGE BOARD
	NAME OF THE ORGANIZATION / DEPTT	
	PROVINCIAL / LOCAL GOVT./ OTHER	LOCAL GOVT.
3)	TITLE OF CONTRACT	IMPROVE SEWARAGE SYMSTEM
4)	TENDER NUMBER	01
5)	BRIEF DESCRIPTION OF CONTRACT	REPLACEMENT OF OLD/LINSERVICEABLE 16" DIA
6)	FORUM THAT APPROVED THE SCHEME	ASBESTOS AND 12" DIA RCC RISING MAIN WITH MS PIPE AT EJECTOR-14
7)	TENDER ESTIMATED VALUE	
8)	ENGINEER'S ESTIMATE (For civil works only)	
9)	ESTIMATED COMPLETION PERIOD (AS	PER CONTRACT) 90 DAYS
10)	TENDER OPENED ON (DATE & TIME)	28/12/.2017
11)	NUMBER OF TENDER DOCUMENTS SOI (Attach list of buyers)	_D 02 NOS
12)	NUMBER OF BIDS RECEIVED	02 NOS
13)	NUMBER OF BIDDERS PRESENT AT THE	E TIME OF OPENING OF BIDS 02 NO
14)	BID EVALUATION REPORT	YES
••,	(Enclose a copy)	
15)	NAME AND ADDRESS OF THE SUCCESS	SFUL BIDDER MS. AL- HANNAN BUILDERS.
16)	CONTRACT AWARD PRICE	9,25336/=
17)	RANKING OF SUCCESSFUL BIDDER IN 1 (i.e. 1 st , 2 nd , 3 rd EVALUATION BID).	EVALUATION REPORT / 925336/= 964227
18)	METHOD OF PROCUREMENT USED : - (*	, <u> </u>
	a) SINGLE STAGE – ONE ENVELOR	PE PROCEDURE Yes Domestic/ Local
	b) SINGLE STAGE – TWO ENVELO	PE PROCEDURE SINGLE
	c) TWO STAGE BIDDING PROCEDU	URE
	d) TWO STAGE – TWO ENVELOPE	BIDDING PROCEDURE
	PLEASE SPECIFY IF ANY OTHE EMERGENCY, DIRECT CONTRACTI	R METHOD OF PROCUREMENT WAS ADOPTED i.e. ING ETC. WITH BRIEF REASONS:

20)	WHETH	HER THE PROCUREN	MENT WAS I	NCLUDED II	N ANNUA	L PRO	CUREN	MENT P	LAN?	
							Yes	V	lo [
21)	ADVER	RTISEMENT:								
					Yes		_			
	i)	SPPRA Website	CDDD A LL	с						
		(If yes, give date and	SPPKA Identi	neation No.)	No	-				
	ii)	News Papers (If yes, give names of	newenanere a	nd datee)	Yes					
		(If yes, give hallestor	newspapers a	ind dates)						
					No					
			V		L					
(2)	NATUE	RE OF CONTRACT		<u>.</u>			Domestics Local	1	Int.	
		A.)			<u> </u>	<u> </u>		
23)		HER QUALIFICATÎŎ			T00					
		NCLUDED IN BIDDI? enclose a copy)	NG / TENDER	CDOCOMEN	15?				. -	71
	(11) 45,	encial a copy,					Yes	F	10	
241	WHET	HER BID EVALUATI	ON CRITERI	Δ 2			г т		11-	-
. T <i>)</i>		NCLUDED IN BIDDIN			TS?		Yes	V N	10	
	(If yes,	enclose a copy)								
				4		إفعان	ያሴ.			
25)		HER APPROVAL OF OD OTHER THAN OF				BŢAI			7	
	141171 111	OD OTHER THAIT OF	LIV COMIT LI	TITTE DIDD	4.0	S A	Yes	1	No	Ш
26)	WAS B	ID SECURITY OBTA	INED FROM	ALL THE B	IDDERS?	M		T. I.	_	-п
,	11110 2	115 02001111 0511.	iii (DD i itolii	THE THE D	DDDRO.	Ø	Yes	וויין	40	
						,				
27)		HER THE SUCCESSF BEST EVALUATED B				ED	Yes	V	10	
	515 / 5		12 (0400 01		-,					
28)	WHET	HER THE SUCCESSF	UL BIDDER	WAS TECHN	NICALLY		Yes	V	No	
- /		LIANT?								
29)	WHET	HER NAMES OF TH	E BIDDERS A	AND THEIR	QUOTED	PRICI	ES WEI	RE REA	D OUT	ΑT
,		IME OF OPENING OF			•		Yes	1	No	
							ORE T			

	(If yes, result thereof)		
		No	NO
3	 ANY DEVIATION FROM SPECIFICATIONS GIVEN I (If yes, give details) 	IN THE T	ENDER NOTICE / DOCUMENTS
	,	Yes	<u> </u>
		No	NO
3	3) WAS THE EXTENSION MADE IN RESPONSE TIMES (If yes, give reasons)	Yes	
		No	NO
3	4) DEVIATION FROM QUALIFICATION CRITERIA (If yes, give detailed reasons.)	Yes	
		No	NO
3	5) WAS IT ASSURED BY THE PROCURING AGENC BLACK LISTED?	Y THAT	THE SELECTED FIRM IS NOT Yes V No No
3	6) WAS A VISIT MADE BY ANY OFFICER/OFFICIAL SUPPLIER'S PREMISES IN CONNECTION WITH T. BE ASCERTAINED REGARDING FINANCING OF V (If yes, enclose a copy)	HE PROC	UREMENT? IF SO, DETAILS TO
3	7) WERE PROPER SAFEGUARDS PROVIDED ON M THE CONTRACT (BANK GUARANTEE ETC.)?	(OBILIZA	TION ADVANCE PAYMENT IN Yes V No
3	8) SPECIAL CONDITIONS, IF ANY (If yes, give Brief Description)	Yes	
3	9)Date of Award of Contract:	No	NO
	nture & Official Stamp of uthorized Officer WASEEM AKHTER	NUUS-	-161.1

<u>SPPRA, Block. No.8, Sindh Secretariat No.4-A, Court Road, Karachi</u> Tele: 021-9205356; 021-9205369 & Fax: 021-9206291

Print Save Reset



TAMBAN NEHAL STAMP VENDOR Livence No.152, Shop No.1, Glamour Arcade Sector 11-I, North Karachi

to incommittee and the same contraction

ESCH PHANAMORES


Meston Advocate Ue 617

AGREEMENT

Between M/s. Al-Hannan Builders, and Karachi Water & Sewerage Board.

This agreement made on thisday of 2018, between Karachi Water &
Sewerage Board, Block-B, 9th Mile Shahra-e-Faisal, Karsaz, Karachi, through its Chief Engineer
(E&M)-Sew. / S.E. (TPs/SPC), KW&SB, hereinafter called the Boar1 (hereinafter called the employer
of the one part) and M/s. Al-Hannan Builders, Karachi, hereinafter called the Contractor of the other
part.

Whereas the KW&SB has accepted the Contractor's Tender here unto Annexed and marked 1/2 dated: 28.12.2017 for the work of "REPLACEMENT OF OLD . UNSERVICEABLE 16" DIA ABESTOS 12" DIA RCC RISING MAIN WITH MS PIPE AT EJECTOR-14 KW&SB". Estimated cost: (On Item rate basis) under SPPR-2010. The total sanctioned amount is Rs.9,25,336/= (Rupees Nine Lac Twenty Five Three Thousand Thirty Six only) as evaluated / recommended by Procurement / Minor Mills PAGE 1 OF 3



KAMRAN NEHAL STAMP VENDOR Licence No.152, Shop No.1, Glamour Arcade Sector 11-1, North Karachi 2	9	YAM	20 16
Furpose Sign Address Value Re Sign Sign Address For Use Free Wife Divorce, Good Sign Responsible Any Sake Door, montaining			

THE WAR THE THE STATE OF THE ST


Evaluation Committee-I, KW&SB vide Para-31/N and financially concurred by the Finance Department, KW&SB vide Para-35 to 45/N duly approved by the Managing Director, KW&SB vide Para-48/N (along with approval / permission for more 90 days Extension of Bid validity by M.D. KW&SB vide Para-5/N) as per Contractor's quoted amount, the amount put to tender. According under PPRA Rules-2010 (Amended 2017) duly signed by the Contractor has made them fully acquainted with its meanings.

WHEREAS 10% Security Deposit (02% Earnest Money on Quoted amount is deposited by Contractor in favour of KW&SB) will be deducted from the Contractor's bill and such amount have given a lien over as security for the due fulfillment of the contract and the Contractor abide all the terms and conditions and aforesaid specification of the tender. Security Deposit deducted to be refunded after three months of satisfactory completion of the work.


The payment to be made by KW&SB to the contractor as per prevailing legal / codal practice



PAGE 2 OF 3



INUPEES TWO KUNGRED DNLTI



MANDAN MEH	AL STAME Y	ENDOR	والمعجودات فيان والمحجود
	iop no nama I, North Mara	ichi	
s. To With Ad	DATE	213 1.may	2018
Through With Add	iress	********	
Villue Pla Si Imp Vendo is Sign	Atlested	LEMA	KHAN
. P For Uso Free Will Very Mai Responsib	& Divorce Describe	75 .ex	An State of Seas

The Contractor due hereby bind themselves their heirs successors / legal representatives and assignee to pay 0.05% of Bid Cost per day of delay to the KW&SB or such smaller amount fixed by the competent authority. The time for completion of this work is within (10) Days.

the co	ompetent authority. The tim	ne for completion of this work is w	rithin (10) Days.
į	IN WITNESS WHEREC	OF the said parties have set their	respective hands on thisday
	, 2018.		
M	/s. Al-Hannan Builders, (Contractor)	EXECUTIVE ENGINEER CIVIL/SPD DIVISION, KW&SB	SUPERINTENDING ENGINEER (TP'S/SPC), KW&SB
	.	My	,
		CHIEF ENGINEER (E&M)-SEW., K.W.& S.B.	
WITN	l	2	

PAGE 3 OF 3

0

KARACHI WATER & SEWERAGE BOARD

OFFICE OF THE DIRECTOR (DESIGN & ESTIMATE)

BID EVALUATION REPORT

;	Name of Producing Agency:	KARACHI WATER & SEWERAGE BOARD
Ž-	Tendor Reference No:	SPPRA Serial No.35555 I.D No
3	Tender Description/Name of Work/Item:	REPLACEMENT OF OLD / UNSERVICEABLE 16" DIA ASBESTOS AND 12" DIA RCC RISING MAIN WITH MS PIPE AT EJECTOR-14
۲.	Method of Procurement:	Single Stage (One Envelop)
5	Condor Published:	Tarough SPPRA Web Site
, , , , , , , , , , , , , , , , , , , ,	Terri Sid Documents Sold: 🕏	2 Nos
7	To hi Bid Nobervell:	2 Nos
-	Technical Isla Opening Date (if applicable):	<u>N/A</u>
ç	No. of Bid Technically Qualified (if applicable)	N/A
10	Bid (s) Rejected:	NIL
11	Financial Bid Opening Date: 😽	28-12-2017

12 FID EVALUATION REPORT

s.	Mame of Firm / Fidder	COST OFFERED BY THE BIDDER	RANKING IN TERMS OF COST	COMPARIS ON WITH ESTIMATED COST	REASON FOR ACCEPTANCE / REJECTION	REMARKS
<u>1</u>	M/- Al- Harriga Builders	Rs.9,25,336/-	i st Lowest	@0.044% Below	Pay order and other required documents are available. P.O # 04279107 dt:26-12-2017 Rs.18:550/-from Bank Al Habib Ltd Saadi Town Branch Karachi	Substantially Responsive
2	M/s.F.R. Brothers	Rs.0,64,227/-	2 nd Lowest	@4.157% Above	Pay order and other required documents are available. P.O # 18600103 dt:26-12-2017 Rs.19,300/- from HBL Malir Cantt Branch Karachi	Substantially Responsive

The all concerned bidders are being informed accordingly.

The E.F. Concerned for compliance of Rule-45 of SPPRA 2010 M/s.Al-Hannan Builders declared as the lowest responsive bidger by the Committee and recommended for sanction from Competent Authority.

ghaidleb Albem Shoikh) / D.A.O (S.P.D)

Momber / Secretary

(Saif-ul-Eaque)
Additional Director Internal
Audit – KMC Member

(Magsood Ahmed Shaikh) Superintending Engineer (KMC)

Member

(Saifuddin)

Director (Design & Estimate)

Convener

(Flanzoor Yanul) S.E (S.P.Girclo) Members

COMPARATIVE STATEMENT

Name of Work: REPLACEMENT OF OLD / UNSERVICEABLE 16" DIA ASBESTOS AND 12" DIA RCC RISING MAIN WITH MS PIPE AT EJECTOR-14

						, , ,		7.8.6	11.1
Item			Estimated Cost	l Cost		M/S.AI	M/s.Al-Hannan	IMI)	M/S.H.K Desthons
ž	Description of Work					TI C	61301		111513
2		Quantity	Rate	Per	Amount	Rate	Amount	Kate	Amount
<u> </u> _	Excavation for pipe line in trenches and pits in Wet Soil clay								
	or mud i/c trimming and dressing sides to true alignment and					•			
	shape leveling of beds of trenches to correct level and grade		- 211						
	cutting joints holes and disposal of surplus earth within one								
	chain as directed by Engineer Incharge providing fence guards,								
	lights, flags sand temporary crossing for non-vehicular traffic					•	•	·	
	wherever required lift upto 5 ft (1.52 m) and lead upto one								
	chain (30.5m). 0' - 5'ft	3144.83 Cft		5400.00 %0Cft	16,982.08	5250.00	16,510.36	5670.00	17,831.19
	5' to 8'	1800.27 Cft		5950.00 %0Cft	10,711.61	00.0019	10,981.65	6250.00	11,251.69
CI	Full hire charges of pumping set per day i/c of wages of driver								
	and assistant fuel or electric energy platform for placing the						•		
	pump etc at lower depth with suction and delivery pipes for								
	pumping out water found at various depth from trenches			•				<u>-</u> -	
	including the cost of erection and dismantling after completion								
	of the job. Hire charges of pumping set upto 10 HP pumping								
	out water from 10 ft deep trench					-			
		18.00 Day	y 1500.00 P/Day	P/Day	27,000.00	1750.00	31,500.00	1575.00	28,350.00
(C	P/F M.S Flange made of M.S Plate having a thickness and								
	total weight i/c the cost of making holes, facing, welding, nut								
	bolts, rubber packing with lead filter, cartage etc complete.								
	16" dia (Net Weight = 7.27 Kg	6.00 Nos	s 4125.00	Each	24,750.00	4000.00	24,000.00	4330.00	25,980.00
	12" dia (Net Weight = 5.65 Kg)	6.00 Nos	s 2952.00	Each	17,712.00	2500.00	15.000.00	3100.00	18,600.00

King

Name of Work: REPLACEMENT OF OLD / UNSERVICEABLE 16" DIA ASBESTOS AND 12" DIA RCC RISING MAIN WITH MS PIPE AT EJECTOR-14

		6	ر. د		4	'Z	Item
	TOTAL QUOTED / CORRECTED COST	Refilling the excavated stuff in trenches 6" thick layer i/c watering ramming to full compaction etc complete.	C.C Plain i/c planning compacting finishing curing. Complete (11 C screening and washing at stone aggregate without shuttering 1:2:4	12" Dia (5.6mm thick)	Manufacturing, supplying & fixing black steel M.S pipe made out of M.S sheet conforming API 51, grade X-42 & spirallly welded & externally asphalt coated with fiber galss 5mm thick (3 Layers) & internally C.C lining 7mm thick (AWWA Specification) i/c laying jointing with helical welding in trenches i/c cost of bends of any degree & testing with water specified pressure for different dia of pipes as below (Spirally Welded). 16" Dia (6.4mm thick)		Description of Work
		4816.95 Cft	381.39 Cft	100.00	120.00	Quantity	
		Cft	Cft	Rft	Rft	(y:	
		2760.00 %0Cft	14429.25 %Cft	2803.74 P/Rft	3999.09 P/Rft	Rate	Estimated Cost
		%0Cfi	%Cft	P/Rft	P/Rft	Per	Cost
1	925,747	13,294.78	55,031.72	280,374.00	479,890.80	Amount	
		2500.00	14500.00	2500.00	4250.00	Rate	M/s.A Bu
-	925,336	12,042.38	55,301.55 15000.00 57,208.50	2500.00 250,000.00	4250.00 510,000.00	Amount	M/s.Al-Hannan Builders
		2700.00	15000.00	3000.00	4100.00	Rate	Bro
Y .	964,227		57,208.50	3000.00 300,000.00	4100.00 492,000.00	Amount	M/s.H.R Brothers

(Sangulfah Aleem Shaikh) D.A.O (S.P.D) Member / Secretary

> Additional Director Internal Audit – KMC Member (Saif-ul-Haque)

Superintending Engineer (KMC) (Magsbod Ahmed Shaikh) Member

(Manzsor Yapahr S.E (S.P Circle)

Member

(Saifuddin)

Durectir (Design & Estimate)
Convener

SUBJECT: REPLACEMENT OF OLD/ UNSERVICEABLE 16" DIA ASBESTOS AND 12" DIA RCC RISING MAIN WITH MS PIPE AT EJECTOR-14

(B) Description and rate of Item based on Market (offered Rates)

	(B) Description and rate	of Item base	d on Market (offer	ed Rates)		
SNO	DESCRIPTION OF WORK/ITEM	OTY I	Rate in h Rupees	RATE Rate in Words	PER	AMOUNT
1.	excavation for pipe line in trenches and pits in wet soil cly or mud including trimming and dressing side to true alignment and shape leveling of beds of trenches to correct level and grade, cutting joints holes and disposal of surplus earth within a one chain as directed by engineer in- charge providing fence guards, light, flags, temporary crossing for non vehicular traffic where ever required lift up to 5ft and lead up to one chain 0'to5'	3144.8 3CFT (1800.2 7cft	5,50%	FIVE THOUSAND TWO HUNDRED FIFTY ENCY ONE HUNDRED ONLY	%0 cft	16510/2
2.	full hire charges of pumping set per day inclusive of wages of driver and assistant fuel eclectic energy plats etc at lower depth with suction and delivering pipes for pumping out water found at various depth from trenches i/c the cost of errection and dismantling after completion of the job of above set of 10 hp pumping out water (i) Form 10' deep trench.	18 days	(1750/2)	ONE THOULAND LEVEN CHOLLAND CIFTY	p/ days	3,500/2

SUBJECT: REPLACEMENT OF OLD/ UNSERVICEABLE 16" DIA ASBESTOS AND 12" DIA RCC RISING MAIN WITH MS PIPE AT EJECTOR-14

		γ		,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,	·	
3,	P/f M.S flange made of M.S plate having a thickness and total weight i/c the coast making holes, facing welding nuts bolts, rubber packing white lead filter cartage etc complete. 16" dia (net weight =7.27kg)	06 NOs	2500/2	FOOL THOUSAND ONCE TWO HOUSAND FIVE HUNDLED	Each	15000/
4	manufacturing supplying & fixing black steel M.S pipe made out of M.S sheet confirm to API 5L grade X-42 spirally welded & externally asphalted coated with fiber glass 5mm thick (3layers) & internally c/c lining 7mm thick (AWWA specification) i/c laying jointing with special welding in trenches i/c coast of bands of any degree & testing with water specified pressure for different dia of pip as below (spirally welded) 16" dia (6.4mm thick) 12" dia (5.6 mm thick) CC plain i/c planning compacting finishing curing. complete (11C- screening and washing at stone aggregate without shutting -1:2:4 refilling the excavated stuff in trenches 6" thick layer i/c watering ramming to full compaction etc complete	CFT	2500/2500/2500/2500/2500/2500/2500/2500	FOUR THOUSAND FIFTY ONLY THOUSAND FINE HUNDLED HUNDLED HUNDLED HUNDLED HUNDLED HUNDLED HUNDLED HUNDLED ONLY FINE HUNDLED ONLY THOUSAND FINE HUNDLED ONLY ONLY	P/rft p/rft % cft %0cft	SS301/ 250002/
}	TOTAL	L		1	, , , , , , , , , , , , , , , , , , , 	1225339/45/
			/ \			

EXECUTIVE ENGINEER (E&M CIVIL SEW SPD)

Signature & stamp of Contractor MAN Contact# State Address:



The spen by tender one of the occupant occupant of the occupant oc