SINDH PUBLIC PROCUREMENT REGULATORY AUTHORITY

CONTRACT EVALUATION FORM

TO BE FILLED IN BY ALL PROCURING AGENCIES FOR PUBLIC CONTRACTS OF WORKS, SERVICES & GOODS

1)	NAME OF THE ORGANIZATION / DEPTT.	Sports & Youth Affairs Department Govt. of Sindh
2)	PROVINCIAL / LOCAL GOVT./ OTHER	Provincial Government
3)	TITLE OF CONTRACT	Construction of Multipurpose Sports Hall at Sarhad Distt Ghotki
4)	TENDER NUMBER	INF/KRY-No.5338/2017.
5)	BRIEF DESCRIPTION OF CONTRACT	Construction of Multipurpose Sports Hall at Sarhad Distt Ghotki
6)	FORUM THAT APPROVED THE SCHEME	DDWP
7)	TENDER ESTIMATED VALUE	Rs.43408766/-
8)	ENGINEER'S ESTIMATE (For civil works only)	Rs.40320352.97
9)	ESTIMATED COMPLETION PERIOD (AS PI	ER CONTRACT) 540Days
10)	TENDER OPENED ON (DATE & TIME)	10th January, 2018 at 1400 hours
[1]	NUMBER OF TENDER DOCUMENTS SOLE (Attach list of buyers)) 04 Nos
10)		· 03 Nos
,	NUMBER OF BIDS RECEIVED	THAT OF OBENIES OF BIDE 03 NOS
13)	NUMBER OF BIDDERS PRESENT AT THE	
14)	BID EVALUATION REPORT (Enclose a copy)	Attached
15)	• • •	UL BIDDER M/s Al-Hafeez Construction Company, Khiarpur
	CONTRACT AWARD PRICE	Rs.43408766/-
17)	RANKING OF SUCCESSFUL BIDDER IN EV (i.e. 1 st , 2 nd , 3 rd EVALUATION BID).	VALUATION REPORT 1st lowest
18)	METHOD OF PROCUREMENT USED : - (Tie	ck one)
	a) SINGLE STAGE - ONE ENVELOPE	PROCEDURE Domestic Domestic/ Local
	b) SINGLE STAGE – TWO ENVELOPE	E PROCEDURE No
	c) TWO STAGE BIDDING PROCEDUR	RENo
	d) TWO STAGE – TWO ENVELOPE B	IDDING PROCEDURE
		No

PLEASE SPECIFY IF ANY OTHER METHOD OF PROCUREMENT WAS ADOPTED i.e. EMERGENCY, DIRECT CONTRACTING ETC WITH BRIEF REASONS.

	APPRO	OVING AUTHORITY FOR AWARD OF CONTR.	АСТ_	
20)	WHET	HER THE PROCUREMENT WAS INCLUDED I	N ANN	Yes / No
21)	ADVE	RTISEMENT:		
	i)	SPPRA Website (If yes, give date and SPPRA Identification No.)	Yes	SPPRA SR No.35841
		(1.) -1. 2111111.	No	
	ii)	News Papers (If yes, give names of newspapers and dates)	Yes	Qaid Pakistan 23-12-17, Dawn 24-12-17, Jang 25-12-17 & Kawish 26-12-17
			No	
22)	NATU	RE OF CONTRACT		Domests/ Local / Int.
	WAS I (If yes, WHET WAS I	THER QUALIFICATION CRITERIA NCLUDED IN BIDDING / TENDER DOCUMEN enclose a copy) THER BID EVALUATION CRITERIA NCLUDED IN BIDDING / TENDER DOCUMEN enclose a copy)		Yes No V
25)	WHET	THER APPROVAL OF COMPETENT AUTHORIT OD OTHER THAN OPEN COMPETITIVE BIDD	ľY W⊅ lNG?	S OBTAINED FOR USING A Yes No
	WASI			
26)		BID SECURITY OBTAINED FROM ALL THE B	IDDER	Yes V No
		BID SECURITY OBTAINED FROM ALL THE B THER THE SUCCESSFUL BID WAS LOWEST E BEST EVALUATED BID (in case of Consultancies	VALU	[Tes] [V] [NO] []
27)	BID / I	THER THE SUCCESSFUL BID WAS LOWEST E	VALU s)	ATED Yes No
27) 28)	WHET COMP	THER THE SUCCESSFUL BID WAS LOWEST E BEST EVALUATED BID (in case of Consultancies THER THE SUCCESSFUL BIDDER WAS TECHN	VALU s) NICAL	ATED Yes V No

31) ANY COMPLAINTS RECEIVED (If yes, result thereof)	Yes	
	No	No
32) ANY DEVIATION FROM SPECIFICATIONS GIVEN IN	THE TE	NDER NOTICE / DOCUMENTS
(If yes, give details)	Yes	
	No	No
33) WAS THE EXTENSION MADE IN RESPONSE TIME? (If yes. give reasons)	Yes	
	No	No
34) DEVIATION FROM QUALIFICATION CRITERIA (If yes. give detailed reasons.)	Yes	
	No	No
35) WAS IT ASSURED BY THE PROCURING AGENCY BLACK LISTED?	THAT	THE SELECTED FIRM IS NO Yes V No
36) WAS A VISIT MADE BY ANY OFFICER/OFFICIAL C SUPPLIER'S PREMISES IN CONNECTION WITH THE BE ASCERTAINED REGARDING FINANCING OF VIS. (If yes, enclose a copy)	E PROÇU	JREMENT? IF SO, DETAILS TO
37) WERE PROPER SAFEGUARDS PROVIDED ON MORTHE CONTRACT (BANK GUARANTEE ETC.)?	BILIZAT	Yes No
38) SPECIAL CONDITIONS, IF ANY (If yes, give Brief Description)	Yes	·
39) Date of Award of Contract: 26th January, 2018. Signature & Official Stamp of	No	No
Authorized Officer		

<u>SPPRA, Block. No.8, Sindh Secretariat No.4-A, Court Road, Karachi</u> Tele: 021-9205356; 021-9205369 & Fax: 021-9206291

Print Save Reset

Subject: - CONSTRUCTION OF MULTIPURPOSE SPORTS INDOOR HALL AT SARHAD DISTRICT GHOTK1.

LIS	LIST OF CONTRACTORS WHO PURCHASED THE TENDER DOCUMENTS				
S. No	Name of Firm				
1.	M/s Al-Hafeez Construction Company, Karachi.				
2.	M/s Liaqat & Brothers. Mardan.				
3.	M/s KAM Traders (Pvt) limited, Islamabad.				
4.	M/s Noor Engineering Services International, Karachi				

Bid Evaluation Report

1.	Name of Procuring Agency: Sports & Youth Affair	s Depa	rtment Govt. of Sindh, Karachi.
2.	Tender Reference No: NIT REF NO.INF-KRY-5343/20	17	
3.	Tender Description/ Name of Work/ Item: Constr Sarhad District Ghotki.	<u>uction</u>	of Multipurpose Sports Indoor Hall a
4.	Method of Procurement: Single Stage- One Envelo	op Pro	curement (Domestic)
5.	Tender Published :(SPPRA SR No.35841" Daily Qaid Pakist December 2017 and Daily Kawish dated 27 th December 201 Print & Electronic Media (SPPRA ID	<u>7".</u>	
6.	Total Bid Documents Sold: 04 (Four)		
7.	Total Bids Received: 03 (Three)		
8.	Technical Bid Opening date: (if applicable)	Nil	(Provide details in separate form)
9.	No. of Bid Technically qualified (if applicable):	Nil	
10.	Bid(s) Rejected:	Nil_	
11.	Financial Bid Opening date: 10 th January, 2018		

12. Bid Evaluation Report.

(Engineers Estimate Rs.40320352.97)

<i>S#</i>	Name of Firm or Bidder	Cost offered by the Bidder	Ranking in terms of cost	Comparison with Estimated cost	Reasons for acceptance/ rejection	Remarks
0	1	2	3	4	5	6
1	M/s Al-Hafeez Construction ——— Company, Khairpur.	Rs.43408766/-	First Lowest	7.65% Above	Lowest Bidder	Recommended for award of work
2	M/s Liaqat & Brothers, Mardan	Rs.44175276/-	Second Lowest	9.56% Above	Highest Bidder	
3	M/s KAM Traders (Pvt) Limited, Islamabad.	Rs.46408322/-	Third Lowest	15.09% Above	Highest Bidder	

Signature of the Members of the Committee

(Musarrat Mokhtar) **Deputy Director** Industries Department

Member

(Muhammad Faroog Khan) Deputy Director (Admin)

Sports Department Member

Divisional Accounts Officer

Office of the Accountant General Sindh

Member

Executive Engineer (Civil)

Sports & Youth Affairs Department Member

(Muhammad) (Mahar)

Chief Engineer

Sports & Youth Affairs Department

CHAIRMAN

GOVERNMENT OF SINDH SPORTS & YOUTH AFFAIRS DEPARTMENT

(Engineering Wing)

05th Floor, State Life Building No.3, Dr. Ziauddin Ahmed Road, Karachi

Karachi, 26th January, 2018

Joseph Description

To,

M/s AL-Hafeez Construction Company,

Taluka Gambat, **District Khairpur.**

WORK ORDER

Subject: -

CONSTRUCTION OF MULTIPURPOSE SPORTS INDOOR HALL AT SARHAD DISTRICT GHOTKI.

Ref: - Your Financial Proposal Bid opened on 10th January, 2018.

- 1. I am pleased to inform you, the contract of "Construction of Multipurpose Sports Indoor Hall at Sarhad District Ghotki" is awarded to you at your correct bid price Rs.43408766/- (Rupees Forty Three Million Four Hundred Eight Thousand Seven Hundred Sixty Six Only).
 - i. You are instructed to commence the work immediately after taking over possession of site.
 - ii. This letter may be treated as Work Order. The work should be carried out in accordance with the terms, conditions, Drawings and Specifications laid down in the Tender Documents.
 - iii. The date of commencement of work will be reckoned after 14 days of issue of this letter as indicated in "Stipulations".
 - iv. You will complete the work within <u>540 Days</u> from the date of issue of this Work Order. In case you failed to execute the **Agreement** and Mobilize at site as per Stipulations of Tender Documents, the Earnest Money deposited by you with Tender Documents shall stand forfeited in favour of Executive Engineer (Civil), Sports & Youth Affairs Department, Government of Sindh.
 - v. The Defect liability period will be (03) Calendar Months from the date of issue of FINAL SUBSTANABLE COMPLETION CERTIFICATE BY THE DEPARTMENT.
 - vi. Amount of liquidated Damages shall be Rs.0.01% for each day of delay in completion of the subject work to a maximum of 10% of contract price.
 - vii. This letter of Award shall be treated as part of Agreement unless the FORMAL AGREEMENT is signed.
 - viii. Progress report and progress photographs should be submitted to this office to the undersigned the every R.A Bill otherwise the bill will not be entertained.
 - ix. Inspection request should be submitted before 48 hours of execution of any new work.
 - x. All Materials required for construction shall be procured & brought at the Site by the Contractors at his own cost from Approved Sources of Quarry.


- xi. Draft FORM of Agreement (Already attached is the tender documents volume-1) can be obtained from this office and shall be submitted to the undersigned duly typed and signed on Non-Judicial Paper of Rs.35 Passas of total amount of awarded work and attested Noting Public / Oath Commissioner.
- xii. Income Tax shall be deducted from the bills on the Value of work done as per prevailing Rates of the Government.
- xiii. Steel Free from all kinds of Rust & Cement Free from all impurities, which confirm to the British Standard of Specification, shall be allowed in use.
- xiv. All Reinforced Cement Concrete Work shall be mechanically vibrated so as to have Minimum Compressive Strength of 3000 Lbs Per Square Inch and used steel shuttering.
- xv. Hill sand of Approved Quarry shall be used in All Items. The use of Pit Sand shall not be allowed, accept under floor.
- xvi. Sweet & Palatable Water only shall have to be used in Construction Work, which is to be arranged by the Contractor on their own cost for which no Additional Claim will be accepted.
- xvii. No Expenditure to be incurred beyond the amount of work award letter. Moreover the work should be carried out according to the approved Design / Drawings and the estimated quantities should not exceed in any case, beyond permissible limit.
- xviii. The Payment for work done will be made subject availability of funds. In case delayed payment the Contractor shall not Claim any Markup of Interest there upon.

2. You are requested to acknowledge receipt of this **WORK ORDER** as token of acceptance for undertaking the work as per Terms & Conditions mentioned in the Tender Documents.

(NAJAMI DDIN SHAIKH) Executive Engineer (Civil)

CC to:-

- 1. The Assistant Executive Engineer-II, Sports & Youth Affairs Department Government of Sindh, Karachi- Please coordinate with the Contractor and get the subject project mobilized / commenced immediately for timely completion as per time and progress schedule / chart of the contract.
- 2. The Divisional Accounts Officer, Sports & Youth Affairs Department, Govt. of Sindh, Karachi.
- 3. PS to Chief Engineer, Sports & Youth Affairs Department, Govt. of Sindh, Karachi.



Block-14, 6 state to tablet. Korechi ... 01 JAN 2018

THEOLOGICAL SUDDIQUE PURPOSE 5016DAHA SUDDIQUE PALUERS TAMP VENTAL 10128/15 CIKINE THE SUPPLY SUPPLY THE SUPPLY SU

AGREEMENT

THIS CONTRACT AGREEMENT (hereinafter called the —Agreement) made on the 29th day of January, 2018 between Sports & Youth Affairs Department (hereinafter called the Procuring Agency) of the one part and M/s Al- Hafeez Construction Company, Khairpur (hereinafter called the —Contractor) of the other part.

WHEREAS the Procuring Agency is desirous that certain Works, viz Construction of Multipurpose Sports Indoor Hall at Sarhad District Ghotki should be executed by the Contractor and has accepted a Bid Rs.43408766 /- (Rupees Forty Three Million Four Hundred Eight Thousand Seven Hundred Sixty Six Only) by the Contractor for the execution and completion of such Works and the remedying of any defects therein.

NOW this Agreement witnessed as follows:

- 1. In this Agreement words and expressions shall have the same meanings as are respectively assigned to them in the Conditions of Contract hereinafter referred to.
- 2. The following documents after incorporating addenda, if any except those parts relating to Instructions to Bidders, shall be deemed to form and be read and construed as part of this Agreement, viz:
 - (a) The Letter of Acceptance;
 - (b) The completed Form of Bid along with Schedules to Bid;
 - (c) Conditions of Contract & Contract Data;
 - (d) The priced Schedule of Prices/Bill of quantities (BoQ);
 - (e) The Specifications; and
 - (f) The Drawings
- 3. In consideration of the payments to be made by the Procuring Agency to the Contractor as hereinafter mentioned, the Contractor hereby covenants with the Procuring Agency to execute and complete the Works and remedy defects therein inconformity and in all respects within the provisions of the Contract.

4. The Procuring Agency hereby covenants to pay the Contractor, in consideration of the execution and completion of the Works as per provisions of the Contract, the Contract Price or such other sum as may become payable under the provisions of the Contract at the times and in the manner prescribed by the Contract.

IN WITNESS WHEREOF the parties hereto have caused this Contract Agreement to be executed on the day, month and year first before written in accordance with their respective laws.

Signature of the Contactor

M/s Al-Hafeez Construction Company, Khairpur.

(Seal)

AL-HAFEEZ CONSTRUCTION COMPANY
GOVERNMENT CONTRACTOR

Signed, Sealed and Delivered in the presence of: **Proprietor**

Signature of the Procuring Agency

Sports & Youth Affairs Departmen

Najamu(F44h) Shaikh Executive Engineer (Civil)/DDO Sports & Youth Affairs Department Government of Sindh

Witness:

(Name, Title and Address)

Witness

Name Title and Address)

(INTEGRITY PACT)

DECLARATION OF FEES, COMMISSION AND BROKERAGE ETC PAYABLE BY CONTRACTORS

(FOR CONTRACTS WORTH RS. 10.00 MILLION OR MORE)

Contract No. XEN/S&YAD/2018/365

Dated 26th January, 2018.

Contract Value; Rs.43408766/-

Contract Title: - CONSTRUCTION OF MULTIPURPOSE SPORTS INDOOR HALL AT SARHAD DISTRICT GHOTKI.

M/s Al-Hafeez Construction Company, Khairpur hereby declares that it has not obtained or induced the procurement of any contract, right, interest, privilege or other obligation or benefit from Government of Sindh or any administrative subdivision or agency thereof or any other entity owned or controlled by it Government of Sindh through any corrupt business practice.

Without limiting the generality of the foregoing, M/s Al-Hafeez Construction Company, Khairpur represents and warrants that it has fully declared the brokerage, commission, fees etc. paid or payable to anyone and not given or agreed to give and shall not give or agree to give to anyone within or outside Pakistan either directly or indirectly through any natural or juridical person, including its affiliate, agent, associate, broker, consultant, director, promoter, shareholder, sponsor or subsidiary, any commission, gratification, bribe, finder's fee or kickback, whether described as consultation fee or otherwise, with the object of obtaining or inducing the procurement of a contract, right, interest, privilege or other obligation or benefit in whatsoever form from, from Procuring Agency (PA) except that which has been expressly declared pursuant hereto.

M/s Al-Hafeez Construction Company, Khairpur accepts full responsibility and strict liability that it has made and will make full disclosure of all agreements and arrangements with all persons in respect of or related to the transaction with PA and has not taken any action or will not take any action to circumvent the above declaration, representation or warranty. M/s Al-Hafeez Construction Company, Khairpur accepts full responsibility and strict liability for making any false declaration, not making full disclosure, misrepresenting facts or taking any action likely to defeat the purpose of this declaration, representation and warranty. It agrees that any contract, right, interest, privilege or other obligation or benefit obtained or procured as aforesaid shall, without prejudice to any other rights and remedies available to PA under any law, contract or other instrument, be avoidable at the option of Procuring Agency.

Notwithstanding any rights and remedies exercised by PA in this regard, M/s Al-Hafeez Construction Company, Khairpur agrees to indemnify PA for any loss or damage incurred by it on account of its corrupt business practices and further pay compensation to PA in an amount equivalent to ten time the sum of any commission, gratification, bribe, finder's fee or kickback given by M/s Al-Hafeez Construction Company, Khairpur as aforesaid for the purpose of obtaining or inducing the procurement of any contract, right, interest, privilege or other obligation or benefit in whatsoever form from Procuring Agency

SPORTS & YOUTH AFFAIRS DEPARTMENT

GOVERNMENT OF SINDH White world in the likeling Explusive Engineer (Color) 2000 Cp. 18 & four mixes Department Give common 1 Stadie M/S AL-HAFEEZ-CONSTRUCTION COMPANY, KHAIRPUR

AL-HAFEEZ CONSTRUCTION COMPANY GOVERNMENT CONTRACTOR

Proprietor

BILL OF QUANTITIES

CONSTRUCTION OF MULTIPURPOSE SPORTS INDOOR HALL AT SARHAD DISTRICT GHOTKI.

SUMMARY OF PRICE

\$11 \10	Figure 1985 (Periphion)		is Amount (Rs)
	CONSTRUCTION OF MULTIPURPOSE SPORTS INDOOR HALL AT SARHAD DISTRICT GHOTKI.		
	Sub Head "A" Total =	Rs.	18904937.00
	Sub Head "B" Total =	Rs.	6555379.00
	Non Schedule Items Total=	Rs.	17948450:00
	Grand Total	Rs.	43408766/2
nwords <i>F</i>	Fourty Those Million Four Ho Seven Hu	ndr	ed Eight Thousand
ontractor's	Seven Hu	v-t o	ed Sixly Six andy -

Committee's Signature

1.

2. Misjoria

3. Signature

1. S

MEDULE OF PRICES – SUMMARY OF BID PRICES

	<u>SCHEDI</u>	ULE ITE	MS		
SI No.	Description	Unit	Qty	Rate	Amount
Hend.	CONSTRUCTION OF MULTI PURPO	OSE HALL			· ·
	Excavation in foundation or building bridges and other structures including dabbling dressing, refilling around structure with excavated earth Watering and ramming lead upto 5ft. (b). In ordinary soil.	% 0 Cft	29500.00	3176.25	93699.38
I No. 6 P. 6 04	Earth for slush or daldal I/c dewatering	0%Cft	3000.00	2420.00	7260.00
No.2	Dry rammed brick or stone ballast 1 1/2" to 2" Gauge.	% Cft	8500.00	3327.50	282837.50
No.21 ge 6.04	BackFilling Surplus Earth Filling, watering and ramming earth in floors with surplus earth from foundation lead upto one chain and lift upto 5 feet.	% 0 Cft.	9000.00	1512.50	13612,50
O O O O O O O O	Cement Concrete plain including placing compacting finishing and curing, complete (including screening and washing at stone aggregate without shuttering. Ratio 1:4:8	% Cft	4850.00	11288.75	547504.38
II No.6 No.17	Reinforced Cement concrete work including all labour and material except the cost of steel reinforcement and its labour for bending and binding which will be paid separately (i) Ratio (1:2:4)	P. Cft	14200.00	337.00	4785400.00
No.22 Ee 604	EARTHFILLING Filling, Watering and ramming earth under floor with new earth (Excavated from outside) lead upto one chain and lift upto 5 feet.	P. Cft	40000.00	11.00	440000.00
No 24 189 10 19	Providing and laying 1:3:6 cement concrete solid block masonry wall above 6" in thickness set in 1:6 cement mortar in G.F. Ground Floor super structure including raking out joints & curing etc, complete	%Cft	5000.00	15771.01	788550.50
SINo Mage No 20	Pacca brick work in foundation and plinth in: (d) Cement sand mortar 1:5	% Cft	200.00	12176.08	24352.16
05/P-	Cement concrete plain including placing compacting, finishing and curing complete including screening and washing at stone aggregate without shuttering. (f) Ratio 1:2:4)	%Cft	1500.00	14429.25	216438.75

§ & Youth Affairs Department, Government of Sindh

	<u></u> ;				·
\$I No. 05 lage No.	Cement Concrete plain including placing compacting finishing and curing, complete (including screening and washing at stone aggregate without shuttering. Ratio 1:3:6	% Cft	100.00	12595.00	12595,00
\$I No. 19 Page No. 18	Erection and removal of centering for R.CC or plain cement concrete work of deoder wood (2nd-class) for partel wood (ii) vertical.	% Sft	2600.00	3127.41	81312.66
SI No. 28 Page No.	Damp proof course with (cement sand and shingle concrete 1: 2: 4) including 2 coats of asphaltic mixture. (b) 2" thick	% Sft	1500.00	3912.85	58692.75
SI No. 09 Page No.	Bitumen coating to plastered or cement concrete surface.	% Sft	4000.00	778.09	31123.60
P. No. SP P. No.52	Cement Plaster 1:4 up to 12' height. (c). 3/8" thick. (Ceiling)	%Sft	8100.00	2197.52	177999.12
SI No. III(b) SP II No.52	Cement plaster (1:4) up to 12 ' height 1/2" thick Internal walls	%Sft	14000.00	2283.93	319750.20
SI No. L (c) SP P=No.52	Cement plaster (1:4) up to 12 ' height 3/4" thick External Wall.	%Sft	8500.00	3015.76	256339.60
(S) 1 No 29/P-	P/F G.I. Frames / Chowkats of size 7"x2"/4-1/2"x3" for doors using 20 gauge G.I. Sheet in/c welded hinges & fixing at site with necessary hold fasts, filling with cement sand slurry of ratio 1:6 & repairing the jambs. The cost also i/c all carriage tools & plants used in making and fixing.	P. Rft	150,00	228.90	34335.00
\$6.43/P- 39)	False Ceiling. Providing and fixing false ceiling of thermopile in panels of required design and size including frame work of Aluminum T-Section hanged with nail wire to ceiling etc completed.	Sft	660.00	91.50	60390.00
No 24(e)	Distempering Preparing the surface & painting with Distemper Paint Three Coat.	%Sft	8100.00	1079.65	87451.65
SUNO: 38 (Abbib), linge No.55	(A) Preparing the surface and painting with matt finish I/c rubbing the surface with Bathy (silicon carbide rubbing brick) filling the voids with zink /chalk / plaster of paris mixture, applying first coat premix, making the surface smooth and then painting 3 coats with matt finish of approved make etc: complete (new surface).	% Sft	14000.00	1989.62	278546.80
	(B) 2 nd & subsequent coat.	% Sft	14000.00	1454.76	203666.40

Sports & Youth Affairs Department, Government of Sindh

	•				
\$1 No. 38 (a+b+b). Page No.56	(A) Preparing the surface and painting with weather coat i/c rubbing the surface with rubbing brick / sand paper. Filling the voids with chalk/ plaster of Paris and then painting with weather coat of approved make.	%Sft	500.00	1328.25	6641.25
	(B) 2 nd & subsequent coat.	%Sft	500.00	1239.70	6198.50
SI No.31 (a+b+b).	(A Preparing the surface & painting with enamel Paint on masonry walls.	% Sft	500.00	579.14	2895.70
Page No 73	(B) 2 nd & subsequent coat	%Sft	500.00	870.00	4350.00
31 No 8 P No 17	Fabrication of mild steel reinforcement for cement concrete including cutting, bending laying in position making joints and fastenings including cost of binding wire (also includes removal of rust) (b). Using Tor Bars.	P. Cwt	800.00	5001.70	4001360.00
No. 30	Providing and fixing iron steel grill using solid square bars of size ½" x ½" placed at 4" and frame of flat iron Patti of ¾" x ¾" i/c circle shape at 1-0 apart equivalent fitted with screws are pins i/c painting 3 coats with 1st coat of red oxide paints etc.	P. Sft	100.00	194.16	19416.00
§ No. 32 P No. 94	Providing and fixing iron collapsible gate with channel framing of section 34"x5/16" at 4" revitted with 34" x1/8" flat iron patti placed diagonally and provided with top & bottom T-section 1" x 1" 1/8" along with rollers also I/c locking arrangement and fixing in floor/ceiling or wall etc completed.	P.Sft	140.00	387.04	54185.60
SL No.31 lage No.94	Providing and fixing of iron steel grill door with angle iron frame of 1 1/2" x 1 1/2" x 1/4" and flat iron of 3/4" x 1/4" with approved design and locking arrangement embedded in Masonry as per instruction of Engineer Incharge.	P. Sft	600.00	231.60	138960.00
Marble, Til	e, Alcop Door, Ply Door and Works.	1			·
NSINO 84 Page No.108	Supplying and fixing in position Aluminum channels framing for sliding windows and ventilators of Alcop made with 5 mm thick tinted glass glazing (Belgium) and Aluminum fly screen including handles stoppers and locking arrangement etc complete. (a) Deluxe Model (white).	P. Sft	900.00	1592.69	1433421.00
No.25 P.No.43	Laying floors of approved coloured glazed tiles 1/4" thick laid I white cement and pigment on a bed of 3/4" thick cement mortar 1:2.	% Sft	8000.00	27747.06	2,219,764.80
No.28 No.43 No.43	Lying of White marble flooring fine dressed on the surface without winding set in lime mortar 1:2 including rubbing and polishing of the joints. (b) 1" thick flooring ith Affairs Department, Government of	P. Sft Sindh	750.00	628.93	471697.50

30

	,	:		!	
No.60 Page No.66	Wooden Beading Providing and fixing with sunk iron screws wooden Architrave approved design / shape begins width not less	P. Rft	100.00	49.97	4997.00
	design / shape having width not less than 2-1/2 inches as directed by Engineer Incharge.				
SI No.51	Providing and fixing in position door	P. Sft	185.00	1245.96	230502,60
Page	and windows and ventilator for first	1.51	105.00	12 10.50	250502.00
No.64	class deodar wood frames 1 1/2" thick	ļ ·			
	and teak wood ply shulters of forst class)		
	deodar wood skelton (Solid) stiled and		}		
	ply wood stilled and rails core of Partal wood and teak ply wood (3 ply) on both	[
	sides including hold fasts hinges al-	ĺ	Ì		
	drops iron tower bolts handles cleats	<u> </u>			
	with cord etc. complete.		4	. (₹.,
jary Work		·	······································		
(CSI #	Providing and fixing orisa type white	Each	4.00	6166.60	24666.40
(P# 1)	glazed earthenware W.C. pan with cost		}	\	
	of low level plastic flush tank of 3		}		
	gallons capacity of approved quality	. [
	and flush pipe with bend and making requisite number of holes in walls plinth				
	& floor for pipe connection & making		ì		
	good in cement concrete 1:2:4. (ii).		ļ		
	With 4" dia earthen ware trap and		ļ		
	plastic thumble.				
\$ I No. 4	Providing & European type white	Each	4.00	5,339.40	21,357.60
Page No:	glazed earthen were wash down w.c pan				
	complete with & laid with C.P brass				
	hinges best quality and buffers 3 gallons plastic flushing cistern with internal		}		
	fitting with fitting and clamp 3/4" dia				
	and cutting and making requisite		ļ		
	number of holes in walls plinth & floor				
	for pipe connection & making good in				
	cement concrete 1:2:4.			1050.50	
I No. 8 Rage No.3	Providing and fixing 24" x 18" lavatory basin in white glazed earthen ware complete	Each	4.00	4,253.70	17,014.80
INC.J	with & i/c the cost of W.I OR C.I cantilever			•	
	brackets 6 inches built into wall, painted			·]	
	white in two coat after a primary coat of red				
	lead paint, a pair of 1/2" dia rubber plug & chrome plate brass chain 1-1/4" dia	}	ļ	1	ļ
	malleable iron or C.P Brass traps malleable	•		ł	
	iron or brass union and making requisite		Ì	}	
	number of holes in walls, plinth and floor for pipe connection and making good in		1	}	!
	cement concrete 1:2:4	İ	*		ļ
M No.11	Pedestal. Add extra for labour for	Each	4.00	2533.47	10133.88
lige	providing and fixing of earthen ware]	Ì	
03	pedestal white or coloured glazed		1		
Market Co.	(Foreign or Equivalent)			4 4 77 4 77	2555.00
SI No.23	PVC Connection. Providing and fixing	Each	8.00	447.15	3577.20
No.06	in position nylon connections with 1/2" dia, brass stop cock with pair of brass		.]	}.	•
	nuts and lining joints to nylon	}	1	\ \frac{1}{2}	
	connection.	ļ			`
TO YE	th Affairs Department, Government of	Cim dla			/

pris & Youth Affairs Department, Government of Sindh

				\	-
SI Np.18	Ceramic Sink. Providing and fixing 24"	Each	4.00	4722.30	18889.20
Page No.5	x 18" x 8" white glazed fire clay sinks	{ }			
	complete including cost of C.I or W.I	{			
	brackets 6 inches build into walls, 1 1/2" rubber plug & chrome plated brass	{ }		·	
	chain 1 1/2" C.P brass washer 1-1/2"	{ }	·		•
	dia, jmalloable nuions and making	,	[
	requisite number of holes in walls,	}	,	ļ	
	plinth and floor for pipe connection and	\ \	\ \ \ [*]		•
	making good in cement concrete 1:2:4	}	}	}	
\$	(Foreign or Equivalent).	S S	}	}	ļ
		[}	
SI No.21	Floor Trap. Providing and fixing C.I	Each	8.00	1671.58	13372.64
Page	trap with 4" dia inlet and 4" dia outlet of	1	}		
No.06	the approved self cleaning design with a	1 1			
	C.I grating with or without a vent arm	}	***		
	including cast of making requisite	} . }	•	}	
	number of holes in walls, plinth & floor	1	}	}	
	for pipe connection and making good	}			
	cement concrete (1:2:4).	 			
	Gully Trap	<u> </u>		 	
SI No.1	Providing and fixing 6"x4" gully trap	Each	8.00	1220.67	9765.36
Page	with 4" outlet complete with 4" thick				
No,24	1:2:4 C.C for bed & 1/2" thick cement			1	j
	plaster (1:3) to the karb, C.I grating 6"x6" & C.I cover and frame 12"x12"	}	}		}
	(inside) etc. complete. Earthen ware	}	1	}	
	glazed gully trap 6"x6"x4" with C.I	} }	j		
	cover & frame.	{ }	j	;	
	Tee Stop Cock				
§I No.12-	Supply/Fixing concealed tee-stop cock	Each	8.00	843.92	6751.36
Page	of superior quality with c.p. head 1/2"	Each	8.00	643.92	0/21.20
No.18	dia.	<u>}</u>	1	}	
\$I No.19	(a). Supplying and fixing C.P Muslim	Each	8.00	3432.00	27456.00
Page	Shower with double Bib Cock & Ring	Bion	8.00	J452.00	27450.00
NO.19	Pipe etc complete.	j . j	}	ļ	
SI No.6-I	Gate Valve. Providing and fixing ball				
Page	valve (with unsoldered copper ball)]	ì	ł	
No.18	made to BBS 1212.))		ł	
	a) 1/2 inch dia	Each	8.00	235.84	1886.72
	b) 3/4 inch dia	Each	8.00	290.84	2326.72
I No.1	Supplying and fixing in position brass	Each	8.00	337.92	2,703.36
ei No.1 Page	bib cocks.	Each	0.00	331.94	2,703.30
No.16	(i). (b). 1/2" dia Brass bib cock,		}	ì	
	standard pattern.]	}	Ì	
\$I No.1	Providing & fixing chrome plated brass	Each	4.00	972.95	3891.80
Page	towel rail complete with brackets fixing]			
No.07	on wooden cleats with 1" long C.P] [}	Ì	
	brass screws]	}	}	
	Towel rail 24" long.		}	}	
	3/4" dia round or square (Standard	}	}	}	ĺ
	Pattern)				
No.1	Supplying & fixing soap tray earthen	Each	4.00	497.20	1,988.80
Rage	ware with C.P screws etc complete] ,]	}	ĺ	
No.07					
		1 17 - 1 - I	4.00	1,717.60	6,846.40
新 元本:	Providing & fixing 24"x18" bavelled	Each	1.00	-,, -C I	· / · · · · · · · · · · · · · · · · · ·
Roge & You	nthiAffairs Belgium Cats Complete enith f	Sindh			to
	nthir of and Belgium Plats Goverlate and the 1/8" thick hard board and C.P screws 2	Sindh	1.00		to
Roge & You	nthiAffairs Belgium Cats Complete enith f	Sindh		TAFEEZ CONSTRUC	to

w.18 (b). Supply and fixing concealed Stop Cock of superior quality with C.P head 1/2" dia. No.23 Supplying and fixing bath room accessories set (7) pieces i/c towel rod, brush holder, soap try, shelf of approved design including cost of screw, nuts etc complete. (Master Brand) No.2 Providing & fixing C.P brass toilet paper holder of stander size with chrome plated brass brackets complete (Similar to twyfords design no.1108) (b). Superior Quality with C.P head etc complete. (Similar to twyfords design no.1108) (b). Superior quality with C.P head etc complete. (Similar to twyfords design no.1108) (b). Supplying / Fixing sink mixture cock of superior. (Supplying / Fixing wash basin mixture of superior quality with C.P head etc complete. (Supplying / Fixing sink mixture of superior quality with C.P head stocomplete. (Supplying of Supplying of Suppl				\ \		;
quality for titles Bath Rooms. (b) Supply and fixing concealed Stop Cock of superior quality with C.P head 1/2" dia. No.23 Supplying and fixing bath room approved design including cost of screw, mus etc complete. (Master Brand) 180.2 Providing & fixing C.P brass tolet as appear holder of stander size with chrome plated brass brackets complete (Similar to twyfords design no.1108) 180.2 Providing & fixing C.P brass tolet as appear holder of stander size with chrome plated brass brackets complete (Similar to twyfords design no.1108) 180.1 Supplying / Fixing sink mixture cock of superior quality with C.P head etc complete. 180.1 No.1 Supplying / Fixing wash basin gign. 19 180.1 Supplying / Fixing wash basin mixture of superior quality with C.P head etc complete. 180.1 Supplying / Fixing fixing wash basin gign. 19 180.1 Supplying / Fixing fixing wash basin gign. 19 180.1 Supplying / Fixing fixing wash basin gign. 19 180.2 Supplying of fixing fiber glass tank of approved quality and design and wall thickness as specified i/c cost of nuts, bolts and fixing in platform of cement concerte 13-6 and making connections for in-let & out-let & over flow pipes etc complete. (a). 250 Gallions Wall thickness 3.5 mm. 180.1 Constructing manifole or inspection chamber for the required diameter of treather sever and 3'-6' (1067mm) depth with walls of B.B in cement sand mortar 1.3 cernent walls and 7' (25mm) hick over benching and channel i/c fixing C.I manhole cover with frame of clear opening 1-1/2' x 1-1/2' (457x457mm) of 1.75 cwt. (88 s kg) embedded in plain C.C. 1:2-4 and fixing 1' (25mm) hick over benching and channel i/c fixing C.I manhole cover with frame of clear opening 1-1/2' x 1-1/2' (457x457mm) of 1.75 cwt. (88 s kg) embedded in plain C.C. 1:2-4 and fixing 1' (25mm) diameter of wall at 12' (25mm)		Standard Pattern.				
accessories set (7) pieces i/c towel rod, brush holder, soap try, shelf of approved design including cost of screw, nuts etc complete. (Master Brand) No.2 Providing & fixing C.P brass toilet paper holder of stander size with chrome plated brass brackets complete (Similar to twyfords design no.1108) (b) Superior Quality No.17 (Supplying / Fixing sink mixture cock of superior quality with C.P head etc complete. No.14 (a) Supplying / Fixing wash basin mixture of superior quality with C.P head etc complete. No.3 (a) Supplying / Fixing wash basin mixture of superior quality with C.P head in superior quality with C.P head in mixture of superior quality with C.P head etc. of constructing manhole or inspection for in-let & out-let & over flow pipes etc complete. (a). 250 Gallions Wall thickness 3.5 mm. No.01 Constructing manhole or inspection for in-let & out-let & over flow pipes etc complete and "-6" (105mm) depth with walls of B.B in cement sapa mortar 1:3 cement walls and "-2" (25mm) thick over benching and channel let fixing C.I manhole cover with frame of clear opening 1-1/2" x 1-1/2" (457x457mm) of 1.75 cwt. (88.9 kg) embedded in plain C.C 1:2:4 and fixing 1" (25mm) dia M.S. Steps 6" (150mm) wide projecting 4" (102mm) from the face of wall at 12" (305mm) C.	age 6.18	quality for tiles Bath Rooms. (b). Supply and fixing concealed Stop Cock of superior quality with C.P head	Each	8.00	509.74	4077.92
paper holder of stander size with chrome plated brass brackets complete (Similar to twyfords design no.1108) (b) Superior Quality No.17 Supplying / Fixing sink mixture cock of superior quality with C.P head etc complete. No.14 (a) Supplying / Fixing wash basin mixture or superior quality with C.P head I/2" dia. No.03 Supplying and fixing fiber glass tank of approved quality and design and wall thickness as specified \(\frac{1}{1} \) cost of muts, bolts and fixing in platform of cement concrete 1:3:6 and making connections for in-let & out-let & over flow pipes etc complete. (a) . 250 Galions Wall thickness 3.5 mm. No.01 Constructing manhole or inspection chamber for the required diameter of ircular sewer and 3"-6" (1067mm) depth with walls of B.B in cement sand mortar 1:3 cement walls and 1" (25mm) hick over benching and channel \(\frac{1}{1} \) (267mm) depth with walls of B.B in cement sand mortar 1:3 cement walls and 1" (25mm) hick over benching and channel \(\frac{1}{1} \) (275mm) mix (106 C) and drawing (a) 4"to 12" dia 2"x2"x3".6" No.06 Providing, Laying UPVC Pressure Work (1021) and pointing with solvent cement including testing with water to a head 122 meter or 400 Ft. (f) 100 mm (4" dia) P. Rft 150.00 226.00 33900.00	age	accessories set (7) pieces i/c towel rod, brush holder, soap try, shelf of approved design including cost of screw, nuts etc complete. (Master	Each		10322.40	41289.60
superior quality with C.P. head etc complete. No.14 (a) Supplying / Fixing wash basin mixture of superior quality with C.P. head 1/2" dia. No.3 Supplying and fixing fiber glass tank of approved quality and design and wall thickness as specified i/c cost of nuts, bolts and fixing in platform of cement concrete 1:3:6 and making connections for in-let & out-let & over flow pipes etc complete. (a). 250 Gallons Wall thickness 3.5 mm. No.01 Constructing manhole or inspection chamber for the required diameter of circular sewer and 3"-6" (1067mm) depth with walls of B.B in cement sapt mortar 1:3 cement walls and 1" (25mm) thick over benching and channel i/c fixing C.I manhole cover with frame of clear opening 1-1/2 x 1-1/2" (457x457mm) of 1.75 cwt. (88.9 kg) embedded in plain C.C 1:2:4 and fixing 1" (25mm) dia M.S. Steps 6" (150mm) wide projecting 4" (102mm) from the face of wall at 12" (305mm) C/C duly painted etc. complete as per standard specification and drawing (a) 4"to 12" dia 2'x2'x3'.6" No.06 [No.06 No.06 N	age io 107	paper holder of stander size with chrome plated brass brackets complete (Similar to twyfords design no.1108) (b) Superior Quality				8571.20
mixture of superior quality with C.P head 1/2'' dia. No.3 Supplying and fixing fiber glass tank of approved quality and design and wall thickness as specified i/c cost of nuts, bolts and fixing in platform of cement concrete 1:3:6 and making connections for in-let & out-let & over flow pipes etc complete. (a). 250 Gallons Wall thickness 3.5 mm. No.01 Constructing manhole or inspection chamber for the required diameter of circular sewer and 3'-6' (1067mm) depth with walls of B.B in cement sand mortar 1:3 cement walls and 1'' (25mm)n thick over benching and channel i/c fixing C.I manhole cover with frame of clear opening 1-1/2' x 1-1/2' (437457mm) of 1.75 cwt. (8.9 kg) embedded in plain C.C 1:2:4 and fixing 1'' (25mm) dia M.S Steps 6'' (150mm) wide projecting 4'' (102mm) from the face of wall at 12'' (305mm) C/C duly painted etc. complete as per standard specification and drawing (a) 4'to 12'' dia 2'x2'x3'.6'' No.06 Providing, Laying UPVC Pressure Pipes of Class "D' fixing in trench i/c cutting, fitting and jointing with solvent cement including testing with water to a head 122 meter or 400 Ft. (i) 100 mm (4'' dia) P. Rft 150.00 226.00 33900.00	133	superior quality with C.P head etc	Each	4.00		
approved quality and design and wall thickness as specified i/c cost of muts, bolts and fixing in platform of cement concrete 1:3:6 and making connections for in-let & out-let & over flow pipes etc complete. (a). 250 Gallons Wall thickness 3.5 mm. No.01 No.01 Constructing manhole or inspection circular sewer and 3'-6' (1067mm) depth with walls of B.B in cement sand mortar 1:3 cement walls and 1'' (25mm)n thick over benching and channel i/c fixing C.I manhole cover with frame of clear opening 1-1/2' x 1-1/2' (457x457mm) of 1.75 cwt. (88.9 kg) embedded in plain C.C 1:2:4 and fixing 1'' (25mm) dia M.S. Steps 6'' (150mm) wide projecting 4'' (102mm) from the face of wall at 12'' (305mm) C/C duly painted etc. complete as per standard specification and drawing (a) 4"to 12" dia 2'x2'x3'.6" No.24 Providing, Laying UPVC Pressure Pipes of Class ''D'' fixing in trench i/c cutting, fitting and jointing with solvent cement including testing with water to a head 122 meter or 400 Ft. (i) 100 mm (4'' dia) P. Rft 150.00 226.00 33900.00	85-86: 1 1	mixture of superior quality with C.P	Each	4.00	2882.00	11528.00
chamber for the required diameter of circular sewer and 3'-6" (1067mm) depth with walls of B.B in cement sand mortar 1:3 cement walls and 1" (25mm)n thick over benching and channel i/c fixing C.I manhole cover with frame of clear opening 1-1/2' x 1-1/2' (457x457mm) of 1.75 cwt. (88.9 kg) embedded in plain C.C 1:2:4 and fixing 1" (25mm) dia M.S Steps 6" (150mm) wide projecting 4" (102mm) from the face of wall at 12" (305mm) C/C duly painted etc. complete as per standard specification and drawing (a) 4"to 12" dia 2'x2'x3'.6" S. No.06 Providing, Laying UPVC Pressure H Work No.24 Providing, Laying UPVC Pressure Pipes of Class ''D'' fixing in trench i/c cutting, fitting and jointing with solvent cement including testing with water to a head 122 meter or 400 Ft. (i) 100 mm (4'' dia) P. Rft 150.00 33900.00	age	approved quality and design and wall thickness as specified i/c cost of nuts, bolts and fixing in platform of cement concrete 1:3:6 and making connections for in-let & out-let & over flow pipes etc complete. (a). 250 Gallons Wall	Each	2.00	21,989.61	43,979.22
He Work Pipes of Class "D" fixing in trench i/c cutting, fitting and jointing with solvent cement including testing with water to a head 122 meter or 400 Ft. (i) 100 mm (4" dia) P. Rft 150.00 226.00 33900.00	P)CH: H. Work	chamber for the required diameter of circular sewer and 3'-6" (1067mm) depth with walls of B.B in cement sand mortar 1:3 cement walls and 1" (25mm)n thick over benching and channel i/c fixing C.I manhole cover with frame of clear opening 1-1/2' x 1-1/2' (457x457mm) of 1.75 cwt. (88.9 kg) embedded in plain C.C 1:2:4 and fixing I" (25mm) dia M.S Steps 6" (150mm) wide projecting 4" (102mm) from the face of wall at 12" (305mm) C/C duly painted etc. complete as per standard specification and drawing	Each	2.00	14,748.00	29,496.00
(i) 100 mm (4" dia) P. Rft 150.00 226.00 33900.00	H Work	Pipes of Class "D" fixing in trench i/c cutting, fitting and jointing with solvent cement including testing with water to a				
			P. Rft	150.00	226.00	33900.00
##### [(11) 100 mm ((k) 150 mm (6" dia)	P. Rft	250.00	483.00	120750.00

orts & Youth Affairs Department, Government of Sindh
33

Refer Nr. 1	N		,		
SI No.1	Providing G.I Pipes, specials and				
Page	clamps etc including fixing cutting]	}		
No.12	&fitting complete with and including	{	\ \		
	the cost of breaking through walls and	į į			
	roof making good etc painting two coats				•
	after cleaning the pipe etc with white	·	1		•
	zink paint with pigment to match the	ļ	{		
	colours of the building and testing with				,
	water to pressure head of 200 feet and	<u> </u>	i .		
	handling.	D D C	100.00	05.70	20.216.00
	(i). 3/4" dia GI Pipe.	P. Rft	400.00	95.79	38,316.00
	(ii). 1" dia GI Pipe.	P. Rft	100.00	128.55	12,855.00
SI No.01	F. Providing, Laying and Jointing P.E	P. Rft	100.00	92.00	9200.00
Page	pipes. Providing Laying & Fixing	į	!	į	
No.25	trench i/c fitting jointing & testing etc	ĺ	49		
	complete in all respect the high Density			. [•
	Polyethylene PE pipe (HDPE-100) for		, ,		
	W/S conforming ISO			1	
	4427/DIN8074/8075 B.S 3580 & PSI) [}	
ifrical Work	3051.				
	<u>• </u>				
SI No.124	Wiring for light or fan point with 3/.029	P. Point	150.00	1130.00	169500.00
lage No 15	PVC insulated wire in 20mm (3/4")	i i			
	PVC conduit recessed in the wall or	į	,	[
	column as required.				·
SI No.227	Providing and fixing three pin 10/15	P. No	10.00	162.00	1620.00
Page No.33	amp plug & socket flush type.	, ,	}	!	ļ
SI No.227	Providing and fixing three pin 5amp	P. No	16.00	151.00	2416.00
Page No.33	plug & socket flush type.	1.110	10.00	151.00	2110.00
SI No.11	Providing and laying (Main or Sub	P. Meter	200.00	252.00	50400.00
Page No.02	Main) PVC insulated with siz 2-7/.036	F. IVICIEI	200.00	232.00	30400.00
	copper conductor in 3/4" dia PVC]		
	conduit recessed in the wall or column		1		
	as required.	1	}	(III	
SI No. 203	Providing & fixing circuit breaker	P. No	16.00	916.00	14656.00
Page No.	6,10,15,20,30,40,50, and 63 amp SP	1,110	10.00	710.00	7105010
81	(TB-5S) on prepared board as required.	ļ	}	}	
WAT: 107					1500100
No.197 Page No.30	Providing & fixing D.P I/C & change	P. No	2.00	7612.00	15224.00
age 140.30	over switch 500 volts 100 amp on a		İ	.)	ĺ
100 No. 220	prepared board.	- n > r	20.00	70.00	2160.00
No.228 Page No.33	Providing & Fixing Bakelite ceiling	P. No	30.00	72.00	2160.00
PIECTAD:22	rose with two terminals.			ļ	
SINo. 235	Providing & Fixing Brass Ceiling Fan	P. No	30.00	3185.00	95550.00
Page No.34	56" Inches (Good Quality).		1		
NOTE OF COLUMN					1051000
SI No.236	Providing & fixing Brass Bracket Fan	P. No	6.00	2791.00	16746.00
Page No.34	18" (Good Quality)			Í	
No.102	Providing and laying of (Main or Sub	P. Meter	150.00	1300.00	195000.00
Page	Main) PVC sheeted with 4 core copper				
10.12	conductor 600/1000 volts size 16mm2		Ì	ĺ	
	<u> </u>				
(Old Schedu	ile Items 2004				

ports & Youth Affairs Department, Government of Sindh 34

3610.04	3610.04	1.00	Each	Providing and fixing earthing set with 2x2x1/4" copper plate buried in ground	e
				at a depth of 12" or less if water comes	
÷.			į	out from the ground level with salt and chorcoal etc i/c making the pit 12" deep	
				by excavation of all type of soil. Earth	
		.		plat to be connected with No.8	
3729.00	124.30	30.00	Each	Providing & fixing A.c ceiling fan	
				regulator on metal board recessed in the	5
				walls column and covered with plastic sheet.	4
29820.00	497.00	60.00	Each	Providing & fixing of Energy sever	No.06
	j			superior quality i/c fixing on existing	9
18534252.51	TD - 4 - 1 - 1	<u> </u>		holder etc complete.	33
370685	Total:-	Above			
3 100031	2/0 /0	Below			
1890493	ead "A" Total				
			r Ground	Construction of Car Parking, Unde	
	Court City, Co	THE IMP	Ground	Existing Boundary Wall.	d "B"
6352.50	3176.25	2000.00	% 0 Cft	Excavation in foundation or building	No.18
				bridges and other structures including	lo,4
				dabbling dressing, refilling around structure with excavated earth Watering	
			·	and ramming lead upto 5ft. (b). In	100
				ordinary soil.	
7018.00	2420.00	2000.00	% 0 Cft	Earth for slush or daldal I/c dewatering	No. 16
299475.00	3327.50	9000.00	% Cft	Dury named built on stone ballast I	lo, 04
277473.00	3327.30	9000.00	70 CI	Dry rammed brick or stone ballast 1 1/2" to 2" Gauge.	No.2
*				The to be Gatago.	15
2268.75	1512.50	1500.00	% 0 Cft.	BackFilling	No.21
		:		Surplus Earth Filling, watering and	e A
				ramming earth in floors with surplus earth from foundation lead upto one	U 4
				chain and lift upto 5 feet.	
620881.25	11288.75	5500.00	% Cft	Cement Concrete plain including	lő, 05
				placing compacting finishing and	e No.
				curing, complete (including screening and washing at stone aggregate without	
				shuttering. Ratio 1:4:8	
606600.00	337.00	1800.00	P. Cft	Reinforced Cement concrete work	No.6 P
				including all labour and material except	17
				the cost of steel reinforcement and its	
				labour for bending and binding which will be paid separately.(i) Ratio (1:2:4)	
319000.00	11000.00	29000.00	% 0 Cft	EARTHFILLING Filling, Watering and	No.22
• .				ramming earth under floor with new	e
				earth (Excavated from outside) lead	04
31542.0	15771.01	200.00	%Cft	upto one chain and lift upto 5 feet.	Na 24
	10.11101	200.00	/0CI	Providing and laying 1:3:6 cement concrete solid block masonry wall	No.24 No.
313.2.0	l	1 1			题: 10.
01012].		above 6" in thickness set in 1:6 cement	
0.3 12.3				mortar in G.F Ground Floor super	
				1	

					<u>:</u>
SI No. 04 Page No. 4 20	Pacca brick work in foundation and plinth in: (d) Cement sand mortar 1:5	% Cft	600.00	12176.08	73056.48
(1) No 05/P- 16)	Cement concrete plain including placing compacting, finishing and curing complete including screening and washing at stone aggregate without shuttering. (f) Ratio 1:2:4)	%Cft	6500.00	14429.25	937901.25
SI No; 05 Rage No.	Cement Concrete plain including placing compacting finishing and curing, complete (including screening and washing at stone aggregate without shuttering. Ratio 1:3:6	% Cft	100.00	12595.00	12595.00
iSi No: 19 Tage No. 18	Erection and removal of centering for R.CC or plain cement concrete work of deoder wood (2nd-class) for partel wood (ii) vertical.	% Sft	200.00	3127.41	6254.82
SINÖ, 28 Pige No,	Damp proof course with (cement sand and shingle concrete 1: 2: 4) including 2 coats of asphaltic mixture. (b) 2" thick	% Sft	100.00	3912.85	3912.85
\$1 No. 11 P No.52	Cement plaster (1:4) up to 12 ' height 3/4" thick.	% Sft	1500.00	3015.76	45236.40
(a Dr b). (a Dr b). (age. No 56	(A) Preparing the surface and painting with weather coat i/c rubbing the surface with rubbing brick / sand paper. Filling the voids with chalk/ plaster of Paris and then painting with weather coat of approved make.	%Sft	20000.00	1328.25	265650.00
	(B) 2 nd & subsequent coat.	%Sft	200.00	1239.70	2479.40
STNö:31 (a+b+b).	(A Preparing the surface & painting with enamel Paint.	% Sft	200.00	579.14	1198.28
1999 No.78	(B) 2 nd & subsequent coat	%Sft	200.00	870.00	1740.00
INO.8	Providing & fixing angle iron vertical plsts for barbed wire fencing of size 2" x 2" 1/4" embedded in RCC /Masonry pillars I/c Making cuts/ holders @ 12" I/c fixing in pillars by chiseling and filling the with cement sand mortar, saprining & finishing the surface.	P. Rft	600.00	169.18	101,508.00
N696	Providing & fixing barbed wire fencing with 12 gauge -4 points @ 6" apart barbed wire I/c straightening & fixing in angle iron vertical posts.	P. Rft	2000.00	8,38	16760.00
SILNo: 04 PNo:95	Jungle clearance and removing within 100 feet. (b) Thick	% 0 Sft	21500.00	151.25	3251.87
SJL No.29 1 No.26	Supplying and filing sand under floor and plugging in walls. (Sweet Earth).	% Cft	800.00	1141.25	9130.00

Youth Affairs Department, Government of Sindh

P.I. No.27 SP.17.1	Turfing slops of banks or lawns with grass sods including ploughing laying, setting and watering (Turf got from within a distance of 5 miles and maintenance for 15 days) including three cutting layer grass complete in all respects as per instruction of engineer incharge.	% Cft	1600.00	1210.00	19360.00			
SINO.14 Page No.16	Kerb Stone. Providing & fixing pre-cast Edge Block 3750 PSI Industrial Made size 6 inches thick x 12 inches long x 18 inches high including the cost of Cartage, excavation form work for hunching, 1450 PSI lean concrete, 2250 PSI concrete for hunching, 1:4 cement sand mortar.	P. Rft	400.00	400.00	160000.00			
§ No.8 P No.17	Fabrication of mild steel reinforcement for cement concrete including cutting, bending laying in position making joints and fastenings including cost of binding wire (also includes removal of rust) (b). Using Tor Bars.	P. Cwt	105.00	5001.70	525178.50			
SI No.31 Page No.94	Providing and fixing of iron steel grill door with angle iron frame of 1 1/2" x 1 1/2" x 1/4" and flat iron of 3/4" x 1/4" with approved design and locking arrangement embedded in Masonry as per instruction of Engineer Incharge.	P. Sft	50.00	231.60	11580.00	Section 1997		
SI No 27 Page No 93	Supplying & fixing special heavy type steel doors for look-ups with angle iron frame of 2-1/2" to 2-1/2" x3/8" size and shutter of 2" x 2" X 3/8" with 1" diameter M.S Bars placed @ 4" center to center with separate locking box having size of 12" x 12" of M. Steel sheet embedded in masonry with proper locking arrangement as per approved design including cost of erection of steel gate and fixing in masonry wallin cement concrete 1:2:4 etc complete as per instruction of Engineer Incharge.	P. Sft	126.00	930.76	117275.76			
SI No.25 P No. 43	Laying floors of approved coloured glazed tiles 1/4" thick laid I white cement and pigment on a bed of 3/4" thick cement mortar 1:2.	% Sft	800.00	27747.06	221,976.48	A STATE OF THE STA		
No.71 Page No.49	Providing & fixing cement paving blocks flooring having size of 197 x 60 (mm) of city / quddra / cobble shape with natural colours, having strength b/w 5000 psi to 8500 psi I/c filling the joints with hill sand and laying in specified manner / pattern and design etc: complete.	P.Sft	10000.00	199.77	1997700.00	The state of the s		
				Total Rs:-	6426842.61			
			Above	2/0 %	128536.8	5		
		%	6555379.					
	Sub Head "B" Total Rs:- (

its & Youth Affairs Department, Government of Sindh

2200

GOVERNMENT CONTRACTOR

14	f 1		r	· ·		 -
	4	NON SCHE	DULE ITE	MS		
1000000000000000000000000000000000000	N.S.I	Providing and Fixing of fiber glass seats including cost of steel frame, rowel bolts etc, fixing complete all respects as per drawings and instructions of the Engineer Incharge.	P. Each	230.00	3450	793500
	N.S.I	Pre-Engineered Steel Roof. Providing and fixing of Pre-Engineered Steel building structure (by approved Manufacturer) including all accessories as per specification supplying and fixing by their authorized fixers including the roof panel, wall panels of 0.5mm thick aluzinc coated steel with 50mm thick fiber glass insulation including the shipment and fixing complete in all respect as per drawings and specifications and instruction of Engineer Incharge.	P. Sft	6721.00	1256	8401250
の大きなのでは、大きなないのできる	N.S.I	Supply and fixing of stainless steel railing approved design and shape upto 4 feet high including wastage and welding and fixing with all accessories complete in all respect as per instruction of Engineer Incharge.	P. Rft	210.00	2100	441000
	N.S.I	Alcubond Facing. Supplying and Fixing Alcubond facing with all fixing accessories complete in all respect approved by the client as per specification and instruction of the engineer incharge.	P. Sft	1500.00	800	1200,000
	N.S.I	Facing Tiles. Supplying and fixing of facing tiles manufactured by Envicrete or equivalent of approved colour with all fixing accessories and materials complete in all respect approved by the client as per specification and instruction of Engineer Incharge.	Sft	2500.00	320	800,000
The second secon	N.S.I	Synthetic Flooring for Badminton Court Supplying and fixing of Synthetic / PVC flooring for badminton court in layers as per standards with all fixing accessories complete in all respect approved by the client as per specification and instruction of the Engineer Incharge.	P. Sft	2970.00	900	2673000
	N.S.I	Providing and Fixing of HBL01 LED light 150 watt with lamp, chock, capacitor, igniter & internal wiring at the high-up to 35 Feet with the help hydraulic crane and manual labour with commissioning and installation of fixture as per instruction of engineer incharge	P. No	20.00	30000	600,000

ports & Youth Affairs Department, Government of Sindh 38

2 E E E	<u></u>		中的 排 一根		N
N.S.I	Preparing the surface and Painting with Graffito complete in all respects as perinstruction of Engineer Incharge.	P. Sft	6500.00	65	422500
N,S.I	Supply & Fixing of LED Lights 12 Watts complete in all respect as per instruction of engineer incharge	P. No	45.00	1200	54,000
N.S.I	Supply and Fixing Motor Electric AC, 400 V 3 Phase 50 cycle 145/2900 rmp, 1 HP.	P. Each	1.00	3000	30000
N.S.I	Preparing & Applying of Wall Paper / Paint Texture complete in all respect as per instruction of Engineer Incharge.	P. Sft	620.00	80	49600
N.S.I	Supply & Fixing of Air Conditioner 1.50 ton as per instruction of Engineer Incharge.	P. No	3.00	72000	2 16000
N.S.I	Drilling Bore hole; 50 mm dia deep 0' 00" to 150 depth including piping in all respects as per instruction of Engineer Incharge.	Each	1 00	3 <i>\$00</i> 0	35000
N.S.I	Providing & fixing of Heavy Duty Bracket Fan 2' (Good Quality) as per instruction of Engineer Incharge.	P. No	10 00	8000	80000
N.S.I	Supply & fixing of heavy duty exhaust Fan with complete job as per instruction of Engineer Incharge.	P. Each	6.00	18000	108000
N.S.1	Supply & fixing of light pole including energy savor Philips 45 watts, Glob, Electrical wiring M.S Pipe 2" dia 20' feet height and foundation complete in all respects as per instruction of engineer incharge.	P. No	15.00	(4000	2(000
N.S.I	Supply & Fixing of Auditorium Chairs Cushion Valvet standard size imported / local made complete in all respects as per instruction of Engineer Incharge.	P. No	16.00	18000	2.88 <i>000</i>
N.S.1	Providing & fixing barbed Riser wire fencing 2'.00' circle shape complete in all respects as per instruction of Engineer Incharge.	P. Rft	1000.00	320	320000
I.Z.M	Fixing & Fixing of Table Tennis Table I/c Lights Shade & Score board complete in all respect as per instruction of engineer incharge	P.Job	1.00	105000	105000
N.S.I	Fixing & Fixing of Billiard / Snooker Table I/c Lights Shade & Score board complete in all respect as per instruction of engineer incharge.	P.Job	1.00	145000	165000
N.S.I	Supply & Providing and fixing of Electric Water Cooler complete in all respects as per instruction of Engineer Incharge.	P. No	1.00	34000	34000
N.S.I	Supply & Providing and fixing of Dispenser Water Cooler (Homage) complete in all respects as per instruction of Engineer Incharge.	P. No	1.00	3,0000	80000
Charte & Va	ith Affairs Department, Government of	Sindh			

Sports & Youth Affairs Department, Government of Sindh

N.S.I Supply & Providing of Heavy Duty P. No 1.00 1.00 (70000 (70000	
	1:
complete in all respects as per instruction of Engineer Incharge.	
N.S.I Supply & Providing of Upright P. No 1.00 4000 4000	
respects as per instruction of Engineer Incharge.	
N.S.I Supply & Providing of Abking Exercise P. No 1.00 2.000 2.000 Instruction of Engineer Incharge.	
N.S.I Supply & Providing of Situp Board P. No 1.00 Exercise Machine complete in all respects as per instruction of Engineer Incharge.	
N.S.I Supply & Providing of Weight Lifting P. No 1.00 Sooo 5500 Kg complete in all respects as per instruction of Engineer Incharge.	3
N.S.I Supply & Providing of legbend P. No Abdominal Exercise equipments complete in all respects as per instruction of Engineer Incharge.	
N.S.I Supply & Providing of Spin Bike Exercise Machine complete in all respects as per instruction of Engineer Incharge.	No. of the control of
N.S.I Supply & Providing and fixing of Refry Stand complete in all respects as per instruction of Engineer Incharge.	
N.S.I Supply & Providing mechanical P. No 1.00 cleaning machine for the PU synthetic floor	ا د
N.S.I Supply of Sofa Set 5 (Seaters) with all respects for pavilion, complete in all respect as per instruction of engineer incharge.	A Design of the Late of the La
N.S.I Supply of Office Tables complete in all respect as per instruction of engineer incharge.	
N.S.I Supply of Revolving Chair complete in Each 1.00	•
all respect as per instruction of engineer incharge. N.S.I Supply of Visitor Chairs complete in all respect as per instruction of engineer incharge. Sociological Sociologic	2
N.S.I Difference cost of the sulphate resistant P. Beg 1070.00 40 42800	9
N.S.I Supply & Fixing of Alphabets for Stainless Steel SPORTS INDOOR HALL SARHAD DISTRICT GHOTKI complete in all respects as per instruction of engineer Inchagre.	0
Non Schedule Items Total:- 179484	(7
, , , , , , , , , , , , , , , , , , , ,	۹ <u>ب</u>

Sports & Youth Affairs Department, Government of Sindh



Karachi, dated the 🗘 February, 2018

The Executive Engineer (Civil), Sports & Youth Affairs Department, Karachi.

Subject:

No. XEN/S&YAD/2017/230, Dated 20.12.2017

The under signed is directed to refer to your letter No. XEN/S&YAD/2018/372 dated 30.01.2018 regarding contract evaluation Report for the subject NIT and to state that the agreement has been made on Stamp paper of Rs.100/- only, without paying the stamp duty.

It is therefore advised to pay stamp duty and affix the stamps on Agreement as per Rules. It may be noted that it is the sole responsibility of Procuring Agency to ensure compliance of SSP Rules, 2010 (amended 2017) in letter and spirit.

(AIJAZ ALI LAGHARI) Assistant Director (C.B)

Copy forwarded for information to:-

- ✓ The Secretary, Sports & Youth Affairs Department, Government of Sindh, Karachi.
- ✓ The PS to Managing Director, SPPRA.





SAY NO TO CORRUPTION

No. XEN/S&YAD/2018/ 549

GOVERNMENT OF SINDH SPORTS & YOUTH AFFAIRS DEPARTMENT

(Engineering Wing)
05th Floor, State Life Building No.3, Dr. Ziauddin Ahmed Road, Karachi

Karachi, 12th March, 2018

To,

The Assistant Director (C.B), Sindh Public Procurement Regulatory Authority, Block-8, Sindh Secretariat No.4-A, Court Road,

Karachi.

Subject: -

20.12-2017. CONSTRUCTION NO.XEN/S&YAD/2017/230 DATED

MULTIPURPOSE SPORT INDOOR HALL AT SARHAD GHOTKI (SPPRA

SR. 35841).

Ref: -

Your letter No. AD (C.B)/SPY-35841/Khi/17-18/11081 dated 14th February, 2018.

Enclosed please find herewith Copy of Contract Agreement dully affixed / paid stamp

duty as per rules for your reference and record as desired please.

Encl: As above.

Executive Enginder (Civil)

CC to:-

1. PS to Secretary, Sports & Youth Affairs Department, Government of Sindh, Karachi.

2. PS to Chief Engineer, Sports & Youth Affairs Department, Government of Sindh, Karachi.

OFFICE OF THE EXECUTIVE ENGINEER

Sports & Youth Affairs Department Government of Sindh, Karachi

CONTRACT AGREEMENT

THIS CONTRACT AGREEMENT (hereinafter called the —Agreement) made on the day of 22-02-2018 between Executive Engineer, Sports & Youth Affairs Department, Government of Sindh, Karachi (hereinafter called the Procuring Agency) of the one part and M/s Al- Hafeez Construction Company Khairpur (hereinafter called the —Contractor) of the other part.

WHEREAS—the Procuring Agency is desirous that certain Works, viz Construction of Multipurpose Sports Indoor Hall at Sarhad District Ghotki should be executed by the Contractor and has accepted a Bid Rs.43408766 /- (Rupees Forty Three Million Four Hundred Eight Thousand Seven Hundred Sixty Six Only) by the Contractor for the execution and completion of such Works and the remedying of any defects therein.

NOW this Agreement witnessed as follows:

- 1. In this Agreement words and expressions shall have the same meanings as are respectively assigned to them in the Conditions of Contract hereinafter referred to.
- 2. The following documents after incorporating addenda, if any except those parts relating to Instructions to Bidders, shall be deemed to form and be read and construed as part of this Agreement, viz:
 - (a) The Letter of Acceptance;
 - (b) The completed Form of Bid along with Schedules to Bid;
 - ,(c) Conditions of Contract & Contract Data;
- 2019 (d) The priced Schedule of Prices/Bill of quantities (BoQ);
 - (e) The Specifications; and
 - (f) The Drawings

In consideration of the payments to be made by the Procuring Agency to the Contractor as hereinafter mentioned, the Contractor hereby covenants with the Procuring Agency to execute and complete the Works and remedy defects therein inconformity and in all respects within the provisions of the Contract.

HAFEEL CONSTRUCTION COMPANY
GOVERNMENT CONTRACTOR

Proprietor

Najantadin Shallar Ezecular Engine Joseph



PAKISTAN

SPECIAL ADHESIVE

4. The Procuring Agency hereby covenants to pay the Contractor, in consideration of the execution and completion of the Works as per provisions of the Contract, the Contract Price or such other sum as may become payable under the provisions of the Contract at the times and in the manner prescribed by the Contract.

IN WITNESS WHEREOF the parties hereto have caused this Contract Agreement to be executed on the day, month and year first before written in accordance with their respective laws.



PAKISTAN

PAKISTAN


ارغ "ياكا

TOTAL TO SEE

ارت نان

M/S AL-HAFEEZ CONSTRUCTION COMPANY, KHAIRPUR

Signed Sealed and Delivered in the presence of:




(Name, Title and Address)

(Name, Title and Address)

Me Myselding Arelo

PAKIS



Karachi

27 EB noan