SINDH PUBLIC PROCUREMENT REGULATORY AUTHORITY

CONTRACT EVALUATION FORM

TO BE FILLED IN BY ALL PROCURING AGENCIES FOR PUBLIC CONTRACTS OF WORKS, SERVICES, & GOODS

15	NIAME		Sports & Youth Affairs Department Govt. of Sindh	
1) 2)		OF THE ORGANIZATION / DEPTT. NCIAL / LOCAL GOVT,/ OTHER	Provincial Government	
2) 3)		OF CONTRACT	T-1 Laying of Synthetic Football Turf Ghanghoti Ground,	Rohri
<i>3)</i> 4)		R NUMBER	INF/KRY-No.5330/2017.	
5)		DESCRIPTION OF CONTRACT	T-1 Laying of Synthetic Football Turf Ghanghoti Ground,	. Rohri
6)	_	THAT APPROVED THE SCHEME	DDWP	•
,		R ESTIMATED VALUE	Rs.39395000/-	•
7) 9)		EER'S ESTIMATE	Rs.39481000/-	-
8)	(For civ	il works only)		-
9)		ATED COMPLETION PERIOD (AS PE	ER CONTRACT) 540 Days	
10)	TENDE	R OPENED ON (DATE & TIME)	10th January, 2018 at 1400 hours	
11)		ER OF TENDER POCUMENTS SOLD list of buyers)	04 Nos	-
12)	NUMBI	ER OF BIDS RECEIVED	03 Nos	_
13)	NUMBI	ER OF BIDDERS PRESENT AT THE T	TIME OF OPENING OF BIDS 03 Nos	
	BID EV	ALUATION REPORT	Attached	
15)	NAME	AND ADDRESS OF THE SUCCESSF	UL BIDDER M/s KAM Traders (Pvt) Limited, Islamaba	d
16)	CONTR	ACT AWARD PRICE	Rs.39481000/-	
17)	RANKI (i.e. 1 st ,	NG OF SUCCESSFUL BIDDER IN EV 2 nd , 3 rd EVALUATION BID).	ALUATION REPORT	
18)	метно	DD OF PROCUREMENT USED : - (Tid	ck one)	
	a)	SINGLE STAGE – ONE ENVELOPE	PROCEDURE Domestic Domestic/ Loc	cal
	b)	SINGLE STAGE – TWO ENVELOPE	PROCEDURE No	
	c)	TWO STAGE BIDDING PROCEDUR	RENo	\neg
	d)	TWO STAGE – TWO ENVELOPE BI	IDDING PROCEDURE	_
	-/		No	
		PLEASE SPECIFY IF ANY OTHER EMERGENCY, DIRECT CONTRACTING	METHOD OF PROCUREMENT WAS ADOPTED GETC. WITH BRIEF REASONS:	D i.e.

					Committee
19)	APPRO	OVING AUTHORITY FOR AWARD OF	F CONTRA	CT _	
20)	WHET	HER THE PROCUREMENT WAS INC	LUDED IN	ANN	Yes V No
21)	ADVE	RTISEMENT:			
				Yes	SPPRA SR No.35842
	i)	SPPRA Website (If yes, give date and SPPRA Identification)	ation No)		
		(11 Jos, give date and 51 i lat identified		No	
	ii)	News Papers	Ĺ.	Yes	The News 24-12-2017 and Jang & Kawish
	,	(If yes, give names of newspapers and	dates)	103	27-12-2017
			-	No	<u> </u>
			L		<u> </u>
22)	NATU	RE OF CONTRACT			Domestic/ Local
					Ĺ <u></u>
23)	WHET	HER QUALIFICATION CRITERIA NCLUDED IN BIDDING / TENDER D	OCUMENT	S ?	
		enclose a copy)		٠.	Yes No 🗸
				A	<u></u>
24)		HER BID EVALUATION CRITERIA			Yes No V
		NCLUDED IN BIDDING / TENDER DO enclose a copy)	OCOMENT	57	
		.,,			
25)		HER APPROVAL OF COMPETENT A			
	METH	OD OTHER THAN OPEN COMPETITE	IVE BIDDE	G	Yes No 🗸
26)	WASE	BID SECURITY OBTAINED FROM AL	I THE BIL	DFR	co Transien
20)	WASE	old decord i obijaneb i kom re	EL TITO OIL	,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,	Yes V No
27)	WHET	HED THE CHOOPSELL DID WAS LO	AMEST EM	ATTI	ATED V. V. V.
21)		HER THE SUCCESSFUL BID WAS LO BEST EVALUATED BID (in case of Co		ALU.	ATED Yes No
					[
28)		HER THE SUCCESSFUL BIDDER WA	AS TECHNI	CAL	LY Yes / No
	COMP	LIANT?			
• 6:		VIEW NAME OF THE PROPERTY OF	D THEIR C	VI IOT	CED DDIODG WEDE DE LO OUE LE
29)		HER NAMES OF THE BIDDERS ANI IME OF OPENING OF BIDS?	D THEIR (i OO I	
					Yes V No
30)		HER EVALUATION REPORT GIV	EN TO E	BIDD	ERS BEFORE THE AWARD OF
		RACT? I copy of the bid evaluation report)			
	(1.11401.	TOP, or me out to account reports			Yes No

	NY COMPLAINTS RECT f yes, result thereof)	EIVED	Ye	es		
			No	,	No	
32) A	NY DEVIATION FROM	SPECIFICATIONS (GIVEN IN THE	TENE	ER NOTIC	E / DOCUMENT
(1	f yes, give details)		Y	es		
			N	0	No	
	AS THE EXTENSION M f yes, give reasons)	MADE IN RESPONSE		es		
(1	Tyes, give reasons)					
			N	0	No	
	EVIATION FROM QUA f yes, give detailed reason			es		
			N		No	
36) W S B	VAS IT ASSURED BY LACK LISTED? VAS A VISIT MADE BY UPPLIER'S PREMISES LE ASCERTAINED REGATIONS, enclose a copy)	ANY OFFICER/OF	PICIAL OP TH	IE PRO	Yes OCURING A EMENT? IF	V No
37) W	VERE PROPER SAFEGI HE CONTRACT (BANK	JARDS PROVIDED GUARANTEE ETC.	on mõbiliz)?	APIG	Yes NADVANO Yes	CE PAYMENT
	PECIAL CONDITIONS, f yes, give Brief Descripti		Y	es	7	
39) Da	ate of Award of Co	ontract: 3th Febru	uary, 2018.	0	No 7	
Manager	& Official Stamp of orized Officer	(1)/2/20	m			

<u>SPPRA, Block. No.8, Sindh Secretariat No.4-A, Court Road, Karachi</u> Tele: 021-9205356; 021-9205369 & Fax: 021-9206291

Print Save Reset

Subject: - TENDER-1 LAYING OF FOOTBALL TURF AT GHANGHOTI GROUND ROHRI.

LIST OF CONTRACTORS WHO PURCHASED THE TENDER DOCUMENTS					
S. No	Name of Firm				
1.	M/s KAM Traders (Pvt) Limited, Islamabad				
2.	M/s Swallow International, Peshawar				
3.	M/s T.S Builders (Pvt) Limited, Karachi				
4.	M/s Liaqat & Brothers, Mardan				

Dipply.

Bid Evaluation Report

1.	Name of Procuring Agency: Sports & Youth Affair	s Department Govt. of Sindh, Karachi.
2.	Tender Reference No: <u>NIT REF NO.INF-KRY-5330/20</u>	17
3.	Tender Description/ Name of Work/ Item: Tend Ghanghoti Ground, Rohri.	ler-01 Laying of Synthetic Football Turf at
4.	Method of Procurement: Single Stage- One Envelo	pp Procurement (Domestic)
5.	,	lated 24 th December, 2017 and Daily Jang & Kawish No.& News Papers names with dates)
6.	Total Bid Documents Sold: 04 (Four)	
7.	Total Bids Received: 03 (Three)	
8.	Technical Bid Opening date: (if applicable)	Nil (Provide details in separate form)
9.	No. of Bid Technically qualified (if applicable):	Nil
10.	Bid(s) Rejected:	Nil
11.	Financial Bid Opening date: 10 th January, 2018	

12. **Bid Evaluation Report.**

(Engineers Estimate Rs.39395000.00)

<i>5#</i>	Name of Firm or Bidder	Cost offered by the Bidder	Ranking in terms of cost	Comparison with Estimated cost	Reasons for acceptance/ rejection	_ Remarks
0	1	2	3	4	5	6
1	M/s KAM Traders (Pvt) Limited, Islamabad	Rs.39481000/-	First Lowest	0.21% Above	Lowest Bidder	Recommended for award of work
2	M/s Swallow International, Peshawar	Rs.39920000/-	Second Lowest	1.33% Above	Highest Bidder	
3	M/s T.S Builders (Pvt) Limited, Karachi	Rs.40230000/-	Third Lowest	2.11% Above	Highest Bidder	. .

Signature of the Members of the Committee

(Musarrat Mokhtar)

Deputy Director

Industries Department

Member

(Muhammad Farkog Khan) Deputy Director (Admin) Sports Department

Member

(Syed Mohsin Afzal)

Divisional Accounts Officer³

Office of the Accountant General Sindh

Member

11)22

(Najamuddin Shiakh) Executive Engineer (Livil)

Sports, & Youth Affairs Department

Member

(Muhammati Aslam Mahar)

Thief Engineer

Sports & Youth Affairs Department

CHAIRMAN

Ph. 021-99206733 Fax.021-99206738 No. XEN/S&YAD/2018/421

GOVERNMENT OF SINDH SPORTS & YOUTH AFFAIRS DEPARTMENT

(Engineering Wing)

05th Floor, State Life Building No.3, Dr. Ziauddin Ahmed Road, Karachi

Karachi, 13th February, 2018

Recieve S

M/s KAM Traders (Pvt) Limited, Office 15, Third Floor, Mascow Plaza, Blue Area, **1SŁAMABAD.**

WORK ORDER

Subject: -

TENDER-1 LAYING OF SYNTHETIC FOOTBALL TURF AT GHANGHOTI GROUND, ROHRI.

Ref:

Your Financial Proposal Bid opened on 10th January, 2018.

1. I am pleased to inform you, the contract of "Tender-1 Laying of Synthetic Football Turf at Ghanghoti Ground, Rohri" is awarded to you at your correct bid price of Rs.39481000/- (Rupees Thirty Nine Million Four Hundred Eighty One Thousand Only).

- i. You are instructed to commence the work immediately after taking over possession of site.
- ii. This letter may be treated as **Work Order**. The work should be carried out in accordance with the terms, conditions, Drawings and Specifications laid down in the Tender Documents.
- iii. The date of commencement of work will be reckoned after 14 days of issue of this letter as indicated in "Stipulations".
- iv. You will complete the work within <u>540 Days</u> from the date of issue of this Work Order. In case you fail to execute the Agreement and Mobilize at the site as per Stipulations of Tender Documents, the Earnest Money deposited by you with Tender Documents shall stand forfeited in favour of Executive Engineer Sports & Youth Affairs Department, Government of Sindh.
- v. The Defect liability period will be (03) Calendar Months from the date of issue of FINAL SUBSTANABLE COMPLETION CERTIFICATE BY THE DEPARTMENT.
- vi. Amount of liquidated Damages shall be Rs.0.01% for each day of delay in completion of the subject work to a maximum of 10% of contract price.
- vii. This letter of Award shall be treated as part of Agreement unless the FORMAL AGREEMENT is signed.
- viii. Progress report and progress photographs should be submitted to this office of the undersigned with the every R.A Bill otherwise the bill will not be processed.
- ix. Final payment of Football Turf will be made upon submission of Warranty Certificate from Foreign and Local supplier.
- x. The performance security shall be in shape of Bank Guarantee, the Bank Guarantee shall be unconditional on demand form a scheduled bank of Pakistan or the performance security shall be in form of insurance guarantee from (Standard form prescribed in the bidding documents) having at least AA credit rating from PARCA / JCR.


Cont....P/2

- xi. As mentioned in your bid, you are required to produce written warranty period 8-10 years of the Synthetic Football Turf.
- xii. Draft FORM of Agreement (Already attached is the tender documents volume-1) can be obtained from this office and shall be submitted to the undersigned duly typed and signed on Non-Judicial Paper of Rs.35 Paisas of total amount of awarded work and attested Noting Public / Oath Commissioner.
- xiii. You should submit tentative Laying of Synthetic Football Turf Programme showing the date of commencement and completion within 14 days from date of issue of work order.
- xiv. Income Tax shall be deducted from the bills on the Value of work done as per prevailing Rates of the Government.
- xv. No Expenditure to be incurred beyond the amount of work award letter. More so the work should be carried out according to the approved Design / Drawings and the estimated quantities should not excess in any case, beyond permissible limits.
- xvi. The Payment for work done will be made subject to availability of funds. In case delayed payment the Contractor shall not Claim any Markup of Interest there upon.
- xvii. Inspection request should be submitted before 48 hours of execution of any new work.
- 2. You are requested to acknowledge receipt of this **WORK ORDER** as token of acceptance for undertaking the work as per Terms & Conditions mentioned in the Tender Documents.

(NAJAMODDIN SHAIKH) , Executive Engineer (Civil)

CC to:-

- 1. The Assistant Executive Engineer-I Sports & Youth Affairs Department Government of Sindh, Karachi- You may please report the actual date of start of work and see that the work is carried out as per International Arenas approved design. The Progress of work may please be got mentioned as per contract of condition and agreement.
- 2. The Divisional Accounts Officer, Sports & Youth Affairs Department, Govt. of Sindh, Karachi.
- 3. PS to Chief Engineer, Sports & Youth Affairs Department, Govt. of Sindh, Karachi.



HAMMAD ASHRAF GUUJAR STAMP VENDOR

Licence No. 40, House No. 1085 Street No. 1

Paqual Ashraf Colory No. 2, Idehmeodabad No. 6, Karachi

No. 2529

DATE

SSUED TO WITH ADDRESS AND ALLER OF THROUGH VIEW DARRAY 3x 1045

TH

ALUE R. SP.

1 4 FEB 2018

Composition of Constitute 1

0 8 FEB 2018

AGREEMENT

THIS CONTRACT AGREEMENT (hereinafter called the —Agreement) made on the 14th day of February, 2018 between Sports & Youth Affairs Department (hereinafter called the Procuring Agency) of the one part and M/s KAM Traders (Pvt) Limited, Karachi (hereinafter called the —Contractor) of the other part.

WHEREAS the Procuring Agency is desirous that certain Works, viz Tender-01 Laying of Synthetic Football Turf at Ghanghoti Ground, Rohri should be executed by the Contractor and has accepted a Bid Rs.39481000/- (Rupees Thirty Nine Million Four Hundred Eighty One Thousand Only) by the Contractor for the execution and completion of such Works and the remedying of any defects therein.

NOW this Agreement witnessed as follows:

- In this Agreement words and expressions shall have the same meanings as are respectively assigned to them in the Conditions of Contract hereinafter referred to.
- The following documents after incorporating addenda, if any except those parts relating to Instructions to Bidders, shall be deemed to form and be read and construed as part of this Agreement, viz:
 - (a) The Letter of Acceptance;
 - (b) The completed Form of Bid along with Schedules to Bid;
 - (c) Conditions of Contract & Contract Data;
 - (d) The priced Schedule of Prices/Bill of quantities (BoQ);
 - (e) The Specifications; and
 - (f) The Drawings
- 3. The Synthetic Football Turf provided by the contractor should be approved by FIFA (Quality Profoot 60 / 2 Star) and should meet the standard of FIFA and the contractor is bound to provide all the material as his claim manufactured by Edel Grass (Netherlands) and it should be as per specifications mentioned in tender notice/ document. If the material provided by the contractor will not meet the specification as per tender Notice / documents or not approved by FIFA then necessary action will be taken against the Contractor as provided under law.

Mode of Payment:-

- 10% Mobilization Advance against Bank Guarantee / Insurance Company (AA Rating). i.
- ii. 35% of the total cost of contract to be paid upon submission of Bank contract documents and confirmation of manufacturer in token of order placed.
- 30% of the total cost of contract to be paid upon submission of Bill of landing. iii.
- 25% of the total cost of contract to be paid upon on arrival of Synthetic Football Turf at iv.
- 10% of the total cost of contract to be paid upon completion of project and fulfillment of v. all terms and condition of contract and submission of Company Warranty Certificate for period of (10) Years.
- No other charges to be paid after the full payment. vi.
- 10% will be deducted against Mobilization Advance from Running Account Bills. vii.
- The Synthetic Football Turf should be laid by the Contractor under the Supervision of 4. Technical Team.
- The Tender documents subject Tender-01 Laying of Synthetic Football Turf at Ghanghoti 5. Ground, Rohri shall be considered part of the contract agreement.
- In consideration of the payments to be made by the employer to the contractor as hereinafter mentioned, the contractor hereby covenants with the employer to execute and complete the work and remedy defects here in conformity and it all respects with the provision of the contract.

IN WITNESS WHEREOF the parties hereto have caused this Contract Agreement to be executed on the day, month and year first before written in accordance with their respective laws.

Signature of the Contactor

M/s KAM Traders (Pvt) Limited, Islamabad.

Signed, Seat vered in the presence of:

Sports &

Najamuddin Executive Engineer (Civil)/DD0

Signature of the Procuring Agency

bartment

Sports & Youth Affairs Department

Government of Sindh

Witness:

(Name, Title and Address)

(INTEGRITY PACT)

DECLARATION OF FEES, COMMISSION AND BROKERAGE ETC PAYABLE BY CONTRACTORS

(FOR CONTRACTS WORTH RS. 10.00 MILLION OR MORE)

Contract No. XEN/S&YAD/2018/421

Dated 13th February, 2018.

Contract Value: Rs.39481000/-

Contract Title: - TENDER-1 LAYING OF SYNTHETIC FOOTBALL TURF AT GHANGHOTI GROUND, ROHRI.

M/s KAM Traders (Pvt) Limited, Islamabad hereby declares that it has not obtained or induced the procurement of any contract, right, interest, privilege or other obligation or benefit from Government of Sindh or any administrative subdivision or agency thereof or any other entity owned or controlled by it Government of Sindh through any corrupt business practice.

Without limiting the generality of the foregoing, M/s KAM Traders (Pvt) Limited, Islamabad represents and warrants that it has fully declared the brokerage, commission, fees etc. paid or payable to anyone and not given or agreed to give and shall not give or agree to give to anyone within or outside Pakistan either directly or indirectly through any natural or juridical person, including its affiliate, agent, associate, broker, consultant, director, promoter, shareholder, sponsor or subsidiary, any commission, gratification, bribe, finder's fee or kickback, whether described as consultation fee or otherwise, with the object of obtaining or inducing the procurement of a contract, right, interest, privilege or other obligation or benefit in whatsoever form from, from Procuring Agency (PA) except that which has been expressly declared pursuant hereto.

M/s KAM Traders (Pvt) Limited, Islamabad accepts full responsibility and strict liability that it has made and will make full disclosure of all agreements and arrangements with all persons in respect of or related to the transaction with PA and has not taken any action or will not take any action to circumvent the above declaration, representation or warranty. M/s KAM Traders (Pvt) Limited, Islamabad accepts full responsibility and strict liability for making any false declaration, not making full disclosure, misrepresenting facts or taking any action likely to defeat the purpose of this declaration, representation and warranty. It agrees that any contract, right, interest, privilege or other obligation or benefit obtained or procured as aforesaid shall, without prejudice to any other rights and remedies available to PA under any law, contract or other instrument, be avoidable at the option of Procuring Agency.

Notwithstanding any rights and remedies exercised by PA in this regard, M/s KAM Traders (Pvt) Limited, Islamabad agrees to indemnify PA for any loss or damage incurred by it on account of its corrupt business practices and further pay compensation to PA in an amount equivalent to ten time the sum of any commission, gratification, bribe, finder's fee or kickback given by M/s KAM Traders (Pvt) Limited, Islamabad as aforesaid for the purpose of obtaining or inducing the procurement of any contract, right, interest, privilege or other obligation or benefit in whatsoever form from Procuring Agency.

SPORTS & YOUTH AFFAIRS DEPARTMENT GOVERNMENT OF SINDH

Reserved Eugense (CMR/CDS) Spore & South militie Eugen- with Governo metal ministration M/S KAM TRADERS (PVT) LIMITED,

ISLAMABAD

BILL OF QUANTITIES

TENDER-1 LAYING OF SYNTHETIC FOOTBALL TURF AT GHANGHOTI GROUND, ROHRI.

SUMMARY OF PRICE

E 10 H 2		Promotion Amount (Rs)	
		TENDER-1 LAYING OF SYNTHETIC FOOTBALL TURF AT GHANGHOTI GROUND, ROHRI.	
		Sub Head "A" Total = Rs 3948 000	
		Grand Total Bs. 39481000	
7.	words	Three cove ninty four lace eighty one thousand	· ·
O(ntractor's	s Signature	
		Throng of the state of the stat	
	Vigoria de la composición dela composición de la composición de la composición de la composición dela composición dela composición dela composición de la composición de la composición de la composición dela composición de la composición dela composición	Committee's Signature	
		1. I will be the state of the s	ام
		Committee's Signature 1. 2.	100
		Committee's Signature 2. Soo Holding 18 Committee of Signature 3. Soo Holding 18 Committee of Signature 1. Soo Holding 18 Committee of Signature 2. Soo Holding 18 Committee of Signature 3. Soo Holding 18 Committee of Signature 4. Soo Holding 18 Committee of Signature 4. Soo Holding 18 Committee of Signature 5. Soo Holding 18 Committee of Signature 5. Soo Holding 18 Committee of Signature 6. Soo	
		4. Poplyal8	
		5. [.	B

Sports & Youth Affairs Department, Government of Sindh
27




SCHEDULE OF PRICES – SUMMARY OF BID PRICES

NON SCHEDULE ITEMS

Item No.		· 					
where the transfer of the tran	1.852		Description of work	Qty	Unit	Rate	Amount
N.S.I Supply & fixing of FIFA approved American and European or equivalent standard Synthetic Football turf (FIFA Pro 2* quality) with slica sand and Rubber size 1 to 3 mm granulars laid with specified mechanical machine pile Height 60 mm stitch and colour green. N.S.I Supply & Fixing of Football Pole goal Post Standard size 6" pipe including Net, paint complete in all respect. N.S.I Supply & Fixing of Fiberglass Canopy for Players / Jury Box including Fiberglass 16 Nos Chairs, MS framing with Painting as per standard specifications complete as per instruction of Engineer Incharge. N.S.I Providing and installation of approved sprinklers system (European made or USA equivalent) sprinklers hydrants (required dia) i/c Motor & pump The gun type sprinklers to be installed on trollies as per site requirement & instruction of engineer incharge. N.S.I Supply & providing of Synthetic Football Turf Brooming Mechanical Machine vehicle mounted for Brooming of Rubber & Silica sand European & USA or equivalent standard cost should				<u></u>	l		
American and European or equivalent standard Synthetic Football turf (FIFA Pro 2* quality) with slica sand and Rubber size 1 to 3 mm granulars laid with specified mechanical machine pile Height 60 mm stitch and colour green. N.S.I Supply & Fixing of Football Pole goal Post Standard size 6" pipe including Net, paint complete in all respect. N.S.I Supply & Fixing of Fiberglass Canopy for Players / Jury Box including Fiberglass 16 Nos Chairs, MS framing with Painting as per standard specifications complete as per instruction of Engineer Incharge. N.S.I Providing and installation of approved sprinklers system (European made or USA equivalent) sprinklers hydrants (required dia) i/c Motor & pump The gun type sprinklers to be installed on trollies as per site requirement & instruction of engineer incharge. N.S.I Supply & providing of Synthetic Football Turf Brooming Mechanical Machine vehicle mounted for Brooming of Rubber & Silica sand European & USA or equivalent standard cost should	W-2-1-1				, ,	anything of the same of the sa	
N.S.I Supply & Fixing of Football Pole goal Post Standard size 6" pipe including Net, paint complete in all respect. N.S.I Supply & Fixing of Fiberglass Canopy for Players / Jury Box including Fiberglass 16 Nos Chairs, MS framing with Painting as per standard specifications complete as per instruction of Engineer Incharge. N.S.I Providing and installation of approved sprinklers system (European made or USA equivalent) sprinklers hydrants (required dia) i/c Motor & pump The gun type sprinklers to be installed on trollies as per site requirement & instruction of engineer incharge. N.S.I Supply & providing of Synthetic Football Turf Brooming Mechanical Machine vehicle mounted for Brooming of Rubber & Silica sand European & USA or equivalent standard cost should	N.	.S.I	American and European or equivalent standard Synthetic Football turf (FIFA Pro 2* quality) with slica sand and Rubber size 1 to 3 mm granulars laid with specified mechanical machine pile Height 60 mm stitch	64000.00	Sf	561	35,904,00
complete as per instruction of Engineer Incharge. 4 N.S.I Providing and installation of approved sprinklers system (European made or USA equivalent) sprinklers hydrants (required dia) i/c Motor & pump The gun type sprinklers to be installed on trollies as per site requirement & instruction of engineer incharge. N.S.I Supply & providing of Synthetic Football Turf Brooming Mechanical Machine vehicle mounted for Brooming of Rubber & Silica sand European & USA or equivalent standard cost should	2 N.S.	I	Supply & Fixing of Football Pole goal Post Standard size 6" pipe including Net, paint complete in	1.00	Set		1 -
N.S.I Providing and installation of approved sprinklers system (European made or USA equivalent) sprinklers hydrants (required dia) i/c Motor & pump The gun type sprinklers to be installed on trollies as per site requirement & instruction of engineer incharge. N.S.I Supply & providing of Synthetic Football Turf Brooming Mechanical Machine vehicle mounted for Brooming of Rubber & Silica sand European & USA or equivalent standard cost should	N.S.	Ĭ	Supply & Fixing of Fiberglass Canopy for Players / Jury Box including Fiberglass 16 Nos Chairs, MS framing with Painting as per standard specifications complete as per instruction of	3.00	Note	15000)	925,000
Football Turf Brooming Mechanical Machine vehicle mounted for Brooming of Rubber & Silica sand European & USA or equivalent standard cost should	4 N.S.	.I	Providing and installation of approved sprinklers system (European made or USA equivalent) sprinklers hydrants (required dia) i/c Motor & pump The gun type sprinklers to be installed on trollies as per site requirement & instruction of		1.00	1,000,000	7
with all duties & taxes.	5 1	V.S.I	Football Turf Brooming Mechanical Machine vehicle mounted for Brooming of Rubber & Silica sand European & USA or equivalent standard cost should included training of local staff		£.00	22,20000	2220000
Total=(39.481.)						Total=	139 481.D

Sports & Youth Affairs Department, Government of Sindh 28



SINDH PUBLIC PROCUREMENT REGULATORY AUTHORITY

CONTRACT EVALUATION FORM

TO BE FILLED IN BY ALL PROCURING AGENCIES FOR PUBLIC CONTRACTS OF WORKS, SERVICES & GOODS

1)	NAME OF THE ORGANIZATION / DEPTT.	Sports & Youth Affairs Department Govt, of Sindh
2)	PROVINCIAL / LOCAL GOVT./ OTHER	Provincial Government
3)	TITLE OF CONTRACT	T-2 Civil work at Lay: of Footbll Turf Ghanghoti Ground, Rohri
4)	TENDER NUMBER	INF/KRY-No.5330/2017.
5)	BRIEF DESCRIPTION OF CONTRACT	T-2 Civil work at Lay: of Footbll Turf Ghanghoti Ground, Rohri
6)	FORUM THAT APPROVED THE SCHEME	DDWP
7)	TENDER ESTIMATED VALUE	Rs.44222025.52
8)	ENGINEER'S ESTIMATE (For civil works only)	Rs.46897801/-
9)	ESTIMATED COMPLEXION PERIOD (AS P	ER CONTRACT) 540 Days
10)	TENDER OPENED ON (DATE & TIME)	10th January, 2018 at 1400 hours
11)	NUMBER OF TENBER-DOCUMENTS SOLE (Attach list of buyers)	04 Nos
12)	NUMBER OF BIDS RECEIVED	03 Nos
13)	NUMBER OF BIDDERS PRESENT AT THE	TIME OF OPENING OF BIDS 03 Nos
14)	BID EVALUATION REPORT (Enclose a copy)	Attached
15)	NAME AND ADDRESS OF THE SUCCESSF	UL BIDDER Noor Engineerin Services International, Karachi
16)	CONTRACT AWARD PRICE	Rs.46897801/-
17)	RANKING OF SUCCESSFUL BIDDER IN EV (i.e. 1^{st} , 2^{nd} , 3^{rd} EVALUATION BID).	VALUATION REPORT 1st lowest
18)	METHOD OF PROCUREMENT USED : - (Ti	D-112-112
	a) SINGLE STAGE – ONE ENVELOPE	PROCEDURE Domestic Domestic/ Local
	b) SINGLE STAGE – TWO ENVELOPE	E PROCEDURE No
	c) TWO STAGE BIDDING PROCEDUR	RENo
	d) TWO STAGE – TWO ENVELOPE B	IDDING PROCEDURE No
	PLEASE SPECIFY IF ANY OTHER EMERGENCY, DIRECT CONTRACTIN	METHOD OF PROCUREMENT WAS ADOPTED i.e. G ETC. WITH BRIEF REASONS:

19)	APPRO	OVING AUTHOR	ITY FOR AWA	ARD OF CONTR	ACT	Committee
						NUAL PROCUREMENT PLAN?
						Yes V No
21)	ADVE	RTISEMENT:				
	i)	SPPRA Website (If yes, give date	and SPPRA Id	lentification No.)	Ì	SPPRA SR No.35842
					No	<u> </u>
	ii)	News Papers (If yes, give nam	es of newspape	ers and dates)	Yes	The News 24-12-2017 and Jang & Kawisi 27-12-2017
		<u> </u>			No	
22)	NIATII	RE OF COVERAG				Dumestic/ / T
22)	NATU	RE OF CONTRAC				Local Int.
-	WAS I	HER QUALIFICA NCLUDED IN BI	NON CRITE! DDING / TEN	RIA DER DOCUMEN	NTS?	
	(II yes,	enclose a copy)				Yes No
	WASI	HER BID EVALU NCLUDED IN BII enclose a copy)	JATION CRITI DDING / TENI	ERIA DER DOCUMER	TS?	Yes No 🗸
25)	WHET METH	HER APPROVAL OD OTHER THA	. OF COMPET N OPEN COM	ENT AUTHORI PETITIVE BIDI	IVWA DING?	S OBTAINED FOR USING A Yes No
26)	WAS B	BID SECURITY O	BTAINED FR	OM ALL THE B	IDDER	Yes V No
		HER THE SUCCE BEST EVALUATE				ATED Yes / No
,		HER THE SUCCE LIANT?	ESSFUL BIDD	ER WAS TECH	NICAL	LY Yes V No
		HER NAMES OF IME OF OPENING		RS AND THEIR	QUOT	TED PRICES WERE READ OUT AT
	CONT				BIDD	ERS BEFORE THE AWARD OF

31) ANY COMPLAINTS RECEIVED (If yes, result thereof)	Yes		
	No	No	
32) ANY DEVIATION FROM SPECIFICATIONS O	GIVEN IN THE TE	NDER NOTICI	E / DOCUMENTS
(If yes, give details)	Yes		
	No	No	
33) WAS THE EXTENSION MADE IN RESPONSE (If yes, give reasons)	TIME? Yes		
	No	No	
34) DEVIATION FROM QUALIFICATION CRITER (If yes, give detailed reasons.)	RIA Yes		
(If yes, give detailed reasons.)	103		
	No	No	
35) WAS IT ASSURED BY THE PROCURING A BLACK LISTED?		Yes	√ No
36) WAS A VISIT MADE BY ANY OFFICER/OFF SUPPLIER'S PREMISES IN CONNECTION W	THATTE PROCU	REMENT? IF	AGENCY TO THI SO, DETAILS TO
BE ASCERTAINED REGARDING FINANCING (If yes, enclose a copy)	GOFWISIT, IF AD	ROAD:	No ✓
37) WERE PROPER SAFEGUARDS PROVIDED	ON MOBILIZAT	ON ADVANC	E PAYMENT II
THE CONTRACT (BANK GUARANTEE ETC.)	?	Yes	No 🗸
38) SPECIAL CONDITIONS, IF ANY (If yes, give Brief Description)	Yes		
4246 5-1	No	No	
39) Date of Award of Contract: 13th Febru	<u>ary, 2016.</u>		
Signature & Official Stamp of Authorized Officer Najamuddin Sh	aikh.	,	
Executive Engineer (Civil	17 0 00		

<u>SPPRA, Block. No.8, Sindh Secretariat No.4-A, Court Road, Karachi</u> Tele: 021-9205356; 021-9205369 & Fax: 021-9206291

Print Save Reset

Subject: - TENDER-02 CIVIL WORK AT LAYING OF SYNTHETIC FOOTBALL TURF AT GHANGHOTI GROUND, ROHRI.

LIS	LIST OF CONTRACTORS WHO PURCHASED THE TENDER DOCUMENTS				
S. No	Name of Firm				
1.	M/s Noor Engineering Services International, Karachi				
2.	M/s King Enterprises, Karachi				
3.	M/s Al-Hafeez Construction Company, Khairpur.				
4.	M/s Muhammad Hamza Khan & Company, Sukkur				

Najamuddin Shaikin Executive Engineer (Civil)/DDO Sports & Youth Mairs Department Government of Sindh

Bid Evaluation Report

	_	
me of Procuring Agency: <u>Sports & Youth Affa</u>	<u>irs Depa</u>	rtment Govt. of Sindh, Karachi.
ender Reference No: <u>NIT REF NO.INF-KRY-5330/2</u>	2017	
Tender Description/ Name of Work/ Item: <u>Tender</u> Turf at Ghanghoti Ground, Rohri.	er-02 Civ	ril work at Laying of Synthetic Football
Method of Procurement: Single Stage- One Env	elop Prod	curement (Domestic)
ender Published : <u>(SPPRA SR No.35842" Daily The New</u> ooth dated 27 th December, 2017". Print & Electronic Media (SPPRA I otal Bid Documents Sold: 04 (Four)		
otal Bids Received: 03 (Three)		
echnical Bid Opening date: (if applicable)	Nil	(Provide details in separate form)
No. of Bid Technically qualified (if applicable):	<u>Nil</u>	
sid(s) Rejected:	Nil	

12. **Bid Evaluation Report.**

6. 7.

8.9.10.

11.

(Engineers Estimate Rs. 44222025.52)

5#	Name of Firm or Bidder	Cost offered by the Bidder	Ranking in terms of cost	Comparison with Estimated cost	Reasons for acceptance/ rejection	Remarks
0	1	2	3	4	5	6
1	M/s Noor Engineering Services International, Karachi	Rs.46897801/-	First Lowest	6.05% Above	Lowest Bidder	Recommended for award of work
2	M/s King Enterprises, Karachi	Rs.47094968/-	Second Lowest	6.49% Above	Highest Bidder	
3	M/s Al-Hafeez Construction Company, Khairpur.	Rs.47471569/-	Third Lowest	7.34% Above	Highest Bidder	

Financial Bid Opening date: 10th January, 2018

Signature of the Members of the Committee

(Musarrat Mokhtar)
Deputy Director
Industries Department

Member

(Muhammad Faroog Khan) Deputy Director (Admin)

Sports Department Member (Syed Mohsin Afzat) Divisional Accounts Officer

Office of the Accountant General Sindh

Member

(Najamudain Shirkh)

Executive Engineer (Civil)

Sports & Youth Affairs Department

Member

(Muhammad) (Mahar)

Chief Engineer

Sports & Youth Affairs Department

CHAIRMAN

Ph. 021-99206733 Fax.021-99206738

No. XEN/S&YAD/2018/ 423

GOVERNMENT OF SINDH SPORTS & YOUTH AFFAIRS DEPARTMENT

(Engineering Wing)

05th Floor, State Life Building No.3, Dr. Ziauddin Ahmed Road, Karachi



M/s Noor Engineering Services International, Flat#D-3, Safari Boulevard, Phase-III, Block-15, Gulistan-e-Johar, Karachi.

WORK ORDER

Subject: - TENDER-02 CIVIL WORK AT LAYING OF SYNTHETIC

FOOTBALL TURF AT GHANGHOTI GROUND, ROHRI.

Ref: - Your Financial Proposal Bid opened on 10th January, 2018.

- 1. I am pleased to inform you, the contract of "Tender-02 Civil work at Laying of Synthetic Football Turf at Ghanghoti Ground, Rohri" is awarded to you at your correct bid price Rs.46897801/- (Rupees Forty Six Million Eight Hundred Ninety Seven Thousand Eight Hundred and One Only).
 - i. You are instructed to commence the work immediately after taking over possession of site.
 - ii. This letter may be treated as Work Order. The work should be carried out in accordance with the terms, conditions, Drawings and Specifications laid down in the Tender Documents.
 - iii. The date of commencement of work will be reckoned after 14 days of issue of this letter as indicated in "Stipulations".
 - iv. You will complete the work within <u>540 Days</u> from the date of issue of this Work Order. In case you failed to execute the **Agreement** and Mobilize at site as per Stipulations of Tender Documents, the Earnest Money deposited by you with Tender Documents shall stand forfeited in favour of Executive Engineer (Civil), Sports & Youth Affairs Department, Government of Sindh.
 - v. The Defect liability period will be (03) Calendar Months from the date of issue of FINAL SUBSTANABLE COMPLETION CERTIFICATE BY THE DEPARTMENT.
 - vi. Amount of liquidated Damages shall be Rs.0.01% for each day of delay in completion of the subject work to a maximum of 10% of contract price.
 - vii. This letter of Award shall be treated as part of Agreement unless the **FORMAL AGREEMENT** is signed.
 - viii. Progress report and progress photographs should be submitted to this office to the undersigned the every R.A Bill otherwise the bill will not be entertained.
 - ix. Inspection request should be submitted before 48 hours of execution of any new work.

3. S.

- x. All Materials required for construction shall be procured & brought at the Site by the Contractors at his own cost from Approved Sources of Quarry.
- xi. Draft FORM of Agreement (Already attached is the tender documents volume-1) can be obtained from this office and shall be submitted to the undersigned duly typed and signed on Non-Judicial Paper of Rs.35 Passas of total amount of awarded work and attested Noting Public / Oath Commissioner.
- xii. Income Tax shall be deducted from the bills on the Value of work done as per prevailing Rates of the Government.
- xiii. Steel Free from all kinds of Rust & Cement Free from all impurities, which confirm to the British Standard of Specification, shall be allowed in use.
- xiv. All Reinforced Cement Concrete Work shall be mechanically vibrated so as to have Minimum Compressive Strength of 3000 Lbs Per Square Inch and used steel shuttering.
- xv. Hill sand of Approved Quarry shall be used in All Items. The use of Pit Sand shall not be allowed, accept under floor.
- xvi. Sweet & Palatable Water only shall have to be used in Construction Work, which is to be arranged by the Contractor on their own cost for which no Additional Claim will be accepted.
- xvii. No Expenditure to be incurred beyond the amount of work award letter. Moreover the work should be carried out according to the approved Design / Drawings and the estimated quantities should not exceed in any case, beyond permissible limit.
- **xviii.** The Payment for work done will be made subject availability of funds. In case delayed payment the Contractor shall not Claim any Markup of Interest there upon.


2. You are requested to acknowledge receipt of this **WORK ORDER** as token of acceptance for undertaking the work as per Terms & Conditions mentioned in the Tender Documents.

CC to:-

1. The Assistant Executive Engineer-II, Sports & Youth Affairs Department Government of Sindh, Karachi- Please coordinate with the Contractor and get the subject project mobilized / commenced immediately for timely completion as per time and progress schedule / chart of the contract.

xecutive Engineer (Civil)

- 2. The Divisional Accounts Officer, Sports & Youth Affairs Department, Govt. of Sindh, Karachi.
- 3. PS to Chief Engineer, Sports & Youth Affairs Department, Govt. of Sindh, Karachi.



RUHAMMAD ASHRAF GUJJAR STAMP VENDOR	ď
* Liceaco, No. 48, stellare del 1985 Simal No. 1	1137
inqual Astrol Councy do. 1 St. Lange data of Sin 6. Karachi .	[[[
3 NZ TYS	See 3
SSUED TO WISH AND AND AND HAROUGH WITH ARE LONG SEE THE BOS	
THROUGH WITH AREA OF THE CARE	
PURPOSE ALUE RS	
TAMP VENDOR'S SIGNATURE	

1 4 FEB 2018

Marie MA Torres

O 8 FEB 2010

AGREEMENT

THIS CONTRACT AGREEMENT (hereinafter called the —Agreement) made on the 14th day of February, 2018 between Sports & Youth Affairs Department (hereinafter called the Procuring Agency) of the one part and Ms Noor Engineering Services International, Karachi (hereinafter called the —Contractor) of the other part.

WHEREAS the Procuring Agency is desirous that certain Works, viz Tender-02 Civil work at Laying of Synthetic Football Turf at Ghanghoti Ground, Rohri should be executed by the Contractor and has accepted a Bid Rs.46897801/- (Rupees Forty Six Million Eight Hundred Ninety Seven Thousand Eight Hundred and One Only) by the Contractor for the execution and completion of such Works and the remedying of any defects therein.

NOW this Agreement witnessed as follows:

- 1. In this Agreement words and expressions shall have the same meanings as are respectively assigned to them in the Conditions of Contract hereinafter referred to.
- 2. The following documents after incorporating addenda, if any except those parts relating to Instructions to Bidders, shall be deemed to form and be read and construed as part of this Agreement, viz:
 - (a) The Letter of Acceptance;
 - (b) The completed Form of Bid along with Schedules to Bid;
 - (c) Conditions of Contract & Contract Data;
 - (d) The priced Schedule of Prices/Bill of quantities (BoQ);
 - (e) The Specifications; and
 - (f) The Drawings
- 3. In consideration of the payments to be made by the Procuring Agency to the Contractor as hereinafter mentioned, the Contractor hereby covenants with the Procuring Agency to execute and complete the Works and remedy defects therein inconformity and in all respects within the provisions of the Contract.

The Procuring Agency hereby covenants to pay the Contractor, in consideration of the 4. execution and completion of the Works as per provisions of the Contract, the Contract Price or such other sum as may become payable under the provisions of the Contract at the times and in the manner prescribed by the Contract.

IN WITNESS WHEREOF the parties hereto have caused this Contract Agreement to be executed on the day, month and year first before written in accordance with their respective laws.

Signature of the Contactor

M/s Noor Engineering Services International, Karachi Sports & Youth

(Seal)

NOOR ENGINEERING SERVICES INTERNATIONAL

Signed, Sealed and Delivered in the presence of:

Signature of the Procuring Agency

Najamud(\$69 Executive Engineer (Civil)/DDO Sports & Youth Affairs Department Government of Sindh

Witness:

(Name, Title and Address)

(INTEGRITY PACT)

DECLARATION OF FEES, COMMISSION AND BROKERAGE ETC PAYABLE BY CONTRACTORS

(FOR CONTRACTS WORTH RS. 10.00 MILLION OR MORE)

Contract No. XEN/S&YAD/2018/423

Dated 13th February, 2018.

Contract Value: Rs.46897801/-

Contract Title: - TENDER-02 CIVIL WORK AT LAYING OF SYNTHETIC FOOTBALL TURF AT GHANGHOTI GROUND, ROHRI.

M/s Noor Engineering Services International, Karachi hereby declares that it has not obtained or induced the procurement of any contract, right, interest, privilege or other obligation or benefit from Government of Sindh or any administrative subdivision or agency thereof or any other entity owned or controlled by it Government of Sindh through any corrupt business practice.

Without limiting the generality of the foregoing, M/s Noor Engineering Services International, Karachi represents and warrants that it has fully declared the brokerage, commission, fees etc. paid or payable to anyone and not given or agreed to give and shall not give or agree to give to anyone within or outside Pakistan either directly or indirectly through any natural or juridical person, including its affiliate, agent, associate, broker, consultant, director, promoter, shareholder, sponsor or subsidiary, any commission, gratification, bribe, finder's fee or kickback, whether described as consultation fee or otherwise, with the object of obtaining or inducing the procurement of a contract, right, interest, privilege or other obligation or benefit in whatsoever form from, from Procuring Agency (PA) except that which has been expressly declared pursuant hereto.

M/s Noor Engineering Services International, Karachi accepts full responsibility and strict liability that it has made and will make full disclosure of all agreements and arrangements with all persons in respect of or related to the transaction with PA and has not taken any action or will not take any action to circumvent the above declaration, representation or warranty. M/s Noor Engineering Services International, Karachi accepts full responsibility and strict liability for making any false declaration, not making full disclosure, misrepresenting facts or taking any action likely to defeat the purpose of this declaration, representation and warranty. It agrees that any contract, right, interest, privilege or other obligation or benefit obtained or procured as aforesaid shall, without prejudice to any other rights and remedies available to PA under any law, contract or other instrument, be avoidable at the option of Procuring Agency.

Notwithstanding any rights and remedies exercised by PA in this regard, M/s Noor Engineering Services International, Karachi agrees to indemnify PA for any loss or damage incurred by it on account of its corrupt business practices and further pay compensation to PA in an amount equivalent to ten time the sum of any commission, gratification, bribe, finder's fee or kickback given by Noor Engineering Services International, Karachi as aforesaid for the purpose of obtaining or inducing the procurement of any contract, right, interest, privilege or other obligation or benefit in whatsoever form from Procuring Agency.

SPORTS & YOUTH AFFAIRS DEPARTMENT GOVERNMENT OF SINDH

Najamod chiin Shaikh Executive Engineer (Civil)/DDO Sports & Youth Allairs Department Government of Sindh M/S NOOR ENGINEERING SERVICES INTERNATIONAL, KARACHI

MOOR ENGINEERING SERVICES INTERNATIONAL

BILL OF QUANTITIES

TENDER-2 CIVIL WORK AT LAYING OF SYNTHETIC FOOTBALL TURF AT GHANGHOTI GROUND, ROHRI.

SUMMARY OF PRICE

1. Tender-2 Civil work at Laying of Synthetic Football Turf at Ghanghoti Ground, Rohri.	
Sub Head "A" Total = Rs. = /33.85, 52	-5/2
Sub Head "B" Total = Rs. = 109495	3/2
Sub Head "C" Total = Rs. = 1,87,80,70	0/2
Sub Head "D" Total = Rs. = 6/50, 85	73/2
Non Schedule Items Total= Rs. = 74 95 7	50/2
Grand Total R. = 4,68,97,8	01/2
(In words Form Crore Sixty Eight be Ninty Sove	n Hoonsond
Contractor's Signature Eight humbrend & One Rup	ce Only-
thon	Ŭ
Committee' A Signature	
1. Deput	
2	
3. 3. m. 7 [6]118	
4. 10/01/2019	
5	
	ioor engineering Vi <u>ces in</u> ternational
	proprietor

CHEDULE OF PRICES - SUMMARY OF BID PRICES

	SCHEDULE ITEMS								
	S.I No.	Description	Unit	Qty	Rate	Amount			
7 7	yil work. th Head ASPHALT I/C BASE OF SYNTHETIC FOOTBALL TURF								
11	ii ii iieau	ASPHALL I/C BASE OF SIN		OTDALL TOTAL	· · · · · · · · · · · · · · · · · · ·				
	SI No.7 Page No.2	Earth work compaction by sheep Foot Roller and Power Roller with optimum moisture content. (a) For 95-100% modified AASHO density.	% 0 Cft	200,000.00	11000.00	2,200,000.00			
	S.I No.11 (C) Sp: High way P.No 04	Preparing sub-base by supplying and spreading stone metal 1-1/2" -2" gauge of approved quality from approved quarry in required thickness to proper camber and grade including hand packing filling voids with 10 cft: screening & non plastic quarry fines of approved quality and gauge from approved source, watering & compacting to achieve 98 100% density as per modified AASHTO specifications. (Rate includes all cost of material T & P and carriage upto 3 chains) One Layer 6" Thick.		32000.00	4359.76	1395123.2			
	S.I No.13 (A) Sp: High Way P.No 05	Preparing base course i/c supplying and spreading stone metal of approved quality properly graded to maximum size of 1-1/2 in required thickness to proper camber and graded including supplying and spreading 15 cft: screenings and plastic quarry fines filling depressions with stone metal after initial rolling including watering and compaction the same so as to achieve 100% density as per modified AASHTO Specifications. (Rate includes providing and using templates, camber plates screens, forms as directed. (Rate includes all cost of material T&P and carriage upto 3 chins). One Layer 6" Thick.		32000.00	5252.48	1680793.6			

Sports & Youth Affairs Department, Government of Sindh



4.1			ا ممید	64000 00 l	10760 01 1	6007747 4 1
. Le S		Providing and laying plant mixed asphalt concrete binder	% Sft	64000.00	10769.91	6892742.4
727.0		course compacted thickness 3				
		inches (75mm thick) as per				
	way	approved job mix formula				
	P.No 05	using crush aggregate from				
		approved source. Using asphalt	1		Ì	
		of grade 60/70 during laying temperature not less than 140C				
Ž.	1	compacted by steel wheel &				
1		PTR roller. The procedure of				
		laying binder course material &	į		Ì	
		methodology shall fully				
	:	comply with AASHTO and as			1	
		directed by Engineer Incharge. Minimum bitumen content				
		should be 3.5% binder course				
	ć	shall be spreading using paver]			
		machine. Rolling & Finishing		ļ		
1. P		to design proper grade line level and camber etc:				
	à .	(Machinery with POLs Cost of		•		
		material Carriage).				
1	<u> </u>				Total Rs:	12168659.20
				Above	10 %	12.16,866/2
4			<u> </u>	Below	6/4	1000====
	2000 120 1100 1	D OCHE IN MINERAL COLUMNS (1	OXIND ROOM		A" Total Rs:	1,33,85,525/2
12 L	S.I	'R.CC DRAIN WITH COVERS AT		3000.00	3176.25	9528.75
	5.1 No.18	Excavation in foundation or building bridges and other	% 0 Cft	3000.00	3170.23	7520.75
	g '				1	. }
雑む	SP:17.1	structures including dabbling		İ		
	SP:17.1	structures including dabbling dressing, refilling around				•
	SP:17.1	dressing, refilling around structure with excavated earth				*
	SP:17.1	dressing, refilling around structure with excavated earth Watering and ramming lead				*
The state of the s		dressing, refilling around structure with excavated earth Watering and ramming lead upto 5ft. (b). In ordinary soil.	% Cñ	1000 00	3327.5	33275.00
7	\$.I No. 2	dressing, refilling around structure with excavated earth Watering and ramming lead	% Cft	1000.00	3327.5	33275.00
第二十二十二十二十二十二十二十二十二十二十二十二十二十二十二十二十二十二十二十	S.I No. 2 P. No. 15	dressing, refilling around structure with excavated earth Watering and ramming lead upto 5ft. (b). In ordinary soil. Dry Rammaed brick or stone ballast 1 1/2" to 2" gauge.				
	S.I No. 2 P. No. 15 S.I	dressing, refilling around structure with excavated earth Watering and ramming lead upto 5ft. (b). In ordinary soil. Dry Rammaed brick or stone ballast 1 1/2" to 2" gauge. Cement Concrete plain	% Cft % Cft	1000.00	3327.5 11288.75	33275.00
	S.I No. 2 P. No. 15 S.I No.21	dressing, refilling around structure with excavated earth Watering and ramming lead upto 5ft. (b). In ordinary soil. Dry Rammaed brick or stone ballast 1 1/2" to 2" gauge. Cement Concrete plain including placing compacting				
	S.I No. 2 P. No. 15 S.I No.21 SP	dressing, refilling around structure with excavated earth Watering and ramming lead upto 5ft. (b). In ordinary soil. Dry Rammaed brick or stone ballast 1 1/2" to 2" gauge. Cement Concrete plain including placing compacting finishing and curing, complete				
	S.I No. 2 P. No. 15 S.I No.21	dressing, refilling around structure with excavated earth Watering and ramming lead upto 5ft. (b). In ordinary soil. Dry Rammaed brick or stone ballast 1 1/2" to 2" gauge. Cement Concrete plain including placing compacting				
	S.I No. 2 P. No. 15 S.I No.21 SP No.17.10	dressing, refilling around structure with excavated earth Watering and ramming lead upto 5ft. (b). In ordinary soil. Dry Rammaed brick or stone ballast 1 1/2" to 2" gauge. Cement Concrete plain including placing compacting finishing and curing, complete (including screening and washing at stone aggregate without shuttering. (i) Ratio				
	S.I No. 2 P. No. 15 S.I No.21 SP No.17.10 P. No.04	dressing, refilling around structure with excavated earth Watering and ramming lead upto 5ft. (b). In ordinary soil. Dry Rammaed brick or stone ballast 1 1/2" to 2" gauge. Cement Concrete plain including placing compacting finishing and curing, complete (including screening and washing at stone aggregate without shuttering. (i) Ratio (1:4:8)	% Cft	600.00	11288.75	67732.50
The second secon	S.I No. 2 P. No. 15 S.I No.21 SP No.17.10 P. No.04	dressing, refilling around structure with excavated earth Watering and ramming lead upto 5ft. (b). In ordinary soil. Dry Rammaed brick or stone ballast 1 1/2" to 2" gauge. Cement Concrete plain including placing compacting finishing and curing, complete (including screening and washing at stone aggregate without shuttering. (i) Ratio (1:4:8) R.CC work in roof slab, beams				
The second secon	S.I No. 2 P. No. 15 S.I No.21 SP No.17.10 P. No.04	dressing, refilling around structure with excavated earth Watering and ramming lead upto 5ft. (b). In ordinary soil. Dry Rammaed brick or stone ballast 1 1/2" to 2" gauge. Cement Concrete plain including placing compacting finishing and curing, complete (including screening and washing at stone aggregate without shuttering. (i) Ratio (1:4:8)	% Cft	600.00	11288.75	67732.50
A CONTRACTOR OF THE PROPERTY O	S.I No. 2 P. No. 15 S.I No.21 SP No.17.10 P. No.04	dressing, refilling around structure with excavated earth Watering and ramming lead upto 5ft. (b). In ordinary soil. Dry Rammaed brick or stone ballast 1 1/2" to 2" gauge. Cement Concrete plain including placing compacting finishing and curing, complete (including screening and washing at stone aggregate without shuttering. (i) Ratio (1:4:8) R.CC work in roof slab, beams columns rafts, lintels and other structural members laid in situ or precast laid in position	% Cft	600.00	11288.75	67732.50
	S.I No. 2 P. No. 15 S.I No.21 SP No.17.10 P. No.04	dressing, refilling around structure with excavated earth Watering and ramming lead upto 5ft. (b). In ordinary soil. Dry Rammaed brick or stone ballast 1 1/2" to 2" gauge. Cement Concrete plain including placing compacting finishing and curing, complete (including screening and washing at stone aggregate without shuttering. (i) Ratio (1:4:8) R.CC work in roof slab, beams columns rafts, lintels and other structural members laid in situ or precast laid in position complete in all respect. Ratio	% Cft	600.00	11288.75	67732.50
	S.I No. 2 P. No. 15 S.I No.21 SP No.17.10 P. No.04 S.I No. 6 No. P.	dressing, refilling around structure with excavated earth Watering and ramming lead upto 5ft. (b). In ordinary soil. Dry Rammaed brick or stone ballast 1 1/2" to 2" gauge. Cement Concrete plain including placing compacting finishing and curing, complete (including screening and washing at stone aggregate without shuttering. (i) Ratio (1:4:8) R.CC work in roof slab, beams columns rafts, lintels and other structural members laid in situ or precast laid in position complete in all respect. Ratio (1:2:4).	% Cft	600.00 1200.00	11288.75 337.00	67732.50 404400.00
	S.I No. 2 P. No. 15 S.I No.21 SP No.17.10 P. No.04	dressing, refilling around structure with excavated earth Watering and ramming lead upto 5ft. (b). In ordinary soil. Dry Rammaed brick or stone ballast 1 1/2" to 2" gauge. Cement Concrete plain including placing compacting finishing and curing, complete (including screening and washing at stone aggregate without shuttering. (i) Ratio (1:4:8) R.CC work in roof slab, beams columns rafts, lintels and other structural members laid in situ or precast laid in position complete in all respect. Ratio (1:2:4). Cement Plaster 1:4 upto 12'	% Cft	600.00	11288.75	67732.50
The Control of the Co	S.I No. 2 P. No. 15 S.I No.21 SP No.17.10 P. No.04 S.I No. 6 No. P. No.16/17	dressing, refilling around structure with excavated earth Watering and ramming lead upto 5ft. (b). In ordinary soil. Dry Rammaed brick or stone ballast 1 1/2" to 2" gauge. Cement Concrete plain including placing compacting finishing and curing, complete (including screening and washing at stone aggregate without shuttering. (i) Ratio (1:4:8) R.CC work in roof slab, beams columns rafts, lintels and other structural members laid in situ or precast laid in position complete in all respect. Ratio (1:2:4). Cement Plaster 1:4 upto 12' height. (c) ¾' thick.	% Cft P. Cft % Sft	1200.00	337.00	67732.50 404400.00 90472.8
	S.I No. 2 P. No. 15 S.I No.21 SP No.17.10 P. No.04 S.I No. 6 No. P. No.16/17 S.I No. 11 P. No.52 SI No.	dressing, refilling around structure with excavated earth Watering and ramming lead upto 5ft. (b). In ordinary soil. Dry Rammaed brick or stone ballast 1 1/2" to 2" gauge. Cement Concrete plain including placing compacting finishing and curing, complete (including screening and washing at stone aggregate without shuttering. (i) Ratio (1:4:8) R.CC work in roof slab, beams columns rafts, lintels and other structural members laid in situ or precast laid in position complete in all respect. Ratio (1:2:4). Cement Plaster 1:4 upto 12' height. (c) ¾' thick.	% Cft	600.00 1200.00	11288.75 337.00	67732.50 404400.00
The Residence of the Control of the	S.I No. 2 P. No. 15 S.I No.21 SP No.17.10 P. No.04 S.I No. 6 No. P. No.16/17 S.I No. 11 P. No.52 SI No. 04 Page	dressing, refilling around structure with excavated earth Watering and ramming lead upto 5ft. (b). In ordinary soil. Dry Rammaed brick or stone ballast 1 1/2" to 2" gauge. Cement Concrete plain including placing compacting finishing and curing, complete (including screening and washing at stone aggregate without shuttering. (i) Ratio (1:4:8) R.CC work in roof slab, beams columns rafts, lintels and other structural members laid in situ or precast laid in position complete in all respect. Ratio (1:2:4). Cement Plaster 1:4 upto 12' height. (c) ¾' thick.	% Cft % Sft % Cft	1200.00	337.00	67732.50 404400.00 90472.8
The Residence of the Control of the	S.I No. 2 P. No. 15 S.I No.21 SP No.17.10 P. No.04 S.I No. 6 No. P. No.16/17 S.I No. 11 P. No.52 SI No. 04 Page	dressing, refilling around structure with excavated earth Watering and ramming lead upto 5ft. (b). In ordinary soil. Dry Rammaed brick or stone ballast 1 1/2" to 2" gauge. Cement Concrete plain including placing compacting finishing and curing, complete (including screening and washing at stone aggregate without shuttering. (i) Ratio (1:4:8) R.CC work in roof slab, beams columns rafts, lintels and other structural members laid in situ or precast laid in position complete in all respect. Ratio (1:2:4). Cement Plaster 1:4 upto 12' height. (c) ¾' thick.	% Cft % Sft % Cft	1200.00	337.00	67732.50 404400.00 90472.8

1			Below	0/6	771111
			Above	1 otai:- %	97 Pel-
Parameter State of the State of	cement including testing with water to a head of 61 meter or 200 feet (For sewerage disposal system), 150 mm (6" dia).	-		Total:-	1094953.7
SI No. Page No.22	Providing and laying UPVC pipes of class 'B' fixing in trench including cutting fitting and jointing with solvent	P. Rft	100.00	262.00	28200,00
And the state of t	concrete including cutting, bending laying in position making joints and fastenings including cost of binding wire (also includes removal of rust) (b). Using Tor Bars.			2(2.00	26200.00
1	reinforcement for cement	P. Cwt	70.00	5001.70	350119.00
Andrew Comment of the	plain C.C 1:2:4 and fixing 1" (25mm) dia M.S Steps 6" (150mm) wide projecting 4" (102mm) from the face of wall at 12" (305mm) C/C duly painted etc. complete as per standard specification and drawing (a) 4"to 12" dia				
Andreas de la constitución de la	fixing C.I manhole cover with frame of clear opening 1-1/2' x 1-1/2' (457x457mm) of 1.75 cwt. (88.9 kg) embedded in				·
والمستعدد والمستعد والمستعدد والمستع	cement sand mortar 1:3 cement walls and 1" (25mm)n thick over benching and channel i/c				
No.44	required diameter of circular sewer and 3'-6" (1067mm) depth with walls of B.B in				
SI No.1 Page	without shuttering (f) Ratio 1:2:4) Constructing manhole or inspection chamber for the	P. Each	3.00	14748.00	44244.00
No.05/P- 16)	including placing compacting, finishing and curing complete including screening and washing at stone aggregate				
19 (S.I	masonry wall above 6" in thickness set in 1:6 cement mortar in G.F Ground Floor super structure including raking out joints & curing etc, complete Cement concrete plain	%Cft	200.00	14429.25	28858.50
SI No.24 Page No.	Providing and laying 1:3:6 cement concrete solid block	%Cft	100.00	15771.01	

NOOR ENGINEERING SERVICES INTERNATIONAL Proprietor

S.I. Excavation in foundation or No.18 Excavation in foundation or No.18 Extractive controlling dabbiling dressing, refilling around structure with excavated earth Watering and ramming lead upto 58, (b). In ordinary soil. S.I. No. Earth for sitush or daldal 1/c O%Cft 4000.00 2420.00 9680.00 16 P. No. 04 dewatering Another the structure with surphus earth from soil and iff upto 5 Page No.15 No.24 Earth Filling, watering and ramming earth in floors with surphus earth from foundation lead upto one chain and iff upto 5 feet. SI I No. Cement Concrete plain including placing competed without shuttering, Ratio (1-4.8) Si No.6 Reinforced Cement concrete plain washing at stone aggregate without shuttering, Ratio (1-4.8) Si No.22 EARTHFILLING Filling, Watering and material except the result of special structure in the page No.15 Si No.24 Providing and ladying 13-5 Seet. Si No.25 Page No.25 Si No.26 Providing and ladying 13-5 Seet. Si No.26 Providing and ladying 13-5 Seet. Si No.27 Providing and ladying 13-5 Seet. Si No.28 Providing and ladying the searth (Excavated from outside) lead upto one chain and lift upto 5 Seet. Si No.20 Si No.24 Providing and ladying 13-5 Seet. Si No.20 Si No.27	gina	BEAD "C"	Construction of Hostel Cum Gym F	Haek			
No.18 Duilding bridges and other restrictures including dabbling dressing, refilling around structure with execusted earth Watering and ratuming lead upto 5t. (b). In ordinary soil. S.I. No. Earth for slush or daldal 1/c 0%Cft 4000.00 2420.00 9680.00 S.I. No. Continuery soil. Ow/Cft 3000.00 3327.50 99825.00 Page No. S.I. No. Dallast 1 1/2" to 2" Gauge. % Cft 3000.00 3327.50 99825.00 Page Surplus Earth Filling, watering and ramming earth in floors with surplus carth from fundation lead upto one chain and lift upto 5 feet. S.I. No. Cement Concrete plain including placing compacting finishing and exercing and washing at stone aggregate without shuttering. Ratio (14-38) S.I. No. Reinforced Cement concrete plain including all about and material except the cost of steel reinforcement and its labour for bending and binding which will be paid (1-2-4) Page No. Cement Concrete plain including which will be paid (1-2-4) Page No. Cement Concrete plain including and binding which will be paid (1-2-4) Page No. Cement Concrete plain including and binding which will be paid (1-2-4) Page No. Cement concrete plain including and binding which will be paid (1-2-4) Page No. Cement concrete plain including and binding which will be paid (1-2-4) Page No. Cement concrete plain including and binding and blook of in thickness set in 16 cement mortar in G.F. Ground Floor super structure including and including placing complete including and spring eric, complete Cement concrete plain No. 205 Page No. Cement concrete plain No. 205 Page No. Cement concrete plain No. 205 No. 20 Pacca brick work in foundation and plate at concrete plain No. 205 No. 20 Cement concrete plain No. 205 No. 20 Cement concrete plain No. 205 Ceme		·			20000.00	317625	63525.00
P. No. 4 structures including dabbling dressing, refilling around structure with exeavated earth Watering and ramming lead upto 5%. (b). In ordinary soil.	1		•	% 0 CH	20000.00	31/0.23	03323.00
dressing, ieffiling around structure with exoavated earth Watering and ramming lead upto 5ft. (b). In ordinary soil. St. No. 16 Pt. Barth for slush or daldal 1/2 dewatering and content of the page 1 dewatering and ramming lead upto 5ft. (c) In ordinary soil. St. No. 2 Dry rammed brick or stone water 1 dewatering and ramming earth in floors with supplies carth from foundation lead upto one chain and lift upto 5 feet. St. No. 21 Blocktilling watering and ramming earth in floors with supplies carth from foundation lead upto one chain and lift upto 5 feet. St. No. 2 Cement Concrete plain including placing compacting finishing and curing, complete (including screening and washing at stone aggregate without shuttering. Ratio (1/4-8) St. No. 6 Reinforced Coment concrete work including all labour and material except the cost of steel coinforcement and its labour for bending and binding which will be paid a separately. (i) Ratio (1/2-4) St. No. 24 Providing and laying 1/3-6 feet. St. No. 25 Providing and laying 1/3-6 feet. St. No. 26 Providing and laying 1/3-6 feet. St. No. 27 Providing and laying 1/3-6 feet. St. No. 28 Providing and laying 1/3-6 feet. St. No. 29 Providi				1		1	
structure with excavated earth Watering and ramming lead upto 5th. (b). In ordinary soil. SI No. Barth for slush or daldal 1½. 16 P. No. 04 SI No.21 Day rammed brick or stone page No.15 SI No.21 Backfilling Surphis Earth Filling, watering and ramming earth in floors with surphis carth from foundation lead upto one chain and lift upto 5 feer. SI No. 16 SI No. 17 SI No. 18 SI No. 19 SI No. 10 SI		1.110.1				i	
Watering and ramming lead upto 5f. (b). In ordinary soil. SI No. 16 Parth for slush or daldal 1/c dewatering dewatering and ramming ballast 1/2" to 2" Gauge. No. 15 No. 22 Day rammed brick or stone % Cft 3000.00 3327.50 99825.00 ballast 1/2" to 2" Gauge. No. 15 No. 21 BackFilling watering and ramming earth in floors with surplus earth from foundation lead upto one chain and lift upto 5 feet. SI No. 21 BackFilling watering and ramming earth in floors with surplus earth from foundation lead upto one chain and lift upto 5 feet. SI No. 16 Cement Concrete plain including placing compacting finishing and curing, complete (including at stone aggregate without shuttering. Ratio (1.4.8) No. 16 SI No. 17 Reinforced Cement concrete work including all labour and material except the cost of steel reinforcement and its labour for bending and binding which will be paid separately. (i) Ratio (1.2.4) SI No. 22 Page No. 17 Perviting and laying 1:3:6 cement concrete solid block masonry wall above 6" in thickness set in 1.6 cement mortar in G.F. Ground Floor super structure including parking out joints & curing etc. complete super structure including parking out joints & curing etc. complete including screening and washing at stone aggregate with the page of the page No. 20 Perviting and laying 1:3:6 cement mortar in G.F. Ground Floor super structure including rating out joints & curing etc. complete including screening and washing at stone aggregate withing at stone aggregate withing at stone aggregate work in foundation and plinth in: (d) Cement sand washing at stone aggregate withing at stone aggregate washing at stone aggregate and plinth in: (d) Cement sand washing at stone aggregate washing at stone aggregate and washing at stone aggregate and plinth in: (d) Cement sand washing at stone aggregate and plinth in: (d) Cement sand washing at stone aggregate and washing at stone aggregate and washing at stone aggregate and washing							
SI No. 04 Sarth for slush or daldal I/c 0%Cft 4000.00 2420.00 9680.00		7				Į	
SI No. Earth for slush or daldal lie 0%Cft 4000.00 2420.00 9680.00				1		İ	
Signature Sign		-					
No. 04 Si No. 2 Dry rammed brick or stone ballast 1 1/2" to 2" Cauge. No. 15 Si No. 2 BackFilling Surplus Earth Filling, watering No. 04 Si No. 21 BackFilling Surplus Earth Filling, watering No. 04 Si No. 21 BackFilling Surplus Earth Filling, watering No. 04 Si No. 21 BackFilling Surplus Earth Filling, watering No. 04 Si No. 25 Si No. 24 Si No. 25 Si No. 25 Si No. 26 Si No. 26 Si No. 26 Si No. 27 Si No. 27 Si No. 27 Si No. 27 Si No. 29 Si No. 29 Si No. 29 Si No. 20	2	. 1		0%Cft	4000.00	2420.00	9680,00
Si No.2 EartHFILLING Filling, P. Cft 10000.00 3327.50 99825.00			dewatering				
Page No.12 BackFilling Surphus Earth Filling, watering No.04 No.04 No.04 No.05/P.			7	0/ 00	2000.00	1117 50	00925 00
No.15 Si No.21 BackFilling Surphus Earth Filling, watering and ramming earth in floors with surphus cards from foundation lead upto one chain and lift upto 5 feet. Si No.24 Providing and larging and ramming earth including placing compacting without shuttering. Ratio (1.4-38) Si No.24 Find the cost of steel reinforcement and its labour for bending and binding which will be paid separately. Si No.25 Si No.24 Providing and ramming earth under floor with new earth (Exeavated from outside) lead upto one chain and lift upto 5 feet. Si No.24 Providing and laying 13.5 Si No.25 Page No.20 Providing and laying 13.5 Si No.26 Providing and laying 13.5 Si No.27 Providing and laying 13.5 Si No.28 Page No.20 Providing and laying 13.5 Si No.29 Page No.20 Providing and laying 13.5 Si No.29 Page No.20 Providing and laying 13.5 Si No.25 Page No.20 Si No.26 Si No.27 Pace as brick work in foundation and plinth in: (d) Cement sand mortar 1:5 Si No.29 Cement concrete plain No.20 No.20 Si No.25 Si		A		% CII	2000.00	3327.30	77823,00
Si No.21 BackFilling Surplus Earth Filling, watering and ramming earth in floors with surplus earth from foundation lead upto one chain and lift upto 5 feet.			Danasi i 1/2 to 2 Gauge.				ľ
Page No.04 Surplus Earth Filling, watering and ramming earth in floors with surplus earth from foundation lead upto one chain and lift upto 5 feet. FI No. Cement Concrete plain including placing compacting finishing and curing, complete (including placing compacting finishing and curing, complete (including screening and washing at stone aggregate without shuttering. Ratio (14-8) SI No.66 P No.17 work including all labour and material except the cost of steel reinforcement and its labour for bending and binding which will be paid separately. (i) Ratio (12-4) SI No.22 EARTHFILLING Filling, P. Cft 10000.00 11.00 110000.00 watering and ramming earth inder floor with new earth (Excavated from outside) lead upto one chain and lift upto 5 feet. SI No.24 Providing and laying 1:3:6 %Cft 6800.00 15771.01 1072428.68 masonry wall above 6" in thickness set in 1:5 cement mortar in G.F. Ground Floor super structure including raking out joints & curing etc, complete SI No. 20 Cement concrete plain mortar 1:5 cement mortar in G.F. Ground Floor super structure including raking out joints & curing etc, complete for super structure including raking out joints & curing etc, complete for super structure including placing complete including placing complete including placing complete including screening and wathing at stone aggregate plain with flight placing complete including screening and wathing at stone aggregate without shutched and pluth one concrete plain including screening and washing at stone aggregate without shutched and pluth one concrete plain and surface and wathing at stone aggregate without shutched and pluth one concrete plain and surface and wathing at stone aggregate without shutched and pluth one concrete plain and wathing at stone aggregate without shutched and pluth one chain and pluth in the concrete plain including screening and wathing at stone aggregate without shutched and pluth one chain and pluth one chain and pluth one chain and pluth one chain and pluth one chain and pluth one chain and pluth on			RackFilling	% 0 Cft	8000.00	1512.50	12100.00
No.04 and ramming earth in floors with surplus carth from foundation lead upto one chain and lift upto 5 feet.		· F		,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,	,		
foundation lead upto one chain and lift upto 5 feet. SI No. 16 SI No. 6 SI No. 6 SI No. 7 SI No. 7 SI No. 7 SI No. 22 Page No. 17 SI No. 24 Page No. 18 SI No. 24 Page No. 19 SI No. 24 Page No. 19 SI No. 24 Page No. 19 SI No. 24 Page No. 19 SI No. 24 Page No. 27 SI No. 24 Page No. 27 SI No. 27 SI No. 27 SI No. 27 SI No. 28 SI No. 29 SI No. 29 SI No. 29 SI No. 20 SI No. 20 SI No. 20 SI No. 20 SI No. 20 SI No. 20 SI No. 20 SI No. 20 SI No. 20 SI No. 20 SI No. 20 SI No. 20 SI No. 20 SI No. 20 SI No. 20 SI No. 21 SI No. 22 SI No. 24 SI No. 25 SI No. 26 SI No. 27 SI No. 27 SI No. 27 SI No. 27 SI No. 28 SI No. 29 SI No. 29 SI No. 20 S		58		1			
Si No. 26 Si No. 26 Reinforced Cement concrete without shuttering. Ratio (1:4:8) Reinforced Cement concrete without shuttering. Ratio (1:4:8) Reinforced Cement concrete work including all labour and material except the cost of steet reinforcement and its labour for bending and binding which will be paid separately. (i) Ratio (1:2:4) Rage No. 24 Rage No. 24 Rage No. 25 Rage No. 26 Rage No. 27 Rage No. 27 Rage No. 27 Rage No. 27 Rage No. 28 Rage No. 29 Rage No. 29 Rage No. 29 Rage No. 20 Rage		# ·	with surplus earth from		1	1	1
SI No. 16 Si No. 26 Reinforced Cement concrete work including all abour and material except the cost of steel reinforcement and its labour for bending and laying 1:2:4 Page No. 24 Page No. 24 Page No. 24 Page No. 24 Page No. 26 Providing and laying 1:3:6 Providing and laying 1:3:6 Providing and laying 1:3:6 Page No. 20 Providing and laying 1:3:6 Page No. 20 Page No. 20 Page No. 20 Pace Arrive true including raking out joints & curing etc, complete nicluding placing complete including placing complete including placing complete including placing complete including parts at some aggregate without shuttering. Ratio (1:4:8) Page No. 20 Pace Arrive work in foundation and lift upto 5 Pace Arrive work in foundation and plinth in: (i) Cement sand No. 20 Pace Arrive work in foundation and plinth in: (ii) Cement sand mortar in G.F. Ground Floors and plinth in: (ii) Cement sand washing at stone aggregate without affilian Departments. Acceptance of Sindh		新 基:				-	
including placing compacting finishing and curing, complete (including screening and washing at stone aggregate without shuttering. Ratio (1:4:8) SI No.6 Reinforced Cement concrete vort including all labour and material except the cost of steel reinforcement and its labour for bending and binding which will be paid separately. (i) Ratio (1:2:4) SI No.22 EARTHFILLING Filling. P. Cft 10000.00 11.00 110000.00 watering and ramming earth under floor with new earth (Excavated from outside) lead upto one chain and lift upto 5 feet. SI No.24 Page No. SI No.24 Page No. SI No.25 Page No. Od Page No. Od Page No. Od Page No. Od Page No. Od Page No. Od Page No. Od Page No. Od Page No. Od Page No. Od Page No. Od Page No. Od Page No. Od Page No. Cement concrete plain including placing compacting, finishing and curing complete including screening and washing at stone aggregate without washing at stone aggregate without and washing at stone aggregate without and washing at stone aggregate without washing at stone aggregate without and washing at stone aggregate without shuttering. P. Cft 1200.00 14429.25 173151.00 including placing compacting, finishing and curing complete including screening and washing at stone aggregate without washing at stone aggregate without washing at stone aggregate without washing at stone aggregate without washing at stone aggregate without washing at stone aggregate washi	K	第				11000 07	220440 52
No. 16 finishing and euring, complete (including screening and washing at stone aggregate without shuttering. Ratio (21-48) Reinforced Cement concrete work including all labour and material except the cost of steet reinforcement and its labour for bending and binding which will be paid separately. (i) Ratio (1:2:4) SI No. 22 EARTHFILLING Filling. Watering and ramming earth under floor with new earth (Excavated from outside) lead upto one chain and lift upto 5 feet. SI No. 24 Providing and laying 1:3:6 cement concrete solid block masonry wall above 6" in thickness set in 1:6 cement mortar in 0.F Ground Floor super structure including raking out joints & curing etc, complete no. 20 SI No. 20 SI No. 20 SI No. 20 SI No. 20 Cement concrete plain including placing compacting, finishing and curing complete including acreening and washing at stone aggregate without in thickness stone aggregate without shutches and washing at stone aggregate without shutches and washing at stone aggregate without shutches and washing at stone aggregate without shutches and washing at stone aggregate without shutches and washing at stone aggregate without shutches and washing at stone aggregate without shutches and washing at stone aggregate without shutches and washing at stone aggregate without shutches and washing at stone aggregate without shutches and washing at stone aggregate withing Departments & authout and plant and curing complete including screening and washing at stone aggregate withing the paratments & authout and paratments & authout		y-4.		% Cft	3000.00	11288.75	338662.50
(including screening and washing at stone aggregate without shuttering. Ratio (1:4:8) (I) SI No.6 Reinforced Cement concrete work including all labour and material except the cost of steel reinforcement and its labour for bending and binding which will be paid separately. (i) Ratio (1:2:4) SI No.22 EARTHFILLING Filling. P. Cft 10000.00 11.00 110000.00 Fage Watering and ramming earth under floor with new earth (Excavated from outside) lead upto one chain and lift upto 5 feet. SI No.24 Providing and laying 1:3:6 cement concrete solid block masonry wall above 6" in thickness set in 1:6 cement mortar in G.F Ground Floor super structure including raking out joints & curing etc. complete 9. SI No. OS/P- loss and plinth in: (d) Cement sand mortar 1:5 10. (S.I Cement concrete plain including placing compacting, finishing and curing complete including as screening and washing at stone aggregate wiffiging bepartments/Kawrengpent of Sindh		25 N -			}	1	
washing at stone aggregate without shuttering. Ratio (1:4:8) SI No.6 Reinforced Cement concrete P.O.ft 16500.00 337.00 5560500.00	4	NO. 10					
without shuttering. Ratio [14:48] [5] No.6 Reinforced Cement concrete PNo.17 work including all labour and material except the cost of steel reinforcement and its labour for bending and binding which will be paid separately. [10] Ratio (1:2:4) [15] SI No.22 EARTHFILLING Filling, P. Cft [16] Watering and ramming earth under floor with new earth (Excavated from outside) lead upto one chain and lift upto 5 feet. [17] Fage No. Cement concrete solid block in thickness set in 1:6 cement mortar in G.F. Ground Floor super structure including raking out joints & curing etc, complete [17] SI No. [18] Page [18] Page No. Cement concrete solid block in thickness set in 1:6 cement mortar in G.F. Ground Floor super structure including raking out joints & curing etc, complete [18] No.05/P- [18] C. Cement concrete plain including placing compacting, finishing and curing compete including screening and washing at stone aggiegate wiffiling Departments aggiegate wiffiling Departments aggiegate wiffiling Departments aggiegate [18] Spoils & Youth withful placing compacting and washing at stone aggiegate wiffiling Departments aggiegate wiffiling Departmen							
(1:4:8) \$I No.6 Reinforced Cement concrete P. Cft vork including all labour and material except the cost of steel reinforcement and its labour for bending and binding which will be paid separately. (i) Ratio (1:2:4) \$I No.22 EARTHFILLING Filling, P. Cft 10000.00 11.00 110000.00 Page Watering and ramming earth under floor with new earth (Excavated from outside) lead upto one chain and lift upto 5 feet. \$I No.24 Providing and laying 1:3:6 cement concrete solid block masonry wall above 6" in thickness set in 1:6 cement mortar in G.F. Ground Floor super structure including raking out joints & curing etc, complete \$I No. 20 SI No. 20 (S.I No. 20) \$I No. 05/P- Including placing compacting, finishing and curing complete including screening and washing at stone aggregate Spoils & Youth within Departments Katurangupent of Sindh		N.					
Work including all labour and material except the cost of steel reinforcement and its labour for bending and binding which will be paid separately. (i) Ratio (1:2:4) Sl No.22 EARTHFILLING Filling, P. Cft 10000.00 11.00 110000.00 Page Watering and ramming earth under floor with new earth (Excavated from outside) lead upto one chain and lift upto 5 feet. Sl No.24 Providing and laying 1:3:6 %Cft 6800.00 15771.01 1072428.68 Page No. 19 masonry wall above 6" in thickness set in 1:6 cement mortar in G.F Ground Floor super structure including raking out joints & curing etc, complete out joints & curing etc, complete mortar 1:5 Sl No. 20 Pacea brick work in foundation %Cft 500.00 12176.08 60880.40 and plinth in: (d) Cement sand mortar 1:5 Cement concrete plain %Cft 1200.00 14429.25 173151.00 including placing compacting, finishing and curing complete including screening and washing at stone aggregate \$\frac{1}{2}\text{out}\$ & \$\frac{1}{2}\te							
material except the cost of steet reinforcement and its labour for bending and binding which will be paid separately. (i) Ratio (1:2:4) EARTHFILLING Filling, P. Cft 10000.00 11.00 110000.00 Watering and ramming earth under floor with new earth (Excavated from outside) lead upto one chain and lift upto 5 feet. SI No. 24 Providing and laying 1:3:6 %Cft 6800.00 15771.01 1072428.68 cement concrete solid block masonry wall above 6" in thickness set in 1:6 cement mortar in G.F. Ground Floor super structure including raking out joints & curing etc, complete SI No. Pacca brick work in foundation of 4 Page No. 20 mortar 1:5 SI No. 20 Cement concrete plain No. 5/P-160 (S.I. No.05/P-16) including placing compacting, finishing and curing complete including screening and washing at stone aggregate wiffaits Departments/Katvernyn-nt of Sindh	16	SI No.6	Reinforced Cement concrete	P. Cft	16500.00	337.00	5560500.00
reinforcement and its labour for bending and binding which will be paid separately. (i) Ratio (1:2:4) SI No.22 EARTHFILLING Filling, P. Cft 10000.00 11.00 110000.00 Watering and ramming earth under floor with new earth (Excavated from outside) lead upto one chain and lift upto 5 feet. SI No.24 Providing and laying 1:3:6 %Cft 6800.00 15771.01 1072428.68 cement concrete solid block masonry wall above 6" in thickness set in 1:6 cement mortar in G.F Ground Floor super structure including raking out joints & curing etc, complete SI No. Page No. 20 Page No. 20 Page including raking out joints & curing etc, complete including raking out joints and plinth in: (d) Cement sand mortar 1:5 (S.I. Cement concrete plain %Cft 1200.00 14429.25 173151.00 including placing compacting, finishing and curing complete including screening and washing at stone aggregate wiffairs Departments/Katverrynent of Sindh		P No.17					
bending and binding which will be paid separately. (i) Ratio (12:4) [8] No.22 EARTHFILING Filling, P. Cft 10000.00 11.00 110000.00 Page Watering and ramming earth under floor with new earth (Excavated from outside) lead upto one chain and lift upto 5 feet. [8] SI No.24 Providing and laying 1:3:6 %Cft 6800.00 15771.01 1072428.68 Page No. cement concrete solid block masonry wall above 6" in thickness set in 1:6 cement mortar in G.F Ground Floor super structure including raking out joints & curing etc, complete [9] SI No. Pacca brick work in foundation and plinth in: (d) Cement sand No. 20 mortar 1:5 [10] (S.1 Cement Concrete plain No.05/P-16) including placing compacting, finishing and curing complete including screening and washing at stone aggregate wiffining Departments Kannering pent of Sindh		Pris State	1 <u>-</u>			ĺ	
be paid separately. (i) Ratio (1:2:4) Si No.22 EARTHFILLING Filling, P. Cft 10000.00 11.00 110000.00 Page Watering and ramming earth under floor with new earth (Excavated from outside) lead upto one chain and lift upto 5 feet. Fage No. Providing and laying 1:3:6 %Cft 6800.00 15771.01 1072428.68 Page No. Providing and laying 1:3:6 masonry wall above 6" in thickness set in 1:6 cement mortar in G.F Ground Floor super structure including raking out joints & curing etc, complete No. 20 material Si No. Pacca brick work in foundation and plinth in: (d) Cement sand No. 25/P-16 Cement concrete plain including placing compacting, finishing and curing complete including screening and washing at stone aggregate Affiting Departments/Naturiny Sindh Material Sindh Si	W.	3 <u>4</u> :					*
(i) Ratio (1:2:4) [Si No.22 EARTHFILLING Filling, P. Cft 10000.00 11.00 110000.00 [Page Watering and ramming earth under floor with new earth (Excavated from outside) lead upto one chain and lift upto 5 feet. [Si No.24 Providing and laying 1:3:6 cement concrete solid block masonry wall above 6" in thickness set in 1:6 cement mortar in G.F Ground Floor super structure including raking out joints & curing etc, complete [Si No. 04 Page No. 20 mortar 1:5 Pacca brick work in foundation and plinth in: (d) Cement sand mortar 1:5 [O (S.I Cement concrete plain including placing compacting, finishing and curing complete including screening and washing at stone aggregate Affitim Departments are supersented with the stone aggregate washing at stone aggre				1	}	ļ	
Si No.22 Page Watering and ramming earth under floor with new earth (Excavated from outside) lead upto one chain and lift upto 5 feet. Si Si No.24 Page No. 19 Troviding and laying 1:3:6 cement concrete solid block masonry wall above 6" in thickness set in 1:6 cement mortar in G.F Ground Floor super structure including raking out joints & curing etc, complete Si No. 20 Pacca brick work in foundation and plinth in: (d) Cement sand wortar 1:5 (S.I No.05/P-16) (S.I Cement concrete plain including placing compacting, finishing and curing complete including screening and washing at stone aggregate Affairs Departments Nature into Sindh		<u> </u>		ļ			
Page Watering and ramming earth under floor with new earth (Excavated from outside) lead upto one chain and lift upto 5 feet. SI No.24 Page No. 19 Providing and laying 1:3:6 cement concrete solid block masonry wall above 6" in thickness set in 1:6 cement mortar in G.F Ground Floor super structure including raking out joints & curing etc, complete SI No. 20 Page No. 04 Page No. 04 Page No. 20 Pacca brick work in foundation No. 20 mortar 1:5 SI No. 20 (S.I Cement concrete plain including placing compacting, finishing and curing complete including screening and washing at stone aggregate wiffaits Departments Carvary point of Sindh		SI No 22	- 4 · · ·	P Cft	10000.00	11.00	110000.00
No.04 under floor with new earth (Excavated from outside) lead upto one chain and lift upto 5 feet.		1 ~~		1.00	10020.00		
(Excavated from outside) lead upto one chain and lift upto 5 feet. SI No.24 Providing and laying 1:3:6 %Cft 6800.00 15771.01 1072428.68 Page No. 19 masonry wall above 6" in thickness set in 1:6 cement mortar in G.F Ground Floor super structure including raking out joints & curing etc, complete SI No. 20 Pacca brick work in foundation and plinth in: (d) Cement sand mortar 1:5 SI SI No. 20 (S.I Cement concrete plain %Cft 1200.00 14429.25 173151.00 including placing compacting, finishing and curing complete including screening and washing at stone aggicgate Sports & Youth Affaits Departments Naturary pent of Sindh							
feet. SI No.24 Providing and laying 1:3:6				ì			
SI No.24 Providing and laying 1:3:6 %Cft 6800.00 15771.01 1072428.68 Page No. Page No. masonry wall above 6" in thickness set in 1:6 cement mortar in G.F Ground Floor super structure including raking out joints & curing etc, complete 9				i			
Page No. 19 cement concrete solid block masonry wall above 6" in thickness set in 1:6 cement mortar in G.F Ground Floor super structure including raking out joints & curing etc, complete 9. SI No. Pacca brick work in foundation of the concrete plain including placing compacting, finishing and curing complete including screening and washing at stone aggregate wiffairs Departments Converted by the concrete plain washing at stone aggregate wiffairs Departments Converted by the concrete plain washing at stone aggregate wiffairs Departments Converted by the concrete plain washing at stone aggregate wiffairs Departments Converted by the concrete plain washing at stone aggregate wiffairs Departments Converted by the concrete plain washing at stone aggregate wiffairs Departments Converted by the concrete plain washing at stone aggregate wiffairs Departments Converted by the concrete plain washing at stone aggregate wiffairs Departments Converted by the concrete plain washing at stone aggregate with the concrete plain washing at stone aggregate with the concrete plain washing at stone aggregate with the concrete plain washing at stone aggregate with the concrete plain washing at stone aggregate with the concrete plain washing at stone aggregate with the concrete plain washing at stone aggregate washing at stone aggregate with the concrete plain washing at stone aggregate with the concrete plain washing at stone aggregate with the concrete plain washing at stone aggregate washing at stone a							1070 100 (0
masonry wall above 6" in thickness set in 1:6 cement mortar in G.F. Ground Floor super structure including raking out joints & curing etc, complete 9. SI No. Pacca brick work in foundation of 4 Page and plinth in: (d) Cement sand No. 20 mortar 1:5 10. (S.I. Cement concrete plain including placing compacting, finishing and curing complete including screening and washing at stone aggregate Affairs Departments Naturally ment of Sindh	18	B 72		%Cft	6800.00	15771.01	10/2428.68
thickness set in 1:6 cement mortar in G.F Ground Floor super structure including raking out joints & curing etc, complete 9 SI No. Pacca brick work in foundation and plinth in: (d) Cement sand mortar 1:5 10 (S.I Cement concrete plain including placing compacting, finishing and curing complete including screening and washing at stone aggregate Sports & Youth Affain Departments Carreiry and out of Sindh		Page No.					
mortar in G.F Ground Floor super structure including raking out joints & curing etc, complete 9 SI No. Pacca brick work in foundation and plinth in: (d) Cement sand mortar 1:5 10 (S.I Cement concrete plain No.05/P-including placing compacting, finishing and curing complete including screening and washing at stone aggregate Sports & Youth Affairs Departments Convergence out joints & curing etc. 10 (S.I Cement concrete plain holds and curing complete including screening and washing at stone aggregate sports & Youth Affairs Departments Convergence out joints & Cft 500.00 12176.08 60880.40		19			İ		
super structure including raking out joints & curing etc, complete 9 SI No. Pacca brick work in foundation and plinth in: (d) Cement sand mortar 1:5 10 (S.I Cement concrete plain %Cft 1200.00 14429.25 173151.00 including placing compacting, finishing and curing complete including screening and washing at stone aggregate Affairs Departments flaguering ent of Sindh		hi.			ļ	į	
out joints & curing etc, complete SI No. Pacca brick work in foundation and plinth in: (d) Cement sand No. 20 mortar 1:5 (S.I Cement concrete plain %Cft 1200.00 14429.25 173151.00 including placing compacting, finishing and curing complete including screening and washing at stone aggregate \$pools & Youth Affairs Departments flaguering and of Sindh			i e		į	ì	
Complete Complete		1					
04 Page and plinth in: (d) Cement sand mortar 1:5	iğ.	1	complete				
No. 20 mortar 1:5 No. 20 mortar 1:5 Cement concrete plain %Cft 1200.00 14429.25 173151.00 No.05/P-	9			% Cft	500.00	12176.08	60880.40
Cement concrete plain %Cft 1200.00 14429.25 173151.00 No.05/P- including placing compacting, finishing and curing complete including screening and washing at stone aggregate Sports & Youth Affairs Departments Concrete plain %Cft 1200.00 14429.25 173151.00 173151.00					}		
No.05/P- including placing compacting, finishing and curing complete including screening and washing at stone aggregate Sports & Youth Affairs Departments Carringment of Sindh	1			0/00	1000 00	14420.35	172151 00
16) finishing and curing complete including screening and washing at stone aggregate sports & Youth Affairs Departments Carring and of Sindh	10	, ,		%CII	1200,00	14429.23	1121511
including screening and washing at stone aggregate sports & Youth Affairs Departments Convergence of Sindh		1		ļ			
washing at stone aggregate Sports & Youth Affairs Departments Rangeryment of Sindh		,					
Sports & Youth Affairs Departments Kangaryment of Sindh			washing at stone aggregate	[
(f) Ratio 1:2:4) 31	Spo	its & Yout	l Afifain Department₅Kanvanyn				
	[<u> </u>	(f) Ratio 1:2:4)	31		<u>_</u>	



	SI No.	Cement Concrete plain	% Cft	100.00	12595.00	12595.00
大学 一大学 一大学 一大学 一大学 一大学 一大学 一大学 一大学 一大学 一	05 Page No. 16	including placing compacting finishing and curing, complete (including screening and washing at stone aggregate without shuttering. Ratio 1:3:6	, a Git			
	SI No. 19 Page No. 18	Erection and removal of centering for R.CC or plain cement concrete work of deoder wood (2nd-class) for partel wood (ii) vertical.	% Sft	2100.00	3127.41	65675.61
	SI No. 28 Page No. 19	Damp proof course with (cement sand and shingle concrete 1: 2: 4) including 2 coats of asphaltic mixture. (b) 2" thick	% Sft	250.00	3912.85	9782.13
IA L	SI No. 09 Page No. 71	Bitumen coating to plastered or cement concrete surface.	% Sft	1200.00	778.09	9337.08
STATE OF THE	8,I No. 11(a) SP P: No.52	Cement Plaster 1:4 up to 12' height. (c). 3/8'' thick. (Ceiling)	%Sft	5000.00	2197.52	109876.00
	S.I No. 11(b) SP P. No.52	Cement plaster (1:4) up to 12 height 1/2" thick Internal walls	%Sft	23500.00	2283.93	536723.55
	S,I No. 11(c) SP P. No.52	Cement plaster (1:4) up to 12 'height 3/4" thick External Wall.	%Sft	5000.00	3015.76	150788.00
	(S.I. No.29/P- 93).	P/F G.I. Frames / Chowkats of size 7"x2"/4-1/2"x3" for doors using 20 gauge G.I. Sheet in/c welded hinges & fixing at site with necessary hold fasts, filling with cement sand slurry of ratio 1:6 & repairing the jambs. The cost also 1/c all carriage tools & plants used in making and fixing.	P. Rft	400.00	228.90	91560.00
] (S.1 No.43/P- 199)	False Ceiling. Providing and fixing false ceiling of thermopile in panels of required design and size including frame work of Aluminum T-Section hanged with nail wire to ceiling etc completed.	Sft	2000.00	91.50	183000.00
	0 51 No.24(c) Page No.54	Distempring Preparing the surface & painting with Distemper Paint Three Coat.	%Sft	4000.00	1079.65	43186.00
	31 No. 38 (a+h+b). Page No.55	(A) Preparing the surface and painting with matt finish I/c rubbing the surface with Bathy (silicon carbide rubbing brick) filling the voids with zink /chalk / plaster of paris mixture, applying first coat premix, making the surface smooth and then painting 3 coats with matt finish of approved	% Sft	12500.00	1989.62	248702.50
	D	make etc: complete (new surface). (B) 2 nd & subsequent coat.	% Sft	12500.00	1454.76	181845.00

(B) 2nd & subsequent coat.

ports & Youth Affairs Department, Government of Sindh

32



	S,I No. 18 (a+b+b). Page No.56	(A) Preparing the surface and painting with weather coat i/c rubbing the surface with rubbing brick / sand paper. Filling the voids with chalk/ plaster of Paris and then painting with weather coat of	%Sft	5500.00	1328.25	73053.75
***	15.1 22.1 3.1	approved make. (B) 2 nd & subsequent coat.	%Sft	5500.00	1239.70	68183.50
7.4	SI No.31 (a+b+b)	(A) Preparing the surface & painting with enamel Paint.	% Sft	1000.00	579.14	5791.40
	Page No.73	(B) 2 nd & subsequent coat	%Sft	1000.00	870.00	8700.00
	SI No.8 P No.17	Fabrication of mild steel reinforcement for cement concrete including cutting, bending laying in position making joints and fastenings including cost of binding wire (also includes removal of rust) (b).	P. Cwt	900.00	5001.70	4501530.00
	S.I No. 30 P. No.94	Using Tor Bars. Providing and fixing iron steel grill using solid square bars of size 1/2" x 1/2" placed at 4" and frame of flat iron Patti of 1/4" x 1/4" i/c circle shape at 1-0 apart equivalent fitted with screws are pins i/c painting 3 coats with 1st coat of red oxide paints etc.	P. Sft	100.00	194.16	19416.00
7	8.I No. 32 P. No.94	Providing and fixing fron collapsible gate with channel framing of section 3/12.5/16" at 4" revitted with 3/12 x1/8" flat iron patti placed diagonally and provided with top & bottom T-section 1" x 1" 1/8" along with rollers also I/c locking arrangement and fixing in floor/ceiling or wall etc	P.Sft	100.00	387.04	38704.00
	S.I No.31 Page No.94	completed. Providing and fixing of iron steel grill door with angle iron frame of 1 1/2" x 1 1/2" x 1/4" and flat iron of 3/4" x 1/4" with approved design and locking arrangment embeded in Masonry as per instruction of Engineer Incharge.		400.00	231.60	92640.00
A SPE	SI No.84 Page No.108	Supplying and fixing in position Aluminum channels framing for sliding windows and ventilators of Alcop made with 5 mm thick tinted glass glazing (Belgium) and Aluminum fly screen including handles stoppers and locking arrangement etc complete. (a) Deluxe Model (white).	P. Sft	600.00	1592.69	955614.00

	\$1 No.25 P No.43	Laying floors of approved coloured glazed tiles 1/4" thick laid I white cement and	% Sft	6700.00	27747.06	1,859,053.02
	No.28 Rege No.43	pigment on a bed of 3/4" thick cement mortar 1:2. Lying of White marble flooring fine dressed on the surface without winding set in lime mortar 1:2 including rubbing	P. Sft	150.00	628.93	94339.50
2	SI No.60 Page No.66	and polishing of the joints. (b) 1" thick flooring Wooden Beading Providing and fixing with sunk iron screws wooden Architrave	P. Rft	400.00	49.97	19988.00
		approved design / shape having width not less than 2-1/2 inches as directed by Engineer Incharge.				
	ISI No.51 Page No.64	Providing and fixing in position door and windows and ventilator for first class deodar wood frames ! 1/2" thick and teak wood ply shulters of forst class deodar wood skelton (Solid) stiled and ply wood stilled and rails core of Partal wood and teak ply wood (3 ply) on both sides including hold fasts hinges al-drops iron tower bolts handles cleats with cord	P. Sfi	400.00	1245.96	498384.00
	itary Worl	etc. complete.				
	(CSI # 1/P# 1)	Providing and fixing orisa type white glazed earthenware W.C. pan with cost of low level plastic flush tank of 3 gallons capacity of approved quality and flush pipe with bend and making requisite number of holes in walls plinth & floor for pipe connection & making good in cement concrete 1:2:4. (ii). With 4" dia earthen ware trap and plastic thumble.		2.00	6166.60	12333.20
	S I No. 4 Page No: 02	Providing & European type white glazed earthen were wash down w.c pan complete with & laid with C.P brass hinges best quality and buffers 3 gallons plastic flushing cistern with internal fitting with fitting and clamp 3/4" dia and cutting and making requisite number of holes in walls plinth & floor for pipe connection & making good in cement concrete 1:2:4.		6.00	5,339.40	32,036.40

Sports & Youth Affairs Department, Government of Sindh



· · · · · · · · · · · · · · · · · · ·	Si No. 8 Page No.3	Providing and fixing 24" x 18" lavatory basin in white glazed earthen ware complete with & i/c the cost of W.1 OR C.1 cantilever brackets 6 inches built into wall, painted white in two coat after a primary coat of red lead paint, a pair of 1/2" dia rubber plug & chrome plate brass chain 1-1/4" dia malleable iron or C.P Brass traps malleable iron or brass union and making requisite number of holes in walls, plinth and floor for pipe connection and making good in cement concrete 1:2:4	Each	8.00	4,253.70	34,029.60
	SI No.11 Page No.03	Pedestal. Add extra for labour for providing and fixing of earthen ware pdestal white or coloured glazed (Foreign or Equivalent)	Each	4.00	2533.47	10133.88
38	SI No.23 Page No.06	Providing and fixing in position nyloon connections with 1/2" dia, brass stop cock with pair of brass nuts and lining joints to nyloon connection.	Each	16.00	447.15	7154.40
	SI No.18 Page No.5	Ceramic Sink. Providing and fixing 24" x 18" x 8" white glazed fire clay sinks complete including cost of C.I or W.I brackets 6 inches build into walls, 1 1/2" rubber plug & chrome plated brass chain 1 1/2" C.P brass washer I-1/2" dia, jmalloable nuions and making requisite number of holes in walls, plinth and floor for pipe connection and making good in cement concrete 1:2:4 (Foreign or Equivalent).	Each	1.00	4722.30	4722.30
	SI No.21 Page No.06	Floor Trap. Providing and fixing C.1 trap with 4" dia inlet and 4" dia outlet of the approved self cleaning design with a C.1 grating with or without a vent arm including cast of making requisite number of holes in walls, plinth & floor for pipe connection and making good cement concrete (1:2:4).	Each	10,00	1671.58	16715.80

Sports & Youth Affairs Department, Government of Sindh 35

NOOR ENGINEERING SERVICES INTERNATIONAL

	. I	Gully Trap))	j
	SI No.1	Providing and fixing 6"x4"	Each	10.00	1220.67	12206.70
	Page	gully trap with 4" outlet	1			
	No.24	complete with 4" thick 1:2:4	İ			
1		C.C for bed & 1/2" thick			Ì	ľ
	1	cement plaster (1:3) to the karb,	l			
i i	Ì	C.I grating 6"x6" & C.I cover	1			
	3	and frame 12"x12" (inside) etc.	!	į	i	1
		complete. Earthen ware glazed	{	(. [ĺ
	:	gully trap 6"x6"x4" with C.I	1	İ		
)) P)	cover & frame.				
	<u> </u>	Tee Stop Cock			0.42.03	5063.52
	SI	Supply/Fixing concealed tee-	Each	6.00	843.92	3003.32
	No.12-A	stop cock of superior quality				
	Page	with c.p head 1/2" dia.			İ	
	No.18	() 0 - 1 6 - 0 D	Gools	10.00	3432.00	34320.00
	SI No.19	(a). Supplying and fixing C.P. Muslim Shower with double	Each	10.01	J7J2,00	54320.00
	Page NO.19	Bib Cock & Ring Pipe etc	l			
	10.17	complete.	ļ		Ì	
44	SI No.6-	Gate Valve. Providing and				
	I Page	fixing ball valve (with				
	No.18	unsoldered copper ball) made				
	27	to BBS 1212.				
		a) 1/2 inch dia	Each	3.00	235.84	707.52
	The property of the property o	b) 3/4 inch dia	Each	3.00	290.84	872.52
45	SI No.1	Supplying and fixing in	Each	8.00	337.92	2,703.36
	Page	position brass bib cocks.				
	No.16	(i). (b). 1/2" dia Brass bib cock,	ſ			<u>.</u>
الرابع ال	\$	standard pattern.				
46	SI No.1	Providing & fixing chrome	Each	3.00	972.95	2918.85
1	Page	plated brass towel rail complete				٠
	No.07	with brackets fixing on wooden		į		
]:	cleats with 1" long C.P brass		}		
		Screws			Í	
	<u>.</u>	Towel rail 24" long. '4" dia round or square				,
		(Standard Pattern)				
47	SI No.1	Supplying & fixing soap tray	Each	3.00	497.20	1,491.60
	Page	earthen ware with C.P screws	25.01	3.00	.,,,,,,	••••
额	No.07	etc complete				
48	Sl No.1	.	Each	8.00	1,711.60	13,692.80
	Page	bavelled mirror of Belgium				•
	No.07	glass complete with 1/8" thick			ļ	
		hard board and C.P screws				
		fixed to wooden pleat.				
		Standard Pattern.				1010 10
49	SI No.11	Concealed C.P fittings of	Each	2.00	509.74	1019.48
esse series	Page	superior quality for tiles Bath	ŧ		1	
	No.18	Rooms.]	}	
15.0		(b). Supply and fixing concealed Stop Cock of]			
		superior quality with C.P head		1	İ	
		1/2" dia.	1			

Sports & Youth Affairs Department, Government of Sindh 36



i0	SI No.23	Supplying and fixing bath room	Each	2.00	10322.40	20644.80
	Page No.19	accessories set (7) pieces i/c				
	100.19	towel rod, brush holder, soap try, shelf of approved design				}
		including cost of screw, nuts				İ
1	(V) V O	etc complete. (Master Brand)	Each	4.00	1071.40	4285.60
	SI No.2 Page	Providing & fixing C.P brass toilet paper holder of stander	Each	4.00	1071.40	4285.00
海	No.07	size with chrome plated brass	1			1
		brackets complete (Similar to				!
		twyfords design no.1108) (b) Superior Quality		j	j	
<u>5</u> 2	SI No.17	Supplying / Fixing sink mixture	Each	2.00	2745.60	5491.20
	page	cock of superior quality with	}	j	ļ	ļ
1	no.19	C.P head etc complete.			2002.00	23056.00
	SI No.14	(a) Supplying / Fixing wash basin mixture of superior	Each	8.00	2882.00	23030.00
	page no.19	basin mixture of superior quality with C.P head 1/2" dia.	1		Į.	
34	SI No.3	Supplying and fixing fiber	Each	1.00	21,989.61	21,989.61
	Page	glass tank of approved quality		j	(
	No.21	and design and wall thickness				
3		as specified i/c cost of nuts, bolts and fixing in platform of				ļ
	SPECIAL STATES	cement concrete 1:3:6 and			·	
) () () () () () () () () () () (making connections for in-let	ĺ	·		į
		& out-let & over flow pipes etc				
		complete. (a). 250 Gallons Wall thickness 3.5 mm.	ł		1	
i	8.I	Constructing manhole or	Each	2.00	14,748.00	29,496.00
	No.01 (inspection chamber for the	ì		}	ŀ
200	CH;	required diameter of circular			}	<u>.</u> [
	很H. Work P.	sewer and 3'-6" (1067mm) depth with walls of B.B in				•
	No.46	cement sand mortar 1:3 cement				}
		walls and 1" (25mm)n thick				}
		over benching and channel i/c fixing C.I manhole cover with				
		frame of clear opening 1-1/2' x			}	
		1-1/2' (457x457mm) of 1.75			1	
		cwt. (88.9 kg) embedded in)	.)	
		plain C.C 1:2:4 and fixing 1" (25mm) dia M.S Steps 6"				
		(150mm) wide projecting 4"			ļ	
		(102mm) from the face of wall				
		at 12" (305mm) C/C duly			j	
		painted etc. complete as per standard specification and			j	
		drawing specification and		j	ļ	
		(a) 4"to 12" dia 2'x2'x3'.6"				
	S.I	Providing, Laying UPVC	}			
	P.H.	Pressure Pipes of Class "D" fixing in trench i/c cutting,				
	Work P.				1	
	No.24	cement including testing with			ľ	
		water to a head 122 meter or 400 Ft.				
		(i) 100 mm (4" dia)	P. Rft	150.00	226.00	33900.00
Si	olis & You	m Alfain ppaintalt, Governm		250.00	483.00	120750.00

Services international stodiscort

URI	<u> </u>				EE.0N
			1	1	bage
			88	celling rose with two terminals.	
1440.00	72.00	20.00	dbald He ins	Prithing efariliting (Bavelilla ceiling rose with two terminals	moy algina
					0£.0V
		}		400 amp on a prepared board.	hage.
			81115	change over switch 500 volls	002.eV
00.8824C	00.882₽€	00.1	P, No	Providing & fixing D.P I/C &	II III
	,	1		100 amp on a prepared board.	Page 1 No.30
		}		change over switch 500 volts	L61.aV
00,2187	00.2137	00.1	6M.9	Providing & fixing D. J. I.C. &	18
00 0136	000172	<u> </u>		prepared board as required.	
				no (22-AT) 92 gma 63 bna	IE ovi
	}		}	breaker 6,10,15,20,30,40,50,	203 Page
14656.00	00.816	00.81	P. Na	Provide & fixing clircuit	.oV 13
		j	j	as required.	循道
	}	}		number of the wall or column	
	1		}	siz 2-1/.036 copper conductor in 3/4" dia PVC conduit	20.0V
		ł		hiw betaluani DV9 (niaM du2	E Lyge
20101166	00.202	00'077	P. Meter	Providing and laying (Main or	11.0N 18
00.04422	252.00	220.00		:- All makes have waithinged	EE.oV
	1			ì	Page
	l		1	Samp plug & socket flush type.	LZZOL
2416.00	00.121	00.91	P. No	Providing and fixing three pin	is is
00 7170		<u> </u>			£E.oV
				type.	i de Re
			1	10/15 amp plug & socket flush	LZZUN
1620.00	162.00	10.00	oN.A	niq sardt gnixit bna gnibivor4	15 10
}				as required.	
	}	}	1	recessed in the wall or column	\$1.0M
				Timbroo OVI ("P/E) mrn02 ni	าสัย เสารณ์
		an'mar	111107.17	Wiring for light or fan point with 3/.029 PVC insulated wire	15 4 100.124
00.008081	1130.00	00.031	raiod .4		Á
					ToW Instrict
			ř	150E 18d %	
		· [1	4427/DIN8074/8075 B.S. 3580	
				Polyethylene PH pipe (HDPE- OZI gnimmona 2\W rot (001.	
1	ł	1	1	respect the high Density	
	l	ĺ		testing etc complete in all	Janes -
1	1	}	1	neach i/o fitting jointing &	
			}	Providing Laying & Brixing	CZ-ON
}	ł	1		lointing P.H pipes.	page
00.0972	92.00	00.0€	13.1	bna gaikal , gaibivor 4 .4	10.0M 12
12,855.00	128.55	00.001	P. R.ft	(ii). I" dia GI Pipe.	
38,316.00	67.26	00.004	P. RA	(i). 3/4" dia GI Pipe.	T 10
3071000				head of 200 feet and handling.	
1			1	testing with water to pressure	
}		}		ban gaiblind ant to emoloo	
}		}	1	with pigment to match the	
		1		this etc with white zink paint	
		1		two coats after cleaning the	
	{	1		breaking through walls and toof making good etc painting	
		}		To 1200 and including the affect denouth paistered	
1				conting & fitting complete with	
	1	1	{	gnixh gnibuloni otə aqmalə bna	
		}	1	glainega, asqiq I.D gaibivor	
1					50*0

ï		_			
SI No.	Providing & Fixing Brass	P. No	24.00	3185.00	76440.00
235 Page	Ceiling Fan 56" Inches (Good	}		1	-
	Quality).				
şı	Providing & fixing Brass	P. No	3.00	2791.00	8373.00
No.236	Bracket Fan 18" (Good			i	
Page	Quality)				1
No.34					
SI	Providing and laying of (Main	P. Meter	100.00	1300.00	130000.00
No.102	or Sub Main) PVC sheeted				
Page	with 4 core copper conductor	ļ]		•
No.12	600/1000 volts size 16mm2	}			
SI No.08	Providing and fixing earthing	Each	2.00	3610.04	7220.08
Page	set with 2x2x1/4" copper plate				
No.14	buried in ground at a depth of	Ì			
(C)	12" or less if water comes out	ļ	-		ĺ
100 m	from the ground level with salt		Ì	1	1
	and chorcoal etc i/c making the			İ	
	pit 12" deep by excavation of			ì	
			j	1	
resident	connected with No.8				
SI No.02	Providing & fixing A.c ceiling	Each	24.00	124.30	2983.20
1 Sec. 1	fan regulator on metal board			1]
	recessed in the walls column			i	
Total de	and covered with plastic sheet.				
\$1 No.06	Providing & fixing of Energy	Each	8.00	497.00	3976.00
7.74					1
				ļ	
	complete.				
150					
辯(•	Total:-	18412451.04
身) 陳			Above	Total:- 2 %	36 82 49/z
				2 %	18412451.04 36.8249/2
			Below	2 %	18412451.04 36.8249/2
			Below	2 %	18412451.04 36.8249/2 187,80700/2
uh Head	To a Wall & Treff Barrers Ave	and The Free	Below Sub Head	2 %	18412451.04 36.8249/2 18780700/2
ļΦ"	Toe Wall & Tuff Payers Arg		Below Sub Head	2 % % d "C" Total	36.8249/z 18780700/2
"D" S.I	Excavation in foundation or	und The Foo	Below Sub Head	2 %	18412451.04 36.8249/2 187.80700/2
"D" \$1 No.18	Excavation in foundation or building bridges and other		Below Sub Head	2 % % d "C" Total	36.8249/z 18780700/2
"D" S.I	Excavation in foundation or building bridges and other structures including dabbling		Below Sub Head	2 % % d "C" Total	36.8249/z 18780700/2
"D" \$1 No.18	Excavation in foundation or building bridges and other structures including dabbling dressing, refilling around		Below Sub Head	2 % % d "C" Total	36.8249/z 18780700/2
"D" \$1 No.18	Excavation in foundation or building bridges and other structures including dabbling dressing, refilling around structure with excavated earth		Below Sub Head	2 % % d "C" Total	36.8249/z 18780700/2
"D" \$1 No.18	Excavation in foundation or building bridges and other structures including dabbling dressing, refilling around structure with excavated earth Watering and ramming lead		Below Sub Head	2 % % d "C" Total	36.8249/z 18780700/2
"D" \$1 No.18	Excavation in foundation or building bridges and other structures including dabbling dressing, refilling around structure with excavated earth Watering and ramming lead upto 5ft. (b). In		Below Sub Head	2 % % d "C" Total	36.8249/z 18780700/2
F. No.4	Excavation in foundation or building bridges and other structures including dabbling dressing, refilling around structure with excavated earth Watering and ramming lead upto 5ft. (b). In ordinary soil.	% 0 Cft	Below Sub Head thall Ground, 5250,00	2 % % d "C" Total 3176.25	36.8249/2 187,80700/2 16675.31
F. No.18 P. No.4	Excavation in foundation or building bridges and other structures including dabbling dressing, refilling around structure with excavated earth Watering and ramming lead upto 5ft. (b). In ordinary soil. Dry rammed brick or stone		Below Sub Head	2 % % d "C" Total	36.8249/z 18780700/2
FI No.2	Excavation in foundation or building bridges and other structures including dabbling dressing, refilling around structure with excavated earth Watering and ramming lead upto 5ft. (b). In ordinary soil.	% 0 Cft	Below Sub Head thall Ground, 5250,00	2 % % d "C" Total 3176.25	36.8249/2 187,80700/2 16675.31
F. No.4 SI No.2 Page No.15	Excavation in foundation or building bridges and other structures including dabbling dressing, refilling around structure with excavated earth Watering and ramming lead upto 5ft. (b). In ordinary soil. Dry rammed brick or stone ballast 1 1/2" to 2" Gauge.	% O Cft	Below Sub Head thall Ground, 5250.00	2 % % d "C" Total	36.8249/2 18780700/2 16675.31
F. No.4 SI No.2 Page No.15 SI No.	Excavation in foundation or building bridges and other structures including dabbling dressing, refilling around structure with excavated earth Watering and ramming lead upto 5ft. (b). In ordinary soil. Dry rammed brick or stone ballast 1 1/2" to 2" Gauge.	% 0 Cft	Below Sub Head thall Ground, 5250,00	2 % % d "C" Total 3176.25	36.8249/2 187,80700/2 16675.31
FI No.2 Page No.15 SI No. O5 Page	Excavation in foundation or building bridges and other structures including dabbling dressing, refilling around structure with excavated earth Watering and ramming lead upto 5ft. (b). In ordinary soil. Dry rammed brick or stone ballast 1 1/2" to 2" Gauge. Cement Concrete plain including placing compacting	% O Cft	Below Sub Head thall Ground, 5250.00	2 % % d "C" Total	36.8249/2 18780700/2 16675.31
F. No.4 SI No.2 Page No.15 SI No.	Excavation in foundation or building bridges and other structures including dabbling dressing, refilling around structure with excavated earth Watering and ramming lead upto 5ft. (b). In ordinary soil. Dry rammed brick or stone ballast 1 1/2" to 2" Gauge. Cement Concrete plain including placing compacting finishing and curing, complete	% O Cft	Below Sub Head thall Ground, 5250.00	2 % % d "C" Total	36.8249/2 18780700/2 16675.31
FI No.2 Page No.15 SI No. O5 Page	Excavation in foundation or building bridges and other structures including dabbling dressing, refilling around structure with excavated earth Watering and ramming lead upto 5ft. (b). In ordinary soil. Dry rammed brick or stone ballast 1 1/2" to 2" Gauge. Cement Concrete plain including placing compacting finishing and curing, complete (including screening and	% O Cft % Cft	Below Sub Head thall Ground, 5250.00	2 % % d "C" Total	36.8249/2 18780700/2 16675.31
FI No.2 Page No.15 SI No. O5 Page	Excavation in foundation or building bridges and other structures including dabbling dressing, refilling around structure with excavated earth Watering and ramming lead upto 5ft. (b). In ordinary soil. Dry rammed brick or stone ballast 1 1/2" to 2" Gauge. Cement Concrete plain including placing compacting finishing and curing, complete (including screening and washing at stone aggregate	% O Cft % Cft	Below Sub Head thall Ground, 5250.00	2 % % d "C" Total	36.8249/2 18780700/2 16675.31
FI No.2 Page No.15 SI No. O5 Page	Excavation in foundation or building bridges and other structures including dabbling dressing, refilling around structure with excavated earth Watering and ramming lead upto 5ft. (b). In ordinary soil. Dry rammed brick or stone ballast 1 1/2" to 2" Gauge. Cement Concrete plain including placing compacting finishing and curing, complete (including screening and washing at stone aggregate without shuttering. Ratio	% O Cft % Cft	Below Sub Head thall Ground, 5250.00	2 % % d "C" Total	36.8249/2 18780700/2 16675.31
FI No.2 Page No.15 SI No. O5 Page	Excavation in foundation or building bridges and other structures including dabbling dressing, refilling around structure with excavated earth Watering and ramming lead upto 5ft. (b). In ordinary soil. Dry rammed brick or stone ballast 1 1/2" to 2" Gauge. Cement Concrete plain including placing compacting finishing and curing, complete (including screening and washing at stone aggregate	% O Cft % Cft	Below Sub Head thall Ground, 5250.00	2 % % d "C" Total	36.8249/2 18780700/2 16675.31
	No.34 SI No.236 Page No.34 SI No.102 Page No.12 SI No.08 Page No.14 SI No.08	No.34 Quality). SI Providing & fixing Brass Bracket Fan 18" (Good Quality) No.34 SI Providing and laying of (Main No.102 or Sub Main) PVC sheeted with 4 core copper conductor 600/1000 volts size 16mm2 SI No.08 Providing and fixing earthing set with 2x2x1/4" copper plate buried in ground at a depth of 12" or less if water comes out from the ground level with salt and chorcoal etc i/c making the pit 12" deep by excavation of all type of soil. Earth plat to be connected with No.8 SI No.02 Providing & fixing A.c ceiling fan regulator on metal board recessed in the walls column and covered with plastic sheet. SI No.06 Providing & fixing of Energy sever superior quality i/c fixing	No.34 Quality). SI Providing & fixing Brass P. No No.236 Bracket Fan 18" (Good Page Quality) No.34 SI Providing and laying of (Main No.102 or Sub Main) PVC sheeted With 4 core copper conductor No.12 600/1000 volts size 16mm2 SI No.08 Providing and fixing earthing Page set with 2x2x1/4" copper plate No.14 buried in ground at a depth of 12" or less if water comes out from the ground level with salt and chorcoal etc i/c making the pit 12" deep by excavation of all type of soil. Earth plat to be connected with No.8 SI No.02 Providing & fixing A.c ceiling Page fan regulator on metal board No.14 recessed in the walls column and covered with plastic sheet. SI No.06 Providing & fixing of Energy Sever superior quality i/c fixing No.33 on existing holder etc	No.34 Quality). SI Providing & fixing Brass P. No 3.00 No.236 Bracket Fan 18" (Good Quality) No.34 SI Providing and laying of (Main No.102 or Sub Main) PVC sheeted with 4 core copper conductor 600/1000 volts size 16mm2 SI No.08 Providing and fixing earthing set with 2x2x1/4" copper plate buried in ground at a depth of 12" or less if water comes out from the ground level with salt and chorcoal etc i/c making the pit 12" deep by excavation of all type of soil. Earth plat to be connected with No.8 SI No.02 Providing & fixing A.c ceiling Page fan regulator on metal board No.14 recessed in the walls column and covered with plastic sheet. SI No.06 Providing & fixing of Energy sever superior quality i/c fixing No.33 on existing holder etc	No.34 Quality). SI Providing & fixing Brass P. No 3.00 2791.00 Page Quality) No.34 Providing and laying of (Main or Sub Main) PVC sheeted with 4 core copper conductor 600/1000 volts size 16mm2 SI No.08 Providing and fixing earthing set with 2x2x1/4" copper plate buried in ground at a depth of 12" or less if water comes out from the ground level with salt and chorcoal etc i/c making the pit 12" deep by excavation of all type of soil. Earth plat to be connected with No.8 SI No.02 Providing & fixing A.c ceiling fan regulator on metal board No.14 recessed in the walls column and covered with plastic sheet. SI No.06 Providing & fixing of Energy sever superior quality i/c fixing No.33 on existing holder etc complete.

	it i. Dies					
	SI No.6	Reinforced Cement concrete	P. Cft	700.00	337.00	235900.00
	P No.17	work including all labour and	1			
1		material except the cost of steel	1		1	
9		reinforcement and its labour for	1		1	
1		bending and binding which will			· ·	
i f		be paid separately.	l		i	
STR 6	9	(i) Ratio (1:2:4)]	
i i	(S.I	Cement concrete plain	%Cft	1700.00	14400.05	245297.25
3.	No.05/P-		%CII	1700.00	14429.25	243297.23
	16)	including placing compacting, finishing and curing complete			})
7	1 1 1	including screening and				
		washing at stone aggregate				
ť.		without shuttering. (f) Ratio				
		(1:2:4)				
	SI No.24	Providing and laying 1:3:6	%Cft	50.00	15771.01	7885.51
	Page No.	cement concrete solid block				
	9	masonry wall above 6" in	}	i		
		thickness set in 1:6 cement	1	1	1	
		mortar in G.F Ground Floor	j	1		
1		super structure including raking	ţ	į		
		out joints & curing etc,		İ		
	E Care	complete			101000	0/7050 5/
	SI No.	Pacca brick work in foundation	% Cft	2200.00	12176.08	267873.76
S# 9 /	04 Page	and plinth in: (d) Cement sand	j	ļ		
il.	No. 20 SI NO.8	mortar 1:5 Providing & fixing angle iron	P. Rft	300.00	169.18	50,754.00
	Page	vertical plats for barbed wire	P. RR	200,00	109.16	30,734.00
	No.95	fencing of size 2" x 2" 1/4"				
	1,10.23 1	embedded in RCC /Masonry	į	}	1	
		pillars I/c Making cuts/ holders @	1			•
鑿		12" I/c fixing in pillars by				
		chiseling and filling the with cement sand mortar, saprining &				
		finishing the surface.		}	ļ	
j	SI NO.9	Providing & fixing barbed wire	P. Rft	800.00	8.38	6704.00
	Page	fencing with 12 gauge -4 points @		!		
	No.96	6" apart barbed wire I/c	<u> </u>			
		straightening & fixing in angle				
看	S.I No.	iron vertical posts. Jungle clearance and removing	% 0 Sft	50000.00	151.25	7562.50
ė	19,1 190. 204	within 100 feet. (b) Thick	70 0 1011	50000.00	101,20	,302.23
	P.No 95					1
Ħ	S.I No.	Providing and Flxing GI expended	P. Sft	4760.00	178.68	850516.80
	66	metal 1/8-20 gauge fixed to		1		
	P.No 66	chowkats with 3/4" deodar strips		ļ		
14	100	and screws.	0/ 00	47.00.00	570.14	27567.06
12	\$1 No.31	(A) Preparing the surface &	% Sft	4760.00	579.14	41301.00
	(a+b+b).	painting with enamel Paint.				11110.00
	Page No.73	(B) 2 nd & subsequent coat	%Sft	4760.00	870.00	41412.00
[3	S.I No.	(A) Preparing the surface and	%Sft	4200.00	1328.25	55786.50
	38	painting with weather coat i/c			}	1
	(a+b+b).	nubbing the surface with	·		ļ	
	Page	rubbing brick / sand paper.				
	No.56	Filling the voids with chalk/	Ì			
		plaster of Paris and then				
	ts & Yout	painting with weather coat of Affaire Department, Governm	ent of Sindh			
		(B) 2 nd & subsequent coat.	4QSft	4200.00	1239.70	52067.40
	1	(2) & Se attracquent cont.	·/u11	1200.00		



ŧ	. ·					
	§,I No.29	Supplying and filing sand under floor and plugging in	% Cft	1000.00	1141.25	11412.50
	P.No 26	walls. (Sweet Earth).	1			
	g,i	Trufing slops of banks or lawns	% Cft	2000.00	1210.00	24200.00
	No.27	with grass sods including	1			
	SP:17.1	ploughing laying, setting and			1	
y de		watering (Turf got from within	}		1	
		a distance of 5 miles and		1]
		maintenance for 15 days)				
	į.	including three cutting layer		ì	İ	1
¥	4:	grass complete in all respects				
	i. La	as per instruction of engineer	1			
		incharge.	1			
	SI	Kerb Stone.	P. Rft	300.00	400.00	120000.00
聖	NO.14	Providing & fixing pre-cast	1	ļ	}	
	Page	Edge Block 3750 PSI Industrial	ì			
	No.16	Made size 6 inches thick x 12	ì			
N. Tar		inches long x 18 inches high	1		{	1
		including the cost of Cartage,			[
	Á	excavation form work for	ļ		j	}
2		hunching, 1450 PSI lean	i			
		concrete, 2250 PSI concrete for			Ì	
	.∕4:	hunching, 1:4 cement sand	}		1	}
#	[mortar.				
7	SI No.8	Fabrication of mild steel	P. Cwt	40.00	5001.70	200068.00
	P No.17	reinforcement for cement				
答		concrete including cutting,				
ない) L : : P - 3:	bending laying in position	}	}	}	
T.		making joints and fastenings	1			1
		including cost of binding wire	Į			
減火		(also includes removal of rust)	ĺ	j	Í	
34		(b). Using Tor Bars.				14505 56
1	SI No.27	Supplying & fixing special	P. Sft	126.00	930.76	117275.76
	Page	heavy type steel doors for look-				
は	No.93	ups with angle iron frame of 2-	ļ			,
1	X .	1/2" to 2-1/2" x3/8" size and	1		ţ	
		shutter of 2" x 2" X 3/8" with	i l	ì		
		1" diameter M.S Bars placed @]			
5	9 9 9 9	4" center to center with	1			
	at a	separate locking box having				}
Ď		size of 12" x 12" of M. Steel				}
		sheet embedded in masonry				ļ
	Į.	with proper locking				
揓		arrangement as per approved	[[ĺ
	ř.	design including cost of				
	\$ 1 \$ 2 \$ 4.5	erection of steel gate and fixing	}	1	}	
S.		in masonry wallin cement		ĺ		
Ü	G. A.	concrete 1:2:4 etc complete as		1	}	
	1	per instruction of Engineer	{	{		
	COT N. O.	Incharge.	0/ 00	200.00	27747.06	55,494.12
ķ	SI No.25		% Sft	.200,00	21/41.00	33 ₁ 77112
į,	P No. 43	coloured glazed tiles 1/4" thick laid 1 white cement and]		-	
1	(1) (1)	pigment on a bed of 3/4" thick				
					i	
5	4	cement mortar 1:2.	l <u> </u>	L		<u></u>

gorts & Youth Affairs Department, Government of Sindh



	1					
	S.I No.71 Page No.49	Providing & fixing cement paving blocks flooring having size of 197 x 60 (mm) of city / quddra / cobble shape with natural colours, having strength b/w 5000 psi to 8500 psi 1/c filling the joints with hill sand and laying in specified manner / pattern and design etc: complete.	P.Sft	10000,00	199.77	1997700.00
	SI No.1 Page No.12	Providing G.I Pipes, specials and clamps etc including fixing cutting &fitting complete with and including the cost of breaking through walls and roof making good etc painting two coats after cleaning the pipe etc with white zink paint with pigment to match the colours of the building and testing with water to pressure				
	الماريقية	head of 200 feet and handling.				
(S)	مسنية	(viii). 3" dia Gl Pipe.	P. Rft	1,660.00	360.40	598,264.00 5591703.97
3	1				Total:-	5391703.97
100	نع نعد		· 	Above	10	5,57,170/2
	1.w1v21b).c			Below		
	de deserva	•		Sub Head "	D" Total Rs:-	6.15.0873/
		NON	SCHEDULE	ITEMS		
	N.S.I المستورة المست	Supply and fixing of stainless steel railing approved design and shape upto 4 feet high including wastage and welding and fixing with all accessories complete in all respect as per instruction of Engineer Incharge.	P, Rfi	85.00	2000/2	1,70,000/2
2	N.S.I	Supply and Providing of 05 Sofa Set as per instruction of engineer incharge.	P. Each	2.00	40000/z	80,000/2
OTTO THE RESERVE OF THE PERSON NAMED IN COLUMN TO THE PERSON NAMED	N.S.I	Supply of Revolving Chair complete in all respect as per instruction of engineer incharge.	P. Each	2,00	Troc/z	14000/2
4	N.S.I	Supply and Providing of Office Tables with side table as per instruction of engineer incharge.	P. Each	2.00	2.5000/z	So,ceo/z
S	N.S.I	Supply and Providing of Computer with printer as per instruction of engineer incharge.	1 1	1.00	la,occ/e	100,000/2
10	N.S.1	Supply and Providing of Office Chairs as per instruction of engineer incharge.		20.00	3000/z	60,000/2
sjlo	nts & You			40.00	Soco/2	200,000/2
	······································				-	

NOOR ENGINEERING
SERVICES INTERNATIONAL

							1 1
				.0	00117.00	/2 /1700	000/2/
			of P. Each	10.	17000	/2 /	7
			, providing of l				
ľ	I.S.I	Supp Dinn		_			0000/2
1		inetr	nction	3	6.00 40,00	00/z /144	0000/2/
1		inch	arge fiving of 1.12				1
-	N.S.I	Sup			2.00	00/2 /1	10,000/2
		Sin	gie Beu und gineer incharge. gineer incharge. P. Each	,			
11	N.S.		pineer incharge. pply Providing and fixing of P. Each puble Bed as per instruction puble Bed as per instruction puble Bed as per instruction public princharge.				52,000/2/
	14.5	l Di	Bubic Designation D. Coo	sh	36.00	coc/z Ill	52,000/27
		of	rengineer incharges. upply and Providing of P. Eac upply and Providing of P. Eac	1			,
	N.S	\ A	dmirah as per ma		36.00	ano/= 16	148000/2
		\ e	engineer menurger of Sofa P. En	ich	118	civi - 18	5,48000/2
骷	N	S.I	Supply and Providing Set Single as per instruction of				
	graped :		engineer menargo.	S	1.00 /0	0,000/2	100,000/2
	1	V.S.I		.	1		
			Crockery as per manual	Fools	36.00	- 04	2000001
		N.S.I		Each	18	000/2	288000/2
		N.5.1	l i i szatta Billiw. Date i			,	
			cover and Quilt with cover for single bed as per instruction of	1			i
			l singer incharge.		2,00		
		N.S.I	Drawiding of Bedshet Will 1.	Each	1	0,000/2	20,000/2/
		id A	pillow, pillow cover and quilt with cover for double bed as			· ·	20,000
		4	per instruction of engineer				
			incharge	- Cash	6.00	10 /	
	16	N.S.I	Supply and Providing of 02 P	. Each		1Becc/z	108000/2
		7	seater fabric/leatherette sofa set as per instruction of Engineer			•	
			incharge		6.00		
		N.S.1	Supply & Providing of LED 1	P. Each	0.00	70,000/2	420000/2
			TV 40" (Samsumg) or j				199 /7
		hija ka sa	equivalent as per instruction of Engineer Incharge				-
		N.S.I	Supply & Providing of LED	P. Each	2.00	loomal-	12 mont
		11.0.1	TV 50" (Samnsung) or [1		1.00 000/2	2,00,000/2
		\$	equivalent as per instruction of	1			
		N.S.I	Engineer Incharge. Supply & Fixing of LED	P. No	135.00	850/=	114750/2
1		17.63.1 	Lights 12 Watts complete in all [000/2	114730/2
			respect as per instruction of	ļ			
		ele V	engineer incharge I Supply and Fixing Motor	P. Each	2.00	3000/	60 mal
		N.S.	Electric AC, 400 V 3 Phase 50			30,000/2	Lucion 2
			eyele 145/2900 rmp, 1 HP.	P. No	6.00		60,000/z 4,80,000/I
		N.S.	I Supply & Fixing of Air Conditioner 1.50 ton as per	F, 140		20000/2	18000
			instruction of Engineer	1		′	thong.
			Incharge.	- Park	2.00	0	,
	7	N.S	Drilling Bore hole, 50 mm dia	Each	2.0	32000/	2 64000/z
			deep 0'. 00" to 150 depth including piping in all respects	1		1 '	
			as per instruction of Engineer	1			
			Incharge	ent of Sindh			
			Voulb Affairs Denartment, Governme	ent of Sindh			

Incharge.
Sports & Youth Affairs Department, Government of Sindh
43

	ď.					
	N.S.I	Supply & fixing of light pole including energy savor Philips	P. No	10.00	14000/=	1,40,000/2
		45 watts, Glob, Electrical wiring M.S Pipe 2" dia 20' feet	Ì		1	
ă.		height and foundation complete		İ	1	
g II	i.	in all respects as per instruction	1	}	}	\ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \
		of engineer incharge.	ļ			
7	N.S.I	Providing & fixing barbed	P. Rft	800.00	~ /	
		Riser wire fencing 2'.00"	}		300/2	2,40,000/2
9		circle shape complete in all	l		/	7,000 93
		respects as per instruction of	ļ	ļ		
	<u></u>	Engineer Incharge.				
	N.S.I	Supply & Providing of Water	P. No	2.00	11 .1	α
		Dispenser Cooler (Homage)			90,000/z	80,000/2
		complete in all respects as per instruction of Engineer		-	· ·	
		Incharge.	•		}	
	N.S.I	Supply & Providing of Heavy	P. No	2.00		
		Duty Treadmeale for			175000/	350,000/2
		commercial purpose complete	!		1. 500/2	270,000/2
射		in all respects as per instruction		1]	/
		of Engineer Incharge.				
ij	N.S.I	Supply & Providing of Upright	P. No	2.00	Honal	80,000/2
		Exercise Machine complete in		1	10,000/2	80,000/2/
Н		all respects as per instruction of Engineer Incharge.		1		· / /
H	I N.S.I	Supply & Providing of Abking	P. No	2.00	11 /	32000/2
11	[N.D.1	Exercise Machine complete in	1.1,6	_,	16000/2	32000/2
		all respects as per instruction of		Ì	·	
H		Engineer Incharge.			_,	
29	N.S.I	Supply & Providing of Situp	P. No	2.00	In mont	20,000/2-
	100	Board Exercise Machine	}		willy 2.	20,000/2
		complete in all respects as per			'	
		instruction of Engineer	ļ			'
1	N.S.I	Incharge. Supply & Providing of Weight	P. No	2.00	, I	
	11.0.1	Lifting Multi Gym Exercise	1.1,5		60,000/2	120,000/2
		Machine 75 to 80 Kg cmplete	ļ		/	
	e de Granda	in all respects as per instruction	{			
	(č	of Engineer Incharge.				
	N.S.I	Supply & Providing of legbend	P. No	2.00	2. Smol-	50,000/2
		Abdonminal Exercise	[10,000/2
		equipments emplete in all	}			
		respects as per instruction of]			,
	N.S.I	Engineer Incharge. Supply & Providing of Spin	P. No	2.00		,
	17.0.1 1818	Bike Exercise Machine emplete	1.1,0	2.30	70,000/z	140,000/2
		in all respects as per instruction	<u> </u>		10,000	1000
		of Engineer Incharge.				
13.	N.S.I	Supply of Providing of Matt	Each	4.00	Soco/z	20,000/2
		size 2'x6' thickness 4" for	}) >000/z	20,000/2
		exercise per instruction of	!			/ /
	N.S.I	engineer incharge. Supply & Fixing of Alphabets	P. No	30.00	1	
1	1.6.71	for Stainless Steels complete in	1	,0,00	4500	12 Comm/
		all respects as per instruction of				135000/2
100		engineer Inchagre.				
S'n	orts & You	uth Affairs Department, Governm	ent of Sindh	Non Schedule	Items Total:	74.85750/2
	5×** #		-44			1-
2.0						- 1

NOOR ENGIPEERING
SERVICES INTERNACIONAL
Proprietor



No. A.D (C.B) SPY-35842/Kh GOVERNMENT OF SINDH FORCUREMENT REGULATORY AUTHORITY

Karachi, dated the

March, 2018

Assistant Director (C.B)

1,29A-0/

The Executive Engineer (Civil), Sports & Youth Affairs Department, Karachi.

Subject:

No. XEN/S&YAD/2017/227 Dated 20.12.2017

The under signed is directed to refer to your letter No. XEN/S&YAD/2018/437 dated 14.02.2018 regarding contract evaluation Report for the subject NIT and to state that the agreement has been made on Stamp paper of Rs.100/- only, without paying the stamp duty, as per stamp duty Act.

It is therefore advised to furnish contract having proper stamps as per Rules. It may be noted that it is the sole responsibility of Procuring Agency to ensure compliance of SSP Rules, 2010 (amended 2017) in letter and spirit.


NOTE

"SPPRA has developed and launched new website Procurement Performance Management System (PPMS)'. All Procuring Agency are advised to use this website for uploading their NIT, BER and contract documents by themselves. For any query please contact at 021-99205356-99203287.

Copy forwarded for information to:-

✓ The Secretary, Sports & Youth Affairs Department, Government of Sindh, Karachi.

Ph. 021-99206733 Fax.021-99206738



No. XEN/S&YAD/2018/ Fif

GOVERNMENT OF SINDH SPORTS & YOUTH AFFAIRS DEPARTMENT

(Engineering Wing)
95* Floor, State Life Building No.3, Dr. Ziauddin Ahmed Road, Karachi

Karachi, 04th June, 2018

To,

The Assistant Director (C.B), Sindh Public Procurement Regulatory Authority, Block-8, Sindh Secretariat No.4-A, Court Road, Karachi.

Subject: -

NO.XEN/S&YAD/2017/227 DATED 12.01.2018.

NIT REF NO.INF/KRY NO.5330/2017 DATED 24-12-2017-T-1 LAYING OF SYNTHETIC FOOTBALL TURF AND TENDER-2 CIVIL WORK FOR LAYING OF SYNTHETIC FOOTBALL TURF AT GHANGHOTI GROUND, ROHRI (SPPRA SR.

35842).

Ref: -

Your letter No. AD (C.B)/SPY-35842/Khi/18-19/2383 dated 11th April, 2018.

Enclosed please find herewith Copy of Contract Agreement dully affixed / paid stamp

duty as per rules for your reference and record as desired please.

Encl: As above.

Executive Engineer (Civil)

CC to:-

1. PS to Secretary, Sports & Youth Affairs Department, Government of Sindh, Karachi.

2. PS to Chief Engineer, Sports & Youth Affairs Department, Government of Sindh, Karachi.

Callen Ob



OFFICE OF THE EXECUTIVE ENGINEER

Sports & Youth Affairs Department Government of Sindh, Karachi

CONTRACT AGREEMENT

THIS CONTRACT AGREEMENT (hereinafter called the —Agreement) made on the day of 20-04-2018 between Executive Engineer, Sports & Youth Affairs Department, Government of Sindh, Karachi (hereinafter called the Procuring Agency) of the one part and M/s KAM Traders (Pvt) Limited, Islamabad (hereinafter called the —Contractor) of the other part.

WHEREAS the Procuring Agency is desirous that certain Works, viz TENDER-1 LAYING OF SYNTHETIC FOOTBALL TURF AT GHANGHOTI GROUND, ROHRI should be executed by the Contractor and has accepted a Bid Rs. 39481000/- (Rupees Thirty Nine Million Four Hundred Eighty-One Thousand Only) by the Contractor for the execution and completion of such Works and the remedying of any defects therein.

NOW this Agreement witnessed as follows:

- 1. In this Agreement words and expressions shall have the same meanings as are respectively assigned to them in the Conditions of Contract hereinafter referred to.
- 2. The following documents after incorporating addenda, if any except those parts relating to Instructions to Bidders, shall be deemed to form and be read and construed as part of this Agreement, viz:
 - The Letter of Acceptance;
 - (b) The completed Form of Bid along with Schedules to Bid;
 - (c) Conditions of Contract & Contract Data;
 - (d) The priced Schedule of Prices/Bill of quantities (BoQ);
 - (e) The Specifications; and
 - (f) The Drawings
- 3. In consideration of the payments to be made by the Procuring Agency to the Contractor as hereinafter mentioned, the Contractor hereby covenants with the Procuring Agency to execute and complete the Works and remedy defects therein inconformity and in all respects within the provinces of the Contract.

w.m.18

#

A Company of the Comp

rend

PAKISTAN

O

PAKISTAN 4. The Procuring Agency hereby covenants to consideration of the execution and completic	
provisions of the Contract, the Contract Price of	•
become payable under the provisions of the Co	
the manner prescribed by the Contract.	
IN WITNESS WHEREOF the parties hereto have	ve caused this Contract
Agreement to be executed on the day, month and ye	
accordance with their respective laws.	
	(1)
	gnature of the Procuring Agency
(Seal)	(Seal)
	Marie Carlos Andrews (1984)
M/s KAM Traders (Pvt) Limited, Islamabad	
Auther Signed, Sealed and Delivered in the presence of:	No.
PAKISTAN	M
Witness: Witness:	CA.
Witness: Witness: Witness:	USADDIQ ABSALAW
Nawas Jan	
(Name, Title and Address) (Name, Title and	nd Address)
ADHESIVE THE THE PROPERTY OF T	The second of the second
PAKISTAN PAKISTAN PAKISTAN PAKISTAN PAKISTAN	PAKISTA PAKISTAN
بالاعتال الاعال الاعتال ال	باعتان لاء تان الدارة ال
HOUGHS HOUGHS HOUGHS TO LORS HOUGHS 2014 AUS	100 NR 5000R 200R
SPECIAL SPECIAL SPECIAL ADHESIVE ADHESIVE ADHESIVE ADHESIVE ADHESIVE	SPECIAL SPECIAL SPECIAL ADHESIVE ADHESIVE
	ADHESIVE ADHESIVE ADHESIVE
Camp Affice, City Court Serachi	u · Ip
Serachi Court 20 A	PR 2018 ³

R164150= 759

OFFICE OF THE EXECUTIVE ENGINEER

ports & Youth Affairs Department Government of Sindh, Karachi

CONTRACT AGREEMENT

THIS CONTRACT AGREEMENT (hereinafter called the —Agreement) made on the day of 16-03-18 between Executive Engineer, Sports & Auth Affairs Department, Government of Sindh, Karachi (hereinafter called the Procuring Agency) of the one part and M/s Noor Engineering Services **International, Karachi** (hereinafter called the —Contractor) of the other part.

WHEREAS the Procuring Agency is desirous that certain Works, viz TENDER-**Q2 CIVIL WORK AT LAYING OF SYNTHETIC FOOTBALL TURF AT** GHANGHOTI GROUND, ROHRI should be executed by the Contractor and has accepted a Bid Rs. 46897801/- (Rupees Forty Six Million Eight Hundred Ninety Seven Thousand Eight Hundred and One Only) by the Contractor for the execution and completion of such Works and the remedying of any defects therein.

NOW this Agreement witnessed as follows:

PAKISTAN

- The this Agreement words and expressions shall have the same meanings as are respectively assigned to them in the Conditions of Contract hereinafter referred to.
- The following documents after incorporating addenda, if any except those parts relating to Instructions to Bidders, shall be deemed to form and be read and construed as part of this Agreement, viz:
 - "ă" The Letter of Acceptance;
 - The completed Form of Bid along with Schedules to Bid; (b)
 - (c) Conditions of Contract & Contract Data;
 - The priced Schedule of Prices/Bill of quantities (BoQ); (d)
 - The Specifications; and (e)
 - The Drawings

consideration of the payments to be made by the Procuring Agency to the Contractor as hereinafter mentioned, the Contractor hereby covenants with the Procuring Agency to execute and complete the Works and

SERVICES INTERNATIONAL

