SINDH PUBLIC PROCUREMENT REGULATORY AUTHORITY

CONTRACT EVALUATION FORM

TO BE FILLED IN BY ALL PROCURING AGENCIES FOR PUBLIC CONTRACTS OF WORKS, SERVICES & GOODS

1) NA	AME OF THE ORGANIZATION / DEPTT.	. Karachi Water and Sewerage Bo	ard
2) PR	OVINCIAL / LOCAL GOVT./ OTHER	Local Government	
		REPLACEMENT OF 15"DIA, 12"DIA & 8"DIA SU	
		AND DAMAGED SEWERS AT DIFFERENT INCLUDING UC-8 AND UNION SOCIETY, JAMSI	
3) TI	TLE OF CONTRACT	(SEWERAGE)-I.	
4) TE	NDER NUMBER	<u>S.No.35857</u>	
5) <u>BR</u>	LIEF DESCRIPTION OF CONTRACT	For improvement of sewerage system.	
6) FO	RUM THAT APPROVED THE SCHEME	Managing Director, KW&SB	
7) TE	NDER ESTIMATED VALUE	Less than 1.00 Million	
	IGINEER'S ESTIMATE R	ks.9,37,900/=	
(Fo	or civil works only)		
9) ES	TIMATED COMPLETION ERIOD (AS P	ER CONTRACT) 25 Days	
10) TE	NDER OPINED (NOTE & TIME)	16-01-2018 at 02.30 P.M.	
	MBER OF TENDER JUMENT	S SOLD <u>02 Nos.</u>	
(At	tach list of buyers		
12) NU	MBER OF BIDS RECEIVED	02 Nos.	
	and an even it was thinking a probability of the probability of a probability of the prob	T THE TIME OF OPENING OF BIDS 02 N	los.
			00.
14) BIL	D EVALUATION REPORT	Already sent to Authority Web Site	
15) NAI	ME AND ADDRESS OF THE SUCCESSF		
		A-231, Block-H, North Nazimabad, K	Carachi.
16) CO	NTRACT AWARD PRICE	Rs.9,37,361/=	
4			
	NKING OF SUCCESSFUL BIDDER IN E		
(i.e.	. 1 st , 2 nd , 3 rd EVALUATION BID).	1 st Lowest	-
	- 712 (m.) - 2 ¹ - 2 - 1 - 1 - 1		
10) 1 (5)	THOS OF BROOKINE WENT HOEF (T)		-
18) ME	THOD OF PROCUREMENT USED : - (Tie	ck one)	
a)	SINGLE STAGE -ONE ENVELOPE	PROCEDURE Domestic/ Loc	al
b)	SINGLE STAGE -TWO ENVELOPE	E PROCEDURE NIL	
c)	TWO STAGE BIDDING PROCEDURE	ENIL	
d)	TWO STAGE –TWO ENVELOPE BI	IDDING PROCEDURE NIL	

PLEASE SPECIFY IF ANY OTHER METHOD OF PROCUREMENT WAS ADOPTED i.e. EMERGENCY, DIRECT CONTRACTING ETC. WITH BRIEF REASONS:

	THER THE PROCUREMENT WAS INCLUDED I			ī		1.	1		
				1	Yes	M	N	o	
21) ADV	ERTISEMENT:		i			OSSO ARLO	an water to		
i)	SPPRA Website (If yes, give date and SPPRA Identification No.)	Yes	16-0	1-18	S.No	. 358	857		
	(-,-,-,-	No						Ĩ.	
ii)	News Papers (If yes, give names of newspapers and dates)	Yes							
		No							
22) NATU	JRE OF CONTRACT				Domestic. Local		✓ Ir	nt.	
WAS	THER QUALIFICATION CRITERIA INCLUDE IN BUILDING TENDER DOCUMEN s, enclose a copy	TS?			Yes	٧	No	o	
WAS	THER BID EVALUATION CRITERIA INCLUDED IN BIDDING TRADER DOCUMEN s, enclose a copy)	TS?			Yes	√	No)	
558 15	THER APPROVAL OF COMPETENT AUTHORITY WA	SORT	AINIEL	,					
100	ISING A METHOD OTHER THAN OPEN COMPETITI								
					Yes		No	0	
26) WAS I	BID SECURITY OBTAINED FROM ALL THE BIDDER	LS?			Yes		✓ No	5	
27) WHE BID /	THER THE SUCCESSFUL BID WAS LOWEST ED BEST EVALUATED BID (in case of Consultancies	VALU ()	ATEC)	Yes		✓ No	Э	
	THER THE SUCCESSFUL BIDDER WAS TECHN PLIANT?	IICALI	LY		Yes		N	0	✓
	THER NAMES OF THE BIDDERS AND THEIR Q TIME OF OPENING OF BIDS?	UOTE	D PR	ICES	WERI Yes	E REA	AD OU	$\overline{}$	Т

Yes No THE TI Yes No Yes	ENDEF	R NOTIC	✓ EE / DOCU	MENTS
Yes No	ENDEF			MENTS
Yes No	ENDEF		E / DOCU	MENTS
No		✓		
		✓		
Yes				
No			✓	
Yes				
No			✓	
THE	SEL EC	TED FI	RM IS NO	Т
TIL	OLLL	Yes	√ No	
			ENCY TO SO, DETA No	THE ILS TO
Z TI	ION	DVANO	CE PAYM	ENT IN
		Yes	No	
Yes				
No		✓		
				1
	Yes No THE HE PR OCU IF B	Yes No THE SELECT HE PROCURI OCUREMI IF BRO D Z TION Yes	Yes No THE SELECTED FIT Yes HE PROCURING AGH OCUREMENT? IF IF BRO D: Yes TION DVANG Yes Yes	Yes No THE SELECTED FIRM IS NOT Yes No HE PROCURING AGENCY TO OCUREMENT? IF SO, DETA IF BRO D: Yes No TION Yes No Yes No Yes No

<u>SPPRA, Block. No.8, Sindh Secretariat No.4-A, Court Road, Karachi</u> Tele: 021-9205356; 021-9205369 & Fax: 021-9206291

KARACHI WATER AND SEWERAGE BOARD OFFICE OF THE EXECUTIVE ENGINEER (SEW)-I (JAMSHED TOWN) BLOCK-B, KMC MARKET, SINDHI MUSLIM SOCIETY

NO.EE/SEW-I/JT/KW&SB/2018/49

DATED:12-03-2018

To,

M/s.Trust Construction Co., A-231, Block-H, North Nazimabad, Karachi.

WORK ORDER / L.O.C

SUBJECT :-

REPLACEMENT OF 15"DIA, 12"DIA & 8"DIA SUNK DOWN AND DAMAGED SEWERS AT DIFFERENT PALCES INCLUDING UC-8 AND UNION SOCIETY, JAMSHED TOWN (SEWERAGE)-I.

Your Tenders dated 16-01-2018, has been approved by the competent authority, KW&SB, for amounting to Rs.9,37,361/= (Rupees Nine lacs thirty seven thousand three hundred sixty one only). You are therefore, requested to start the above mentioned works as per design and specification.

The each work is to be completed with 25 days, failing which penalty of Rs.1,000/= per day will be imposed / recovered as per terms and conditions of the contract.


You are further requested to contact the Sub-Engineer Jamshed Town (Sew), KW&SB, in connection with commencement of supervision for necessary instructions of the works.

EXECUTIVE ENGINEER (SEW)-I JAMSHED TOWN, KW&SB

Copy to :-

- 1. The Superintending Engineer, District East-A, KW&SB.
- Budget Office, KW&SB.
- Asstt. Director (LFA), KW&SB.
- Office Copy.

TO FERRITARIO AND A




SHARIEEL AHMED SHAKH STAMP CONTRACT AGREEMENT

Licence No: 123, Shop No: 16, Karim Plaza,

Guishen-eight 3 SCIVIRACT AGREEMENT made the 12th day of March 2018, s.no. between the Karachi. Water & Sewerage Board (KW&SB), Government of Through Wil Sindh, as conferred the powers of Chief Engineer (W&S), KW&SB delegated Purpose to Deputy Managing Director (T/S), KW&SB communicated vide O/O Value Rs. Van NO. KW&SB/DMD/HRD&A/1141 dated: 26th October, Not For use the expression shall wherever the not respectively so admits on required to deemed to include their successor) on the one part as first Party M/S. TRUST CONSTRUCTION CO., having their office at A-231, Block-H, North Nazimabad Karachi, Represented by the MR. ALEEM AHMED KHAN hereinafter called the "Contractor" (which expression shall wherever the context so admit or required be deemed to include their Executors. Administrators. Successors and permitted Assignees) on other part as second party.

> WHEREAS the Employer is desirous to execute the work "REPLACEMENT OF 15" DIA, 12" DIA & 8" DIA SUNK DOWN AND DAMAGED SEWERS AT DIFFERENT PLACES INCLUDING UC-08 AND UNION SOCIETY JAMSHED TOWN (SEW-I) UNDER KW&SB'S OWN FUNDED PROGRAMME, for RS.9,37,361/= (RUPEES NINE LACS THIRTY SEVEN THOUSAND THREE HUNDRED SIXTY ONE ONLY), for the construction and completion of such WORKS and the remedying of an defects therein. The tender called upon through Authority's Website of SPPRA Rule-2010 under Serial NO. 35856.

> AND WHEREAS THE CONTRACTOR has already deposited 2% Pay Order for amounting to Rs.20,100/=, vide Pay Order No. dated: 19770572 15-01-2018, issued from H.B.L Nazimabad Branch Karachi remaining 8% for amounting to Rs.73,636/= will be deducted of 10% Performance Security as Security Deposit from his bill, the same will be kept with the EMPLOYER till the maintenance period of the work for the due fulfillment of the CONTRACTOR. Further 1% Water Charges will also be deducted from his bill as per Standard Operating Procedure (SOP).



IN WITNESS WHEREOF, the parties hereto have set their respective hands

Licence No. 123, 300 Seats the lead and year first above written.

Gushan e lobal, Bl. 14, Near Civic Centro Karacha

NO.

DATE O 1 MAR 25 igned, Sealed 7 not Delivered by the.

ISSUED TO WITH ADDRESS MUNATURIAL VAGOOD THROUGH WITH ADDRESS FOR AND COME DE HALF OF THE PROPERTY OF THE PROP

DEPUTY MANAGING DIRECTOR (T/S) K.W.&.S.B

SUPERINTENDING ENGINEER DISTRICT EAST-A, KW&SB

WITNESS OF EMPLOYER


NGWEER (SEW-I) JAMSHED JOWN, DISTRICT EAST-A K.W. &.S.B.

For and on behalf of CONTRACTOR

ALEEM AHMED KHAN MANAGING PARTNER M/S. TRUST CONSTRUCTION CO.

WITNESS OF CONTRACTOR

Ms. Pooba Entro



SHARJEEL AHMED SHAIKH STAMP VENDOR

Gulshan-oldbe 053329

Licence No: 123, Shop NNOW this Agreement witnesses as follows:-

Ored to With Address. 5. In this Agreement words and expression shall have the same meanings as Purpose. are respectively assigned to them in the conditions of Contract hereinafter

2 7 FEB 2019


Value Hs.....arreferred to.....

Stamps Vender's Signature.

Not For use Bank Guaranteshvill/diverce version

not responsible /g/y Faker Recroits wing documents which for the purpose of identification have been signed by MR. ALEEM AHMED KHAN on behalf of the contractor and by DEPUTY MANAGING DIRECTOR (T/S), KW&SB, on behalf the EMPLOYER all of which shall be deemed to form and be read and construed as part of this Agreement.

- This Form of Agreement. a).
- b). Employer Acceptance No.DMD/TS/DE-A/W&S/KW&SB/2018/47 dated: 12-03--2018.
- c).
- The conditions of the Particular Application Part-II-A & II-B. d).
- The General Conditions Part-I. e).
- f). The Drawings.
- The specifications and g).
- h). The Priced Bill of Quantities.
- i) Time period is 90 Days.
- In consideration of the payments to be made by the EMPLOYER to the CONTRACTOR has hereinafter mentioned, the CONTRACTOR hereby covenants with the EMPLOYER to execute and complete the WORK and to remedy any defects therein and maintaining the same in conformity in all respects with the provisions of the CONTRACT.
- THE EMPLOYER hereby covenants to pay to the CONTRACT in the manner 6. prescribed by the CONTRACT.



Licence No. 124, Shop No. S-7, Maymar Tower Guishan-e-Maymar Karachi.

072583 UTILIZED FOR THE WORK OF DATE 0.1 MAR 2018
COMED TO WITH ADDRESS MUMRAMAD HAMMAD
PURPOSE
NOT THE POST OF THE POST O

- 1 MAR 2018

Karachi

NOT FOR USED BANK GUARANT YPERLUDIYORGE VENDOR NOT RESPONSIBLE 1847 FAME DINCHESS STACK REPLACEMENT OF 15" DIA, 12" DIA & 8" DIA SUNK DOWN AND DAMAGED SEWERS AT DIFFERENT PLACES INCLUDING UC-08 AND UNION SOCIETY JAMSHED TOWN (SEW-I).

> FOR AMOUNTING TO Rs.9,37,361/= (RUPEES NINE LACS THIRTY SEVEN THOUSAND THREE HUNDRED SIXTY ONE ONLY)

> > M/S. TRUST CONSTRUCTION CO.

OFFICE OF THE EXECUTIVE ENGINEER (SEWERAGE)-I, (JAMSHED TOWN). BLOCK-B. KMC MARKET, SINDHI MUSLIM SOCIETY

JBJECT :- REPLACEMENT OF 15"DIA, 12"DIA & 8"DIA SUNK DOWN AND DAMAGED SEWERS AT DIFFERENT PLACES INCLUDING UC-8 AND UNION SOCIETY, JAMSHED TOWN (SEWERAGE)-I.

iL.	DESCRIPTION	QTY.		RATE	PER	AMOUNT
10.			Rupees in Co. Rupees in Co. Words		UNIT / ITEM	IN RUPEES
I	Dismantling and removing road metalling.	2437.5 Cft	({10 =	Sin hundered ten	%Cft	14865
2	Excavation for pipe line in trenches, and pits in all kind of soils of murum i/c trimming and dressing sides to true alignment and shape leveling of beds of trenches to correct level and grade, cutting joint holes and					,
	disposal of surplus earth within a one chain as directed by Engineer Incharge. Providing fence guards, lights, flags and temporary crossings					
	for non-vehicular traffic where ever required lift upto 5 ft. (1.52m) and lead upto one chain (30.5m).	6.77		four missels in		
	i. Lift 0'-5'	9750 Cft	[4655]=	lundered hilly his	3%0Cft	45386
	ii. Lift 5'-8'	5062.5 Cft /	5300/=	five thousal Kree	%0Cft	26831
	iii. Lift 8'-11'	1155 €ft	S700=	hadord - Sucal	%0Cft	6583
	Providing M/H 4ft inside with CI frame (15 kg) and 5 feet clear depth 1:2:4 cast in situ in 9 inch thick wall 1:4:8 cement concrete in 6ft dia and 6" inch thick in foundation 1:2:4 c.c in benching, ½" thick cement plastering with 1:3 cement mortar on inside wall and surface of		•			
	channel/benching i/c making required Nos of main and branch channels, ¾" dia bar footrest at 12" C/C i/c cost of excavation of all			Riches Madin		
	kinds of soil, backfilling and disposal of excavated stuff etc complete, as per design and instruction of the Engineer Incharage.	06 Nos.	1.4500=	the kind cred	Each	97000j
i)	Add/deduct per ft depth.	00 1103.	2535=	two thousand five	Lucii	

REPLACEMENT OF 15"DIA, 12"DIA & 8"DIA SUNK DOWN AND DAMAGED SEWE SUBJECT :-AT DIFFERENT PLACES INCLUDING UC-8 AND UNION SOCIETY, JAMSHED TO (SEWERAGE)-I.

SL.	DESCRIPTION	QTY.		RATE	PER	AMC
NO.			Rupees in Figures.	Rupees in Words	UNIT / ITEM	RUF
4	Full hire charges of the pumping set per day i/c of wages of driver and Assistant fuel or electric energy plate forms required for placing pumps etc at lower depth with suction and delivery pipe for pumping out water found at various depth from trenches i/c the cost of errection and dismantling after completion of the job. Hire charges of pumping set upto 10 HP pumping out water from 10 ft deep trench.	51 Days	(1510=)	Ohe Mourand Sin lundered ten of	P/Day	7701
5	Providing, laying RCC pipes with (Rubber Ring Joint and fitting in trench i/c cutting, fitting and jointing with rubber ring i/c testing with water to specified pressure. 15" dia 12" dia 8" dia	165 Rft 370 Rft 300 Rft	(434/=) (366/=) (205/=)	fas hudered Mity for 5 three ludered sorty sin 5 has ludered 4	P/Rft P/Rft P/Rft	7/6/0 13547 6150
6	Manufacturing and supplying of 21 inch diameter RCC Manhole Covers cast in 1:2:4 cement concrete ratio 3"inch deep at centre rain-forced with ½" dia M.S. tor bars with 4" c/c welded to a 3/16" thick 2" wide M.S.Plat and two hook of 3/8" dia tor bars including compacting, curing and transportation within 10 miles etc. 21" dia.	20 Nos.	(915=)	Nine lundered	Each	18300
7	Making connection with the existing manhole i/c the cost of cutting hole in wall, making them good in C.C 1:2:4 and making required channel etc complete.	5 Nos. (200=	two lundered	Each	load
8	Manufacturing & supplying of RCC ring slab 21"dia (inside) and 36"dia outside 7.5 width and 6"thick i/c 3/8"dia tor steel bars two concentric rings with 3/8" dia 8 Nos cross linked bars welded and two sunk type hooks, casted in 1:1 ½:3 concrete with embedded 15 Kg C.I frame in perfect position i/c transportation charges for an average lead of 20KM per trip from casting yard to town offices (A minimum of 25 slabs		1850l=)	One howard		

SUBJECT:- REPLACEMENT OF 15"DIA, 12"DIA & 8"DIA SUNK DOWN AND DAMAGED SEWERS AT DIFFERENT PLACES INCLUDING UC-8 AND UNION SOCIETY, JAMSHED TOWN (SEWERAGE)-I.

SL.	DESCRIPTION	QTY.		RATE	PER	AMOUN'
NO.			Rupees in Figures.	Rupees in Words	UNIT / ITEM	IN RUPEES
9	Shifting to the site and fixing 36" dia ring slab in perfect position on damaged manhole i/c cutting of the position of damaged manhole in proper shape laying in layer of C.M in 2" thickness and disposal of the debris.	20 Nos.	S80 =)	Sve luntered	Each	11600/=
10	Cement concrete plain including placing compacting, fitting finishing and curing, complete (including screening and washing at stone aggregate without shuttering. Ratio 1:2:4	410.91 Cft	14430/=	fortcer hours	Û. Wo‰Cfi	59294
11	Providing and fixing C.I.Frame including cost of material etc.	100 Kgs.	70=	Saventy -	P/Kg	7000=
12	Hire charges of steel shuttering both side for the construction of main hole (circular) at side i/c its erection in proper position and removal after concrete etc complete.	45 Ft.	100=	One lulerel	P/Ft	4500/=
13	Sand Haro or any other source Sand of the same modulus of the Fineness (Hill Sand).	1312.5.Cft (this Musual has	%Cft	318931:
14	Refilling the excavated stuff in trenches 6" thick layer i/c watering ramming to full compaction etc. complete.	13745.62 Cft	2750=	has Marked So Survey 5		37800=
15	Carriage of 100 Cft/ 5 Tons of all materials like stone aggregate, spawal, coal, lime, surkhi etc: B.G. Rail fastening points and crossing bridge, Girders, Pipes, Sheets Rail, M.S. Bars etc: or 1000 Nos: bricks, 10"x6"x2" or 150 Cft or timber or 100 Maunds of fuel wood by trucks		1	Saven lu Jerel		
÷ ;	or any other means owned by the contractors. Upto 5 th Mile.	2221.88 Cft.	720=	hoely T	%Cft	15997 =

(Cont....on page No.4)

SUBJECT:- REPLACEMENT OF 15"DIA, 12"DIA & 8"DIA SUNK DOWN AND DAMAGED SEWERS AT DIFFERENT PLACES INCLUDING UC-8 AND UNION SOCIETY, JAMSHED TOWN (SEWERAGE)-L.

SL.	DESCRIPTION	QTY.	RA	TE	PER	AMOU
NO.			Rupees in Figures.	Rupees in Words	UNIT / ITEM	IN RUPE
free (Med pulle dia many (First bring free entire 18"d ball exce clear acce Engine mou other ensu labo solid	ning inside sewerage lines completely restoring original silt space / diameter of pipe lines by labour and equipment chanically / Electrically driven). Including accessories like by's Steel rope, buckets and draggers sizing from 6" to 18" Their "to and fro" pulling action (No of passes shall be as y as required) would be undertaken in two phases: Phase entire length from downstream to upstream) ging down peak hours sewerage to flow inside pipe line (as flow) and in second phase from upstream to downstream of the length ensuring no site is observed in buckets (6" dia to be lia) except only sewage water and finally passing a steel of dia 12" lesser than the diameter of pipe but not redding 48" dia ball even for larger dia pipe to ensure perfect hing. The job includes all the hire/ cost of equipment and assories of above winching machine / devices along with / nes with winching drum set having, steel rope pulley need over it, steel bucket from 6" dia to 18" dia hooks and reprotections likes safely barriers, traffic sings, traffic cones ring no damage to pipe line along with ensuring safety to ur and other public property / lives and removal of silts / leduring desilting and clearance of site etc complete as per satisfaction of site Engineer. 15" dia 12" dia	600 Ft 1000 Ft	96=	Minlay Sin Ziglig one TOTAL F	P/Ft	S7608

EXECUTIVE ENGINEER (SEW)-I

JAMSHED TOWN, KW&SB.

We hereby quoted bid amount of RS-937357 (Rupees Nine lac Wirty

Note: All existing SPPRA Rule will be abide.

Signature of Contractor

Address.

Trust Secret: Co. A 231. Block It. W. Nazimabed.

,				
i sander	receive iin ceni-	ico minoral	sticaler	
2. Rate qu	ucted (its 9.3	37,357/2 1	the lac	
			who fifty	Seven out
3. Cutting	g or Overwitting is	s not found / f ou n	id.	U
4. Pay Or	der Attached / No	t Attac hed.	V	
5. P,O No.	.19702572.Dated	15-0118 Rs. 2	20,100/2	
	and the second s	·	PARTITION OF THE PROPERTY OF THE PARTITION OF THE PARTITI	
e	1101 700	Ca	,	

Bank HBL Proclous Calous

BACTEASTAL ADIV. 13. 1983.