OFFICE OF THE DISTRICT OFFICER (BUILDING-I) CITY DISTRICT GOVERNMENT KARACHI

2401

dated 18-5-2011

Bid Evaluation Report

(In Compliance of Clause 45 SPP Rules 2010)

Name of Works

Renovation of Gharib Shah Meternity Home Located at Kalakot Lyari Town Karachi i/c Replace Repair / Maintenance of Sewerage, Water System Sui Gas & Electricity i/c Servant Quarter at Lyari Town.

Ms. Nadia K. Gabol (RS-148)

Name of MPA

Tender Opened On

17-05-2011

S No	Name of Firm or Bidder	Cost offered by the Bidder	Ranking in terms of cost	Comparison with Estimated cost	Reasons for acceptance/ rejection	Remarks	
0	1	2 3 4		4	5	6	
1.	M/s. Muhammad Hasni Builders	Rs.1,08,93,686/- (as per Calculation)	1 st Lowest	estimated cost of Rs.11.144 Million	Qualified as per Evaluation Criteria	Recommended for award of work	
2.	M/s. Matracon Pakistan (Pvt) Ltd.	Rs.1,11,96,892/- (as per Calculation)	2 nd Lowest	estimated cost of Rs.11.144 Million	Qualified as per Evaluation Criteria	Responsive	
3.	M/s. Muhammad Usman Meo	Rs.1,12,10,329/- (as per Calculation)	3 rd Lowest	estimated cost of Rs.11.144 Million	Qualified as per Evaluation Criteria	Responsive	

This issues with the approval of the members of the procurement committee.

Karachi

Member / D.A.O (Building-I) (W&S) CDGK

Member / Deputy City Officer Building-I, (W&S) CDGK

Chairman / D.O BUILDING-I, CDGK

Circulated to:-

1. M/s, Muhammad Hasni Builders

M/s. Matracon Pakistan (Pvt) Ltd.

3. M/s. Muhammad Usman Meo

C.C: - DO (MPA's PP) W&S, CDGK

OFFICE OF THE DISTRICT OFFICER (BUILDING-I) CITY DISTRICT GOVERNMENT KARACHI

No. Do B-I 1625 71

dated 14 - 9 - 2011

Produpliance or Clause 45 SPP Rules 2010)

Name of Procuring Agency:

Tender Reference No: 2.

Tender Description/Name of work/item: 3.

4. Method of Procurement:

5. Tender Published:

Total Bid documents Sold: 6.

Total Bids Received: 7.

8. Technical Bid Opening date: (if applicable)

No. of Bid technically qualified (if applicable):

Bid(s) Rejected:

Financial Bid Opening date: 11.

System Sui Gas & Electricity i/c Servant Quarter at Lyari Town. Single Stage - One Envelope Procedure Daily "Islam", Daily "Metropolitan"

District Officer, Building-I, C.D.G.K

Renovation of Gharib Shah Meternity Home Located at Kalakot Lyari Town Karachi i/c Replace Repair / Maintenance of Sewerage, Water

076(02)/DO(B-I)/MPA

dated 29-04-2011. SPPRA Website ID # 3987/2011.

03 Nos.

03 Nos.

Not Applicable

Not Applicable

17-05-2011

Bid Evaluation Report: 12.

S No	Name of Firm or Bidder	Cost offered by the Bidder	Ranking in terms of cost	Comparison with Estimated cost	Reasons for acceptance/ rejection	Remarks
0	1 .	2	3	4	5	- 6
1.	M/s. Muhammad Hasni Builders	Rs.1,08,93,686/- (as per Calculation)	1 st Lowest	estimated cost of Rs.11.144 Million	Qualified as per Evaluation Criteria	Recommended for award of
2.	M/s. Matracon Pakistan (Pvt) Ltd.	Rs.1,11,96,892/- (as per Calculation)	2 nd Lowest	estimated cost of Rs.11.144 Million	Qualified as per Evaluation Criteria	Work Responsive
3.	M/s. Muhammad Usman Meo	Rs.1,12,10,329/- (as per Calculation)	3 rd Lowest	estimated cost of Rs.11.144 Million	Qualified as per Evaluation Criteria	Responsive

This issues with the approval of the members of the procurement committee.

Member / D.A.O (Building-I) (W&S) CDGK

Member / Deputy City Officer Building-I, (W&S) CDGK

Chairman / D.O BUILDING-I, CDGK

Director (CB) SPPRA w.r.t ID # 3987/2011 With a request to upload on SPPRA Website.

1. District Officer, Building-I, CDGK

DO (MPA's PP) W&S, CDGK

PS to EDO (W&S) CDGK



CITY DISTRICT GOVERNMENT KARACHI

OFFICE OF THE PROJECT DIRECTORATE (MPA's PP)

4th Floor, Room No. C-412, Civic Centre, Gulshan-e-Iqbal, Karachi [Ph : (92-21) 99232426, Fax : (92-21) 99230669

No.PD/MPAs-PP/CDGK/ 03 /2011

Dated: 26 109 /2011

M/s. Muhammad Hasni Builders Karachi.

WORK ORDER

SUBJECT: - RENOVATION OF GHARIB SHAH MATERNITY HOME LOCATED AT KALAKOT LYARI TOWN KARACHI I/C REPLACE REPAIR / MAINTENANCE OF SEWERAGE, WATER SYSTEM SUI GAS & ELECTRICITY I/C SERVANT OUARTER AT LYARI TOWN.

Your below mentioned rates quoted in the above cited tender for this items shown against each have been found lowest and are hereby accepted.

1.	Schedule Items Part-A: Schedule Items Part-B:	22.00% Above 20.00% Above		Rs.60,38,547/- Rs.5,53,603/-
3.	Schedule Items Part-C:	20.00% Above		Rs.5,74,440/-
4.	Total of All Parts Non-Schedule Items		TOTAL	Rs.37,27,096/- Rs.1.08.93.686/-

You are advised sto please contact with Project Engineer (Concerned) through D.O-I/CE(Ex.Wing-MPA-PP) Civil, W&S within 07 days positively.

The period allowed for completion of the above work as provided in the tender, is within 06 Months (s) which should please be adhered to strictly. Otherwise a penalty of Rs.7,000/- per day will be imposed up to 10% of contractual value. The penalty exceeding this limit will allow CDGK to terminate the contact, to carryout the balance work at the risk and cost of the contractor and sto make maximum penalization to your firm including forfeiting the R.M / S.D blacklisting / debarring the firm for atleast 06 Month period.

PROJECT DIRECTOR MPA's Priority Programme C.D.G.K

Enclosed:

(True copy of Schedule-B)

Copy of Project Engineer (Concerned), for information & necessary action for execution of work under intimation to the concerned Honourable MPA. He should note that no extra items should be carried-out unless the competent authority accords specific permission. He is also requested to forward fortnightly progress report through DO-I/CE(Ex.Wing-MPA-PP) Civil, W&S to the undersigned office.

PROJECT DIRECTOR
MPA's Priority Programme
C.D.G.K

Copy to: -

- 1. With compliments Honourable MPA Mrs. Nadia K.Gabol RS-148
- 2. Project Manager (MPAPP), CDGK
- Divisional Accounts Officer (MPAPP), W&S, CDGK
- 4. Office File



- coscerna	Committee of the Commit	-/ /
PAKISTAN	Stamp Value -: Rs. 32	100/2
اماسو دوير	2011	9 Y
To Total	An AGREEMENT made this 24th day of September	
	(2011) between the City District Government of the city of Karachi	PAKISTAN
	o by in the Christian Year two thousand Eleven	الكيرة فارروميك
	Their DO-I(P&D) C.M. CDGK hereinafter called the CDGK 7.4.9CD	ing and
()	expression shall include their successors) of the one part, and Mule all all all all all all all all all a	
	TARRET DUTTER S.	/
6000	carrying on business under the name and style of Muhammad Hasai	
SPECIAL	Land 1	ارارے تان
ADHESIVE		
	hereinafter called the Contractors (which expression shall include their	4000000
PARTSTANS	successors and assignees of the said firm and heirs executors, administrators	SPECIAL
روسو رویب	Dart.	ADHESIVE
1	Water.	- Annual Control of the Control of t
A + A A	WHEREAS the GDGK has accepted the Contractor's tender	PAKISTA
	Myste and announce and marked by M. and Agradate E. Mark.	(co- 100)
5 7/4/2	A Seates at Kalara Heart San Maternity Heme A Si	防頸 强烈
الرازع الرات		* \ \
2008	Aluges One Grere Eight lac Ninty Three Thousand Six/hundre	11 フカ
4 JUN	according in to the specification and the general conditions of the contract	
SPECIAL	here-unto annexed and marked 6/n and dated 1755/2019	ابارے تان
ADHESIVE	and signed by the Contractors after having made themselves fully acquainted	
	with its meaning and where as the Contractors have already deposited	10000H
	with the CDGK the sum of Rs.	SPECIAL
59	10	ADHESIVE
	as security deposit Rs 3% deducted from R.A.Bills.	THE PROPERTY OF THE PARTY OF TH
	vide Challan No in addition to the Earnest Money	PAKISTAN
	Rs. 26 Earnest Money Rs. 2.27.440/=	الاد منزروبي
	vide Challan No. 5268 dated 27-9-2011 and have given to	9
	the CDGK a lien over such sum as Security for the due fulfilment of	1 4 1
2	the Contract NO V THIS AGREEMENT WITNESSETH was the	
	CDGK and the Contractors shall respectively well truly carry and Julia the	0.000
	Contract and abide by all the terms and conditions of the diorestral	ابات تانا
	specification and tender.	10000H
	* · · · · · · · · · · · · · · · · · · ·	
	The Contractors do hereby bind themselves, their heirs, successors/	SPECIAL ADRESIVE
	legal representatives and assignees to pay to the CDGK a sum of	L ABRESITE
	Rs equal to 10% a sby way of penalty in case of the breach of any of the	THE PERSON NAMED IN
	terms and conditions of the contracts including those mentioned in the	PAKISTAN
97 93	tender without prejudice to the right of the CDOK to recover	رو الروبيسير) الروجي السيون
	damages for and such breach.	2 7 8
	IN WITNESS WHEREOF the said parties have set their hands	
	this 24th day of September 2011	
	for the City of Karacho/	
	1/3//21 ccc j.	
		2000H
	A DISTRICT OFFICER Seal A KARACEL	
10	1. M/S MD CONST W MPA. P.P. GEGK.	AUHESIVE
	2. KANWAR ALAZ MUHA	MMAD KHAN
	OCC.	T OF SINGH
	Witness Configuration of the Country Country Country of the Country Country of the Country of th	ARY CHI
		7/7/ 11
	(毫(KARACHI)芒)	, , ,
	(8)	

OFFICE OF THE DISTRCT OFFICER, BUILDING: C.D.G.KRACHI TENDER OF THE WORK

ISSUED TO MIS_MULL

TENDER FEE RS:

DATE OF OPENING TENDER:

P.O.NO: 1651237 DATED: DATE OF ISSUE UPTO:

16.05.2011

DISTRICT OFFICER BUILDING; KW&S) DEPARTMENT C.D.G. KARACHI

I /We hereby tendr for the execcution for the City District Government (thering after refers the Government) of the work specified in the tender written memorendum within the specified time at percent above/below the estimated rates entered in the annexed schedule "B" showing therein the its work, the quantity, rate & amount of each item.

The rates of non-schedule items have been filled in by me/us in space provided in the and the percentage quoted in here to above shall not be applicable to these non-schedule items.

I/We undertake sto excute the work in all respects in accordance with the specifications, des & instructions and also agreed that when the materials for the work are proveded by the Goyt description each materials, its qauantity and place of delivery together with the rates to be charged for from me/us shall be specified in a separate called the schedule "A|" shall also be annexed with sthis tender.

MEMORENDUM

MPA PRIORITY PROGRAMME

a) GENERAL DESCSRIPTION:

Renovation of Gharib Shah Maternity Home located at Kalakot Lyari town i/c Replace Repair/Maintenance of Sewerage, Water system Sui Gas & Electricity i/c Servant Qtrs at Lyari town(H'able MPA Mrs Nadia .K. Gabol RS-148)

b) ESTIMATED COST

Rs: 11.144 (Million)

e)E/MONEY/BID SECURITY :

Rs: 227,420/-

- d) SECURITY DEPOSIT I/C E/MONEY:
- e) PERCENTAGE WILL BE DEDUCTED 8% SEC:DEPOSIT & 6% INCOME TAX FROM FROM THE RUNNING BILLS:
- f) TIME OF COMPLETION:

6 MONTHS

Should this stender be accepted, I /We hereby agree & undertake to execute the agreement on the printed B-I form & abide by all the terms & conditions stipulated in it togther with the additional condition for time being in vogue & annexed thereto.

All the terms & conditions as contained in the B-I agreement form together with the additional conditions/annexed thereto shall be come operative as soon as the order to start the work is issued to me/us irrespective of the fact that the formal agreement has been drawn & executed or not.

I/We understand the arbitration clause has since been dleted & it shall not be lawful for me/us to

invokeany arbitration proceeding in respect of this tender /agreement.

Receipt No. 16 5 1 2 3 4 dated: 16 5 1 2 24 from the Govt.Treasury/Sub-Treasursry at Karachi or the deposit at call or other Govt.Rs: 227457 is forwarded herewith representing the earnest money, the full value of which is to be absolutely forfeited to Govt. in case I/We fail to undertake the execution of the work in accordance with this stender otherwise the said sum of Rs: 2-2-7-4-6/// shall be retained by the Govt. by way of security deposit.

SIGNATURE OF THE CONTRACTOR BEFORE SUBMISSION OF TENDER

DISTRICT OFFICER BUILDING: I(W&S) DEPARTMENT C.D.G.KARACHI

A Alled Bank CALL DEPOSIT RECEIPT	CDR No. 1651234 Date 16-05-20/1
Rupees Two Leee Topenty Seven Housement as a deposit at call bearing no interest subject to general rules of the Bank with	Fores hunched
Rs. 2.17440/.	Officer Methods
When payment is required, this Receipt must be returned to the Bank duly discharged by the Deposito DO NOT WRITE BELOW THIS LINE	r under the words "Beceived Payment"

#* 1651534 #*O140000;:00000000000 #*O80;;

N E OF WORK:-Renovation of Garib Shah Maternity Home Located at Kalakot Lyari Karachi, in/c: replace, repair / Maintence of sewerage W/S, Gas and Electricity in/c: Servant Quarter at Lyari town Karachi.........

	PART A-i CIVIL WORK "SCHEDUL	E B "			
S.#	Description of items	Quantity	Rate.	Unit	Amount
1.	Dismantling cement concrete plain 1:2:4.(S.I. 19-c/11)	3900.0Cft	1597/20	%Cft	62,291/
2.	Dismantling cement concrete plain 1:4:8.(19-a/11)	6050.0Cft	798/60	%Cft	48,315/-
3	Removing cement or lime plaster.(S.I .No. 14/53)	9923.0Sft	58/08	%Sft	5,763/- **
4	Ordinary distemper oil bound distemper or paint on wall.(S.I.No. 15/54-b)	30614.0Sft	108/90	%Sft	33.339/
5	Dismantling glazed or encaustic tiles etc.(S.1.No. 15/55)	3514.0Sft	447/70	%Sft	15,732/-
6	Dismantling cement block masonry.(S.I. 11/14)	359.0Cft	544/50	%Cft	1,955/-
7	Dismantling 1:2:4. (S.I. No. 20/P-11)	352.0Cft	2613/60	%Cft	9,200/-
8	Brushing and scraping blisters of old paint from wood work.(S.I.No. 2/76)	6800.0Sft	72/60	%Sft.	4,937/-
9	Excavation in foundation of buildings bridges & other structure in/c: dagbelling dressing refilling around structure with excavated earth watering and ramming lead upto one chain and lift upto 5' (b) In ordinary soil (S.I.No. 5/18-b)	2134.0Cft	1306/80	%0Cft	2,789/-
10	Cement concrete brick or stone ballast 1-1/2" to 2" gauge ratio 1:4:8.(S.1.No.4/16-b)	5408.0Cft	3584/10	%Cft	1,93,828/-
11	Erection and removal of centering for RCC or plain cement concrete works of deodar wood (2 nd class for partal wood vertical (S.I.No. 21/18-b) Cement concrete plain including compacting finishing and curing complete (including screening and washing aggregate without shuttering ratio (h)	1788.0Sft	1405/75	%sn	25,135/-

(T)

DISTRICT OFFICER

Buildings I (Was) Department

COG. Karachi

	. X		575 (NA) 1 (BAR) 224 (NA)	No.		-
.13	R.C.C. work in/c: all labour and except the cost of steel reinforcement labour for bonding & binding which	nt & its	894.0 Cft	5001/70	%Cft	44,715/-
	labour for bending & binding which paid separately. This rate also in/c: of forms moulds lifting shuttering rendering and finishing the exposed	all kinds curing l surface				
	(in/c: screening and washing of shin work in roof, slab, beams cols, raft and other structural member laid in complete in all respect ratio 1:2:4	gle) R.C. ts, lintels position				
4.01	cement 2-cft sand 4-cft shingle 1/8 gauge (S.I.No. 6-a/19)	" to ¼"	560.0 Cft	114/-	P.Cft	63,840/-
14	Fabrication of M.S. reinforcement fo concrete in/c: cutting bending la position making joints and fastening of binding wire in/c: removal of rust f	ying in in/c: cost				
	(a) using of tor bars.(s.I.No. 7-b/20)		37.50 Cwt	2772/55	P.Cwt.	1,03,971/-
15	Filling watering and ramming eart floor with new earth excavated from lead upto one chain and lift upto 5.(S.	out side	19552.0Cft	1488/30	0/04	20.000/
4.5	Control of the contro	107	19332,0CH	1400/30	%Cft	29,099/-
16	Filling watering and ramming eart floor with new earth excavated from lead upto one chain and lift upto 5.(out side	24		8	
	upto 10 miles)		19552.0Cft	903/38	%Cft	1,76,629/-
17	Providing and laying tiles glazed 6					
	on floor or wall facing in required co pattern of Stile specification jointed					
	cement and spacemen over base of cement mortar 3/4" including wash	1:2 grey				
	filling of joints with slurry of white	cement				
	and pigment in desired shape with cleaning and cost of wax polish etc					9.0
	including cutting tiles to profile.(S.I.No. 53/60)	proper	6274.0Sft	13663/35	%Sft	8,57,239/-
18	Providing and laying 1:3:6 cement block masonry wall 6" and below in					27
	set in 1:6 cement mortar in grous superstructure in/c: raking out jo					
10	curing etc complete.(S.1.)		359.0 Cft	6891/58	%Cft	24,741/-
19	Applying floating coat of cemer thick.(S.I.No. 14/59)	IT 1/32	3272.0Sft	361/08	%Sft	11,814/-
20	Cement plaster (1:4) upto 20' he	eight ¾"			1	
W.		No.	4	(
(3)		7	(3)	7	т.	
		HARACI		Building: 1/()	CT OFFICER W&3) Depart	mont .
	11/2	With the second		G.D.C	3. Karachi	

	7				
/21	tkick (S.I. No. 58/11-c) Living white marble flooring fine dressed in	3272.0Sft	779/96	%Sft	25,520/-
	1:2 in/c: rubbing and polishing of	r			~0,020/=
	joints.(b) 3/4 " thick.(S.I.No. 3/4" thick flooring.(S.I.49/28-b)				
. 22	And the second s	3026.0Sft	148/05	P.Sft	4,47,999/-
	Providing and fixing 3/8" thick marble tiles of approved quality and colour shade size				
2). ()	" I V AT III OBOO elietim - I o				
	over ½" thick base of coment				
	William Dase incliming telliam at				
at .	current finishing cleaning and and the				
23	5.1.No. 55/68-ii)	3434.0Sft	92/05	_	
	French polish complete (b) on old works.(S.I.No.78/7-b)		82/95	P.Sft	2,84,850/-
24	1.00	6800.0 Sft	1024/10	%Sft	69,639/-
44	Supplying and fixing in position aluminum channels framing for sliding window and				
	and alcon made with S and it				
	thinned glass glazing (Belgium) and aluminum fly screen in/c: handles stopper and locking				
	Cit Complete (Dolume				
25	(Bronze) (S.I.No. 114/84) Supplying and fixing in position aluminum	368.0Sft	652/35	P.Sft	2.40.0654
	Talling lilliges doors of Alass			1.510	2,40,065/-
	with 5 mm thick tined glass glazed (Belgium) and alpha (Japan) lock in/c: handles stopper				
	etc (b) Deluxe model bronze) (S.I.No. 114/83)	404.0Sft	6011/2	1229.403100	
26	P/F Collapsable gate with channel 6	101.001	601/62	P.Sft	2,43,054/-
	1 AJ/10 at 4 inclinding reviews in the				
	"x1/8" flat iron patti placed diagonally and provided with top and bottom T-section				97
	^ ^ ^ ^ \ AUO BIOHOWITH FOllows also ! I II				
	locking arrangement and fixing in floor / ceiling or walls etc completed.(S.I.No. 99/32)				
37		343.0Sft	225/50	P.Sft	77,347/-
27	Making and fixing steel grated doors complete with 1/16" thick sheeting in/c: angle iron frame 2"v2" (2" and 3").				
	and 2 AZ 3/0 and 4 Square bare 4" -L-4				
	to centre with locking arrangement.(S.I.No.	A SOCIETY OF THE SOCI			
28	10 m	108.0Sft	385/76	P.Sft	41,662/-
	Supplying and fixing false ceiling of plaster of paris in panels including making frame, work				
	of deodar wood including painting with		1		
		A_	//		
	(4)		4		
	No / Com	1216	4		
	1 () / (Xivisita)	10.0	f		59



	-					
29	Providing and fixing plaster of paris border of 8"x10" width of specified design and thickness in/c: fixing beside ceiling with nails / screw with getties.(S.I.No. 45/44)	3092.0 Sft 524.0Sft	10630/26 44/80	%.Sft	3,28,688/-	
30	Layig floors of approved coloured glazed tiles 1/4" thick laid in white cement and pigment on a bed of 3/4" thick cement mortar. (S.I.No. 25/49)	696.0Sft	10443/84	%Sft	72,689/-	
31	Laying floor of approved white glazed tile ¼" thick in white cement 1:2 over ¾" thick cement mortar 1:2 complete.(S.I.No. 24/48)	2818.0Sft	10416/34	%Sft	2,93,532/-	
32	Providing and laying 1" thick topping cement concrete (1:2:4) including surface finishing and dividing into panels 2" thick./(S.I. 47/16-c)	6444.0Sft	1396/67	%Sft	90,001/-	
33	Two coats of bitumen laid hot using 34-lbs for % sft over roof and blinded with sand at one cft per % Sft .(S.I.No. 13/41)	6444.0Sft	431/21	%Sft	27,787/-	
34	Providing and fixing colour create on wall surface to provide durable crust and aesthetics having thickness upto ¾" with specified colour having water fire and termite resistance (upto 20' height)(S.I./No/ 63/44)	4510.0Sft	3137/20	% Sft	1,41,488/-	
35	Glazing with panes (24 oz to 26 oz) using putty and deodar wooden lst class fillets.(S.I.No. 71/46)	200.0Sft	68/75	P.Sft	13,750/-	
36	Preparing the surface and painting with matt finish in/c: rubbing the surface with bathy(silcon carbide rubbing brick) filling the voids with zink / chalk/ plaster of paris mixture applying first coat premix maxing the surface smooth and then painting 3 coats with matt finish of approved make etc complete (new surface).(S.I.No. 61/36 a+b)		1092/03	% Sft	2,05,455/-	
37	P/F G.I. frames / chowkhats of size 7"x2" of 4-1/2"x3" for door using 20 gauge G.I. shee in/c: welded hinges and fixing at site with necessary holdfast, filling with cement sand slurry of ratio 1:6 and repairing the jambs. The cost also in/c: all carriage tools and plant	t 1 1	,	4		
8 8 8			Building	RICT () == () I (W & 3) Os D.G. Karac	partmant .	

كالود	use in making and fixing. (S.f. No. 29/98)	264.0 Rft	113/37	P.Rft	29,930/-
38	P/F G.I. frame chowkhats of size 7"x2" or 4-1/2"x3" for window using 20 gauge G.I. sheet in/c: welding hinges and fixing at site with necessary holdfast, filling with cement sand slurry of ratio 1:6 and repairing the jambs.				
	The cost also in/c: all carriage tools and plants				0.250.100.10
20	used in making and fixing. (S.I.No. 28/98) First class deodar wood wrought joinery in	140.0 Rft.	122/17	P.Rft	17,104/-
. 39	doors and window etc fixed in position including chokhats holdfast, hinges iron tower bolts chocks cleats handles and cords with				
	hooks etc.(deodar paneled or paneled and	57			
	glazed or fully glazed. (S.I.No. 65/7-b) (Only shutter).	396.0Sft	228/38	P.Sft	90,438/-
40	Providing and fixing in position doors	570.0010	220,00		7 - 7 - 7 - 7
	windows and ventilators of Ist: class deodar wood frames and 1-3/4" thick commercial ply veneer shutter of Ist class deodar				
	skeleton(Hollow)and commercial ply wood (3-Ply) on both side in/c: holdfast, hinges, iron tower bolts handles and cleats with cross				
	and one mortice lock and hook.(S.I.No. 9/66) (without chokhats)	224.0 Sft	236/41	P.Sft	52,956/-
41	Providing and laying 1" thick topping cement concrete (1:2:4) including surface finishing and dividing into panels 3" thick./(S.I. 47/16-				
	d)	76.0Sft	1820/23	%Sft	1,383/-
42	Painting new surface preparing surface painting doors and window any type (three coats) (S.I)	1240,0 Sft	978/95	%Sft	12,139/-
43 .	Reinforced cement concrete spout in/c fixing in position with top and bottom khuras.(S.I.No. 112/68-a)	12-Nos	248/66	Each	2,984/-
44.	Boring for tube well in all water baring soil from ground level upto 100 ft or 30.50 m depth in/c: sinking and with drawing of casing pipe.(d) 150mm or 6" dia.(S.I.No. 1-d/36)	300.0Rft	259/25	P.Rft	.77,775/-
45	S/Installing PVC stainer B class of approved design quality and make in/c: necessary sockets etc complete.(6"dia)(S.I.No. 9-d/37)	300.0Rft	427/70	P.Rft	1,28,310/-
46	Shrouding with graded bajri (3/8" to 1/8")or (9to 3 mm) between bore and blind pipe for the following diameter of stainer 150mm (6 "	300.0Rft	65/50	. D∕Rft	19,650/-
	dia)(S.I. 13-d/38)	DAU.UUC	03/30	//	12,0001-
72 St	(1)			4	





Building: I Was) Dapartment C.D.G. Karachi

	10:				
47	Providing and fixing water pumping with simians motor and jawed pump 3 H.P. 1400 P.R.M. single phase 440 volts 2"x1-1/2" section and delivery 150 feet head including				
	base plaste and also making c.c. 1:3:6 platform of required size and fixing with nuts and bolts complete in all respect.(S.I.29/4)	2-Nos.	22691/35	Each	45,383/-
48	Fixing expended metal 1" deodar wooden strips and screws. (S.I.No. 22-a/68)	256.0Sft	86/58	P.Sft	22,164/-
49 	Supplying and fixing in position iron/steel grill of %''x1/4" size flat iron of approved design including painting three coats etc complete (weight not to be less than 3-7 lbs/sq : foot of	5			
	finished grill.(S.I.No.97/26)	256.0Sft	115/47	P.Sft	29,560/-
- 50	Precuts reinforcement cement concrete in columns beams lintels stair cases, shelves etc. (i) ratio 1:2:4.(S.I. No. 19/6-b(i)	600.0Cft	114/-	P.Cft	68,400/-
51	Erection and fixing in position pre cast c.c. or stone slab in roofs, or lintels etc upto 20' including all charges.	600.0Cft Add/Below	15/20 22/. % oi	P.Cft Total Rs:- n S.Items	9.120/- 49.49,629/- 1088 918/88 6038547/-
	DADE (1.22 OFFED DATE		To	tal Rs (A-i)	6038547/-
1	PART 'A-ii' OFFER RATE. Providing beneath ceiling plaster '%' thick cement mortar ratio 1:4 in/c: Ist class wire gauze dim and shape upto 20' height smooth finishing including curing etc complete for repair of damage slab demand shape wire gauze should be 16" gauge. (Offer rate) (RAS)	8087.0 Sft	2093/-	%Sft	1,69,261/-
2	Carriage of 100 Cft / 5 tons of all material like stone aggregate spawl coal lime surkhi etc B.G.Rail fastening points and crossing bridge 1000 Nos bricks 10"x5"x3" or 1000 nos tiles 12"x6"x2" or 150 cft of timber or 100 means owned by the contractor (Extra lead upto 10 mile)	24098.0 Cft	954/-	%Cft	2,29,895/-
3	P/F envicreate cement coloured paying block flooring in required shape and pattern size 197x197x60 (mm)including filling the joints with hill sand and under laying soiling 4"				
		Para de la companya d	a diam	rajor o end (I/(Wa3) Da (D.G. Karagi	14/1/1/3/1/5

كمر	thisk hill sand etc complete as directed by D.O. incharge.(Offer rate) (RAS)	512 .0Sft	159/-	P.Sft	81,468/-
4.	P/F graffito (3/8"x1/2") thick the product composite of material marble guards stone oxide damnation of natural colour chips and				
8	pigment ammonia nitrogen jeilkoal on high temperature on ultra violet lamp mixed with savakis resin anti brutal and fina additives and				
	antifoaming alkali showing no blistering winding or lifang after application resistance to accelerate weather change and restant of water head of 100 litters per 1 hours drawing touch dry from 4 to 8 hours sand fully dry in				\$1
	72 hours specific gravits varies from texture to texture of 2.50 to 2.80 (Offer rate)	8644 :.08ft	27/80	P.Sft	2,40,303/-
5	Making of steel grill using M.s. square bars of size ½"x1/2" at 6" c/c at vertical and ½"x1/2" square bars 2- Nos at horizontal in/c:				
	providing angle iron size 1"1x"x1/8" on bottom of the grill in/c: welding soliding to each other and making arrow to vertical				
	square bars in/c: fixing the same on top of compound wall with ½" dia square bars using as a holdfast a 24" C/c etc. This rate also in/c: three coats of oil paint in/c: carriage lifting				
	fixing at site as approved by the D.O. incharge. (Offer rate) (KAS)	432.0Sft	400/25 Total (A-i		1,72,908/- 8,93,715/-
1	PART B- i WATER SUPPLY & S/FITTING P/F Orisa type white or colour glazed	GS	Total (A-i	+A-II)	6038547/-
	earthenware w.c. or w.c. pan with cost of low level plastic flush tank of 3 gallon capacity of approved quality in/c: making to requisite number of holes in wall plinth and floor for pipe connection and making good in c.c.				E E
	(a)w.c. pan orisa type 23" with plastic tank of low down 3 gallon C.I.thumble (superior quality)(ii) with 4" dia a earthenware trap and		2125/10	Cook	40,567/-
2	plastic thumble.(S.I.No. 3-a/11-2) Providing and fixing European type white	19-Nos	2135/10	Each	40,5077-
	glazed earthenware wash down w.c. pan complete with and in/c: the cost of white/back plastic seats. (Best quality and lid with c.p. brass hinges and buffer 3 gallon white glazed		(1	
			DISTRI Building: 1	CT OFFIC	ER s. tph.set
			Building: 1 (G. Karach	ì


	eathenware low level flushing cistern with siphon fitting 1-1/2" dia white proclaim enameled flush bend 3/4" dia and making requisite number of holes in wall plinth and floor for pipe connection and making good in c.c 1:2:4.(Foreign quality)(S.1.No. 5/2)	3-Nos	2594/90	Each	7,785/-
3.	P/F 25"x18" lavatory basin in white glazed earthenware complete with in/c: the cost of W.I. or C.I. cantilever bracket 6" built into wall, painted white in two coats after a primary cost of red paint a pair of chrome plated pillar taps 1-1/2" dia rubber plug and chrome plated brass chain 1-1/4" dia malleable or C.I. brass traps meallable iron or brass union and making requisite number of holes in walls plinth and floor for pipe connection and making good in c.c. 1:2:4(Forgien make) (S.I.No. 10/3)	22-Nos	2229/15	Each	49,041/-
4	Add extra for labour for providing and fixing of earthenware pedestal white of coloured glazed (Foreign or equivalent) (S.I. 9/3)	22-Nos	1131/55	Each	24,894/-
5	Providing and fixing a c.i. trap with 4" dia inlet and 4" outlet of the approved self cleaning design with a c.i. grating with or without a vent arm including cost of making requisite number of holes in walll plinth and floor for pipe connection and making good c.c. 1:2:4.(S.INo. 21/6)	25-Nos	312/55	Each	7,814/-
6	Providing and fxing 15"x12" beveled edge mirror of Belgium glass complete with 1/8" thick hard board and c.p. screws fixed to wooden pleat.(superior quality)(S.I.No. 7/5)_	22-Nos	800/80	Each	17,618/-
7	Providing and fixing chrome plated brass towel rail complete with bracket fixing on wooden cleats with 1" long .c.p.brass screw.(b) 3/4" dia round or square(Superior quality.)(S.1.7-1-b)	22-Nos	270/10	Each	5,942/-
8	S/F soap tray of made of plastic of superior quality and design with fine finishing with c.p. screw etc complete.(S.I.No. 6/7)	22-Nos	65/45	Each	1,440/-
		To the second		4	

A)



DISTRICT OFFICER
Building: U(W33) Department
G.D.G. Karachi

9	Prividing G.I.pipe special and clamps etc in/c: fixing cutting and fitting complete with and in/c: the cost of breaking wall and roof making good etc painting two coats after cealing the pipe etc with white zink paing with pigment to match the colour of the building and testing with water to a pressure head of 200 feet and handling.(v) 1-1/2" dia pipe.(S.I.No. 11/1-v)	300.0Rft	68/55	P.Rft	20,565/-
b)	-do- 2" dia pipe.(S.I. 11/1-vi)	100.0Rft	83/80	P.Rft	8,380/-
10 10-b	P/F handle valve (China make)(3/4" dia (S.I.No. 14/7-ii) -do-1" dia. (S.I.No. 14/7-iii) S/F cancelled stop cock of superior quality	6-Nos 4-Nos	102/95 75/45	Each Each	618/- 302/-
	with crystal head ½" dia .(S.I.No. 15/13)	10-Nos	252/10	Each	2,521/-
12 .	S/F long Bib-cock of Crystal head with c.p. head ½" dia. (S.I.No.15-b/ P-15)	25-Nos	252/10	Each	6,303/-
13	S/F Swan type piller cock of Superior quality with crystal head. (S.I.18-b/P-16).	22-Nos	295/90	Each	6510/-
14	S/F wash basin mixture of superior quality with c.p. head ½" dia (S.I.No. 16-b/15)	3-Nos	720/50	Each	2,162/-
15	S/F jet shower with rod of superior quality with c.p. head ½" dia .(S.I.No. 16-b/13)	3-Nos	197/10	Each	591/-
16-	S/F bath room accessories (7-piece)in/c: towel rail brush holder soap tray self of approved quality and design etc complete S.I.No. 24/16)	3-Nos	981/20	Each	2,944/-
17-	P/F 6"x4" c.c. gully trap with 4" outlet complete with 4" thick 1:2:4 c.c. for bend and kerb ½" thick cement plaster(1:3) to the kery C.I. grating 6"x6" and C.I. cover and frame 12"x12" (inside)etc complete C.I. gully trap 6'x6"x4" (ii)with R.C.c. cover.(S.I.No. 21/5-ii)	10-Nos	379/40	Each	3,794/-
18	Providing RCC pipe and collars of class B and digging the trenches to required depth and fixing in position including cutting fitting and jointing with maxphlat composition and gement mortar 1:1 and testing with water				



DISTRICT OFFICER
Building: I (W33) Department
G.D.G. Karachi

b)	pressure to a head of 4fect above the top of the highest pipe and refilling with excavated staff.(d) 9" dia pipe.(S.I.No. 21/2-d) -do-6" dia pipe.(S.I.No. 21/2e)	200.0Rft 400.0Rft	115/20 72/40	P.Rft P.Rft	23,040/- 28,960/-
19	Constructing manhole or inspection chamber for the required dia of circular sewer and 3'-6" (1067mm) depth with walls of B.B. in cement mortar 1:3 cement plaster 1:3, ½" thick inside of walls and 1"(25mm)thick over benching and channel in/c: fixing C.I. manhole cover with frame of clear opening 1-1/2"x1-1/2" (457x457mm) of 1.75 cwt (88.9 K.g) embedded in plain c.c. 1:2:4 and fixing 1 (25mm)dia M.S. steps 6" (150mm)c/c duly painted etc complete as per specification and drawing No.DP-1 of Public Health Circle southern zone (a)4" to 12" dia 2'x2'x3'-6" (Note:- deduct from the above cost at the rate of Rs:- 514.75 per foot depth where the depth	P			
	of manhole is less than 3'-6" or (1067mm) (S.I.No. 1/39)	20-Nos.	5789/30	Each	1,15,786/-
20	Providing and fixing water pumping with simians motor and jawed pump 3 H.P. 1400 P.R.M. single phase 440 volts 2 x1-1/2" section and delivery 150 feet head including base plaste and also making c.c. 1:3:6 platform of required size and fixing with nuts and bolts complete in all respect.(S.1.29/4)	2-Nos.	22691/35	Each	45,383/-
21	S/F Fibre Glass Tank of approved quality and design and wall thickness as specified i/c cost of nut bolts and fixing in plate form of cement concrete 1:3:6 and making connections for inlet outlet & over flow inlet, outlet flow pipes etc. complete. (1000 Glns) (S.I.3-d/P-18).	1-Nos.	38678/65	Each	38,678/65-
		Add/Below	20% 2	Total Rs:-	4,61,336/-
1	OFFER RATE.(B-ii) Providing and fixing U PVC pipe of schedule	Add Below	Total R		553603/
	40 of Nepro plastic for waste and vent pipe in/c: cutting and fitting jointing special U PVC cement solution as approved and directed by D.O. incharge.(a) (4" dia	26			
54 E11	pipe)(RAS)	1 2.45 :0Rft	324/39	P.Rft	4,03,866/-
2	P/F PVC tee 4" dia in/c: fitting jointed with		1	OF OFFICE	er
81	7:11			TRICT OFFIC (1 Was) De (D.G. Karas	

1	\$.	special U PVC cement solution approved by D.O. incharge.(RAS)	35-Nos	650/-	Each	22,750/-
	3	P/F U PVC elbow 4" dia in/c: fitting jointed with special U PVC cement solution as approved by D.O.incharge. (RAS)	80-Nos	395/34	Each	31,627/-
4	4,	P/F PVC socket 4" dia in/c: fitting jointed with special U PVC cement solution approved by the D.O.incharge.(RAS)	80-Nos	305/14	Each	24,411/-
	5	P/F U PVC male thread adopter in/c: cutting and fitting jointed with special U PVC cement solution as approved and directed by D.O. incharge.(RAS) P/F U PVC Female thread adopter in/c: cutting and fitting jointed with special U PVC cement solution as approved and directed by	45-Nos	573/80	Each	25,821/-
		D.O. incharge.(Offer rate)	25-Nos	690/-	Each	17,250/-
	7	P/F U PVC cross 4" dia in/c: cutting and fitting jointed with special U PVC cement solution as approved and directed incharge.(RAS)	10-Nos	2449/37	Each	24,494/-
	8	P/F U PVC Y tee 4" dia in/c: cutting and fitting jointed with special U PVC cement solution as approved and directed by D.O. incharge.(RAS)	20-Nos	945/78	Each	18,916/-
**	9	P/F U PVC access door tee 4" dia in./c: fitting and jointed with special PVC cement soulation and approved and directed by D.O.Incharge.(RAS)	40-Nos	859/85	Each	34,394/-
	10	P/F U PVC access door bend 4" in/c: fitting jointed with special U PVCcement soulation as approved and directed by D.O.(RAS)	20-Nos	734/52	Each	14,690/-
	11	P/F U PVC vent cowl 4" dia in/c: fitting jointed with special U PVC cement soulation as approved and directed by D.O.Incharg.(RAS)	40-Nos	174/79	Each	6992/-
	12	P/F U PVC end cap 4" dia in/c: fitting jointed with special U PVC cement soulation as approved and directed by D.O.(RAS)	20-Nos	690/-	Each	13,800/-
	13	P/F U PVC bush 4" dia in/c: fitting jointed				

DISTRICT OFFICER
Building: V(N33) Departmant
B.D.G. Karachi

S T	with special U PVC cement soulation as approved and directed by D.O. Incharge.(RAS)	20-Nos	464/80	Each	9,296/-
14.	P/F U PVC clamp 4" dia in/c: fitting jointed with special U PVC cement soulation as approved and directed by				
15	D.O.Incharge.(RAS) Supplying and using pipe cleaner for PVC	800-Nos	74/25	Each	59,400/-
	pipe of special make as approved and directed by Engineer incharge.(RAS)	20-Tin	973/50	Each	19,470/-
16	P/F PVC pipe Nepro make of schedule 80 in/c: cutting fitting complete in/c: the cost of breaking through walls and roof making good with c.c. and testing with water to a pressure head of 200 feet and handling etc complete.				
	(RAS) 2" dia pipe.	500.0Rft.	190/-	P.Rft.	95,000/-
	-do- 1" dia	358.0Rft.	150/-	P.Rft.	53,700/-
10	¾" dia	400,0Rft.	58/91	P.Rft.	23,564/-
	½" dia	521.0Rft	45/-	P.Rft.	23,445/-
17.	P/F PVC socket of schedule 80 in/c: fitting etc complete as directed by D.O.incharge.(a)1/2"				
0.20	dia (RAS)	35-Nos	37/80	Each	1,323/-
b.	-do- ¾" dia. (RAS)	35-Nos	45/80	Each	1,603/-
C	-do- 1" dia (RAS)	40-Nos	55/48	Each	2,219/-
18	P/F PVC elbow of schedule 80 of 90 degree				
	in/c: fitting etc complete as directed by D.O.				
	incharge. (a) 1" dia .(RAS)	45-Nos	140/25	Each	6,311/-
18-b	-do- ¾" dia (RAS)	35-Nos	75/77	Each	2,652/-
18-c	-do- ½" dia. (RAS)	35-Nos	54/95	Each	1,923/
19.	P/F PVC tee of schedule 80 in/c: fitting etc complete as directed by D.O. incharge.(a) ½"				
	dia.(RAS)	25-Nos	109/67	Each	2,742/-
19-b		20-Nos	136/29	Each	2,726/-
19-c		20-Nos	160/49	Each	3,210/-
20	P/F PVC union of schedule 80 in/c: fitting etc complete as directed by D.O.in charge (a) ½"				11 A. A.
	dia (Offer rate)	50-Nos	350/88	Each	17,544/-
20-b		45-Nos	381/13	Eagh	17,151/-
2-c.	-do-1" dia. (RAS)	50-Nos	471/88	Each	23,594/-
21	P/F PVC bush of schedule 80 in/c: fitting etc			//	4
	A TOTAL OF THE PARTY OF THE PAR			Ch	
		-tD		/1	





DISTRICT OFFICER
Building: I Was) Department
G.D.G. Karachi

X	E .				
	complete as directed by D.O. incharge.(a) 1/2""				
- 152	dia (RAS)	30-Nos	64/34	Each	1,930/-
	-do-3/4" dia (RAS)	25-No	88/80	Each	2,220/-
21-b		30-Nos	140/80	Each	4,224/-
21-c	-do- 1" dia.(RAS)				
22	P/F PVC clamps of schedule 80 in/c: fitting				
22	etc complete as directed by D.O. incharge.(a)				
	½" dia .(RAS)	354-Nos	5/83	Each	2,064/-
		300-Nos	10/56	Each	3,168/-
22-b	-do- ¾" dia. (RAS)	300-Nos	10/36	Each	3,108/-
. 22-с	-do-1" dia (RAS)	300 1108	10.20		
0.0	P/F PVC end cap of schedule of 80 in/c:				
23					
	D.O.incharge.(a) ½" dia.(RAS)	25-Nos	225/06	Each	5,627/-
00.1		25-Nos	229/90	Each	5,748/-
23-ь	-do-¾" dia.(RAS)	30-Nos	375/10	Each	11,253/-
23-с	-do- 1" dia.(RAS)	50 1105			
24	P/F PVC cross over of schedule of 80 in/c:				
24.					
		4-Nos	100/76	Each	403/-
20000000	D.O.incharge.(a)1/2" dia .(RAS)	6-Nos	141/02	Each	846/-
24-b	-do- ¾" dia.(RAS)	8-Nos	250/25	Each	2,002/
24-c	-do- 1" dia (RAS)	0 1105	220,20		100
25	P/F PVC male thread adoptor of schedule 40				
25	in/c: fitting etc complete as directed by D.O.				
	in/c: Itting etc complete as uncoted by 2.0.	15-Nos	44/99	Each	675/-
0.000000	incharge.(a)1/2" dia (RAS)	10-Nos	61/70	Each	617/-
25-b	-do- 3/4" dia.(RAS)	10-Nos	130/90	Each	1,309/-
25-с	-do- 1" dia.(RAS)	10 1100			
2.5	P/F PVC Female thread adoptor of schedule				
26	40 in/c: fitting etc complete as directed by				
	40 in/c: htting etc complete as unceted by	3-Nos	244/75	Each	734/-
	D.O. incharge.(a)1/2" dia (RAS)	4-Nos	260/70	Each	1,043/-
26-b	-do- 3/4" dia.(RAS)	5-Nos	356/90	Each	1,785/
26-c	-do- 1" dia.(RAS)	3-1103	2001.	177	25)
	P/F PVC cancelled stop cock 1/2" dia of				10 H
27	P/F PVC cancelled stop cock /2 dia of				
	schedule 40 in/c: fitting etc complete as	20-Nos	290/73	Each	5,815/-
	approved by the D.O.incharge.(RAS)	20-1403	270770		
852501	non nerve 11 45 decrees schedule of 40 in/o-				
28.	find a find the first term of				
	Ittilig etc complete as	20-Nos	69/03	Each	1,381/-
	D.O.incharge.(a) 1/2" dia.(RAS)	25-Nos	89/65	Each	2,241/-
28-b		25-Nos 30-Nos	154/66	Each	4,640/-
28-0	-do- 1" dia.(RAS)	30-1408	154700	Total (B-ii)	1 (0 40 107)
			Total (B-i+B-ii)	553663/_
			Total (D-I (D-II)	16223201
	PART 'C-i ' ELECTRIFICATION			1	107.57.9.

PART 'C-i ' ELECTRIFICATION
Wiring for light of fan point with



DISTRICT DIFICER
DISTRICT DIFICER
DISTRICT DIFFICER
G.D.G. Karachi

M.	8				
2	1/2.13(3/.029) PVC insulated wire in 20 mm 3/2 pvc conduct recessed in the wall or column as required (B6/P-1) Wiring for plug point with 1/1.13(3/.029)	356-Nos	469/49	Each	1,67,138/-
	PVC insulated wire in 20mm ¾ pvc conduct recessed in the wall or col. As required (B10/P2).	135-Nos.	244/41	Each	32,995/-
3	Wiring for call bell with 1/1.13(3/.029) PVC insulated wiring 20mm(3/4") pvc conduct as required. (B.12/P2).	12-Nos.	469/49	P.Pnt.	5,634/-
4	P/F Main panel board double shutter to accommodate heavy duty circuit breaker bus bar i/c painting with enamalled paint for other similar job on surface.	24.0 Sft.	1426/33	P/Sft	34,232/-
5	P/F Mild steel bar fan clamp 15.8mm 5/8" dia suitable for RCC Roof (C1/P-14).	43 Nos.	141/01	Each	6,063/-
6	Providing and fixing circuit breakers 6 to 63 amps D.P. in/c: fixing on a prepared boared and necessary connection.(S.I.No. 20/f-2)	12-Nos	948/02	Each	11,376/-
7	Providing and fixing circuit breakers 30 to 50 amps D.P. in/c; fixing on a prepared boared and necessary connection.(S.I.No. 20/f-2)	6-Nos	3837/63	Each	23,026/-
8	Providing and fixing circuit breakers 50 to 60 amps D.P. in/c: fixing on a prepared boared and necessary connection.(S.I.No. 20/f-2)	2-Nos	6157/43	Each	12,315/-
9	Providing circuit breakers 100 amps. T.P i/c fixing on a prepared board and necessary connection (F5 P-2010. P/F S.W. canpy block and bakolight ceiling	2-Nos	9138/25	Each	18,277/-
10	rose on sw. block.(S.I.No. D-3/14)	43-Nos	44/-	Each	1,892/-
11	P/F B.C. Bakelite light fancy type superior quality i/c fixing on existing holder etc. complete.	124-Nos	53/69/-	Each	6,658/-
12	P/F energy saver superior quality in/c: fixing on existing holder etc complete.(S.I.No. 6/33)	313-Nos	497/-	Each	1,55,561/-
. 13	Errection of ceiling fan in/c: wiring of down rod with 1/1.13mm(3/.029)PVC wire fixing of regulators blade canopy etc as required.(S.I. D-1/14)		82/16	Each	3,533/-
			Buildin	STRICT OF 9:1(Wa3) 0)ena de la compansa d

C.D.G. Karachi

		£	Add/Below	Total R		4,78,700/- 95740/
-	1	PART C-ii OFFER RATE.	Trada Delon	Total Rs		574440/-
Įu.	1	P/F Switch 5 Amps. With fancy type sheet i/c plastic board imported make etc. complete. (O/Rate)	313-Nos /	94/90	Each	29764/
/ <u>/</u> /7	2	P/F 2 pin 5 Amps. Plug socket with fancy type sheet imported make i/c plastic board with necessary electric connection etc. complete.	56-Nos	144/80	Each	8109/.
	3	P/F fan dimmer fancy type imported make with necessary connection .(Offer rate)	43-Nos	170/2	Each	73101
â	4	P/F fancy type 3 pin 15 Amps: S.P. plug socket switch & shoe unit imported quality with board i/c necessary connection and concealed in the wall etc. completed.	20-Nos	280/2	Each	56001
	5	Wiring for main with 4-7/.044 pvc insulated wire in pvc capping and casing i/c 1.5mm pvc earth wire etc. complete.	600-Rft	178/50	Palfi	107/03/,
	6	Wiring for main with 4-7/.064 pvc insulated wire in pvc capping and casing i/c 1.5mm pvc earth wire etc. complete.	219-Rft	24950	lia BH	54641/.
	7	Wiring for main with 2-7/.044 pvc insulated wire in pvc capping and casing i/c 1.5mm pvc earth wire etc. complete. Wiring for main with 2-7/.029 pvc insulated	300-Rf	81/90	Packet	24570/
		wire in pvc capping and casing i/c 1.5mm pvc carth wire etc. complete.		42/2	Padelr	12600/-
	9	Wiring for main with 2-7/.036 pvc insulated wire in pvc capping and casing etc. complete.	300-Rft	60/2	RaeAff	18000/
	10	P/F ceiling fan 56" sweep approved quality in/c: necessary connection etc complete.	43-Nos	4000/5	Each	17200/-
	11	S/F Generator with Canopy of 10 KV with installation and necessary connection	l-Nos	644900/5	Each	64490g-
	12	S/F electric poles with RCC base i/c all electric cables and necessary fittings.	6-Nos	49950)S	Each	2997001-
			(f)	Total Rs:- (C	C-I +C-ii)	5744401
	20		1/12/05/201	y D	. 1	958674/-
				DISTRIC Building: I (V	o T O≒FICE (∄3) Depa . Karachi	R rtmant
			-3/			

PART 'D' INTERNAL & EXTERNAL SUI GAS FITTINGS P/F Low pressure Gas line of approved standared having wall thickness of 2.65 mm. The pipe to be screwed connection with malleable iron galvanized screwed fitting/ fixture including cutting fixing also in/c: cost of breaking though wall and making holes in walls, col, beams, slab, etc and making good with ratio cement concrete mortar and fixing 687251 the same.(a) 2" dia pipe.(Offer rate) 250.0Rf P.Rft 1-b) -do- 1" dia pipe. .(Offer rate) 300.0Rft p.Rft. I-c -do-34" dia pipe. .(Offer rate) 443.0kft P.Rft 1-d) -do- 1/2" dia pipe. .(Offer rate) 300,0R)t P.Rft S/I manifold brass union cock and approved complete complete in all respect. (a) 3/4" dia.(Offer rate) 365761. Each 3. Providing sui gas point fixing benison burner gas stove, cocking rang including providing necessary fitting specials connection rubber pipe of the required size and cutting holes in tables or lab cocks including fixing screws etc complete as required. .(Offer rate) Each 4. P/F lab cock approved quality complete in all respect. .(Offer rate) Each 5 P/F single gas stove 12"x12" of approved quality complete in all respect. (Offer rate) 30-Nos Hach. 6 S/I lock wing pattern plug type meter lock of approved quality complete in all respect. .(Offer rate) 1649/96 P/F Benson burner of approved quality complete in all respect (Offer rate) Each G.Total Rs (A 6932322+1622320+1988674+380370 CONDITION. = 109936861-

1-No.any typographical errors in the schedule "B" are subject to correction with reference to the schedule of rate General 2004 in forced from 01—10-2004 as approved by the standing rate committee sindh Karachi.

DISTRICT OFFICER
Building: I (Was) Department
C.D.G. Karachi

- 2-1 bitration clause stands deleted from the agreement.
- 3-100% well graded crushed bajri shall be used in item of RCC 1:2:4.

4-Water shall be arranged by the contractor without any extra payment.

Deputy City Officer
Building-1(W&S)Department
Lyari Town Karachi

Contractor

District Officer Building-1(W&S)Department C.D.G.Karachi

SINDH PUBLIC PROCUREMENT REGULATORY AUTHORITY

CONTRACT EVALUATION FORM

TO BE FILLED IN BY ALL PROCURING AGENCIES FOR PUBLIC CONTRACTS OF WORKS, SERVICES & GOODS.

1).	NAME OF THE ORGANIZATION / DI	EPTT. <u>W&S, CDGK</u>
2).	PROVINCIAL GOVT./LOCAL GOVT.	OTHER LOCAL GOVERNMENT (KMC)
3).	TITLE OF CONTRACT	MPA PRIORITY PROGRAMME
4).	TENDER NUMBER	076(02)/DO(B-I)/MPA2010-11
5).	BRIEF DESCRIPTION OF CONTRAC	T Renovation of Gharib Shah Meternity Home Located at Kalakot Lva Town Karachi i/c Replace Repair / Maintenance of Sewerage Water System Sui Gas & Electricity i/c Servant Quarter at Lva Town,
6) I	FORUM THAT APPROVED THE SCHE	ME P & D GOVERNMENT OF SINDH
7).	TENDER ESTIMATED VALUE	11.144 Million
8).	ENGINEER'S ESTIMATE (For Civil Works only)	11.364 Million
9).	ESTIMATED COMPLETION PERIOD	(AS PER CONTRACT) 90 (Days)
10).	TENDER OPENED ON (DATE & TIM	E) 17-05-2011 at (02.:30 PM)
11).	NUMBER OF TENDER DOCUMENTS (Attach list of buyers)	S SOLD <u>03 Nos</u>
12).	NUMBER OF BIDS RECEIVED	03 Nos
13).	NUMBER OF BIDDERS PRESENT AT	T THE TIME OF OPENING OF BIDS 03 Nos
14).	BID EVALUATION REPORT (Enclose a copy)	_(Attached)
15).	NAME AND ADDRESS OF THE SUC	CESSFUL BIDDER M/s Muhammad Hasni Builders.
16).	CONTRACT AWARD PRICE	Rs.1,08,93,686/-
	RANKING OF SUCCESSFUL BIDDER B. 1 st , 2 nd , 3 rd EVALUATION BID)	R IN EVALUATION REPORT M/s Muhammad Hasni Builders. M/s Matracon Pakistan (Pvt) Ltd M/s Muhammad Usman Meo
18).	METHOD OF PROCUREMENT USEI	:- (TICK ONE)
	a). SINGLE STAGE – ONE EN	VELOPE PROCEDURE
	b). SINGLE STAGE – TWO EN	VELOPE PROCEDURE X
	c). TWO STAGE BIDDING PR	OCEDURE X
	d) ☐ TWO STAGE – TWO ENVE	OPE BIDDING PROCEDURE X

L	PLEASE SPECIFY IF ANY OTHER METHOD OF EMERGENCY, DIRECT CONTRACTING / NEGO					
19). APP	ROVING AUTHORITY FOR AWARD OF CONTR	RACT EL	OO (W&	S) CI	OGK,	
20). WF	ETHER THE PROCUREMENT WAS INCLUDED	IN ANNU	AL PRO	OCUR	REME	NT PL
			Yes	✓	No	
21). AD	VERTISEMENT:					
i).	SPPRA Website	Yes	√ 3	987/2	2011	
	(If yes, give date and SPPRA's tender number)	No	7,			
ii).	News Papers (If yes, give names of newspapers and dates)	Yes	"Meti	aily "I ropolit 29-04		Daily
		No				
		19)				
22). NA	TURE OF CONTRACT		Local	1	Int.	
W	HETHER QUALIFICATION CRITERIA AS INCLUDED IN BIDDING / TENDER DOCUME yes, enclose a copy)	ENTS?	Yes	✓	No	
24) . · W	HETHER BID EVALUATION CRITERIA AS INCLUDED IN BIDDING / TENDER DOCUME yes, enclose a copy)	ENTS?	Yes		No	√
	HETHER APPROVAL OF COMPETENT AUTHOR ETHOD OTHER THAN OPEN COMPETITIVE BID		OBTAI	NED	FOR I	JSING
26) W	AS BID SECURITY OBTAINED FROM ALL THE	BIDDERS	?			
20). 11.			Yes	√	No	
	HETHER THE SUCCESSFUL BIDDER WAS LOW ALUATED BID / BEST EVAULATED BID (in cas		Yes ltancies)	✓	No	L
28). W	HETHER THE SUCCESSFUL BIDDER WAS TECH	HNICALL	Y COM	PT.ATI	NT?	
20). 11	THE STOCKS OF PROPERTY AND I DO		Yes	✓	No	
			1,00	-	1	L
	HETHER INTEGRITY PACT WAS SIGNED? yes, enclose a copy)		Yes	✓	No	
30). W	HETHER NAMES OF THE BIDDERS AND THEIR	R QUOTEE	PRICE	SWE	ERE RI	EAD C
	HE TIME OF OPENING OF BIDS?		Yes	V	No	
	HETHER COPY OF EVALUATION REPORT GIV (track copy of the bid evaluation report)	EN TO AL			of Commercial	Ť
(A)	mach copy of the old evaluation report)		Yes	V	No	

SINDH PUBLIC PROCUREMENT REGULATORY AUTHORITY

CONTRACT EVALUATION FORM

TO BE FILLED IN BY ALL PROCURING AGENCIES FOR PUBLIC CONTRACTS OF WORKS, SERVICES & GOODS.

1).	NAME OF THE ORGANIZATION / D	EPTT. <u>W&S, CDGK</u>
2).	PROVINCIAL GOVT./LOCAL GOVT.	OTHER LOCAL GOVERNMENT (KMC)
3).	TITLE OF CONTRACT	MPA PRIORITY PROGRAMME
4).	TENDER NUMBER	076(02)/DO(B-I)/MPA2010-11
5).	BRIEF DESCRIPTION OF CONTRAC	T Renovation of Gharib Shah Meternity Home Located at Kalakot Lyar Town Karachi i/c Replace Repair / Maintenance of Sewerage Water System Sui Gas & Electricity i/c Servant Quarter at Lyar Town,
6) F	FORUM THAT APPROVED THE SCHE	ME P & D GOVERNMENT OF SINDH
7).	TENDER ESTIMATED VALUE	11.144 Million
8).	ENGINEER'S ESTIMATE (For Civil Works only)	11.364 Million
9).	ESTIMATED COMPLETION PERIOD	(AS PER CONTRACT) 90 (Days)
10).	TENDER OPENED ON (DATE & TIM	E) 17-05-2011 at (02.:30 PM)
11).	NUMBER OF TENDER DOCUMENTS (Attach list of buyers)	S SOLD <u>03 Nos</u>
12).	NUMBER OF BIDS RECEIVED	03 Nos
13).	NUMBER OF BIDDERS PRESENT A	THE TIME OF OPENING OF BIDS 03 Nos
14).	BID EVALUATION REPORT (Enclose a copy)	(Attached)
15).	NAME AND ADDRESS OF THE SUC	CESSFUL BIDDER M/s Muhammad Hasni Builders.
16).	CONTRACT AWARD PRICE	Rs.1,08,93,686/-
	RANKING OF SUCCESSFUL BIDDER 1 at , 2 nd , 3 rd EVALUATION BID)	R IN EVALUATION REPORT M/s <u>Muhammad Hasni Builders.</u> M/s Matracon Pakistan (Pvt) Ltd M/s Muhammad Usman Mco
18).	METHOD OF PROCUREMENT USEI	:- (TICK ONE)
	a). SINGLE STAGE – ONE EN	VELOPE PROCEDURE
	b). SINGLE STAGE – TWO EN	VELOPE PROCEDURE X
	c). TWO STAGE BIDDING PR	ocedurex
	d). TWO STAGE – TWO ENVE	LOPE BIDDING PROCEDURE X

	PLEASE S EMERGE	PECIFY IF AN	Y OTHER N CONTRACT	METHOD OF	F PROCURI OTIATION	EMENT ETC. W	WAS ITH I	ADO: BRIEF	PTEL REA) i.e. SON
19). AP	PROVING A	UTHORITY F	OR AWARI	OF CONT	RACT <u>ED</u>	O (W&S	S) CD	GK,		
20). W	HETHER T	HE PROCURE	ment was	INCLUDEI	O IN ANNU.	AL PRO Yes	CUR	EMEN No	T PL	AN?
21) AI	OVERTISEM	IENT:								
i)					Yes	√ 39	987/2	011		
1)	(If yes,	give date and SF	PRA's tende	er number)	No					
ii). News Pa	apers give names of n	ewspapers an	nd dates)	Yes	✓ Da "Metrodated	opolit		Daily	
					No					
22). N	ATURE OF	CONTRACT				Local	√	Int.]
1	VHETHER (WAS INCLU If yes, enclos	QUALIFICATIO DED IN BIDDI e a copy)	ON CRITERI ING / TENDI	A ER DOCUM	ENTS?	Yes	✓	No]
7	WHETHER I WAS INCLU If yes, enclose	BID EVALUAT DED IN BIDDI se a copy)	TION CRITE ING / TEND	RIA ER DOCUM	IENTS?	Yes		No	✓]
25).	WHETHER A	APPROVAL OF THER THAN C	F COMPETE OPEN COMP	NT AUTHO ETITIVE BI	RITY WAS	OBTAI Yes	NED	FOR U	JSING	<u>G</u> A
26).	WAS BID SI	ECURITY OBT	AINED ERO	M ALL THI	E BIDDERS	?				
20).	WAS DID SI	CORTT OD:			-	Yes	✓	No		
27)	WHETHER EVALUATE	THE SUCCESS D BID / BEST	SFUL BIDDI EVAULATE	ER WAS LO ED BID (in c	WEST ase of consu	Yes ltancies)	√	No		7
28).	WHETHER	THE SUCCESS	SFUL BIDDE	ER WAS TE	CHNICALL	Y COM	PLAI	NT?		
						Yes	✓	No		
	WHETHER (If yes, enclo	INTEGRITY P.	ACT WAS S	IGNED?		Yes	1	No		
30).	WHETHER	NAMES OF TI	HE BIDDER:	S AND THE	IR QUOTE	D PRICE	s W	ERE R	EAD	ruo
20%	THE TIME	OF OPENING	OF BIDS?			Yes	V	No	L	
213	WHETHER	COPY OF EVA	ATHATION	REPORT GI	IVEN TO A	LL BIDI	DERS	?		
51).	(Attach cop	of the bid eval	uation report	:)		Yes		No		
105	,		•			2.00	1	-		-

32).	ANY COMPLAINTS RECEIVED	Yes	
	(If yes, result thereof)	No	1
33).	ANY DEVIATION FROM SPECIFICATIONS GIVEN IN (If yes, give details)		IDER NOTICE / DOCUMENT
		No	<u> </u>
34).	WAS THE EXTENSION MADE IN RESPONSE TIME? (If yes, give reasons)	Yes	
		1	
		No	<u> </u>
35).	DEVIATION FROM QUALIFICATION CRITERIA	Yes	
	(If yes, give details)	No	-
			<u> </u>
	SUPPLIER'S PREMISES IN CONNECTION WITH THE BE ASCERTAINED REGARDING FINANCING OF VIS (If yes, enclose a copy)	PROCURE IT, IF ABR	EMENT? IF SO, DETAILS TO COAD. Yes No ✓
38).	WERE PROPER SAFEGUARDS PROVIDED ON MOBII		
	THE CONTRACT (BANK GUARANTEE ETC)?	LIZATION	ADVANCE PAYMENT IN Yes No
39).	THE CONTRACT (BANK GUARANTEE ETC)? SPECIAL CONDITIONS, IF ANY (If yes, give Brief Description)	LIZATION	
Sig	THE CONTRACT (BANK GUARANTEE ETC)? SPECIAL CONDITIONS, IF ANY	LIZATION	Yes No ✓
Sig Au	SPECIAL CONDITIONS, IF ANY (If yes, give Brief Description) gnature & Official Stamp of	LIZATION	Yes No ✓

SPPRA, Block. No. 8, Sindh Secretariat No.4-A, Court Road, Karachi.
Tele: 021-9205356; 021-9205369 & Fax: 021-9206291

OFFICE OF THE DISTRICT OFFICER (BUILDING-I) CITY DISTRICT GOVERNMENT KARACHI

No. DO/B-I/ 1005/2402

dated 18-5- 2011

Bid Evaluation Report

(In Compliance of Clause 45 SPP Rules 2010)

1. Name of Works

Name of MPA

3. Tender Opened On

Renovation of Government Dispensary New Lyari (G.Floor) Located at Kalakot i/c Servant Quarters at Lyari Town Karachi.

Ms. Nadia K. Gabol (RS-148)

17-05-2011

S No	Name of Firm or Bidder	Cost offered by the Bidder	Ranking in terms of cost	Comparison with Estimated cost	Reasons for acceptance/ rejection	Remarks	
0	1	2	3	4	5	6	
1.	M/s. Muhammad Hasni Builders	Lowest Pos coo Mill		estimated cost of Rs.8.009 Million	Qualified as per Evaluation Criteria	Recommended for award of work	
2.	M/s. Matracon Pakistan (Pvt) Ltd.	Rs.79,83,858/- (as per Calculation)	2 nd Lowest	estimated cost of Rs.8.009 Million	Qualified as per Evaluation Criteria	Responsive	
3,	M/s. Muhammad Usman Meo	Rs.82,64,523/- (as per Calculation)	3 rd Lowest	estimated cost of Rs.8.009 Million	Qualified as per Evaluation Criteria	Responsive	

This issues with the approval of the members of the procurement committee.

on

Member / D.A.O (Building-I) (W&S) CDGK Member / Deputy City Officer Building-I, (W&S) CDGK Chairman / D.O BUILDING-I, CDGK

Circulated to:-

1. M/s. Muhammad Hasni Builders

2. M/s. Matracon Pakistan (Pvt) Ltd.

3. M/s. Muhammad Usman Mco

C.C: DO (MPA's PP) W&S, CDGK

OFFICE OF THE DISTRICT OFFICER (BUILDING-I) CITY DISTRICT GOVERNMENT KARACHI

No. Do B I Was 72

dated 14-9-2011

Bid Evaluation Report

(In Compliance of Clause 45 SPP Rules 2010)

Name of Procuring Agency:

Tender Reference No:

Tender Description/Name of work/item:

Method of Procurement:

Tender Published:

Total Bid documents Sold:

Total Bids Received:

Technical Bid Opening date: (if applicable)

9. No. of Bid technically qualified (if applicable):

10. Bid(s) Rejected:

Financial Bid Opening date:

Bid Evaluation Report:

District Officer, Building-I, C.D.G.K

076(01)/DO(B-I)/MPA

Renovation of Government Dispensary New Lyari (G.Floor) Located at Kalakot i/c Servant Quarters at Lyari Town Karachi.

Single Stage - One Envelope Procedure

Daily "Islam", Daily "Metropolitan" dated 29-04-2011. SPPRA Website ID # 3987/2011.

03 Nos.

03 Nos.

Not Applicable

Not Applicable

Nil

17-05-2011

S No	Name of Firm or Bidder	Cost offered by the Bidder	Ranking in terms of cost	Comparison with Estimated cost	Reasons for acceptance/ rejection	Remarks
0	1	1 2 3 4		5	6	
1. =	Builders	Rs.78,44,964/- (as per Calculation)	. 1 st Lowest	estimated cost of Rs.8.009 Million	Qualified as per Evaluation Criteria	Recommended for award of
2.	M/s. Matracon Pakistan (Pvt) -Ltd.	Rs.79,83,858/- (as per Calculation)	2 nd Lowest	estimated cost of Rs.8.009 Million	Qualified as per Evaluation Criteria	Work Responsive
3.	M/s. Muhammad Usman Meo	Rs.82,64,523/- (as per Calculation)	3 rd Lowest	estimated cost of Rs.8.009 Million	Qualified as per Evaluation Criteria	Responsive

This issues with the approval of the members of the procurement committee.

Member / D.A.O (Building-I) (W&S) CDGK

Member / Deputy City Officer Building-I, (W&S) CDGK

Chairman / D.O BUILDING-I, CDGK

Director (CB) SPPRA w.r.t ID # 3987/2011 With a request to upload on SPPRA Website.

C.C to: -

1. District Officer, Building-I, CDGK

DO (MPA's PP) W&S, CDGK

PS to EDO (W&S) CDGK



CITY DISTRICT GOVERNMENT KARACHI

OFFICE OF THE PROJECT DIRECTORATE (MPA's PP)

4th Floor, Room No. C-412, Civic Centre, Gulshan-e-Iqbal, Karachi [Ph: (92-21) 99232426, Fax: (92-21) 99230669

No.PD/MPAs-PP/CDGK/ 04

Dated: 86 / 69 /2011

M/s. Muhammad Hasni Builders Karachi.

WORK ORDER

SUBJECT: - RENOVATION OF GOVERNMENT DISPENSARY NEW LYARI (G.FLOOR) LOCATED AT KALAKOT I/C SERVANT QUARTERS AT LYARI TOWN KARACHI.

Your below mentioned rates quoted in the above cited tender for this items shown against each have been found lowest and are hereby accepted.

Schedule Items Part-A:

21.80% Above

Rs.44,57,093/-Rs.2,64,577/-

Schedule Items Part-B: 2. 3. Schedule Items Part-C:

20.00% Above

Rs.28,54,907/-

Total of All Parts Non-Schedule Items

20.00% Above

Rs.28,54,907/-

TOTAL Rs.78,44,964/-

You are advised sto please contact with Project Engineer (Concerned) through D.O-I/CE(Ex.Wing-MPA-PP) Civil, W&S within 07 days positively.

The period allowed for completion of the above work as provided in the tender, is within 06 Months (s) which should please be adhered to strictly. Otherwise a penalty of Rs.7,000/- per day will be imposed up to 10% of contractual value. The penalty exceeding this limit will allow CDGK to terminate the contact, to carryout the balance work at the risk and cost of the contractor and sto make maximum penalization to your firm including forfeiting the R.M / S.D blacklisting / debarring the firm for atleast 06 Month period.

> PROJECT DIRECTOR MPA's Priority Programme C.D.G.K

Enclosed:

Copy of Project Engineer (Concerned), for information & necessary action for execution of work under intimation to the concerned Honourable MPA. He should note that no extra items should be carriedout unless the competent authority accords specific permission. He is also requested to forward fortnightly progress report through DO-I/CE(Ex.Wing-MPA-PP) Civil, W&S to the undersigned office.

> PROJECT DIRECTOR MPA's Priority Programme C.D.G.K

Copy to: -

- 1. With compliments Honourable MPA Mrs. Nadia K.Gabol RS-148
- Project Manager (MPAPP), CDGK
- 3. Divisional Accounts Officer (MPAPP), W&S, CDGK
- 4. Office File

SINDH PUBLIC PROCUREMENT REGULATORY AUTHORITY

CONTRACT EVALUATION FORM

TO BE FILLED IN BY ALL PROCURING AGENCIES FOR PUBLIC CONTRACTS OF WORKS, SERVICES & GOODS.

1).	NAME OF THE ORGANIZATION (D	
53.66.11	NAME OF THE ORGANIZATION / D	
2).	PROVINCIAL GOVT./LOCAL GOVT.	OTHER LOCAL GOVERNMENT (KMC)
3).	TITLE OF CONTRACT	MPA PRIORITY PROGRAMME
4).	TENDER NUMBER	076(01)/DO(B-I)/MPA2010-11
5).	BRIEF DESCRIPTION OF CONTRAC	T Renovation of Government Dispensary New Lyari (G.Floor) Located : Kalakot i/c Servant Quarters at Lyari Town Karachi,
6) I	FORUM THAT APPROVED THE SCHE	ME P & D GOVERNMENT OF SINDH
7).	TENDER ESTIMATED VALUE	8.009 Million
8).	ENGINEER'S ESTIMATE (For Civil Works only)	8.170 Million
9).	ESTIMATED COMPLETION PERIOD	(AS PER CONTRACT) 60 (Days)
10).	TENDER OPENED ON (DATE & TIM	
11).	NUMBER OF TENDER DOCUMENTS (Attach list of buyers)	
12).	NUMBER OF BIDS RECEIVED	03 Nos
13).	NUMBER OF BIDDERS PRESENT AT	THE TIME OF OPENING OF BIDS 03 Nos
14).	BID EVALUATION REPORT (Enclose a copy)	(Attached)
15).	NAME AND ADDRESS OF THE SUCC	ESSFUL BIDDER M/s Muhammad Hasni Builders.
	CONTRACT AWARD PRICE	Rs.78,44,964/-
17). (i.e	RANKING OF SUCCESSFUL BIDDER 1. 1 st , 2 nd , 3 rd EVALUATION BID)	IN EVALUATION REPORT M/s Muhammad Hasni Builders, M/s Matracon Pakistan (Pvt) Ltd M/s Muhammad Usman Meo
18).	METHOD OF PROCUREMENT USED	(TICK ONE)
	a). SINGLE STAGE – ONE ENV	ELOPE PROCEDURE
, si	b). SINGLE STAGE – TWO ENV	/ELOPE PROCEDURE X
	c). TWO STAGE BIDDING PRO	CEDURE X
	d). TWO STAGE – TWO ENVEL	OPE BIDDING PROCEDURE X

	□ PL EN	EASE SPECIFY IF ANY OTHER METHOD OF I MERGENCY, DIRECT CONTRACTING / NEGOT	ROCUR TATION	EMENT ETC. W	WAS IHTI	S ADO! BRIEF	PTED REAS	i.e. SON
9), AF	PPRO	VING AUTHORITY FOR AWARD OF CONTRA	CT ED	O (W&S) CD	GK,		
		THER THE PROCUREMENT WAS INCLUDED I					TPLA	AN
20). 1	17.22.				/	No		
21). Al	DVE	RTISEMENT:						_
-10000000000000000000000000000000000000). ;	SPPRA Website	Yes	√ 39	87/2	011	oc sob	
	,	(If yes, give date and SPPRA's tender number)	No					
		5		1/5	***	1 W T	No. 21 and	
ii	i). I	News Papers	Yes	"Metro		slam", I an"	Janly	
		(If yes, give names of newspapers and dates)	-	dated :			-	
			No					
				Local	1	Int.		
22). N	NATU	RE OF CONTRACT		Local		Tit.		
23).	WHE:	THER QUALIFICATION CRITERIA	8	Yes	/	No		1
	WAS	INCLUDED IN BIDDING / TENDER DOCUMEN	NTS?	103		110	-	-
((If yes	s, enclose a copy)						
24).	WHE	ETHER BID EVALUATION CRITERIA		Yes		No	/	1
anokao ,	WAS	INCLUDED IN BIDDING / TENDER DOCUME s, enclose a copy)	NTS?	170				.1
25).	WHE	THER APPROVAL OF COMPETENT AUTHOR	ITY WAS	OBTAI	NED	FOR U	JSINC	iΑ
20).	MET	HOD OTHER THAN OPEN COMPETITIVE BID	DING?	Yes		No	1	
20	337 A C	S BID SECURITY OBTAINED FROM ALL THE I	BIDDERS	5?				
26).	WAS	S BID SECORIT I OBTAINED TROM TEE THE		Yes	1	No		
				L				50
27)	33711	ETHER THE SUCCESSFUL BIDDER WAS LOW	EST	Yes	1	No		
27)	EVA	LUATED BID / BEST EVAULATED BID (in case	e of const	ıltancies)	-			
						NT2		
28).	WHI	ETHER THE SUCCESSFUL BIDDER WAS TECH	INICALI		/			٦
				Yes	√	No		_
	V-2-2-2-2-	THE CHIEV BACT WAS SIGNED?		N/a=		No	1	
29).		ETHER INTEGRITY PACT WAS SIGNED? es, enclose a copy)		Yes		140		
			~~~~	n nnicr	o W	DDE D	DAD	OI:
30).	WH	ETHER NAMES OF THE BIDDERS AND THEIR	QUOTE	Yes	SW	No.	TAD	7
	THE	TIME OF OPENING OF BIDS?		108		110		1
			m	II DIDI	NED (	20		
31).	WH	ETHER COPY OF EVALUATION REPORT GIV	EN TO A			NT.	T	$\neg$
	(Att	ach copy of the bid evaluation report)		Yes	V	No	1	

	ANY COMPLAINTS RECEIVED	Yes	
	(If yes, result thereof)	No	<b>√</b>
3).	ANY DEVIATION FROM SPECIFICATIONS GIVEN IN	THE TEN	DER NOTICE / DOCUME
	(If yes, give details)	Yes	
		No	<u>~</u>
4).	WAS THE EXTENSION MADE IN RESPONSE TIME?		
	(If yes, give reasons)	No	✓_
5).	DEVIATION FROM QUALIFICATION CRITERIA	Yes	
200	(If yes, give details)	No	1
7).	WAS A VISIT MADE BY ANY OFFICER / OFFICIAL OF SUPPLIER'S PREMISES IN CONNECTION WITH THE BE ASCERTAINED REGARDING FINANCING OF VISI	PROCUR	EMENT? IF SO, DETAILS
	(If yes, enclose a copy)	II, IF ADI	Yes No 🗸
	WERE PROPER SAFEGUARDS PROVIDED ON MOBIL	LIZATION	I ADVANCE PAYMENT
38).			
38).	THE CONTRACT (BANK GUARANTEE ETC)?		Yes No ✓
			Yes         No         ✓           Yes         No         ✓

<u>SPPRA, Block. No.8</u>, <u>Sindh Secretariat No.4-A, Court Road, Karachi.</u> Tele: 021-9205356; 021-9205369 & Fax: 021-9206291



19/9. Mahammad Hason

Stamp Value -: Rs. 23 600/=

والمراجع سو روبير	SEP IM THE STATE OF THE STATE O	/
100	An ACPEPMENT	Lancas District
* )	An AGREEMENT made this 24th day of September	TITIS SECTION AND ADDRESS OF THE PERSON ADDRESS OF THE PERSON AND ADDRESS OF THE PERSON AND ADDRESS OF THE PERSON ADDRESS OF THE PER
	IN A STATE OF THE OF THE STATE OF THE CITY OF THE STATE O	PAKISTAN
	by in the Christian Year two thousand Eleven 24 SE	
المراج تان	(* their DO-I(P&D) C.M. CDGK. hereinafter called the CDGK (which and approximately shall include the CDGK)	
(1)	SEPEXPRESSION shall include their successors) of the one part and M/s-Myhamidi	
300H		
SPECIAL	Acarrying on business under the name and style of M/s.Muhammad/Hora;	
ADHESIVE	by their Preprietor	البارء تان
Division of the	nereinafter called the Contractors (which expression chall in A.	100000
PAKI FAN	a successors and 488 guess of the said herm and heim areastrong at	
	the said individual partners of the said firm) of the other	ADHESIVE
7 31 3	N. Port.	The second second
图 ** //图	WHEREAS the GOSK has accepted the Contractor's tender	PAKISTAN
	all respondence different and marked to be an all the control of t	Staule
الله ال	Ror the work "Renovation of Government Dissensary new Mart	
		1
10001	Town Karachi at a cost Rs. 78.44.964/= (Rusees Seventy Eight Lar Forty Four Thousand Wine hundred Sixty Four only) Sanctioned by WO vide para-6/n.	6 /
SPECIAL		
ADHESIVE	according in to the specification and the general conditions of the contract here-unto annexed and marked 6/n and dated 17-5-2011	البائية تالا
,	and size // heat C	0.00
	with its meaning and where as the Contractors have already deposited the	00000H
	with the CDGK the sum of Rs.	SPECIAL- ADHESIVE
9877	1()	AUHESIVE
		TTTTTTTTTTTTTTTTTTTTTTTTTTTTTTTTTTTTTT
	vide Challan No 'in addition to the Earnest Money	PAKISTAN
	Rs. 2% Earnest Money Rs. 1.63.440/= 2/4\SEP	ومزازروميه
	vide Challan No. 5278 dated 27-9-2011 and have given to	
	the CDGK a lien over such sum as Security for the due fulfilmen	7 AL
88	in Contract NO Y THIS AGREEMENT WITNESSETH That The Tolk of the State	
	CDGK and the Contractors shall respectively well truly carry and [0151] the	
37	Contract and abide by all the terms and conditions of the Wood and	الاعت
	specification and tender.	
	The Contractors do hereby bind themselves, their heirs, successors/	
	legal representatives and assignees to him to the CONF	100
	KS. The state of the breach of any of menalty in case of the breach of any of the	THE STATE OF THE S
	terms and conditions of the contracts including those mentioned in the	AKUST
	tender without prejudice to the right of the CDGK to recover the SE	
	damages for and such breach.	
	IN WITNESS WHED BOR the soil soil to	- 1
	IN WITNESS WHEREOF the said parties have set their hands this	
	July of Dep Cember 2017	
	for the City of Karachi 24 SEP 1	
	KARACHI.	00.15
	DESTRICT OF FIGUR Seal	DE L
*	1. M/S mD Const	HESIVE
		and A Property of the Control of the
	2 ANWAR AIZAZ MUHAMO	MDMIN
	OFFICE CUE	MDE
	Without Confront City Co. I	
	- IZKARACHIEI	11. 4
	(5)	7
	53	

# OFFICE OF THE DISTRCT OFFICER, BUILDING: I C.D.G.KRACHI TENDER OF THE WORK TO MIS MULAumal Harm. TENDER EEE DO. 2000

ISSUED TO MIS Mulfquinad Ha	SMC TENDER FEE RS:3000/-	- 1/ 6 2
1/ Builde	P.O.NO: (6) /2>8 DATED:	16=5-2011
C succes	DATE OF ISSUE UPTO:	16.05.2011
1	DATE OF OPENING TENDER:	17.05.2011
DISTRICT OFFICER		100
BUILDING: I(W&S)DEPARTMENT		\(\W/
C.D.G. KARACHI		
		1
I /We hereby tendr for the execcution	for the City District Government (therin aft	erreferred aso/
the Government)of the work specified in the tend	der written memorendum within the specified	d(time at 5 %/
the Government)of the work specified in the teno percent above/below the estimated rates entered	in the annexed schedule "B" showing there	ein the items of
work , the quantity, rate & amount of each item.		'/
The rates of non-schedule items hav	e been filled in by me/us in space provided	In the Schedule B.
and the percentage quoted in here to above sha	Il not be applicable to these non-schedule it	ems.
		1/ 19/
I/We undertake sto excute the work	in all respects in accordance with the specif	ications, designator
a in attractions and also agreed that when the Ma	aterials for the Work are proveded by the Go	VI. description or
and materials its gaugetity and place of deliver	to together with the rates to be charged for i	rom me/us snall *
be specified in a separate called the schedule "/	A" shall also be annexed with sthis tender.	
MEMO	RENDUM	
111 = 111	MPA PRIORITY PROGRAMME	
	Renovation of Government Dispensary	New Lyari(G.Floor)
a) GENERAL DESCSRIPTION:	located at Kalakot i/c servant Qtrs: at Ly	ari town Karachi
	located at Kalakot I/C servant Quis, at Ly	all town rendom
	(H'able MPA, Mrs Nadia .K. Gabol RS-14	9)
b) ESTIMATED COST :	Rs: 8.009 (Million)	
c) E/MONEY/BID SECURITY :	Rs: 163,440/-	
d) SECURITY DEPOSIT I/C E/MONEY:		
e) PERCENTAGE WILL BE DEDUCTED	ON RECORDEDORIT & 6% INCOME TAX	FROM
	560.DEFOSIT & 070 INCOME 170	( ) ( ) ( )
FROM THE RUNNING BILLS:		
f) TIME OF COMPLETION:	6 MONTHS	
or trailer to deaths appointed to	We hereby agree & undertake to execute the	ne agreement on the
Should this stender be accepted, if	disease stimulated in it toother with the addition	onal condition for
printed B-I form & abide by all the terms & con-	ditions supulated in it together with the dealer	, indi contant
time being in vogue & annexed thereto.	ined in the B-I agreement form together with	the additional
All the terms & conditions as contained conditions/annexed thereto shall be come operations.	ned in the B-1 agreement form together the	is issued to me/us
irrespective of the fact that the formal agreeme	be been drawn & executed or not	
irrespective of the fact that the formal agreeing	use has since been dieted & it shall not be	awful for me/us to
I/We understand the arbitration cla	this tondor (agreement	
invokeany arbitration proceeding in respect of	dated: 16/5/201/ from the Govt.Trea	asury/Sub-Treasusry a
Karachi or the deposit at call or other Govt.Rs.	1/2 4/57 is forwarded herewith re	presenting the earnes
of the work in accordance with this stender of	- Invited to Govt. III case II Vo and Govern	shall be retained by
of the work in accordance with this stender ou	let wise the said sum of No.	_/
the Govt. by way of security deposit.		x(
VN/	XXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXX	
N CONSTRUCTOR	DISTRI	CT OFFICER
SISGNATURE OF THE CONSTRACTOR		(&S)DEPARTMENT
BEFORE SUBMISSION OF TENDER	POLICING.I(V	KARACHI
	C.D.G	NAKAGIII
	189759/	*(
	1	

ш.	Alfied Bank CALL DEPO A (0.47)Boating Basin Br., Karachi. Received from CITY DISTRICT GO	DSIT RECEIPT	CDR No. 165  Date 16-05  KARACHI,	51233 //
NSFERABL	Rupees ONE LAC . SIXTY THEE 11+0 as a deposit at call bearing no interest subject to general	COSAND FOR	Section Section 1.	DULY-
NOT THE	Rs. 163449 -	(del		GAL.
	When payment is required, this Receipt must be returned to the Bank du DO NOT WRITE BELOW THIS LINE	y discharged by the Deposito	Officer or under the words Precei	Manager ved Payment"

||*1651233||*0140000|:0000000000||*0B0;|

NAME OF WORK:-

Renovation of Government Dispensary New Lyari (G.Floor) located at Kalakot in/c: Servant quarters at Lyari Town Karachi.....

1000000							
SC	1-1	E	01	11	Č.	R	58

	<u>PA1</u>	RT A-i CIVIL WORKS	E B ".			
	S.#	Description of items	Quantity	Rate.	Unit	Amount
113	1.	Dismantling cement concrete plain 1:2:4.(S.I19-c/11)	2253.0Cn	1597/20	%Cft	35,984/-
	2.	Dismantling cement concrete plain 1:4:8,(19-a/11)	1736.0Cft	798/60	%Cft	13,864/-
	3	Dismantling cement block masonry.(S.I. 11/14)	637.0Cft	544/50	%Cft	3,468/-
	4	Removing cement or lime plaster.(S.1 .No. 14/53)	10845.0Sft	58/08	%SA	6,299/-
	5	Dismantling glazed or encaustic tiles etc.(S.I.No. 15/55)	844.0Sft	447/70	%Sft	3,779/-
	6	Ordinary distemper oil bound distemper or paint on wall.(S.I.No. 15/54-b)	17782.0Sft	108/90	%Sft	19,365/-
	7	Brushing and scraping blisters of old paint from metal surface.(S.I.No. 2/76)	1038.0Sñ	72/60	%Sft.	754/-
	8	Excavation in foundation of bridges & other structure in/c: dagbelling dressing refilling around structure with excavated earth watering and ramming lead upto one chain and lift upto 5° (b) In ordinary soil.(S.J.No. 5/18-b)	2500.0Cft	1306/80	%0CA	3,267/-
	9	Cement concrete brick or stone ballast 1-1/2" to 2" gauge ratio 1:4:8.(S.I.No.17/4-b)	2088.0CN	3584/10	%Cft	74,836/-
	10	Erection and removal of centering for RCC or plain cement concrete works of deodar wood (2 nd class for partal wood vertical.(S.I.No. 21/18-b)	1446.0Sñ	1405/75	%Sft	20,327/-
	11	Cement concrete plain including placing compacting finishing and curing complete (including screening and washing of stone aggregate without shuttering ratio (h)				3
		1:3:6.(S.I.No. 18/5-h)	362.0 Cft	5001/70	%Cft	18,106/-
			1 11	11		

DISTRICT OFFICER
Building: I (W#3) Department
C.D.G. Karachi

			and the same	
12	Filling watering and ramming earth under floor with new earth excavated from out side lead upto one chain and lift upto 5.(S.I.5/22)		1488/30	%Cft 7.477/-
-13	Filling watering and ramming earth under		1400/30	%Cit 7,477/-
	floor with new earth excavated from out side lead upto one chain and lift upto 5.( Extra			
	lead upto 10 miles)(S.I.No. 22/p-5)	5024.0Cft	903/38	%0Cn 45,380/-
14	R.C.C. work in/c: all labour and material except the cost of steel reinforcement & its labour for bending & binding which will be			- X 1
	paid separately. This rate also in/c: all kinds of forms moulds lifting shuttering curing rendering and finishing the exposed surface (in/c: screening and washing of shingle) R.C.			
	work in roof, slab, beams cols, rafts, lintels and other structural member laid in position complete in all respect ratio 1:2:4 (90-lbs) cement 2-cft sand 4-cft shingle 1/8" to 1/4"	7	7	
15	gauge (S.I.No. 6-a/19) Fabrication of M.S. reinforcement for	1330.0Sft	114/-	P.Cft 1,51,620/-
	cement concrete in/c: cutting bending laying in position making joints and fastening in/c:			
	cost of binding wire in/c: removal of rust from bars (a) using of tor bars (s.I.No. 7-b/20)	89.06 Cwt	2772/55	P.Cwt. 2,46,923/-
16	Providing and laying tiles glazed 6"x6"x1/4"			
	on floor or wall facing in required colour and pattern of Stile specification jointed in white			
	cement and spacemen over base of 1:2 grey cement mortar '4" including washing and filling of joints with slurry of white cement and pigment in desired shape with finishing			
	cleaning and cost of wax polish ele complete			and the second s
	including cutting tiles to proper profile.(S.I.No. 53/60)	3182.0Sft	13663/35	%Sft 4,34,768/-
18	Providing and laying 1:3:6 cement concrete block masonry wall 6" and below in thickness set in 1:6 cement mortar in ground	ř.		
19	floor superstructure in/c: raking out joints and curing etc complete.(S.1. 23/22)  Applying floating coat of cement 1/32"	690.0 Cft	6891/58	%Cn 47,552/-
	thick.(S.I.No. 14/59)	3862.0Sft	361/08	%Sft 13,945/-
20	Cement plaster (1:4) upto 20' height 3/" thick.(S.I. No. 58/11-c)	3862.0Sft	779/96	%SR 30,122/-
			4	
		9	DISTRICT OF	NEO
			Cibi-	

- /	4				
5					
ž 21	Laying white marble flooring fine dressed in the surface without winding set in lime mortar 1:2 in/c: rubbing and polishing of the joints.(b) 1" thick.(S.I.No. 1" thick flooring.(S.I.49/28-b)	4472.000	105/25	D 00	
	Value Analysis	4472.0Sft	185/35	P.Sft	8,28,885/-
22	Providing and fixing 3/8" thick marble tiles of approved quality and colour shade size 8'x4"/6"x4" in dado skirting and facing removal/tucking of existing plaster surface etc over ½" thick base of cement mortar 1:3 setting mortar base including filling the		9 93		
	joints and washing the tiles cement slurry current finishing eleaning and polishing etc complete.(ii) for old work.(S.I.No. 55/68-ii)	4003.0Sft	82/95	P.Sft	3,32,049/-
23	Supplying and fixing in position aluminum channels framing for sliding window and ventilators of alcop made with 5 mm thick thinned glass glazing (Belgium)and		а с		
	aluminum fly screen in/c: handles stopper and locking arrangement etc complete.(Deluxe model (Bronze) (S.I.No.		· · · ·		2
	114/84)	256.0Sft	652/35	P.Sft	1,67,002/-
24	Supplying and fixing in position aluminum channel framing hinges doors of Alcop made with 5 mm thick tined glass glazed (Belgium) and alpha (Japan) lock in/c: handles stopper etc (b) Deluxe model bronze) (S.I.No. 114/83)	48.0Sft	601/62	P.Sft	28,878/-
25	Fixing expended metal 1" deodar wooden strips and screws. (S.I.No. 22-a/68)	256.0Sft	86/58	P.Sft	22,164/-
26	Supplying and fixing in position iron/steel grill of %''x1/4'' size flat iron of approved design including painting three coats etc complete (weight not to be less than 3-7 lbs/sq: foot of finished grill.(S.I.No.97/26)	256.0Sft	115/47	P.Sft	29,560/-
27	Providing and fixing collapsible gate with channels framing of section ½"x5/16" at 4" in/c: revitted with ½"x1/8" flat iron patti placed diagonally and provided with top and bottom T-section 1"x1-1/8" alongwith	j	//	1	
			The state of the	ST OFFICER NG3) Departmen A. Karachi	

	follers also in/c: locking arrangement and fixing in floor/ ceiling or wall etc complete.(S.I.No. 99/32)	120.0Sft	225/50	P.Sft	27,060/-
.28	Making and fixing steel grated doors complete with 1/16" thick sheeting in/c: angle iron frame 2"x2"3/8" and 4/4" square bars 4" centre to centre with arrangement.(S.1.No. 97/24)	104.0Sft	385/76	P.SA	/ 40,119/-
29	Supplying and fixing false ceiling of plaster of paris in panels including making frame, work of deodar wood including painting with soligum paint. (S.I.No. 72/52)	910.0 Sft	10630/26	%Sft	96,735/-
30	Providing and fixing plaster of paris ceiling border of 8"x10" width of specified design and thickness in/c: fixing beside ceiling with nails / screw with getties.(S.1.No. 45/44)	242.0Sft	44/80	P.Sft	10,842/-
31	Laying floors of approved coloured glazed tiles 4" thick laid in white cement and pigment on a bed of 4" thick cement mortar. (S.I.No. 25/49)	244.0Sft	10443/84	%SA	25,483/-
32	Laying floor of approved white glazed tile 1/4" thick in white cement 1:2 over 1/4" thick cement mortar 1:2 complete.(S.I.No. 24/48)	600.0Sft	10416/34	%Sft	62,498/-
33	Providing and laying 1" thick coment concrete (1:2:4) including surface finishing and dividing into panels 2" thick./(S.I. 47/16-c)	3370.0Sft	1396/67	%Sft	47,068/-
34	Providing and laying 1" thick topping cement concrete (1:2:4) including surface finishing and dividing into panels 3" thick./(S.I. 47/16-d)	504.0Sft	1820/23	%Sft	9,174/-
35		3370,0Sft	431/21	%Sft	14,532/-
	surface to provide durable crust and aesthetics having thickness upto ¼" with specified colour having water fire and termite resistance (upto 20' height )(S.I./No/63/44)	3730.0Sft	3137/20	7 % Sft	1,17,018/-
			- //	/ -	

DISTRICT OFFICER
Building: I (W#3) Department
C.D.G. Karachi

	Preparing the surface and painting with matt finish in/c: rubbing the surface with bathy(silcon carbide rubbing brick) filling the voids with zink / chalk/ plaster of paris mixture applying first coat premis maxing the surface smooth and then painting 3 coats with matt finish of approved make etc complete (new surface).(S.I.No. 61/36-b)	17782.0Sft	1092/03	% Sft	1,94,185/-
38	P/F G.1. frames / chowkhats of size 7"x2" or 4-1/2"x3" for door using 20 gauge G.1. sheet in/c; welded hinges and fixing at site with				
* 4	necessary holdfast, filling with cement sand slurry of ratio 1:6 and repairing the jambs. The cost also in/c: all carriage tools and plants used in making and fixing. (S.I. No. 29/98)	136.0 Rft	113/37	P.RA	15,418/-
39	P/F G.I. frame chowkhats of size 7"x2" or 4-1/2"x3" for window using 20 gauge G.I. sheet in/c: welding hinges and fixing at site with necessary holdfast, filling with cement sand slurry of ratio 1:6 and repairing the jambs. The cost also in/c: all carriage tools and plants used in making and fixing. (S.I.No. 28/98)	70.0 Rft.	122/17	P.Rft	8,552/-
40	Providing and fixing in position doors windows and ventilators of 1st: class deodar wood frames and 1-3/4" thick commercial ply veneer shutter of 1st class deodar skeleton(Hollow)and commercial ply wood (3-Ply) on both side in/c: holdfast, hinges, iron tower bolts handles and cleats with cross and one mortice lock and hook.(S.I.No. 9/66)				
41	(without chokhats)  First class deodar wood wrought joinery in doors and window etc fixed in position including chokhats holdfast, hinges iron tower bolts chocks cleats handles and cords with hooks etc.(deodar paneled or paneled	98.0 Sft	236/41	P.Sft	23,168/-
	and glazed or fully glazed. (S.I.No. 65/7-b) (Only shutter).	144.0S/t	228/38	P.Sft	32,887/-
42	Painting new surface preparing surface painting doors and window any type (three coats) (S.I)	484.0 Sft	978/95	%sfi	4,738/-
		NASA O S	BISTAIC	or officer	230\$

Busthict Ozercen Building (1 (W33) Departmant C.D.G. Karachi

À3	Reinforced cement concrete spout in/c: fixing in position with top and bottom khuras.(S.I.No. 112/68-a)	16-Ños	248/66	Each	3,979/-
44 .	Precuts reinforcement cement concrete in columns beams lintels stair cases etc. (i) ratio 1:2:4.(S.I. No. 19/6-b(i)	600.0Cft	114/-	P.Cft	68,400/-
45.	Boring for tube well in all water baring soil from ground level upto 100 ft or 30.50 m depth in/c: sinking and with drawing of casing pipe.(d) 150mm or 6" dia.(S.1.No. 1-d/36)	300.0Rft	259/25	P.Rft	77,776/-
46	S/Installing PVC stainer B class of approved design quality and make in/c: necessary sockets etc complete.(6"dia)(S.I.No. 9-d/37)	300.0Rft	427/70	P.Rft	1,28,310/-
47	Shrouding with graded bajri (3/8" to 1/8")or (9to 3 mm) between bore and blind pipe for the following diameter of stainer 150mm (6 "dia)(S.I. 13-d/38)	300.0Rft	65/50	P.Rft	19,650/-
. 48	Providing and fixing water pumping with simians motor and jawed pump 3 H.P. 1400 P.R.M. single phase 440 volts 2"x1-1/2" section and delivery 150 feet head including base plaste and also making e c. 1:3:6 platform of required size and fixing with nuts and bolts complete in all respect.(S.I. 29/4)	2-Nos.	22691/35	Each Total Rs:-	45,3 <b>93/</b> - <b>36,59,3</b> 54 <b>)</b> -
		Add/1 <del>3ele</del>	2\$.8c%	on S.Items Total R(A-i)	7299739/=
1	PART 'A-ii' OFFER RATE.  Providing beneath ceiling plaster '/4" thick cement mortar ratio 1:4 in/c: 1st class wire gauze dim and shape upto 20' height smooth finishing including curing etc	ār			995784/_ 1457093/_
ā?	complete for repair of damage slab demand shape wire gauze should be 16" gauge. (Offer rate)	3200.0 Sft	2093/-	%Sft	66,976/-
-2	Carriage of 100 Cft / 5 tons of all material like stone aggregate spawl coal lime surkhi etc B.G.Rail fastening points and bridge 1000 Nos bricks 10"x5"x3" or 1000 nos tiles 12"x6"x2" or 150 cft of timber or 100 means owned by the contractor (Extra				
		TOWN.		1	





DISTRICT OFFICER

Byilding: I (Wers) Departmant

C.D.G. Karachi



5



DISTRICT OFFICER Building: I (Was) Department G.D.G. Karachi

Providing and fixing European type white glazed earthenware wash down w.c. pan complete with and in/c: the cost of white/back plastic seats. (Best quality and lid with c.p. brass hinges and buffer 3 gallon white glazed earthenware low level flushing cistern with siphon fitting J1/2" dia white proclaim enameled flush bend ¼" dia and making requisite number of holes in wall plinth and floor for pipe connection and making good in c.c 1:2:4. (Foreign quality)(S.I.No. 5/2)	1-Nos	2594/90	Each	v 2595/-
P/F 25"x18" lavatory basin in white glazed earthenware complete with in/c: the cost of W.I. or C.I. cantilever bracket 6" built into wall, painted white in two coats primary cost of red paint a pair of chrome plated pillar taps 1-1/2" dia rubber plug and chrme plated brass chain 1-1/4" dia malleable or C.I. brass traps meallable iron or brass union and making requisite of holes in walls plinth and floor connection and making good 1:2:4(Forgien make) (S.I.No. 10/3)	5-Nos	2229/15	Each	11,146/
Add extra for labour for providing and fixing of earthenware pedestal white of coloured glazed (Foreign or equivalent) (S.I. 1/3)	5-Nos	1131/55	Each	5658/-
Providing and fixing a c.i. trap with 4" dia inlet and 4" outlet of the approved self cleaning design with a c.i. grating with or without a vent arm including cost of making requisite number of holes in wall plinth and floor for pipe connection and making good c.c. 1:2:4.(S.1No. 21/6)	5-Nos	312/55	Each	1,563/-
Providing and fxing 15"x12" beveled edge mirror of Belgium glass complete with 1/8" thick hard board and c.p. screws fixed to wooden pleat.(superior quality)(S.I.No. 7/40)	5-Nos	800/80	Each	4,004/-
Providing and fixing chrome plated brass towel rail complete with bracket fixing on wooden cleats with 1" long c.p.brass screw.(b) 4" dia round or square(Superior				
quality.)(S.I.7-1-b)	5-Nos	270/10	Each	1351/-

3.

5

DISTRICT OFFICER
Suilding: 1 (W33) Department
C.D.C. Karachi

9					
8 8	\$\overline{S}/\overline{F}\), soap tray of made of plastic of superior quality and design with fine finishing with c.p. screw etc complete.(S.I.No. 6/7)	5-Nos	65/45	Each	327/-
9	Providing G.I.pipe special and clamps etc in/c: fixing cutting and fitting complete with and in/c: the cost of breaking wall and roof making good etc painting two coats after cealing the pipe etc with white zink paing with pigment to match the colour of the building and testing with water to a pressure head of 200 feet and handling.(v) 1-1/2" dia pipe.(S.I.No.11/1-v)	30.0Rft	68/55	P.RA	2,056/-
b)	-do- 2" dia pipe.(S.I, 11/1-vi)	20.0Rft <	83/80 -	P.Rft	1,676/-
10 10-b	P/F handle valve (China make)(3/4" dia (S.I.No. 14/7-ii) -do- ½" dia. (S.I.No. 14/7-iii)	4-Nos	102/95 75/45	Each Each	412/- 151/-
11	S/F cancelled stop cock of superior quality with crystal head ½" dia (S.I.No. 15/13)	6-Nos	252/10	Each	1517-
12	S/F long Bib-cock of Crystal head with c.p. head ½" dia. (S.I.No.15-b/ P-15)	3-Nos	252/10	Each	756/-
13	S/F/Swan type piller cock of Superior quality with crystal head. (S.I.18-b/P-16)	3-Nos	295/90	Each	888/-
14	S/F wash basin mixture of superior quality with c.p. head ½" dia (S.I.No. 16-b/15)	2-Nos	720/50 🤇	Each	1414/-
15	S/F jet shower with rod of superior quality with c.p. head ½" dia .(S.I.No. 17-b/P-5)	2-Nos	197/10 ⊱	Each	394/-
16-	S/F bath room accessories (7-piece)in/c: towel rail brush holder soap tray self of approved quality and design etc complete (S.I.No. 24/16)	3-Nos/	981/20	Each	2,944/-
17-	P/F 6'x4" (c.c. gully trap with 4" outlet complete with 4" thick 1:2:4 c.c. for bend and kerb ½" thick cement plaster(1:3) to the kery C.I. grating 6'x6" and C.I. cover and frame 12"x12" (inside)etc complete C.I. gully trap 6'x6"x4" (ii)with R.C.c. cover,(S.I.No. 21/1-1:1)		27040		.510/
	b-ii)	4-Nos	379/40  DISTRICT	Fach  OFFICER  33) Opportment	1518/-
1			, G.D.G.	±3) Dapa: tmant Karachi	

Providing RCC pipe and collars of class B and digging the trenches to required depth and fixing in position including cutting fitting and jointing with maxphlat composition and cement mortar 1:1 and testing with water pressure to a head of 4feet above the top of the highest pipe and refilling with excavated staff.(d) 9" dia pipe.(S.I.No. 21/2-d)

b) -do-6" dia pipe.(S.I.No. 21/2-e)


Constructing manhole or inspection chamber for the required dia of circular sewer and 3'-6" (1067mm) depth with walls of B.B. in cement mortar 1:3 cement plaster 1:3, 1/2" thick inside of walls and 1"(25mm)thick over benching and channel in/c: fixing C.I. manhole cover with frame of clear opening 1-1/2"x1-1/2" (457x457mm) of 1.75 ¢wt (88.9 K.g) embedded in plain c.c. 1:2:4 and fixing 1 (25mm)dia M.S. steps 6" (150mm)c/c duly painted etc complete as per specification and drawing No.DP-1 of Public Health Circle southern zone (a)4" to 12" dia 2'x2'x3'-6" .(Note:- deduct from the above cost at the rate of Rs:- 514.75 per foot depth where the depth of manhole is less than 3'-6" or (1067mm) (S.I.No. 1/39)

Providing and fixing water pumping with simians motor and jawed pump 3 H.P. 1400 P.R.M. single phase 440 volts 2"x1-1/2" section and delivery 150 feet head including base plaste and also making c.c. 1:3:6 platform of required size and fixing with nuts and bolts complete in all respect.(S.I.29/4)

21 S/F Fibre Glass Tank of approved quality and design and wall thickness as specified i/c cost of nut bolts and fixing in plate coment concrete 1:3:6 and connections for in-let outlet & over flow inlet, outlet flow pipes etc. complete. (1000 Glns) (S.1.3-d/P-18).

PART B-ii (N.S.I.)

Providing and fixing U PVC pipe of schedule 40 of Nepro plastic for waste and vent pipe



100.0Rft 115/20 P.Rft 11,520/-250.0Rft 72/40 P.Rft 18,100/-

10-Nos. 5789/30

Each 57,893/-

2-Nos. 22691/35

Each

45,383/-

1-Nos.

38678/65

Each

386,79/4

Add/<del>Below</del>

Total Rs:- 2,20 20% on S.I 440 Total Rs:- (B-i) 2645

DISTRICT OFFICER
Building: 1 (W.3.3) Department
G.D.O. Karephi

<i>y</i>	in/c: cutting and fitting jointing special UPVC cement solution as approved and directed by D.O. incharge.(a) (4" dia pipe)(RAS)	880.0.0Rft	324/39	P.Rft	2,25,463/-
2 .	P/F PVC tee 4" dia in/c: fitting jointed with special U PVC cement solution approved by D.O. incharge.(RAS)	12-Nos	650/-	Each	7,800/-
3	P/F.U PVC elbow 4" dia in/c: fitting jointed with special U PVC cement solution as approved by D.O.incharge. (RAS)	20-Nos	395/34	Each	7,907/-
4.	P/F PVC socket 4" dia in/c: fitting jointed with special U PVC cement solution approved by the D.O.incharge.(RA\$)	25-Nos	305/14	Each	7,629/-
5	P/F U PVC male thread adopter in/c: cutting and fitting jointed with special U PVC cement solution as approved and directed by D.O. incharge.(RAS) P/F U PVC Female thread adopter in/c: cutting and fitting jointed with special U PVC cement solution as approved and directed by	3 <i>0</i> -Nos	573/80	Each	17,214/-
	D.O. incharge.(Offer rate)	10-Nos	690/-	Each	6,900/-
7	P/F U PVC cross 4" dia in/c: cutting and fitting jointed with special U PVC cement solution as approved and directed by D.O. incharge.(RAS)	3-Nos	2449/37	Each	7,348/-
8	P/F U PVC Y tee 4" dia in/c: cutting and fitting jointed with special U PVC cement solution as approved and directed by D.O. incharge.(RAS)	8-Nos	945/78	Each	7,566/-
9	P/F U PVC access door tee 4° dia in./c: fitting and jointed with special PVC cement soulation and approved and directed by D.O.Incharge.(RAS)		859/85	lšach	25,796/-
11	P/F U PVC access door bend 4" in/c: fitting jointed with special U PVCcement soulation as approved and directed by D.O.(RAS) P/F U PVC vent could 4" dia in/c: fitting	4-Nos	734/52	Each	2,938/-
	jointed with special U PVC cement soulation as approved and directed by D.O.Incharg.(RAS)		174/79	△ Each	4,370/-
			/		



A SAL

DISTRICT OFFICER

Syllding/I (W33) Department

C.D.G. Karachi

K	1	**				
	12	P/F U PVC end cap 4" dia in/c: fitting jointed with special U PVC cement soulation as approved and directed by D.O.(RAS)	8-Nos	690/-	Each	5,520/-
	13	P/F U PVC bush 4" dia in/e: fitting jointed with special U PVC cement soulation as approved and directed by D.O. Incharge.(RAS)	8-Nos	464/80	Each	3,718/-
	14. 15	P/F U PVC clamp 4" dia in/c: fitting jointed with special U PVC cement soulation as approved and directed by D.O.Incharge.(RAS) Supplying and using pipe cleaner for PVC	400-Nos	74/25	Each	29,700/-
		pipe of special make as approved and directed by Engineer incharge (RAS)	10-Tin	973/50	Each	9,735/-
	16	P/F PVC pipe Nepro make of schedule 80 in/c: cutting fitting complete in/c: the cost of breaking through walls and roof making good with c.c. and testing with water to a pressure head of 200 feet and handling etc complete. (RAS)  2" dia pipe.	400.0Rft.	190/- *	P.Rft.	76,000/~
		1- 1/2" dia	300.0Rft.	150/-	P.R.N.	45,000/-
		¾"dia	300,0Rft.	58/91	P.Rft.	17,673/-
	28	½" dia	400.0Rft.	45/- "	P.Rft.	18,000/-
	17. b. C	P/F PVC socket of schedule 80 in/c: fitting etc complete as directed by D.O.incharge.(a)1/2" dia (RAS) -do- ¾" dia. (RAS) -do- 1" dia (RAS)	28-Nos 25-Nos 30-Nos	37/80 - 45/80 55/48	Each Each Each	1,058/- 1,145/- 1,664/-
	18	P/F PVC elbow of schedule 80 of 90 degree in/c: fitting etc complete as directed by D.O.	20 Nos	140/25	Each	4,208/-
	18-b 18-c	incharge. (a) 1" dia .(RAS) -do- ¼" dia (RAS) -do- ½" dia. (RAS)	30-Nos 22-Nos 28-Nos	75/77 '	Each Each	1,667/- 1,539/-
	19.	P/F PVC tee of schedule 80 in/c: fitting etc complete as directed by D.O. incharge.(a) ½"	14 No.	100/67	Each	1,535/-
	19-b 19-c	dia.(RAS) -do- ¼" dia. (RAS) -do- 1" dia (RAS)	14-Nos 16-Nos 16-Nos	109/67 136/29 160/49	Each Each Each	2,181/- 2,568/-
					//	

DISTRICT OFFICER
Building (1 (Was) Department
C.D.G. Karachi

30	P/F PVC union of schedule 80 in/c. fitting etc				
100	complete as directed by D.O.in charge (a) 1/2"				
	dia (Offer rate)	16-Nos	350/88 '	Each	5,614/-
20-ь	-do-3/4" dia. (Offer rate)	30-Nos	381/13	Each	11,434/-
2-c.	-do-1" dia. (RAS)	30-Nos	471/88	Each	14,156/-
21		30-1408	4/1/00	Each	14,130/-
21 /					
	complete as directed by D.O. incharge.(a)	20.31	2101		1.0007
21.1	½''' dia (RAS)	30-Nos '	64/34	Each	1,930/-
21-b	-do-3/4" dia (RAS)	25-No	88/80	Each	2,220/-
21-c	-do- 1" dia.(RAS)	20-Nos	140/80′	Each	2816/-
22	P/F PVC clamps of schedule 80 in/c: fitting		2		
Lar Am	etc complete as directed by D.O. incharge.(a)				
	'4" dia .(RAS)	150-Nos	5/83	Each	875/-
22-b	-do- ¾" dia. (RAS)	225-Nos	10/56	Each	2,376/-
22-c	-do-1" dia (RAS)	250-Nos	10/36 -	Each	2,590/-
23	P/F PVC end cap of schedule of 80 in/c;				
23	fitting etc complete as directed by				
	D.O.incharge.(a) ½" dia.(RAS)	20-Nos	225/06	Each	4,501/-
23-b	-do-3/4" dia.(RAS)	15-Nos		Each	
			229/90		3,449/-
23-с	-do- 1" dia.(RAS)	20-Nos	375/10 -	Each	7,502/-
24,	P/F PVC cross over of schedule of 80 in/c:				
	fitting etc complete as directed by				
	D.O.incharge.(a)1/2" dia .(RAS)	4-Nos	100/76*	Each	403/-
24-b	-do- 1/4" dia.(RAS)	5-Nos	141/02	Each	
24-c	-do- 1" dia (RAS)	6-Nos			705/-
24-0	-do-1 dia (RAS)	0-1408	250/25	Each	1,502/-
25	P/F PVC male thread adoptor of schedule 40				
	in/c: fitting etc complete as directed by D.O.				
	incharge.(a) 1/2" dia (RAS)	15-Nos	44/99	Each	675/-
25-Ь	-do- 3" dia.(RAS)	10-Nos	61/70	Each	617/-
25-с	-do- 1" dia.(RAS)	10-Nos	130/90	Each	1,309/-
26	P/F PVC Female thread adoptor of schedule				
20	40 in/c: fitting etc complete as directed by				
	D.O. incharge.(a)1/2" dia (RAS)	3-Nos	244/75	Each	734/-
26-b	-do- 34" dia.(RAS)	4-Nos	260/70	Each	1,043/-
26-c	-do- 1" dia.(RAS)	5-Nos *	356/90	Each	1785/-
27	P/F PVC cancelled stop cock 1/2" dia of				
	schedule 40 in/c: fitting etc complete as				
	approved by the D.O.incharge.(RAS)	20-Nos	290/73	Each	5,815/-
	approved by the D.O.Menarge.(NAS)	20-1109	270/13	Cacii	3,013/-
28.	P/F PVC elbow 45 degree schedule of 40				
201	in/c: fitting etc complete as directed by				
	D.O.incharge.(a) ½" dia.(RAS)	20-Nos	69/03	Each	1,381/-
	_ D.O.monarge.(a) // dia/(V/O)	20-1103	07/05	1	1,501/-
	- \ A==			//	

DISTRICT OFFICER
Building: I (Was) Department
C.D.G. Karachi

28-ь	-do- 1/2" dia.(RAS)	25-Nos	89/65	Each	2,241/-
28-c	do- 1" dia.(RAS)	30-Nos	154/66 Total Rs.	Each (B-i)	4,640/- 6,8 <i>6</i> ,1 <i>5</i> 6 <i>J</i> -
	PART 'C-i ELECTRIFICATION.		Total Rs:	- (B-i+B-ii)	264577/
1	Wiring for light of fan point with 1/1.13(3/.029) PVC insulated wire in 20 mm ½ pvc conduct recessed in the wall or column			9	58732/-
2	as required (B6/P-1) Wiring for plug point with 1/1 [3(3/.029) PVC insulated wire in 20mm ½ pvc conduct recessed in the wall or col. As required	144-Nos	469/49	Each	67,607/-
	(B10/P2).	56-Nos:	244/41	Each	13,687
3	Wiring for call bell with 1/1.13(3/029) PVC insulated wiring 20mm(3/4") pvc conduct as required. (B.12/P2).	4-Nos.	469/49	P.Pnt.	1,878/-
4	P/F Main panel board double shutter to accommodate heavy duty circuit breaker bus bar i/c painting with enamalled paint for other				
	similar job on surface.(S.I.No. 8/13)	8.0 Sft.	1426/33	P/Sft	11,4114
5	P/P Mild steel bar fan clamp 15.8mm 5/8" dia suitable for RCC Roof (C1/P-14).	20 Nos.	141/01	Each	2,820/-
6	Providing and fixing circuit breakers 6 to 63 amps D.P. in/c: fixing on a prepared boared and necessary connection.(S.I.No. 20/f-2)	12-Nos	948/02	Each	11,376/-
7	Providing and fixing circuit breakers 30 to 50 amps D.P. in/c: fixing on a prepared boared and necessary connection.(S.I.No. 20/f-3)	6-Nos	3837/63	Each	23,026/-
8	Providing and fixing circuit breakers 50 to 60 amps D.P. in/c: fixing on a prepared boared and necessary connection.(S.I.No. 20/I-4)	2-Nos	6157/43	Each	12,315/-
9	Providing circuit breakers 100 amps. T.P i/c fixing on a prepared board and necessary connection (F5 P-20)	1-Nos	9138/25	Each	9138/25
10	P/F S.W. canpy block and bakolight ceiling rose on sw. block.(S.I.No. D-3/14)	20-Nos	44/-	Each	880/-
11	P/F B.C. Bakelite light fancy type superior quality i/c fixing on existing holder etc. complete. (S.I.A-1/4)	124-Nos	53/69/-	ling h	6,658/-
10.	1 0 M	žii	7		

KARACHI & STORY

DISTRICT OFFICIR
Building: I (W#3) Department
C.D.G. Karachi

		P(F energy saver superior quality in/e: fixing on existing holder etc complete.(S.I.No. 6/33)	124-Nos	497/-	Each	61,628/-
	13	Errection of ceiling fan in/e: wiring of down rod with 1/1.13mm(3/.029)PVC wire fixing of regulators blade canopy etc as required.(S.1. D-1/14)	15-Nos	82/16	Each Total Rs:-	1,232/- 2,23,656/ ₇
		2 to 1	Add / Below	V 20%	on S. Items	
4	1	PART C-ii NON SCHEDULE ITEMS. P/F Switch 5 Amps. With fancy type sheet i/c plastic board imported make etc. complete.	124-Nos /	94/90	Each	11768/-
	2	P/F 2 pin 5 Amps. Plug socket with fancy type sheet imported make i/c plastic board with necessary electric connection etc. complete.	56-Nos	144/95	Each	9117/-
	3	P/F fan dimmer fancy type imported make with necessary connection .(Offer rate)	15-Nos	170/2	Each	25509-
	4	P/F fancy type 3 pin 15 Amps: S.P. plug socket switch & shoe unit imported quality with board i/c necessary connection and concealed in the wall etc. completed.	10-Nos~	274/2	Each	2740/-
	5	Wiring for main with 4-7/.044 pvc insulated wire in pvc capping and casing i/c 1.5mm pvc carth wire etc. complete.	100-Rñ	180/2	Each	18000/
	6	Wiring for main with 4-7/.064 pvc insulated wire in pvc capping and easing i/c 1.5mm pvc earth wire etc. complete.	75-Rfu	249/40	Each	18705/-
	7	Wiring for main with 2-7/.044 pvc insulated wire in pvc capping and casing i/c 1.5mm pvc earth wire etc. complete.  Wiring for main with 2-7/.029 pvc insulated	100-RH∤	81 70	Each	81761-
		wire in pvc capping and casing i/c 1.5mm pvc earth wire etc. complete.	212-Rft	42/25	Each	81957/-
	9	Wiring for main with 2-7/.036 pvc insulated wire in pvc capping and casing etc. complete.	145-Rft	60/2	Egch	8700/-
	10	P/F ceiling fan 56", sweep approved quality in/c; necessary connection etc complete.	15-Nos	3997	1171	5955/-
			1	Building:	FICT OFFICE (Was) Dep	ER artin∍at

S/F Generator with Canopy of 10 KV with installation and necessary connection. 44 900 1-Nos 12 S/E electric poles with RCC base i/e all electric cables and necessary fittings. 8-Nos Each Stal Rs(C-ii) 1/ PART D INT; & EXT:SUIG GAS FITTINGS Total Rs:- (C-i+C-ii) P/F Low pressure Gas line of approved standard having wall thickness of 2.65 mm. The pipe to be screwed connection with malleable iron galvanized screwed fitting/ fixture including cutting fixing also in/c: cost of breaking though wall and making holes in walls, col, beams, slab, etc and making good with ratio cement concrete mortar and fixing 369901the same.(a) 2" dia pipe. 135.0Rft -do- 1" dia pipe. -do- ¼" dia pipe. -do- ½" dia pipe. P.Rft 1-b) 150.0 Rft -149150 p.Rft. 1-c 157.0Rft P.Rft 102/2 1-d) 250.0Rft P.Rft 2 S/I manifold brass union cock and approved 64/80 complete complete in all respect. (a) 3/4" dia 30-Nos Each 429/70 Providing sui gas point fixing benison burner 3. gas stove, cocking rang including providing necessary fitting specials connection rubber pipe of the required size and cutting holes in tables or lab cocks including fixing screws etc complete as required. 10-Nos Each P/F lab cock approved quality complete in all respect. 10-Nos Each 5 P/F single gas stove 12"x12" of approved quality complete in all respect. 10-Nos Each. 6 S/I lock wing pattern plug type meter lock of approved quality complete in all respect. 20-Nos P/F Benson burner of approved quality 7 complete in all respect.(Offer rate) 10-Nos (G. Total Rs:- ( A

5269388+ 980732+1460709+164212= CONDITION.

1-No.any typographical errors in the schedule "B" are subject to correction with reference to the schedule of rate General 2004 in forced from 01—10-2004 as approved by the standing rate committee sindh Karachi.

DISTRICT OFFICER Byliding: ((N33) Department C.O.G. Karachi

2-Arthitation clause stands deleted from the agreement.

3-100% well graded crushed bajri shall be used in item of RCC 1:2:4.

4-Water shall be arranged by the contractor without any extra payment.

Deputy City Officer
Building-1(W&S)Department
Lyari Town Karachi

District Officer
Building-1(W&S)Department
C.D.G.Karachi

## THE INTEGRITY PACT

- The City District Government Karachi (CDGK) abides by the following procedures for Bidding for Public Sector Contracts.
- The following procedures will apply to the letting of contract in its Works& Services Group of Offices.
- 3. These Procedures are in addition to the standard legal and administrative requirements.
- They will form part of the terms and conditions of each contract and will be actionable in the event of breach by the CDGK and any of the competing bidders.
- 5. Each Bidder must submit a statement, as integral part of the proposal with the following text:
  - a) This company places importance on competitive tendering taking place on a basis that is free, fair competitive and not subject to abuse. This Company is pleased to confirm that (i) it has not offered or granted, and will not offer or grant, either directly or indirectly through agents or other third parties, any improper inducement or reward to any public official, their relation or business associates, in order to obtain or retain this contract or other improper advantage and (ii) it has not colluded, and will not collude with others in order to limit competition for this contracts.
  - b) This Company has no Bribery Policy / Code of conduct and a Compliance Program which includes all reasonable steps necessary to assure that the no bribery commitment given in the statement will complied with its managers and employees as well as by all third parties working with this company on this project, including agents, consultants, consortium partners, subcontractors and supplies, copies of our No Bribery Policy / Code of Conduct and Compliance Program are attached. Or
    - In cases where companies participate in the bidding which do not yet have a general No Bribery Policy / Code of Conduct.
    - c) This Company has developed for the purpose of this tender, a Compliance Program (copy attached) which includes all reasonable steps necessary to assure



that the no bribery commitment given in this statement will be complied with its managers and employees as well as all third parties working with this Company on this project including agents, consultants, consortium partner, subcontractor and suppliers.

- d) The commitment is in the name and on behalf of this Company's Chief Executive Officer.
- e) This Company agrees for the resolution of any damage claims airsing from this contract under "Law of Pakistan".
- 6. Where a participating company is a foreign company and has a subsidiary in Pakistan, the commitment must extend to that subsidiary and its managers and employees as well. If the tender is submitted by the subsidiary in Pakistan, the no bribery commitment needs to extend also to the parent company and its manager and employees.
- Bidder will also be required to subcontractors and consortium partners. The Bidder may however cover the subcontractor and consortium partner in its own statement provided the Bidder assumes full responsibility.
- 8. All payments shall be limited to appropriate compensation for legitimate services.
- Each Bidder will make full disclosure in the Bid / Proposal Documentation of the beneficiaries and amount of all payments made or intended to be made relating to the bid / proposal and if successful, the implementation of the contract.
- 10. The successful bidder will also make full disclosure semi annually of all payments to agents and other third parties during the execution of the contract.
- 11. Within one year of the completion of the performance of the contract, the successful bidder will formally certify that no bribes or other illicit commission have been paid in order to obtain or retain this contract. The final accounting shall include brief details of the goods and services provided that are sufficient to establish the legitimacy of the payments made.
- 12. Statements required according to subparagraph (b) and (d) of paragraph 5 will have to be certified by an appropriate senior corporate officer.
- 13. In Pakistan, all forms of corruption are illegal, and the Government will continue to prosecute offenders.



- 14. This IP however focuses on bribery in order to obtain or retain the contract or other improper advantage, including collusion with others in order to limit competition for this contract. This includes any payments or other favours offered or granted in order to win a contract award, get a contract change order (adjusting the price, the specification, the time frame for implementation or any other important contract components) approved by CDGK get sub standard or sub specification performance approved by a public official or the supervising engineer or his staff, circumvent tax, duty, license or any other legal obligation that should be meet, or induce an official to breach his / her official duties in any other way.
- 15. If a bidder fails to comply with its no bribery commitment, the following sanctions will apply.
- 16. Denial or Cancellation of the contract, liability for damages to CDGK in the amount of fiver percent of the contract value, unless CDGK can demonstrate a higher damage or the bidder cam demonstrate a lesser damage, forfeiture of the security deposit and debarment by CDGK from bidding for further public contracts for such period as the CDGK may deem appropriate.
- 17. CDGK have made special arrangement for adequate oversight and monitoring of the procurement process and the execution of the contracts. In this regards, CDGK has provided for public hearing on the procurement process and for access by Civil Society including representatives of the local TI-Pakistan to the minutes of the meeting of the Evaluation Committee and to all documents relating to the evaluation of the competitive proposal, the award decision process and the execution of the project.
- 18. CDGK has also setup a special office in the Office of the City Nazim, Karachi for the investigation and handling of any report of extortion or bribery in public procurement.
- 19. The CDGK will publicity disclosure the award decision including the evaluation report.
- Bids / Proposals which do not conform to the requirement of these procedures will not be considered.

Agreed

Signed by the Authorized Representative / CEO of the Applicant Firms / Consortium

1