SINDH PUBLIC PROCUREMENT REGULATORY AUTHORITY

CONTRACT EVALUATION FORM

TO BE FILLED IN BY ALL PROCURING AGENCIES FOR PUBLIC CONTRACTS OF WORKS, SERVICES & GOODS

1) NAME OF THE ORGANIZAT	ION / DEPTT.	Karachi Water and	l Sewerage Board
2) PROVINCIAL / LOCAL GOV	REPLACEMEN AT 15-A AND	E-MARKET RESIDENT	A SUNK DOWN SEWERS ΓΙΑL, 80-E, 66-0 AND 75-0
3) TITLE OF CONTRACT	NEAR CHURC (SEWERAGE)-I		UC-7, JAMSHED TOWN
4) TENDER NUMBER	_	S.No.36291	
5) BRIEF DESCRIPTION OF CO	NTRACT For improvement of	of sewerage system.	
6) FORUM THAT APPROVED T	HE SCHEME	Managing Direct	or, KW&SB
7) TENDER ESTIMATED VALU	E _	Less than 1.00 M	1illion
8) ENGINEER'S ESTIMATE _ (For civil works only)	Rs.981,307/=		
9) ESTIMATED CON PLET ON	ERIOD (AS PER CONTRACT	Γ) <u>25 Days</u>	
10) TENDER OPI NED (N. (DA)	& TIME) <u>07-02-20</u>	18 at 02.30 P.M.	•
(Attach list of buyers)	ATS SOLD 02 N	os.	
12) NUMBER OF BIDS RECEIVE		02 Nos.	- DIDG 00 M
13)NUMBER OF BIDDERS	ESENT AT THE TIME	OF OPENING OF	BIDS <u>02 Nos.</u>
14) BID EVALUATION REPORT	_Already sent &	t hoisted on Author	rity's web site_
15) NAME AND ADDRESS OF TH	IE SUCCESSFUL BIDDER	M/s.Yasin Enterprises 3/1, Area Liaquatabad	
16) CONTRACT AWARD PRICE		Rs.980,492/=	
17) RANKING OF SUCCESSFUL (i.e. 1 st , 2 nd , 3 rd EVALUATION		REPORT 1 st Lowest	
18) METHOD OF PROCUREMEN	ΓUSED : - (Tick one)		
a) SINGLE STAGE –ON	E ENVELOPE PROCEDURE		Domestic/ Local
b) SINGLE STAGE –TW	O ENVELOPE PROCEDURE	·	NIL
c) TWO STAGE BIDDING	G PROCEDURE		NIL
d) TWO STAGE –TWO I	ENVELOPE BIDDING PROC	EDURE	NIL
PLEASE SPECIFY IF	ANY OTHER METHOD OF PI	ROCUREMENT WAS .	ADOPTED i.e.

EMERGENCY, DIRECT CONTRACTING ETC. WITH BRIEF REASONS:

Signature & Official Stamp of Exclusive Engineer (S2W) Authorized Officer Lamshed Town 10W&S			
4 00	No	✓	
, , , , , , , , , , , , , , , , , , ,			
SPPRA 38) SPECIAL CONDITIONS, IF ANY (If yes, give Brief Description)	Yes		
•		Yes	No
37) WERE PROPER SAFEGUARDS PROVIDED ON MC THE CONTRACT (BANK GUARANTEE ETC.)?	BILIZ TIO	N DVANC	CE PAYMENT II
(If yes, enclose a copy)		Yes	No ,
36) WAS A VISIT MADE BY ANY OFFICIAL SUPPLIER' PREMISES IN COUNTY ION WITH TH BE ASCERTAINED REGARDING INANCING OF VI	OF THE PROC E PROCUR /ISIT, IF BRO	CURING AGE EMENT? IF S D:	NCY TO THE SO, DETAILS T
BEACK EIGTED		Yes	No
35) WAS IT ASSURED BY THE ROCURING AGENCY BLACK LISTED	THAT THE SE		
0.	No		√
(If yes, give detailed reasons.)	Yes		
34) DEVIATION FROM QUALIFICATION CRITERIA	<u> </u>		
	No		√
33) WAS THE EXTENSION MADE IN RESPONSE TIME (If yes, give reasons)	E? Yes		
	No	✓	
(If yes, give details)	Yes	P	
32) ANY DEVIATION FROM SPECIFICATIONS GIVEN	N IN THE TEN	IDER NOTIC	E / DOCUMEN'
	No	,,,	✓
(If yes, result thereof)	Yes		

<u>SPPRA, Block. No.8, Sindh Secretariat No.4-A, Court Road, Karachi</u> Tele: 021-9205356; 021-9205369 & Fax: 021-9206291

19) APPR	OVING AUTHORITY FOR AWARD OF CONTR	ACT <u>M</u>	Ianaging Director, K	W&SB
20) WHE	THER THE PROCUREMENT WAS INCLUDED I	n annual p	PROCUREMENT PL	AN?
			Yes √ N	0
21) ADVE	ERTISEMENT :	V 07.02	18 S.No. 36291	
i)	SPPRA Website (If yes, give date and SPPRA Identification No.)	Yes 07-02-	18 3.110. 30291	
		No		
ii)	News Papers (If yes, give names of newspapers and dates)	Yes		
		No		
22) NATU	JRE OF CONTRACT		Domestic/ Local	nt.
WAS	THER QUALIFICATION CRITERIA INCLUDEI IN BYADDACK TENDER DOCUMEN	TS?		
(If yes	s, enclose a copy		Yes √ N	0
WAS	THER BID EVALUATION CRAZERIA INCLUDED IN BIDDING ANDER DOCUMEN s, enclose a copy)	TS?	Yes √ N	0
25) WHETH	HER APPROVAL OF COMPETENT AUTHORITY WAS OBTA	AINED FOR USIN	G	
A WIL	MIOD OTHER THAN OF EN COME ETTIVE BIDD.	1110:	Yes N	0
26) WAS E	BID SECURITY OBTAINED FROM ALL THE BIDDEF	RS?	Yes N	0
27) WHET BID /	THER THE SUCCESSFUL BID WAS LOWEST E BEST EVALUATED BID (in case of Consultancies	VALUATED s)	Yes VN	0
,	THER THE SUCCESSFUL BIDDER WAS TECHN PLIANT?	NICALLY	Yes	0 1
	THER NAMES OF THE BIDDERS AND THEIR C TIME OF OPENING OF BIDS?	UOTED PRIC	Yes Yes N	
	THER EVALUATION REPORT GIVEN TO BIDD h copy of the bid evaluation report)	ERS BEFORE	THE AWARD OF C	CONTRACT?
			Yes ✓ No	

KARACHI WATER AND SEWERAGE BOARD OFFICE OF THE EXECUTIVE ENGINEER (SEW)-I (JAMSHED TOWN) BLOCK-B, KMC MARKET, SINDHI MUSLIM SOCIETY

NO.EE/SEW-I/JT/KW&SB/2018/66

DATED:03-05-2018

M/s. Yasin Enterprises, 3/1, Area Liaquatabad, KARACHI.

WORK ORDER / L.O.C

SUBJECT:-

REPLACEMENT OF 12"DIA & 8"DIA SUNK DOWN SEWERS AT 15-A AND E-MARKET RESIDENTIAL, 80-E, 66-0 AND 75-0 NEAR CHURCH, BLOCK-6, PECHS, UC-7, JAMSHED TOWN (SEWERAGE)-I.

Your Tenders dated 07-02-2018, has been approved by the competent authority, KW&SB, for amounting to Rs.980,492/= (Rupees Nine lacs eighty thousand four hundred ninety two only). The expenditure will charged from the Head of Account B.G.No.7444-16. You are therefore, requested to start the above mentioned works as per design and specification.

The each work is to be completed with 25 days, failing which penalty of Rs.1,000/= per day will be imposed / recovered as per terms and conditions of the contract.


You are further requested to contact the Sub-Engineer Jamshed Town (Sew), KW&SB, in connection with commencement of supervision for necessary instructions of the works.

EXECUTIVE ENGINEER (SEW)-I JAMSHED TOWN, KW&SB

Copy to:-

- 1. The Superintending Engineer, District East-A, KW&SB.
- 2. Budget Office, KW&SB.
- 3. Asstt. Director (LFA), KW&SB.
- 4. Office Copy.

A GARAGIA (SALAGA) STAND VERDOR




CONTRACT AGREEMENT

WHEREAS the Employer is desirous to execute the work "REPLACEMENT OF 12" DIA & 8" DIA SUNK DOWN SEWERS AT 15-A AND E-MARKET RESIDENTIAL 80-E, 60-O AND 75-O, NEAR CHURCH, BLOCK-06, PECHS UC-07 JAMSHED TOWN (SEW-I)" UNDER KW&SB'S OWN FUNDED PROGRAMME, for RS.9,80,492/= (RUPEES NINE LACS EIGHTY THOUSAND FOUR HUNDRED NINETY TWO ONLY), for the construction and completion of such WORKS and the remedying of an defects therein. The tender called upon through Authority's Website of SPPRA Rule-2010 under Serial NO.36291.

AND WHEREAS THE CONTRACTOR has already deposited 2% Pay Order for amounting to Rs.20,000/=, vide Pay Order No.50617208 dated: 18-04-2016, Issued from Summit Bank, Gulshan-e-Iqbal Branch Karachi remaining 8% for amounting to Rs.78,049/= will be deducted of 10% Performance Security as Security Deposit from his bill, he same will be kept with the EMPLOYER till the maintenance period of the work for the due fulfillment of the CONTRACTOR. Further 1% Water Charges will also be deducted from his bill as per Standard Operating Procedure (SOP).

Andens 186/860 I 26/4/208 (John



SESSIBLAD PARSAE XHAN STAMP YENDU.

U70613 **** ****** 2 1 FEB 2018

(RUPEES ONE THOUSAND ONLY)

In this Agreement words and expression shall have the same meanings as are respectively assigned to them in the conditions of Contract hereinafter

For med Besk Governoes v. j The following documents which for the purpose of identification have been signed by MUHAMMAD YASIN on behalf of the contractor and by MR. ASADULLAH KHAN, DEPUTY MANAGING DIRECTOR (T/S), KW&SB, on behalf the EMPLOYER all of which shall be deemed to form and be read and construed as part of this Agreement.


- a). This Form of Agreement.
- Employer letter Acceptance No.DMD/TS/SE/DE**b**). A/W&S/KW&SB/2018/ dated: <u>○3 - ○5 -</u> -2018.
- c).
- The conditions of the Particular Application Part-II-A & II-B. d).
- The General Conditions Part-I. e).
- The Drawings. f).
- The specifications and g).
- The Priced Bill of Quantities. h).
- i)Time period is 90 Days.
- In consideration of the payments to be made by the EMPLOYER to the CONTRACTOR has hereinafter mentioned, the CONTRACTOR hereby covenants with the EMPLOYER to execute and complete the WORK and to remedy any defects therein and maintaining the same in conformity in all respects with the provisions of the CONTRACT.
- THE EMPLOYER hereby covenants to pay to the CONTRACT in the manner prescribed by the CONTRACT.

Ano Atu)
BB/Sec 1
28/4/2018

DATE

THE SECURITY ASSESSED.

THE PERMITS AND ESSESSION



IN WITNESS WHEREOF, the parties hereto have set their respective hands

and seats the day and year first above written.

Cabiana Mayna Karach, ... Signed, Seried sig Delivered by the.

> For and on behalf of CONTRACTOR

2 1 FEB 2018

For and on behalf of EMPLOYER STATES OF THE STATES

> DEPUTY MANAGING DIRECTOR (T/S) K.W.&.S.B.

> > WITNESS OF EMPLOYER

MANAGING PARTNER M/S. YASIN ENTERPRISES

WITNESS OF CONTRACTOR

. SUPERINTENDING ENGINEER DISTRICT EAST-A, KW8SB

and Right

EXECUTIVE ENGINEER (SEW-I) JAMSHED TOWN, DISTRICT EAST-A K.W.&.S.B.

OFFICE OF THE EXECUTIVE ENGINEER (SEWERAGE)-I, (JAMSHED TOWN). BLOCK-B, KMC MARKET, SINDHI MUSŁIM SOCIETY

SUBJECT:- REPLACEMENT OF 12"DIA & 8"DIA SÚNK DOWN SEWERS AT 15-A AND E-MARKET RESIDENTIAL, 80-E, 60-O AND 75-O NEAR CURCH, BLOCK-06, PECHS, UC-07, JAMSHED TOWN (SEWERAGE)-I.

SL.	DESCRIPTION	QTY.	. RATE		PER	AMOUNT
NO.		-	Rupees in	Rupees in	UNIT	_ IN
			Figures.	Words	/	RUPEES
				2 2/ // 1 // //	ITEM	
1	Dismantling and removing road	2727 5 62 /	(0) (1:0	four faisas figh		12 2 2 1
	metalling.	3/27.5 Cft (609/30	7-00-1-09	%Cft	22534/7
2	Excavation for pipe line in trenches,		7			1
	and pits in all kind of soils of murum		,			
	i/c trimming and dressing sides to					
	true alignment and shape leveling of		٠.			
	beds of trenches to correct level and		(1)	Four hus		
	grade, cutting joint holes and			Sist Hur In		
	disposal of surplus earth within a one			c 1- 1200		
ا سو	chain as directed by Engineer			Forg Rivery	•	
	Incharge. Providing fence guards,		(ĤŹ	four Thus of Six Hur In P Fort wine of Fire Thorison	Y	
	lights, flags and temporary crossings			0.0011 11		
	for non-vehicular traffic where ever		•	one Au		
	required lift upto 5 ft. (1.52m) and			Ning Nine		
	lead upto one chain (30.5m).	,				103111
	i. Lift 0'-5'	14910 Cft (4649/2	>	%0Cft	69316/59
	ii. Lift 5'-8'	5220 Cft (5199/2)	%0Cft	27/38/29
						11
3	Providing M/H 4ft inside without			F -		
	manhole cover with CI frame (15 kg)			Fools en thats		
	and 5 feet clear depth 1:2:4 cast in			for Een/hour		
	situ in 9 inch thick wall 1:4:8 cement			Live Hund	1	
	concrete in 6ft dia and 6" inch thick			+ ,- ,.		
	in foundation 1:2:4 c.c in benching,		•	way with		·
	½" thick cement plastering with 1:3			unt		
- :	cement mortar on inside wall and					
	surface of channel/benching i/c					
	making required Nos of main and		•			
•	branch channels, 3/4" dia bar footrest					
!	at 12" C/C i/c cost of excavation of					
	all kinds of soil, backfilling and					
	disposal of excavated stuff etc			`		
:	complete, as per design and					
	instruction of the Engineer	(14529/		D- 1	188877
	Incharage.	13 Nos.			Each	100077
3(i)	Add/deduct per ft depth.			Two (Nousans		
		6	2538/2	Hive Hungry		279171
		(+) 28.75 Ft	2000	Thirt Book of	P/Ft_	14-157)

(Cont....on page No.2)

SUBJECT:- REPLACEMENT OF 12"DIA & 8"DIA SUNK DOWN SEWERS AT 15-A AND E-MARKET RESIDENTIAL, 80-E, 60-O AND 75-O NEAR CURCH, BLOCK-06, PECHS, UC-07, JAMSHED TOWN (SEWERAGE)-I.

SL.	DESCRIPTION	QTY.		RATE	PER	AMOUNT
NO.	DESCRIPTION	Q1Y.	Rupees in	RATE Rupees in	UNIT	AMOUNT IN
.,0.			Figures.	Words	/	RUPEES
-			rigures.	Words	ITEM	ROTEES
4	Full hire charges of the pumping set per			one Thouse		
	day i/c of wages of driver and Assistant					
	fuel or electric energy plate forms			wing no	3	
	required for placing pumps etc at lower			Wing no	,	
	depth with suction and delivery pipe for				,	
_	pumping out water found at various		•			
	depth from trenches i/c the cost of					
j	errection and dismantling after					
	completion of the job. Hire charges of					
	pumping set upto 10 HP pumping out		11 21			0/0201
	water from 10 ft deep trench.	18 Days 🤇	1496/2		P/Day	26820/
5	Providing, laying RCC pipes with			Three Hunla	l	
ا مو	(Rubber Ring Joint and fitting in trench			Three Hunla Sing Singuish Kiby	(
	i/c cutting, fitting and jointing with		-	JIN JUNICE THE	3	
	rubber ring i/c testing with water to			Fiby		
	specified pressure.		10/2	Two Highland		
	i. 12" dia	580 Rft (366/50	Two Huntrel	P/Rft	212579
		>		1-11/2/41300		212579 163571/2
	ii. 08" dia	795 Rft (205/75	Severy Five	P/Rft	16557/2
		<u> </u>		1 .		/
6	Manufacturing and supplying of 21 inch			Thirtecin	d	
	diameter RCC Manhole Covers cast in		•	Thirtecin		
	1:2:4 cement concrete ratio 3"inch			17/14		
	deep at centre rain-forced with 1/2" dia					
	M.S. tor bars with 4" c/c welded to a		-			
	3/16" thick 2" wide M.S.Plat and two					
1	hook of 3/8" dia tor bars including					}
1	compacting, curing and transportation	(9/2/	\	F ,	112000
ــــــــــــــــــــــــــــــــــــــ	within 10 miles etc.	25 Nos. (11-16		Each	2282
7	Making connection with the existing			one Hun 2	1	
	manhole i/c the cost of cutting hole in			Sevent Nin	k	
	wall, making them good in C.C 1:2:4			/		
1	and making required channel etc	10 NT /	1791	me	Each	1790/
	complete.	10 Nos. (11/w	76.00	Each	1 / / / /
8	Manufacturing & supplying of RCC ring	-		one Thousand NineHund Sin me	1	
	slab 21"dia (inside) and 36"dia outside		}	WineHund	1	
	7.5 width and 6"thick i/c 3/8"dia tor			1		
	steel bars two concentric rings with 3/8" dia 8 Nos cross linked bars welded and		-	Dinne		
-	(•		}	
	two sunk type hooks, casted in 1:1½:3 concrete with embedded 15 Kg C.I					
	frame in perfect position i/c					
	transportation charges for an average					
	lead of 20KM per trip from casting yard					
	to town offices (A minimum of 25 slabs		12011			47650/2
	per trip will be transported).	25 Nos. (1906/2)	Each	1 1200/2
	por trip witt bo transported).	25 1 105.		· · · · · · · · · · · · · · · · · · ·	1	

SUBJECT :-REPLACEMENT OF 12"DIA & 8"DIA SUNK DOWN SEWERS AT 15-A AND E-MARKET RESIDENTIAL, 80-E, 60-O AND 75-O NEAR CURCH, BLOCK-06, PECHS, UC-07, JAMSHED TOWN (SEWERAGE)-I.

	-	T				
SL.	DESCRIPTION	QTY.		ATE	PER	AMOUNT
NO.	1	1	Rupees	Rupees in	UNIT	IN
1	·	1	in	Words	1	RUPEES
	<u> </u>	<u> </u>	Figures.		ITEM	
9	Shifting to the site and fixing 36" dia	1	1	fire Hun Sing Thr	M	
	ring slab in perfect position on damaged	1	,	2:26 The	100	
İ	manhole i/c cutting of the position of	1	<	Prz	1	
1	damaged manhole in proper shape laying	1	1	ne	1	
1	in layer of C.M in 2" thickness and				1	05/
,	disposal of the debris.	25 Nos.	(563/2)		Each	14075/
10	Sand Haro or any other source Sand of			Two the	1	
1	the same modulus of the Fineness (Hill	1		FOY Han	1	1 - 2/
	Sand).	1740 Cft (12424/-	Trus Goul	%Cft	42177/6
_ 11	Refilling the excavated stuff in trenches	1		Tw & Th-40	1-0	
<u> </u>	6" thick layer i/c watering ramming to	1	130.50	Sevenin	us	
1	full compaction etc. complete.	17244.48 Cft/	12/591	Fir & Nin	ر%0Cft	475771
12	Carriage of 100 Cft/ 5 Tons of all		7	in		17
	materials like stone aggregate, spawal,	1	1		, '	
	coal, lime, surkhi etc: B.G. Rail fastening	1	1	Seventhe forteen	to the	
}	points and crossing bridge, Girders,		1	forteen	<u></u>	
) 1	Pipes, Sheets Rail, M.S. Bars etc. or		1	no	1	
1	1000 Nos: bricks, 10"x6"x2" or 150 Cft	1		>		
	or timber or 100 Maunds of fuel wood by	1	1		1	
,	trucks or any other means owned by the	1	1		1	
1	,	1				,
	contractors. Upto 5 th Mile.	2885.52 Cf(714/4)	%Cft	20602/61
						_
<u> </u>				10	TAL KS:	980491/58
	• • • • • • • • • • • • • • • • • • •		Sur	1/s=9	18049	(1/, ')

EXECUTIVE ENGUMEER (SEW)-I JAMSHED TOWN, KW&SB. of bid amount I/We hereby quoted Note:- All existing SPPRA Rule will be abide. SIN ENTERPRISE Signature of Contractor

Address._

0333-32-33794

eighty thousall four hundred many one only

50617208 09-0118 20000/2

Summid Bom2 Gulshon - Porbol

Massar Massa.