SINDH PUBLIC PROCUREMENT REGULATORY AUTHORITY CONTRACT EVALUATION FORM

TO BE FAILED BY ALL PROCURING AGENCIES FOR PUBLIC CONTRACTS OF WORKS SERVICES & GOODS

1	NAME OF THE ORGANIZATION/ DEPTT	KARACHI WATER & SEWERAGE BOARD
2	PROVINCIAL / LOCAL GOVT/OTHER	
3	TITLE OF CONTRACT	REPLACEMENT OF 6" DIA WATER LINE 5-L QASBA COLONY UC-08 SITE TOWN
4	TENDER NUMBER	SPPRA SR. MO.36364
5	BREIF DESCRIPTION OF CONTRACT	Improvement of Water System at Site Town
6	FORUM THAT APPROVED THE SCHEME	MD, KW&SB
7.	TENDER ESTIMATED VALUE	Rs.995450/-
8.	ENGINEER'S ESTIMATE (Attach list of buyers)	Rs.995450/-
9.	ESTIMATED COMPLETION PERIOD (As Per Contract)	25 Days
10	TENDER OPENED ON (DATE & TIME)	09-02-2018
11	NUMBER OF TENDER DOCUMENT SOLD (Attach list of Buyers)	Nos.
12	NUMBER OF BIDS RECEIVED	Nos.
13	NUMBER OF BIDDERS PRESENT AT THE TIME OF OPENING OF BIDS	Nos.
14	BID EVALUATION REPORT (enclose copy)	Attached
15	NAME AND ADDRESS OF THE SUCCESFUL BIDDER	M/S. A.DAWOOD SHAH & CO KARACHI
16	CONTRACT AWARD PRICE	Rs.995451/-

RANKING OF SUCCESFUL BIDDER IN EVALUATION REPORT (i>e. 1st, 2nd , 3rd Evaluation bid)

18 METHOD OF PROCUREMENT USED (Tick one) a) Single Stage one Envelope Procedure _ b) Single Stage Two Envelope Procedure c) Two Stage Bidding Procedure ___ d) Two Stage Two Envelope Bidding Procedure APPROVING AUTHORITY FOR AWARD OF 19 CONTRACT WHETHER THE PROCUREMENT WAS INCLUDID IN ANNUAL PROCUREMENT PLAN? 20 YES NO 21 ADVERTISEMENT: SPPRS Website (if yes, give date and SPPRA's tender number) YES' No **News Papers** Yes give names of newspapers and dates) THROUGH WEBSITE YES No NATURE OF CONTRACT INT. LOCAL WHETHER QUALIFICATION CRITERIA WAS INCLUDED IN BIODING TENDER DOCUMENT? (if yes, enclose of copy) NO YES WHETHER EVALUATION CRITERIA BID WAS INCLUDED IN BIDDING TENDER YES NO DOCUMENT? (if yes, enclose of copy)

25.	WHETHER APPROVAL OF COMPETENT AUTHORITY WAS OBTAINED FOR USING A METHOD OTHER THAN OPEN COMPETITIVE BIDDING?
1	YES ✓ NO
26.	WAS BID SECURITY OBTAINED FROM ALL THE BIDDERS?
	YES VIO
H.	
27	WHETHER THE SUCCESFUL BID WAS LOWEST EVALUATED BID /BEST EVALUATED BID (in case of Consultancies)
	YES V NO
28	WHETHER THE SUCCESFUL BIDDER WAS TECHNICALLY COMPULAINT YES V NO
29	WHETHER NAME OF HE BIDDERS AND THEIR QUOTED PRICE WEEKE REAS OUT AT THE TIME OF OPENING OF BIDS?
	YES V NO
30	WHETHER COPY OF EVALUATION REPORT GIVEN TO ALL BIDDERS?
	YES V NO
31	ANY COMPLAINTS RECEIVED (if yes , result thereof) VES No
32	ANY DEVIATION FROM SPECIFICATION GIVEN IN THE TNEDER NOTICE / DOCUMENT (if yes, give details)
	YES
1 3 3 4 T	No ✓
33.	WAS THE EXTENTION MADE IN RESPONSE
	TIME? (if yes, give details reasons).
34	DEVIATION FROM CALIFICATION CRITERIA YES
	(if yes , give detailed reasons) No ✓
35	WAS IT ASSURED BY THE PROCURING AGENCY THAT THE SELECTED FIRM IS NOT BLACK LISTED?
	YES ✓ NO

WAS A VISIT MADE BY ANY OFFICER/OFFICIAL OF THE PROCURING AGENCY TO THE SUPPLIER PREMISES IN CONNECTION WITH THE PROCUREMENT? IF SO. DETAILED TO BE ASCERTAINED REGARDING FINANCING OF VISIT, OF ABROAD. (if yes, enclose a copy)

YES NO ✓


WERE PROPER SAFEGAURDS PROVIDED ON MOBILIZATION ADVANCE PAYMENT IN THE CONTRACT (BANK GUARANTEE ETC).

YES NO

YES NO

Signature of Official Stamp of Syed Zafar Engines KW859 KW818 KW818

SPPRA Block- No. 8, Sinch Secretariat no. 4-A, Court Road, Karachi Tele: 0219205356,021-9205369 & Fax 021-9206291



Ratiod of Procurement: Single Stage Single Envelope.

e of Work:

REPLACEMENT OF 6" DIA WATER LINE 5-L QASBA COLONY UC-08 SITE TOWN

MINUTES OF BID OPENING MEETING.

A meeting of the procurement committee of this department was held on 09-02-2018 for ening the bids received in respect of subject NIT till deadlines of submission. The meeting was ended by all / following members of the procurement committee and the representative of iders.

ttendance sheet is enclosed).

Two bidders submitted their bids till the deadline of submission.

- M/s. A.Dawood Shah & Co.
- ii. M/s. Ali Muhammad & Sons

The bids were opened at 2:30 P.M in the presence of the above mentioned participants and the rates quoted by bidders were read aloud and encircled by Chairman of the Procurement Committee.

S. No	Name of Firm	Quoted Price	Amount of Bid Security	Pay Order No. / Date
	M/s.A.Dawood Shah & Co.	Rs.9,95,450/-	Rs.20,000/-	P.O # 18286535 dt:26-12-2017 from HBL P.E.C.H.S.Commercial Area Branch Karachi
02	M/s.Ali Muhammad & Sons	Rs.9,95,766/-	Rs.20,000/-	P.O # 18286536 dt:26-12-2017 from HBL P.E.C.H.S.Commercial Area Branch Karachi

4. The bids do not contain any cutting or over-writing.

5. The committee shall examine all the bids as per the qualification / eligibility criteria provided in the bidding document and verify the documents and bid security submitted by the bidders (if required).

The meeting ended with the vote of thanks to and from the chair.

(Muhammad Khalid Khan) Accounts Officer (Dist. West) Member / Secretary (Saif-ul-Haque)
Additional Director Internal
Audit – KMC Member

(Maqsood Ahmed Shaikh) Superintending Engineer (KMC) Member

(Owais Malik) S.E (District West-A) Member

No. SPPRA Serial No.36364

and procedure of procurement: Open Competitive Bidding (National/ International Competitive Bidding) (Single Stage-One Envelope)

tion of work:

REPLACEMENT OF 6" DIA WATER LINE 5-L QASBA COLONY UC-08 SITE TOWN

2

Opening:

09-02-2018

BIDDERS' ELIGIBILITY/ QUALIFICATION REPORT

bility/ Qualification Criteria:

	Bidders' Names						
Eligibility / Qualification Criteria	M/s.A.Dawood Shah & Co.	M/s.Ali Muhammad & Sons					
Registration with PEC (if applicable)	N/A	N/A					
NTN	Yes	Yes					
Sales Tax Registration (FBR)	N/A	N/A					
Registration with Sindh Revenue Board (SRB)	Yes	Yes					
Qualification Criteria:							
Minimum three years' experience of relevant field.	Yes	Yes					
Turnover of at least last three years	Yes	Yes					
Required Bid Security is attached.	Yes	Yes					
Bid is signed, named and stamped by the authorized person of the firm along with Authorization letter.	Yes	Yes					
Any other factor deemed to be relevant by the procuring agency subject to provision of Rule-44	N/A	N/A					
Qualified/ disqualified	Qualified	Qualified					

(Muhammad Khalid Khan) Accounts Officer (Dist. West) Member / Secretary (Saif-ul-Haque)
Additional Director Internal
Audit – KMC Member

(Maqsood Ahmed Shaikh) Superintending Engineer (KMC) Member

(Owais Malik) S.E (District West-A) Member

No. SPPRA Serial No.36364

od of Procurement: Single Stage Single Envelope.

of Work:

REPLACEMENT OF 6" DIA WATER LINE 5-L QASBA COLONY UC-08 SITE TOWN

MINUTES OF BID OPENING MEETING.

A meeting of the procurement committee of this department was held on 09-02-2018 for ing the bids received in respect of subject NIT till deadlines of submission. The meeting was added by all / following members of the procurement committee and the representative of ders.

endance sheet is enclosed).

Two bidders submitted their bids till the deadline of submission.

- i. M/s. A.Dawood Shah & Co.
- ii. M/s. Ali Muhammad & Sons

The bids were opened at 2:30 P.M in the presence of the above mentioned articipants and the rates quoted by bidders were read aloud and encircled by Chairman of the recurrement Committee.

No.	Name of Firm	Quoted Price	Amount of Bid Security	Pay Order No. / Date	
01	M/s.A.Dawood Shah & Co.	Rs.9,95,450/-	Rs.20,000/-	P.O # 18286535 dt:26-12-2017 HBL P.E.C.H.S.Commercial Branch Karachi	from Area
02	M/s.Ali Muhammad & Sons	Rs.9,95,766/-	Rs.20,000/-		from Area

- 4. The bids do not contain any cutting or over-writing.
- 5. The committee shall examine all the bids as per the qualification / eligibility criteria provided in the bidding document and verify the documents and bid security submitted by the bidders (if required).

The meeting ended with the vote of thanks to and from the chair.

(Muhammad Khalid Khan) Accounts Officer (Dist. West) Member / Secretary

> (Owais Malik) S.E (District West-A) Member

(Saif-ul-Haque)
Additional Director Internal
Audit – KMC Member

(Maqsodd Ahmed Shaikh) Superintending Engineer (KMC) Member

KARACHI WATER & SEWERAGE BOARD

OFFICE OF THE DIRECTOR (DESIGN & ESTIMATE)

BID EVALUATION REPORT

Ī	Name of Procuring Agency:	KARACHI WATER & SEWERAGE BOARD				
Ī	Tender Reference No:	SPPRA Serial No.36364 I.D No				
Ī	Tender Description/Name of Work/Item:	REPLACEMENT OF 6" DIA WATER LINE 5-L QASBA COLONY UC-08 SITE TOWN				
F	Method of Procurement:	Single Stage (One Envelop)				
5	Tender Published:	Through SPPRA Web Site				
6	Total Bid Documents Sold:	2 Nos				
7	Total Bid Received:	2 Nos				
8	Technical Bid Opening Date (if applicable):	<u>N/A</u>				
9	No. of Bid Technically Qualified (if applicable)	N/A				
10	Bid (s) Rejected:	NIL				
11	Financial Bid Opening Date:	09-02-2018				

12 BID EVALUATION REPORT

S#	Name of Firm / Bidder	COST OFFERED BY THE BIDDER	RANKING IN TERMS OF COST		REASON FOR ACCEPTANCE	REMARKS
1	M/s.A.Dawood Shah & Co.	Rs.9,95,451/-	1 st Lowest	@0.001% Below	Pay Order and required documents are attached. P.O # 18286535 dt:26-12- 2017 Rs.20,000/- from HBL P.E.C.H.S. Commercial Area Branch Karachi	Substantially Responsive
2	M/s.Ali Muhammad & Sons	Rs.9,95,767/-	2 nd Lowest	@0.031% Above	Pay Order and required documents are attached. P.O # 18286536 dt:26-12- 2017 Rs.20,000/- from HBL P.E.C.H.S. Commercial Area Branch Karachi	Substantially Responsive

The all concerned bidders are being informed accordingly.

The E.E Concerned for compliance of Rule-45 of SPPRA 2010 M/s.A. Dawood Shah & Co. declared as the lowest responsive bidder by the Committee and recommended for sanction from Competent Authority.

(Muhammad Khalid Khan) Accounts Officer (Dist. West) Member / Secretary

(Saif-ul-Haque) Additional Director Internal Audit – KMC Member (Maqsood Ahmed Shaikh) Superintending Engineer (KMC) Member

(Owais Malik) S.E (District West-A) Member

COMPARATIVE STATEMENT

Name of Work: REPLACEMENT OF 6" DIA WATER LINE 5-L QASBA COLONY UC-08 SITE TOWN

Ψ.	-	6 I	-	5		-	_		4		_					w				_	_					1 8	· B	7
packing, labour etc complete. 06" Dia.	flanged & other with socket i/c the cost of nut, bolts & rubber	Fixing of sluice valve with 2 cast iron tail pieces one end	Kg/sq.com or 300 lb/sq.inch) (Imported) 06" Dia	Providing C.I Sluice Valve heavy pattern (Test Pressure 21.0	160 mm thick (PN-10)	conforming ISO 4427/DIN-8074/8075 B.S 3580 & PSI 3051.	density Polyethylene P.E pipes (HDPE-100) for W/S	jointing and testing etc. complete in all respect the high	P/L & Fixing of Polyethylene pipe in trench i/c fitting	HP pumping out water from 10 ft deep trench	completion of the job. Hire charges of pumping set upto 10	trenches including the cost of erection and dismantling after	pipes for pumping out water found at various depth from	placing the pump etc at lower depth with suction and delivery	driver and assistant fuel or electric energy platform for	Full hire charges of pumping set per day i/c of wages of		required lift upto 5'-0' ft (1.52m) and lead upto one chain (30.5m).	flags and temporary crossing for non-vehicular traffic wherever	chain as directed by Engineer Incharge, Providing fence, lights	cutting joints holes and disposal of surplus earth within one	shape leveling of beds of trenches to correct level and grade	murum i/c trimming and dressing sides to true alignment and	Excavation for pipe line in trenches and pits in all kind of soil of	Dismantling and removing road matelling.		Description of Work	
2.00			2.00	2/_	1340.00					12.00							14775.97								3350.00	Quantity		
Nos			Nos		Rft					Days							Cft								Cft	tity	tity	
1886.00			9360.00		530.00					1500.00 P/Day							4650.00								605.00	Rate	Estimated Cost	
Each			Each		P/Rft					P/Day							%0Cft								%Cft	Per	Cost	
3,772.00			18,720.00		710,200.00					18,000.00							68,708.26								20,267.50	Amount		
1885.00			9360.00		530.00					1500.00							4650.00			, M					605.00	Rate	Shal	V VIV
3,770.00			18,720.00		710,200.00					18,000.00							68,708.26					- 59			20,267.50	Amount	Shah & Co.	D
2000.00			9360.00		530.00					1500.00							4650.00								605.00	Rate	% %	1 1/2 A 1: 1
4,000.00			18,720.00		710,200.00					18,000.00							68,708.26								20,267.50	Amount	& Sons	1





Sec.

Name of Work: REPLACEMENT OF 6" DIA WATER LINE 5-L QASBA COLONY UC-08 SITE TOWN

TOTAL OLIOTED / CORRECTED COST	watering ramming to full comp		9 Refilling the excavated stuff												
ering ramming to full co	illing the excavated stu	illing the excavated stu		air of leaking joints (E ous diameter. It include ing material, gunny bag avation stuff etc. comple	air of leaking joints (E ous diameter. It include ling material, gunny bag avation stuff etc. comple	at every 2 feet deep lling and disposal of surpair of leaking joints (E ous diameter. It include ing material, gunny bag avation stuff etc. comple	wall surface 1 feet deep at every 2 feet deep lling and disposal of surfair of leaking joints (Elous diameter. It include ing material, gunny bag avation stuff etc. comple	wall surface 1 feet deep at every 2 feet deep lling and disposal of surfair of leaking joints (E ous diameter. It include ing material, gunny bag avation stuff etc. comple	ter 1:3 ratio inside wall wall surface 1 feet deep at every 2 feet deep lling and disposal of surfair of leaking joints (Eous diameter. It include ing material, gunny bag avation stuff etc. comple	coundation, 2" thick C.C ter 1:3 ratio inside wall wall surface 1 feet deep at every 2 feet deep lling and disposal of surfair of leaking joints (Elous diameter. It include ing material, gunny bagavation stuff etc. comple	@6" C/C 1/4" betnup 1 k C.C 1:3:6 block masor pundation, 2" thick C.C ter 1:3 ratio inside wall wall surface 1 feet deep at every 2 feet deep lling and disposal of surfair of leaking joints (Elous diameter. It include avation stuff etc. comple	g fixed in RCC 1:2:4 sl: @6" C/C 1/4" betnup 1 k C.C 1:3:6 block masor pundation, 2" thick C.C ter 1:3 ratio inside wall wall surface 1 feet deep at every 2 feet deep lling and disposal of surpair of leaking joints (E lous diameter. It include avation stuff etc. comple	ide dimension) with 24". g fixed in RCC 1:2:4 sl. @6" C/C 1:4" betnup 1 k C.C 1:3:6 block masor bundation, 2" thick C.C ter 1:3 ratio inside wall wall surface 1 feet deep at every 2 feet deep lling and disposal of surfair of leaking joints (Elous diameter. It include avation stuff etc. comple	struction of C.C. block ide dimension) with 24" ig fixed in RCC 1:2:4 sl: @6" C/C 1/4" betnup 1 k C.C 1:3:6 block masor oundation, 2" thick C.C ter 1:3 ratio inside wall wall surface 1 feet deep at every 2 feet deep lling and disposal of surpair of leaking joints (Elous diameter. It include avation stuff etc. comple	struction of C.C. block ide dimension) with 24". g fixed in RCC 1:2:4 sl: @6" C/C 1:4" betnup 1 k C.C 1:3:6 block masor oundation, 2" thick C.C ter 1:3 ratio inside wall wall surface 1 feet deep at every 2 feet deep lling and disposal of surfair of leaking joints (Elous diameter. It include avation stuff etc. comple
ling the excavate ring ramming to f			ation stuff etc. c	ir of leaking joir us diameter. It ir ig material, gunn	ng and disposal of ir of leaking joir us diameter. It in g material, gunn	at every 2 feet ng and disposal of ir of leaking join us diameter. It in ng material, gunn	vall surface 1 fee at every 2 feet ng and disposal of ir of leaking join us diameter. It in ng material, gunn	r 1:3 ratio inside vall surface 1 fee at every 2 feet ng and disposal o ir of leaking join us diameter. It in ng material, gunn	r 1:3 ratio inside r 1:3 ratio inside wall surface 1 fee at every 2 feet ang and disposal or of leaking join us diameter. It in g material, gunn	C.C 1:3:6 block indation, 2" thick in 1:3 ratio inside wall surface 1 fee at every 2 feet ing and disposal or of leaking join us diameter. It in g material, gunn	%" C/C 1/4" bet C.C 1:3:6 block Indation, 2" thick Indation, 2" thick It 1:3 ratio inside It 1:3 ratio inside It 1:3 ratio inside It 1:4 ratio every 2 feet Ing and disposal It ing and disposal It ing material, gunn	fixed in RCC 1:3% bet %%" C/C 1/4" bet C.C 1:3:6 block indation, 2" thicker 1:3 ratio inside wall surface 1 fee at every 2 feet ing and disposal or of leaking join us diameter. It in a material, gunn	e dimension) wit fixed in RCC 1::)6" C/C 1/4" bet C.C 1:3:6 block indation, 2" thick in 1:3 ratio inside vall surface 1 fee at every 2 feet ing and disposal our of leaking join us diameter. It in ing material, gunn	ruction of C.C. the dimension) with fixed in RCC 1:36" C/C 1/4" bet C.C 1:3:6 block andation, 2" thick andation, 2" thick ar 1:3 ratio inside wall surface 1 fee at every 2 feet and and disposal of the result of the result in grand disposal of the result	ruction of C.C. be e dimension) with fixed in RCC 1:: 36" C/C 1/4" bet C.C 1:3:6 block indation, 2" thick indation, 2" thick in 1:3 ratio inside wall surface 1 fee at every 2 feet ing and disposal or of leaking join us diameter. It in ing material, gunn
ng the excavate	THOM STULL SEC. CO.	THOI STUIT CIC. CC	tion at If at or	of leaking join s diameter. It in material gunn	of leaking join s diameter. It in	g and disposal or of leaking join s diameter. It in	all surface 1 feet t every 2 feet tg and disposal o of leaking join s diameter. It in	all surface 1 feet t every 2 feet ug and disposal confidence. It in a diameter. It in a material gunn	ldation, 2" thick 1:3 ratio inside all surface 1 feet all every 2 feet ag and disposal of of leaking join s diameter. It in	ndation, 2" thick addition, 2" thick 1:3 ratio inside all surface 1 feet all surface 2 feet the every 2 feet ag and disposal conflictions of leaking join is diameter. It in a material gunn	5" C/C 1/4" bett 2:C 1:3:6 block andation, 2" thick andation, 2" thick 1:3 ratio inside all surface 1 fee all surface 2 feet the every 2 feet and disposal company of leaking joins of leaking joins diameter. It in a material sunn	fixed in RCC 1:26" C/C 1/4" bett 5.C 1:3:6 block 1 adation, 2" thick 1:13 ratio inside all surface 1 fee all surface 2 feet t every 2 feet 1 g and disposal comparerial gunn of material gunn	fixed in RCC 1:26 "C/C 1/4" bett 5.C 1:3:6 block 1 adation, 2" thick 1:13 ratio inside all surface 1 fee all surface 1 feet t every 2 feet tg and disposal comaterial gunn	dimension) with dimension with fixed in RCC 1:26" C/C 1/4" bett 2:C 1:3:6 block andation, 2" thick andation, 2" thick all surface 1 fee all surface 1 fee all surface 1 fee all surface 1 fee all surface 1 feet and disposal company of leaking joints diameter. It in a material sunn	uction of C.C. be dimension) with dimension) with fixed in RCC 1:26" (C/C 1/4" bett 2.C 1:3:6 block andation, 2" thick andation, 2" thick all surface 1 fee all surface 1 fee at every 2 feet to every 2 feet and disposal comparerial gunn or material gunn
ion stuff etc. cong the excavater	tion stuff etc. co	tion stuff etc. co	material, gunny	of leaking joint diameter. It in	g and disposal of of leaking joint diameter. It in	g and disposal of of leaking joins diameter. It in	every 2 feet og and disposal of leaking joint diameter. It in	1:3 ratio inside of leaking joint of leaking joint of diameter. It in	dation, 2" thick 1:3 ratio inside 1:3 ratio inside 1:3 ratio inside 2 lil surface 1 feet every 2 feet every 2 feet g and disposal of of leaking joint diameter. It in	C 1:3:6 block n dation, 2" thick 1:3 ratio inside 1 leet every 2 feet og and disposal of leaking joint diameter. It in	" C/C 1/4" betn C 1:3:6 block m dation, 2" thick 1:3 ratio inside 1:3 ratio inside 1:3 ratio inside gevery 2 feet every 2 feet gand disposal of of leaking join diameter. It in	" C/C 1/4" betn C 1:3:6 block n dation, 2" thick 1:3 ratio inside lll surface 1 feet every 2 feet of g and disposal of of leaking join diameter. It in	dimension) with xed in RCC 1:2 " C/C 1/4" betn .C 1:3:6 block n dation, 2" thick 1:3 ratio inside every 2 feet every 2 feet of leaking join of leaking join diameter. It in	ction of C.C. bl dimension) with ixed in RCC 1:2 " C/C 1/4" betn .C 1:3:6 block n dation, 2" thick 1:3 ratio inside all surface 1 feet every 2 feet of leaking join of leaking join diameter. It in dimension with the distribution of leaking join of leaking	ction of C.C. bl dimension) with ixed in RCC 1:2 " C/C 1/4" betn C 1:3:6 block n dation, 2" thick 1:3 ratio inside every 2 feet every 2 feet of leaking join of leaking join adiameter. It in
naterial, gunny ba on stuff etc. comp the excavated st ramming to full c	naterial, gunny ba on stuff etc. comp	naterial, gunny ba on stuff etc. comp	diameter. It include	of leaking joints (and disposal of su of leaking joints (every 2 feet dee and disposal of su of leaking joints (I surface 1 feet dee every 2 feet dee and disposal of su	:3 ratio inside wal surface 1 feet dee every 2 feet dee and disposal of su of leaking joints (ation, 2" thick C.0 3 ratio inside wall surface I feet dee every 2 feet dee and disposal of su of leaking joints (C 1:3:6 block mass ation, 2" thick C.(ation, 2" thick C.(3 ratio inside wal 1 surface 1 feet dee every 2 feet dee and disposal of su of leaking joints (C/C 1/4" betnup C 1:3:6 block mass ation, 2" thick C.(3 ratio inside wal 1 surface 1 feet des every 2 feet dee and disposal of su of leaking joints (ced in RCC 1:2:4 s C/C 1/4" betnup C 1:3:6 block mass ation, 2" thick C.C :3 ratio inside wal :3 ratio inside wal ! surface 1 feet dee every 2 feet dee and disposal of su of leaking joints (imension) with 24 (ced in RCC 1:2:4 s C/C 1/4" betnup C 1:3:6 block mass ation, 2" thick C.0 :3 ratio inside wall surface 1 feet dece every 2 feet dece and disposal of su	ition of C.C. block limension) with 24 ced in RCC 1:2:4 s C/C 1/4" betnup C 1:3:6 block mass ation, 2" thick C.C. 3 ratio inside wal 1 surface 1 feet dece every 2 feet dece and disposal of su	tion of C.C. block limension) with 24 ced in RCC 1:2:4 s C/C 1/4" betnup C 1:3:6 block mass ation, 2" thick C.C :3 ratio inside wall surface 1 feet decevery 2 feet dece and disposal of su of leaking joints (
iameter. It includes aterial, gunny bags, n stuff etc. complete the excavated stuff ramming to full con	iameter. It includes aterial, gunny bags, n stuff etc. complete	iameter. It includes aterial, gunny bags, n stuff etc. complete	leaking joints (Ex		nd disposal of surpl	very 2 feet deep ind disposal of surpl	surface 1 feet deep very 2 feet deep ind disposal of surpl	3 ratio inside wall s surface 1 feet deep very 2 feet deep ind disposal of surpl	tion, 2" thick C.C 1 ratio inside wall s surface 1 feet deep very 2 feet deep nd disposal of surpl	1:3:6 block masonr tion, 2" thick C.C 1 3 ratio inside wall s surface 1 feet deep very 2 feet deep ind disposal of surpl	C/C 1/4" betnup 1/4 1:3:6 block masonr 1:3:6 block	d in RCC 1:2:4 slat C/C 1/4" betnup 1/4 1:3:6 block masonr tion, 2" thick C.C 1 ratio inside wall s surface 1 feet deep very 2 feet deep and disposal of surple	nension) with 24" and din RCC 1:2:4 slated in RCC 1:2:4 slated in RCC 1:2:4 slated in RCC 1:3:6 block masonation, 2" thick C.C 1 aratio inside wall surface 1 feet deepovery 2 feet deepond disposal of surplements.	ion of C.C. block mension) with 24" and in RCC 1:2:4 slate C/C 1/4" betnup 1/2 1:3:6 block masonution, 2" thick C.C 1 aratio inside wall surface 1 feet deep overy 2 feet deep and disposal of surple	ion of C.C. block rr nension) with 24" and in RCC 1:2:4 slat C/C 1/4" betnup 1/4 1:3:6 block masonr tion, 2" thick C.C 1 3 ratio inside wall s surface 1 feet deep very 2 feet deep ind disposal of surpl
Repair of leaking joints (External Vatta) on PRCC Pipe of various diameter. It includes the cost of excavation, labour, sealing material, gunny bags, de-watering and refilling of the excavation stuff etc. complete. 12" Dia Refilling the excavated stuff in trenches 6" thick layer i/c watering ramming to full compaction etc complete.	is (External Vatta) on PRCC Pipe of cludes the cost of excavation, labour, bags, de-watering and refilling of the mplete. 12" Dia	is (External Vatta) on PRCC Pipe of cludes the cost of excavation, labour, bags, de-watering and refilling of the mplete. 12" Dia		refilling and disposal of surplus earth complete. (4'x4'x4')		bars at every 2 feet deep i/c curing watering excavation	side wall surface 1 feet deep upto roof slab M.S foot rest 5/8" bars at every 2 feet deep i/c curing watering excavation	plaster 1:3 ratio inside wall surface top and bottom slab outer side wall surface 1 feet deep upto roof slab M.S foot rest 5/8" bars at every 2 feet deep i/c curing watering excavation	C.C 1:2:4 flooring, 1/2" thick cement wall surface top and bottom slab outer deep upto roof slab M.S foot rest 5/8" deep i/c curing watering excavation	thick C.C 1:3:6 block masonry wall set 1:6 C.M 6" C.C 1:4:8 in foundation, 2" thick C.C 1:2:4 flooring, 1/2" thick cement plaster 1:3 ratio inside wall surface top and bottom slab outer side wall surface 1 feet deep upto roof slab M.S foot rest 5/8" bars at every 2 feet deep i/c curing watering excavation	up 1/4" @ 8" C.C distribution bar 6" nasonry wall set 1:6 C.M 6" C.C 1:4:8 C.C 1:2:4 flooring, 1/2" thick cement wall surface top and bottom slab outer deep upto roof slab M.S foot rest 5/8" deep i/c curing watering excavation	65 kg fixed in RCC 1:2:4 slab 6" thick with steel 1/2" dia tor bar @6" C/C 1/4" betnup 1/4" @ 8" C.C distribution bar 6" thick C.C 1:3:6 block masonry wall set 1:6 C.M 6" C.C 1:4:8 in foundation, 2" thick C.C 1:2:4 flooring, 1/2" thick cement plaster 1:3 ratio inside wall surface top and bottom slab outer side wall surface 1 feet deep upto roof slab M.S foot rest 5/8" bars at every 2 feet deep i/c curing watering excavation	(inside dimension) with 24" x 24" C.I cover frame weighting 65 kg fixed in RCC 1:2:4 slab 6" thick with steel 1/2" dia tor bar @6" C/C 1/4" betnup 1/4" @ 8" C.C distribution bar 6" thick C.C 1:3:6 block masonry wall set 1:6 C.M 6" C.C 1:4:8 in foundation, 2" thick C.C 1:2:4 flooring, 1/2" thick cement plaster 1:3 ratio inside wall surface top and bottom slab outer side wall surface 1 feet deep upto roof slab M.S foot rest 5/8" bars at every 2 feet deep i/c curing watering excavation	Construction of C.C. block masonry chamber of size 4'x4'x4' (inside dimension) with 24" x 24" C.I cover frame weighting 65 kg fixed in RCC 1:2:4 slab 6" thick with steel 1/2" dia tor bar @6" C/C 1/4" betnup 1/4" @ 8" C.C distribution bar 6" thick C.C 1:3:6 block masonry wall set 1:6 C.M 6" C.C 1:4:8 in foundation, 2" thick C.C 1:2:4 flooring, 1/2" thick cement plaster 1:3 ratio inside wall surface top and bottom slab outer side wall surface 1 feet deep upto roof slab M.S foot rest 5/8" bars at every 2 feet deep i/c curing watering excavation	block masonry chamber of size 4'x4'x4' with 24" x 24" C.I cover frame weighting 1:2:4 slab 6" thick with steel 1/2" dia tor etnup 1/4" @ 8" C.C distribution bar 6" k masonry wall set 1:6 C.M 6" C.C 1:4:8 ick C.C 1:2:4 flooring, 1/2" thick cement de wall surface top and bottom slab outer cet deep upto roof slab M.S foot rest 5/8" et deep i/c curing watering excavation
earth complete. (4'x4'x4') nal Vatta) on PRCC Pipe of ne cost of excavation, labour, ee-watering and refilling of the 12" Dia n trenches 6" thick layer i/c action etc complete.	earth complete. (4'x4'x4') nal Vatta) on PRCC Pipe of ne cost of excavation, labour, e-watering and refilling of the 12" Dia	earth complete. (4'x4'x4') nal Vatta) on PRCC Pipe of ne cost of excavation, labour, e-watering and refilling of the 12" Dia	earth complete. (4'x4'x4')		curing watering excavation		to roof slab M.S foot rest 5/8"	face top and bottom slab outer to roof slab M.S foot rest 5/8"	:4 flooring, 1/2" thick cement face top and bottom slab outer to roof slab M.S foot rest 5/8"	wall set 1:6 C.M 6" C.C 1:4:8 :4 flooring, 1/2" thick cement face top and bottom slab outer to roof slab M.S foot rest 5/8"	@ 8" C.C distribution bar 6" wall set 1:6 C.M 6" C.C 1:4:8 :4 flooring, 1/2" thick cement face top and bottom slab outer to roof slab M.S foot rest 5/8"	" thick with steel 1/2" dia tor @ 8" C.C distribution bar 6" wall set 1:6 C.M 6" C.C 1:4:8 :4 flooring, 1/2" thick cement face top and bottom slab outer to roof slab M.S foot rest 5/8"	24" C.I cover frame weighting thick with steel 1/2" dia tor @ 8" C.C distribution bar 6" wall set 1:6 C.M 6" C.C 1:4:8 4 flooring, 1/2" thick cement face top and bottom slab outer to roof slab M.S foot rest 5/8"	conry chamber of size 4'x4'x4' 24" C.I cover frame weighting "thick with steel 1/2" dia tor @ 8" C.C distribution bar 6" wall set 1:6 C.M 6" C.C 1:4:8 wall set 1:6 C.M 6" C.C 1:4:8 care to pand bottom slab outer to roof slab M.S foot rest 5/8"	sonry chamber of size 4'x4'x4' 'A" C.I cover frame weighting " thick with steel 1/2" dia tor @ 8" C.C distribution bar 6" wall set 1:6 C.M 6" C.C 1:4:8 "A flooring, 1/2" thick cement face top and bottom slab outer to roof slab M.S foot rest 5/8"
	'x4'x4') CC Pipe of on, labour, Illing of the	'x4'x4') CC Pipe of on, labour, llling of the	'x4'x4')		excavation	ot rest 5/8"		n slab outer	ick cement slab outer	"C.C 1:4:8 lick cement n slab outer	"C.C 1:4:8 ick cement n slab outer	1/2" dia tor tion bar 6" " C.C 1:4:8 ick cement a slab outer	weighting 1/2" dia tor tion bar 6" "C.C 1:4:8 lick cement a slab outer	ize 4'x4'x4' weighting 1/2" dia tor tion bar 6" " C.C 1:4:8 ick cement a slab outer	ize 4'x4'x4' weighting 1/2" dia tor tion bar 6" " C.C 1:4:8 ick cement a slab outer
2.00 6.00 14775.97	2.00	2.00	2.00							1					Quantity
Nos 7 Cft	Nos	Nos		Nos									10/		rtity
9716.00 Each 2760.00 %0Cft	9716.00	9716.00		28357.00 Each				310	30 5	30 2	30 5	39 2	30 E ₁	30 2	Rate
%0Cft			Each	Each				N i	14 1	4	14 10	N v	4.	N .	Per
40,701.00	89 182 07		58,296.00	56,714.00											Amount
	2760.00		9715.00	28357.00									-		Rate
	0 40,781.68		0 58,290.00	56,714.00 28400.00			-								Amount
-	2760.00	_	9715.00	28400.00											Rate
995,767	4		58,290.00	56,800.00							, I	H 1 - 6	e) 1 - 4	₆ 1 - 6	Amount

(Muhammad Khalid Khan) Accounts Officer (Dist. West) Member / Secretary

(Saif-ul-Haque) Addl. Director Internal Audit KMC - Member

(Maqsood Ahmed Shaikh) Superintending Engineer (K.M.C) Member

(Owals Malik)
S.E (District West-A)
Member

OFFICE OF THE CHIEF ENGINEER (W&S) DISTRICT WEST KARACHI WATER & SEWERAGE BOARD

Room No270, 2nd Floor, Old KBCA Building Behind Civic Centre, Gulshan-e-Iqbal, Karachi

KW&SB/CE(W/S)/AO/WEST/2018/7

Dated: 1 12018

S. A.DAWOOD SHAH & CO.

rachi.

LETTER OF ACCEPTANCE / SANCTION LETTER

BJECT:-

REPLACEMENT OF 6" DIA WATER LINE 5-L QASBA COLONY UC-08 SITE TOWN

Your Tender Opened on 09-02-2018.

The under signed is pleased to convey sanction for an amount to Rs.995451/(Rupees Nine Lac Ninety Five Thousand Four Hundred Fifty One Only) for the subjected work under Rule SPPRA-2010, on item rate basis duly assessed by the Procurement/
Evaluation Committee-I KW&SB vide Para-25/N, financially concurred-in by finance department, KW&SB vide Para-29/N to 38/N and approved by MD, KW&SB vide Para-41/N The expenditure is chargeable to BG No.B-013-16 for the financial year-2017-2018. You shall be bound to abide time to time instruction issued by KW&SB.

You are therefore directed to furnish the Earnest Money amounting to Rs.19909/- being amount of 2% of sanction cost of the contract. You are further directed to contact concern Executive Engineer Office for execution of agreement, the value of stamp paper will be Rs.3500/- @ 0.35% sanctioned cost which should be produced by you. In case of failure, the sanction shall be stand cancelled and action as per Contractual rules shall be taken against you.

All correspondence onward shall be carried out through Deputy Managing Director (T/S), KW&SB.

DEPUTY MANAGING DIRECTOR (T/S)

KW&SB

Copy to:-

1-DIRECTOR ACCOUNTS, KW&SB. 2-ADLFA, KW&SB. 3-EE (Water) (SITE TOWN), KW&SB.

4-OFFICE COPY.

C.C to:-

MD, KW&SB.



OFFICE OF THE EXECUTIVE ENGINEER (WATER) SITE TOWN KARACHI WATER & SEWERAGE BOARD

No. KW&SB/E.E/2018/ / 3 ____

Dated: 8-4/06/18

M/S. A.DAWOOD SHAH & CO, Karachi.

WORK ORDER

Subject:- REPLACEMENT OF 6" DIA WATER LINE 5-L QASBA COLONY UC-08 SITE TOWN.

The competent authority KW&SB has been approved amounting to Rs.995451/- (Rupees Nine Lac Ninety Five Thousand Four Hundred Fifty One Only) on item rate basis and convey the sanction by Deputy Managing Director (T/S), KW&SB/CE(W/S)/AO/WEST/2018/

Dated: 1 2018 under Budget code No.B-013-16

You are hereby directed to start the work immediately and complete the same within 25 days time commencing from the date of issue of this letter in case the work is delayed or left in-complete within the stipulated time, penalty of Rs.1000/- per day shall be imposed as per work rules.

EXECUTIVE ENGINEER (WATER) SITE TOWN, KW&SB

Copy to:-

1-S.E (West), KW&SB. 2-Office Copy



AY 2018 328 Muhammad Yaqoob

CONTRACT AGREEMENT


MATYWILLIDIVORCE ME DOCUMENTATION OF RS. 995451/-

CONTRACT AGREEMENT (hereinafter called the "Agreement") made on the day of 2018 between The Karachi Water & Sewerage Board represented by it's The Deputy ging Director (T/S), KW&SB (hereinafter called the "Employer") of the one part and M/S. WOOD SHAH & CO (hereinafter called the "Contractor") of the other part.

EREAS the Employer is desirous that certain Works, viz "REPLACEMENT OF 6" DIA WATER E 5-L QASBA COLONY UC-08 SITE TOWN" Should be executed by the Contractor and has epted a Bid by the Contractor for the execution and completion of such Works and the remedying of defects therein.

OW This Agreement witnessed as follows:-

- 1. In this Agreement words and expressions shall have the same meanings as are respectively assigned to them in the Conditions of Contract hereinafter referred to.
- The following documents after incorporating addenda, if any except those parts relating to Instructions to Bidders, shall be deemed to form and be read and construed as part of this Agreement, viz:
 - (a) The Letter of Sanction
 - (b) The completed Form of Bid along with Schedules to Bid:
 - (c) Conditions of Contract & Contract Data:
 - (d) The priced Schedule of Prices.
 - (e) The Specification: and
 - (f) The Drawings



HSTAMP VENDOR

2 3 MAY 2018

Nadir Ali Magsi Advocate

Page-2

REPLACEMENT OF 6" DIA WATER LINE 5-L QASBA COLONY UC-08 SITE

In consideration of the payments to be made by the Employer to the Contractor as hereinafter mentioned, the Contractor hereby covenants with the Employer to execute and complete the Works and remedy defects therein in conformity and in all respects within the provisions of the Contract.

The Employer hereby covenants to pay to the Contractor, in consideration of the execution and completion of the Works as per provision of the Contract, the Contract Price or such other sum as may become payable under provisions of the Contract at the times and in the manner prescribed by the Contract.

IN WITNESS WHEREOF, the parties hereto have caused this Contract Agreement to be executed on the day, month and year first before written in accordance with their respective laws.

Signature of the Contractor

Signature of Employer

Proprietor

M/S. A.DAWOOD SHAH & CO KARACHI

DEPUTY MANAGING DIRECTOR (T/S)

KW&SB

WITNESS:

SUPERINTENDING ENGINEER (WEST)

KW&SB

EXECUTIVE ENGINEER (WATER) SITE TOWN, KW&SB

OFFICE OF THE EXECUTIVE ENGINEER SITE TOWN (VICE SAME) KARACHI WATER & SEWERAGE BOARD

Estimate amount: -

Item Rate basis

Time limit

25 days

Penaty for delay:

1000/- P/day

Tender Cost Date of Opening: 09-02-18

Name of Work

REPLACEMENT OF 6" DIA WATER LINE 5-L QASBA COLONY UC-08 SITE TOWN

S. No	Description of Work	QTY		Rate	Per Unit	Amount in
			Rupees in Figures	Rupees in Words	/ Item	Rupees
1.	Dismantling and road cutting and removing	3350 Cft	605.00	Six hold fine	%Cft	20267.00
2.	Excavation for pipe line trenches & pits in all kinds of soils of murum i/c trimming and dressing sides true alignments & shape leveling of bed trenches to correct level and grade cutting joint holes & disposal of surplus earth within a one chain as directed by Engineer incharge. Providing fence guards lights, flags, and temporary crossing for nonvehicular traffic where ever required lift upto 5ft (1.52m) and lead upto 1 chain(30.5m) (0'-5')	14775.97 (Cft	4650.00	Four thereal Bus, ended fifty. Orley,	%0Cft	68 708.07
3	Full hire charges of pumping set per day pumping set 10 feet deep trench i/c wages of driver and Assistant fuel or electric energy plate form required for placing pump etc at lower depths with suction and delivery pipes for pumping out water found at various depth form trenches i/c cost of erection and dismantling after completion of the job. 10 HP	12 Days	1500.00	One thought five budged only.	P/Day	18000.0
4.	Providing Laying & fixing i/c fitting Jointing & testing etc complete in all respect the high density Polyethylene PE pipes (HDPE-100) for W/S confirming ISO-4427 Din 8074/8075 B.S 3580 PSI 3051 160mm thick(PN-10)	1340 Rft	530.00	Fui Indul	P/Rft	710200:
5.	C.I sluice valve heavy pattern (Test Pressure 21.0 kg/Sq.cm or 300 lbs/sq.inch) imported 6"dia	02 Nose	9360.00	Me thind three !.	Each	18720.
6.	Fixing of sluice valve with 2 tail pieces one end flange and one end socket with nuts bolts and rubber packing etc. complete. 6" dia	02 Nos-	2000.00	Two thousand	Each	4000.0
7.	Construction of C/C Block Masonry Chamber of 4"x 4'x4" deep (inside dimension) with 24"x24" Cl cover frame weighting 65 Kg fixed in RCC 1:2:4 slabs 6" thick with steel ½" dia both side tor main bars @ 6" thick c/c 1:3:6 flooring ½" dia thick cement plaster 1:6to all inside walls surface 1 ft deep upto roof slab including MS foot rest 5/8" dia bars every 2ft deep i/c curing excavation dewatering refilling		28400.00	Trucky Eight Thursday for hidused	Each	58800.
8.	and disposal of surplus earth etc complete. Repairing of leaking joints (external vatta) on PRCC pipe of various diameters. It includes the cost of excavation, labour, sealing material, gunny bages, de-watering and refilling of the excavated stuff etc complete. 12" dia	02 Nos.	9715.00	outer.	Each	0.09282
9.	Refilling of excavated stuff in trenches 6"thick layer i/c watering ramming to full compaction etc complete.	14775.97 (Cft	2760.07	The thank Sever had Sever Total Amount Rs.	%0Cft	40781,0

Executive Engineer (Water)

	Site Town, KW&SB
NOTE:- Contractor will abide all existing rules derms a condition of SPPRA Rules-2010 IWe hereby Quoted an Amount of Rs. 1997 Bendition of SPPRA Rules-2010 In words Course Ruley Fur Thousand Serve handrad &	my Six only
Signature of Contractor Stund 19 8 SOMS	, ,
Cell No. <u>0333-22/6904</u> Ali Muhammad & Sca	

Proprietor