


AHUSH MOHAMMAD

NO. L-72 LIB CITYNG WIGHIS Agreement With

ESTITE HUNDIES CRIPT

The this Agreement words and expression shall have the same meanings as are respectively assigned to them in the conditions of Contract hereinafter referred to.

- 2. The following documents which for the purpose of identification have been signed by MR.MUHAMMAD QAISER JAWAID on behalf of the contractor and by the **DY. MANAGING DIRECTOR(T/S)**, KW&SB, on behalf the EMPLOYER all of which shall be deemed to form and be read and construed as part of this Agreement.
- a). This Form of Agreement.
- ´ b). Employer letter Acceptance No.DMD/TS/SE/DK/W&S/KW&SB/2018/ dated: 18-5-2018.
 - c). The Tender.
 - d). The conditions of the Particular Application – Part-II-A & II-B.
 - e). The General Conditions - Part-I.
 - f). The Drawings.
 - The specifications and g).
 - h). The Priced Bill of Quantities.
 - i) Time period is 90 Days.
- In consideration of the payments to be made by the EMPLOYER to the CONTRACTOR has hereinafter mentioned, the CONTRACTOR hereby covenants WORK and to remedy any with the EMPLOYER to execute and complete the defects therein and maintaining the same in conformity in all respects with the provisions of the CONTRACT.
- THE EMPLOYER hereby covenants to pay to the CONTRACT in the manner prescribed by the CONTRACT.



IN WITNESS WHEREOF, the parties hereto have set their respective hands KHUSH MOHAMMAD US NO A BOURNAL TO KARACH

Signed, Sealed and Delivered by the.

For and on behalf of EMPEOTER

DEPUTY MANAGING DIRECTOR (T/S) K.W.&.S.B.


For and on behalf of CONTRACTOR

> MANAGING PARTNER M/S. M. AYAN & CO.

WITNESS OF EMPLOYER

SUPERINTENDING ENGINEER DISTRICT KOKANGI, KW&SB. WITNESS OF CONTRACTOR

EXECUTIVE ENGINEER (SEW) SHAH FAISAL TOWN, DISTRICT KORANGI K.W.&.S.B.



KHALID HUSSAIN STAMP VENDOR LIC NO.....SHOP # 17 BLOCKS, BACTE MAKE CITY KARACHI

ISSUED TO WITH ADDRESS:

THROUGH WITH ADDRES ME

VALUE RS:.....


STAMP VENDOS SIGNATURES

UTILIZED FOR THE WORK OF MUNDRED ONLY)

PROVIDING & LAYING OF (12" DIA) RCC RUBBER RING SEWER PIPES IN RETA PLOTS BLOCK-1, 2, 3 UC'S AREA OF SHAH FAISAL TOWN (SEW).

FOR AMOUNTING TO RS.8,10,749/= (RUPEES EIGHT LACS TEN THOUSAND SEVEN HUNDRED FORTY NINE ONLY).

M/S. M. AYAN & CO.



LIC. NO.....SHOP # 17
BLOCK-5-BAGH-A-MALIR CITY KARACHI ISSUED TO WITH ADDRESS THROUGH WITH ADDRESS MR PURPOSE:.... VALUE RS:

STAMP VENDOR SIGNATURE

5 MAY 2018

(RUPEES FIFTY ONLY)

........... UTILIZED FOR THE WORK OF

PROVIDING & LAYING OF (12" DIA) RCC RUBBER RING SEWER PIPES IN RETA PLOTS BLOCK-1, 2, 3 UC'S AREA OF SHAH FAISAL TOWN (SEW).

FOR AMOUNTING TO RS.8,10,749/= (RUPEES EIGHT LACS TEN THOUSAND SEVEN HUNDRED FORTY NINE ONLY).

M/S. M. AYAN & CO.

colon



KARACHI WATER & SEWERAGE BOARD

OFFICE OF THE EXECUTIVE ENGINEER (SEW), SHAH FAISAL TOWN, DISTRICT KORANGI

NO.EE/SEW/KT/DK/KW&SB/2018/44

Dated: 18-05-2018

M/s. M. Ayan & Co., Model Colony, Malir, Karachi.

WORK ORDER / L.O.C

SUBJECT:- PROVIDING & LAYING OF (12" DIA) RCC RUBBER RING SEWER PIPES IN RETA PLOTS BLOCK-1, 2, 3 UC'S AREA OF SHAH FAISAL TOWN (SEW).

Your Tender dated: **20-02-2018**, has been approved by the competent authority, KW&SB for amounting to **Rs.8,10,749/= (Rupees Eight Lacs Ten Thousand Seven Hundred Forty Nine Only).** You are therefore, requested to start the above mentioned works as per design and specification.

The each work is to be completed with **90 Days**, failing which penalty of **Rs.0.05% per day** will be imposed / recovered as per terms and conditions of the contract.

You are further requested to contact the Sub-Engineer / A.E.E, Shah Faisal Town (Sew), District Korangi, KW&SB, in connection with commencement of supervision for necessary instructions of the works.

EXECUTIVE ENGINEER (SEW)
SHAH FAISAL TOWN, DIST. KORANGI

Copy to :-

- 1. The DMD(T/S),KW&SB.
- 2. The Superintending Engineer, District Korangi, KW&SB.
- 3. The Budget Officer, KW&SB.
- 4. The Asstt. Director (LFA), KW&SB.
- 5. Office Copy.

SEW)
ANGI

DVIDING & LAYING OF (12" DIA) RCC RUBBER RING SEWER IPES IN RETA PLOTS BLOCK-1, 2, 3 UC'S AREA OF SHAH FAISAL TOWN (SEW).

DESCRIPTION	QTY.	RATE		RATE PER UNIT	
		Rupees in Figures.	Rupees in Words.	/ ITEM	RUPEES
inging the existing road			One Hundred	,	
ice."	2700 Sft	(116)	Sixteen	% Sft	3132
mantling and removing road				1	
ectalling.	2700 Cft (605)	Six Mudses Brive	% Cft	16335.00
Excavation for pipe line in trenches pits in all kind of soils of murum i/c trimming and dressing sides to true alignment and shape leveling of beds of trenches to correct level and grade, cutting joint holes and disposal of surplus earth within one chain as directed by Engineer Incharge. Providing fence guards, lights, flags and temporary crossing for non vehicular traffic where ever required lift upto 5ft (1.52 m) and lead upto one chain (30.5m).			For Munder		
Lift upto 0' to 5'	10800 Cft	(4650)	fifty	%0Cft	50220.0
Additional Lift upto 5' to 8'	4050 Cft	(5200)	Fire Thosa B Two Hund	f 400Cft	50720.0 21060.
Full hire charges of the pumping set per day inclusive of wages of driver and assistant fuel or electric energy platform required for placing pump etc at lower depth with suction and delivery pipe for pumping out water found at various depth from trenches i/c the cost of erection and dismantling after completion of					
the job and dismantling after completion of job of 10 HP from 10 feet depth trench.	10 Days	(1500)	One Than Pive Huds	P/Day.	15000.

(Continued on next page)

PTION	QTY.	RATE		PER UNIT	AMOUNT IN
	- · · · · · · · · · · · · · · · · · · ·	Rupees in Figures.	Rupees in Words.	/ ITEM	RUPEES
ying RCC pipes with Joint and fitting in cutting, fitting and h rubber ring i/c water to specified					
12" dia	900 Rft	(366)	Flirer Hundre String Six	P/Rft	329400
connection with the manhole in wall making food in C.C 1:2:4 and required channel etc			One Hard	Beer	
te. ing manhole 4ft dia (inside) inanhole covers 5 ft clear	03 Nos.	(120)	Sighty	Each	540. w
cast in situ with 1:2:4 9" wall 1:4:8 cement concrete ft dia and 6" inch thick in adation 1:2:4 C.C benching thick cement plaster and 1:3 ment mortar on all inside wall refaces of channel and benching					
top i/c making required Nos. of hain and branches channels 3/4" dia bars M.S footrest at 12" c/c cost of excavation, in all kind of soil, backfilling and disposal of excavated stuff etc. complete as per design and instruction of the			Thereen Thouse of Four Hand	y and	
Engineer Incharge. (Reduced Rate less C.I Frame)	17 Nos.	13470)	Severly	Each	228 990.
Add or Deduct for extra / less depth then 5 ft or 4ft dia manholes i/c footrest.	(+) 20 Ft	2538	Two Thouse Five Hund	Self P/Ft	S0760-
Refilling the excavated stuff in trenches 6" thick layer i/c watering ramming to full compaction etc complete.		(2760)	From House Six G	%0Cft	37837,

W.

(Continued on next page)

RATE PER UNIT Rupees in Figures. Rupeas in Figures. Rupeas in Figures. Rupeas in							
and Supplying RCC Ring if dia inside diameter 36" if dia tor steel bars two if rings with 3/8" dia 8 Nos if dia bars welded and two sunk ooks casted in 1:1-1/2:3 with embedded 15 Kg C.I in perfect position i/c ortation charges for an average if 20 km per trip from casting ito town offices (A minimum of 25 sper trip will be transported). If Nos. If No		SCRIPTION			RATE		AMOUNT IN
dia inside diameter 36" ameter 7.5" width and 6" 3/8" dia tor steel bars two frings with 3/8" dia 8 Nos ed bars welded and two sunk soks casted in 1:1-1/2:3 with embedded 15 Kg C.I. in perfect position i/c oftation charges for an average of 20 km per trip from casting to town offices (A minimum of 25 per trip will be transported). 17 Nos. 1903 Five Hundred 18 Slab in perfect position on maged manholes including cutting of amaged portion of manhole in proper hape and laying of cement mortar of 2" thickness and disposal of debris. Manufacturing & Supplying of 21" dia RCC manhole cover cast in 1:2:4 concrete ratio 3" inch deep for center reinforced with ½" dia tor steel bars at 4 c/c welded to 3/16" thick 2" wide MS plate two hook for 3/8" dia TOR bars including compacting ½ wide MS plate two hook for 3/8" dia TOR bars including compacting ½ curing and transportation in 10 miles. 21" dia 17 Nos. Each 15470						/ ITEM	RUPEES
Ameter 7.5" width and 6" \$\frac{3}{8}\text{8"} \text{dia tor steel bars two} \\ \text{rings with } 3/8" \text{dia 8 Nos} \\ \text{sed bars welded and two sunk} \\ \text{oks casted in 1:1-1/2:3} \\ \text{with embedded 15 Kg C.I} \\ \text{in perfect position i/c} \\ \text{ortation charges for an average} \\ \text{for town offices (A minimum of 25} \\ \text{per trip will be transported).} \\ \text{17 Nos.} \\ \text{17 Nos.} \\ \text{1963} \\ \text{Fime Each} \\ \text{32-325.} \\ \text{17 Nos.} \\ \text{Manufacturing to the site and fixing of 36" dia in perfect position on imaged manholes including cutting of imaged portion of manhole in proper hape and laying of cement mortar of 2" thickness and disposal of debris. \\ \text{Manufacturing & Supplying of 21" dia RCC manhole cover cast in 1:2:4 concrete ratio 3" inch deep for center reinforced with \(\frac{1}{2}\text{" dia tor steel bars at 4 c/c welded to 3/16" thick 2" wide MS plate two hook for 3/8" dia TOR bars including compacting i/c curing and transportation in 10 miles. \\ \text{21" dia 17 Nos.} \\ \text{17 Nos.} \\ 1							
rings with 3/8" dia 8 Nos de dars welded and two sunk soks casted in 1:1-1/2:3 with embedded 15 Kg C.I in perfect position i/c ortation charges for an average of 20 km per trip from casting to two offices (A minimum of 25 per trip will be transported). 17 Nos. 1901 Fine Each 32-385. Ifting to the site and fixing of 36" dia rig Slab in perfect position on maged manholes including cutting of amaged portion of manhole in proper hape and laying of cement mortar of 2" thickness and disposal of debris. Manufacturing & Supplying of 21" dia RCC manhole cover cast in 1:2:4 concrete ratio 3" inch deep for center reinforced with ½" dia tor steel bars at 4 c/c welded to 3/16" thick 2" wide MS plate two hook for 3/8" dia TOR bars including compacting i/c curing and transportation in 10 miles. 21" dia 17 Nos. Factor 1 State 1 St		ameter 7.5" width and 6"			·		
with embedded 15 Kg C.I in perfect position i/c ortation charges for an average of 20 km per trip from casting to town offices (A minimum of 25 per trip will be transported). 17 Nos. 17 Nos. 18 Nos. 19 OI Five Hundred 32-325. 18 Nos. 19 OI Five Hundred 32-325. 19 Nos. 10 Nos. 10 Nos. 10 Nos. 10 Nos. 10 Nos. 10 Nos. 11 Nos. 12 Nos. 12 Nos. 13 Nos. 14 Nos. 15 Nos. 15 Nos. 16 Nos. 17 Nos. 18 Nos. 18 Nos. 19 OI Five Hundred 19 Sach 10 Nos. 10 Nos. 10 Nos. 10 Nos. 10 Nos. 10 Nos. 11 Nos. 12 Nos. 12 Nos. 13 Nos. 14 Nos. 15 Nos. 15 Nos. 16 Nos. 17 Nos. 18 Nos. 18 Nos. 19 OI Five Hundred 19 OI Five Hundred 10 Nos. 10 Nos							
with embedded 15 Kg C.I in perfect position i/c oftation charges for an average of 20 km per trip from casting to town offices (A minimum of 25 sper trip will be transported). 17 Nos. 17 Nos. 17 Nos. 18 Line Hundred 32-3-25. 18 Line Hundred 32-3-25. 18 Line Hundred 32-3-25. 18 Line Hundred 4 Comanhole cover cast in 1:2:4 concrete ratio 3" inch deep for center reinforced with ½" dia tor steel bars at 4 c/c welded to 3/16" thick 2" wide MS plate two hook for 3/8" dia TOR bars including compacting i/c curing and transportation in 10 miles. 21" dia 17 Nos. 17 Nos. 18 Line Hundred Nume Hundred Nume Hundred Nume Hundred Nume Hundred Nume Hundred 17 Nos. Each 18 Nos. Each 18 Line Hundred Nume Hundred N							
fiting to the site and fixing of 36" dia ing Slab in perfect position on imaged manholes including cutting of amaged portion of manhole in proper shape and laying of cement mortar of 2" thickness and disposal of debris. Manufacturing & Supplying of 21" dia RCC manhole cover cast in 1:2:4 concrete ratio 3" inch deep for center reinforced with ½" dia tor steel bars at 4 c/c welded to 3/16" thick 2" wide MS plate two hook for 3/8" dia TOR bars including compacting i/c curing and transportation in 10 miles. 17 Nos. 17 Nos. 17 Nos. 18 Two Manufacturing & Supplying of 21" dia RCC manhole cover cast in 1:2:4 concrete ratio 3" inch deep for center reinforced with ½" dia tor steel bars at 4 c/c welded to 3/16" thick 2" wide MS plate two hook for 3/8" dia TOR bars including compacting i/c curing and transportation in 10 miles. 21" dia 17 Nos. Each 32325. 17 Nos. Fach 32325.		with embedded 15 Kg C.I					
fiting to the site and fixing of 36" dia ig Slab in perfect position on imaged manholes including cutting of amaged portion of manhole in proper shape and laying of cement mortar of 2" thickness and disposal of debris. Manufacturing & Supplying of 21" dia RCC manhole cover cast in 1:2:4 concrete ratio 3" inch deep for center reinforced with ½" dia tor steel bars at 4 c/c welded to 3/16" thick 2" wide MS plate two hook for 3/8" dia TOR bars including compacting i/c curing and transportation in 10 miles. 17 Nos. 17 Nos. 17 Nos. 18 Pach 18 Pach 32 325. 18 Pach 32 325. 18 Pach 32 325. 18 Pach 19 Pach 19 Pach 19 Pach 19 Pach 10 Pach 10 Pach 10 Pach 10 Pach 10 Pach 11 Nos. 11 Nos. 12 Pach 13 Pach 14 Pach 15 Pach 15 Pach 16 Pach 17 Nos. 18 Pach 19 Pach 19 Pach 19 Pach 19 Pach 10 Pac		200				1.	
fting to the site and fixing of 36" dia ig Slab in perfect position on imaged manholes including cutting of amaged portion of manhole in proper lape and laying of cement mortar of 2" thickness and disposal of debris. Manufacturing & Supplying of 21" dia RCC manhole cover cast in 1:2:4 concrete ratio 3" inch deep for center reinforced with ½" dia tor steel bars at 4 c/c welded to 3/16" thick 2" wide MS plate two hook for 3/8" dia TOR bars including compacting i/c curing and transportation in 10 miles. 17 Nos. 1963 Five Hundrol Fach 32-3-25. 18 Nos. 560 Sibry Each 9520.		20 km per trip from casting			One hus	and	
fiting to the site and fixing of 36" dia in Slab in perfect position on maged manholes including cutting of amaged portion of manhole in proper hape and laying of cement mortar of 2" thickness and disposal of debris. Manufacturing & Supplying of 21" dia RCC manhole cover cast in 1:2:4 concrete ratio 3" inch deep for center reinforced with ½" dia tor steel bars at 4 c/c welded to 3/16" thick 2" wide MS plate two hook for 3/8" dia TOR bars including compacting i/c curing and transportation in 10 miles. 21" dia 17 Nos. Fach Five Hundred Fiv				/ _ /) s		22.225
Ig Slab in perfect position on maged manholes including cutting of amaged portion of manhole in proper hape and laying of cement mortar of 2" thickness and disposal of debris. Manufacturing & Supplying of 21" dia RCC manhole cover cast in 1:2:4 concrete ratio 3" inch deep for center reinforced with ½" dia tor steel bars at 4 c/c welded to 3/16" thick 2" wide MS plate two hook for 3/8" dia TOR bars including compacting i/c curing and transportation in 10 miles. 21" dia 17 Nos. Each Five Hundral Fi			1/Nos.	(1903)	FINE	Each	30305.
Amaged portion of manhole in proper hape and laying of cement mortar of 2" thickness and disposal of debris. 17 Nos. Manufacturing & Supplying of 21" dia RCC manhole cover cast in 1:2:4 concrete ratio 3" inch deep for center reinforced with ½" dia tor steel bars at 4 c/c welded to 3/16" thick 2" wide MS plate two hook for 3/8" dia TOR bars including compacting i/c curing and transportation in 10 miles. 21" dia 17 Nos. Fach Five Mundred Five				•			
2" thickness and disposal of debris. 17 Nos. Manufacturing & Supplying of 21" dia RCC manhole cover cast in 1:2:4 concrete ratio 3" inch deep for center reinforced with ½" dia tor steel bars at 4 c/c welded to 3/16" thick 2" wide MS plate two hook for 3/8" dia TOR bars including compacting i/c curing and transportation in 10 miles. 21" dia 17 Nos. Each 9520.4 Nine fluidia Nine fluidia Fach 15470.4						11	
Manufacturing & Supplying of 21" dia RCC manhole cover cast in 1:2:4 concrete ratio 3" inch deep for center reinforced with ½" dia tor steel bars at 4 c/c welded to 3/16" thick 2" wide MS plate two hook for 3/8" dia TOR bars including compacting i/c curing and transportation in 10 miles. 21" dia 17 Nos. Each 13 20 . 4 Nuie Hurdin 15 17 Nos. Each		hape and laying of cement mortar of			five Hue		
RCC manhole cover cast in 1:2:4 concrete ratio 3" inch deep for center reinforced with ½" dia tor steel bars at 4 c/c welded to 3/16" thick 2" wide MS plate two hook for 3/8" dia TOR bars including compacting i/c curing and transportation in 10 miles. 21" dia 17 Nos. RCC manhole cover cast in 1:2:4 concrete ratio 3" inch deep for center reinforced with ½" dia tor steel bars at 4 c/c welded to 3/16" thick 2" wide MS plate two hook for 3/8" dia TOR bars including compacting i/c curing and transportation in 10 miles. Each			17 Nos.	(560)	Seaty	Each	4520.4
concrete ratio 3" inch deep for center reinforced with ½" dia tor steel bars at 4 c/c welded to 3/16" thick 2" wide MS plate two hook for 3/8" dia TOR bars including compacting i/c curing and transportation in 10 miles. 21" dia 17 Nos. Nos. Fach 15470.4.							•
4 c/c welded to 3/16" thick 2" wide MS plate two hook for 3/8" dia TOR bars including compacting i/c curing and transportation in 10 miles. 21" dia 17 Nos. Nue fluction 15470		concrete ratio 3" inch deep for center					
bars including compacting i/c curing and transportation in 10 miles. 21" dia 17 Nos. Each	•	4 c/c welded to 3/16" thick 2" wide			Nine Weeds		
and transportation in 10 miles. 21" dia 17 Nos. (410) Leu 15470					8	,	
		and transportation in 10 miles.	17 Nos	(410)	len	Fach	15470.0
	1		17 1003.		† ·	Laci	810748

and the second

EXECUTIVE ENGINEER (SEW)
SHAH FAISALTOWN, DISTRICT KORANGI
K.W.&.S.B.

I hereby quoted Amounting to Rs. 6 8/0749/ In words) Erglet Cacs

Thousand Seven Huelsed & fourty Nice only

Note :- All existing SPPRA Rule $\widehat{\mathrm{wN}}$ be abide.

Signature & Stamp of the Contractor CO.

Address

SINDH PUBLIC PROCUREMENT REGULATORY AUTHORITY CONTACT EVALUATION FORM TO BE FIILED BY ALL PROCURING AGENCICES FOR PUBLIC CONTRACTS OF WORKS. SERVICE & GOODS

1.	NAME OF THE ORGANIZATION/DEPTT.	KARACHI WATER & SEWERAGE BOARD
2.	PROVINCIAL GOVT/OTHER	
	TITLE OF CONTRACT 12 p Rec redeleer ring Son flots lelock-1, 2, 3 ucis on	Providing & laying ag
	120 Rec ruleloer ring Soi	ver sifes en seta
	flots lelsek-1, 2, 3 UC's an	en'af Stat Faison
	Tailey.	
3.	TENDER NUMBER	36508
4.	BRIEF DESCRIPTION OF CONTRACT	
5.	FORUM THAT APPROVED THE SCHEME	MD, 100 E833
6.	TENDER ESTIMATED VALUE	Rs 8,10,749/2
7.	ENGINEER'S ESTIMATE (Attached List of Buyers)	Rs: 8,11,965/2
8.	ESTIMATED COMPLETION PERIOD (As Per Contract)	Q O Days
9.	TENDER OPENED ON (DATE & TIME)	20-2-18 at ?:30 P.M
10.	NUMBER OF TENDER DOCUMENT SOLD Attached List of Buyers).	2_ Nos
11.	NUMBER OF BIDS RECEIVED	2_ Nos
12.	NUMBER OF BIDERS RESENT AT THE TIME OF OPENEIONG OF BIDS.	2- Nos
13.	BID EVALUTION REPORT (enclose copy).	Copy attached
14.	NAME AND ADDRESS OF THE SUCCSEEFUL BIDDER.	M/S: M. Syan & Co.
	M. NO! 2, Mat NO! 24/27, Madel	calony, Malis
	CONTRACT AWARD PRICE	Rs: 8,10,749/2
15. 16.	RANKING OF SUCCESSFUL BIDDER IN EVALUATION REPORT (i.e. 1 st , 2 nd , 3 rd Evaluation Bid)	1ST M/S: M. AJAN E.Co.
	•	2ND M/S: M. Stogie, & Brot
		2RD M/S

U	17. METHOD OPF PROCUREMENT USED(TICK C	ONE)
	Single Stage One Envelope Procedure. √	c/local /local
	Single Stage Two Envelope Procedure.	
	Two Stage Bidding Procedures	
	Two Stage Two Envelope Bidding Procedure	
PLEA	ASE SPEIFY OF ANY OTHER METHOD OF PROCUREMENT DISTRICT CONTRACTING/NEGOTIATION ETC. WITH BI	
	18. APPROVING AUTHORITY FOR AWARD OF CONTACT.	M.D.KW&SB
	19. WHETHER THE PROCUREMENT WAS INCLUPIAN?	UDED IN ANNUAL PROCUREMENT
	20. ADVERTSMENT:	Yes
	SPPRA Website (if yes, give date and SPPRA's tender number	NO L
	News papers (If Yes, give names of newspaper and dates)	Yes
	21 AVE TUDO OF CONTRACT	No t
	21 NATURE OF CONTRACT	
	22. WHETHER QUALIFACTION CRITERIA WAS INCLUDEECD IN BIDDING/TENDER DOCUMENT?	
	(If yes, enclose a copy).	
	23. WHETER EMAILUTION CRITERIA BID WAS INCLUDED IN BIDDING/TENDER DOCUMENTS? (If yes, enclose a copy).	Yes No √
	24. WHETHER APPROVAL OF COMPETENT AU USING A METHOD OTHER THAN OPEN CO	
	25. WAS BID SECURITY OBTAINED FROM ALL	Yes No V
	26. WHETHER THE SUCCESSFUL BID WAS LOV	Yes √ No No WEST EVALUATED BID/BEST
	EVALUATED BID (IN CASE OF CONSULTANCIES)	Yes V No
	27. WHETHER THE SUCCESSFUL BIDDER WAS	S TECHNICALLY COMPLAINT. Yes No
		Tes v No

28. WHET5HER NAMES OF THE BIDDERS AND THEIR C	QUOTED	PRICE V	VERE				
RADE OUT AT THE TIME OF OPENING OF BIDS?	Yes	1	No				
29. WHETHER CPY OF EVALUTION REPORT GIVEN TO	ER CPY OF EVALUTION REPORT GIVEN TO ALL BIDDERS?						
(Attach copy of the bid evaluation report).	Yes	V	No				
30. ANY COMPLAINTS RECEIVE (if yes, result there for)							
30. AIVI COM LAIVIS RECEIVE (II yes, result there for)	Yes			,			
	No	√					
31. ANY DEVIATION FROM SPECIFICATION GIVEN IN THE	TENDER	NOTICE.	/ DOCUME	:NT			
(if yes, given details).	Yes	T	BOCOM				
	No	17					
32. WAS THE EXTENSION MADE IN RESPONSE TIME?							
(if yes, given detailed reasons).	Yes	1					
	No.	1					
22 DEVIATION EDOM OHALIEICATION CRITERIA							
33. DEVIATION FROM QUALIFICATION CRITERIA (if yes, given detailed reason).	Yes	у 📆	il.	————			
	No	1	ini in.				
34. WAS IT ASSURED BY THE PROCURING AGENCY THAT	THE SELI	CTED FI	PM IS				
NOT BLACK LISTED?	1000000	NV	No	T			
		IDDIC 4		- CITE			
35. WAS A VISIT MADE BY ANY POFFICER/OFFICIAL OF THE SUPPLIER PREMISES IN CONNECTION WITH THE PROC							
ASCERTAINED REGARDING FINANCING OF VISIT, OF A							
(if yes, enclose a copy)	Yes		No	1			
36. WERE PROPER SAFEGUARDS PROVIDED ON MOBIL	LIZATIO	N ADVA	NCE				
PAYMENT IN THE CONTRACT (BANK	Yes	1	No	TV			
GURANTEE ETC.)?	100						
37. SPECIAL CONDITIONS, IF ANY.							
(if yes, given brief description).	Yes	T					
	No	1					
	110	1. `					
Signature & official stamp of							
Authorized officer							

FOR OFFICE USE ONLY

SPPRA, Block-No.8,Sindh Secretariat No.4-A,Court Road,Karchi. 021-9205356, 021-9205396 & fax 021-9206291

Tele:



KARACHI WATER & SEWERAGE BOARD

OFFICE OF THE DEPUTY MANAGING DIRECTOR (T/S) /

CHIEF ENGINEER (W&S)

1ST Floor Block-"B" 9th Mile Karsaz, Shahrah-e-Faisal Karachi.

No:DMD/TS/DK/KW&SB/ACCTT/2018/

Dated: -18-5-2018

M/s. M. Ayan & Co.,

House No.02, Plot No.24/27, Model Colony, Malir, Karachi.

LETTER OF ACCEPTANCE / SANCTION ORDER

SUBJECT:-

PROVIDING & LAYING OF (12" DIA) RCC RUBBER RING SEWER PIPES IN RETA PLOTS BLOCK-1, 2, 3 UC'S AREA OF SHAH FAISAL TOWN (SEW).

As conferred the powers of Chief Engineer (W&S), KW&SB delegated to undersigned by the Managing Director, KW&SB communicated vide O/O No.KW&SB/DMD/HRD&A/1141 dated: 26th October, 2016, on behalf of the employer, it is notified that following the approval of the Managing Director, Karachi Water & Sewerage Board, vide para-53/N, tender called upon through Authority's Website of SPPRA Rule-2010 under Serial NO.36508, as recommended by the Procurement Committee-I, KW&SB, vide para--29(01)/N to para-35(07)/N, your bid for the subject is hereby accepted for the sum of Rs.8,10,749/= (Rupees Eight Lacs Ten Thousand Seven Hundred Forty Nine by Only), duly concurred the Finance Department, para-41/N to para-50/N. The expenditure will be charged from the Head of Account **B.G.No. I-023-13**, for the year 2017-2018.

There is now binding contract between KW&SB and **M/s. M. Ayan** & Co.

In accordance with the General Condition of Contract, you are required to enter in to and execute a contract agreement on non judicial stamp paper for Rs.2,838/= @ 0.35%, within 03 days positively. This agreement shall be signed by the employer and M/s.~M.~Ayan~& Co.

Please be noted that 2% Performance Security may be provided in advance & remaining 8% Performance Security will be deducted from your bill for due fulfillment of defect liability.


All correspondence onward shall be carried out through Executive Engineer (Sew), Shah Faisal Town, District Korangi, KW&SB.

(ASAD ULLAH KHAN)
DEPUTY MANAGING DIRECTOR (T/S)

K.W.&.S.B.

Copy to :-

- 1. The Superintending Engineer, District Korangi, KW&SB.
- 2. XEN (Sew) Shah Faisal Town, District Korangi, KW&SB.
- 3. Office Copy.



KHALID HUSSAIN STAMP VENDOR LIC. NO......SHOP # 17 BLOCK-5, BAGH-E-MALIR CITY KARACHI

S.No: 27 51 Date:

CONTRACT AGREEMENT

ISSUED TO WITH ADDRESSIVE Made this 18th day of May 2018, in the THROUGHWITH ADDRESSIVE Two thousand Eighteen between the Karachi Water & PURPOSE: Sewerage Board of the City of the Karachi, as conferred the powers of Chief VALUE RS: Engineer (W&S). KW&SB delegated to Deputy Managing Director (T/S), STAMP VENDOF KW&SB communicated vide O/O NO.KW&SB/DMD/HRD&A/1141 dated: 26th October, 2016, hereinafter, called the Board (which expression shall include their successors) of the one part and as first Party M/S. M. AYAN & CO. having their office at House NO.02, Plot No.24/27 Model Colony Malir Karachi, Represented by the MR. MUHAMMAD QAISER JAWAID hereinafter called the "Contractor" (which expression shall wherever the context so admit or required be deemed to include their Executors. Administrators. Successors and permitted Assignees) on other part as second party.

WHEREAS the Employer is desirous to execute the work "PROVIDING & LAYING OF (12" DIA) RCC RUBBER RING SEWER PIPES IN RETA PLOTS BLOCK-1, 2, 3 UC'S AREA OF SHAH FAISAL TOWN (SEW)." UNDER KW&SB'S OWN FUNDED PROGRAMME, for RS.8,10,749/= (RUPEES EIGHT LACS TEN THOUSAND SEVEN HUNDRED FORTY NINE ONLY), for the construction and completion of such WORKS and the remedying of an defects therein. The tender called upon through Authority's Website of SPPRA Rule-2010 under Serial NO/36508,.

AND WHEREAS THE CONTRACTOR has already deposited 2% Pay Order for amounting to **Rs.20,000**/=, vide Pay Order No.**1574761** dated : **20-02-2018**, issued from **HBL- Drigh Colony Branch Karachi** remaining 8% for amounting to **Rs.61,075**/= will be deducted of **10% Performance Security as Security Deposit** from his bill, he same will be kept with the EMPLOYER till the maintenance period of the work for the due fulfillment of the CONTRACTOR. Further 1% Water Charges will also be deducted from his bill as per Standard Operating Procedure (SOP).