SINDH PUBLIC PROCUREMENT REGULATORY AUTHORITY CONTRACT EVALUATION FORM TO BE FAILED BY ALL PROCURING AGENCIES FOR PUBLIC CONTRACTS OF WORKS SERVICES & GOODS

1	NAME OF THE ORGANIZATION/ DEPTT	KARACHI WATER & SEWERAGE BOARD
2	PROVINCIAL / LOCAL GOVT/OTHER	
3	TITLE OF CONTRACT	REPLACEMENT OF SUNK DOWN PORTION 15" MAIN SEWERAGE PIPE LINE AT MASJID SUFAR UC-30 & 12" DIA SEWERAGE PIPE LINE AT SAWAT COLONY, UC-32 AT BALDIA TOWN
4	TENDER NUMBER	SPPRA SR. MO.36558
5.	BREIF DESCRIPTION OF CONTRACT	Improvement of Sew System at Baldia Town
6.	FORUM THAT APPROVED THE SCHEME	MD, KW&SB
7.	TENDER ESTIMATED VALUE	Rs.988775/-
8.	ENGINEER'S ESTIMATE (Attach list of buyers)	Rs.988775/-
9.	ESTIMATED COMPLETION PERIOD (As Per Contract)	25 Days
10	TENDER OPENED ON (DATE & TIME)	20-02-2018
11	NUMBER OF TENDER DOCUMENT SOLD (Attach list of Buyers)	Nos.
12	NUMBER OF BIDS RECEIVED	Nos.
13	NUMBER OF BIDDERS PRESENT AT THE TIME OF OPENING OF BIDS	Nos.
14	BID EVALUATION REPORT (enclose copy)	Attached
15	NAME AND ADDRESS OF THE SUCCESFUL BIDDER	M/S. YAR JAN & BROTHERS KARACHI
16	CONTRACT AWARD PRICE	Rs.988775/-

RANKING OF SUCCESFUL BIDDER IN EVALUATION REPORT (i>e. 1 st , 2 nd , 3 rd Evaluation bid)	1 st Lowest M/S. YAR JAN & BROTHERS 2 nd Lowest 3 RD Lowest
METHOD OF PROCUREMENT USED (Tick one)	
Single Stage one Envelope Procedure	Domestic /Local
Single Stage Two Envelope Procedure	
Two Stage Bidding Procedure	
Two Stage Two Envelope Bidding Procedure	
APPROVING AUTHORITY FOR AWARD OF CONTRACT	
WHETHER THE PROCUREMENT WAS INCLUDID I	NANNUAL PROCUREMENT PLAN?
ADVERTISEMENT:	YES V NO
SPPRS Website s, give date and SPPRA's tender number)	
Papers Yes give names of newspapers and dates)	
	'ES THROUGH WEBSITE
NATURE OF COMTRACT	LOCAL V INT.

18 METHOD OF PROCUREMENT USED (Tick one)
a) Single Stage one Envelope Procedure
b) Single Stage Two Envelope Procedure
c) Two Stage Bidding Procedure
d) Two Stage Two Envelope Bidding Procedure
19 APPROVING AUTHORITY FOR AWARD OF CONTRACT
20 WHETHER THE PROCUREMENT WAS INCLUDID IN ANNUAL PROCUREMENT PLAN?
21 ADVERTISEMENT: i) SPPRS Website
(if yes, give date and SPPRA's tender number)
News Papers ii) Yes give names of newspapers and dates) YES YES THROUGH WEBSITE No
22 NATURE OF CONTRACT
UCAL ✓ INT. 23 WHETHER QUALIFICATION CRITERIA WAS INCLUDED IN BIDDING TENDER DOCUMENT?
(if yes, enclose of copy) YES NO ✓
24. WHETHER EVALUATION CRITERIA BID WAS INCLUDED IN BIDDING TENDER DOCUMENT? (if yes, enclose of copy)

	OTHER THAN OPEN COMPETITIVE BIDDING?
	YES ✓ NO
26.	WAS BID SECURITY OBTAINED FROM ALL THE BIDDERS?
	YES V NO
27	WHETHER THE SUCCESFUL BID WAS LOWEST EVALUATED BID /BEST EVALUATED BID (in case of Consultancies) YES V NO
28	WHETHER THE SUCCESFUL BIDDER WAS TECHNICALLY COMPULAINT YES V NO
29	WHETHER NAME OF HE BIDDERS AND THEIR QUOTED PRICE WERE REAS OUT AT THE TIME OF OPENING OF BIDS?
30	WHETHER COPY OF EVALUATION REPORT GIVEN TO ALL BIDDERS?
31	ANY COMPLAINTS RECEIVED (if yes , result thereof) YES V NO YES NO
32	ANY DEVIATION FROM SPECIFICATION GIVEN IN THE TNEDER NOTICE / DOCUMENT (if yes, give details) YES No No
33	WAS THE EXTENTION MADE IN RESPONSE TIME? (if yes, give details reasons).
34	DEVIATION FROM QUALIFICATION CRITERIA (if yes , give detailed reasons)
35	WAS IT ASSURED BY THE PROCURING AGENCY THAT THE SELECTED FIRM IS NOT BLACK LISTED?
	YES V NO

25. WHETHER APPROVAL OF COMPETENT AUTHORITY WAS OBTAINED FOR USING A METHOD


WAS A VISIT MADE BY ANY OFFICER/OFFICIAL OF THE PROCURING AGENCY TO THE SUPPLIER PREMISES IN CONNECTION WITH THE PROCUREMENT? IF SO. DETAILED TO BE ASCERTAINED REGARDING FINANCING OF VISIT, OF ABROAD.

(if yes, enclose a copy)

YES	NO	✓

37	WERE PROPER SAFEGAURE CONTRACT (BANK GUARAN	S PROVIDED ON MOBILIZATION ADVANCE PAYMENT IN THE TEE ETC).
38	SPECIAL CONDITION IF ANY.	YES NO
	(if yes. give brief description)	YES No
		Parjort .
Sign	ature of Official Stamp of	Syed Zafar Hussain Executive Engineer Water/Sew KW&SB SITE TOWN
Auth	norized Officer	
FOR	OFFICE USE ONLY	

SPPRA Block- No. 8, Sindh Secretariat no. 4-A, Court Road, Karachi Tele: 0219205356,021-9205369 & Fax 021-9206291





OFFICE OF THE CHIEF ENGINEER (W&S) DISTRICT WEST KARACHI WATER & SEWERAGE BOARD

Room No270, 2nd Floor, Old KBCA Building Behind Civic Centre, Gulshan-e-Iqbal, Karachi

No. KW&SB/CE(W/S)/AO/WEST/2018/

Dated:__/_/2018

M/S. YAR JAN & BROTHERS Karachi.

LETTER OF ACCEPTANCE / SANCTION LETTER

SUBJECT:-

REPLACEMENT OF SUNK DOWN PORTION 15" MAIN SEWERAGE PIPE LINE AT MASJID SUFAH, UC-30 & 12" DIA SEWERAGE PIPE LINE AT

SAWAT COLONY, UC-32 AT BALDIA TOWN

REF:-

Your Tender Opened on 20-02-2018.

The under signed is pleased to convey sanction for an amount to Rs.988775/-(Rupees Nine Lac Eighty Eight Thousand Seven Hundred Seventy Five Only) for the subjected work under Rule SPPRA-2010, on item rate basis duly assessed by the Procurement/ Evaluation Committee-I KW&SB vide Para-27/N, financially concurred-in by finance department, KW&SB vide Para-26/N to 35/N and approved by MD, KW&SB vide Para-38/N The expenditure is chargeable to BG No.C-023-18 for the financial year-2017-2018. You shall be bound to abide time to time instruction issued by KW&SB.

You are therefore directed to furnish the Earnest Money amounting to Rs.19776/- being amount of 2% of sanction cost of the contract. You are further directed to contact concern Executive Engineer Office for execution of agreement, the value of stamp paper will be Rs.3461/- @ 0.35% sanctioned cost which should be produced by you. In case of failure, the sanction shall be stand cancelled and action as per Contractual rules shall be taken against you.

All correspondence onward shall be carried out through Deputy Managing Director (T/S), KW&SB.

DEPUTY MANAGING DIRECTOR (T/S)

Copy to:-

1-DIRECTOR ACCOUNTS, KW&SB. 2-ADLFA, KW&SB. 3-EE (Sew) (BALDIA TOWN), KW&SB. 4-OFFICE COPY.

C.C to:-

1. MD, KW&SB.



OFFICE OF THE EXECUTIVE ENGINEER (SEW) BALDIA TOWN KARACHI WATER & SEWERAGE BOARD

No. KW&SB/E.E/2018/ / 6 3

Dated: 28-4-2018

M/S. YAR JAN & BROTHERS, Karachi.

WORK ORDER

Subject:-

REPLACEMENT OF SUNK DOWN PORTION 15" MAIN SEWERAGE PIPE LINE AT MASJID SUFAH, UC-30 & 12" DIA SEWERAGE PIPE LINE AT SAWAT COLONY, UC-32 AT BALDIA TOWN.


The competent authority KW&SB has been approved amounting to Rs.988775/- (Rupees Nine Lac Eighty Eight Thousand Seven Hundred Seventy Five Only) on item rate basis and convey the sanction by Deputy Managing Director (T/S), KW&SB/CE(W/S)/AO/WEST/2018/ Dated: 7-0 9-10 Under Budget code No.C-023-18

You are hereby directed to start the work immediately and complete the same within 25 days time commencing from the date of issue of this letter in case the work is delayed or left in-complete within the stipulated time, penalty of Rs.1000/- per day shall be imposed as per work rules.

EXECUTIVE ENGINEER (SEW) BALDIA TOWN, KW&SB

Copy to:-

1-S.E (West), KW&SB. 2-Office Copy



ZEESHAN STAMP VENDOR

Licence No. 144, Shop No.A-6, Block-17. Ruft Heights Phase-I, Gulistan-e-Johar, Karachi.

2 3 APR 2018


s. No. 075786	to.	
ssued to With Address	CONTR	RACT AGREEMENT
Through With Address	MEHIN	W.C. / COINER
Purpose	D Ady	
Sanction Amo	unt Rs.9;88,775/-	
WARRY the Soul Gusten behalf divorce vendor not us		

THIS CONTRACT AGREEMENT (hereinafter called the "Agreement") made on the ______ day of ______ 2018 between The Karachi Water & Sewerage Board represented by it's The Deputy Managing Director (T/S), KW&SB (hereinafter called the "Employer") of the one part and M/S. YAR JAN & BROTHERS (hereinafter called the "Contractor") of the other part.

WHEREAS the Employer is desirous that certain Works, viz "REPLACEMENT OF SUNK DOWN PORTION 15" MAIN SEWERAGE PIPE LINE AT MASJID SUFAH, UC-30 & 12" DIA SEWERAGE PIPE LINE AT SAWAT COLONY, UC-32 AT BALDIA TOWN" Should be executed by the Contractor and has accepted a Bid by the Contractor for the execution and completion of such Works and the remedying of any defects therein.

NOW This Agreement witnessed as follows:-

- 1. In this Agreement words and expressions shall have the same meanings as are respectively assigned to them in the Conditions of Contract hereinafter referred to.
- 2. The following documents after incorporating addenda, if any except those parts relating to Instructions to Bidders, shall be deemed to form and be read and construed as part of this Agreement, viz:
 - (a) The Letter of Sanction
 - (b) The completed Form of Bid along with Schedules to Bid:
 - (c) Conditions of Contract & Contract Data:
 - (d) The priced Schedule of Prices.
 - (e) The Specification: and
 - (f) The Drawings



ZEESHAN STAMP VENDOR Licence No. 144, Shop No.A-6, Block-17, Rufi Herahis Phase-1, Gulistan-e-Johar, Karachi.

2 0 APR 2018

Rupees one thousand only

PAHD MENWOOD Through With Address.

Page-2

REPLACEMENT OF SUNK DOWN PORTION 15" MAIN SEWERAGE PIPE mps Vendor's Signature,....LINE..AT. MASJID SUFAH, UC-30 & 12" DIA SEWERAGE PIPE LINE AT SAWAT COLONY, UC-32 AT BALDIA TOWN

- In consideration of the payments to be made by the Employer to the Contractor as hereinafter 3. mentioned, the Contractor hereby covenants with the Employer to execute and complete the Works and remedy defects therein in conformity and in all respects within the provisions of the Contract.
- The Employer hereby covenants to pay to the Contractor, in consideration of the execution and completion of the Works as per provision of the Contract, the Contract Price or such other sum as may become payable under provisions of the Contract at the times and in the manner prescribed by the Contract.

IN WITNESS WHEREOF, the parties hereto have caused this Contract Agreement to be executed on the day, month and year first before written in accordance with their respective laws.

Signature of the Contractor

Proprietor

M/S. YAR JAN & BROTHERS. KARACHI

Signature of Employer

DEPUTY MANAGING DIRECTOR (T/S)


KW&SB

WITNESS

WITNESS:

SUPERINTENDING ENGINEER (WEST) KW&SB

EXECUTIVE ENGINEER (SEW) BALDIA TOWN, KW&SB



ZEESHAN STAMP VENDOR Licence No. 144, Shop No.A-6, Block-17. Rufi Heights Phase-1, 64 157819-Johan, Karachi

I de: Dette
Issued to With Address
Ilwaugh With Address
Purpose
Value Rs. Attached
Stemps Vendor's Signature.
Molforuse Senh discontact Molforuse Se

2 3 APR 2018



OFFICE OF THE EXECUTIVE ENGINEER BALDIA TOWN (SEW) KARACHI WATER & SEWERAGE BOARD

Estimate amount:- Item Rate basis Time limit 25 days Penalty for delay: 1000/- P/day
Tender Cost : 100
Date of Opening: 1000/

Name of Work:-

Replacement of sunk down portion 15" main sewerage pipe line at Masjid Sufah, UC-30 & 12"

Description of Work Dismantling and removal road matling Excavation for pipe line in trenches and pits in all kind of soils of murum i/c trimming and dressing sides to true alignment & shape leveling of beds of trenches to correct level & grade cutting joint holes & disposal of surplus earth with in a one chain as directed by Engineer Incharge. Providing fence guards, light flags and temporary crossings for non-vehicular traffic where ever required lift upto 5 ft (1.52m) and upto chain (30.5m) O'-5' Depth 5'-8' Depth 8'-11' Depth 11'-14' Depth	290 Rft 320 Rft	5202/2 5730/3 6300/2	For Kund Sylled figg. For Kund Sylled figg. Frie then to bedwely. Frie then Sow Hade to get Sur hand the board. For board hely Sox. The haded they Sox.	Per Unit / Item % Cft % OCft % OCft % OCft % OCft P/Rft P/Rft	### Amount in Rupees 21084/5 \$1026/5 \$1026/5 44850/5 39071/5 19183/5 126440/5 117440/
Excavation for pipe line in trenches and pits in all kind of soils of murum i/c trimming and dressing sides to true alignment & shape leveling of beds of trenches to correct level & grade cutting joint holes & disposal of surplus earth with in a one chain as directed by Engineer Incharge. Providing fence guards, light flags and temporary crossings for non-vehicular traffic where ever required lift upto 5 ft (1.52m) and upto chain (30.5m) 0'-5' Depth 5'-8' Depth 8'-11' Depth 11'-14' Depth	17425 Cft 8625 Cft 6795 Cft 3045 Cft 290 Rft 320 Rft	605/2 44.50/2 5250/2 5750/3 6300/2	For Hund Sould of By. Free there to be beden only. Free Hund Sur Hunder to Son Rund Kiel broke. For Handed Hully Sop.	% Cft %0Cft %0Cft %0Cft %0Cft	81026/2 44850/= 39071/= 19183/;
kind of soils of murum i/c trimming and dressing sides to true alignment & shape leveling of beds of trenches to correct level & grade cutting joint holes & disposal of surplus earth with in a one chain as directed by Engineer Incharge. Providing fence guards, light flags and temporary crossings for non-vehicular traffic where ever required lift upto 5 ft (1.52m) and upto chain (30.5m) 0'-5' Depth 5'-8' Depth 8'-11' Depth 11'-14' De	8625 Cft 6795 Cft 3045 Cft 290 Rft 320 Rft	5202/2 5730/3 6300/2	Free there to leder very. Free there & Sur Head to Box build there had " For thanked there Sop.	%0Cft %0Cft P/Rft	126440/
Providing laying RCC pipe with (Rubber Ring) joint and fitting in trench i/c cutting fitting and jointing with rubber ring i/c testing with water to specified pressure. 15" dia Providing manhole 4' (inside) with CI frame (15 kg) 5ft clear depth cast in situ 1:2:4 in 9" thick wall	290 Rft 320 Rft	(436/2)	For Maded Muly Sox.	P/Rft	126440/
and fitting in trench i/c cutting fitting and jointing with rubber ring i/c testing with water to specified pressure. 15" dia 12" dia Providing manhole 4' (inside) with CI frame (15 kg) 5ft clear depth cast in situ 1:2:4 in 9" thick wall	320 Rft	(436/2) 2367/2	For thanked thereof Sox.		1 '
Providing manhole 4' (inside) with CI frame (15 kg) 5ft clear depth cast in situ 1:2:4 in 9" thick wall			//		
c.c. in benching ½" thick cement plastering with 1:3 mortor or inside wall surface of channel & benching i/c making required nose of main and branch channels, ¾ "dia bars MS foot rest at 12" c/c including cost of excavation in all kind of soil backfilling and disposal of excavated stuff etc complete. as per design specification and		145291	Inli that fire later	2	174348-
instruction of the engineer incharge.	12 Nos.	7		Each P/Rff	1-(0)
Add of deduct per it deptil.	-MM	2538/2)	Miles bight	17781	228420/
Making connection with the existing M/hole i/c the cost of cutting holes in walls making them good in cement concrete 1:2:4 and making the required channel etc. complete	30 Nos.	180/2	on brode Egaly	Each	5400/
Refilling the excavated stuff in trenches 6" thick layer i/c watering ramming to full compaction etc	34984 Cft	2760/2		%0 Cft	96555/
Full hire charges of the pumping set per day inclusive of wages of driver and Assistant fuel or electric energy plate form required for placing the pumps etc at lower depth with suction and delivery pipes for pumping out water found at various depth			On their of		
dismantling after completion of the job. (i) Hire charges of pumping set of upto 10HP pumping out water from 10 feet deep trench.	16 Days	(300/2)	hand org	P/Day	24000/2
manhole covers cast in 1:2:4 concrete ratio 3" deep at the center, reinforced with ½" dia MS bars with 4" c/c welded to 3/10" dia thick 2" wide MS plate and two hook of 3/8" dia for bars i/c compacting i/c cutting and transportation within 10	12.12	913/2	Alie Hride Muli	Fach	10956/:
	c.c. in benching ½" thick cement plastering with 1:3 mortor or inside wall surface of channel & benching i/c making required nose of main and branch channels, ¾ "dia bars MS foot rest at 12" c/c including cost of excavation in all kind of soil backfilling and disposal of excavated stuff etc complete, as per design specification and instruction of the engineer incharge. Add or deduct per ft depth. Making connection with the existing M/hole i/c the cost of cutting holes in walls making them good in cement concrete 1:2:4 and making the required channel etc, complete. Refilling the excavated stuff in trenches 6" thick layer i/c watering ramming to full compaction etc complete. Full hire charges of the pumping set per day inclusive of wages of driver and Assistant fuel or electric energy plate form required for placing the pumps etc at lower depth with suction and delivery pipes for pumping out water found at various depth from trenches i/c the cost of erection and dismantling after completion of the job. (i) Hire charges of pumping set of upto 10HP pumping out water from 10 feet deep trench. Manufacturing and Supplying of 21" dia RCC manhole covers cast in 1:2:4 concrete ratio 3" deep at the center, reinforced with ½" dia MS bars with 4" c/c welded to 3/10" dia thick 2" wide MS plate and two hook of 3/8" dia for bars i/c	c.c. in benching ½" thick cement plastering with 1:3 mortor or inside wall surface of channel & benching i/c making required nose of main and branch channels, ¾ "dia bars MS foot rest at 12" c/c including cost of excavation in all kind of soil backfilling and disposal of excavated stuff etc complete, as per design specification and instruction of the engineer incharge. Add or deduct per ft depth. Making connection with the existing M/hole i/c the cost of cutting holes in walls making them good in cement concrete 1:2:4 and making the required channel etc, complete. Refilling the excavated stuff in trenches 6" thick layer i/c watering ramming to full compaction etc complete. Full hire charges of the pumping set per day inclusive of wages of driver and Assistant fuel or electric energy plate form required for placing the pumps etc at lower depth with suction and delivery pipes for pumping out water found at various depth from trenches i/c the cost of erection and dismantling after completion of the job. (i) Hire charges of pumping set of upto 10HP pumping out water from 10 feet deep trench. Manufacturing and Supplying of 21" dia RCC manhole covers cast in 1:2:4 concrete ratio 3" deep at the center, reinforced with ½" dia MS bars with 4" c/c welded to 3/10" dia thick 2" wide MS plate and two hook of 3/8" dia for bars i/c compacting i/c cutting and transportation within 10	c.c. in benching ½" thick cement plastering with 1:3 mortor or inside wall surface of channel & benching i/c making required nose of main and branch channels, ¾ "dia bars MS foot rest at 12" c/c including cost of excavation in all kind of soil backfilling and disposal of excavated stuff etc complete, as per design specification and instruction of the engineer incharge. Add or deduct per ft depth. Making connection with the existing M/hole i/c the cost of cutting holes in walls making them good in cement concrete 1:2:4 and making the required channel etc, complete. Refilling the excavated stuff in trenches 6" thick layer i/c watering ramming to full compaction etc complete. Full hire charges of the pumping set per day inclusive of wages of driver and Assistant fuel or electric energy plate form required for placing the pumps etc at lower depth with suction and delivery pipes for pumping out water found at various depth from trenches i/c the cost of erection and dismantling after completion of the job. (i) Hire charges of pumping set of upto 10HP pumping out water from 10 feet deep trench. Manufacturing and Supplying of 21" dia RCC manhole covers cast in 1:2:4 concrete ratio 3" deep at the center, reinforced with ½" dia MS bars with 4" c/c welded to 3/10" dia thick 2" wide MS plate and two hook of 3/8" dia for bars i/c compacting i/c cutting and transportation within 10	c.c. in benching 1/2" thick cement plastering with 1:3 mortor or inside wall surface of channel 8 benching i/c making required nose of main and branch channels, 1/2" dia bars MS foot rest at 12" c/c including cost of excavation in all kind of soil backfilling and disposal of excavated stuff etc complete, as per design specification and instruction of the engineer incharge. Add or deduct per ft depth. Making connection with the existing M/hole i/c the cost of cutting holes in walls making them good in cement concrete 1:24 and making the required channel etc, complete. Refilling the excavated stuff in trenches 6" thick layer i/c watering ramming to full compaction etc complete. Full hire charges of the pumping set per day inclusive of wages of driver and Assistant fuel or electric energy plate form required for placing the pumps etc at lower depth with suction and delivery pipes for pumping out water from 10 feet deep trench. Manufacturing and Supplying of 21" dia RCC manhole covers cast in 1:2:4 concrete ratio 3" deep at the center, reinforced with 1/2" dia MS bars with 4" c/c welded to 3/10" dia thick 2" wide MS plate and two hook of 3/8" dia for bars i/c compacting i/c cutting and transportation within 10 miles. 21" dia Crule I/hur fix Lur Full hird fix Lur Full hird fix Lur Full hire charges of the pumping set of upto 10HP pumping out water from 10 feet deep trench. Manufacturing and Supplying of 21" dia RCC manhole covers cast in 1:2:4 concrete ratio 3" deep at the center, reinforced with 1/2" dia MS bars with 4" c/c welded to 3/10" dia thick 2" wide MS plate and two hook of 3/8" dia for bars i/c compacting i/c cutting and transportation within 10 miles. 21" dia Two lhur fix Lur Full hird fix Lur Full hire charges of pumping set of upto 10HP Jay 12 Nos. Two lhur fix Lur Full hire charges of pumping set of upto 10HP Jay 12 Nos. Two lhur fix Lur Full hire charges of pumping set of upto 10HP Jay 12 Nos. Two lhur fix Lur Full hire fix Lur Full hire charges of the pumping set of upto 10HP	c.c. in benching ½" thick cement plastering with 1:3 mortor or inside wall surface of channel & benching ½" dia bars MS foot rest at 12" c/c including cost of excavation in all kind of soil backfilling and disposal of excavated stuff etc complete, as per design specification and instruction of the engineer incharge. Add or deduct per fl depth. Making connection with the existing M/hole i/c the cost of culting holes in walls making them good in cement concrete 1:2:4 and making the required channel etc, complete. Refilling the excavated stuff in trenches 6" thick layer i/c watering ramming to full compaction etc complete. Full hire charges of the pumping set per day inclusive of wages of driver and Assistant fuel or electric energy plate form required for placing the cumps etc at lower depth with suction and delivery pipes for pumping out water found at various depth from trenches i/c the cost of erection and dismantling after completion of the job. (i) Hire charges of pumping set of upto 10HP pumping out water from 10 feet deep trench. Manufacturing and Supplying of 21" dia RCC manhole covers cast in 1:2:4 concrete ratio 3" deep at the center, reinforced with ½" dia MS bars with 4" c/c welded to 3/10" dia thick 2" wide MS plate and two hook of 3/8" dia for bars i/c compacting i/c cutting and transportation within 10

BALDIA TOWN, KW&SB NOTE:- Contractor will abide all existing rules terms & condition of SPPRA Rules-2010.

I/We hereby Quoted an Amount of Rs...

On item rate basis. I/We hereby Quoted an Amount of Rs...
In wards(Nw. w. Ka Signature of Contractor Address: Cell No. U VAR JAAN & BROTHERS

EXECUTIVE ENGINEER (SEW)

Proprietor

Tender Received in Sealed Cover & Opened By Procurement Committee-1	
P.O of the Bid Security Amount Rs. 20,000 PO No. 19526260 ate. 14/2/18	
Rs. P.O No. Date.	
Bank Name HBL 19 my ha Market Branch Thousand Seven Hundrad Seventy Three	Only)
No Cutting or Oversetting Appears. Above/Below the Sab 名(tion Rate Basis)	
AD HA). KMC	
AC D-VIII KWASB Member Member	
Director (Design & Estimato), KW&SB	
SE (D-M'est) KW&SB Membet Convener/ Chairman	Ų,
Michigan	

 \hat{z}_{i}