SINDH PUBLIC PROCUREMENT REGULATORY AUTHORITY

CONTRACT EVALUATION FORM

TO BE FILLED IN BY ALL PROCURING AGENCIES FOR PUBLIC CONTRACTS OF WORKS, SERVICES & GOODS

| | | KARACHI WATER & SEWERAGE BOARD |
|-----|--|---|
| 1) | NAME OF THE ORGANIZATION / DEPTT. | (|
| 2) | PROVINCIAL / LOCAL GOVT./ OTHER | DELIABILITATION/ DEDI ACENTATION OF DESCRIPTION |
| 3) | TITLE OF CONTRACT | REHABILITATION/ REPLACEMENT OF DEFECTED |
| 4) | TENDER NUMBER | SPPRA Sr No.36560 I.D No |
| 5) | BRIEF DESCRIPTION OF CONTRACT | Replacement of deffected sewerage system |
| 6) | FORUM THAT APPROVED THE SCHEME | Managing Director KW&SB |
| 7) | TENDER ESTIMATED VALUE | Rs.9,82,,665/= |
| 8) | ENGINEER'S ESTIMATE (For civil works only) | Rs.9,82,665/= |
| 9) | ESTIMATED COMPLETION PERIOD (AS P | PER CONTRACT) 10 days |
| | TENDER OPENED ON (DATE & TIME) | 20-02-2018 |
| | NUMBER OF TENDER DOCUMENTS SOLI | 2 (Two) |
| 11, | (Attach list of buyers) | |
| 12) | NUMBER OF BIDS RECEIVED | 2 (Two) |
| | NUMBER OF BIDDERS PRESENT AT THE | TIME OF OPENING OF RIDS 2 (Two) |
| 15) | NOWIDER OF BIDDERS FRESENT AT THE | |
| 14) | BID EVALUATION REPORT (Enclose a copy) | Copy Attached |
| 15) | NAME AND ADDRESS OF THE SUCCESSE | FUL BIDDER M/S Trust Construction Co |
| 16) | CONTRACT AWARD PRICE | Rs.9,82,484/= |
| 17) | RANKING OF SUCCESSFUL BIDDER IN E (i.e. 1 st , 2 nd , 3 rd EVALUATION BID). | M/S Trust Construction Co |
| | | M/S Safeer Enterprises |
| | | |
| 18) | METHOD OF PROCUREMENT USED : - (T | ick one) |
| | a) SINGLE STAGE – ONE ENVELOPE | E PROCEDURE Domestic/ Local |
| | b) SINGLE STAGE – TWO ENVELOP | E PROCEDURE |
| | c) TWO STAGE BIDDING PROCEDU | RE |
| | d) TWO STAGE – TWO ENVELOPE B | BIDDING PROCEDURE |
| | | |
| | PLEASE SPECIFY IF ANY OTHER | METHOD OF PROCUREMENT WAS ADOPTED i.e. |
| | EMERGENCY, DIRECT CONTRACTIN | NG ETC. WITH BRIEF REASONS: |

| | | | ٨ | M.D KW&SB |
|-----|---------|---|--------------|------------------------------------|
| 19) | APPRO | VING AUTHORITY FOR AWARD OF CONTR | ACT_ | |
| 20) | WHETI | HER THE PROCUREMENT WAS INCLUDED I | N ANN | NUAL PROCUREMENT PLAN? Yes No |
| 21) | ADVER | RTISEMENT: | | |
| | i) | SPPRA Website (If yes, give date and SPPRA Identification No.) | Yes | Serial No 36560 |
| | | (a. y. os, g. v. cana and or rad radianted and radi | No | |
| | ii) | News Papers (If yes, give names of newspapers and dates) | Yes | S |
| | | | ₩o | |
| 22) | NATUR | RE OF CONTRACT | | Demestic/ Local Int. |
| 23) | WAS IN | HER QUALIFICATION CRITERIA NCLUDED IN BIDDING / TENDER DOCUMEN enclose a copy) | TS? | Yes No |
| 24) | WAS IN | HER BID EVALUATION CRITERIA NCLUDED IN BIDDING / TENDER DOCUMEN enclose a copy) | TS? | Yes No |
| 25) | WHETH | HER APPROVAL OF COMPETENT AUTHORIT DD OTHER THAN OPEN COMPETITIVE BIDD | Y WA ING? | AS OBTAINED FOR USING A Yes No |
| 26) | WAS B | ID SECURITY OBTAINED FROM ALL THE BI | DDER | RS? Yes No |
| 27) | | HER THE SUCCESSFUL BID WAS LOWEST EYEST EVALUATED BID (in case of Consultancies | | JATED Yes No |
| 28) | WHETE | HER THE SUCCESSFUL BIDDER WAS TECHN JIANT? | IICAL | LLY Yes No |
| 29) | | HER NAMES OF THE BIDDERS AND THEIR ME OF OPENING OF BIDS? | QUOT | TED PRICES WERE READ OUT AT Yes No |
| 30) | WHETE | HER EVALUATION REPORT GIVEN TO | BIDD | DERS BEFORE THE AWARD OF |
| | (Attach | copy of the bid evaluation report) | | Yes No |

| 31) ANY COMPLAINTS RECEIVED (If yes, result thereof) | Yes | |
|--|--------|----------------------------------|
| | No | - |
| 32) ANY DEVIATION FROM SPECIFICATIONS GIVEN IN | THE TE | ENDER NOTICE / DOCUMENTS |
| (If yes, give details) | Yes | |
| | No | |
| 33) WAS THE EXTENSION MADE IN RESPONSE TIME? (If yes, give reasons) | Yes | |
| | No | |
| 34) DEVIATION FROM QUALIFICATION CRITERIA (If yes, give detailed reasons.) | Yes | |
| | No | |
| 35) WAS IT ASSURED BY THE PROCURING AGENCY BLACK LISTED? | THAT | THE SELECTED FIRM IS NOT Yes No |
| 36) WAS A VISIT MADE BY ANY OFFICER/OFFICIAL OF SUPPLIER'S PREMISES IN CONNECTION WITH THE BE ASCERTAINED REGARDING FINANCING OF VISION | PROCU | JREMENT? IF SO, DETAILS TO |
| (If yes, enclose a copy) | | Yes No |
| 37) WERE PROPER SAFEGUARDS PROVIDED ON MOB THE CONTRACT (BANK GUARANTEE ETC.)? | ILIZAT | TON ADVANCE PAYMENT IN Yes No 1 |
| 38) SPECIAL CONDITIONS, IF ANY (If yes, give Brief Description) | Yes | |
| 2012-1 | No | |
| Signature & Official Stamp of Authorized Officer Signature & Official Stamp of Authorized Officer Signature & Official Stamp of Executive Engineer (Sew) Guisman John Division | | |
| FOR OFFICE USE ONLY | | |
| | | |

<u>SPPRA, Block. No.8, Sindh Secretariat No.4-A, Court Road, Karachi</u> Tele: 021-9205356; 021-9205369 & Fax: 021-9206291

Print

Save

Reset



KARACHI WATER AND SEWERAGE BOARD OFICE OF THE EXECUTIVE ENGINEER, (Sew) GULISTAN-E-JAUHAR DIVISION PUMP STATION BLOCK-01 GULISTAN-E-JAUHAR, KARACHI.

NO.EE/GJD/SEW/KW&SB/2017-18/33

DATED:- 19-06-2018

M/S TRUSTCONSTRUCTION CO. A-231, BLOCK-H, NORTH NAZIMABAD, Karachi

WORK ORDER / L.O.C.

SUBJECT:

REHABILITATION/ REPLACEMENT OF DEFECTED SEWERAGE SYSTEM 12" DIA & 08" DIA RCC PIPE AT DIFFERENT PORTION OF BLOCK-14 & DIFFERENT BLOCKS OF GULISTAN-E-JAUHAR DIVISION.

Your tender dated: <u>20-02-2018</u>, has been approved by the Competent Authority, KW&SB on item rate basis for amounting to Rs.9,82,484/=(Rupees Nine Lacs Eighty Two Thousand Four Hundred & Eighty Four Only) . You are therefore , requested to start the above mentioned work as per design and specification.

The work is to be completed with (10) days, failing which penalty of Rs.1000/= per day will be imposed/recovered as per terms and conditions of the contract.

You are further requested to contact the concerned A.E.E., in connection with commencement of supervision for necessary instruction of the work.

(ASHFAQ HUSSAIN)

GULISTAN-E-JAUHAR (DIV)

KW&SB

Copy to:-

1. Superintending Engineer, District East-B, KW&SB.

Accountant Officer, District East-B, KW&SB.

3. A.O. (Budget)

Office Copy.

RACHI WATER & SEWERAGE BOARD OFFICE OF THE DIRECTOR (DESIGN & ESTIMATE)

| Din - | - OVIDE | MI NO |
|----------|------------|------------|
| DID EVAL | HARVE | SIGN & EST |
| | JUATION RE | PODE |

| 1 | Name of Procus | EVALUATION REPORT |
|------|--|--|
| 3 | Tender Description/No. | SPPRA Serial No.36560 LD No. OF REHABILITATION / REPLACEMENT OF R.C.C. PIPE |
| 4 | Method of Procurement: | GULISTAN E DIFFERENT BLOCKS OF |
| 5 | Tender Published: | SHIVE ION |
| 6 | Total Bid Documents Sold: | Through SPPRA Web Site |
| 7 | Total Bid Received: | 2 Nos |
| 8 | Technical Bid Opening Date | 2 Nos |
| | 1 (11 applicable): | N/A |
| 9 | No. of Bid Technically Qualified (if applicable) | N/A |
| 10 | Bid (s) Rejected: | NIL |
| . 11 | Financial Bid Opening Date: | 20-02-2018 |
| 12 | BID EVALUATION REPORT | |

| me of Firm / Bidder | COST OFFERED BY THE BIDDER | RANKING IN TERMS | | | |
|--|-------------------------------|---------------------------|--------------------------------|--|--|
| The state of the s | | OF COST | ESTIMATED COST | REASON FOR ACCEPTANCE / REJECTION | REMARKS |
| Trust truction | Rs. 9,82,484/- | l st Lowest | @0.018% Below | Pay Order and required documents are attached. P.O # 19702570 dt:15-01- 2018 Rs.20,100/-from HBL Nazimabad Branch Karachi | Substantially Responsive |
| | | Lowest | Above | Pay Order and required documents are attached. P.O # 19702596 dt:20-01-2018 Rs.20.200/-from HBL Nazimabad Branch Karachi | Substantially Responsive |
| pı _ | rișes | rises Rs.10,09,851/- | rises Rs. 10,09,851/- Lowest | ises As. 10,09,8317- Lowest Above | feer Rs. 10,09,851/- 2nd Q2.767% Pay Order and required documents are attached. P.O # 19702596 dt:20-01- |

The all concerned bidders are being informed accordingly.

The E.E Concerned for compliance of Rule-45 of SPPRA 2010 M/s. Trust Construction Co. declared as the lowest responsive bidder by the Committee and recommended for sanction from Competent Authority.

(S.M Rizwan Rizvi) D.A.O (District East) Member / Secretary

(Saif-ul-Haque) Additional Director Internal Audit - KMC Member

(Magsood Ahmed Shaikh) Superintending Engineer (KMC) Member

(Imdad Hussain Magsi) S.E (District East-B) Member

(Munir Ahmed Bhatti) Director (Design & Estimate) Convener

KARACHI WATER & SEWERAGE BOARD

OFFICE OF THE DEPUTY MANAGING DIRECTOR (T/S) /

CHIEF ENGINEER (W&S)

1ST Floor Block-"B" 9th Mile Karsaz, Shahrah-e-Faisal Karachi.

D:DMD/TS/DE-B/KW&SB/ACCTT/2018/ 103

Dated: -19-06-18

s. Trust Construction Co.,

s. Trust Construction Co., 31, Block-H, North Nazimabad, achi.

LETTER OF ACCEPTANCE / SANCTION ORDER

DECT:-

REHABILITATION / REPLACEMENT OF DEFECTED SEWERAGE SYSTEM 12" DIA & 8" DIA RCC PIPE AT DIFFERENT PORTION OF BLOCK-14 & DIFFERENT BLOCKS OF GULISTAN-E-JAUHAR DIVISION.

As conferred the powers of Chief Engineer (W&S),KW&SB delegated to ersigned by the Managing Director, KW&SB communicated vide O/O KW&SB/DMD/HRD&A/1141 dated: 26th October, 2016, on behalf of the ployer, it is notified that following the approval of the Managing Director, Karachi er & Sewerage Board, vide para-59/N, tender called upon through Authority's bsite of SPPRA Rule-2010 under Serial NO.36560 as recommended by the turement Committee-I, KW&SB, vide para-24(01)/N to para-30(07)/N, your for the subject is hereby accepted for the sum of Rs.9,82,484/= (Rupees e Lacs Eighty Two Thousand Four Hundred Eighty Four Only), duly turred by the Finance Department, vide para-44/N to para-56/N. The enditure will be charged from the Head of Account B.G.No. H-023-36, After Reropriation of funds through Form B-20 from B.G.No.4032-01 to No.H-023-36 for the year 2017-2018.

There is now binding contract between KW&SB and M/s. Trust struction Co.

In accordance with the General Condition of Contract, you are required nter in to and execute a contract agreement on non judicial stamp paper for ,439/= @ 0.35%, within 03 days positively. This agreement shall be signed by employer and M/s. Trust Construction Co.

Please be noted that 2% Performance Security may be provided in nce & remaining 8% Performance Security will be deducted from your bill for fulfillment of defect liability.

All correspondence onward shall be carried out through Executive neer (Sew), Gulistan-e-Jauhar Div. District East-B, KW&SB.

DEPUTY MANAGING DIRECTOR (T/S)
K.W.&.S.B.

to :-

ne Superintending Engineer, District East-B, KW&SB.

N (Sew) Gulistan-e-Jauhar Division, District East-B KW&SB.

Trice Copy.

OFFICE OF THE EXECUTIVE ENGINEER (SEW) GULISTAN-E-JAUHAR DIVISION KARACHI WATER AND SEWERAGE BAORD


SHEDULE "B"

NAME OF WORK:-


REHABILITATION / REPLACEMENT OF DEFECTED SEWERAGE SYSTEM 12| & 08" DIA R.C.C PIPE AT DIFFERENT PORTION OF BLOCK-14 & DIFFERENT BLOCKS OF GULISTAN-E-JAUHAR DIVISION.

| 0 | DESCRIPTION | QUANTITY | RATE | In words | PER | AMOUNT |
|---|--|----------------------|------------------|------------------------------|------------------|---------|
| | Scarifying the existing road surface. | 2958 Sft. (| 120= | one linkered. | %Sft. | 3549/= |
| | Dismantling and removal road matling. | 2958 Cft. (| 620= | Sululer Conty | %Cft. | 18339/= |
| | Excavation for pipe line in trenches and pits in all kinds of soils of murum i.c trimming and dressing sides to true alignment and shape, leveling of beds of trenches to correct level and grade, cutting joint holes and disposal of surplus earth within one chain as directed by | | | 3 6 | | |
| | Engineering In charge, providing fence guards, lights, flags and temporary crossing for non vehicular traffic where ever | | | | | # # |
| | tequired lift up to 5 ft and lead up to one chain. | | | food thousand Sin lundere | L . | 27213/= |
| | Lift 00'- 05' | 5916 Cft. | 4600= | only | %0Cft. | 21215 |
| | Excavation for pipe line in trench and pits in wet soils, clay or mud /c trimming & dressing sides to rue alignment and shape, eveling of beds of tranches to orrect level and grade, cutting int holes and disposal of surplus | | el l | | | |
| ÷ | arth in one chain as directed by agineer In-charge, providing nee guards, lights, flags, and apporary crossing for non nicular traffic where ever uired lift up to 5ft and lead up | | 14 | five Marsy | 1 | |
| | ne chain. ift 00'- 05' | 5916 Cft. | 5400= | Fostbolered Only | %0Cft | 31946/= |
| | iding & Laying of R.C.C. pipe Rubber ring joint and fitting in h including cutting, fitting and ig with rubber ring i/c testing | , | | Moce hande Sinty Fire | rd. | 213890/ |
| | vater to specified pressure. 12" Dia Pipe 08" Dia Pipe | 586 Rft. 480 Rft. | 365/=1 205(=) | Sive only. | P/Rft. P/Rft. | 98400/2 |

| Providing manhole 4ft dia (inside) | | | | | |
|--|--|--|--|--|--|
| | 4 | | | | |
| | | | | | |
| 9" thick wall, 1:4:8 C.C. in 6ft dia and | | | | | |
| 6" inch thick in foundation 1:2:4 C.C. | | | | | |
| in benching, 1/2" thick cement | | | | | |
| | | | | | |
| [1] 전 [1] [2] [2] [2] [2] [2] [3] [4] [4] [4] [4] [4] [4] [4] [4] [4] [4 | | | | | |
| 가 있어서 이 1일, Parth 이 가면 Philade Parth (Parth Chair) 가게 되었습니다. | | | | | |
| | | | 9.1 | | |
| | | | Gerteen | | |
| Anny 2001–1904, 100 - 1909–1909, 100 100 100 100 100 100 100 100 100 10 | | | masul. | | 9 |
| | | | Ga O. lora | 7 | |
| A . | | | | | 1 |
| | 20 No. | Muscle) | schard king | E | 289500= |
| | 20 Nos. | 1993 | only. | Each. | |
| | | | | | 3 |
| | 1 | | | | . 1 |
| , | | | | | |
| | 1 2 1 | | | | 1 |
| | | | 20. | | 1 |
| | | | | | 1 |
| pumping out water found at various | | | | | |
| depth from trenches i/c the cost of | | | One thousa |) | |
| erection and dismantling after | | | Circa D. Jex | ey. | 14 |
| completion of the job. Hire charges | Ť 1 | | Cha | | |
| of pumping set upto 10 HP pumping | | Iccal = | mid 2 | | 49600= |
| out water from 10 feet deep trench. | 32 Days | 13301- | 311 139 | P/Day. | 1.000 |
| Making connection with the existing | | | | | |
| manhole i.c the cost of cutting hole | | | | | |
| in wall, making them good in C.C | | | b. I. le | l. | |
| 1:2:4 and making required channel | | | . 1 | | 7600= |
| | 38 Nos. (| $2\infty =)$ | only | Each. | 1600/ |
| | 9 | | 0 | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | E | | | | |
| | | | | | |
| | 1 | | 10 1 - W/M | 1~ | 4 |
| | 1 | | | uu. | 38220 = |
| | | 0.1 | tenony. | | |
| 21" dia. | 42 Nos. (| 4101=) | U | Each. | 1 |
| B | | | from therend | | |
| | | | Cos Sudered | | |
| | 5377.17 Cff | 24201=) | | %Cft. | 130127/= |
| | 20,,,,, | | | | 1 |
| enches 6"thick layer i.c watering, | 1. | | Lang (parshing | i | |
| phones o thick layer i.e watering, | | | Ourse my | NEX. | 101 |
| mming to full compaction etc | _ | 2750=) | Silve -8 | | 20017/= |
| | and 5ft clear depth, with C.I. Frame 5 kg) cast in situ with 1:2:4 C.C in 9" thick wall, 1:4:8 C.C. in 6ft dia and 6" inch thick in foundation 1:2:4 C.C. in benching, ½" thick cement plastering with 1:3 C.M. on all inside wall surfaces, channel and benching i/c making required Nos of main and branch channels, ¾" dia M.S footrest @ 12" c/c i/c cost of excavation in all kinds of soil, backfilling and disposal of excavated stuff etc complete as per design and instruction of the Engineer In-charge. Full hire charges of the pumping set per day i/c of wages of driver and Assistant fuel or Electric Energy plate form required for placing pumps etc at lower depth with suction and delivery pipes for pumping out water found at various depth from trenches i/c the cost of erection and dismantling after completion of the job. Hire charges of pumping set upto 10 HP pumping out water from 10 feet deep trench. Making connection with the existing manhole i.c the cost of cutting hole in wall, making them good in C.C 1:2:4 and making required channel etc complete. Manufacturing and Supplying of R.C.C manhole covers cast in 1:2:4 cement concrete ratio 3" deep at center, reinforced with ½" dia tor steel bars @ 4" c/c welded to a 3/16" thick 2" wide M.S plate and two hook of 3/8" dia tor bars including compacting, curing and ransportation within 10 miles. and haro or any other source sand same modulus of the fineness (Hill and). efilling the excavated stuff in | and 5ft clear depth, with C.I. Frame 5 kg) cast in situ with 1:2:4 C.C in 9" thick wall, 1:4:8 C.C. in 6ft dia and 6" inch thick in foundation 1:2:4 C.C. in benching, ½" thick cement plastering with 1:3 C.M. on all inside wall surfaces, channel and benching i/c making required Nos of main and branch channels, ¾" dia M.S footrest @ 12" c/c i/c cost of excavation in all kinds of soil, backfilling and disposal of excavated stuff etc complete as per design and instruction of the Engineer In-charge. Full hire charges of the pumping set per day i/c of wages of driver and Assistant fuel or Electric Energy plate form required for placing pumps etc at lower depth with suction and delivery pipes for pumping out water found at various depth from trenches i/c the cost of erection and dismantling after completion of the job. Hire charges of pumping set upto 10 HP pumping out water from 10 feet deep trench. Making connection with the existing manhole i.c the cost of cutting hole in wall, making them good in C.C 12:4 and making required channel encomplete. Manufacturing and Supplying of R.C.C manhole covers cast in 1:2:4 cement concrete ratio 3" deep at center, reinforced with ½" dia tor steel bars @ 4" c/c welded to a 3/16" thick 2" wide M.S plate and two hook of 3/8" dia tor bars including compacting, curing and fansportation within 10 miles. 21" dia. and haro or any other source sand fasme modulus of the fineness (Hill and). efilling the excavated stuff in | and 5ft clear depth, with C.I. Frame \$\insert 6 \text{ kg}\$) cast in situ with 1:2:4 C.C in \$\insert 6 \text{ thick wall, 1:4:8 C.C. in 6ft dia and 6" inch thick in foundation 1:2:4 C.C. in benching, \$\frac{1}{2}"\$ thick cement plastering with 1:3 C.M. on all inside wall surfaces, channel and benching it making required Nos of main and branch channels, \$\frac{1}{4}"\$ dia M.S footrest \$\begin{align*} | and 5ft clear depth, with C.I. Frame 5 kg) cast in situ with 1:2:4 C.C in 9 thick wall, 1:4:8 C.C in 6ft dia and 6" inch thick in foundation 1:2:4 C.C. in benching, ½" thick cement plastering with 1:3 C.M. on all inside wall surfaces, channel and benching i/c making required Nos of main and branch channels, ¾" dia M.S footrest © 12" c/c i/c cost of excavation in all kinds of soil, backfilling and disposal of excavated stuff etc complete as per design and instruction of the Engineer In-charge. Full hire charges of the pumping set per day i/c of wages of driver and Assistant fuel or Electric Energy plate form required for placing pumps etc at lower depth with suction and delivery pipes for pumping out water found at various depth from trenches i/c the cost of efection and dismantling after completion of the job. Hire charges of pumping set upto 10 HP pumping out water from 10 feet deep trench. Making connection with the existing manhole i.c the cost of cutting hole iii wall, making them good in C.C 1:2:4 and making required channel etc complete. 38 Nos. 200 Nos. 14475 - 20 Nos. 14475 - 21 Nos. 1550 - 20 Nos. 20 N | and 5ft clear depth, with C.I. Frame 5 kg) cast in situ with 1:2:4 C.C in 9 thick wall, 1:4:8 C.C. in 6ft dia and 6° inch thick in foundation 1:2:4 C.C. in benching, %" thick cement plastering with 1:3 C.M. on all inside wall surfaces, channel and benching //c making required Nos of main and branch channels, %" dia M.S footrest @ 12" c/c i/c cost of excavation in all kinds of soil, backfilling and disposal of excavated stuff etc complete as per design and instruction of the Engineer In-charge. Full hire charges of the pumping set per day i/c of wages of driver and Assistant fuel or Electric Energy plate form required for placing pumps etc at lower depth with suction and delivery pipes for pumping out water found at various depth from trenches i/c the cost of erection and dismantling after completion of the job. Hire charges of pumping set upto 10 HP pumping out water from 10 feet deep trench. Making connection with the existing manhole i.c the cost of cutting hole in wall, making them good in C.C 1:2:4 and making required channel eft complete. Manufacturing and Supplying of R.C.C manhole covers cast in 1:2:4 dement concrete ratio 3" deep at center, reinforced with ½" dia tor sleel bars @ 4" c/c welded to a 3/16" hick 2" wide M.S plate and two hook filick 2" wide M.S plate and two hook of 3/8" dia tor bars including bompacting, curing and ransportation within 10 miles. 21" dia. and haro or any other source sand same modulus of the fineness (Hill and). Each. 42 Nos. 9 to file yet control for the cost of fortics and supplying of R.C.C. manhole covers cast in 1:2:4 dement concrete ratio 3" deep at complete. Manufacturing and Supplying of R.C.C manhole covers cast in 1:2:4 dement concrete ratio 3" deep at complete. Manufacturing and Supplying of R.C.C manhole overse cast in 1:2:4 dement concrete ratio 3" deep at complete. Manufacturing and Supplying of R.C.C manhole covers cast in 1:2:4 dement concrete ratio 3" deep at complete. Manufacturing and supplying of R.C.C manhole covers cast in 1:2:4 dement concre |



eferer



IN WITNESS WHEREOF, the parties hereto have set their respective hands

and seats the day and year first above write 2018
MAD JUNAID Stamp Vendor
77, Shop No. 147, Mashriq Centre,
14, Gulstian Cridoal, Karachi.
14, Gulstian Cridoal, Karachi.
15, Date in Control Control

DEPUTY MANAGING DIRECTOR (T/S)

K.W.&.S.B

WITNESS OF EMPLOYER

SUPERINTENDING ENGINEER DISTRICT EAST-A, KW&SB

EXECUTIVE ENGINEER (SEW)
GULISTAN-E-JAUHAR DIVISION, DIST. EAST-B
K.W.&.S.B.


For and on behalf of CONTRACTOR

ALEEM AHMED KHAN
MANAGING PARTNER
M/S. TRUST CONSTRUCTION CO.

WITNESS OF CONTRACTOR

A Company

M/s. Nogor Bod & Bros.




In this Agreement woods and expression and have the same meanings as are respectively as a ped to them in the conditions of Contract hereinafter or usa Bank Guerantechnicklevorce vendor tresponsible Any Fale Department

- 2. The following documents which for the purpose of identification have been signed by MR. ALEEM AHMED KHAN on behalf of the contractor and by DEPUTY MANAGING DIRECTOR (T/S), KW&SB, on behalf the EMPLOYER all of which shall be deemed to form and be read and construed as part of this Agreement.
 - a). This Form of Agreement.
 - b). Employer letter of Acceptance No.DMD/TS/DE-B/W&S/KW&SB/2018/_\)O3 dated: \(\frac{19-96--2018}{2}\)
 - c). The Tender.
 - d). The conditions of the Particular Application Part-II-A & II-B.
 - e). The General Conditions Part-I.
 - f). The Drawings.
 - g). The specifications and
 - h). The Priced Bill of Quantities.
 - i) Time period is 90 Days.
 - 3. In consideration of the payments to be made by the EMPLOYER to the CONTRACTOR has hereinafter mentioned, the CONTRACTOR hereby covenants with the EMPLOYER to execute and complete the WORK and to remedy any defects therein and maintaining the same in conformity in all respects with the provisions of the CONTRACT.

4. THE EMPLOYER hereby covenants to pay to the CONTRACT in the manner prescribed by the CONTRACT.



SAIN



CONTRACT AGREEMENT RUPESTIVE THE PART ONLY

M NEHAL STAMP VENDOR


10.152 Shop No 1.Glamour Arcade

10.152 Shop

the . Employer WHEREAS desirous execute the work "REHABILITATION REPLACEMENT OF DEFECTED SEWERAGE SYSTEM 12" DIA & 8" DIA RCC DIFFERENT PORTION OF BLOCK-14 & DIFFERENT BLOCKS OF GULISTAN-E-JAUHAR DIVISION." UNDER KW&SB'S OWN FUNDED PROGRAMME, for Rs.9,82,484/= (RUPEES NINE LACS EIGHTY TWO THOUSAND FOUR HUNDRED EIGHTY FOUR ONLY), for the construction and completion of such WORKS and the remedying of an defects therein. The tender called upon through Authority's Website of SPPRA Rule-2010 under Serial NO. 36560.

AND WHEREAS THE CONTRACTOR has already deposited 2% Pay Order for amounting to Rs.20,000/=, vide Pay Order No. dated: 19702570 15-01-2018, issued from H.B.L Nazimabad Branch Karachi remaining 8% for amounting to Rs.78,248/= will be deducted of 10% Performance Security as Security Deposit from his bill, the same will be kept with the EMPLOYER till the maintenance period of the work for the due fulfillment of the CONTRACTOR. Further 1% Water Charges will also be deducted from his bill as per Standard Operating Procedure (SOP).

er Standard O



AD JUNAJD Stamp Vendor
77, Shop No. 147, Mashriq Centrutilized FOR THE WORK OF
14, Gujsha and Marachi.

r's Signat REHABILITATION / REPLACEMENT OF DEFECTED
fill / Divorce Vendoi & Advocate will not sible for any Fake Documentation SEWERAGE SYSTEM 12" DIA & 8" DIA RCC PIPE


AT DIFFERENT PORTION OF BLOCK-14 & DIFFERENT BLOCKS OF GULISTAN-E-JAUHAR

FOR AMOUNTING TO RS.9,82,484/=
(RUPEES NINE LACS EIGHTY TWO THOUSAND FOUR HUNDRED
EIGHTY FOUR ONLY)

DIVISION.

M/S. TRUST CONSTRUCTION CO.


Lind Sold of the State of the S



| P OFFICE CI | TY COURT, KARACIII |
|--|---------------------------------------|
| 2820 | UNILIZED FOR THE WORK OF |
| R. No. | 2 Dt./-6-18 |
| of Challan No urpose of | 37 DL/ - 6 - (1) |
| REH | ABILITATION REPLACEMENT OF DEFECTED |
| PONSIBLE AND | VIEW SYSTEM 12" DIA & 8" DIA RCC PIPE |
| | AT DIFFERENT PORTION OF BLOCK-14 & |
| DI | FFERENT BLOCKS OF GULISTAN-E-JAUHAR |
| | DIVISION. |

FOR AMOUNTING TO RS.9,82,484/=
(RUPEES NINE LACS EIGHTY TWO THOUSAND FOUR HUNDRED
EIGHTY FOUR ONLY)

M/S. TRUST CONSTRUCTION CO.



0 1 JUN 2018 -Officio Vendo SSAIN ABBAS

MED SHAIKH STAMP VENDOR
23, Shop No. 16. Karim Plaza.
Block-14, Near Civic Centre Karachi
UTILIZED FOR THE WORK OF
1 JUN 2018 068022

ADDRESS Zahld Mehmood

SEWERAGE SYSTEM 12" DIA & 8" DIA RCC PIPE
AT DIFFERENT PORTION OF BLOCK-14 &
DIFFERENT BLOCKS OF GULISTAN-E-JAUHAR
DIVISION.

FOR AMOUNTING TO RS.9,82,484/=
(RUPEES NINE LACS EIGHTY TWO THOUSAND FOUR HUNDRED
EIGHTY FOUR ONLY)

M/S. TRUST CONSTRUCTION CO.