**KARACHI WATER & SEWERAGE BOARD** 

#### OFFICE OF THE EXECUTIVE ENGINEER P.P.DIVISION.

COD FILTER PLANT, GULSHAN-E-IQBAL, KARACHI.

Contact No. 03333049232.

NO:EE/P.P.DIV/KW&SB/ACTT/WO/2018/17

DATED: **07-06-** 2018.

M/S. Yasin Enterprises, A-309 Abid Apartment, Block 02 Gulshan-e-Iqbal, Karachi.

### WORK ORDER.

SUBJECT:- Repair & Maintenance of Quarter No H-50 at COD Filter Plant Staff Colony, KW&SB.

It is informed that your tender dated 13-03-2018 has been accepted by The Managing Director, KW&SB vide para 39/n, for an amount Rs 697.876/= (Rupees Six Lac Ninety Seven Thousand Eight Hundred and Seventy Six only), and sanction order has already been communicated to you vide No KW&SB/CE/E&M-W/2018/94 Dated 05-06-2018, being lowest contractor on item rate basis.

You are, therefore directed to start the work and complete the same within 25 days from the date of this work order, as per directions of AEE/Engineer Incharge.

In case the work is delayed or left unfinished the penalty Rs.1.000/= per day shall be imposed as per work rule.

KHAIR MOHAMMAD SOOMRO EXECUTIVE ENGINEER P.P.DIVISION, KW&SB.

#### Copy to:-

- 1. The S.E (COD), KW&SB.
- 2. Concerned A.E.E. P.P.Div.
- 3. Work File.
- 4. Office copy.

## OFFICE OF THE EXECUTIVE ENGINEER P.P.DIVISION. KARACHI WATER & SEWERAGE BOARD

## SUBJECT:-Repair & maintenance of Quarter No H-50 at C.O.D Filter Plant Staff Colony, KW&SB.

Estimated Cost:- Item Rate Basis Tender Cost:- Rs.1000/-

Time Limit :- 25 days.

c.c. 1:2:4 i/c surface

finishing & dividing into panels 2" thick.

Penalty

1000/= per day.

RATE PER S.N DESCRIPTION OF QTY AMOUN UNI Rupees Rupees in Words. 0 WORK. T/T IN ITE RUPEES. **Figures** M First class deodar wood one thousand wrought joinery in door Three Hunds Thirty Sinfaisas Twentfire. & windows etc, fixed in position including chowkhats hold fast hinges, iron tower both locks cleats handle & cords with hooks etc .Deodar paneled or 1336/25 paneled and glazed or 137.50 P/sn 183734/37 fully glazed 2" thick. Sít. P/L 1:3:6 c.c solid block masonry wall 6" & below in thickness set in 1:6 c.m in GFS structure i/c raking out joints & curing etc 482.19 complete. Cft Cement plaster 1:6 up Two Thousa to 12'-0 height 1/2" 2171.42 thick. % Sft Sft P/L I" thick topping

1038 Sft 3275/ Seven Five

07 Erecting and fixing in position precast cement concrete or stone slab in roofs or Lintels, etc lift upto 20 feet 63.06 including all charges of the limit of t	<del></del>	
pigment on a bed of 1/4" thick c.m. 1:2.  798 SR 27747/c. % SR 221  Reinforced cement concrete work i/c all labour and material except the cost of steel reinforcement and binding which will be paid separately. This rate also i/c all kinds of forms moulds lifting shuttering curing rendering and finishing the exposed surface (i/c screening and washing of shingle.)  R.C work in roof slabs beams columns rafts lintels and other structural numbers laid in site or precast laid in position complete in all respects.  Ratio (1:2:4) 90 lbs cement 2 clt.  Precast reinforced cement concrete in columns beams, linters stair, cases, shelves etc Ratio 1:2:4.  Cft 309/so  P/Cft 19  Forty one paises  Third five thurles  Forty one paises  Thurthere have a concrete of the concrete or stone slab in roofs or Lintels, etc. lift upto 20 feet including all charges.  Cft 41/2-5  P/Cft 2/6.		
pigment on a bed of 1/4" thick c.m. 1:2.  Reinforced cement concrete work i/c all labour and material except the cost of steel reinforcement and binding which will be paid separately. This rate also i/c all kinds of forms moulds lifting shuttering curing rendering and finishing the exposed surface (i/c screening and washing of shingle.)  R.C work in roof slabs beams columns rafts lintels and other structural numbers laid in site or precast laid in position complete in all respects.  Ratio (1:2:4) 90 lbs cement 2 cft.  Precast reinforced cement concrete in columns beams, linters stair, cases, shelves etc Ratio 1:2:4.  Ch. Terecting and fixing in position precast cement concrete or stone slab in roofs or Lintels, etc lift upto 20 feet including all charges.  P/Cft 19		
pigment on a bed of 1/4" thick c.m. 1:2.  Reinforced cement concrete work i/c all labour and material except the cost of steel reinforcement and binding which will be paid separately. This rate also i/c all kinds of forms moulds lifting shuttering curing rendering and finishing the exposed surface (i/c screening and washing of shingle.)  R.C work in roof slabs beams columns rafts lintels and other structural numbers laid in site or precast laid in position complete in all respects.  Ratio (1:2:4) 90 lbs cement 2 cft.  Precast reinforced cement concrete in columns beams, linters stair, cases, shelves etc Ratio 1:2:4.  Ch. Terecting and fixing in position precast cement concrete or stone slab in roofs or Lintels, etc lift upto 20 feet including all charges.  P/Cft 19		
thick c.m. 1:2.  Reinforced cement concrete work i/c all labour and material except the cost of steel reinforcement and binding which will be paid separately. This rate also i/e all kinds of forms moulds lifting shuttering curing rendering and finishing the exposed surface (i/c screening and washing of shingle.)  R.C work in roof slabs beams columns rafts lintels and other structural numbers laid in position complete in all respects.  Ratio (1:2:4) 90 lbs cement 2 cft.  Precast reinforced cement concrete in columns beams, linters stair, cases, shelves etc Ratio 1:2:4.  Cft  To y our paises  Three Hund  Three Hu		
Reinforced cement concrete work i/c all labour and material except the cost of steel reinforcement and binding which will be paid separately. This rate also i/c all kinds of forms moulds lifting shuttering curing rendering and finishing the exposed surface (i/c screening and washing of shingle.)  R.C work in roof slabs beams columns rafts lintels and other structural numbers laid in site or precast laid in position complete in all respects.  Ratio (1:2:4) 90 lbs cement 2 cft.  Precast reinforced cement concrete in columns beams, linters stair, cases, shelves etc Ratio 1:2:4.  O7 Erecting and fixing in position precast cement concrete or stone slab in roofs or Lintels, etc lift upto 20 feet including all charges.  Cft 1/25  P/Cft 2/6.	word.	
concrete work i/c all labour and material except the cost of steel reinforcement and binding which will be paid separately. This rate also i/c all kinds of forms moulds lifting shuttering curing rendering and finishing the exposed surface (i/c screening and washing of shingle.)  R.C work in roof slabs beams columns rafts limtels and other structural numbers laid in site or precast laid in position complete in all respects.  Ratio (1:2:4) 90 lbs cement 2 eft.  Precast reinforced cement concrete in columns beams, linters stair, cases, shelves etc Ratio 1:2:4.  O7 Erecting and fixing in position precast cement concrete or stone slab in roofs or Lintels, etc lift upto 20 feet including all charges.  Cft 1/25 P/Cft  P/Cft  P/Cft  P/Cft	<u> </u>	56
labour and material except the cost of steel reinforcement and binding which will be paid separately. This rate also i/c all kinds of forms moulds lifting shuttering curing rendering and finishing the exposed surface (i/c screening and washing of shingle.)  R.C. work in roof slabs beams columns rafts limtels and other structural numbers laid in site or precast laid in position complete in all respects.  Ratio (1:2:4) 90 lbs cement 2 cft.  Precast reinforced cement concrete in columns beams, linters stair, cases, shelves etc Ratio 1:2:4.  OT Erecting and fixing in position precast cement concrete or stone slab in roofs or Lintels, etc lift upto 20 feet including all charges.  Cft 41/2:5  P/Cft 26.	/	
except the cost of steel reinforcement and binding which will be paid separately. This rate also ic all kinds of forms moulds lifting shuttering curing rendering and finishing the exposed surface (i/c screening and washing of shingle.)  R.C work in roof slabs beams columns rafts lintels and other structural numbers laid in site or precast laid in position complete in all respects.  Ratio (1:2:4) 90 lbs cement 2 cft.  Precast reinforced cement concrete in columns beams, linters stair, cases, shelves etc Ratio 1:2:4.  Or Erecting and fixing in position precast cement concrete or stone slab in roofs or Lintels, etc lift upto 20 feet including all charges.  Cft  P/Cft  P/Cft  26.		
reinforcement and binding which will be paid separately. This rate also i/e all kinds of forms moulds lifting shuttering curing rendering and finishing the exposed surface (i/c screening and washing of shingle.)  R.C work in roof slabs beams columns rafts lintels and other structural numbers laid in site or precast laid in position complete in all respects.  Ratio (1:2:4) 90 lbs cement 2 cft.  Precast reinforced cement concrete in columns beams, linters stair, cases, shelves etc Ratio 1:2:4.  O7 Erecting and fixing in position precast cement concrete or stone slab in roofs or Lintels, etc lift upto 20 feet including all charges.  Cft  P/Cft  P/Cft  P/Cft  P/Cft  P/Cft		
binding which will be paid separately. This rate also i/e all kinds of forms moulds lifting shuttering curing rendering and finishing the exposed surface (i/e screening and washing of shingle.)  R.C work in roof slabs beams columns rafts lintels and other structural numbers laid in site or precast laid in position complete in all respects.  Ratio (1:2:4) 90 lbs cement 2 cft.  Precast reinforced cement concrete in columns beams, linters stair, cases, shelves etc Ratio 1:2:4.  O7 Erecting and fixing in position precast cement concrete or stone slab in roofs or Lintels, etc lift upto 20 feet including all charges.  Cft  P/Cft  P/Cft  P/Cft  P/Cft  P/Cft		
paid separately. This rate also i/c all kinds of forms moulds lifting shuttering curing rendering and finishing the exposed surface (i/c screening and washing of shingle.)  R.C work in roof slabs beams columns rafts lintels and other structural numbers laid in site or precast laid in position complete in all respects.  Ratio (1:2:4) 90 lbs cement 2 cft.  Precast reinforced cement concrete in columns beams, linters stair, cases, shelves etc Ratio 1:2:4.  Of Erecting and fixing in position precast cement concrete or stone slab in roofs or Lintels, etc lift upto 20 feet including all charges.  Cft  Three Hunder  Nine fixing  Aline fixing  Fig. 4.  For your one paises  Three Hunder  Nine fixing  Fig. 4.  For your one paises  Three Hunder  Nine fixing  Fig. 4.  For your one paises  Three Hunder  Nine fixing  Fig. 4.  Fig. 4.  P/Cft  P/Cft  P/Cft  2.6.	1	
rate also i/e all kinds of forms moulds lifting shuttering curing rendering and finishing the exposed surface (i/c screening and washing of shingle.)  R.C work in roof slabs beams columns rafts lintels and other structural numbers laid in site or precast laid in position complete in all respects.  Ratio (1:2:4) 90 lbs cement 2 cft.  Precast reinforced cement concrete in columns beams, linters stair, cases, shelves etc Ratio 1:2:4.  O7 Erecting and fixing in position precast cement concrete or stone slab in roofs or Lintels, etc lift upto 20 feet including all charges.  Cft  Three Hunder  Nine fixed  Nine fixed  Fig 4.  Proft  Fort one paises  Thirty five  P/Cft  26.		
forms moulds lifting shuttering curing rendering and finishing the exposed surface (i/c screening and washing of shingle.)  R.C work in roof slabs beams columns rafts lintels and other structural numbers laid in site or precast laid in position complete in all respects.  Ratio (1:2:4) 90 lbs cement 2 clt.  Precast reinforced cement concrete in columns beams, linters stair, cases, shelves etc Ratio 1:2:4.  O7 Erecting and fixing in position precast cement concrete or stone slab in roofs or Lintels, etc lift upto 20 feet including all charges.  Cft  O7 P/Cft  P/Cft  P/Cft  P/Cft  P/Cft  P/Cft  P/Cft	ļ	
shuttering curing rendering and finishing the exposed surface (1/c screening and washing of shingle.)  R.C work in roof slabs beams columns rafts lintels and other structural numbers laid in site or precast laid in position complete in all respects.  Ratio (1:2:4) 90 lbs cement 2 cft.  Precast reinforced cement concrete in columns beams, linters stair, cases, shelves etc Ratio 1:2:4.  Of Erecting and fixing in position precast cement concrete or stone slab in roofs or Lintels, etc lift upto 20 feet including all charges.  Shuttering and fixing the exposed surface (1/c screening and fixing in position precast cement concrete or stone slab in roofs or Lintels, etc lift upto 20 feet including all charges.  Cft  Three Hunta  Nine Puss S  Fig. 4.  Forthous Paisas  Thirty five  P/Cft  2 6.		
rendering and finishing the exposed surface (i/c screening and washing of shingle.)  R.C work in roof slabs beams columns rafts lintels and other structural numbers laid in site or precast laid in position complete in all respects.  Ratio (1:2:4) 90 lbs cement 2 cft.  Precast reinforced cement concrete in columns beams, linters stair, cases, shelves etc Ratio 1:2:4.  O7 Erecting and fixing in position precast cement concrete or stone slab in roofs or Lintels, etc lift upto 20 feet including all charges.  Cft  Cft  Three Hunder  Nine fixe 9  Fig 4.  Nine fixe 4  Nine fixe 9  Fig 4.  Nine fixe 4  Nine fixe 4  Nine fixe 9  Fig 4.  Nine fixe 4  Nine fixe 9  Fig 4.  Nine fixe 19  Fig 4.  Fig 4.  Nine fixe 19  Fixe 19	\	
the exposed surface (i/c screening and washing of shingle.) R.C work in roof slabs beams columns rafts lintels and other structural numbers laid in site or precast laid in position complete in all respects. Ratio (1:2:4) 90 lbs cement 2 cft. Precast reinforced cement concrete in columns beams, linters stair, cases, shelves etc Ratio 1:2:4.  O7 Erecting and fixing in position precast cement concrete or stone slab in roofs or Lintels, etc lift upto 20 feet including all charges.  Characteristics and shape and fixing in position precast cement concrete or stone slab in roofs or Lintels, etc lift upto 20 feet including all charges.  Characteristics and fixing in position precast cement concrete or stone slab in roofs or Lintels, etc lift upto 20 feet including all charges.	(	
(i/c screening and washing of shingle.)  R.C work in roof slabs beams columns rafts lintels and other structural numbers laid in site or precast laid in position complete in all respects.  Ratio (1:2:4) 90 lbs cement 2 cft.  Precast reinforced cement concrete in columns beams, linters stair, cases, shelves etc Ratio 1:2:4.  O7 Erecting and fixing in position precast cement concrete or stone slab in roofs or Lintels, etc lift upto 20 feet including all charges.  Characteristics of slabs and washing of shingle.)  Three Hunder Nine Hunder Nine Hunder Nine Paises  Fig. 19  Three Hunder Nine Hunder Nine Paises  Fig. 2  Forty one Paises	Ţ	
washing of shingle.)  R.C work in roof slabs beams columns rafts lintels and other structural numbers laid in site or precast laid in position complete in all respects.  Ratio (1:2:4) 90 lbs cement 2 eft.  Precast reinforced cement concrete in columns beams, linters stair, cases, shelves etc Ratio 1:2:4.  63.06  Cft  Forh one paises  Three Hunder  Nine Paises  Aine Paises  Forh one paises  They are the paises  Reflecting and fixing in position precast cement concrete or stone slab in roofs or Lintels, etc lift upto 20 feet including all charges.  Cft  P/Cft  P/Cft		
washing of shingle.)  R.C work in roof slabs beams columns rafts lintels and other structural numbers laid in site or precast laid in position complete in all respects.  Ratio (1:2:4) 90 lbs cement 2 eft.  Precast reinforced cement concrete in columns beams, linters stair, cases, shelves etc Ratio 1:2:4.  63.06  Cft  Forh one paises  Three Hunder  Nine Paises  Aine Paises  Forh one paises  They are the paises  Reflecting and fixing in position precast cement concrete or stone slab in roofs or Lintels, etc lift upto 20 feet including all charges.  Cft  P/Cft  P/Cft		
R.C work in roof slabs beams columns rafts lintels and other structural numbers laid in site or precast laid in position complete in all respects.  Ratio (1:2:4) 90 lbs cement 2 eft.  Precast reinforced cement concrete in columns beams, linters stair, cases, shelves etc Ratio 1:2:4.  63.06 Cft  7 Erecting and fixing in position precast cement concrete or stone slab in roofs or Lintels, etc lift upto 20 feet including all charges.  Ric work in roof slabs  N in e I wis us  Fig. 194.  P/Cft  7 P/Cft  19  26	Ì	
a) beams columns rafts lintels and other structural numbers laid in site or precast laid in position complete in all respects. Ratio (1:2:4) 90 lbs cement 2 cft. Precast reinforced cement concrete in columns beams, linters stair, cases, shelves etc Ratio 1:2:4.  63.06 Cft  7/ Erecting and fixing in position precast cement concrete or stone slab in roofs or Lintels, etc lift upto 20 feet including all charges.  Ario 4/10  Fig 4  Ario 9  Fig 4  Ario 9  Fig 4  Fi	}	
position complete in all respects. Ratio (1:2:4) 90 lbs cement 2 eft. Precast reinforced cement concrete in columns beams, linters stair, cases, shelves etc Ratio 1:2:4.  O7 Erecting and fixing in position precast cement concrete or stone slab in roofs or Lintels, etc lift upto 20 feet including all charges.  O63.06  Cft  Forh one paisas  Thirty five  P/Cft  P/Cft	1	
position complete in all respects. Ratio (1:2:4) 90 lbs cement 2 eft. Precast reinforced cement concrete in columns beams, linters stair, cases, shelves etc Ratio 1:2:4.  O7 Erecting and fixing in position precast cement concrete or stone slab in roofs or Lintels, etc lift upto 20 feet including all charges.  O63.06  Cft  Forh one paisas  Thirty five  P/Cft  P/Cft		
position complete in all respects. Ratio (1:2:4) 90 lbs cement 2 eft. Precast reinforced cement concrete in columns beams, linters stair, cases, shelves etc Ratio 1:2:4.  O7 Erecting and fixing in position precast cement concrete or stone slab in roofs or Lintels, etc lift upto 20 feet including all charges.  O63.06  Cft  Forh one paisas  Thirty five  P/Cft  P/Cft		
position complete in all respects. Ratio (1:2:4) 90 lbs cement 2 eft. Precast reinforced cement concrete in columns beams, linters stair, cases, shelves etc Ratio 1:2:4.  O7 Erecting and fixing in position precast cement concrete or stone slab in roofs or Lintels, etc lift upto 20 feet including all charges.  O63.06  Cft  P/Cft  P/Cft  P/Cft  P/Cft		
respects. Ratio (1:2:4) 90 lbs cement 2 cft. Precast reinforced cement concrete in columns beams, linters stair, cases, shelves etc Ratio 1:2:4.  63.06 Cft  P/Cft  Forh one paises Twint five  19  19		
Ratio (1:2:4) 90 lbs cement 2 cft.  Precast reinforced cement concrete in columns beams, linters stair, cases, shelves etc Ratio 1:2:4.  63.06 Cft  P/Cft	1	
cement 2 cft.  Precast reinforced cement concrete in columns beams, linters stair, cases, shelves etc Ratio 1:2:4.  63.06 Cft  P/Cft		
Precast reinforced cement concrete in columns beams, linters stair, cases, shelves etc Ratio 1:2:4.  O7 Erecting and fixing in position precast cement concrete or stone slab in roofs or Lintels, etc lift upto 20 feet including all charges.  O63.06 Cft  O7 Erecting and fixing in position precast cement concrete or stone slab in roofs or Lintels, etc lift upto 20 feet including all charges.  O7 Erecting and fixing in position precast cement concrete or stone slab in roofs or Lintels, etc lift upto 20 feet including all charges.		
cement concrete in columns beams, linters stair, cases, shelves etc Ratio 1:2:4.  O7 Erecting and fixing in position precast cement concrete or stone slab in roofs or Lintels, etc lift upto 20 feet including all charges.  C63.06  Cft  P/Cft  P/Cft  P/Cft  P/Cft  26	ļ	
columns beams, linters stair, cases, shelves etc Ratio 1:2:4.  63.06 Cft  P/Cft		
stair, cases, shelves etc Ratio 1:2:4.  O7 Erecting and fixing in position precast cement concrete or stone slab in roofs or Lintels, etc lift upto 20 feet including all charges.  G3.06 Cft  A 1/2-5  P/Cft  P/Cft  P/Cft  P/Cft  2 6		
Ratio 1:2:4.  Of Erecting and fixing in position precast cement concrete or stone slab in roofs or Lintels, etc lift upto 20 feet including all charges.  Cft  P/Cft  Forh one paises  Twing five  P/Cft  26	1000	1
07 Erecting and fixing in position precast cement concrete or stone slab in roofs or Lintels, etc lift upto 20 feet including all charges.	517/0	07
position precast cement concrete or stone slab in roofs or Lintels, etc lift upto 20 feet 63.06 including all charges. Cft 41/25 P/Cft	1	,
position precast cement concrete or stone slab in roofs or Lintels, etc lift upto 20 feet 63.06 including all charges. Cft 41/25 P/Cft	<b></b>	
in roofs or Lintels, etc lift upto 20 feet including all charges.  Cft  P/Cft  26	}	
in roofs or Lintels, etc lift upto 20 feet including all charges.  Cft  P/Cft  26		
lift upto 20 feet 63.06 cft 41/2.5 P/Cft 26	!	
including all charges. Cft 41/25 P/Cft 26		
	. 1	
08 Fabrication of mild steel reinforcement for  One and	01/2	7
steel reinforcement for		_
Camant concerts		
	i	
including cutting,		
bending, laying in		
position, making joints	1	
and fastenings	Ì	
including cost of binding wire (also includes removed of 1.68 cwt 5001/L	int A	10/
binding wire (also   1.68 cwt   5001/\(\nu\)   cwt   \(\frac{8}{4}\)	101/3	, 8
using Tor bars.	/	
1 0.50 S 1 Ot 0.00 S		

PRODUCTION TO THE PRODUCTION OF THE PRODUCTION O

Supplying and fixing					
special heavy type steel	٠.	. ,	· .		
doors for look ups with					
in angle iron frame of 2		••			
1/2" x 3/8" size and					
shutter of 2" x 2" x			<b>\</b> .	1	
3/8" with 1" dia M/S					
bars placed @ 4" center					
to center with separate			. "		
locking box having size					
of 12" x 12" of M.			Ni Ni Al mar 1	2	
Steel sheet embended			MINE HUNCL	- T	
		1	Nine Hund		
in masonary with			11, 9		
proper locking					
arrangement as per	1				
approved design i/c	İ				
cost of erection of steel	<b>\</b>				
gate and fixing in			·		
masonry wall in cement					
concrete 1:2:4 etc					
complete, as per					
instruction of Engineer		101701		72540/0	
incharge.	78 Sft	10/-	27 10 1	P/Sft	
Distemper three coats.	3041.50		The Trusting	% Sft	
	Sft	10421	1-31/4-11(0-0	31727/84	
	<del>                                     </del>	10 10/1	3	Total (3707)	,,
				10tal 697875/6	"
	<u> </u>		()	<del></del>	
			Jul	165.6978757c	_
			1		
			•	my//	
				STV/	
			EXECUT	,	
P.P.DIVISION, KW&SB					
19787 de la					
nereby quoted Rs. 697-875/ (in words) Sin /ac 14 in Seven					
We to ich the Mesting					
tion of above work and I/We hereby undertaking accept					
auses of SPPRA 2010 and comply the Rules of KW&SB.					
I = I = I = I = I = I = I = I = I = I =					
ature & stamp of the Contractor $\mathcal{A}_{\mathcal{M}}$					
		-/NV-	<u> </u>		
ess. 033331337	. /	1			
VASIM ENTERPHISES					

Paracidades

2 Rate Quoted 200 6978757.

2 Rate Quoted 200 6978757.


3 Cutting or Over Westing . A Found / Found . Alex for Allached . Alexand . Soci 17479 28-02-18 PO No. - Dt. - Re: 1400 cm.

D.A(O(COD) Wember / Sect

SE (KMC) Member

Addit Director Internal Audit (KMC) Member

SE (COD) Member Dir. (D&E) Convener



SAJAD CALAH STAMP VENDOR OF 8 MAY 2018
Shop No 02, Syed Village Melir Karachi
Lic. No. 157
INO. 046088 Syed Shahid Shah
TATE
THE TO NOT TABLED STATE AND ASSOCIATION STATE OF THE PROPERTY OF

### <u>AGREEMENT</u>


Between

M/s. Yasin Enterprises, and

Karachi Water & Sewerage Board.

This agreement made on this <u>sh</u> day of <u>Muse</u> 2018, between Karachi Water & werage Board, Block-B, 9<sup>th</sup> Mile Shahra-e-Faisal, Karsaz, Karachi, through its Chief Engineer (E&M)-V/ater / S.E. (COD), KW&SB, hereinafter called the Board (hereinafter called the employer of the one part) and M/s. Yasin Enterprises, A-309, Abid Apartment, Gulshan-e-Iqbal, Block-2, Karachi, hereinafter called the Contractor of the other part.

Whereas the KW&SB has accepted the Contractor's Tender here unto Annexed and marked ½ dated: 13.03.2018 for the work of "REPAIR & MAINTENANCE OF QUARTER NO.H-50 AT COD FILTER PLANT STAFF COLONY, KW&SB". Estimated cost: (On Item rate basis) under SPPR-2010. The total canctioned amount is Rs.6,97,876/= (Rupees Six Lac Ninety Seven Thousand Eight Hundred Seventy Six only) as evaluated / recommended by Procurement / Evaluation Committee-I, KW&SB PAGE 1 OF 3



SAJAD ULLAH STAMP VENDOR

Span No.02, Syed Village Malir Karachi

Li. 40.157

S.NO.

D.A.F.E.


O.A.F.E.

O

vide Para-25/N and financially concurred by the Finance Department, KW&SB vide Para-28 tc 37/N duly approved by the Managing Director, KW&SB vide Para-39/N as per Contractor's quoted amount, the amount put to tender. According under SPPRA Rules-2010 (Amended 2017) duly signed by the Contractor has made them fully acquainted with its meanings.

WHEREAS 10% Security Deposit (02% Earnest Money on Quoted amount is deposited by Contractor in favour of KW&SB) will be deducted from the Contractor's bill and such amour t have given a lien over as security for the due fulfillment of the contract and the Contractor abide all the terms and conditions and aforesaid specification of the tender. Security Deposit deducted to be refunded after three months of satisfactory completion of the work.

The payment to be made by KW&SB to the contractor as per prevailing legal / codal practice



STAMP OFFICE CIT	COUP	IT,KADA	CMI
Issued to C. ASCA  CNIC/LEG No  Viue D.S.R. No  For the purpose of	Ali 19 Ag.	4lu 8616 >+ 30-5-	B
On Cash	ExO	fficio Ve	 _2 ndor

The Contractor due hereby bind themselves their heirs successors / legal representatives and assignee to pay 0.05% of Bid Cost per day of delay to the KW&SB or such smaller amount fixed by the competent authority. The time for completion of this work is within (35) Days.

IN WITNESS WHEREOF the said parties have set their respective hands on this 61 day day 2018.

Mys. Yasin Enterprises,

EXECUTIVE ENGINEER PURIFICATION PLANT DIVISION KW&SB SUPERINTENDING ENGINEER (COD), KW&SB

CHIEF ENGINEER (E&M)-WATER K.W.& S.B.

WITNESSES:

H.R. Brothers

JA.

PAGE 1 OF 3



# KARACHI WATER & SEWERAGE BOARD OFFICE OF THE CHIEF ENGINEER (E&M)-W

Block "B", 9th Mile, Sharea Faisal, Karachi Ph: (021) 99245122 Fax: (021) 99245027

> No.KW&SB/CE/E&M-W/2018/94/ Dated: 0 5 - 06 - 2018

M/s. Yasin Enterprises, Contractor, Karachi.

#### LETTER OF ACCEPTANCE / SANCTION LETTER

### SUBJECT:- REPAIR & MAINTENANCE OF QUARTER NO.H-50 AT COD FILTER PLANT STAFF COLONY, KW&SB.

On behalf of the employers, it is notified that following the approval of the Managing Director, KW&SB vide Para-17/N, your bid for the subjected work is hereby accepted for the sum of Rs.6,97,876/= (Rupees Six Lac Ninety Seven Thousand Eight Hundred Seventy Six only) as worked out / evaluated by Procurement / Evaluation Committee-I vide Para-25/N and financially concurred by Finance Department, KW&SB vide Para-28 to 37/N duly approved by M.D., KW&SB vide Para-39/N. The expenditure is chargeable to B.G. No.7403-79 for the financial year 2017-2018.

There is now binding contract between KW&SB and M/s. Yasin Enterprises.

In accordance with the existing practice in vogue in KW&SB, you are required to enter in to and execute a Contract agreement. This agreement shall be signed by the employer and M/s. Yasin Enterprises

Provide with the 02% @ Rs.6,97,876/= of above cost as performance security in accordance with existing clause of SPPR Rules-2010 in shape of Bank Guarantee / Pay order or Bank Draft from any scheduled Bank of Pakistan.

You are therefore, directed to contact Executive Engineer, Purification Plant Division (Pumping) for execution of Agreement, the value of Stamp paper will be Rs.2,450/= @ 0.35% of sanctioned cost which should be produced by you.

All correspondence onward shall be carried out through Superintending Engineer (COD), KW&SB.

In case of failure, the Letter of Acceptance / Sanction Letter shall be stand cancelled.

( ASAD ULLAH KHAN ) Chief Engineer (E&M)-W Rak. W. & S. B.

Copy to:-

- 1. The S.E.(COD), KW&SB. With directives to abide all codal formalities under Rules SPPR-2010 before submission of Bill. Original work file of the above subjected work is enclosed herewith.
- 2. The Director Accounts, KW&SB.
- The A.D. (LFA); KW&SB.
- Office copy.

## SINDH PUBLIC PROCUREMENT REGULATORY AUTHORITY CONTRACT EVALUATION FORM

# TO BE FILLED BY ALL PROCURING AGENCIES FOR PUBLIC CONTRACTS OF WORKS, SERVICES & GOODS

1	NAME OF THE ORGANIZATION/DEPTT	KARACHI WATER & SEWERAGE BOARD	
2	PROVINCIAL/LOCAL GOVT/OTHER	Local Government	
3	TITLE OF CONTRACT	Repair & Maintenance of Quarter No H-50 at COD Filter Plant Staff Colony, KW&SB.	
4	TENDER NUMBER	Through Press/ SPPRA Website vide S. NO.36945	
5	BRIEF DESCRIPTION OF CONTRACT	As Above	
6	FORUM THAT APPROVED THE SCHEME	Managing Director KW&SB	
7	TENDER ESTIMATED VALUE	RS. 698,084/=	
8 9 10	ENGINEER'S ESTIMATE (Attach list of buyers) ESTIMATED COMPETION PERIOD (AS PER CONTRACT) TENDER OPENED ON (DATE & TIME)	<u>N.A</u> 25 Days 13-03-2018 at 2:30 PM	
11 12	NUMBER OF TENDER DOCUMENT SOLD (Attach List Of Buyers) NUMBER OF BIDS RECEIVED	02 Nos. 02 Nos.	
13 14	NUMBER OF BIDDERS PRESENT AT THE TIME OF OPENING OF BIDS BID EVALUATION REPORT (enclose copy).	02 Nos. Attached	
15	NAME AND ADDRESS OF THE SUCCESSFUL BIDDER.	Yasin Enterprises, A-309 Abid Apartment , Block 02 Gulshan-e-lqbal, Karachi.	
16	CONTRACT AWARD PRICE	RS. 697,876/=	
17	RANKING OF SUCCESSFUL BIDDER IN EVALUATION REPORT (i.e. 1 <sup>st</sup> . 2 <sup>nd</sup> . 3 <sup>rd</sup> Evaluation Bid).	1 <sup>st</sup> lowest	
18	METHOD OF PROCUREMENT USED (Tick One).		
	Single Stage One Envelope Procedure.	Domestic /Local	
	b. Single Stage Two Envelope Procedure.	Nil	
	c. Two Stage Bidding Procedures.	Nil	
	d. Two Stage Two Envelope Bidding Procedure_	Nil	

PLEASE SPECIFY IF ANY OTHER METHOD OF PROCURMENT WAS ADOPTED i.e. EMERGENCY. DIRECT CONTRACTING/NEGOTIATION, WITH BRIEF REASONS.

	CONTRACT.	Managing Director, KW&SB
20	WHETHER THE PROCUREMENT WAS INCLUDED IN ANNUAL PROCUREMENT PLAN?	Yes No
21	ADVERTISMENT	[\(\frac{1}{2}\)
	<ul><li>i) SPPRA Website</li><li>(if yes, give date and SPPRA's tender number</li></ul>	Yes <u>S. No # 36945</u> No
	News Papers ii) (if yes, give names of newspapers and dates)	Yes No
22	NATURE OF CONTRACT	Local V Int.
23	WHETHER QUALIFICATION CRITERIA WAS INCLUDED IN BIDDING/TENDER DOCUMENT? (If yes, enclose a copy)	Yes No V
24	WHETHER EVALUATION CRITERIA BID WAS INCLUDED BIDDING/TENDER DOCUMENTS? (If yes, enclose a copy).	Yes V No
25	WHETHER APPROVAL OF COMPETENT AUTHORITY WAS OBTAINED FOR USING A METHOD OTHER THAN OPEN COMPETITIVE BIDDING?	Yes No V
26	WAS BID SECURITY OBTAINED FROM ALL THE BIDDERS?	Yes V No
27	WHETHER THE SUCCESSFUL BID WAS LOWEST EVALUATED BID/BEST EVALUATED BID (In case of Consultancies).	Yes √ No
28	WHETHER THE SUCCESSFUL BIDDER WAS TECHNICALLY COMPLIANT	Yes v No
29	WHETHER NAMES OF THE BIDDERS AND THEIR QUOTED PRICE WERE READ OUT AT THE TIME OF OPENING OF BIDS?	Yes V No
30	WHETHER COPY OF EVALUATION REPORT GIVEN TO ALL BIDDERS? (Attach copy of the bid evaluation report)	Yes V No
31	ANY COMPLAINTS RECEIVED (If yes result thereof)	Yes No V

19 APPROVING AUTHORITY FOR AWARD OF

32	ANY DEVIATION FROM SPECIFICATION GIVEN IN THE TENDER NOTICE / DOCUMENT. (If yes give details).	Yes No √
33	WAS THE EXTENSION MADE IN RESPONSE TIME? (If yes, give detailed reasons).	Yes V
34	DEVIATION FROM QUALIFICATION CRITERIA (If yes, give detailed reasons).	Yes No V
35	WAS IT ASSURED BY THE PROCURING AGENCY THAT THE SELECTED FIRM IS NOT BLACK LISTED?	Yes √ No
36	WAS A VISIT MADE BY ANY OFFICER / OFFICIAL OF THE PROCURING AGENCY TO THE	Yes No v
37	WERE PROPER SAFEGUARDS PROVIDED ON MOBILIZATION ADVANCE PAYMENT IN THE	Yes No V
38	SPECIAL CONDITIONS, IF ANY. (If yes, give Brief Description).	Yes No V

Signature & Official Stamp of

Authorized Officer

FOR OFFICER USE ONLY

SPPRA, Block-No. 8, Sindh Secretariat No. 4-A, Court Road, Karachi.
Tele: 021-9205356, 021-99205369 & Fax 021-99206291

grantition is