## SINDH PUBLIC PROCUREMENT REGULATORY AUTHORITY

CONTRACT EV	<b>ALUATION FORM</b>
-------------	----------------------

#### TO BE FILLED IN BY ALL PROCURING AGENCIES FOR PUBLIC CONTRACTS OF WORKS, SERVICES & GOODS

	WORRS, SI	ERVICES & GOODS
1)	NAME OF THE ORGANIZATION / DEPARTMENT	SINDH POLICE
2)	PROVINCIAL / LOCAL GOVT. / OTHER	PROVINCIAL
3)	TITLE OF CONTRACT	Repair/Renovation work for residence of AIGP Finance, House No.F-3, Farer Police Line Karachi
4)	TENDER NUMBER	-
5)	BRIEF DESCRIPTION OF CONTRACT	Repair/Renovation work for residence of AIGP Finance, House No.F-3, Farer Police Line Karachi
6)	FORUM THAT APPROVED THE SCHEME	
7)	TENDER ESTIMATED VALUE	0.998 Million
8)	ENGINEER'S ESTIMATE (For civil works only)	0.998 Million
9)	ESTIMATED COMPLETION PERIOD (AS PER CONTRACT)	45 Days
10)	TENDER OPENED ON (DATE & TIME)	20-03-2018
11)	NUMBER OF TENDER DOCUMENTS SOLD (Attached list of buyers)	03 No.
12)	NUMBER OF BIDS RECEIVED	03 No.
13)	NUMBER OF BIDDERS PRESENT AT THE TIME OF OPENING OF BIDS	03No.
14)	BID EVALUATION REPORT (Enclosed a copy)	Enclosed
15)	NAME AND ADDRESS OF THE SUCCESSFUL BIDDER	M/S Akbar Associates, Karachi
16)	CONTRACT AWARD PRICE	Rs.996,361/-
17)	RANKING OF SUCCESSFUL BIDDER IN EVALUATION REPORT (i.e. 1 <sup>st</sup> , 2 <sup>nd</sup> , 3 <sup>rd</sup> Evaluation Bid)	1 <sup>st</sup> Lowest
18)	METHOD OF PROCUREMENT USED :- (Tick one)	
a) PRO	SINGLE STAGE – ONE ENVELOPE CEDURE	
b) PRO	SINGLE STAGE – TWO ENVELOPE CEDURE	
c) T	WO STAGE BIDDING PROCEDURE	
	WO STAGE – TWO ENVELOPE BIDDING PROCEDURE	
Ы	FASE SPECIFY IF ANY OTHER METHO	D OF PROCUREMENT WAS ADOPTED i.e.

PLEASE SPECIFY IF ANY OTHER METHOD OF PROCUREMENT WAS ADOPTED i.e. EMERGENCY, DIRECT CONTRACTING/NEGOTIATION ETC. WITH BRIEF REASONS:

19)	APPROVING AUTHORITY FOR A'WARD OF CONTRACT	Inspe	ector Gen	eral of Police S	indh
20)	WHETHER THE PROCUREMENT WAS INCLUDED IN ANNUAL PROCUREMENT PLAN?	Yes		No	
21)	ADVERTISEMENT :			-	
	i) SPPRA Website (If yes, give date and SPPRA	Yes		37110	
	Identification No.)	No		-	
	ii) News Papers	Yes			·
	(If yes, given name of newspapers and dates)	No			
22)	NATURE OF CONTRACT	Local		Int.	
,			V		
	WHETHER QUALIFICATION CRITERIA WAS INCLUDED IN	· · · · · · · · · · · · · · · · · · ·			
:3)	BIDDING/TENDER DOCUMENTS? (If yes, enclose a copy)	Yes		No	
	WHETHER BID EVALUATION CRITERIA WAS INCLUDED IN	·			
4)	BIDDING/TENDER DOCUMENTS? (If yes, enclosed a copy)	Yes		No	
	WHETHER APPROVAL OF				
25)	COMPETENT AUTHORITY WAS OBTAINED FOR USING A METHOD	Yes		No	
	OTHER THEN OPEN COMPETITIVE BIDDING?				
26)	WAS BID SECURITY OBTAINED FROM ALL THE BIDDERS?	Yes		No	
	WHETHER THE SUCCESSFUL BID				
27)	WAS LOWEST EVALUATED BID/BEST EVALUATED BID (in case of	Yes	√	No	
	Consultancies) WHETHER THE SUCCESSFUL				
28)	BIDDER WAS TECHNICALLY COMPLIANT?	Yes		No	
	WHETHER NAMES OF BIDDERS AND				
29)	THEIR QUOTED PRICES WERE READ OUT AT THE TIME OF OPENING OF BIDS?	Yes		No	
	WHETHER EVALUATION REPORTS GIVEN TO BIDDERS BEFORE THE				
30)	AWARD OF CONTRACT?	Yes		No	
	(Attached copy of the bid evaluation report)				

J
ی <del>ہ۔۔۔</del> ۔ نیہ
PPM,

## **Integrity Pact**

## DECLARATION OF FEES, COMMISSION AND BROKERAGE ETC. PAYABLE BY THE SUPPLIERS/CONTRACTORS/CONSULTANTS.

Contract Number:	Nil		Dated:						
Contract Value:	<u>Rs.996,361/-</u> (incl	uding all	taxes)						
Contract Titles Don		<b>c</b>	• •	CALCOD D'	**	<b>N</b> T	~ •	~	

Contract Title: <u>Repair/Renovation work for the residence of AIGP Finance, House No.F-3, Farer</u> <u>Police Line, Karachi</u>

<u>M/S Akbar Associates</u> hereby declares that it has not obtained or induced the procurement of any contract, right, interest, privilege or other obligation or benefit from Government of Sindh (GoS) or any administrative subdivision or agency thereof or any other entity owned or controlled by it (GoS) through any corrupt business practice.

Without limiting the generality of the foregoing, <u>M/S Akbar Associates</u> represents and warrants that it has fully declared the brokerage, commission, fees etc. paid or payable to anyone and not given or agreed to give and shall not give or agree to give to anyone within or outside Pakistan either directly or indirectly through any natural or juridical person, including its affiliate, agent, associate. broker, consultant, director, promoter, shareholder, sponsor or subsidiary, any commission, gratification, bribe, finder's fee or kickback, whether described as consultation fee or otherwise, with the object of obtaining or inducing the procurement of a contract, right, interest, privilege or other obligation or benefit. in whatsoever form, from Procuring Agency (PA), except that which has been expressly declared pursuant hereto.

<u>M/S Akbar Associates</u> certifies that it has made and will make full disclosure of all agreements and arrangements with all persons in respect of or related to the transaction with PA and has not taken any action or will not take any action to circumvent the above declaration, representation or warranty.

<u>M/S Akbar Associates</u> accepts full responsibility and strict liability for making any false declaration, not making full disclosure, misrepresenting facts or taking any action likely to defeat the purpose of this declaration, representation and warranty. It agrees that any contract, right, interest . privilege or other obligation or benefit obtained or procured as aforesaid shall, without prejudice to any other right and remedies available to PA under any law, contract or other instrument, be voidable at the option of PA.

Notwithstanding any rights and remedies exercised by PA in this regard, <u>M/S Akbar Associates</u> agrees to indemnify PA for any loss or damage incurred by it on account of its corrupt business practices and further pay compensation to PA in an amount equivalent to ten time the sum of any commission, gratification, bribe, finder's fee or kickback given by <u>M/S Akbar Associates</u> as aforesaid for the purpose of obtaining or inducing the procurement of any contract, right, interest, privilege or other obligation or benefit in whatsoever form, from PA.

(CAPT ® GHULAM AZFAR MAHESAR)PSP,PPM, AIGP Welfare CPO Sindh Karachi [Secretary Procurement Committee]

C/O Akbar Associates

 $\mathcal{D}$ 



## STAMP OFFICE CITY COURT, KARACHI

	The second secon
Rang	M. Rizwan Ad
issued to Kang	L.16370
CNICALEG. NO.	55 Dt. 27-4-18
Vide D.S.R. No.	
For the purpose of	
For the purpose of	
On Cash	والمعارية والمراجعة والمركز والمركز والمستعدين والمركز والمركز والمراجع المحاد والمركز والمركز والمركز

# (RUPERS CAR BUILDERS OFFICE

## **CONTRACT AGREEMENT**

THIS CONTRACT AGREEMENT (hereinafter called the "Agreement") medemetion dar 2 day of <u>prin</u> -2018 between AIGP Welfare CPO Sindh, Karachi (hereinafter called the "Procuring Agency") of the one part and M/S Akbar Associates Karachi (hereinafter called the "Contractor") of the other part.

WHEREAS the Procuring Agency is desirous that certain Works, viz Repair/Renovation Works for the residence of AIGP Finance, House No. F-3, Farer Police Line, Karachi, and amount of Rs. 996,3&//-(Rupees Nine Lac Ninety Six Thousand Three Hundred and Sixteen Only) (including all taxes) should be executed by the Contractor and has accepted a Bid by the Contractor for the execution and completion of such works and the remedying of any defects therein.

NOW this agreement witnesseth as follows:

- 1. In this Agreement words and expressions shall have the same meanings as are respectively assigned to them in the Conditions of Contract hereinafter referred to.
- 2. That following documents after incorporating addenda, if any except those parts relating to Instructions to Bidders, shall be deemed to form and be read and construed as a part of this Agreement, viz:

(a) The Letter of Acceptance:

- (b) The Completed Form of Bid Along with Schedules to Bid.
- (c) Conditions of Contract & Contract Data.
- (d) The priced Schedule of Prices/Bill of quantities (BOQ):
- (e) The Specification; and
- (f) The Drawings

In consideration of the payments to be made by the Procuring Agency to the Contractor as hereinafter mentioned, the Contractor hereby covenants with the Procuring Agency to execute and complete the works and remedy defects therein in conformity and in all respects within the provisions of contract.

That Procuring Agency hereby covenants to pay the Contractor, in consideration of the execution and completion of the Works as per provisions of the Contract, the Contract Price or such other sum as may become payable under the provisions of the contract at the times and in the manner prescribed by the Contract.

IN WITNESS WHEREOF the parties hereto have caused this Contract Agreement to be executed on the day, month and year first before written in accordance with their respective law.

Signature of the Contractor

Signature of the Procurring Agency

Muhammad Akbar C/O Akbar Associates Government Contractor Karachi

(Capt. Ghulam Aztar Mahesar) PPM.PSP AIGP Welfare CPO Sindh, Karachi

Signed, Sealed and Delivered in presence of:

Muhammad Naeem S/o Ghulam Mustafa CNIC No. 42501-1207205-3

Witness:

Rana Muhamamd Saleem S/o M. Suleman Junior Clerk (Welfare Branch CPO) CNIC NO. 42501-1496912-1

Witness:



·

3.

PAKISTAN

27 APR 2018

PAKISTAN



<b>OFFICE OF THE</b>
<b>INSPECTOR GENERAL OF POLICE,</b>
SINDH, KARACHI.
No. 2297-99 /Welfare /2018
Karachi, dated:- 27-04-2018

To,

ł.

M/S Akbar Associates, Government Contractor, Karachi.

#### Subject: - WORK ORDER

Reference: - This office "Letter of Acceptance" No.2188-90/Welfare/dated 19-04-2018 regarding Repair/ Renovation Work for the residence of AIGP Finance House No.F-3, Farer Police Line, Karachi amounting to **Rs.996,361**/- (Rupees = Nine Lac Ninety Six Thousand Three Hundred & Sixty One only) (including all taxes).

. . . . . . . . . . . . . . . .

With reference to the above cited letter No, you are now requested to start to work within 07 days after the issuance of this letter.

The work will be started under the supervision of AIGP/Welfare CPO Sindh. Karachi in consultation with Assistant Engineer, CPO Sindh Karachi.

The time for completion of this work is 30-Days from the date of start of work.

(CAPT ® CHULAM AZEAR MAHESAR)PSP,PPM, AIGP/Welfare CPO Sindh Karachi For Inspector General of Police Sindh Karachi

Copy forwarded with compliments for information to:-

- 1. The DIGP Finance CPO Sindh, Karachi.
  - 2. The Assistant Engineer, CPO Sindh, Karachi. He should ensure that no extra item and excess quantity over Schedule B is carried out unless specific permission is accorded from the competent authority. He is also required to report the actual date of start of the work and to submit physical progress in unambiguous manner with current financial consumption accordingly.

There should be no change in the specification/plan/design already approved of the work at later stage. The contractor's signature on the plan and design must be taken in their acceptance.

Assistant Engineer should ensure that the individual quantity of the items provided in the Estimate / Schedule-B do not exceed.

Me of work: REPAIR / RENOVATION WORKS OF HOUSE NO. F-3, FERER POLICE STATION, KARACHL

## SCHEDULE BOOK DOCUMENT

S.NO	Descriptions	Quantity	Rate	unit	Amount
l	Dismantling cement concrete plain 1:4:8. (SI.19-a/P-10)	245.19	1663.75	⁰₀Cft.	4079.34862;
2	Dismantling glazed or encaustic tiles etc (SI.55 / P-13).	398.93	786.5	%Sfì	3137.58445
3	Scraping ( b) Ordinary distemper oil bound distemper or Paint on Walls. Only 70% allowable ( SI.54-(b) / P-13 ).	2714.93	226.88	%Sft	6159.63318-
4	Cement plaster 1:4 upto 12' height (c) 3/4" thick (SI-11-C/P- 52)	1405	3105.76	%Sft	43635.928
5	P/F in position doors windows and ventilators of $1^{st}$ class deodar wood frames and $1-1/2^{st}$ thick teak wood ply shutter of $2^{nd}$ class deodar wood (S1,57/P-65)	143.5	1182.56	P Sů	169697.36
6	Laying floors of approved coloured glazed tiles '4'' thick laid in white cement and pigment on a bed of '4'' thick cement mortar 1:2 (SI.25 / P-43)	202.06	27747.06	%Sft	56065.7094
7	White glazed tiles ¼ <sup>**</sup> thick dado jointed in white cement and laid over 1:2 cement sand mortar ¾ <sup>**</sup> thick including finishing. (\$1.37 / P-45)	606.62	28253.61	°₀Sħ	171392.049
8	Distempering two coats (SI.24b / P-54)	6.43.06	1043.74	⁰₀Sft	6711.87.4.4.4
9	Preparing the surface and painting with matt finish in/c rubbing the surface with Bathy (Silicon carbide rubbing brick) filling the voids with zink / chalk / plaster of Paris mixture, applying first coat premix (SI.37-A+B+B)/P-55)	1955.42	1772.38	%Sft	34657.473
10	Preparing the surface and painting with weather coat in/c rubbing the surface with rubbing brick / sand paper filling the voids with chalk (SI.38-A+B+B/P-56)	1280	2567.95	⁰₀Sft	32869.76
11	P/L 3" thick topping cement concrete (1:2:4) including surface finishing and dividing into panels. (d) 3" thick. (S1.16-d/P-42)	700.25	4411.82	°∕₀Sft	30893.7695
12	French polishing on new works.( SI-7a/P-71)	287	3841.75	⁰‰Sft	11025.8225
		Total	Amount Part (	Λ):	570326.3
ECTR	AIC WORKS SCHEDULE ITEMS PART ( B ):				
S.NO	Descriptions	Quantity	Rate	unit	Amount
1	Wiring for plug point with 3/.029 PVC insulated wire in 20mm ( ¾" ) PVC( SI.126 / P-15 ).	12	985	P.Point	11820
2	Providing & laying (MAIN or SUB MAIN) PVC insulated with size 2-3/.029(SI.8 / P-2).	100	173	P.Meter	17300
3	Providing & Fixing three pin 10 / 15 Amp Plug & Socket.( SI.224 / P-33 ).	8	151	Each	1208
4	Providing & Fixing three pin 5 Amp Plug & Socket.( SI.226 / P-33 ).	8	151	Each	1208
5	Providing & fixing three pin 10/15 amp plug & socket flush type.( SI.227 / P-33 ).	8	162	Each	1296
. 6	P/F circuit breaker 6,10,15,20,30,40,50, & 63 amp DP (TB-5S) on prepared board as required. (SI.204/P-31)	2	2456	Each.	4012
7	Providing & fixing one way SP 5amp switch flush type (33/219)	4	54	P/ No.	216
8	P/F two way SP 5-amp switch flush type (SI.220/P-33)	4	55	P/No	220
9	Providing & fixing one way SP 10 / 15amp switch Arface type.( SI.218 / P-33 ).	6	58	Each	348
			uniount of Part	(13):	38528
<u>nita.</u> 5.no	RY WORKS SCHEDULE ITEMS PART ( C ): Descriptions	Quantity	Rate	unit	Amount
5.110					
1	S/F soap tray of made plastic of superior quality and design with fine finishing with CP screws etc complete.	2	169.4	Each	338.8

Prod 2 Prode

5

	P/L Porcelain Master granite or Spanish tiles glazed or matt glazed, jointed in white cement and laid over 1:2 grey cement		330,		79200/-
<u>DN-SC</u> S.NO	CHEDULE ITEMS PART ( D ): Descriptions	Quantity	Rate	unit	Amount
		Total A	vmount of Part	(C):	54468.2
13	( b ) Supplying & Fixing swan type piller cock of Superior quality with crystal head. ½" dia. ( SI.16(b) / P-19 ).	2	877.8	Each	1755.6
12	with C.P head ½" dia. ( SI.12-a / P-18 ).	2	843.92	Each	1687.84
11	iron or wrought iron brackets 6 inches built in wall 1-1/2" C.P. rubber plug chrome plated brass chain 1-1/2" C.P. brass waste, with 1-1/2" PVC waste pipe & making requisite number of holes in wall & plinth &floor for pipe connection & making good in cement concrete 1:2:4. (b)Steel sink stainless steel sized 36"x18" local make (standard pattern) (SI.19-b/P-6) ( a ). S/Fixing canceled tee-stop cock of superior quality	2	5162.3	Each.	10324.6
	Foreign or Equivalent ).( SI.10 / P-3 ). P/F steel sinks stainless local make complete with cast				
10	Providing & fixing 24" x 18" lavatory basin in white glazed earthen ware complete with & in/c the cost of W.I or C.I cantilever brackets 6 inches built into walls, painted white in two coats after a primary coat of red lead paint a pair of ½" dia rubber plug & chrome plated brass chain 1-1/4" dia, malleable iron or brass unions and making requisite number of holes in walls, plinth & floor for Pipe connections and making good in cement concrete 1:2:4 (	2	4928	Each	9856
9	Providing & fixing in position nyloon connections complete with ½" dia, brass stop cock with pair of brass nuts and lining joints to nyloon connection. (SI. 23 / 06).	2	447.15	Each	894.3
8	( b) Supplying / Fixing wash basin mixture of superior quality with C.P head ½" dia. (SI.14-b / P-19).	2	3179	Each	6358
7	Supplying & fixing sink mixture cock of superior quality with c.p head etc complete. (SI.17 / P-19).	1	2745.6	Each	27.45.6
6	Add extra for labour for providing & fixing of earthen ware pedestal white or coloured glazed (Foreign or Equivalent ).(SI.11 / P-3).	2	2533.47	Each	5066.94
5	Providing & fixing 6"x2" or 6"x3" C.I floor trap of the approved selt cleaning design with a C.I screwed down granting with or without a vent arm complete with & I/c making requisite number of holes in walls, plinth & floor for Pipe connections & making good cement concrete 1: 2: 4. (SI.20 / P-06).	2	2042.43	Each	-108-1.86
4	complete with 1/8" thick hard board and CP screws fixed to wooden pleat (b) superior quality (SI3-b/P-07)	2	2376	P/No	4752
3	(a) S/Fixing long bib-cock of superior quality with c.p head ½" dia. (SI.13-a / P-19). P/L 24"x18" bevalled edge mirror of Belgium glass.	4	1109.46	Each	-4437.84
2,	Providing & fixing chrome lated brass towel rail complete with brackets fixing on wooden cleats with 1" long c.p brass screws.( II) Towel rail 30" long. (a) 3/" dia round or square (Standard Pattern). (SI.01-II+a / P-07).	2	1082.95	Each	2165.9

2.	P.F murble top 1" thick (botesina or teravera or equivalent) having size upto 8'-0x2'-0 in/c cutting into proper size, making round gola & cutting for fixing vanity basin or sink bowl and filling joints with white coment or jelly in/c grinding and chemical polishing etc complete as directed by the Engineer Incharge	25	485	P'SĤ	12/25/-
3	Water proofing of roof by means of chemical by using latex solution by supplying 1° coat of uni bond 2860 adhesive. 2 <sup>nd</sup> cost of Aqua seal 2010/11 3 <sup>rd</sup> coat of uni-bond aqua seal mixture then filling the cracks with uni-bond then supplying 2/3 coats as per requirement of aqua seal to have rubber like surface etc complete as directed by the Engineer Incharge.	420.25	143	P Stì	60095/-
4	P/L Pre cast RCC beam / slab roof by using pre coat beams of required size & no and precast slab of size $4.0x2.0x0.25$ after leveling of wall by CC erection of beams & slab, filling joints in cement sand mortar as directed by the Engineer Incharge.	420.25	200	P/Sft	84050/-
6	P/F wall bracket fan 18° dia of approved make & quality (Royal/Pak, Millat or equivalent) in/c fixing on wall as directed by the Engineer Incharge	2	4100	Each	82001-
7	P/F ceiling fan 56 <sup>°°</sup> sweep Pak/Royal/GFC or equivalent deluxe model in/c carriage from shop to site of work. fixing & necessary lead connection as directed by the Engineer Incharge.	2	4930	Each	98601_
8	Supplying & fixing white or colored glazed earthen ware European commode set (ACL make or equivalent) coupled with flush tank of 3.0-gallon capacity & seat cover complete with internal fittings, fixtures, clamps, necessary lead connection and making requisite No of holes in wall, plinth or floor for pipe connection & making good CC 1:2:4as directed by the Engineer Incharge.	, 1	10,000	Each	10,000/-
9	P/F UPVC water supply pipe of AGM or Pak Arab or equivalent with all necessary fittings like elbow, bend. tee etc. This includes fixing on walls with clamps or Jubilee clips upto height of 50'-0 in vertical or horizontal position using Jhoola or long ladder or scaffolding and jointing pipe & fittings with approved solvent / JTG solution. The rate includes all cost of labour, material, and cartage, as directed by Engineer Incharge 1/2" dia	75	95	P 'R fi	7125/-
10	P/F UPVC water supply pipe of AGM or Pak Arabor equivalent with all necessary fittings like elbow, bend, tee etc. This includes fixing on walls with clamps or Jubilee clips upto height of 50°-0 in vertical or horizontal position using Jhoola or long ladder or scaffolding and jointing pipe & fittings with approved solvent / JTG solution. The rate includes all cost of labour, material, and cartage, as directed by Engineer Incharge 3/4" dia	6()	109	P. R ft	6540/-
11	P/F UPVC water supply pipe of AGM or Pak Arab or equivalent without fittings which will be paid separately. This includes fixing on walls with clamps or Jubilee clips upto height of in vertical or horizontal position using Jhoola or long ladder or scaffolding and jointing pipe & fittings with approved solvent / JTG solution. The rate includes all cost of labour, material, and cartage, as directed by Engineer Incharge 2" dia		202	PXh	12120/-

2 御き

	i set			Č	<u>k</u>
12	P/F UPVC water supply pipe of AGM or Pak Arab or equivalent with all necessary fittings. This includes fixing on walls with clamps or Jubilee clips upto height of in vertical or horizontal position using Jhoola or long ladder or scaffolding and jointing pipe & fittings with approved cement solvent / JTG solution. The rate includes all cost of labour, material, and cartage, as directed by Engineer Incharge 1'' dia	50	168	P/R ft	5 4001-
13	P/F wooden cabinet shutter at bottom of kitchen made up of frame work of 1 <sup>st</sup> class partal wood 2"x1" fitted on existing masonary pillars & fixing shutter of laminated lassani sheet 3/4" thick in/c providing & fixing wooden leaping or gola around lassani shutter or making gola by router in approved shape & design & polishing etc. The cost in/c necessary hinges, catchers, handles, sliding wheels, draws lock, nails serews etc. The cost includes necessary tools, plants to be used in making etc complete as directed by the Engineer Incharge.	50	860	P-St	43000/-
			Amount of Part		340715/-
			an <del>d total amoun</del> Or say in	tin Runees:	
	TERMS AND CONDITIONS		A	/ )	

#### TERMS AND CONDITIONS

1. Any typographical errors in the Schedule B are subject to the correct enforced from  $12^{th}$  July 2012 as Approved by the SRC Sindh. Karachi 7

- 2. Arbitration clause stands deleted from the agreement.
- 3. No premium shall be paid on a Non schedule items.
- 4. 100% Well Graded crushed bajri shall be used in items of work without any extra payment.
- 5. All sample of items should be got approved by the Engineer Incharge.

et on with Referend

(HAFIZ SAFDAR SHAIKH) Assistant Engineer, CPO, Sindh, Karachi


he Sebelule of rate General 2012

•	O CONTRACT	EVALUATION FORM
		ING AGENCIES FOR PUBLIC CONTRACTS OF ERVICES & GOODS
1)	NAME OF THE ORGANIZATION / DEPARTMENT	SINDH POLICE
2)	PROVINCIAL / LOCAL GOVT. / OTHER	PROVINCIAL
3)	TITLE OF CONTRACT	Repair/Renovation work for the residence of AIGP Operation, Flat No.D-2, Police Officer Flat No.11, Kahkashan Clifton Block No.07, Bath Island, Karachi
1)	TENDER NUMBER	-
5)	BRIEF DESCRIPTION OF CONTRACT	Repair/Renovation work for the residence of AIGP Operation, Flat No.D-2, Police Officer Flat No.11, Kahkashan Clifton Block No.07, Bath Island, Karachi
6)	FORUM THAT APPROVED THE SCHEME	
7)	TENDER ESTIMATED VALUE	0.998 Million
8)	ENGINEER'S ESTIMATE	0.998 Million
9)	(For civil works only) ESTIMATED COMPLETION PERIOD (AS PER CONTRACT)	45 Days
0)	TENDER OPENED ON (DATE & TIME)	20-03-2018
1)	NUMBER OF TENDER DOCUMENTS SOLD (Attached list of buyers)	03 No.
2)	NUMBER OF BIDS RECEIVED	03 No.
13)	NUMBER OF BIDDERS PRESENT AT THE TIME OF OPENING OF BIDS	03No.
4)	BID EVALUATION REPORT (Enclosed a copy)	Enclosed
15)	NAME AND ADDRESS OF THE SUCCESSFUL BIDDER	M/S Ather & Company, Karachi
16)	CONTRACT AWARD PRICE	Rs.997,094/-
17)	RANKING OF SUCCESSFUL BIDDER IN EVALUATION REPORT (i.e. 1 <sup>st</sup> , 2 <sup>nd</sup> , 3 <sup>rd</sup> Evaluation Bid)	
18)	METHOD OF PROCUREMENT USED :- (Tick one)	
a) PRC	SINGLE STAGE – ONE ENVELOPE DCEDURE	
b)	SINGLE STAGE – TWO ENVELOPE DCEDURE	
	TWO STAGE BIDDING PROCEDURE	
	TWO STAGE – TWO ENVELOPE BIDDING PROCEDURE	

# PLEASE SPECIFY IF ANY OTHER METHOD OF PROCUREMENT WAS ADOPTED i.e.

19)	APPROVINGAUTHORITYFORAWARD OF CONTRACTInspector General of Police SindhWHETHER THE PROCUREMENT WAS				
20)	INCLUDED IN ANNUAL PROCUREMENT PLAN?	Yes		No	
21)	ADVERTISEMENT :			-	
	<ul><li>i) SPPRA Website</li><li>(If yes, give date and SPPRA Identification No.)</li></ul>	Yes No		37110	
	<ul><li>ii) News Papers (If yes, given name of newspapers and dates)</li></ul>	Yes No			
22)	NATURE OF CONTRACT	Local		Int.	
22)	WHETHER QUALIFICATION CRITERIA WAS INCLUDED IN	Vac		No	
23)	BIDDING/TENDER DOCUMENTS? (If yes, enclose a copy)	Yes			j
24)	WHETHER BID EVALUATION CRITERIA WAS INCLUDED IN	Yes		No	
	BIDDING/TENDER DOCUMENTS? (If yes, enclosed a copy) WHETHER APPROVAL OF COMPETENT AUTHORITY WAS	L1		L	
25)	OBTAINED FOR USING A METHOD OTHER THEN OPEN COMPETITIVE	Yes		No	]
	BIDDING?				
26)	WAS BID SECURITY OBTAINED FROM ALL THE BIDDERS?	Yes		No	
	WHETHER THE SUCCESSFUL BID				
27)	WAS LOWEST EVALUATED BID/BEST EVALUATED BID (in case of	Yes		No	]
	Consultancies) WHETHER THE SUCCESSFUL				
28)	BIDDER WAS TECHNICALLY COMPLIANT?	Yes		No	
•••	WHETHER NAMES OF BIDDERS AND THEIR QUOTED PRICES WERE READ			No	
29)	OUT AT THE TIME OF OPENING OF BIDS?	Yes		No	

\_\_\_\_\_




No


 $\sqrt{}$ 



 $\sqrt{}$ 







(CAPT ® GHULAM AZFAR MAHESAR)PSP,PPM, AIGP Welfare, CPO Sindh, Karachi (Secretary Procurement Committee)

## **Integrity Pact**

## O <u>DECLARATION OF FEES, COMMISSION AND BROKERAGE ETC.</u> <u>PAYABLE BY THE SUPPLIERS/CONTRACTORS/CONSULTANTS.</u>

Contract Number:

Dated:

Contract Value: <u>**Rs.997,094**/-</u> (including all taxes)

Nil

## Contract Title: <u>Repair/Renovation works for the residence of AIGP Operation, Flat No.D-2, Police</u> Officer Flat No.11, Kahkashan Clifton Block No.07, Bath Island, Karachi

<u>M/S Ather & Company</u> hereby declares that it has not obtained or induced the procurement of any contract, right, interest, privilege or other obligation or benefit from Government of Sindh (GoS) or any administrative subdivision or agency thereof or any other entity owned or controlled by it (GoS) through any corrupt business practice.

Without limiting the generality of the foregoing, <u>M/S Ather & Company</u> represents and warrants that it has fully declared the brokerage, commission, fees etc. paid or payable to anyone and not given or agreed to give and shall not give or agree to give to anyone within or outside Pakistan either directly or indirectly through any natural or juridical person, including its affiliate, agent, associate, broker, consultant, director, promoter, shareholder, sponsor or subsidiary, any commission, gratification, bribe, finder's fee or kickback, whether described as consultation fee or otherwise, with the object of obtaining or inducing the procurement of a contract, right, interest, privilege or other obligation or benefit, in whatsoever form, from Procuring Agency (PA), except that which has been expressly declared pursuant hereto.

<u>M/S Ather & Company</u> certifies that it has made and will make full disclosure of all agreements and arrangements with all persons in respect of or related to the transaction with PA and has not taken any action or will not take any action to circumvent the above declaration, representation or warranty.


<u>M/S Ather & Company</u> accepts full responsibility and strict liability for making any false declaration, not making full disclosure, misrepresenting facts or taking any action likely to defeat the purpose of this declaration, representation and warranty. It agrees that any contract, right, interest , privilege or other obligation or benefit obtained or procured as aforesaid shall, without prejudice to any other right and remedies available to PA under any law, contract or other instrument, be voidable at the option of PA.

Notwithstanding any rights and remedies exercised by PA in this regard, <u>M/S Ather &</u> <u>Company</u> agrees to indemnify PA for any loss or damage incurred by it on account of its corrupt business practices and further pay compensation to PA in an amount equivalent to ten time the sum of any commission, gratification, bribe, finder's fee or kickback given by <u>M/S Ather & Company</u> as aforesaid for the purpose of obtaining or inducing the procurement of any contract. right, interest. privilege or other obligation or benefit, in whatsoever form, from PA.

(CART ® GHULAN AZFAR MAHESAR)PSP,PPM, AIGP Welfare CPO Sindh Karachi [Secretary Procurement Committee]

C/O Ather & Company

778467



## CONTRACT AGREEMENT

THIS CONTRACT AGREEMENT (hereinafter called the "Agreement") made on the <u>30</u><sup>4</sup> day of <u>April</u> 2018 between AIGP Welfare CPO Sindh, Karachi (hereinafter called the "Procuring Agency") of the one part and M/S Ather & Company Karachi (hereinafter called the "Contractor") of the other part.


WHEREAS the Procuring Agency is desirous that certain Works, viz Repair/ Renovation Works for the residence of AIGP Operation, Flat No.D-2, Police Officer Flat No.11, Kahshan Clifton Block No.07, Bath Island, Karachi and amount of Rs.997,094/- (Rupees = Nine Lac Ninety Seven Thousand & Ninety Four only) (including all taxes) should be executed by the Contractor and has accepted a Bid by the Contractor for the execution and completion of such Works and the remedying of any defects therein.

#### NOW this Agreement witnesseth as follows:

1. In this Agreement "words and expressions shall have the same meanings as are respectively assigned to them in the Conditions of Contract hereinafter referred to.

Cont. on next page ....

#### 



L. No. 27. Sem No 3. Give Conver. Karachi S.No. 45544. One	30
S.NC. 1534.9 Date. ISSUED TO WITH ADDINESS ANYVAE AMUNED ADVO THROUGH TO WITH ADDRESS LERG 3155 HC	Cale
PUPPONE VALUE INTACHED	

(\* 2 )

2. The following documents after incorporating addenda. if any except those parts relating to Instructions to Bidders, shall be deemed to form and he read and construed as part of this Agreement.

viz:

- (a) The Letter of Acceptance;
- (b) The completed Form of Bid along with Schedules to Bid;
- (c) Conditions of Contract & Contract Data;
- (d) The priced Schedule of Prices/Bill of quantities (BOQ);

(e) The Specifications: and (1) The Drawings

3. In consideration of the payments to be made by the Procuring Agency to the Contractor as hereinafter mentioned. the Contractor hereby covenants with the Procuring Agency to execute and complete the Works and remedy defects therein in conformity and in all respects within the provisions of the Contract.

4. The Procuring Agency .hereby covenants to pay the Contractor. in consideration of the execution and completion of the Works as per provisions of the Contract, the Contract Price or such other sum as may become payable under the provisions of the Contract at the times and in the manner prescribed by the Contract.

IN WITNESS WHEREOF the parties hereto have caused this Contract Agreement to he executed on the day, month and year First before written in accordance with their respective laws.

Signature of the Contactor

Signature of the Procuring Agency

496926

2000 Rupees 3 0 APR 2018 Muhammad Arshad Chohan Stange Ven L. No . 27. Seat No 3. Cowst, Karachi Lag: 3155 HC THROUGH TO WITH ADDRESS. PURPOSÉ ... WALLIE ..... ATTACHED STAMP VENDOR'S SIGNATURE (3) (Capt.Ghulam Azfer Maheser) PPM. PSP Syed Ather Haider. A IGP Welfare CPO Sindh, C/O Ather & Company Government Contractor - Karachi Karachi Signed. Sealed and Delivered in the presence of: Witness: Rana Muhammad Saleem Syed Sarwar Hyder S/o Syed Mumtaz Haider (LATE) S/o M. Suleman CNIC # 04210-19414567-3 CNIC # 42501-1496912-1 Witnes Witness:



## OFFICE OF THE INSPECTOR GENERAL OF POLICE, SINDH, KARACHI. No. <u>23/2-/4</u>, /Welfare /2018 Karachi, dated: 02, -05-2018

To,

M/S Athar & Company, Government Contractor, Karachi.

#### Subject: - WORK ORDER

Reference: - This office "Letter of Acceptance" No.2191-93/Welfare/dated 19-04-2018 regarding Repair/ Renovation Work for the residence of AIGP Operation, Flat No.D-2, Police Officer Flat No.11, Kahkashan Clifton Block No.07, Bath Island, Karachi amounting to **<u>Rs.997,094/-</u>** (Rupees = Nine Lac Ninety Seven Thousand & Ninety Four only) (including all taxes).

. . . . . . . . . . . . . . . .

With reference to the above cited letter No, you are now requested to start to work within 07 days after the issuance of this letter.

The work will be started under the supervision of AIGP/Welfare CPO Sindh, Karachi in consultation with Assistant Engineer, CPO Sindh Karachi.

for completion of this work is 30-Days from the date of start of work. (CAPT ® GHULAM AZFÁR MAHESAR)PSP,PPM, AIGP/Welfare CPO Sindh Karachi For Inspector General of Police

Sindh Karachi

Copy forwarded with compliments for information to:-

- 1. The DIGP Finance CPO Sindh, Karachi.
- 2. The Assistant Engineer, CPO Sindh, Karachi. He should ensure that no extra item and excess quantity over Schedule B is carried out unless specific permission is accorded from the competent authority. He is also required to report the actual date of start of the work and to submit physical progress in unambiguous manner with current financial consumption accordingly.

There should be no change in the specification/plan/design already approved of the work at later stage. The contractor's signature on the plan and design must be taken in their acceptance.

Assistant Engineer should ensure that the individual quantity of the items provided in the Estimate / Schedule-B do not exceed.

Name of work: REPAIR / RENOVATION WORKS OF FLAT NO.D-2, POLICE OFFICERS FLATS, STREET NO.11, KEHKASHAN, CLIFTON, BLOCK-7, BATH ISLAND, KARACHI.

F

#### SCHEDULE BOOK DOCUMENT

Descriptionsmantling cement concrete plain 1:4:8. $(SI, 19-a/P-10)$ mantling glazed or encaustic tiles etc (SI,55 / P-13).noving door with chowkats. $(SI,33-a/P-12)$ .noving window and sky light with chowkats $(33-b/P12)$ .uping (b) Ordinary distemper oil bound distemper or PaintValls. Only 70% allowable (SI,54-(b) / P-13).nent plaster 1:4 upto 12' height (c) 3/4" thick (SI-11-C/P-in position doors windows and ventilators of 1 <sup>M</sup> classdar wood frames and 1-1/2" thick teak wood ply shutter ofclass deodar wood (SI,57/P-65)ing floors of approved coloured glazed tiles ½" thick laidhite cement and pigment on a bed of ½" thick cementtar 1:2 (SI,25 / P-43)ite glazed tiles ½" thick dado jointed in white cement andover 1:2 cement sand mortar ½" thick including finishing.S7 / P-45)empering two coats (SI,24b / P-54)oating the surface and painting with matt finish in/c rubbingsurface with Bathy (Silicon carbide rubbing brick) fillingvoids with zink / chalk / plaster of Paris mixture, applyingcoat premix (S1,37-A+B+B)/P-55)paring the surface and painting with weather coat in/coing the surface with rubbing brick / sand paper filling thets with chalk (S1,38-A+B+B/P-56)3" thick topping cement concrete (1:2:4) including surfaceshing and dividing into panels. (d) 3" thick. (S1,16-d/P-42)hen polishing on new works.(S1-7a/P-71)	Quantity 245.19 398.93 7 4 2714.93 1405 143.5 202.06 606.62 643.06 1955.42 1280 700.25	Rate         1663.75         786.5         142.18         102.85         226.88         3105.76         1182.56         27747.06         28253.61         1043.74         1772.38         2567.95         .4411.82	unit           %oCfi.           %oSfi           Each           P. No.           %oSfi	Amount 4079.348625 3137.58445 995.26 411.4 6159.63318- 43635.928 169697.36 56065.70944 171392.049 6711.874444 34657.473 32869.76 30893.76955
mantling glazed or encaustic tiles etc. (SI.55 / P-13). noving door with chowkats.(SI.33-a /P-12). noving window and sky light with chowkats (33-b P/12). uping (b) Ordinary distemper oil bound distemper or Paint Valls. Only 70% allowable (SI.54-(b) / P-13). nent plaster 1:4 upto 12' height.(c) 3/4" thick (SI-11-C/P- in position doors windows and ventilators of 1 <sup>st</sup> class dar wood frames and 1-1/2" thick teak wood ply shutter of class deodar wood (SI.57/P-65) ing floors of approved coloured glazed tiles ½" thick laid thite cement and pigment on a bed of ½" thick cement tar 1:2 (SI.25 / P-43) ite glazed tiles ½" thick dado jointed in white cement and over 1:2 cement sand mortar ½" thick including finishing. 37 / P-45) empering two coats (SI.24b / P-54) baring the surface and painting with matt finish in/c rubbing surface with Bathy (Silicon carbide rubbing brick) filling voids with zink / chalk / plaster of Paris mixture, applying coat premix (SI.37-A+B+B)/P-55) baring the surface with rubbing brick / sand paper filling the ls with chalk (SI.38-A+B+B/P-56) 3" thick topping cement concrete (1:2:4) including surface shing and dividing into panels. (d) 3" thick. (SI.16-d/P-42)	398.93 7 4 2714.93 1405 143.5 202.06 606.62 643.06 1955.42 1280	786.5 142.18 102.85 226.88 3105.76 1182.56 27747.06 28253.61 1043.74 1772.38 2567.95	%Sft         Each         P. No.         %Sft	3137.58445 995.26 411.4 6159.63318- 43635.928 169697.36 56065.70944 171392.049 6711.87444 34657.473 32869.76
boving door with chowkats. (S1.33-a /P-12). hoving window and sky light with chowkats (33-b P/12), uping (b) Ordinary distemper oil bound distemper or Paint Valls. Only 70% allowable (S1.54-(b) / P-13). hent plaster 1:4 upto 12' height (c) 3/4" thick (S1-11-C/P- in position doors windows and ventilators of 1 <sup>st</sup> class dar wood frames and 1-1/2" thick teak wood ply shutter of class deodar wood (S1.57/P-65) ing floors of approved coloured glazed tiles ½" thick laid hite cement and pigment on a bed of ½" thick cement tar 1:2 (S1.25 / P-43) ite glazed tiles ½" thick dado jointed in white cement and over 1:2 cement sand mortar ½" thick including finishing. 37 / P-45) empering two coats (S1.24b / P-54) baring the surface and painting with matt finish in/c rubbing surface with Bathy (Silicon carbide rubbing brick) filling voids with zink / chalk / plaster of Paris mixture, applying coat premix (S1.37-A+B+B)/P-55) baring the surface and painting with weather coat in/c bing the surface with rubbing brick / sand paper filling the ls with chalk (S1.38-A+B+B/P-56) 3" thick topping cement concrete (1:2:4) including surface shing and dividing into panels. (d) 3" thick. (S1.16-d/P-42)	7 4 2714.93 1405 143.5 202.06 606.62 643.06 1955.42 1280	142.18         102.85         226.88         3105.76         1182.56         27747.06         28253.61         1043.74         1772.38         2567.95	Each P. No. %Sft %Sft P'Sft %Sft %Sft %Sft %Sft	995.26 411.4 6159.63348- 43635.928 169697.36 56065.70944 174392.049 6711.874444 34657.473 32869.76
hoving window and sky light with chowkats (33-b P/12), uping (b) Ordinary distemper oil bound distemper or Paint Walls. Only 70% allowable (S1.54-(b) / P-13). hent plaster 1:4 upto 12' height (c) 3/4" thick (S1-11-C/P- in position doors windows and ventilators of 1 <sup>st</sup> class dar wood frames and 1-1/2" thick teak wood ply shutter of class deodar wood (S1.57/P-65) ing floors of approved coloured glazed tiles ½" thick laid hite cement and pigment on a bed of ½" thick cement tar 1:2 (S1.25 / P-43) ite glazed tiles ½" thick dado jointed in white cement and over 1:2 cement sand mortar ½" thick including finishing. 37 / P-45) empering two coats (S1.24b / P-54) baring the surface and painting with matt finish in/c rubbing surface with Bathy (Silicon carbide rubbing brick) filling voids with zink / chalk / plaster of Paris mixture, applying coat premix (S1.37-A+B+B)/P-55) baring the surface and painting with weather coat in/c bing the surface with rubbing brick / sand paper filling the ls with chalk (S1.38-A+B+B/P-56) 3" thick topping cement concrete (1:2:4) including surface shing and dividing into panels. (d) 3" thick. (S1.16-d/P-42)	2714.93 1405 143.5 202.06 606.62 643.06 1955.42 1280	102.85         226.88         3105.76         1182.56         27747.06         28253.61         1043.74         1772.38         2567.95	P. No. %Sft %Sft P'Sft %Sft %Sft %Sft %Sft	411.4 6159.63318- 43635.928 169697.36 56065.70944 171392.049 6711.87444 34657.473 32869.76
ping ( b) Ordinary distemper oil bound distemper or Paint Walls. Only 70% allowable (SI.54-(b) / P-13). nent plaster 1:4 upto 12° height (c) 3/4° thick (SI-11-C/P- in position doors windows and ventilators of 1 <sup>st</sup> class dar wood frames and 1-1/2° thick teak wood ply shutter of class deodar wood (SI.57/P-65) ing floors of approved coloured glazed tiles ¼° thick laid thite cement and pigment on a bed of ¾° thick cement tar 1:2 (S1.25 / P-43) ite glazed tiles ¼° thick dado jointed in white cement and over 1:2 cement sand mortar ¾° thick including finishing. 37 / P-45) empering two coats (S1.24b / P-54) baring the surface and painting with matt finish in/c rubbing surface with Bathy (Silicon carbide rubbing brick) filling voids with zink / chalk / plaster of Paris mixture, applying coat premix (S1.37-A+B+B)/P-55) baring the surface and painting with weather coat in/c bing the surface with rubbing brick / sand paper filling the ls with chalk (S1.38-A+B+B/P-56) 3° thick topping cement concrete (1:2:4) including surface shing and dividing into panels. (d) 3° thick. (S1.16-d/P-42)	1405 143.5 202.06 606.62 643.06 1955.42 1280	226.88 3105.76 1182.56 27747.06 28253.61 1043.74 1772.38 2567.95	%Sft           %Sft           %Sft           P'Sft           %Sft           %Sft           %Sft           %Sft           %Sft           %Sft           %Sft           %Sft           %Sft	43635.928 169697.36 56065.7094 171392.049 6711.87444 34657.473 32869.76
hent plaster 1:4 upto 12' height.(c) 3/4" thick (SI-11-C/P- in position doors windows and ventilators of 1 <sup>st</sup> class dar wood frames and 1-1/2" thick teak wood ply shutter of class deodar wood (SI.57/P-65) ing floors of approved coloured glazed tiles ½" thick laid thite cement and pigment on a bed of ½" thick cement tar 1:2 (SI.25 / P-43) ite glazed tiles ½" thick dado jointed in white cement and over 1:2 cement sand mortar ½" thick including finishing. 37 / P-45) empering two coats (SI.24b / P-54) baring the surface and painting with matt finish in/c rubbing surface with Bathy (Silicon carbide rubbing brick) filling voids with zink / chalk / plaster of Paris mixture, applying <u>coat premix (SI.37-A+B+B)/P-55</u> ) baring the surface and painting with weather coat in/c bing the surface with rubbing brick / sand paper filling the ls with chalk (SI.38-A+B+B/P-56) 3" thick topping cement concrete (1:2:4) including surface shing and dividing into panels. (d) 3" thick. (SI.16-d/P-42)	143.5 202.06 606.62 643.06 1955.42 1280	1182.56         27747.06         28253.61         1043.74         1772.38         2567.95	P'Sfi %Sfi %Sfi %Sfi %Sfi	169697.36 56065.7094 171392.049 6711.87444 34657.473 32869.76
dar wood frames and 1-1/2" thick teak wood ply shutter of class deodar wood (S1.57/P-65) ing floors of approved coloured glazed tiles '4'' thick laid thite cement and pigment on a bed of '4'' thick cement tar 1:2 (S1.25 / P-43) ite glazed tiles '4'' thick dado jointed in white cement and over 1:2 cement sand mortar '4'' thick including finishing. 37 / P-45) empering two coats (S1.24b / P-54) baring the surface and painting with matt finish in/c rubbing surface with Bathy (Silicon carbide rubbing brick) filling voids with zink / chalk / plaster of Paris mixture, applying coat premix (S1.37-A+B+B)/P-55) baring the surface and painting with weather coat in/c bing the surface with rubbing brick / sand paper filling the ls with chalk (S1.38-A+B+B/P-56) 3" thick topping cement concrete (1:2:4) including surface shing and dividing into panels. (d) 3" thick. (S1.16-d/P-42)	202.06 606.62 643.06 1955.42 1280	27747.06 28253.61 1043.74 1772.38 2567.95	°oSft °oSft °oSft %Sft °oSft	56065.7094- 171392.049 6711.87444 34657.473 32869.76
dar wood frames and 1-1/2" thick teak wood ply shutter of class deodar wood (S1.57/P-65) ing floors of approved coloured glazed tiles '4'' thick laid thite cement and pigment on a bed of '4'' thick cement tar 1:2 (S1.25 / P-43) ite glazed tiles '4'' thick dado jointed in white cement and over 1:2 cement sand mortar '4'' thick including finishing. 37 / P-45) empering two coats (S1.24b / P-54) baring the surface and painting with matt finish in/c rubbing surface with Bathy (Silicon carbide rubbing brick) filling voids with zink / chalk / plaster of Paris mixture, applying coat premix (S1.37-A+B+B)/P-55) baring the surface and painting with weather coat in/c bing the surface with rubbing brick / sand paper filling the ls with chalk (S1.38-A+B+B/P-56) 3" thick topping cement concrete (1:2:4) including surface shing and dividing into panels. (d) 3" thick. (S1.16-d/P-42)	202.06 606.62 643.06 1955.42 1280	27747.06 28253.61 1043.74 1772.38 2567.95	°oSft °oSft °oSft %Sft °oSft	56065.7094 171392.049 6711.87444 34657.473 32869.76
ing floors of approved coloured glazed tiles $\frac{1}{2}$ thick laid thite cement and pigment on a bed of $\frac{1}{2}$ thick cement $\frac{1}{2}$ (SL25 / P-43) ite glazed tiles $\frac{1}{2}$ thick dado jointed in white cement and over 1:2 cement sand mortar $\frac{1}{2}$ thick including finishing. $\frac{37}{P-45}$ empering two coats (SL24b / P-54) paring the surface and painting with matt finish in/c rubbing surface with Bathy (Silicon carbide rubbing brick) filling voids with zink / chalk / plaster of Paris mixture, applying coat premix (SL37-A+B+B)/P-55) paring the surface and painting with weather coat in/c bing the surface with rubbing brick / sand paper filling the ls with chalk (SL38-A+B+B/P-56) 3" thick topping cement concrete (1:2:4) including surface shing and dividing into panels. (d) 3" thick. (SL16-d/P-42)	606.62 643.06 1955.42 1280	28253.61 1043.74 1772.38 2567.95	°oSti °oSti °oSti °oSti	171392.049 6711.87444 34657.473 32869.76
hite cement and pigment on a bed of 36° thick cement tar 1:2 (S1.25 / P-43) ite glazed tiles 36° thick dado jointed in white cement and over 1:2 cement sand mortar 36° thick including finishing. 37 / P-45) empering two coats (S1.24b / P-54) baring the surface and painting with matt finish in/c rubbing surface with Bathy (Silicon carbide rubbing brick) filling voids with zink / chalk / plaster of Paris mixture, applying coat premix (S1.37-A+B+B)/P-55) baring the surface and painting with weather coat in/c bing the surface with rubbing brick / sand paper filling the ls with chalk (S1.38-A+B+B/P-56) 3° thick topping cement concrete (1:2:4) including surface shing and dividing into panels. (d) 3° thick. (S1.16-d/P-42)	606.62 643.06 1955.42 1280	28253.61 1043.74 1772.38 2567.95	°oSti °oSti °oSti °oSti	171392.049 6711.87444 34657.473 32869.76
ite glazed tiles <sup>1</sup> / <sub>4</sub> , <sup>1</sup> thick dado jointed in white cement and over 1:2 cement sand mortar <sup>1</sup> / <sub>4</sub> , <sup>1</sup> thick including finishing. <u>37 / P-45</u> ) empering two coats (S1.24b / P-54) baring the surface and painting with matt finish in/c rubbing surface with Bathy (Silicon carbide rubbing brick) filling voids with zink / chalk / plaster of Paris mixture, applying <u>coat premix (S1.37-A+B+B)/P-55</u> ) baring the surface and painting with weather coat in/c bing the surface with rubbing brick / sand paper filling the ls with chalk (S1.38-A+B+B/P-56) 3" thick topping cement concrete (1:2:4) including surface shing and dividing into panels. (d) 3" thick. (S1.16-d/P-42)	643.06 1955.42 1280	1043.74 1772.38 2567.95	%Sft %Sft %Sft	6711.87444 34657.473 32869.76
over 1:2 cement sand mortar <sup>1</sup> / <sub>4</sub> <sup></sup> thick including finishing. <u>37 / P-45</u> ) empering two coats (SI.24b / P-54) baring the surface and painting with matt finish in/c rubbing surface with Bathy (Silicon carbide rubbing brick) filling voids with zink / chalk / plaster of Paris mixture, applying <u>coat premix (SI.37-A+B+B)/P-55</u> ) baring the surface and painting with weather coat in/c bing the surface with rubbing brick / sand paper filling the ls with chalk (SI.38-A+B+B/P-56) 3" thick topping cement concrete (1:2:4) including surface shing and dividing into panels. (d) 3" thick. (SI.16-d/P-42)	643.06 1955.42 1280	1043.74 1772.38 2567.95	%Sft %Sft %Sft	6711.87444 34657.473 32869.76
empering two coats (S1.24b / P-54) baring the surface and painting with matt finish in/c rubbing surface with Bathy (Silicon carbide rubbing brick) filling voids with zink / chalk / plaster of Paris mixture, applying coat premix (S1.37-A+B+B)/P-55) baring the surface and painting with weather coat in/c bing the surface with rubbing brick / sand paper filling the ls with chalk (S1.38-A+B+B/P-56) 3" thick topping cement concrete (1:2:4) including surface shing and dividing into panels. (d) 3" thick. (S1.16-d/P-42)	1955.42	2567.95	%Sfi %oSfi	34657.473 32869.76
<ul> <li>baring the surface and painting with matt finish in/c rubbing surface with Bathy (Silicon carbide rubbing brick) filling voids with zink / chalk / plaster of Paris mixture, applying coat premix (SI.37-A+B+B)/P-55)</li> <li>baring the surface and painting with weather coat in/c bing the surface with rubbing brick / sand paper filling the ls with chalk (SI.38-A+B+B/P-56)</li> <li>3" thick topping cement concrete (1:2:4) including surface shing and dividing into panels. (d) 3" thick. (SI.16-d/P-42)</li> </ul>	1955.42	2567.95	%Sfi %oSfi	34657.473 32869.76
surface with Bathy (Silicon carbide rubbing brick) filling voids with zink / chalk / plaster of Paris mixture, applying <u>coat premix (SI.37-A+B+B)/P-55</u> ) baring the surface and painting with weather coat in/c bing the surface with rubbing brick / sand paper filling the ls with chalk (SI.38-A+B+B/P-56) 3" thick topping cement concrete (1:2:4) including surface shing and dividing into panels. (d) 3" thick. (SI.16-d/P-42)	1280	2567.95	°₀Sfi	
<ul> <li>baring the surface and painting with weather coat in/c</li> <li>bing the surface with rubbing brick / sand paper filling the</li> <li>ls with chalk (\$1.38-A+B+B/P-56)</li> <li>3" thick topping cement concrete (1:2:4) including surface</li> <li>shing and dividing into panels. (d) 3" thick. (\$1.16-d/P-42)</li> </ul>				
3" thick topping cement concrete (1:2:4) including surface shing and dividing into panels. (d) 3" thick. (SI.16-d/P-42)	700.25	.4411.82	∿₀Sft	30893.7695
nch polishing on new works.( \$1-7a/P-71)				
ich ponsning on new works.(SI-7a-P-71)	287	3841.75	°₀Sft	11025.8225
		I Amount Part (		
/ORKS SCHEDULE ITEMS PART ( B ):			<u>n ht Pu</u>	<u></u>
Descriptions	Quantity	Rate	unit	Amount
ing for plug point with 3/.029 PVC insulated wire in https://www.commons.com/commons.com/commons.com/commons.com/commons.com/commons.com/commons.com/commons.com/commons.com/commons.com/commons.com/commons.com/commons.com/commons.com/commons.com/commons.com/com/com/com/com/com/com/com/com/com/	12	985	P.Point	11820
ing for light or fan point with 3/.029 PVC insulated wire	12	1130	P.Point	13560
viding & laying ( MAIN or SUB MAIN ) PVC insulated	100	173	P.Meter	17300
viding & Fixing three pin 10 / 15 Amp Plug & Socket.( 24 / P-33 ).	8	151	Each	1208
viding & Fixing three pin 5 Amp Plug & Socket ( 26 / P-33 ).	8	151	Each	1208
viding & fixing three pin 10/15 amp plug & socket h type.( SI.227 / P-33 ).	8	162	Each	1296
circuit breaker 6,10,15,20,30,40,50, & 63 amp DP -5S) on prepared board as required. (SI.204/P-31)	2	2456	Each.	4912
viding & fixing one way SP 5amp switch flush type	, the second sec	54	P/ No	216
two way SP 5-amp switch flush type (SI.220/P-33)		55	P/No	· <u>??</u> ()
viding & fixing one way SP 10 / 15amp switch surface e.( SI.218 / P-33 ).	6	58	Each	348
	Dmm ( ¾" )( SI.124 / P-15 )./iding & laying ( MAIN or SUB MAIN ) PVC insulated size 2-3/.029( SI.8 / P-2 )./iding & Fixing three pin 10 / 15 Amp Plug & Socket.( 24 / P-33 )./iding & Fixing three pin 5 Amp Plug & Socket.( 26 / P-33 )./iding & fixing three pin 10/15 amp plug & socket n type.( SI.227 / P-33 ).circuit breaker 6.10,15,20,30,40,50, & 63 amp DP -5S) on prepared board as required. (SI.204/P-31)/iding & fixing one way SP 5amp switch flush type 219) two way SP 5-amp switch flush type (SI.220/P-33)	Dmm ( ¾" ) ( SI.124 / P-15 ).12/iding & laying ( MAIN or SUB MAIN ) PVC insulated size 2-3/.029 ( SI.8 / P-2 ).100/iding & Fixing three pin 10 / 15 Amp Plug & Socket. ( 24 / P-33 ).8/iding & Fixing three pin 5 Amp Plug & Socket. ( 26 / P-33 ).8/iding & fixing three pin 10/15 amp plug & socket n type. ( SI.227 / P-33 ).8circuit breaker 6.10.15.20.30.40.50, & 63 amp DP -5S) on prepared board as required. (SI.204/P-31)2/iding & fixing one way SP 5amp switch flush type 219) two way SP 5-amp switch flush type (SI.220/P-33)4/iding & fixing one way SP 10 / 15amp switch surface ( SI.218 / P-33 ).6	Dmm (¾")(SI.124 / P-15).       12       1130         viding & laying (MAIN or SUB MAIN ) PVC insulated size 2-3/.029(SI.8 / P-2).       100       173         viding & Fixing three pin 10 / 15 Amp Plug & Socket.( 24 / P-33).       8       151         viding & Fixing three pin 5 Amp Plug & Socket.( 26 / P-33).       8       151         viding & fixing three pin 10/15 amp plug & Socket.( 26 / P-33).       8       162         viding & fixing three pin 10/15 amp plug & socket in type.(SI.227 / P-33).       8       162         circuit breaker 6.10.15,20,30,40,50, & 63 amp DP -5S) on prepared board as required. (SI.204/P-31)       2       2456         viding & fixing one way SP 5amp switch flush type 219)       54       54         viding & fixing one way SP 10 / 15amp switch surface - (SI.218 / P-33).       6       58	Dmm (½")(SI.124 / P-15).12130P.POIIIIviding & laying (MAIN or SUB MAIN ) PVC insulated size 2-3/.029(SI.8 / P-2).100173P.Meterviding & Fixing three pin 10 / 15 Amp Plug & Socket.( 24 / P-33).8151Eachviding & Fixing three pin 5 Amp Plug & Socket.( 26 / P-33).8151Eachviding & fixing three pin 10/15 amp plug & Socket.( 26 / P-33).8162Eachviding & fixing three pin 10/15 amp plug & socket n type.(SI.227 / P-33).8162Eachcircuit breaker 6, 10, 15, 20, 30, 40, 50, & 63 amp DP -SS) on prepared board as required. (SI.204/P-31)22456Each.viding & fixing one way SP 5amp switch flush type 219)54P/ NoP/ Noviding & fixing one way SP 10 / 15amp switch/surface658Each

	7				
]	. 0				
	RY WORKS SCHEDULE ITEMS PART (C):				
S.NO	Descriptions	Quantity	Rate	unit	Amount
l	S/F soap tray of made plastic of superior quality and design with fine finishing with CP screws etc complete.	2	169.4	Each	338.8
2	Providing & fixing chrome lated brass towel rail complete with brackets fixing on wooden cleats with 1" long c.p brass screws.( II) Towel rail 30" long. (a) ¾" dia round or square (Standard Pattern). (SI.01-II+a / P-07).	2	1082.95	Each	2165.9
3	( a ) S/Fixing long bib-cock of superior quality with c.p head ½" dia. ( SI.13-a / P-19 ).	2	1109.46	Each	2218.92
4	Providing & fixing European white glazed earthen ware wash down W.C pan( SI.5 / P-2 ).	1	11477.4	Each	.477.4
5	P/L 24"x18" bevalled edge mirror of Belgium glass complete with 1/8" thick hard board and CP screws fixed to wooden pleat (b) superior quality (SI3-b/P-07)	2	2376	P/No	4752
6	Providing & fixing 6"x2" or 6"x3" C.I floor trap of the approved selt cleaning design with a C.I screwed down granting with or without a vent arm complete with & I/c making requisite number of holes in walls, plinth & floor for Pipe connections & making good cement concrete 1: 2: 4. (SI.20 / P-06).	2	2042.43	Each	4084.86
7	Add extra for labour for providing & fixing of earthen ware pedestal white or coloured glazed (Foreign or Equivalent). (SI.11 / P-3).	2	2533.47	Each	5066.94
8	Supplying & fixing sink mixture cock of superior quality with c.p head etc complete. (SI.17 / P-19).	1	2745.6	Each	2745.6
9	( b) Supplying / Fixing wash basin mixture of superior quality with C.P head ½" dia. (SI.14-b / P-19).	2	3179	Each	6358
10	( a ) Supplying & fixing C.P Muslim Shower with double Bib cock & ring Pipe etc complete. ( SI.19( a) / P-19 ).	2	3432	Each	6864
	Supplying and fixing in position brass bib cocks ¼" dia brass bib cock, Light pattern. (SI.1-ii-a / P / 16).	2	337.92	Each	675.84
12	Providing & fixing in position nyloon connections complete with ½" dia, brass stop cock with pair of brass nuts and lining joints to nyloon connection. ( SI. 23 / 06 ).	2	447.15	Each	894.3
	Providing & fixing 24" x 18" lavatory basin in white glazed earthen ware complete with & in/c the cost of W.I or C.I cantilever brackets 6 inches built into walls, painted white in two coats after a primary coat of red lead paint a pair of ½" dia rubber plug & chrome plated brass chain 1-1/4" dia, malleable iron or brass unions and making requisite number of holes in walls, plinth & floor for Pipe connections and making good in cement concrete 1:2:4 ( Foreign or Equivalent ).( SI.10 / P-3 ).	2	4928	Each	9856
	P/F steel sinks stainless local make complete with cast iron or wrought iron brackets 6 inches built in wall 1-1/2" C.P. rubber plug chrome plated brass chain 1-1/2" C.P. brass waste, with 1-1/2" PVC waste pipe & making requisite number of holes in wall & plinth &floor for ppe connection & making good in cement concrete 1:2.4. (b)Steel sink stainless steel sized 36"x18" local make (standard pattern) (SI.19-b/P-6)	2	362.3	Éach.	10324.6

	· · · · · · · · · · · · · · · · · · ·		ne an a tha an		
1		r			1
15	(,a`). S/Fixing canceled tee-stop cock of superior quality with C.P head ½" dia. ( SI.12-a / P-18 ).	2	843.92	Each	1687.84
16	( b ) Supplying & Fixing swan type piller cock of Superior quality with crystal head. ½" dia. ( SI.16(b) / P-19 ).	2	877.8	Each	1755.6
			\mount of Part (	C)A+P	71266.6
<u>NON-SCI</u> S.NO	IEDULE ITEMS PART ( D ): Descriptions	Quantity	Rate	unit	Amount
1	P.1. Porcelain Master granite or Spanish tiles glazed or matt glazed, jointed in white cement and laid over 1:2 grey cement sand mortar 34" thick in/c finishing & filling of joints with slurry of white cement or tile grout in desired shape in/c cutting of tiles to proper profile (on floor or facing) size 20"x20"x1/4"	189	322/2	P Sft	Rs', 60858
2	P/F marble top 1" thick (botesina or teravera or equivalent) having size upto 8'-0x2'-0 in/c cutting into proper size, making round gola & cutting for fixing vanity basin or sink bowl and filling joints with white cement or jelly in/c grinding and chemical polishing etc complete as directed by the Engineer Incharge	25	478/2	P.Sñ	Rs. 11950
3	Water proofing of roof by means of chemical by using latex solution by supplying 1° coat of uni bond 2860 adhesive. 2 <sup>nd</sup> cost of Aqua seal 2010/11 3 <sup>rd</sup> coat of uni-bond aqua seal mixture then filling the cracks with uni-bond then supplying 2/3 coats as per requirement of aqua seal to have rubber like surface etc complete as directed by the Engineer Incharge.	-420.25	140/2	P 'Stî	£1, 28832
4	P/L Pre cast RCC beam / slab roof by using pre coat beams of required size & no and precast slab of size 4.0x2.0x0.25 after leveling of wall by CC erection of beams & slab, filling joints in cement sand mortar as directed by the Engineer Incharge.	420.25	196/2	P'Stì	RS: 82369
. 6	P/F wall bracket fan 18" dia of approved make & quality (Royal/Pak, Millat or equivalent) in/c fixing on wall as directed by the Engineer Incharge	2	40892	Each	Rs: 8160
7	P/F ceiling fan 56" sweep Pak/Royal/GFC or equivalent deluxe model in/c carriage from shop to site of work, fixing & necessary lead connection as directed by the Engineer Incharge.	7	4900=	Each	Rs: 9800
8	Supplying & fixing white or colored glazed earthen ware European commode set (ACL make or equivalent) coupled with flush tank of 3.0-gallon capacity & seat cover complete with internal fittings, fixtures, clamps, necessary lead connection and making requisite No of holes in wall, plinth or floor for pipe connection & making good CC <sup>2</sup> 1:2:4as directed by the Engineer Incharge.	I	9400/2	Each	Rs: 9400
9	P/F UPVC water supply pipe of AGM or Pak Arab or equivalent with all necessary fittings like elbow, bend, tee etc. This includes fixing on walls with clamps or Jubilee clips unto height of 50°-0 in vertical or horizontal position using thoola or long ladder or scaffolding and jointing pipe & fittings with approved solvent / JTG solution. The rate includes all cost of labour, material, and cartage, as directed by Engineer Incharge 1/2" dia	80	92/2	Р'Rfi	Rs: 7360
	Page 3				· · ·

Page 3

UPVC water supply pipe of AGM or Pak Arabor equivalent with all necessary fittings like elbow, bend, tee etc. This includes fixing on walls with clamps or Jubilee clips upto height of 50°-0 in vertical or horizontal position using Jhoola or RS'. 10600 106/2 10 100 PRI long ladder or scaffolding and jointing pipe & fittings with approved solvent / JTG solution. The rate includes all cost of labour, material, and cartage, as directed by Engineer Incharge 3/4" dia PF UPVC water supply pipe of AGM or Pak Arab or equivalent without fittings which will be paid separately. This includes fixing on walls with clamps or Jubilee clips upto Rs: 9750 11 P/Rft · 50height of in vertical or horizontal position using Jhoola or long ladder or scaffolding and jointing pipe & fittings with approved solvent / JTG solution. The rate includes all cost of labour, material, and cartage, as directed by Engineer Incharge 2" dia P/F UPVC water supply pipe of AGM or Pak Arab or equivalent with all necessary fittings. This includes fixing on Rs: 11550 walls with clamps or Jubilee clips upto height of in vertical or P/Rft 12 70 horizontal position using Jhoola or long ladder or scaffolding and jointing pipe & fittings with approved cement solvent JTG solution. The rate includes all cost of labour, material, and cartage, as directed by Engineer Incharge 1" dia P/F wooden cabinet shutter at bottom of kitchen made up of frame work of 1st class partal wood 2"x1" fitted on existing masonary pillars & fixing shutter of laminated lassani sheet 3/4" thick in/c providing & fixing wooden leaping or gola RJ: 21375 822 P/St 13 25 around lassani shutter or making gola by router in approved shape & design & polishing etc. The cost in/c necessary hinges. catchers, handles, sliding wheels, draws lock, nails screws etc. The cost includes necessary tools, plants to be used in making etc complete as directed by the Engineer Incharge. 302007 Total Amount of Part (D) Total amount in Rupees (A+B+C+D) Rs: 9,9 Grand total amount in Rupees: · 997 Million Or say in Million TERMS AND CONDITIONS Any typographical errors in the Schedule B are subject to the correction with Reference to the schedule of rate Genera 1. enforced from 12th July 2012 as Approved by the SRC Sindh, Karachi, Arbitration clause stands deleted from the agreement. <u>2</u>. 3. No premium shall be paid on a Non schedule items. 100% Well Graded crushed bajri shall be used in items of work without any extra payment. .4. 5. All sample of items should be got approved by the Engineer Incharge 28/8/18 (HAFIZ SAFDAR SHAIKH) Assistant Engineer, CPO, Sindh, Karachi