SINDH PUBLIC PROCUREMENT REGULATORY AUTHORITY

CONTRACT EVALUATION FORM

TO BE FILLED IN BY ALL PROCURING AGENCIES FOR PUBLIC CONTRACTS OF WORKS, SERVICES & GOODS

1.	NAME OF THE ODG AND ATION ADDRESS	SINDH BANK LIMITED/ADMINISTRATION
1)	NAME OF THE ORGANIZATION / DEPTT. PROVINCIAL / LOCAL GOVT./ OTHER	SCHEDULED BANK
2)	TITLE OF CONTRACT	Renovation of Airport Road Branch, Quetta
<i>3)</i>	TENDER NUMBER	SNDB/COK/ADMIN/TD/893/2018
5)	BRIEF DESCRIPTION OF CONTRACT	Same as above
6)	FORUM THAT APPROVED THE SCHEME	Competent Authority
		ompotent valuating
7) 8)	TENDER ESTIMATED VALUE ENGINEER'S ESTIMATE	Rs.3,460,000/-
0)	(For civil works only)	13.0,400,000/-
9)	ESTIMATED COMPLETION PERIOD (AS P	ER CONTRACT) 1 Year
10)	TENDER OPENED ON (DATE & TIME)	27/03/2018 at 1500 Hrs
11)	NUMBER OF TENDER DOCUMENTS SOLI (Attach list of buyers)	0 01
12)	NUMBER OF BIDS RECEIVED	01
13)	NUMBER OF BIDDERS PRESENT AT THE	TIME OF OPENING OF BIDS ⁰¹
14)	BID EVALUATION REPORT	- 23/04/2018
• • • •	(Enclose a copy)	
15)	NAME AND ADDRESS OF THE SUCCESSF	UL BIDDER M/s. Z&HK Construction, Jff, Ce. KILLI APPOZDI
		POSTOFFICE
16)	CONTRACT AWARD PRICE	UL BIDDER M/s. Z&HK Construction, Office KILLI APPORAL Rs.3,400,000/- ZHOB, BALDOD
	RANKING OF SUCCESSFUL BIDDER IN EV (i.e. 1 st , 2 nd , 3 rd EVALUATION BID).	TIDNS
	(, 2 , 3 2 / / / / / / / / / / / / / / / / / /	
18)	METHOD OF PROCUREMENT USED : - (Ti	ck one)
	a) SINGLE STAGE – ONE ENVELOPE	PROCEDURE Domestic/ Local
	b) SINGLE STAGE – TWO ENVELOPE	E PROCEDURE
	c) TWO STAGE BIDDING PROCEDUI	RE
	d) TWO STAGE – TWO ENVELOPE B	IDDING PROCEDURE

		Competent Authority
19) .	APPROVING AUTHORITY FOR AWARD OF CONTR	RACT
20)	WHETHER THE PROCUREMENT WAS INCLUDED I	IN ANNUAL PROCUREMENT PLAN? Yes No
21)	ADVERTISEMENT:	
i	i) SPPRA Website (If yes, give date and SPPRA Identification No.)	Yes SPPRA SR. NO.34861 & 37241 No
j	ii) News Papers (If yes, give names of newspapers and dates)	Yes Notificalian 9/3/18 No
22) 1	NATURE OF CONTRACT	Demestic/ Local
ĺ,	WHETHER QUALIFICATION CRITERIA WAS INCLUDED IN BIDDING / TENDER DOCUMEN (If yes, enclose a copy)	NTS? Yes ✓ No
,	WHETHER BID EVALUATION CRITERIA WAS INCLUDED IN BIDDING / TENDER DOCUMEN (If yes, enclose a copy)	Yes ✓ No
	WHETHER APPROVAL OF COMPETENT AUTHORI METHOD OTHER THAN OPEN COMPETITIVE BIDI	
26)	WAS BID SECURITY OBTAINED FROM ALL THE B	BIDDERS? Yes ✓ No
	WHETHER THE SUCCESSFUL BID WAS LOWEST BID / BEST EVALUATED BID (in case of Consultancie	
	WHETHER THE SUCCESSFUL BIDDER WAS TECH COMPLIANT?	NICALLY Yes V No
	WHETHER NAMES OF THE BIDDERS AND THEIR THE TIME OF OPENING OF BIDS?	QUOTED PRICES WERE READ OUT AT Yes V No
	WHETHER EVALUATION REPORT GIVEN TO CONTRACT?	BIDDERS BEFORE THE AWARD OF
	(Attach copy of the bid evaluation report)	Yes / No

31) ANY COMPL	AINTS RECEIVED	ſ		
(If yes, result t			Yes	
			No	No
		TIONS GIVEN IN T	не ті	ENDER NOTICE / DOCUMENTS
(If yes, give de	etans)		Yes	
			No	No
33) WAS THE EX (If yes, give re	CTENSION MADE IN RES casons)	SPONSE TIME?	Yes	S
			No	No
	FROM QUALIFICATION etailed reasons.)	CRITERIA	Yes	;
			No	No
35) WAS IT ASS BLACK LIST		RING AGENCY	ГНАТ	THE SELECTED FIRM IS NO YES NO NO
SUPPLIER'S	PREMISES IN CONNECT AINED REGARDING FINA	TION WITH THE	PRÓC	
37) WERE PROP	PER SAFEGUARDS PRO	VIDED ON MOB	ILIZA'	ATION ADVANCE PAYMENT I
THE CONTR	ACT (BANK GUARANTE	E ETC.)?		Yes No 🗸
	NDITIONS, IF ANY rief Description)		Yes	s C
Signature & Official S Authorized Offi	Stamp of SINDH B	hahzad Begg Administration ANK LIMITED	No	no

<u>SPPRA, Block. No.8, Sindh Secretariat No.4-A, Court Road, Karachi</u> Tele: 021-9205356; 021-9205369 & Fax: 021-9206291

Print

Save

Reset



	Rid Evaluation Report								
	Evaluation Report - Renavation of Air Fort Road Branck, Quetta								
<u> </u>	Name of Procuring Agency	South Bank Lac							
	Tonder Reference No	\$NDIJ/CGK/ADMIN/TD/893/2018							
3	Tender Description	Reministration of Air Port Road Branch, Quetta							
1	Method of Procurement	Single Stage One Envelop Bidding Procedure							
5	Tender Published / SPPRA S No	S.No; 20478 (10°02°2016) & S.No; 34861 (18/10/2017) Express Tribung, Daily Express, Daily Ibrat SPPRA .No; 37244/2018 (09/03/2018)							
6	Total Rid Documents Sold	01							
7	Total Bids Received	01							
8	Technical Tinancial Bid Opening Date & Time	27/03/2018 at 1500 Hrs							
V	No. Of Bid qualified	01							
10)	Bid(s) Rejected								

Derall on the above is as follows:-

S Na	Name of Firm or Bidder	Cost offered by the Bidder (Aren =1,700/- Sq. ft.)	Ranking in terms of cost	Comparison with Englacering Entimated cont (Rs.3.460,300/s)	Reasons for acceptance/ rejection	Romarks
U	1	?	3	4	5	Ú
1.	M/s. Z & HK Construction	Rs. 3,400,000/- Rs. 2,000/- Per sq.(t.	Only Lowest	Rs. 60.300/- below the extinuted cost	Accepted as Only Lowest Qualified Evaluated Bid	Accepted for Contract Award

Accordingly going by the eligibility criteria offered in the tender document M/s: Z & HK Construction stands as Only Lowest Qualified Evaluated Bidder.

Mambert Standuck-Producement Committee

Lt. Col. (A) Shahrad Begg Head of Administration

Mr. Foasd Jamal Chief Financial Officer

Mr. Syed Muhammad Ageol Chief Manager, IDBL Karazhi



TENDER No: SNDB/COK/ADMIN/TD/893/2018

Date: 10/04/2018

Renovation of Air Port Road Branch, Quetta Certificate in Compliance of Rule 48 of SPPRA

This is to certify that as only one bid was received against the tender, so Rule 48 has been complied with detail as follows:

S.No	Marketing Price.	Estimated Price	Current tender Price
01	Rs. 3,570,000/-	Rs. 3,460,300/-	Rs. 3,400,000/-

Member Procurement Committee

Head of Finance Division —

Head of Admin Division

Member of IDBL



INTERIOR DESIGNER AND FINISHERS

4 FINANCIAL PROPOSAL

PRICE SCHEDULE

(Applicante for the year 7048)

ALMOODS

Description	Unit	Rate per sq.tt	*Total Amount
Renovation, Interior, specified outer Works & Construction of Airport Road Branch, Quetor	1700 sq.H(Approx.) (As per specification mentioned in scape of work)	2100	3,570,000/2

^{*}This constant will be constant of a color and constant of the states by appreciation on the constant is not be such as the such selection. I reduce that the constant is the constant of the

Sug

- The financia has no as found, it sees waiting 48 gays an issue that so moral burse for cost detay a penalty or or 5%, as rough costs with moral in the case of adds with be supplied.
- 2. The cost most include all applicable taxes. Adapt days on a pin, dog under Strang Ser. 99, one is someped to the contract agreement, moraphinous party and day other all gives.
- Month and product of the make bill, will only be processed for according to most incomposition and analysis mention by as in Nova, or the end Manager.
- Calculation of his greating. That I had American will be submitted as a surface of the common and sections.
- So the same is a content of the extent of photon of work they are next process of the content and the example of the anomal of the precise of the precise
- because of any observations arriving incorpose of spealing of this ment, now a agency. If he trade, it makes a configuration of second opposition of the same, will resolve an instantant of a consequence of the same as a first section of the same agency of the same agency.
- " (Lipper) shows the release to the exchange of will be to insome area and a premise. However, for now incode premises words in changes with the convention premises parts prince to area. So the type the may not a some ordered so the collections of premises. Yet are the premise of the collections of the premise of the collections of the collections of the collections.
- B. All brans and consider on the syndemicron Approxime "Ill" rave part or Leader Eventuals.
- 4 In case mains at outsing the caree the agree and middle will be the one who has acquired more marks in the reclaiment collimater.
- It. Lowest extramed to dial group to the the criteria for a sund of compact rather than considering the howest attended but a recompliance the lowest about some contract period SPRA Rang 44 may please be referred.
- The Payment will be usually to the behindred strataglish Amies in the

Signature & Some out below

العلايات

G.A WOODS

SIGNATURE MEMBERS DO Measuring: Dismantling of un wanted existing structure, removal of Debris 40,000 RCC works 2 450 500 225,000

		450	500	225,000
3	CC raised flooring	0	30	*
4	Block masonary works	1000	150	150,000
5	Plaster	2200	50	110,000
6	Porcelain tiles & skirting	1700	260	442,000
7	PCC Flooring	1600	50	80,000
8	Bath rooms & kitchen ceramic tiles	540	230	124,200
9	False ceiling	1700	150	255,000
10	Column Cladding	100	350	35,000
11	Kitchen cabinets	60	500	30,000
12	Store room full height Almiras	98	500	49,000
13	Internal Paints	2000	40	80,000
14	Baths and kitchen door with frames	4	20,000	80,000
15	Alluminum windows / Ventilator	64	600	38,400
1.5	Andrinkan vincosta j		FFA	t F 000
16	Fixed glazzing, front and managers room	100	550	55,000
17	installation Strong room door	1	10,000	10,000
18	Aluminum composite panel	0	550	•
19	Vertical blinds	72	100	7,200
20	Window grills and entrancce door grill	250	325	81,250
21	Rolling shutters	250	400	100,000
22	security door / Emergency exit door	2	15,000	30,000
23	Stair & other granites & Spiral stair	100	700	70,000
24	Roof treatment / water proofing	ō	20	
25.	Interlock pavers	150	150	22,500
26	External paint	850	40	34,000
27	ATM Room, main door Glass Door	21	1,250	26,250
28	ATM Branch side door	1	15,000	15,000
29	Morcha with door]	25,000	25.000
30	ATM / Branch access ramp	1	15,000	15,000
31	Front elevation, tiles Ajrak & other	1	50,000	50,000
32	Two Bath rooms Porta Fixtures	2	25,000	50,000
33	Two baths drainage lines / fittings	2	20,000	40,000
3.4	Kitchen sink, fittings	1	20,000	20,000
35	Drainage line / water lines	1	30,000	30,000
36	Bath rooms accessories	2	25,000	50,000
37	Points wiring	50	1,000	50,000
38	Sockets wiring	10	1,000	10,000
39	circuit wiring	10	1,500	15,000
40	Split AC wiring	6	11,500	69,000
41	Sign Board wiring	1	8,500	8,500
42	Complete technology box with all wiring	7	18,000	126,000
43	Light fixture / fittings	60	2,200	132,000

	Rate per SFT			2035
	Area of branch in SF		1,700	
	Total		3,460,300	
53	Other misc / remaining works .	1	25,000	25,000
52	Certification	1	5,000	5,000
51	AC copper pipe installation, drain	б	30,000	180,000
50	Earth pits	1	70,000	70,000
49	Networking, Patch cords	1	20,000	20,000
4.8	Telephone wiring, 30 pairs, tag block	1	20,000	20,000
47	Outside main switch	-1	75,000	75,000
46	Emergency OB	1	50,000	50,000
45	UPS DB	1	75,000	75,000
44	Main DB with AC	1	60,000	60,000

Mohammad Saleem VP / Chief Engineer Faraz Ahmed AVP II/ Engineer

CHOMIN CHOMIN

SINDHEAMS

ATTENDANCE SHEET BID OPENING -

FOR SELECTION OF Remoderary of Ampert Record Austles
Date: 27-05-7018

S.No	Company Name	Name of Company Representative	Contact No.	Company Address	Signature
1	7, 8/ HIC Combustion	6] 8	010	y Box	
N. Carrier					

_	_		In the second second
Cimuntura	_Deacuraman	t Como	ittee Members
31511312	TIQUESTICA		1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1

Head of Administration

Chief Financial Officer

Chief Manager (IDBL)

Signification EMEMBERS PLODING

Head - Action only

Horas - Admin only

Horas - Admin only

Horas - Admin only

FINANCIAL PROPOSAL

PRICE SCHEDULE

(Applicable for the year 2018)

Name of Bidder M/S ZYHK Construction Company

Description	Unit	Rate per sq.ft	*Total Amount
Renovation, Interior, specified outer Works & Construction of Airport Road Branch, Quetta	1700 sq.ft(Approx.) (As per specification mentioned in scope of work)	Josephs	3400,000 /23

^{*}This amount will be considered as only the "Bid Offered". Whereas he apprised that the successful builder will be the one whose "Evaluated Bid" is the lowest, (For further clarification refer Note 10, below)

Note

4

- 1. The branch has to be handed over within 45 days of issue date of award letter. In case of delay, a penalty @ 0.15% of total contract amount, for each day of delay will be imposed.
- 2. The cost must include all applicable taxes, stamp duty (as applicable under Stamp Act 1989) duly stamped on the contract agreement, installation, labor and any other charges.
- 3. No advance payment will be made, bills will only be processed for necessary payment on receipt of certificate of satisfaction from the Branch Manager/Project Manager.
- 4. Calculation of bid security, 2% of the *Total Amount will be submitted with the tender document as bid security.
- In case it is revited at any stage after the completion of work that the asked specification of the tender have not been met, the
 amount of that specific item will be fined to the contractor with appropriate action as deemed necessary by the procurement
 committee.
- In case of any observation arising in respect of quality of the item, the company will be liable to address it at his own cost, non-compliance of the same will result into initiation of a case against the company for non-commitment or cancellation of tender as will be decided by the Procurement Committee.
- 7. The per square ft, rate given above by the comractor will be for inside area of the premises. However for any outside premises work, its changes will be covered in premises per square ft, area. No charges for any necessary outside work will be entertained separately.
- 8: All terms and condition of Agreement (Annexure "H") are part of Tender Document.
- In case financial bids are the same, the successful bidder will be the one who has acquired more marks in the technical evaluation.
- 10. Lowest evaluated bid is going to be the criteria for award of contract rather than considering the lowest offered bid, encompassing the lowest whole sum cost which the procuring agency has to pay for the services/items duration the contract period. SPPRA Rule 49 may please be referred.

1. Payment will be made as per the scheduled attached as Annexure "K".

Signature & Stamp of Bidder ____

M/S Z&HK Construction Company **—Govt: Contract**or



09/11/2017 Ald Evaluation Report Requirement of Additional Contractors for Renovation / Construction & Interior Works for Sindh & Balochistan Region Name of Procuring Agency Sindh Bank Ltd. Tender Reference No. SNDB/COK/ADMIN/TD/840/2017 Requirement of Additional Contractors for Rengy ation / 3 Tender Description Construction & Interior Works for Sindh & Halochiman Region 4 Method of Procurement Prequalification Method S.No. 34861. Express Tribune. Dally Express, Daily Huat 5 Tender Published / SPPRA S.No. (18/10/2017) Ĝ 09 Total Bid Documents Sold 7 Total Bids Received 09 Technical/Financial Ŗ Hid Opening Date & Time 07/11/2017 at 13:00 Hrs 9. No. Of Hid qualified 10 Hid(s) Rejected

List of Qualified / Disqualified Civil Contractors for Renovation, Interior Work & Construction and Electrical Work for Sindh & Balochistan Region

	The state of the s	والمراح والمراق والمراوي والمراوي والمراوي المراوي المراوي والمراوي والمراوي والمراوي والمراوي والمراوي والمراوي
S No.	Name of Firms	Status Qualifled / Disqualified
1.	M/s, Z & HK Construction.	Qualified
2.	M/s. Khan Traders	Qualified
3.	M/s, GA Wood	Qualified
4.	M/s. Future Designers	Qualified
5.	M/s. Memur Associates	Qualified
6.	M/s. Afzaul Associates	Qualified
7,	M/s. T & H Associates	Disqualified
8.	M/s. Jawed Construction Company	Disqualified
9.	M/s. Sharas Construction Company	Disqualified

Members Signature - Procurement Committee

tt. Col. (A) Shahzad Begg Head of Administration

far, Speed Jampi Chief Financial Officer

Mr. Syed Muhammad Agest Chief Manager, 1081 Karachi 51.10 Å

	PREQL				
1		JALIFICATION CON	TRACTORS in SI	NDH & BALOCHIS	TAN
.No	Contractors	Registered Óffice in Singh & Belochistan	PEC Registered (Yes/No) 2017	Black Listing Affidavit (YesNo)	FBR Registration/ Provincia Revenus Collecting Authorit
1 2	8 HK Construction	Yes	Yes	Yes	Yes
2 N	ran Tradera	Yes	Yea	Yaa	Yes
3 G	A Wood	Yes	Yer	Act	Yes
e Fi	ulure Dasigner	Yes	Y+>	7.1	Yes
5 M	kmar Associalas	Yes	Yes	Yes	Ye.
6 Al	Izaai Associales	Y#4	Yes	Yes	Yes
7 1	& H Associates	rat	Tub	Yes	Yes.
a Ja	awad Construction Company	V _{b4}	Yes	Yus	Yee
9 51	hams Constitution Company	Y46	Yus	Yua	Yes
Members-Signature- Specification Committee					
(1)	M.	au	Mun		

Members Signature-Evaluation Committee

M.Athar lqbaf Admin Division

Tehewar Raza Operation Division Dilshod Hussain Khan Finance Division

Members Signature- Procurement Committee

1. Lt. Col. (R) Shahzad Begg

HEAD OF ADMINISTRATION

2. Mr. Saeed Jamal CFO

3. Mr. Syed Muhammad Ageel Chial Manager, IDBL

MINUTES OF THE OPENING OF THE TENDER [TECHNICAL /FINANCIAL PHASE]

Pregnalification Sinch 48 alachistan

ADMIN/IT/CONSULTANT/MEDIA

TYPE OF PROCUREMENT

Tender name

Type of Tender

Opening date

OPTRING THAT	01.00	
arthogance paemota pc)		
me.		
	ESS PAGE	Club
	1 - Z.E. HE Construct	. I- Shanis construction
ATTENDANCE (REPS. OF BIDDERS)	2- Khan Trades	E- James construction 8- James construction 9- T f. It Approximates.
	2- CIA Wood	9. T. E. It Apredication
	4- Pulin Designer	
	5 - Apenal Assembs	
	e- Memar Association	
TOTAL RIDS ACCEPTED FOR EVALUATION	409	
TOTAL VIDS RUCTED	None	
REVIVERS		
armin'is		
PROCURLISTNI COMMITTI		SIGNATURE MEMBERS P.C. ADMIN.
	Annual Control of the	Head . Fin Div. 1 Town Alebor
		Head - Aumik Div.
		Member-1081
		Darre
		Marie Comment

BUYER RECORD Renovation of Airport Road Branch				
S.No.	TENDER NAME	AMOUNT	PO NO	BANK NAME
1	Z&HK Construction	300	11964743	UBL
	Total		300	

3 SCOPE OF WORK

Sindh Bank Limited (SNDB) requires proposal from the Prequalified Contractors (SPPRA S.No. 26428 & 34861) for RENOVATION OF AIRPORT ROAD, QUETTA .

For establishment of its new Branches, throughout the country and for renovation of Branches / offices, Sindh bank advised to pre-qualified contractors to submit their offer / bid, against tender, with following terms and conditions.

The complete set of tender consist of following,

- 1. Bank's Tender
- 2. Your site visit details
- 3. Lay out Plan, / Site plan, approved by Head Office
- 4. Special site requirement
- 5. Detail of specifications of items

After thorough visit of desired premises, the contractor will submit per square feet rate of said work, complete in all respect, as per given tender, lay out plan, specification and brand / make.

However as per actual site condition and market availability, equivalent item can be provided with prior written approval from Bank, failing which the payment of such items will be deducted accordingly from the final bill.

The salient works which are the part of requirement will by as under;

- Your given per sq. feet rates will be based only for area, inside the developed branch.
 However provision for entire works, given follows and mentioned in specification will be
 included in internal area's PSFT charges and no additional payment for any work,
 executed outside will be given. We will multiply your given PSFT rates with internal
 developed area (Only between the internal walls) and will get entire internal and outer
 works with in that cost.
- 2. The cost of various works, which will be executed at outside of covered premises, such as entire outer paint, tough pavers at parking area, front elevation tiles with approved pattern, veranda works, terrace works, ATM and branch Steps, etc, will be calculated by the vender after visit of site and will be included in PSFT rate of developed area.
- 3. The given PSFT rates will also include charges for approval of proposed lay out / construction, from respective town / Municipal Corporation, if any.
- 4. Comprehensive visit of site and submission of proposed lay out plan. The number of required counters, staff strength and requirement of lockers will be given by the bank.
- 5. Complete demolition of existing structure, necessary for establishment of new branch, including brick walls, RCC, slab, bean, floor, etc. and removal of debris.
- 6. New Block masonry / Brick masonry walls/ RCC slab / lintel for bath, stores, guard post, ATM room, and other works as per plan.

- 7. Floor tiling, approved design tiles, matching skirting, false ceiling complete in all respect.
- 8. Wash rooms and kitchen tiles, approved fixtures, approved pipes, fittings, ventilators, exhaust fans, complete in all respect.
- 9. All internal and external plaster works
- 10. All RCC works for Strong Room and lockers, and other, as per lay out and specifications
- 11. All internal and external paint and polishing works with approved quality paint.
- 12. Approved false ceiling with approved hanging system/ lights/ down lighters
- 13. Solid and skin pasted flush doors for baths, kitchen, store, and other place with best quality locks, handle, hinges, tower bolt, stoppers, complete in all respect, including 16 SWG, GI frames for baths, kitchen and stores and solid beach wood frame for remaining door, if any. beadings, approved polishing.
- 14. Two full height 3X7 feet wooden Almirah in store, kitchen cabinets, column cladding, complete in all respect.
- 15. Complete Electrical wiring for light points, power points, Air Conditioning units, ATM, sign Board, with / Fast / AGE / Pioneer copper wires or equivalent of approved size, in approved PVC pipes, Boxes, switches, main lines, three DBs, one for UPS, other for AC and 3rd for lighting & power as per plan,. Two standard earth pits, as per approved specifications and lay out plans, along with all approved light fixture and fittings.
- 16. Technology box for each users with two Flat pins, one round pins, one RJ-45 for Data, one RJ-12, I/O sockets for telephones, cat 6 cables from I/o to patch panel, telephone cat-6 cables from I/O to tag block, supply of 24 ports approved 3M or equivalent patch panel, one 15 u Cabinet, termination, necessary line cords and patch cords, with certification, 4additional data points for fax machine& time attendance machine, and also for manager & ops Manager, tagging / numbering, testing report, at both ends, complete Electrical wiring, data and telephone works, in all respect.
- 17. Approved glass partitions for Manager room, ATM room, Entrance, fixed glazing, with approved glass, aluminium section, gasket, locks, D locks, handles, necessary frosting, Ajrak tiles film, Korean or equivalent floor door closer machines, necessary windows, doors, as per lay out plan.
- 18. Approved design grills for Entrance, all front and sides external windows, ATM internal door, Exit door, and Rolling shutters at all external glass doors, fixed glazing, ATM Entrance, MS approved Exit door, approved vertical blinds on all external glasses, windows, fixing of vault and lockers doors.
- 19. All elevation works, elevation tiles, full tiles steps for Entrance and ATM entrance, 35 degree Ramps, ATM, front landscaping, cc flooring, all front tough pavers, complete in all respect, as per lay out drawing & Design Book.
- 20. Islamic colour theme will be followed in Islamic branches
- 21. Approved copper piping for conventional AC, wiring, control wiring, breakers, drain lines, fixing of outer units, complete in all respect

	CIVIL & INTERIOR WORKS
S No	DESCRIPTION
1	DISMANTLING
	The demolition work will executed only after approval from HO. Dismantling / removing of existing constructed structures, RCC, walls, slab, floor fixtures, tiles, ceiling, windows, doors, grills, shutters, wiring, piping, , partition, with proper tools & equipment's with all necessary precautionary measures, to make surface ready to receive finishes, stacking useable dismantled materials at designated place, as per new plan , as directed by bank., and disposal of surplus stuff / debris etc. away from site.
2	Termite Proofing
	Providing and carrying out termite proofing using FIPROKILL/ BIFLEX / DURSBANE with a solution of 1 gallon of chemical to 50 gallons of water, sparing this solution @ 2 liters per sq. meter area (or liters per 10.76 sft. Area) with a pressure ensuring at least 3" penetration in the soil of the area to be treated. The contractor will provide a guarantee for a period of five years against infestation of termite in the shape and mode approved by the Engineer, stating that in case of infestation, additional treatment will by provided by the contractor at no extra cost to the Client (horizontal & Vertical).
3	REINFORCED CEMENT CONCRETE (If required)
	Providing and laying, compacting finishing & curing etc. straight or curved cast- in place designed mix 1:2:4 Reinforced Cement Concrete using 1 Part of Ordinary Portland Cementor equivalent, 2 Parts of silt free local sand and 4 Parts of 3/4" thick downgraded crushed stone; mixed in a manner to achieve a cube strength of 3000 psi in 28 days, using 3/4" down crush stone & fine sand (free from silt & dust), including mechanical mixing, transporting, hoisting, lifting & placing at any height / depth, vibrating and curing etc. Complete in all respect including cost of Steel Reinforcement (3/8" dia deformed steel bars G-60 @ 6" C/C both ways, staggered double jaal in a manner that the alternate spacing b/w bars should not increase 3" C/C) & form work for Cement Concrete including cutting, bending, laying in position, making joint and fastening, removal of rust from bars, cost of binding wire and labor charges for binding of steel reinforcement: also includes cost of water tight form work and its removal. Complete in all respects, as per direction of Engineer.
a)	R.C.C. Walls (6" thick)
b)	R.C.C. Slab (6" thick) on grade
(c) (d)	R.C.C. Column Precast Lintels.
4	MASONRY WORK
a)	Brick or Block Masonry
	ATTOM VA MAYOM TARROUTHY

	Providing and laying Brick or block masonry with first class solid burnt brick set in (1:4) cement sand mortar in super structure including scaffolding, curing, drilling for wall ties where brick work joins R.C.C columns, walls etc. Complete in all respects as per drawings and specifications to complete satisfaction of the consultant.
I	Internal walls 4.5" thick
Ii	Internal walls 6" thick
Iii	External walls 9" thick
	_
5	PLASTER WORK
	Providing and laying plaster (thickness and Cement ratio as indicate in sub items below) with cement sand (CS) mortar on masonry and concrete surfaces, with G.I. expanded metal mesh at the interfaces / joints of structures of different materials, staging and curing, plaster stopper, corner beads, channels for making grooves and drip course etc., where required and/or as directed by the Architect / Engineer complete in all respect.
i)	1/2" thick plaster with 1:4 CS mortar on internal walls/ceiling
ii)	3/4" thick plaster with 1:3 CS mortar on external walls
	-
6	PORCELAIN TILES ON FLOOR & SKIRTING
	Providing and laying glazed full body Porcelain of approved design, colour and pattern Tiles, china or bone colour Master full body porcelain or equivalent, setting in Stile dry bond (with cement), with matching color imported Grout. Complete in all respect, including curing, cleaning, finishing & hacking/chipping of existing surface for bonding where necessary, etc. as per specifications and/or as directed by the Architect / Engineer (at any elevation)
i)	On Floor : 20" x 20"
ii)	In Skirting : 4" x 20"
	
i)	P.C.C (1:4:8)100mm thick.
ii)	P.C.C (1:2:4) 50mm thick, top made rough to receive floor finishes.
8	CERAMIC TILES (TOILETS & KITCHEN)
	Provide and lay Ceramic Tiles (Matt or Glazed) of approved quality, beige / ivory colour Master tile, 9117 base color white with grey pigmentation Salt and pepper style for bathroom flooring and walls (Master Tile 12" x 12" LPF 28-108 for bath walls in light Beige color and Flooring Dark Beige LPF 14-106) for flooring / walls and in slope, if required, with 1:4 cement sand mortar of required thickness to achieve a minimum overall finished floor thickness of 2", setting the tiles with neat cement mortar, grouting the joints 1/4" with matching grout of approved supplier, curing, cleaning, finishing & hacking/chipping of existing surface for bonding where necessary, etc. complete in all respect.

1)	Ceramic Matt Tiles 12" x 12" (For Floors).
ii)	Ceramic Glazed Tiles 12" x 12" (On Walls).
9	FALSE CELING
a)	Gypsum Board (24"X24")
	Providing & laying 9 or 8 mm thick gypsum board False Ceiling, 24" x 24" Elephant Brand or approved equivalent (with aluminum foil at back) in straight, curved, tiles or multiple profiles, as shown on drawing section, fixed with imported powder coated aluminum, " T" & "L" section with ceiling suspension system having provisions for light and AC grill. Complete in all respect as per drawing and instruction of Bank's Engineer.
10	COLUMNS CLADDING (Only main city branches)
	Provide, make Cladding with 1/2" MDF board over treated partal wood framing horizontal and vertically over column from +2'-6" elevation up to false ceiling level as per drawing. Including all fittings polishing etc., complete in all respects. From 0' - 0" to 2'-6" Porcelain tile Spanish cladding or equivalent.
11	WOODEN CABINETS
a)	Kitchen Cabinets
	Provide and install in position wooden pantry cabinets, consisting of PARTAL wood battens / framing, 3/4" thick chipboard 600 density shelf, partition and shutter, with beach wood lipping, MDF drawers with imported roller runners, hinges imported Japanese typeor equivalent to show 1/4" groove in between, approved Fornite Formica finish on both sides of shutter, including all kind of best quality hardware's, spring hinges, SS handles, locks etc. Complete in all respects.
i)	Wall hanging cabinet 18" deep.
ii)	Wooden base cabinet 24" deep.
	Full Height Cabinets (for Record Room) . / Store
	Providing and fabrication in position two full height cabinets in record room (3' wide & 18" deep), consisting of 3/4" thick BEACH laminated board boxing with 3/4" thick beech wood Formica finished leaves. 1/4"x 3/4" solid Beech wood lipping with 1/2"x1" thick beech wood frame would be provided in front of boxes with clear lacquer polish. All fittings i.e. screws, bolts imported Italian hingesor equivalent, catchers, locks, handles and all other accessories are part of the job including anti-termite treatment etc. Complete in all respects.



12 INTERNAL PAINT

Provide and apply with Roller, Matt finish water based paint (ICI/Bergeror equivalent) minimum three coats of approved shade over a coat of primer to internal plastered surfaces, base preparation consisting of rubbing with sand stone, filling the uneven surface with putty, rubbing with sand paper and preparation of smooth surface perfect in all respects. Complete in all respect as per specifications and/or as directed by the Architect/ Engineer.

13 WOODEN DOOR / FRAME / CHOWKAT /Beading

DOOR FRAME: Provide and fixing of 16 SWG, GI door frames for bath, kitchen, stores, with polishing, including Lintels, hold fasts, where ever required, complete in all respect including polish with proper beach / diyar wood beading.

SKIN DOORS D1-2'-6"x7'-0": (for Toilet/Kitchen) Provide and install doors consisting of best quality Malaysian skin, pressed over best quality treated partal framing, with approved quality of door locks, handle, tower bolt, hold fast, stopper, hardware and paint /polish, complete in all respect. The minimum spacing will be of 2 inches)

PLY DOORS D2-3'-0"x7'-0": Providing and fixing 1 ½" solid flush doors with polished of approved ply on both sides, viewing panel, Imported Yale lock, 4" hinges, hold fast, tower bolt, latches, stopper, & all other necessary hardware, complete in all respect.

14 ALUMINUM WINDOWS / VENTILATOR

Providing, fabricating and fixing in position heavy duty deluxe section approved color anodized aluminum local extruded Pak cable or equivalent (thickness of section 2mm minimum) or size using 4" wide section, 6 mm distortion free approved glass with gasket neoprene channels. Aluminum surfaces shall be anodized in approved color finish and shop protected including all accessories, fittings, rubber, seals, neoprene weather strips between frame and wall and frame edge trimming, gasket, screws, fly screen etc. and approval of the Consultants, complete in all respect, as per drawing / required size.

15 GLASS DOOR

Providing, fabrication & fixing 12 mm thick glass door with top & bottom locking system, 4" Aluminum D-48 by Lucky or equivalent Pak Cable section, with 12mm thick Middle East / Saudi Arabia or equivalent clear glass with frost film and Bank's monogram, Approved Ajrak film, with gasket size and shape as shown on drawing, including bolts, D lock, nuts, screws aluminum channel, handle, floor machine (New Star Japan or Koreanor equivalent), locks etc. Complete in all respects as directed by Engineer.

INSTALLATION OF VAULT / LOCKER ROOM DOOR
Lifting & Fixing charges of Bank's supplied Vault / Locker Doors, welding of door frame with RCC MS bars, and to facilitate the Vendors. Complete in all respects.
ALUMINUM SECTION & fixed FRONT GLAZING
Provide and install 4" Deluxe section D 48 of LUCKY or equivalent fixed aluminum glazing for elevation with hinged panels including latches, rollers, rubber gaskets all necessary hard ware and fittings, application of silicone for joints including approved 8 mm thick imported clear glass(KSA OR GHANI or equivalent) glass with complete as per drawing and as directed by the Architect.(Recommended Manufacturer: Pakistan cables OR Lucky) Complete in all respects (at front)
_
GLASS PARTITION
Providing and installation 12mm thick glass KSA/UAEor equivalent polished glass with 100mm top & bottom rails, brush finish SS-304, lucky or equivalent Pak Cable section with frosted film surface as per approved design. Contractor is required to provide joints between the panels with minimum 5mm thick clear silicon from Dow corning or other approved by the Engineer. Complete in all respects. (in Manager room, low height only)
WINDOW BLINDS
Provide and install imported VERTICAL Blinds, in imported synthetic fabric (5" wide) with suspension mechanism, approved shade &colour (Light grey). Complete in all respect at all outside glasses only.
CONTRIBUTION ON THE CONTRIBUTION OF THE CONTRI
SECURITY GRILLS Wrought Iron Grills for glass doors, windows, Generator, AC outers,
This security grills will be provided at all external windows, ventilators., inside the fixed entrance glazing, geill door inside the entrance door, Providing and Fixing M.S Security Grills to windows, comprising of 1/2" square bars @ 6" c/c 1"x1-1/2" MS pipe 16 gauge, welding, grinding, finishing, rubbing 3 coat of enamel paint (ICI,NIPPON,BERGER or equivalent) red oxide before paint. Complete in all respects, as per standardized design and /or as shown in drawing., as per approved design, attached herewith. Further proper lockable grills with abiove specification will also be provided for Generator and all AC out door units.
SECURITY ROLLING SHUTTER

Providing and fixing Mild Steel Rolling Security Shutter at front main entrance door, before glass doors, ATM Room's door, outside windows, made of 20 s.w.guage GI sheet, guide channels 10 gauge MS sheet and Roll-up durable mechanism (Spring & MS Bar etc.). with 2.5" Dia box, consisting of steel frame of M.S. channel 2"x1.25"x1" (50x30x3 mm) angle iron 1.5"x1.5"x1" (40x30x3mm)M.S plate 1"x1"xa" (300x300x3 mm) G.I. pipe 1.5" (37mm) Ø, springs 2'(600mm) c/c. Rollers 24 S.W.G G.I. Covering 1'x1' (300x300 mm) with S. Steel sheet 18 S.W.G, handles, holdfast, etc. center of the roller sheet to be in chicken foldable type window / mesh (6" X 12" can be covered with sliding panel, from inside) for looking outside, vertical removable channel. Complete with sliding bolts handles including 3 coats of enamel paint (ICI or equivalent) including base coat of anti-rust primer, Complete in all respects, including all types of hardware etc. as per satisfaction of the consultant and engineer incharge. as per attached layout.

23 | SECURITY DOORS

i) | Security Grill Door

Providing and fixing the MS enamel painted security grill door panel of 3/4" MS square solid bars @ 4" c/c both ways welded with 1-1/2"x3/16" MS flat Frame and covered with MS Sheet 14 gauge, with all locks, including all necessary fittings. Complete in all respectat main entrance. Thus at entrance, inside will be security grill, the glass will be in centre and rolling shutter will be outside.

24 EMERGENCY EXIT M.S DOOR

Fabricating, providing and fixing fire exit door with 16 S.W.G M.S 3/4" square pipe, 18 SWG MS sheet pressed over this frame, at both sides, sheet frame painted with approved deco colour including 16 S.W.G M.S sheet shutter framed in 4" x 3" M.S box section, including best quality hinges, locks, handles, hold fasts and other necessary hardware etc. size as per site. Complete in all respects as per drawing attached herewith, , specifications and as directed by the Bank.

25 EXTERNAL PAINT

Provide and apply with Roller Matt Enamel paint WEATHER SHEILD (ICI/Berger or equivalent) minimum three coats of approved shade over a coat of primer to internal plastered surfaces, base preparation, primer, smooth filling etc. complete in all respect as shown on the drawings specifications and/or as directed by the Architect/ Engineer.

26 ATM ROOM

Establishment of ATM room, having an average size of 5X7, suitable for free standing, front loaded ATM machine, The all walls of ATM room will be till the height of ceiling, with proper high strength machine made Block masonry, and or proper security grill. One telephone point and one Data point and one 15Amps power point for ATM machine, power point for one ton AC, with gas copper pipes and drain will also provided will be provided in ATM room. Tiles and ceiling as per branch specification will be provided. The ATM power socket, data outlet face plate, telephone out let, will be other side of ATM room's wall and one 2 inches dia pipe will be provided in wall for wiring / leads. The data point will be terminated in Patch panel and power point and light of ATM room will be connected to UPS. power. The earth point of ATM socket will be solidly connected with earth pit.

27 ATM MAIN and INTERNAL DOORS

The main entrance door of ATM will be a aluminum frame, in two portions, specified glass door, 2- 1/2 feet wide, with proper lock, inside best quality D lock, handle and new star machine, with 1/2 inches above specified glass with frost and Ajrak film, and monogram. Further Security rolling shutter, specified above, will also be provided before entrance of ATM, This also include internal door . its installation, with MS, 16 SWG, 3/4"x3/4" square pipe grill,,, 8" center to center distance, both ways, inside ATM room, 16 SWG GI sheet fitted over grill from atm room side and 3mm ply fixed from branch side. with lock, handles, polishing & finishing and making peep window 8" x 2" at a height of 5'-0 from floor level., this also include 16 SWG sheet made door frame, suitable to cater the weight of door, with hinges, holdfast, Complete in all respects or as directed by the Architect

28 MORCHA

Providing of block Masonary 3 X 4, feet minimum inside, morcha in proper shape, totally covered from all four sides with 2 feet door & Exit door Specification), inside lock, 3X6 inches inspection opening at 5 Feet 6 inches height, 18 inches raised floor, stole, fan, paint, complete in all respect, where possible only

29 ATM ACCESS RAMP FOR DISABLE PERSON

A three feet wide CC ramp, at 30 degree, will be provided for disable person. Wherever possible. The ramp tiles will be groved tiles and at one side, SS railing will be provide



30 | Front Elevation

The front elevation of the Branch will consist of proper CC steps, fixed on it approved marble / tiles threshold on marble,. The portion other than window and door will consist of Bank's approved elevation and AJRAK tiles, as per approved design, elevation ceramic tiles, as directed by the Bank's Engineer, plan. and other approved face tiles, with approved pattern .

PLUMBING WORKS

DESCRIPTION
If fixing / making of complete kitchen fittings, bath rooms fittings with all t quality and proper sized upvc water pipes, best quality fitting, 3 inches and or quality Dadex or equivalent UPVC pipes, gasket type fittings, trap, joints, waist the best SS trap covers, European type ceramics ware coupled water closet, equivalent, white / Ivory /light colour, model HD-180, including 3 gallons trap, C.P tee stop cock with wall cups, connection pipes, "hinged double and cover, muslimshower, all joints to services and drains, plugging and eccessary to the structure and make good the same, complete in all respect as ions and drawings. All pipes and pvc fittings will be dadexor equivalent, all gs/ fixtures will be master / sonex/ Grohe Chinaor equivalent, plastic coated, where there are two bath room, in other bath room, Indian type or equivalent, podel HDD-9, ivory colour with all porta/ Master fittings will be fixed.
I fixing Wash hand Basin with pedestal, PORTA or equivalent model HD-19, /white colour "SONEX" waste coupling, plug with C.P brass chain, 1.5" dia. be) waste pipe connections to water lines, tee stop cock for cold and hot water or with nuts and fitting, waste pipe waste coupling, plugs with chain other erial C.P grating including C.P bottle trap, testing etc. complete in all respected by the Engineer.
/white colour "SONEX" waste coupling, plug with C.P brass chain, 1.5" be) waste pipe connections to water lines, tee stop cock for cold and hot wor with nuts and fitting, waste pipe waste coupling, plugs with chain cerial C.P grating including C.P bottle trap, testing etc. complete in all res



3	Provide & fix best quality Stainless Steel imported Kitchen Sink, Balraco or equivalent make (40" x 20") 1000mm x 500mm sink with Cl or WI brackets 150mm (6") built in wall, 40mm(1 1/2") rubber plug & chrome plated brass chain, 40mm (1 1/2") C.P brass waste, pillar tap 2 way deluxe, 40 mm (1 1/2") dial malleable iron or C.P. brass trap, Bottle trap and unions. Make requisite holes in walls & floor for pipe connections & make good with approved material. (with SONEX or equivalent fittings).
4	Provide & fix PVC floor drains of 4" dia of make Nikkassi, Pak Arab or approved equivalent, having minimum guaranteed 2" water seal with screw down C.P cover, peripheral drains with or without a vent arm. Make requisite holes in walls, floor for pipe connections & make good with approved material, including SS drain / grating with side perforation.
5	Provide & fix approved quality chromium plated towel rails 750mm x 20mm (30"x3/4") with brackets and C.P screws. (Taiwan makeor equivalent)
6	Provide and fix approved quality C.P toilet paper holders and coat hook. (Taiwan makeor equivalent)
7	Provide & fix chromium plated soap dish of approved quality with C.P screws. (Master /Sonex or equivalent)
8 (a)	Provide and fix Muslim Showers manufactured by Master/Sonex or equivalent, plastic coated, complete with stop cock and controlled spray head.
(b)	Providing and fixing 15 mm dia C.P. mixer with C.P pipe 15 mm dia, of Master, Sonix or approved equal complete including pipe connections, all fittings, testing etc.
i)	For Wash basin
ii)	Kitchen Sink Mixer, Master/Sonex or equivalent Grohe China, Plastic coated,
	Kitchen Sink Mixer (Plastic Coated) or chromed make. Master, Sonex or equivalent
9	Providing, fixing, jointing and testing Polypropylene Random (PPR) pipes make Dadex / AGM or approved equivalent pressure pipe for cold/hot water as per DIN 8077-8078,PN-20 for pipes and DIN 16962,PN-25 for fittings (polyfusion welded joints) inside building including fittings and specials (sockets, tees, elbows, bends, crosses, reducers, adaptor, plugs and union etc.) supported on walls or suspended from roof slab or run in chases including pipe hangers, supports, cutting and making good the chases and holes, its painting and insulation against sun light complete in all respects. conforming to BSS. Cut and make good with Test and Commission for cold and hot water system. with appropriate dia and sizes.



10	Provide and fix of Gate valve, Threaded ends, bronze body with union bonnet, non-rising stem and wedge disc. suitable for 8.5 bars SWP and 250 deg. F., manufactured by KITZ (Japan) or approved equivalent.
11	Provide approved / appropriate dia , size, and fix cast UPVC pipes (AGM/dadex /vebro turkey Brand or equivalent) including fittings such as tees, elbows, sockets, wyc, hangers/supports etc. conforming to BSS for soil waste and vent pipes as embedded in floor and walls or suspended from slab or clamped to wall including plaugsm hangars, beds, Tees, Yees. Include for making requisite number of holes in walls and floors where required and making good the same as necessary to the structure labeling, testing to 6.5 feet water height complete.
12	Provide and construct gully trap with 12"x12" cast iron frame and cover, including excavation, backfilling, masonry, plaster internally and externally vitreous China trap etc. complete and approved by the Engineer.
13	Provide and construct man holes for sewer with 24"x24" C.I frame and cover (40kg) including 8" Masonry, puddlo plaster internally and externally up to depths; shown on drawings and approved by the Engineer. PCC 1:2:4 base slab, benching with 1:3 cement sand mortar including 24" dia manhole cover, frame and rungs, complete in all respect.
14	Construction of Septic Tank one size 6'x4'x5' avg depth at per site conditions in all respects as per drawings. If required
15	Make Sewer Connection to existing Sewerage disposal system with existing main line, Complete in all respect including all material. With 6 inches dia UPVC pipes with fittings.
16	Make Water Connection to existing Water supply system using pprc pipe fitting of Dadex or equivalent,
17	Providing, installing & testing of Over Head Fiber Glass Water Tank make Dura or approved equivalent, with 500 Gallons storage capacity, including electric pump, motor and all necessary fittings etc. Complete in all respects as per instruction of Architect.
ELE	CTRICAL WORKS:
S. No	DESCRIPTION
<u>.</u> <u>A.</u>	INTERNAL WIRING

1	Supply, installation and commissioning of Light Circuit wiring, from MCB in DB to Switch Board to be wired with 3x2.5mm sq. (P+N+PE) PVC insulated 300/500 V grade wire, manufactured by M/s. "AGE,Poineer, FASTor equivalent, pioneer or as specified in Annexure A, in and including cost of 1" dia. heavy duty PVC conduit make Popular, Beta, installed on roof slab, above false ceiling, or concealed in walls, or as required as per site conditions, all PVC conduit accessories, pull boxes, steel pull wires, Complete in all respects. Each circuit shall have independent CPC.Maximum wiring of 2 light circuits can be pulled through 1" dia. PVC conduit. Note:- Supply Certificate issued by Company will be attached with bills
2	Providing, Installation, testing and commissioning of wiring of One light point controlled by one switch and wired with 3x1.5 mm sq. PVC insulated wires 300/500 V grade, in and including cost of
	3/4" dia. heavy duty PVC conduit recessed in wall, columns slabs or above light carrier all PVC conduit accessories, 3" high PVC junction boxes, pull boxes, steel pull wires, PVC flexible conduit from ceiling junction box to light fixture with brass chuck nut including cost of 3x1.5mm sq from Ceiling Junction Box to Light Fixture, M.S. sheet steel switch box 16 SWG with earth terminal and 2 coats of enameled paint, M.S. box shall be of the same size as that of 1, 2 or 3 gang flush type plate switches, including cost of gang type light switches 10 amps.
3	Providing, Installation, testing and commissioning of wiring of Two or three or four light points controlled by one switch and wired with 3x1.5 mm sq. PVC insulated wires 300/500 V grade, in and including cost of 3/4" dia. heavy duty PVC conduit recessed in wall, columns slabs or above light carrier all PVC conduit accessories, 3" high PVC junction boxes, pull boxes, steel pull wires, PVC flexible conduit from ceiling junction box to light fixture with brass chuck nut including cost of 3x1.5mm sq from Ceiling Junction Box to Light Fixture, M.S. sheet steel switch box 16 SWG with earth terminal and 2 coats of enameled paint, M.S. box shall be of the same size as that of 1, 2 or 3 gang flush type plate switches, including cost of gang type light switches 10 amps.
4	Providing & wiring of 1-3 pin 15 Amps power socket outlets (for General Use) wired with 2x4mm2+1x2.5mm² CU/PVC insulated cable 300/500 Volt grade, make, Fast, Pioneer, AGE, in 25mm dia PVC conduit make Beta, Popular, recessed in wall/floor, above false ceiling or as required as per site conditions, all PVC conduit make Beta accessories, pull boxes, steel pull wires. Complete with all conduit & wiring accessories including 15 Amps, 3 pin combined switch socket make Clipsal (Austria), Panduit, MK(UK), Legrand (France) or approved equivalent. Wiring shall be done directly from the MCB installed in the respective DB without any claim of circuit, complete with suitable size 1.5mm thick sheet steel back box recessed in wall.

5	Providing & wiring of 1-3 pin 10 Amps power switch socket outlets (for RAW supply / WAPDA) wired with 3x2.5mm2 1 core CU/PVC insulated cable in 25mm dia PVC conduit make Beta, Popular, recessed in wall/floor, above false ceiling or as required as per site conditions, all PVC conduit make Beta accessories, pull boxes, steel pull wiresetc. Complete will all conduit & wiring accessories including 10 Amps, 3 pin combined switch socket make Clipsal (Austria), MK(UK), Legrand (France) or approved equivalent. Wiring shall be done directly from the MCB installed in the respective DB without any claim of circuit. complete with suitable size 1.5mm thick sheet steel back box recessed in wall.
6	Confirming to same specification as mentioned above in item A-08, but outlet to outlet wiring. Complete in all respect.
7	Providing & wiring of 2-3 pin 13 Amps power switch socket outlets (for UPS) wired with 3x2.5mm2 1 core CU/PVC insulated cable in 25mm dia PVC conduit make Beta, Popular, recessed in wall/floor, above false ceiling or as required as per site conditions, all PVC conduit make Beta accessories, pull boxes, steel pull wires. Complete will all conduit & wiring accessories including 13 Amps, 2/3 pins combined switch socket (duplex) make Clipsal (Austria), MK(UK), Legrand (France) or approved equivalent. Wiring shall be done directly from the MCB installed in the respective DB without any claim of circuit. complete with suitable size 1.5mm thick sheet steel back box recessed in wall.
8	Providing installing &wiring for Split A/C's unit from distribution board to respective AC in 1-3 pin 16 Amps switch socket, for outer unit or indoor unit, as the case may be, wired with approved brand 2x4mm² + 1x4mm² 1 core CU/PVC cable, from DB to Indoor unit and indoor unit to out door unit, in 25mm dia PVC conduit make Beta, Popular, recessed in wall/floor, above false ceiling or as required as per site conditions, all PVC conduit make Beta accessories, pull boxes, steel pull wiresetc. Complete will all conduit & wiring accessories including 16 Amps, 3 pin combined switch socket make Clipsal (Austria), MK(UK), Legrand (France) or approved equivalent. Wiring shall be done directly from the MCB installed in the respective DB without any claim of circuit, complete with suitable size 1.5mm thick sheet steel back box recessed in wall. Complete with all accessories including termination.
9	TECHNOLOGY BOXES for 7 users + Time attendance, UPS room, photo state machine


Providing, Installation, wiring from respective breaker in respective DB, of CLIPSAL make Fioor / wall Technology Box with cover, 1.5mm thick sheet, steel fabricated floor mounted water tight weather proof, fitted with two 13 Amps , UPS power flat pins and one 13Amps raw power round pin sockets, one dual face plate with RJ-45 out let for Data point and one RJ-12 I/o sock . for telephone , with power socket wired with approved 2.5 mm wires with earth wire of same size, from respective UPS and or normal DBs, data point and telephone points with cat-6e Clipsal /3M wire and Outlets. Complete in all respects from patch panel to Technology box, and same cables from Telephone Tag block to telephone I/O, win suitable PVC pipes, termination at both ends, tagging, numbering, including floor / wall cutting include termination of electrical wires at sockets, and DB, Data wires at I/O of face plate and at patch panel on other end, with telephone points at RJ-12 I/O at Box and 10 pairs Tag Block with MS box, at other end with complete termination, testing and submission of test report and 20 years termination warranty. This work also include all respective cabling, proper tagging / numbering at both ends of all Data and telephone cables. This work is complete in all respect.

	submission of test report and 20 years termination warranty. This work also include all respective cabling, proper tagging / numbering at both ends of all Data and telephone cables. This work is complete in all respect.		
	TOTAL		
<u>B.</u>	FITTING & FIXTURES		
10			
i)	Philips Down light FBH with 2X 18 W, Philips PLC Lamp energy savers or equivalent		
ii)	Mirror Light Fixture Philips GMP-118-84 or Equivalent		
iii)	Recessed Ceiling Down light fixture (6" dia) circular shape equivalent to Philips Model Lunar with Optogan Emotion Series PLC lamp installed vertically and aluminum reflector as approved by architect./Engineer.		
10	Supply, installation and commissioning of 12 inches dia Exhaust / Bracket Fans of following sizes, plastic body, louvers, all necessary fixing accessories, make Pak, Asia, Climax, National or as manufactured by any one of the manufacturers or equivalent including its complete wiring.		
#	MAIN SWITCHES AND DBs		
	All concield with 16 SWG MS powdered coated box for DBs and 18 SWG MS sheet box for out side 100 Amps, TP breaker, with door, hinges, lock, Amps meter, Volt meters, selector switches, LED indicating lamps, earth strips with 10 holes, neutral strips with 12 holes, backed powdered coating, water proof gasket, The work include all internal wiring with / 99.995 copper busbars, proper sized above mentioned approved PVC wires, at all DBs from TP breakers / Switches with standard copper termination of each breakers at all phases., wiring for volts / Amps meters, selectors, indicators etc, thus complete DB in all respect with DB body earthing with earth wire All breakers in all BBs will be Japanese Brand, Terasaki, Clipsal; MG, Schneider, Legrand. or equivalent		
##	Out Side Breaker / Switch at incoming line		
	J		

One 100 Amps TP, approved Brand main breaker will be installed outside for KESC / WAPDA, incomming power supply, including connection to breaker, outgoing three phase four wires appproved brand 25mm2 PVC cable from breaker to inside main DB breaker, with earthing of its above referred MS box.

MAIN DB, Raw power, AC and power sockets with Emergency power

Main DB will be above referred specification but will have one 100 Amps Main Braker, one TP 60 A breaker fot ATS supply, 18, 15/20 A breakers of Terasaki / Ligrant / Clipsal, at KE / Wapda side, 9, 20 A breakers for generator side, One three phase selector switch, one double pole 32 A breaker for UPS, 9, 20 A breakers for AC, at bellow with provision of generator wiring, volt meter, selector, three indicators, complete with all respect, Earth and neutral terminal, as per attached drawing



		IN SECOND CONTROL
		ecolast vec emesseem anemes fillin par ditare estector
		Lockable Covers for ac exerners
13	UPS DB This DB will also b	pe same specification but consist of one SP , two pole incoming breaker and 6, 10
14	Amps and 3, 15 Am ATM power socke Telephone system	mps breakers and one two pole 15 Amps breaker for ATM. With 3x4mm wires till

1	Providing & wiring of each Telephone socket outlet in preinstalled outlet technology boxes, wired with 4 Pair Cat-6 (UTP)Cable, make 3M / PANDUIT USA / Clipsalor equivalent in 25mm dia PVC conduit recessed in slabs, floors, walls, columns or on slab above false ceiling or as required as				
	per site conditions,, complete with all conduit & wiring accessories including RJ-12 IOs & Face Plates. Complete in all respect with suitable size 1.5mm thick sheet steel back box recessed in wall for other than technology box.				
2	Providing & fixing 20 Pairs Telephone Tag Block (MDF) enclosed in 1.5mm thick sheet steel box with all fixing accessories.				
<u>15</u>	Networking / Computer data cabling for technology boxes,				
1	Providing, laying & testing of Data Cable 4 Pair Cat -6 e, , make 3M / PANDUIT USA/ clipsalor				
	equivalent in 25 mm dia PVC conduit including Data Outlet (3M make) Face plate (2port) w/o shutter RJ-45 (Panduit USA)K6 Jack fixed, on 1.5 mm thick steel back box complete in all respect and as per darwing, and providing of Fluke Test Report & 3M's 20 Years Certificate (Complete as per Client's requirement). This work also include tagging / numbering at both end.				
2	Supply of machine made 3M Cat-6 Patch Cable (1m) with both end connectors				
3	Supply of machine made 3M Cat-6 Drop Cable (3m) with both end connectors				
4	Providing / Fixing termination of 9U, standard Data Cabinet. With 24 ports 3M patch panel,				
16	Earthing				
1	Providing, installation, commissioning and testing of one earthing pits (40 to 50 ft deep or upto water level), back filling, ramming etc. complete with copper earth electrode 25mm dia and 1.5 meter long, as indicated in specification and drawings. 16 mm copper wire from electrode to ECP and to generator neutral and all DBs. Complete with cable clamps 38mm dia G.I. pipe and all accessories as per drawings. Each earth pit is to be provided with a concrete manhole 300 x 300 x 450(mm) deep with 225mm thick wall including cement mortar, internal plaster 1:4, with heavy duty C.I. cover including test clamp. Complete in all respect. Earthing bores shall be made at 6 to 8 feet away from foundation and distance between earth pits shall not be less than 10 feet Further connection of earth pit to Generator neutral point and all DBs with proper earth wire. In case where earth bore is not possible, due to hilly area, copper plate earth, having size 2'X2'X1/4", with two 10 SWG 16 mm copper wires, tight on plates with brass nut / bolt, plate buried in 6 to 8 feet deep in				
earth. will be provided. AIRCONDITIONING / HVAC WORKS:					
S.	DESCRIPTION				
No	OESCKII IIOI4				

17	Installation of Bank's supplied Split Air Conditioners (SAC) including USA or equivalentcopper piping with installation & testing complete in all respects; including control wiring from outdoor unit to indoor with 4 x 4 mm.sq. + 1 x 4 mm.sq wire drawn in PVC 'D' class conduit clipped to wall or ceiling (wiring make Pakistan Cable, AGE or Pioneer or equivalent). The return and supply copper tubing to be sized as per manufacturer's recommendation and to be drawn in separate Aeroflex insulators or equivalent.			
	Provide & fix UPVC pipe, Beta or popular, for AC drain system, (medium) conformi BSS 1307 of 1957, along with GI fittings such as tees, elbows, unions, reducers, so teflon tape for jointing, hangers, supports, sleeves, including testing and commissionin insulation with Aeroflex insulation.			
	i. 1-1/4" dia			
	ii. 3/4" dia			
18				
	CERTIFICATION / DRAWINGS			


| CERTIFICATION / DRAWINGS

Following certification will be provided by the contractor, after completion of work/

- 1, Earth Pits Test Report (Pit will be prepared in front of bank's representative)
- 2, Photos of steel of strong room, before casting required.
- 3, Electrical, networking as built drawing
- 4, Networking points test report with nod number
- 5, Exact Internal measurement sheet of area.

Special Site requirements

- It is a tentative planning. The contractor will construct the branch, keeping in view location of pillars, availability of drainage line, etc.
- This is a new constructed premises & the owner of the premises will execute periphery walls plaster, p.c.c at floor, construction of front steps in grey, water proofing of roof top, laying of main sewerage line & making of Genset pad at his cost, so price of these mentioned items should not be included in quoted bid.
- Emergency exit will have to be provided.
- Paint or wooden works at newly plastered R.C.C/brick walls will only be executed
 once they are completely dried & have no dampness at all. The walls should be
 dried by use of high voltage (1000 W) electric hangers and with the help of fans, if
 necessary.



Agreement for Renovation of Airport Road Branch Quetta

THIS AGREEMENT is entered into at	Karachi
THIS AGREEMENT is entered into at on this the // day of // //	2018
,	
nemarket.	

M/S. Z & HK Construction Company, a sole proprietorship concern, having its principal place of business at Office: Killi Appozai, Post office, Zhob Baluchistan (hereinafter referred to as "Contractor", which expression shall be deemed to mean and include its successors-in-interest and assigns) of the First Part;

AND

SINDH BANK LIMITED, a banking company incorporated under the laws of Pakistan and having its Head office at 3" Floor, Federation House, Abdullah Shah Ghazi Road, Clifton, Karachi-75600, Pakistan (Hereinafter referred to as "THE BANK", which expression shall be deemed to mean and include its successors-in-interest and assigns) of the Second Part.

WHEREAS:

"THE BANK" intends to acquire the services of "Contractor" for Renovation, Interior, Electrical Work and Construction, for its Airport Road Branch Quetta and Contractor agrees to provide the following services to the bank, as per the tender opened on 27/03/2018.

i. Renovation, Interior and Electrical work as per detailed BOQ submitted to the Bank. Total Price as per Financial / Technical Proposal

Submitted by M/S. Z & HK Construction Company: Rs.3,400,000/- as Annexure "A".

The terms and conditions are as follows:

Terms & Conditions:

All terms and conditions of the tender document will remain part of this agreement.

Change / alteration in the original Plan.

Any change/alteration in the original plan, if required, due to site hindrance or any other reasons shall be made after written approval of the Bank. Electricity & Water for renoration and the same shall be made after written approval of the Bank.

Company
Company
Company

e) Second Interim payment will be made on receiving original invoice from the contractor and confirmation of 60% completion of work by respective Area / Regional Manager of the bank.

d) Final payment will be released to contractor on receipt of final invoice from the contractor and as per actual measurements by the Bank Engineer during physical inspection of the completed

project.

e) 02% of the total tender amount will be retained by the Bank as "Performance security" in shape of pay order and the same will be released after 90 days of handing over of the project alongwith receipt of satisfactory letter from the concerned branch. On completion of said period a final inspection will be carried out and the retention amount will only be released addressing of observation and due verification from concerned Branch Manager.

Period of Contract:

Date of Handing over site

- Branch Completion date:

17/35/19

Commencement of Work:

- The job will be commenced from the date of acceptance of Award/Letter by the Contractor.

Penalty:

- The completion period of the awarded work will be 45 days from the date of handing over the site.
- In case of delay in completion, a penalty @ 0.15% of total contract amount, for each day of delay will be imposed.
- The rates quoted by the Contractor will include all works, necessary for establishment of Bank-Branch, complete in all respect strictly in accordance with our specifications given in design book. In case of any deviation in design/ specification, without written permission of Bank's Engineer, the payment of such item will not be paid and the contractor will be liable to replace the objected item as per the design book at his own cost.

Notice:

Any notice, request or consent required or permitted to be given or made pursuant to this
agreement shall be in writing. Any such notice, request or consent shall be deemed to have been
given or made when delivered in person to an authorized representative of the Party to whom
the communication is addressed, or when sent to such Party at the given address.

A party may change its address for notice by giving a notice to the other Party in writing of

change:

Taxes and Duties:

The Contractor and its Personnel shall pay such direct or indirect taxes, duties, fees, and other impositions levied under the Applicable Law, the amount of which is deemed to have been included in the Contract Price.

Termination of Agreement by the Bank

- If the performance of the Contractor is not satisfactory this agreement can be terminated by the Bank upon giving a 30 day's advance notice in writing to the Contractor. In such event the Contractor shall refund all advance money to the Bank after adjusting the cost of work done by that date.
- If the Contractor becomes insolvent or bankrupt.
- If the Contractor, in the judgment of the Bank has engaged in corrupt or fraudulent practices in competing for or in executing the Agreement.
- If, as the result of Force Majeure, the Contractor is unable to perform a material portion of the Services for a period of not less than sixty (60) days; and

- If the Bank, in its sole discretion and for any reason whatsoever, decided to terminate this Agreement.

- If issued with two warning letter/email by the bank for unsatisfactory current performance to the bidder.

M/S Z&IIK Construction

Termination of Agreement by the Contractor:

- The Contractor may terminate this Agreement, by not less than (30) days' written notice to the Bank, if the Bank falls to pay any money due to the Contractor pursuant to this Agreement without Contractors fault.
- If, as the result of Force Majeure, the Contractor is unable to perform a material portion of the Services for a period of not less than sixty (60) days.

Force Majeure:

- The failure on the part of the parties to perform their obligation under the agreement will not be considered as default if such failure is the result of natural calamities, disasters and circumstances beyond the control of the parties.

Extension of Time:

 Any period within which Party shall, pursuant to this agreement, complete any action or task, shall be extended for a period equal to the time during which such Party was unable to perform such action as a result of Force Majeure.

Good Faith:

The Parties undertake to act in good faith with respect to each other's rights under this
agreement and to adopt all reasonable measures to ensure the realization of the objectives of
this agreement.

Sertlement of Disputes:

- The Parties agree that the avoidance or early resolution of disputes is crudal for a smooth execution of the Agreement and the success of the assignment. The Parties shall use their best efforts to settle amicably all disputes arising out of or in connection with the Agreement or its interpretation.
- If Parties fall to amicably settle any dispute arising out of or in connection with the Agreement within (10) days of commencement of such informal negotiations, the dispute shall first complaint redressal committee of the bank and if parties could not reached at amicable situation, then the matter will be referred to the grievance committee of Bank and if matter could not be resolved the matter will be referred for arbitration of two arbitrators, one to be appointed by each party, in accordance with the Arbitration Act. 1940. Venue of arbitration shall be Karachi, Pakistan and proceedings of arbitration shall be conducted in English.

Obligation of the Contractor:

- The Contractor shall perform the Services and carry out their obligations hereunder with all due diligence, efficiency and economy, in accordance with generally accepted professional standards. I and practices, and shall observe sound management practices, and employ appropriate technology and safe and effective equipment, machinery, materials and methods of the Contractor shall always act, in respect of any matter relating to this Agreement or to the Services, as faithful advisers to the Bank, and shall at all times support and safeguard the Bank legitimate interests in any dealing with Sub-Suppliers or third Parties.
- If the obligation of warranty period are not met or delayed, the repair etc. requirement on this account will be carried out by the bank & the billed amount will be deducted from the performance security/ upcoming payment due to supplier. Risk & subsequent cost to this effect if any will be liability of the vendor and any subsequent expenses on the equipment will also be borne by the supplier.

Conflict of Interest:

- The Contractor shall hold the Bank's interests paramount, without any consideration for future work, and strictly avoid conflict with other assignments or their own corporate interests.

outidentiality:

Except with the prior written consent of the Bank, the Contractor and its Personnel shall not at any time communicate to any person or entity and confidential information acquired in the course of the Services, nor shall the Contractor and the Personnel make public the approximations formulated in the course of, or as a result of, the Services.

VDELIMIFICATION

i. The Contractor (the "Indemnifier") the contractor herein agrees that it shall indemnify, defend, and hold harmless the Bank and its parent, subsidiaries, affiliates, successors, and assigns and their respective directors, officers, employees and agents (collectively the

3) Let State Chapterior

"Indemnities") from and against any and all liabilities, claims, suits, actions, demands, settlements, losses, judgments, costs, damages and expenses (including, without limitation, reasonable attorneys', accountants' and experts' fees) arising out of or resulting from, in whole or in part, (i) any actueror or omission, whether intentional or unintentional, by the Indemnifier or its officers, directors, employees, or sub-administrators, related to or arising out of the business covered by this Agreement, or (ii) an actual or alleged breach by the Indemnifier of any of its representations, warranties or covenants contained in this Agreement (including, without limitation, any failure of Indemnifier to comply with applicable local, state, provincial or federal regulations concerning Indemnifier's performance under this Agreement).

ii This Article shall survive termination of this Agreement.


ACCESS TO REGULATOR.

The Contractor and Bank agree to provide State Bank of Pakistan necessary access to the documentation and accounting records in relation to the Renovation, Interior, Electrical Work and Construction, for its Air Port Road Branch Quetta and right to conduct on – site inspection, if required.

In witnesses hereunder both the parties have set their hands on the day and year above first mentioned.

Contractor Signature	
Contractor Signature	winn
Name M/S 7	Elik Construction Company out: Contractor
Designation (ED) GO	lit: Com
Company Name HIS Z SHECON	JENEWS!
Address PHTCP KILLI ACCOUNT	
Part of General Brown	AFTITA J
Stamp Customer Signature Name Designation Company Name Shidh Bank Limited Address Federation House, Sindh Bank Ltd. Head Office, Karachi Stamp	Signature Name Designation Company Name Sinth Bank Limited Address Federation House, Sindh Bank Ltd. Head Office Karachi

Witness:		Witness:	·
Signature_		Signature	
Name _	Terreto de Constale	Name	
Designatio	n AVP II I'V	Designation	
Address		Address	-
		Was Co	
		287010	la variation in the



Dated:

M/S.Z & HK Construction Company Office: Killi Appozai, Post Office Zhob Baluchistan

Letter of Award

Renovation, Interior Work, Construction and Electrical Work at Sindh Bank Limited "Airport Road Branch Quetta".

This is with reference of your Tender dated 27/03/2018 pertaining to captioned work. We are pleased to inform you that based on your quotation the above work has been assigned to you on contract price basis, on item wise rates, with a total of Rs.3,400,000/-.

Other terms & conditions would be as follows:

1. Description of Work:

a) Civil/Interior work covering total area of 1,700/- sq.ft. as per the detailed drawing submitted to the bank.

b) Electrical Works

Any change / alteration in the original plan, if required, due to site hindrance or any other reason shall be made after written approval of the bank. Electricity & water for construction activities will be provided free of charge to the contractor, by the bank.

2.—Payment Schedule:

- a) No advance payment will be made.
- b) 30% amount of total comract will be released on completion of mobilization and 30% of civil works, as reimbursement and on verification by Bank's rep.
- c) After completion of balance of civil works 30% payment of total amount of contract will be released, also on verification.
- d) 30% payment will be made on handing over of the site to the bank, subject to proper submission and scrutiny of the bills.

e) 02% of the total amount of Contract Amount will be submitted by Contractor as "Performance Security" (1) US ZSHK Constructor

Company God-Contractor

3. Completion of Period:

The completion period of the entire work will not exceed 45007, from the date of handling over SITE to the Contractor i.e. 1/0500 In case of failure to complete the job within stipulated period i.e. 45 41, penalty @ 0.15% per day will be imposed upon you.

4. Commencement of Work:

The job will be commenced immediately from the date of acceptance of this Award/Letter.

Please sign & affix your company's stamp and return the same to us as a token of your acceptance immediately.

With Regards.

Notiginaming Suleem Cline Engineer

Agreed & Accepted For & on behalf of

Monday

M/S Z&IIK Construction Company Govt: Contractor ATTIESTED OF THE PARTY OF THE P


FINANCIAL PROPOSAL

Annexure "A"


5.No	Description	Area in Sq Ft	Rate Per Sq.Ft	Amount in Rs
1.	Renovation of Airport Road Branch Quetta	1,700/-	2,000/-	3,400,000/-

Name of Bidder: Z & HK Construction

Company
Govt: Contractor














































ROZOG
























SNDB/COK/ADMIN/TD/893/2018

Dated: 17/05/2018

M/s. Z & HK Construction Company.

Office: Killi Appozai.

Post Office.

Zhob.

Balochistan

Subject: Contract Award-Renovation of Airport Road Branch, Quetta

Dear Sir,

The management of Sindh Bank Limited is pleased to award the subject contract to M/s. Z & HK Construction Company, in accordance with terms and conditions mentioned in our tender dated 09/03/2018.

Please acknowledge.

Sincerely,

For & behalf of Sindh Bank Limited,

Lt. Col. (R) Shahzad Begg

EVP/Head of Administration Division