



KARACHI WATER & SEWERAGE BOARD

OFFICE OF THE DIRECTOR (DESIGN & ESTIMATE)

BID EVALUATION REPORT

| | | |
|----|--|--|
| 1 | Name of Procuring Agency: | KARACHI WATER & SEWERAGE BOARD |
| 2 | Tender Reference No: | SPPRA Serial No.35460 I.D No. _____ |
| 3 | Tender Description/Name of Work/Item: | RECTIFICATION OF CONTAMINATION / REPAIRING / REPLACING / DAMAGE PIPE AND VALVE OF 8" DIA AC PIPE IN SECTOR-19/A TO ENSURE THE REGULAR AND SMOOTH SUPPLY IN SURROUNDING AREA SCHEME-33 ✓ |
| 4 | Method of Procurement: | <u>Single Stage (One Envelop)</u> |
| 5 | Tender Published: | <u>Through SPPRA Web Site</u> |
| 6 | Total Bid Documents Sold: | <u>3 Nos</u> ✓ |
| 7 | Total Bid Received: | <u>3 Nos</u> ✓ |
| 8 | Technical Bid Opening Date (if applicable): | <u>N/A</u> |
| 9 | No. of Bid Technically Qualified (if applicable) | <u>N/A</u> |
| 10 | Bid (s) Rejected: | <u>01 No</u> ✓ |
| 11 | Financial Bid Opening Date: | <u>21-12-2017</u> ✓ |

12 BID EVALUATION REPORT

| S# | Name of Firm / Bidder | COST OFFERED BY THE BIDDER | RANKING IN TERMS OF COST | COMPARISON WITH ESTIMATED COST | REASON FOR ACCEPTANCE / REJECTION | REMARKS |
|----|---|----------------------------|--------------------------|--------------------------------|--|----------------------------|
| 1 | M/s.Muhammad Uzair & Zulkifal Enterprises ✓ | Rs.9,99,407/- ✓ | 1 st Lowest ✓ | @0.054% Below ✓ | Pay Order and required documents are available. P.O # AAA 14472486 dt:19-12-2017 Rs.20,000/-from ABL Sagheer Centre Branch Karachi ✓ | Substantially Responsive ✓ |
| 2 | M/s.Gul Sawab & Co. ✓ | Rs.9,99,828/- ✓ | 2 nd Lowest ✓ | @0.012% Below ✓ | Pay Order and required documents are available. P.O # AAA 14472485 dt:19-12-2017 Rs.20,000/-from ABL Sagheer Centre Branch Karachi ✓ | Substantially Responsive ✓ |
| 3 | M/s.Noor Rehman & Bros ✓ | Rs.9,99,947/- ✓ | - | At Par ✓ | Pay Order not attached, required documents are available. ✓ | Un Responsive ✓ |

The all concerned bidders are being informed accordingly.

The E.E Concerned for compliance of Rule-45 of SPPRA 2010 **M/s.Muhammad Uzair & Zulkifal Enterprises** declared as the lowest responsive bidder by the Committee and recommended for sanction from Competent Authority.

(Muhammad Nawaz Khan)
D.A.O (District East)
Member / Secretary

(Saif-ul-Haque)
Additional Director Internal
Audit – KMC Member

(Maqsood Ahmed Shaikh)
Superintending Engineer (KMC)
Member

(Imdad Hussain Magsi)
S.E (District East-B)
Member

(Saifuddin)
Director (Design & Estimate)
Convener

22-12-17

Method of Procurement: Single Stage Single Envelope.**Name of Work: RECTIFICATION OF CONTAMINATION / REPAIRING / REPLACING / DAMAGE PIPE AND VALVE OF 8" DIA AC PIPE IN SECTOR-19/A TO ENSURE THE REGULAR AND SMOOTH SUPPLY IN SURROUNDING AREA SCHEME-33****MINUTES OF BID OPENING MEETING.**

A meeting of the procurement committee of this department was held on 21-12-2017 for opening the bids received in respect of subject NIT till deadlines of submission. The meeting was attended by all / following members of the procurement committee and the representative of bidders.


(Attendance sheet is enclosed).

2. Three bidders submitted their bids till the deadline of submission.
 - i. M/s. Muhammad Uzair & Zulkifal Enterprises
 - ii. M/s. Gul Sawab & Co.
 - iii. M/s. Noor Rehman & Brothers
3. The bids were opened at 2:30 P.M in the presence of the above mentioned participants and the rates quoted by bidders were read aloud and encircled by Chairman of the Procurement Committee.


| S. No | Name of Firm | Quoted Price | Amount of Bid Security | Pay Order No./ Date |
|-------|--|-----------------|------------------------|---|
| 01 | M/s. Muhammad Uzair & Zulkifal Enterprises | Rs.9,99,406.51 | Rs.20,000/- | P.O # AAA 14472486 dt:19-12-2017 from ABL Sagheer Centre Branch Karachi |
| 02 | M/s. Gul Sawab & Co. | Rs.9,99,828.022 | Rs.20,000/- | P.O # AAA 14472485 dt:19-12-2017 from ABL Sagheer Centre Branch Karachi |
| 03 | M/s. Noor Rehman & Brothers | Rs.9,99,946.51 | - | Pay Order not attached |


4. The bids do not contain any cutting or over-writing.
5. The committee shall examine all the bids as per the qualification / eligibility criteria provided in the bidding document and verify the documents and bid security submitted by the bidders (if required).


The meeting ended with the vote of thanks to and from the chair.


(Muhammad Nawaz Khan)
D.A.O (District East)
Member / Secretary


(Saif-ul-Haque)
Additional Director Internal
Audit – KMC Member


(Maqsood Ahmed Shaikh)
Superintending Engineer (KMC)
Member


(Imdad Hussain Magsi)
S.E (District East-B)
Member


(Saifuddin)
Director (Design & Estimate)
Convener

NIT No. SPPRA Serial No.35460

Method and procedure of procurement: Open Competitive Bidding (National/ International Competitive Bidding) (Single Stage–One Envelope)


Description of work: **RECTIFICATION OF CONTAMINATION / REPAIRING / REPLACING / DAMAGE PIPE AND VALVE OF 8" DIA AC PIPE IN SECTOR-19/A TO ENSURE THE REGULAR AND SMOOTH SUPPLY IN SURROUNDING AREA SCHEME-33**

Date of Opening: 21-12-2017


BIDDERS' ELIGIBILITY/ QUALIFICATION REPORT


Eligibility/ Qualification Criteria:


| S. No. | Eligibility / Qualification Criteria | Bidders' Name | | |
|--------|--|-----------------------------------|---------------------|-------------------------|
| | | M/s.Muhammad Uzair & Zulkifal Ent | M/s.Gul Sawab & Co. | M/s.Noor Rehman & Bros. |
| 1. | Registration with PEC (if applicable) | N/A | N/A | N/A |
| 2. | NTN | Yes | Yes | Yes |
| 3. | Sales Tax Registration (FBR) | N/A | N/A | N/A |
| 4. | Registration with Sindh Revenue Board (SRB) | Yes | Yes | Yes |
| | Qualification Criteria: | | | |
| 5. | Minimum three years' experience of relevant field. | Yes | Yes | Yes |
| 6. | Turnover of at least last three years | Yes | Yes | Yes |
| 7. | Required Bid Security is attached. | Yes | Yes | No |
| 8. | Bid is signed, named and stamped by the authorized person of the firm along with Authorization letter. | Yes | Yes | Yes |
| 9. | Any other factor deemed to be relevant by the procuring agency subject to provision of Rule-44 | N/A | N/A | N/A |
| 10. | Qualified/ disqualified | Qualified | Qualified | Disqualified |


(Muhammad Nawaz Khan)
D.A.O (District East)
Member / Secretary


(Saif-ul-Haque)
Additional Director Internal
Audit – KMC Member


(Maqsood Ahmed Shaikh)
Superintending Engineer (KMC)
Member


(Imdad Hussain Magsi)
S.E (District East-B)
Member


(Saifuddin)
Director (Design & Estimate)
Convener


COMPARATIVE STATEMENT

Name of Work: RECTIFICATION OF CONTAMINATION / REPAIRING / REPLACING / DAMAGE PIPE AND VALVE OF 8" DIA AC PIPE IN SECTOR-19/A TO ENSURE THE REGULAR AND SMOOTH SUPPLY IN SURROUNDING AREA SCHEME-33

| Item No | Description of Work | Estimated Cost | | | | M/s.Muhammad Uzair & Zulkifal Ent. | | M/s.Gul Sawab & Co. | | |
|---------|---|----------------|------|----------|--------|------------------------------------|----------|---------------------|----------|-----------|
| | | Quantity | Rate | Per | Amount | Rate | Amount | Rate | Amount | |
| 1 | Excavation for pipe line in trenches and pits in all kind of soils of murum i/c trimming and dressing sides to true alignment and shape leveling of beds of trenches to correct level and grade cutting joints holes and disposal of surplus earth within one chain as directed by Engineer Incharge providing fence guards, lights, flags sand temporary crossing for non-vehicular traffic wherever required lift upto 5 ft (1.52 m) and lead upto one chain (30.5m). 0'-5' | 15200.00 | Cft | 5400.00 | %0Cft | 82,080.00 | 5400.00 | 82,080.00 | 5400.00 | 82,080.00 |
| | 5' - 8' | 9043.07 | Cft | 5950.00 | %0Cft | 53,806.27 | 5950.00 | 53,806.27 | 5950.00 | 53,806.27 |
| 2 | Full hire charges of pumping set per day i/c of wages of driver and assistant fuel or electric energy platform for placing the pump etc at lower depth with suction and delivery pipes for pumping out water found at various depth from trenches including the cost of erection and dismantling after completion of the job. Hire charges of pumping set upto 10 HP pumping out water from 10 ft deep trench | 18.00 | Days | 1500.00 | P/Day | 27,000.00 | 1470.00 | 26,460.00 | 1500.00 | 27,000.00 |
| 3 | Providing Laying & Fixing in trenches i/c fitting jointing and testing etc. complete in all respect the high density Polyethylene P.E pipes (HDPE-100) for W/S conforming ISO 4427 DIN-8074-8075 B.S 3580 & PSI 3051 PN-08. 200 mm dia | 1000.00 | Rft | 691.00 | P/Rft | 691,000 | 691.00 | 691,000.00 | 691.00 | 691,000 |
| 4 | C.I Sluice Valve heavy pattern (Test Pressure 21.0 Kg/sq.com or 300 lb/sq.inch) (Imported).08" Dia | 1.00 | No | 17940.00 | Each | 17,940.00 | 17940.00 | 17,940.00 | 17940.00 | 17,940.00 |
| 5 | Fixing of sluice valve with 2 cast iron tail pieces one end flanged & other with socket i/c the cost of nut, bolts & rubber packing, labour etc complete.08" Dia | 1.00 | No | 2790.00 | Each | 2,790.00 | 2790.00 | 2,790.00 | 2790.00 | 2,790.00 |


Name of Work: RECTIFICATION OF CONTAMINATION / REPAIRING / REPLACING / DAMAGE PIPE AND VALVE OF 8" DIA AC PIPE IN SECTOR-19/A TO ENSURE THE REGULAR AND SMOOTH SUPPLY IN SURROUNDING AREA SCHEME-33


| Item No | Description of Work | Estimated Cost | | | | M/s. Muhammad Uzair & Zulkifal Ent. | | M/s. Gul Sawab & Co. | | | | | |
|--------------------------------------|---|----------------|------|-----|----------|-------------------------------------|--------|----------------------|----------|----------------|---|----------|----------------|
| | | Quantity | Rate | Per | Amount | Rate | Amount | Rate | Amount | | | | |
| 6 | Construction of C.C. Block Masonry chamber 6'x6'x6' (inside dimension) with 24"x24" C.I Cover and frame weight 65 Kg fix in RCC 1:2:4 slab 6" thick with steel 1/2" dia tor main bars @6" C/C bentup 1/4" dia 8" C.C distribution bars B/M wall set 1:6 cm 6" thick C.C 1:4:8 in foundation 2" thick CC 1:2:4 flooring 1/2" thick 1-0 to al in side wall surfaced top & bottom slab outer side wall surface 1-0 deep upto roof slab i/c M.S footrest 5/8" dia bars at every 2-0 deep i/c curing de-watering excavation refilling & disposal of surplus of earth etc complete. | 1.00 | No | ✓ | 55923.00 | Each | ✓ | 55,923.00 | 55923.00 | 55,923.00 | ✓ | 55923.00 | 55,923.00 |
| 7 | High Density Polyethylene fitting (PE-100) Equivalent make Air Valve 3" dia | 1.00 | No | ✓ | 4000.00 | Each | ✓ | 4,000.00 | 4000.00 | 4,000.00 | ✓ | 4000.00 | 4,000.00 |
| 8 | Refilling the excavated stuff in trench 6" thick layer i/c watering ramming to full compaction etc. | 23698.28 | Cft | ✓ | 2760.00 | %0Cft | ✓ | 65,407.25 | 2760.00 | 65,407.25 | ✓ | 2755.00 | 65,288.76 |
| TOTAL QUOTED / CORRECTED COST | | | | | | | | 999,947 | | 999,407 | | | 999,828 |


(Muhammad Nawaz Khan)
D.A.O (District East)
Member / Secretary


(Saif-ul-Haque)
Addl. Director Internal
Audit KMC - Member


(Maqsood Ahmed Shaikh)
Superintending Engineer (K.M.C)
Member


(Imdad Hussain Magsis)
S.E (District East-B)
Member


(Saifuddin)
Director (Design & Estimate)
Convener

22.12.17

ATTENDANCE SHEET

FIRMS / CONTRACTORS

NAME OF WORK: RECTIFICATION OF CONTAMINATION / REPAIRING / REPLACING / DAMAGE PIPE AND VALVE OF 8" DIA AC PIPE IN SECTOR-19/A TO ENSURE THE REGULAR AND SMOOTH SUPPLY IN SURROUNDING AREA SCHEME-33.

Date of Opening: 21-12-2017

Time of Opening: 2:30 PM

Sr, No. 35460

| S. NO. | NAME OF CONTRACTOR | NAME OF FIRMS | SIGNATURE |
|--------|--------------------|--------------------------------|--|
| ① | Ahmed Shireen | Mohammed yazeed Zulkhal Ent |  |
| ② | Gul sawab | Gul sawab co | گل سواب |
| ③ | نور رحمن | نور رحمن انٹرنیٹ | نور رحمن |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |