A PDF Mèrger DEMO : Purchase from www.A-PDF.com to remove the watermark

# SINDH PUBLIC PROCUREMENT REGULATORY AUTHORITY CONTACT EVALUATION FORM TO BE FIILED BY ALL PROCURING AGENCICES FOR PBLIC CONTRACTS OF WORKS. SERVICE & GOODS

1.	NAME OF THE ORGANIZATION/DEPTT.	KARACHI WATER & SEWERAGE BOARD
2.	PROVINCIAL GOVT/OTHER	
	TITLE OF CONTRACT	Ref rement ut damorged snel Luste
3.	TENDER NUMBER	mustafita a some hard loopered to 14
4.	BRIEF DESCRIPTION OF CONTRACT	
5.	FORUM THAT APPROVED THE SCHEME	MAN KWESB
6.	TENDER ESTIMATED VALUE	Rs: 9,95,138/2
7.	ENGINEER'S ESTIMATE (Attached List of Buyers)	Rs: 9,96, 164/2
8.	ESTIMATED COMPEETION REGIOD (As Per Contract)	
9.	TENDER OPENED ON DATE & TIME)	30-12-13 at 2:30 P.M
10.	NUMBER OF TENDER DOCUMENT SOLD (Attached List Of Buyers)	3 Nos
11.	NUMBER OF BIDS RECEIVED	<u> 8 Nos</u>
12.	NUMBER OF BIDERS RESENT AT THE TIME OF OPENEIONG OF BIDS.	≥ Nos
13.	BID EVALUTION REPORT (enclose copy).	Copy attached
14.	NAME AND ADDRESS OF THE SUCCSEEFUL BIDDER.	
	CONTRACT AWARD PRICE	Rs: 9, 95, 138/2
15. 16.	RANKING OF SUCCESSFUL BIDDER IN EVALUATION REPORT (i.e. 1st, 2nd, 3rd Evaluation I	Bid). 1st M/S: Zestan Traders
		2ND M/S: Kakeel Enth
		3RD M/S: The S.S Contr.

ROSHAN DIN Excentive Engineer (SEW) Korangi Town, K.W. &S.B.

17. METHOD OPF PROCUREMI	ENT USED(TICK ONE)		
Single Stage One Envelope Procedure.	<b>V</b>		e/local /local
Single Stage Two Envelope Procedure.			
Two Stage Bidding Procedures			
Two Stage Two Envelope Bidding Proc	eedure		
LEASE SPEIFY OF ANY OTHER METHOD C DISTRICT CONTRACTING/NEGOTIA			MERGENCY,
18. APPROVING AUTHORITY F OF CONTACT.	FOR AWARD	M:D KW&SB	
19. WHETHER THE PROCUREN PLAN?	MENT WAS INCLUDED	IN ANNUAL P	ROCUREMENT
20. ADVERTSMENT:  SPPRA Website	Yes Yes No		
(if yes, give date and SPPRA's jender number  News papers	(If Yes		
Yes, give names of newspaper and dates)  21. NATIFRE OF CONTRACT	No		
22. WHETHER QUASIFACTION WAS INCLUDEECD IN BIDDING/TENDER DO (If yes, enclose a copy).			
23. WHETER EVALUTION CRIT WAS INCLUDED IN BIDDING/TENDER DOCUMEN (If yes, enclose a copy).		Yes	No V
24. WHETHER APPROVAL OF USING A METHOD OTHER		ITI <u>VE BIDDIN</u> C	3?
25. WAS BID SECURITY OBTA	INED FROM ALL THE		No √
26. WHETHER THE SUCCESSF EVALUATED BID (IN CASE OF		EVALUATED F	
D AMPOWLED DID (IN CASE OF	r CONSULTANCIES)	Yes √	No

ROSHAN DINT Executive Engineer (SEW) Korangi Town, K.W.&&.B.

27. WHETHER THE SUCCESSFUL BIDDER WAS TECH	HNICALL	У СОМРІ	LAINT.	
	Vac	1 1	- T	1
28. WHETSHER NAMES OF THE BIDDERS AND THEIR	R QUOTE	D PRICE	WERE	
RADE OUT AT THE TIME OF OPENING OF BIDS?				
29 WHETHER CRY OF FWALLTION PROCES	Yes		No	
<ol> <li>WHETHER CPY OF EVALUTION REPORT GIVEN ( (Attach copy of the bid evaluation report).</li> </ol>	ΓO <u>ALL</u> Ε	BIDDERS?	)	
	Yes	V	No	
30. ANY COMPLAINTS RECEIVE (if yes, result there for)				
(if you, result there loss)	Yes		<del></del>	
	No	V		
31 ANY DEVIATION EDGM COM	**		······································	
31. ANY DEVIATION FROM SPECIFICATION GIVEN IN THE (if yes, given details).	ETENDE	R NOTICE	/ DOCUM	ENΤ
V , g , en details).	Yes	· .		
	No.	W (V)		
32. WAS THE EXTENSION MADE IN RESPONSE TIME	) W. A			
(if yes, given detailed reasons).	Yes	T		<del></del>
	No WA	1		
33 DEVIATION CROW ONLY TWO	140 3866	1 V	·	
33. DEVIATION FROM QUALIFICATION ERITERIA (if yes, given detailed reason).	<u> </u>			
(11 yes, given detailed leason).	*Yes			
	No			
34. WAS IT ASSURED BY THE PROCURING AGENCY THAT	THE SEL	ECTED EL	DMIC	
NOT BLACK LISTED?	Yes	√ V		
35 WAS A VISITABLE BOX NAME.	Tes		No	
35. WAS A VISIT MADE BY ANYT OFFICER/OFFICIAL OF T	HE PROC	URING AC	BENCY TO	THE
SUPPLIER PREMISES IN CONNECTION WITH THE PROC ASCERTAINED REGARDING FINANCING OF VISIT, OF	11 11 11 11 11 11 11 11 11 11	けいしい ひへ モ	DETAILED	TO BE
(if yes, enclose acopy)		<del></del>		
	Yes	<u> </u>	No	√
36 WERE PROPER SAFEGUARDS PROVIDED ON MOBI	LIZATIO	N ADVAI	NCD:	. \
WE THIS CONTRACT BANK		TADYA	NCD	
GURANTEE ETC.)?	Yes	<u> </u>	No	V
27 CDISULT COLUMN				
37. SPECIAL CONDITIONS, IF ANY. (if yes, given brief description).				
(it yes, given oner description).	Yes	<del>                                     </del>	<del></del>	
	No	<del>  \                                   </del>		
	110	1 4	<del></del>	
		ı		
Signature & official stamp of				
Authorized off				
Authorized officer ROSHAN DIN				
Executive Engineer (SEW)  Korangi Town, K.W.&S.B.				
FOR OFFICE USE ONLY				

SPPRA, Block-No.8,Sindh Secretariat No.4-A,Court Road,Karchi. 021-9205356, 021-9205396 & fax 021-9206291

Tele:

ANNEXTORE - II

PROCUREMENT PLAN (NON DEVELOPMENT)


NORANGI TOWN(SEWERAGE), K. W. & S. B. (F. Y. 2013), 11

Remarks	:	:	,			ı
Anticipated dues district date of complete in	Credital care basis		- 35			40
Arrivipated actas		- op -			·	- 00
Anticipated Antici	Affier " - Administrative Approval accorded by MD, KW&S3	- op -	- (10)	. op: -		- op -
N. W. & S. L. Model of procurement	SPPRA Rule 2010	SPPRA	SPPRA Rule 2010	SPPRA Rule 2010		SPPRA Rule 2010
Forest Construction of the state of the stat	i. G.I. Backers. ii. Pick-Ave. iii. Ropes iv. Hemmor. vi. Chisel vii. Bindfie Wite	bamboos	Rec covers 2(77) 527 25 307 dia	ii. Exeavation in all kind. iii. Exeavation we sill. iv. Exeavation in hard rock.	vi. Dewatering. vii. Making connection. viii. Intermediate MFH	viii. Rec Ring slæbs x. Fixing of Rec Ring slæbs xi. C.C 1:2:4 xii. C.C 1:4;8 xiii. C.I frame.
A rected finals articles to por	-/000°C-11	35:75:00,000/2	3~7150,000/L	Z 5 5 000/-		Rs:23.90,000/- v
Name of wor	Furchasing of consumable store materials.	Purchase of bamboos	Providing main holes covers	Repairing and replacement look after of Old sewerage lines news and different areas etc.		Repairing of main holes in different areas etc.
Sub head &	- 629-V	X-023-13	K-023-14	K-023-18	7 003	
	:	9	ا 	· · · · · · · · · · · · · · · · · · ·	v	

ROSHAN BON

Korang Tennakalar

EXECUTIVE ENGINEER(SEW KORANGI TOWN, KW&SB.



AMMAD UMER STAMP VENDOR 0.22 Shopi No 114, New Ruby Center ur Road Boulton Market, Karachi

20 FEB 2014

2 88 Lets IN WITNESS WHEREOF, the parties hereto have set their respective hands to with Address of Seats the day and year first above written.

For and on behalf of **EMPLOYER** 

S. M. JAMIL AKHTAR CHIEF ENGINEER (LANDHI KORANGI) KW&SB. For and on behalf of CONTRACTOR

MR. MUHAMMAD YOUNUS SIDDIQUI

MANAGING PARTNER M/S. ZEESHAN TRADERS


WITNESS OF EMPLOYER

SAEED AHMED SHEIKH SUPERINTENDING ENGINEER KORANGI TOWN, K.W.&.S.B

WITNESS OF CONTRACTOR

PROJECT COORDINATOR

ROSHAN DEEN EXECUTIVE ENGINEER (SEW) KORANGI TOWN, K.W.&.S.B.



HAMMAD UMER STAMP VENDOR No. 22 Shop! No. 114, New Ruby Center pur Boad, Boulton Market, Karachi

S O / Date

20 FEB 2014


TATNOWithia Agreement witnesses as follows:-

All this Agreement words and expression shall have the same meanings as the conditions of Contract hereinafter to vendor's Signostrations of Contract hereinaft

- 12. The following documents which for the purpose of identification have been signed by MR. MUHAMMAD YOUNUS SIDDIQUI, on behalf of the contractor and by MR. S.M. JAMIL AKHTAR, CHIEF ENGINEER (LANDHI KORANGI), KW&SB, on behalf the EMPLOYER all of which shall be deemed to form and be read and construed as part of this Agreement.
- a). This Form of Agreement.
- b), Employer letter of Acceptance No.CE/LK/W&S/KW&SB/2014/ 2.2 dated: 07-3-2014.
- c). The Tender.
- d). The conditions of the Particular Application Part-II-A & II-B.
- e). The General Conditions Part-I.
- f). The Drawings.
- g). The specifications and
- h). The Priced Bill of Quantities.
- 3. In consideration of the payments to be made by the EMPLOYER to the CONTRACTOR has hereinafter mentioned, the CONTRACTOR hereby covenants with the EMPLOYER to execute and complete the WORK and to remedy any defects therein and maintaining the same in conformity in all respects with the provisions of the CONTRACT.
- 9. THE EMPLOYER hereby covenants to pay to the CONTRACT in the manner prescribed by the CONTRACT.

port of Birlsdi,

a distribution for his well as a constant



MUHAMMAD UMER STAMP VENDOR Lid No.22 Shopf No 114, New Ruby Center Talpur Boat Boulton Market, Karachi

# CONTRACT AGREEMENT

Add Add Add Add Add Add Add Add Assignees) on other part as second party.

WHEREAS the Employer is desirous to execute the work By "REPLACEMENT OF DAMAGED AND BROKEN & UNSERVICEABLE SEWERAGE LINE BY 12" DIA & 8" DIA RCC PIPE & MANUFACTURING AND SUPPLYING OF 21" DIA RCC MANHOLE COVERS IN MUSTAFA TAJ COLONY FROM 16000 ROAD TO 14000 ROAD UC NO.04, KORANGI DIVISION" Under KW&SB'S OWN FUNDED PROGRAMME and has accepted the Tender of the CONTRACTOR for Rs.9,95,138/= (RUPEES NINE LACS NINETY FIVE THOUSAND ONE HUNDRED THIRTY EIGHT ONLY), for the construction and completion of such WORKS and the remedying of an defects therein.

AND WHEREAS THE CONTRACTOR has already deposited 2% Pay Order for amounting to Rs.20,000/= vide Pay Order No. 11659182, dated: 26-12-2013, issued from Allied Bank, University Road Branch, Karachi, deposited by the contractor and remaining amount Rs.79,514/= will be deducted from his bill, the same will be kept with the EMPLOYER till the maintenance period of the work for the due fulfillment of the CONTRACTOR. Further 1% Water Charges will also be deducted from his bill as per Standard Operating Procedure (SOP).

funden

PROCES.



#### KARACHI WATER & SEWERAGE BOARD

#### OFFICE OF THE CHIEF ENGINEER DISTRICT (LANDHI / KORANGI)

1<sup>ST</sup> Floor Old Annexe Building, Gulshan-e-Iqbal, Karachi.

No:CE/LK/W&S/LOA/KW&SB/2014/ ) 2

Dated: 97-3- /2014

M/s. Zeeshan Traders, 17-A, Block-13-A, Gulshan-e-Iqbal,

<u>Karachi</u>

LETTER OF ACCEPTANCE / SANCTION ORDER

SUBJECT:-

REPLACEMENT OF DAMAGED AND BROKEN & UNSERVICEABLE SEWERAGE LINE BY 12" DIA & 8" DIA RCC PIPE & MANUFACTURING AND SUPPLYING OF 21" DIA RCC MANHOLE COVERS IN MUSTAFA TAJ COLONY FROM 16000 ROAD TO 14000 ROAD UC MO.04, KORANGE DIVISION.

On behalf of the employer, it is notified that following the approval of the Managing Director, Karachi Water & Sewerage Board, vide para-44/N, dated: 10-02-2014, tender called upon through Authority's Website of SPPRA Rule-2010 under Serial NO.18199, as recommended by the Procurement Committee-I, KW&SB, vide para-24(1)/N to 25(6)/N, your bid for the subject is hereby accepted for the sum of Rs.9,95,138/= (Rupees Nine Lacs Ninety Five Thousand One Hundred Thirty Eight Only), duly concurred by the Finance Department, vide para-32/N to 40/N. The expenditure will be charged from the Head of Account B.G.No. 7444-16, for the year 2013-2014.

There is now binding contract between KW&SB and M/s. Zeeshan Traders.

In accordance with the General Condition of Contract, you are required to enter in to and execute a contract agreement. This agreement shall be signed by the employer and **M/s. Zeeshan Traders.** 

Please be noted that 8% Security Deposit will be deducted from your bill for due fulfillment of defect liability.

All correspondence onward shall be carried out through Superintending Engineer, Korangi Town, KW&SB.

(S. M. JAMIL'AKHTAR)
CHIEF ENGINEER (LANDHI / KORANGI)

K.W.&.S.B

Copy to :-

1. The DMD(T/S), KW&SB.

2. S.E Korangi Town, KW&SB.

3. XEN (Sew), Korangi Town, KW&SB.

4. Office Copy.

J.



#### KARACHI WATER AND SEWERAGE BOARD

OFFICE OF THE EXECUTIVE ENGINEER
(SEW) KORANGI DIVISION KW&SB

NO:E.E/SEW /K.D/KW&SB/ 2014/ 2-5

DATED: //- 3 - 2014

M/S: ZEESHAN TRADERS

### WORK ORDER

NAME OF WORK: REPLACEMENT OF DAMAGED AND BROKEN & UNSERVICEABLE SEWERAGE LINE BY 12" DIA & 8" DAI RCC PIPE & MANUFACTURING AND SUPPLYING OF 21' DIA RCC MANHOLE COVERS IN MUSTAFA TAJ COLONY FROM 16000RD TO 14000RD UC NO:04 KORANGI DIVISION.

REF SANCTIONS NO: CE/LK/ KW&SB/LOA/KW&SB/2014/22 , DATED: 7-3-2014.

Your tender dated <u>30-12-2013</u> has been approved by the competent authority, as per your quoted rate Rs: <u>9,95,138/-</u> the S/R amounting to Rs: <u>9,95,138/-NINE LAC NINTY FIVE THOUSAND ONE HUNDRED THRITY EIGHT.</u> You are therefore, requested to start the above mentioned work as per design and specification. The work is to be completed within 25\_\_\_ days, failing which penalty of <u>Rs: 500/-</u> per day will imposed/recovered as per terms and conditions of the contact. You are further requested to contact the Assistant Engineer <u>KORANGI DIVISION</u> in connection with commencement of supervision for necessary instruction of the work.

EXECUTIVE ENGINEER (SEW)
RORANGI DIVISION KWASB

COPY TO:-

- 1. C.E ((LK),KW&SB.
- 2. SE(KC),KW&SB
- 3. A.D.A KW&SB

KARACHI WATER & SEWERAGE BOARD

OFFICE OF THE EXECUTIVE ENGINEER SEWERAGE KORANGI DIVISION

SUBJECT: REPLACEMENT OF DAMAGED AND BROKEN & UNSERVICEABLE SEW LINE BY 12" DIA & 8" DIA RCC PIPE & MANUFACTURING AND SUPPLYING OF 21" DIA RCC MANHOLE COVERS IN MUSTAFA TAJ COLONY FROM 16000RD TO 14000RD UC NO:04 KORANGI DIVISION.

Estimated Cost: on item Rate Basis sued to M/S Zeshay Traders, Time Limit: 25 days

Tender Cost:

Penalty:

Sactione Department

Rs: 1000 PROJER CITATY Order No: 60 Dated 26-12-2073

K. W. & S.B.

S.NC	DESCRIPTION	QUANTITY	RATE	PER	A S T CO S TO LOO
1	Scarifying the existing road	560Sft	116-	%sft	AMOUNT
	surface.		110	70811	650-
2	Excavation for pipe line in		<del> </del>		
1	trenches pits in all kind of soil:	ļ			
İ	of murum i/c trimming and		·		
	dressing sinde to true alignment			0	
	and shape leveling of beds of				
	trenches to correct level and				
!	grade curing joint holes and				
!	disposal of surplus earthy woth				
:	o a one chain as directed by				
	engineer incharge.Providing				•
İ	fence guards, lights, flages and				
i	temporary crossing for non-				
	vehicular traffic where ever		4		
	required 11st upto 5ft.(1.52m)	·			
İ	and lead upto one chian		e e		
	100 fts.(30.5m).	17440Cft	4645-	%0Cft	
			7045	700CIt	81,009-
3	Exeavation for pipe line in	تعهك			Market and the state of the sta
İ	trenches pits in all kind of soil:	softnock.	•		
	of murum i/e trimming, and				
<u>.</u>	dressing siede to true alignment				-shim
: · 	and shape leveling of beds of				1 1000
! •	trenches to correct level and				Executive Services
	grade cutting joint holes and				Rock, I Dyna a
	disposal of surplus earthy woth		ĺ		
	o a one chain as directed by				
	engineer incharge.Providing	į		_	
	fence guards, lights, flages and				
	temporary crossing for non-			į	
ĺ	vehicular raffic where ever		*	į	•
	required lift upto 5ft.(1.52m)				
	and lead upto one chian	4692Cft	11320-	%0Cft	53113
ĺ	100fts.(30.5m).		\ \ \ \ \ \	,	7 7 1 7
i			1		1

Bull hair Charges of pumping	When the right place is the second sec				
set i/c waves of driver and	Į				
nestifule on electric energy		İ			•
		1			
platform required for placing		'		:	
pump and delivery pipe for					
pumping out water found at				:	
			İ	•	
	}				
of diamenting after comicf ich		ļ		*	•
of dismanding after confior job					•
	2015	•	D/Desi	3	<b>.</b>
upto 10hp pumping out water	20Days	1500 -	r/Day	30,000	
from 10' feet deep trench.			ļ		-{
Providing /Laving of RCC		. •			
militar ring joint and fitting in					
tuodel fing joint and fitting in		1	1		
trenches including cutting frame			,		
and jointing with rubber ring ite				1	
testing with water to specified			X		
pressure.		. 4			
				20/212	
12"O	782Rft	366 -		2,86,214	
i l	144Rft	205-3	P/Rft	29.52	d —
Descriding Vanhole 4' internal					ļ.
Providing viamore 4 internal			65	ļ	
dia withous RCC cover with Cir					
frame (15 kg) & 5 feet clear			, "		
depth cast in situ 1:2:4 using					
50% g bajri 9" thick wall 1:4:8					
foundation 1:2:4 CC in					
benching 1/2" thick cement					
plaster 1:3 on inside wall &					
austina of channel & i/a making					/
Surface of organic de no main branches				/	
required nos of main branches	-	i /		<b>V</b>	
channel %4" dia bar 10r 191/8		, <b>K</b>		`	
100000	0.431		Fools	248 696	
excavation in all kind soil, back	24Nos	114529-	-5 Each	3,90,010	-
filling disposal of surplus stuff		ļ			.
complete as per drawing &					
design & instruction of the					
		<u> </u>			_
Add for extra depth beyond 5"	32.00Rft	2539-	P/Rft	81248	+=
deduct at the same rate			Ì		
<u> </u>					
					1
dia ree manhole cover cast in		ļ			s ym
situ 1:2:4 cement concrete 3"					1 7
deep at centre reinforcement					
with 1/2" M/s bars with 4" c/c				ļ	1
welded into a 3/16" thick 2"			ł		
worded top a 5/10 timek 2					اد
		\ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \			
		10.0	-	0000	,
. 21"Dia	28Nos	1913-0	Each	25564	رجو
· 21 L/1a		1 . –	l	Į.	
	Providing Manhole 4' internal dia withous RCC cover with C.I frame (15 kg) & 5 feet clear depth cast in situ 1:2;4 using 50% g bajri 9" thick wall 1:4:8 CC- in 5 dia 6" thick in foundation 1:2:4 CC in benching ½" thick cement plaster 1:3 on inside wall & surface of channel & i/e making required nos of main branches channel ¾" dia bar for M/s footrest at 12" C/C i/c excavation in all kind soil, back filling disposal of surplus stuff complete as per drawing & design & instruction of the Engineer in charge.  Add for extra depth beyond 5" deduct at the same rate.  Manufacturing & supplying 21" dia rec manhole cover east in situ 1:2:4 cement concrete 3" deep at centre reinforcement with ½" M/s bars with 4" c/e welded top a 3/16" thick 2" wide M/s plate & two hooks of 3/8" dia tor bars i/c compacting curing & transportation with in 10 miles etc complete.	set i/e wayes of driver and assttifule on electric energy platform required for placing pump and delivery pipe for pumping out water found at lower depth with suction various depth including the cost of dismantling after comicof job hire charger of pumping set of upto 10hp pumping out water from 10' feet deep trench.  Providing /Laying of RCC rubber ring joint and fitting in trenches including cutting fitting and jointing with rubber ring i/c testing with water to specified pressure.  12"O 8"O 782Rft 144Rft  Providing Manhole 4' internal dia withous RCC cover with C.1 frame (15 kg) & 5 feet clear depth cast in situ 1:2;4 using 50% g bajri 9" thick wall 1:4:8 CC- in 5' dia 6" thick in foundation 1:2:4 CC in benching ½" thick cement plaster 1:3 on inside wall & surface of channel & i/e making required nos of main branches channel ½" dia bar for M/s footrest at 12" C/C i/c excavation in all kind soil, back filling disposal of surplus stuff complete as per drawing & design & instruction of the Engineer in charge.  Add for extra depth beyond 5" deduct at the same rate.  Manufacturing & supplying 21" dia rec manhole cover cast in situ 1:2:4 cement concrete 3" deep at centre reinforcement with ½" M/s bars with 4" c/c welded top a 3/16" thick 2" wide M/s plate & two hooks of 3/8" dia for bars i/c compacting curing & transportation with in 10 miles etc complete.	set i/ê wayes of driver and asstifulce on electric energy platform required for placing pump and delivery pipe for pumping out water found at lower depth with suction various depth including the cost of dismantling after comic fob hire charge of pumping set of upto 10hp pumping out water from 10° feet deep trench.  Providing /Laying of RCC rubber ring joint and fitting in trenches including cutting fitting and jointing with rubber ring i/e testing with water to specified pressure.  12°O 782Rft 8°O 782Rft 144Rft 2.05 4 144Rft 2.0	set 1/6 wayes of driver and asstitute on electric energy platform required for placing pump and delivery pipe for pumping out water found at lower depth with suction various depth including the cost of dismantling after comof job hire charges of pumping set of upto 10hp pumping out water from 10° feet deep trench.  Providing /Laying of RCC rubber ring joint and fitting in trenches including cutting fitting and jointing with rubber ring i/c testing with water to specified pressure.  12"0 8"0  782Rft 144Rft  2.05  P/Rft 2.05  P/Rft 2.05  P/Rft 2.05  P/Rft 2.05  P/Rft 2.05  P/Rft 2.05  P/Rft 2.05  P/Rft 2.05  P/Rft 2.06  P/Rft 2.07  Previding Manhole 4° internal dia withous RCC cover with C.1 frame (15Kg) & 5 feet clear depth cast in situ 1:2;4 using 50% g bapi 9° thick wall 1:4:8 CC- in 5° dia 6° thick in foundation 1:2:4 CC in benching ½° thick cement plaster 1:0 on inside wall & surface of channel & 1/6 making required nos of main branches channel ½ " die ke ement plaster 1:0 on inside wall & surface of channel & 1/6 making required nos of surplus stuff complete as per drawing & design & instruction of the Engineer in charge.  Add for extra depth beyond 5° deduct at the same rate.  Manufacturing & supplying 21° dia ree manhole cover cast in situ 1:2;4 cement concrete 3° deep at centre reinforcement with ½" M/s bars with 4° c/c welded top a 3/16° thick 2° wide M/s plate & two hooks of 3/8° dia for bars 1/6 compacting curing & transportation with in 10 miles etc complete.	set if wayes of driver and asstrifule on electric energy platform required for plecing pump and delivery pipe for pumping out water found at lower depth including the cost of dismantling after comof job hire charge of pumping set of upto 10hp pumping out water from 10° feet deep trench. Providing Laying of RCC rubber ring joint and litting in trenches including eutting fitting and jointing, with rubber ring i/e testing with water to specified pressure.  12°0 8°0 782Rft 20Days 1500 P/Day 300000 P/Bay 300000 P/Rft 2,86,212 2,9,524  Providing Manhole 4° internal distribution without RCC cover with C.I frame (15\kappa g) & 5 feet clear depth cast in situ 1:2;4 using 50% g baji pr flick wall 1:4:8 CC in 5° dia 6° thick in foundation 1:2:4 CC in benching ½° thick wall 1:4:8 CC in 5° dia 6° thick in foundation 1:2:4 CC in benching ½° thick wall 1:4:8 CC in 5° dia 6° thick in foundation 1:2:4 CC in benching ½° thick wall 1:4:8 CC in 5° dia 6° thick in foundation in all kind soil, back filling disposal of surplus stuff complete as per drawing & design & instruction of the Engineer in charge.  Add for extra depth beyond 5° deduct at the same rate.  Manufacturing & supplying 21° dia ree manhole cover cast in situ 1:2;+ cement concrete 3° deep at centre reinforcement with ½° M/s bars with 4° c/e welded top a 3/16° thick 2° wide M/s plate & two hooks of 3/8° dia for bars i/e compacting curing & transportation with in 10 miles etc complete.

,

· - ·

9	Making connection with the existing manhole i/c the cost of cutting hole in wall making them good in CC 1:2:4 & making required channel etc complete.  Refilling the excavated stuff in trenches 6" thick layer i/c watering ramming to full compaction etc complete.	5Nos	18° — 2760 —	Each	900-
				Total	995138-

EXECUTIVE ENGINEER (SEW)
HORANGI DIVISION KW&SB

I we hereby quoted bid amount of Rs 9.95 138 -
Rupees Nine (ac ninty five thousand one hundred thirty eight only
one hudred thirty eight only
Signature of Contractor
Address

2. Rate 0	RECEIVED! Noted (6, 2000) g or over 1000	_	95/35 01:00md	LFD COVER
	11 <i>68918</i> 2	I den a hearing		Apos -
A.O( )	AD.D.IA	s.e.(kmc)	C.E.	C.E.(PRD)
Gertel Sulfah	(XMC)	and a later than the same	ر به مستخدم کند در استخدار کند	in a second control of

Lunden.



#### KARACHI WATER & SEWERAGE BOARD

#### OFFICE OF THE CHIEF ENGINEER (IP&D)

#### **BID EVALUATION REPORT**

1	Name of Procuring Agency	KARACHI WATER & SEWERAGE BOARD
2	Tender Reference No	SPPRA Serial No.18199 I.D No/2013
3	Tender Description/Name of Work/Item	REPLACEMENT OF DAMAGED AND BROKEN & UNSERVICEABLE SEW LINE BY 12" DIA & 8" DIA RCC PIPE & MANUFACTURING AND SUPPLYING OF 21" DIA RCC MANHOLE COVERS IN MUSTAFA TAJ COLONY FROM 16000 RD TO 14000RD UC NO.04 KORANGI DIVISION.
4	Method of Procurement	Single Stage (One Envelop)
5	Tender Published	Through Web Site
6	Total Bid Documents Sold	03 Nos
7	Total Bid Received	03 Nos
8	Technical Bid Opening Date ( if applicable)	N/A .
9	No. of Bid Technically Qualified (if applicable)	N/A .
10		One
11	Financial Bid Opening Date	30/12/2013 instead of 27/12/2013 due to Holiday.

12 Bid Evaluation Report

S#	NAME OF FIRM OR BIDDER	COST OFFERED BY THE BIDDERS	RANKING IN TERMS OF COST	COMPARISON WITH ESTIMATED COST	REASON FOR ACCEPTANCE/ REJECTION	REMARKS
1	M/s, Zeshan Traders	Rs. 995,138/-	1st Lowest	@ 0.1030% Below	Substantially Responsive	O# AAA 11659182 Dt:26-12-2013 Rs.20,000/- Allied Bank University Rd Br
2	M/s. Raheel Enterprises	Rs. 996,298/-	2nd Lowest	@ 0.013 <b>4</b> % Above	Substantially Responsive	P.O # AAA 11659183 Dt:26-12-2013 Rs.20,000/- Allied Bank University Rd Br
3	M/s. The S.S Contractor	Rs. 998,893/-	-	-	Un Responsive	P.O Not Attached

The all concerned bidder are being informed accordingly.

The E.E Concerned for compliance of rule 45 of SPPRA 2010 M/s. Zeshan Traders, declared as the lowest responsive bidder by the Committee and recommended for Sanction from Competent Authority.

ccounts Officer (L/K)
Member Secretary

Additional Director Internal Audit - KMC Member ...

Superintending Engineer (KMC)
Member

Chief Engineer (L/K) Member Chief Engineer (I

COMPARATIVE STATEMENT

NAME OF WORK: REPLACEMENT OF DAMAGED AND BROKEN & UNSERVICEABLE SEW LINE BY 12" DIA & 8" DIA RCC PIPE & MANUFACTURING AND SUPPLYING OF 21" DIA RCC MANHOLE COVERS IN MUSTAFA TAJ COLONY FROM 16000 RD TO

S.No N ယ Scarifying the existing road surface guards, lights, flags and temporary crossings surplus earth with in a one chain as directed and grade, cutting joint holes and disposal of levelling of beds of trenches to correct level dressing side to true alignment and shape in all kind of soil of murum i/c trimming and Excavation for pipe lines in trenches and pits Excavation for pipe lines in trenches and pits lift upto 5 ft (1.52m) and lead upto one chain for non-vehicular traffic where ever required be engineer incharge providing fence 5" to 8" where blasting in soft rock bt hammering and chiesting and temporary crossings for non-vehicular incharge providing fence guards, lights, flags prohibited i/c trimming and dressing side to traffic where ever required lift upto 5 ft in a one chain as directed be engineer joint holes and disposal of surplus earth with trenches to correct level and grade, cutting true alignment and shape levelling of beds of (1.52m) and lead upto one chain (30.5m). **Description of Work** is not practicable 14000RD UC NO.04 KORANGI DIVISION. Quantity 17440 Cft 560 Sft **Engineer's Estimate** Rate 4,650.00 11,320.00 116.16 Unit % 0 Cft % 0 Cft %Sft Amount 81,096.00 53,113.44 650.50 Rate M/s. Zeshan Traders 4645 <u>급</u> 11320 Amount 81,008.80 53,113.44 649.6 Rate ~ 4,650.00 11,325.00 120.00 M/s. Raheel Enterprises Amount 81,096.00 53,136.90 672

The way

NAME OF WORK: REPLACEMENT OF DAMAGED AND BROKEN & UNSERVICEABLE SEW LINE BY 12" DIA & 8" DIA RCC PIPE & MANUFACTURING AND SUPPLYING OF 21" DIA RCC MANHOLE COVERS IN MUSTAFA TAJ COLONY FROM 16000 RD TO

		တ				Ŋ	S.No
		situ in 9" thick wall 1:4:8 cement concrete in 6ft dia and 6" inch thick in foundation, 1:2:4 C in benching 1/2" cement plaster 1:3 cement mortar on inside wall and surface of channel benching i/c making required was of channels 3/4" inch bar M.S foot rest @ 12" C/c including cost of excavation of all kind, back filling and disposal of excavated staff etc complete as per designed extretion of the Engineer Incharge	Providing Manholes 4' ft dia (inside) with C.I	8" Dia	12" Dia	Providing, Laying RCC pipes with rubber ring joint and fitting in trenches i/c cutting, fitting and jointing with rubber ring i/c testing with water to specified pressure.	Full hire charges of pumping set i/c wages of driver and Assistant fuel or electric energy plate form required for placing or at lower depths with suction and delivery pipes for pumping and water found at carious depth form trenches i/c cost of erection and dismantling after completion of the job.  (i) Hire charges of pumping set of upto 10 H.P pumping out water for 10 feet deep trench
1	24 Nos	<u> </u>	· ==	144 Rft	782 Rft		Quantity 20 Da
1.0	14.529.29	/		206.00	367.00		Rate Unit
Ъ	Each			P/Rft	P/Rft		Unit P/Day
ŀ	348,702.96			29,664.00	286,994.00		Amount 30,000.00
ŀ	14,529.00	~	•	205.00 ₹	366.00	_	M/s. Zesh Rate
	348,696.00	7		29,520.00	286,212.00	1	M/s. Zeshan Traders tate Amount 1,500.00 30,000.00
	14,530.00			206.00	7	1	Rate
	348,720.00	4		_	286,994.00		M/s. Raheel Enterprises Amount  30,000.00

My we want

NAME OF WORK: REPLACEMENT OF DAMAGED AND BROKEN & UNSERVICEABLE SEW LINE BY 12" DIA & 8" DIA RCC PIPE & MANUFACTURING AND SUPPLYING OF 21" DIA RCC MANHOLE COVERS IN MUSTAFA TAJ COLONY FROM 16000 RD TO 14000RD UC NO.04 KORANGI DIVISION.

		_				<u> </u>																ý,	_ . <u>.</u>
		_		0		L		ە 		_				φ					_	7		S.No	
	Say	Total Quoted / Corrected Cost	compaction etc complete	thick layer i/c watering ramming to full	Filling the excavated stuff in trenches 6"	required channel etc. complete.	making them good in CC 1:2:4 and making	manhole i/c the cost of cutting hole in wall,	Making Connections with the existing		21" Dia	transportation within 10 miles.	3/8"dia tor bars i/c compacting, curing &	thick 2" wide M.S plate and two hook of	" dia M.S bars with 4" c/c welded to 3/16"	concrete 3" deep at centre reinforced with 1/2	RCC Manhole cover cast in 1:2:4 cement	Manufacturing and supplying of 21" diamete	same rate.	Add for extra depth beyond 5' deduct at the		Description of Work	
			21096.38 Cft	٠.	<u>.</u>	5.00 Nos	^.		•	28 Nos	•								32 Rft		Quantity /	En	
			2,760.00	^		180.00	`	\		913.63	\	\_							2,538.62	\	Rate	Engineer's Estimate	
			% 0 Cft	,		Each	٨			Each									P/Rft		Unit	stimate	: :
	> 996,164	996,164.38	58,226.01	\		900.00				25,581.64	`	\							81,235.84	1	Amount	¥	
Bir.o.		•	2,760.00	~	\	180.00	` ~	_		913.00	<u> </u>								2,539.00	\ <u>^</u>	Rate /	M/s. Zesh	
	995,138	995,137.85	√ 58,226.01	4		₹ 900.00	<u>`</u> ≺	\		25,564.00	>		\				•		81,248.00	7	Amount	M/s. Zeshan Traders	
	~		2,761.00	<	\	180.00	4	}		915.00	ケ	\							2,539.00	Ž,	Rate	M/s. F	
	996,298	996,298.01	58,247,11			900.00		1	•	25,620.00		<u>ح</u>	\						81,248.00	7	Amount>	M/s. Kaneel Enterprises	

Chief Engineer (L/K)
Member

Chief Edgidéer ( (Convense) Additional Director Internal Audit - KMC Member

රිර්unts Officer (L/K) Member/Secretary

Superintending Engineer (KMC)
Member

ANNENTURE - II


PROCUREMENT PLAN (NON-DEVELOPMENT) NORANGI TOWN(SEWTER/GE), K. W. & S. B. (F. Y. 2013-14)

	Remarks	:					: : : : : : : : : : : : : : : : : : : :
	Anteiphol derni date of completion		Gay to say badding	40-	- op	- ap-	
	Articipaed actas dae of star		Cooker Other Press	-5		- op -	
1.1	Actiopact zectal data of attentisectat	ن :	After Administrative Approval accorded by M.D. KW&S3		: - 3 - 1	- op -	
	Method of procurent	ш <u>.</u>	SPPRA Rule 2010	SPPRA Rule 2010	SPPRA Rule 2010	SPPRA Rule 2010 SPPRA Rule 2010	
	tems to be excensed. Nethod of Antiophred production actual data of all ordisentent.		i. G.I. Brickers. ii. Pick-Ave. iii. Ropes iv. Permiter. v. Bernhoos Curer vi. Chisel	bamboos	18	ii. Recavation in all kind. iii. Excavation in hard. iv. Excavation in hard. iv. Excavation in hard. vi. Rec pipe of Sew. vii. Making connection. viii. Intermediate M/H viii. Rec Ring slabs ix. C.C 1:2:4 xii. C.C 1:4;8 xiii. Palster	ciii. C.I frame.
. [	A. rested funds are treats up for different	 	-7006 UNITED BOOK	38. <u>250,000/-</u>	-/000/0:	RS:27.00,000/-	
	Name of work and break up		Purchasing of consumable store materials.	Purchase of bamboos	Providing main holes covers	Repairing and replacement look after of Old sewerage lines news and different areas etc.  Repairing of main holes in different areas etc.	
	Fund head &	22	N-023-11	K-023-13	K-023-14	N-023-18 K-023-32	
i	0.0. 0.0.		_	ea .	ro I	.4 .4	

ROSHAN D.

Executive Digities: Korpay Legua, E. P.

EXECUTIVE ENGINEER(SEW KORANGI TOWN, KW&SB.



AMMAD UMER STAMP VENDOR
5.22 Shop[ No 114, New Ruby Center Ir Road Boulton Market, Karachi

20 FEB 2014

Lunton LIN WITNESS WHEREOF, the parties hereto have set their respective hands we to with Addressed seats the day and year first above written.

The seats with Addressed seats the day and year first above written.

The seats with Addressed seats the day and year first above written.

The seats with Addressed seats the day and year first above written.

The seats with Addressed seats the day and year first above written.

The seats with Addressed seats the day and year first above written.

The seats with Addressed seats the day and year first above written.

The seats with Addressed seats the day and year first above written.

The seats with Addressed seats the day and year first above written.

The seats with Addressed seats the day and year first above written.

The seats with Addressed seats the day and year first above written.

For and on behalf of **EMPLOYER** 

S. M. JAMIL AKHTAR CHIEF ENGINEER (LANDHI KORANGI) KW&SB.

For and on behalf of CONTRACTOR

MR. MUHAMMAD YOUNUS **SIDDIQUI** 

MANAGING PARTNER M/S. ZEESHAN TRADERS


WITNESS OF EMPLOYER

SAEED AHMED SHEIKH SUPERINTENDING ENGINEER KORANGI TOWN, K.W.&.S.B

WITNESS OF CONTRACTOR

PROJECT COORDINATOR. .

ROSHAN DEEN EXECUTIVE ENGINEER (SEW) KORANGI TOWN, K.W.&.S.B.



HAMMAD UMER STAMP VENDOR No.22 Shop[ No 114, New Ruby Center pur Road Boulton Market, Karachi


20 FEB 2014

TATNOWITH Agreement witnesses as follows:-

And this Agreement words and expression shall have the same meanings as a conditions of Contract hereinafter and signed to them in the conditions of Contract hereinafter and signed to the con

- 12. The following documents which for the purpose of identification have been signed by MR. MUHAMMAD YOUNUS SIDDIQUI, on behalf of the contractor and by MR. S.M. JAMIL AKHTAR, CHIEF ENGINEER (LANDHI KORANGI), KW&SB, on behalf the EMPLOYER all of which shall be deemed to form and be read and construed as part of this Agreement.
- a). This Form of Agreement.
- b). Employer letter of Acceptance No.CE/LK/W&S/KW&SB/2014/ 2.2 dated: 07-3-2014.
- c). The Tender.
- d). The conditions of the Particular Application Part-II-A & II-B.
- e). The General Conditions Part-I.
- f). The Drawings.
- g). The specifications and
- h). The Priced Bill of Quantities.
- 3. In consideration of the payments to be made by the EMPLOYER to the CONTRACTOR has hereinafter mentioned, the CONTRACTOR hereby covenants with the EMPLOYER to execute and complete the WORK and to remedy any defects therein and maintaining the same in conformity in all respects with the provisions of the CONTRACT.
- THE EMPLOYER hereby covenants to pay to the CONTRACT in the manner prescribed by the CONTRACT.

Martin polysoch, i.e.,  $\gamma_{ij}$ 



MUHAMMAD UMER STAMP VENDOR Lic No.22 Shop! No 114, New Ruby Center Talpur Boad Boutton Market, Karachi

# CONTRACT AGREEMENT

WHEREAS the Employer is desirous to execute the work By "REPLACEMENT OF DAMAGED AND BROKEN & UNSERVICEABLE SEWERAGE LINE BY 12" DIA & 8" DIA RCC PIPE & MANUFACTURING AND SUPPLYING OF 21" DIA RCC MANHOLE COVERS IN MUSTAFA TAJ COLONY FROM 16000 ROAD TO 14000 ROAD UC NO.04, KORANGI DIVISION" Under KW&SB'S OWN FUNDED PROGRAMME and has accepted the Tender of the CONTRACTOR for Rs.9,95,138/= (RUPEES NINE LACS NINETY FIVE THOUSAND ONE HUNDRED THIRTY EIGHT ONLY), for the construction and completion of such WORKS and the remedying of an defects therein.

AND WHEREAS THE CONTRACTOR has already deposited 2% Pay Order for amounting to Rs.20,000/= vide Pay Order No. 11659132, dated: 26-12-2013, issued from Allied Bank, University Road Branch, Karachi, deposited by the contractor and remaining amount Rs.79,514/= will be deducted from his bill, the same will be kept with the EMPLOYER till the maintenance period of the work for the due fulfillment of the CONTRACTOR. Further 1% Water Charges will also be deducted from his bill as per Standard Operating Procedure (SOP).

John .

BIS (S.A.)



#### KARACHI WATER & SEWERAGE BOARD

OFFICE OF THE CHIEF ENGINEER DISTRICT (LANDHI / KORANGI)

1<sup>ST</sup> Floor Old Annexe Building, Gulshan-e-Igbal, Karachi.

No:CE/LK/W&S/LOA/KW&SB/2014/ ) 2

Dated: 97-3- /2014

**M/s. Zeeshan Traders,** 17-A, Block-13-A, Gulshan-e-Iqbal, Karachi

LETTER OF ACCEPTANCE / SANCTION ORDER

SUBJECT:-

REPLACEMENT OF DAMAGED AND BROKEN & UNSERVICEABLE SEWERAGE LINE BY 12" DIA & 8" DIA RCC PIPE & MANUFACTURING AND SUPPLYING OF 21" DIA RCC MANHOLE COVERS IN MUSTAFA TAJ COLONY FROM 16000 ROAD TO 14000 ROAD UC MO.04, KORANG DIVISION.

On behalf of the employer, it is notified that following the approval of the Managing Director, Karachi Water & Sewerage Board, vide para-44/N, dated: 10-02-2014, tender called upon through Authority's Website of SPPRA Rule-2010 under Serial NO.18199, as recommended by the Procurement Committee-I, KW&SB, vide para-24(1)/N to 25(6)/N, your bid for the subject is hereby accepted for the sum of Rs.9,95,138/= (Rupees Nine Lacs Ninety Five Thousand One Hundred Thirty Eight Only), duly concurred by the Finance Department, vide para-32/N to 40/N. The expenditure will be charged from the Head of Account B.G.No. 7444-16, for the year 2013-2014.

There is now binding contract between KW&SB and M/s. Zeeshan Traders.

In accordance with the General Condition of Contract, you are required to enter in to and execute a contract agreement. This agreement shall be signed by the employer and M/s. Zeeshan Traders.

Please be noted that 8% Security Deposit will be deducted from your bill for due fulfillment of defect liability.

All correspondence onward shall be carried out through Superintending Engineer, Korangi Town, KW&SB.

(S. M. JAMIU AKHTAR)
CHIEF ENGINEER (LANDHI / KORANGI)

K.W.&.S.B

Copy to :-

1. The DMD(T/S), KW&SB.

2. S.E Korangi Town, KW&SB.

3. XEN (Sew), Korangi Town, KW&SB.

4. Office Copy.

, funden



### KARACHI WATER AND SEWERAGE BOARD

## OFFICE OF THE EXECUTIVE ENGINEER (SEW) KORANGI DIVISION KW&SB

NO:E.E/SEW /K.D/KW&SB/ 2014/ 2-5

DATED: //- 3 = 2014

**M/S: ZEESHAN TRADERS** 

### WORK ORDER

NAME OF WORK: REPLACEMENT OF DAMAGED AND BROKEN & UNSERVICEABLE SEWERAGE LINE BY 12" DIA & 8" DAI RCC PIPE & MANUFACTURING AND SUPPLYING OF 21' DIA RCC MANHOLE COVERS IN MUSTAFA TAJ COLONY FROM 16000RD TO 14000RD UC NO:04 KORANGI DIVISION.

REF SANCTIONS NO: <u>CE/LK/ KW&SB/LOA/KW&SB/2014/22</u>, <u>DATED: 7-3-2014.</u>

Your tender dated <u>30-12-2013</u> has been approved by the competent authority, as per your quoted rate Rs: <u>9,95,138/-</u> the S/R amounting to Rs: <u>9,95,138/-NINE LAC NINTY FIVE THOUSAND ONE HUNDRED THRITY EIGHT.</u> You are therefore, requested to start the above mentioned work as per design and specification. The work is to be completed within 25\_\_\_ days, failing which penalty of <u>Rs: 500/-</u> per day will imposed/recovered as per terms and conditions of the contact. You are further requested to contact the Assistant Engineer <u>KORANGI DIVISION</u> in connection with commencement of supervision for necessary instruction of the work.

EXECUTIVE ENGINEER (SEW)
RORANGI DIVISION KWLSB

COPY TO:-

- 1. C.E ((LK),KW&SB.
- 2. SE(KC),KW&SB
- 3. A.D.A KW&SB

\* KARACHI WATER & SEWERAGE BOARD

OFFICE OF THE EXECUTIVE ENGINEER SEWERAGE KORANGI DIVISION

SUBJECT: REPLACEMENT OF DAMAGED AND BROKEN & UNSERVICEABLE SEW LINE BY 12" DIA & 8" DIA RCC PIPE & MANUFACTURING AND SUPPLYING OF 21" DIA RCC MANHOLE COVERS IN MUSTAFA TAJ COLONY FROM 16000RD TO 14000RD UC NO:04 KORANGI DIVISION.

Tender Cost: Rs: 1000 Rs

Rs: 1000 part Ber 31 Pay Order No: 60 Dated 26-(2-2073)

Sociliance Department

K. W. & S.B.

S.NO DESCRIPTION QUANTITY RATE PER AMOUNT 1 Scarifying the existing road 560Sft 116-%sft 650surface. Excavation for pipe line in trenches pits in all kind of soil; of murum i/c trimming and dressing slode to true alignment and shape leveling of beds of trenches to correct level and grade cutting joint holes and disposal of surplus earthy woth o a one chain as directed by engineer incharge.Providing fence guards, lights, flages and temporary crossing for nonvehicular traffic where ever required lift upto 5ft.(1.52m) and lead upto one chian 100fts.(30.5m). 17440Cft %0Cft Exeavation for pipe line in trenches pits in all kind of soil; Soft nock. of murum i/c trimming, and dressing siede to true alignment and shape leveling of beds of trenches to correct level and grade cutting joint holes and disposal of surplus earthy woth o a one chain as directed by engineer incharge.Providing fence gua: Is, lights, flages and temporary crossing for nonvehicular traffic where ever required lift upto 5ft.(1.52m) and lead upto one chian 11320 - %0Cft 53113 4692Cft 100fts.(30.5m).

Manue

h\_ =

Gr.

		and the same and construction of construction of the same and construction		term -lossess are sister		•	
Fi	all hair Charges of pum	ping		ļ			:
se	et i/c wages of driver	and			1	-	
as	sstt:fule on electric en	ergy				•	:
lg	latform required for pla	cing		•	ļ		:
ומ ו	unip and delivery pipe	for		1			;   
ם	umping out water found	d at	:				
16	ower depth with suc	etion			Ì		
l v	arious depth including the	cost				8	
	f dismantling after comio	f job				•	
l h	nire charges of pumping s	et of					
- 11	ipto 10hp pumping out	water 201	Days	1500 -	P/Day	30,000	
f	rom 10' feet deep trench.					<u></u>	
	Providing /Laying of	RCC					
ر ا	ubber ring joint and fitting		-				
l I	renches including cutting f	itting	ļ		ļ	i	·
[	and jointing with rubber ri	ne i/c					
	lesting with water to spe	cified					
				-	(		V
j I	pressure.	}					212
ļ	10	<sup>201</sup> Ο 78	2Rft	366 -	P/Rft	2,86	212
		• •	4Rft	205-2	P/Rft	2.9,	520 -
ļ	,	1	1				
6	Providing Manhole 4' ir	iternal			0.		
ĺ	dia without RCC cover wi	ith C.I					
}	frame (15Kg) & 5 feet	· clear	1				
Ì	depth cast in situ 1:2;4	using					
ļ	50% g bajri 9" thick wal	1 1 4 8	ļ	1			i
	CC in 5 dia 6" thi	ck in			1		
1	foundation 1:2:4 CC	o in					
	benching ½" thick	cement		1			
	plaster 1:3 on inside v	vall &		1			
	surface of channel & i/c r	naking					
	required nos of main br	anches	·				
ļ	channel 34" dia bar fo	or M/s					•
	footrest at 12" C/9	C · i/c	5 / BT		Each	348	196
	excavation in all kind so		24Nos	14529-	-b Each	270.6	7 0
	filling disposal of surplu	is stuff					
	complete as per draw	ing &				/	
	design & instruction	ot the				\ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \	
	Engineer in charge.		2 00054	2520	P/Rft	812	48
7	Add for extra depth bey	yond 5'' = 3	2.00Rft	2539-			
	deduct at the same rate.						
8	Manufacturing & supply	ring 21"				-	_ 01
	dia rec manhole cover	cast in					~ y
	situ 1:2:4 cement cond	rete 3"					
	deep at centre reinfo	rcement					
	with 1/2" M/s bars with	1 4" c/c		-			
	welded top a 3/16" t	hick 2"			_		١ .
	wide M/s plate & two l	nooks of			7.7.		
	3/8" dia tor bars i/c cor	npacting					
	curing & transportation	with in					
i I	10 miles etc complete.		2031	1 912 -	Each	1255	564 -e
1	. 2	1"Dia	28Nos	1913-	L LEMON	`	
ļ	4	l I		. 1			

.. , ,

V

į

			•		
9	Making connection with the				
	existing manhole i/c the cost of				
h V	cutting hole in wall making				<b>Y</b>
•	them good in CC 1:2:4 &	5Nos	180 -	Each	900-
	making required channel etc			2	100 -4
	complete.		/		
10	Refilling the excavated stuff in		<del></del>		
	trenches 6" thick layer i/c	21096.38Cft	2760-	%0Cft	58226-
	watering ramming to full		2160 - 8	70001	3020
	compaction etc complete.				
	1				:
				Total	99-129-

EXECUTIVE ENGINEER (SEW)
HORANGI DIVISION KW&SB

Rupees Nine (ac ninty five thousand one hardred thirty eight only Signature of Contractor\_

2. Rate Guoted in Service Court Dilling FALED COVER

2. Rate Guoted in Service County

3. Cutting or over house and county

4. Pay Order Anacount of Service County

4. Pay Order Anacount of Service County

ADD NA S.E. (KMC) C.E. (ACC) C.E. (BRD)

(KMC)

Cundo