

COMPARATIVE STATEMENT

NAME OF WORK: CONSTRUCTION OF PROJECT MANAGEMENT UNIT (P.M.U) CAMP OFFICE DADU

NIT NO: XEN/SDO/K/1/AB/

Dated: / /

Date of Issue of tender 14/03/2011

Date of receipt and opening of tender 15/03/2011

RATE QUOTED BY GOVERNMENT CONTRACTOR

S.No.	Items	Estimate Cost	M/S M.H.MAMON		M/S MUMTAZ & CO:		M/S MUHAMMAD CHANA	
			Rate	Amount	Rate	Amount	Rate	Amount
1	Schedule B	4037748	35% above	1413212	37% above	1493967	37.50% above	1514155
2	Cartage	1197100	Schedule "B"	4037748		4037748		4037748
	Total	5234848	Bid Amount	5450960		5531715		5551903
			(-) Estimate Cost	5234848		5234848		5234848
			Diffrence	216112		296867		317055
				216112x100		296867x100		317055x100
				5234848		5234848		5234848
				4.13%		5.67%		6.06%
			Above over the Estimate		Above over the Estimate		Above over the Estimate	
			ANALYSIS					
			Bid amount	5450960		5531715		5551903
			Quated Rates of None Schedule Items	460687		465235		466919
			Tender Cost	5911647		5996950		6018822

The rates quoted by M/S M.H.Mamon Government contractor incircled in red has been found lowest and are reasonable hence recommended for approval

Recd. for approval
 Rs: 5911647/-

Superintending Engineer
 Small Dams Organization in Sindh
 Hyderabad.

Approved the lowest rate of 5551903/- quoted by M/S M.H.Mamon Government contractor

Executive Engineer
 Small Dams Organization
 K. Division Dept.

Project Director, Chief Engineer
 Small Dams Organization in Sindh
 Hyderabad.

COMPARATIVE STATEMENT

NAME OF WORK: CONSTRUCTION OF PROJECT MANAGEMENT UNIT (P.M.U) CAMP OFFICE DADU

NIT NO: XEN/SDO/K1/AB/
Date of Issue of Tender Dated 14/03/2011
Date of Receipt & Opening of Tender 15/03/2011

Dated: / /

RATE QUOTED BY GOVERNMENT CONTRACTOR

S.No.	Items	Quantity	Unit	M/S M.H MEMON		M/S MUMTAZ&COMPANY		M/S MUHAMMAD CHANNA	
				Rate	Amount	Rate	Amount	Rate	Amount
1	Providing & fixing English Commode with Seat cover including glazed flushing cistern complete in all respects (Superior Quality)	3 Nos	Each	21265	63795	21280	63840	21300	63900
2	Providing & fixing Urinal including flushing cistern complete in all respects (Superior Quality)	3 Nos	Each	4820	14460	4830	14490	4850	14550
3	Providing & fixing WC 19" clear size including glazed flushing cistern, without wash basin. Complete in all respects (Superior Quality)	3 Nos	Each	7280	21840	7285	21855	7290	21870
4	Providing & fixing Wash Basin 22"x16" i/c CP waste pipe & bolt kit etc complete in all respects (Superior Quality)	3 Nos	Each	8556	25668	8560	25680	8565	25695
5	Providing and fixing C.P Brass concealed Tee stop cock with crystal head heavy pattern and superior Quality (Superior Quality)	20 Nos	Each	1112	22240	1115	22300	1120	22400
6	Providing and fixing C.P Brass Wash Basin mixture with crystal heads, heavy pattern & superior quality 1/2" dia.	3 Nos	Each	4020	12060	4030	12090	4025	12075

7	Providing and fixing C.P Brass Double bib cock with Muslim Shower & crystal heads heavy patron 1/2" dia (Superior Quality)	6 No	Each	3800	22800	3850	23100	3820	22920
8	Providing and fixing C.P Brass Fancy bib cock with crystal head 1/2" dia (Superior Quality)	10 Nos	Each	2440	24400	2445	24450	2450	24500
9	P/F C.P Rose shower i/c C.P. rod etc (Superior Quality)	3 Nos	Each	870	2610	885	2655	875	2625
10	Providing and fixing C.P Brass concealed stop cock with crystal head 1/2" dia heavy patron (Superior Quality)	24 Nos	Each	1600	38400	1610	38640	1605	38520
11	Providing and fixing U.P.V.C. Floor Trap 6"x2" or 6"x3" dia grade 1, (superior quality) i/c Steel floor Jali grade-1 including cutting, fitting with collars, clamps and rubber solvent. This rate also includes making holes in walls, plinth, floor and roof for fixing pipe and making good in CC 1:2:4 testing pressure head of 200 ft	8 Nos	Each	1045	8360	4065	8520	1050	8400
12	Providing and fixing U.P.V.C. pipe 4" dia suitable for bath room drainage of grade-1 including cutting, fitting with collars, clamps and rubber solvent. This rate also includes making holes in walls, plinth, floor and roof for fixing pipe and making good in CC 1:2:4. Testing pressure head 200 ft Superior Quality	300 rft	P/Rft	271	81300	273	81900	275	82500

<p>13 Providing and fixing U.P.V.C. 4" dia commode trap of grade-1 i/c including cutting, fitting with collars, clamps and rubber solvent. This rate also includes making holes in walls, plinth, floor and roof for fixing pipe and making good in CC 1:2:4. Testing pressure head 200 ft. Superior Quality.</p>	3 Nos	Each	1280	3840	1290	3870	1300	3900
<p>14 Providing and fixing U.P.V.C. 4" dia P.Trap of grade-1 i/c including cutting, fitting with collars, clamps and rubber solvent. This rate also includes making holes in walls, plinth, floor and roof for fixing pipe and making good in CC 1:2:4. Testing pressure head 200 ft. Superior quality</p>	8 Nos	Each	1817	14536	1825	14600	1820	14560
<p>15 Providing and fixing U.P.V.C. 4"x4" plain branch or Y Tee of required degree of grade-1 superior quality including cutting, fitting with collars, clamps and rubber solvent. This rate also includes making holes in walls, plinth, floor and roof for fixing pipe and making good in CC 1:2:4 testing pressure head 200 ft. Superior quality</p>	4 Nos	Each	1205	4820	1210	4840	1208	4832

16 Providing and fixing U.P.V.C. 4"x4" branch of required degree with excess door of grade-I Superior Quality including cutting, fitting with collars, clamps and rubber solvent. This rate also includes making holes in walls, plinth, floor and roof for fixing pipe and making good in CC 1:2:4 testing pressure head 200 ft	6 Nos	Each	1438	8628	1445	8670	1440	8640
17 Providing and fixing U.P.V.C. 4" Plain Bend, or Offset Bend of required grade-1 (Superior quality) including cutting, fitting with collars, clamps and rubber solvent. This rate also includes making holes in walls, plinth, floor and roof for fixing pipe and making good in CC 1:2:4. Testing pressure head 200 ft	9 Nos	Each	935	8415	940	8460	938	8442
18 Providing and fixing U.P.V.C 4" Plug Bend of required degree with with access door of grade-1 (Superior quality) including cutting, fitting with collars, clamps and rubber solvent. This rate also includes making holes in walls, plinth, floor and roof for fixing pipe and making good in CC 1:2:4. Testing pressure head 200 ft.	5 Nos	Each	1335	6675	1342	6710	1340	6700
19 Providing and fixing U.P.V.C. Terminal Guard 4" dia superior Quality.	5 Nos	Each	173	865	175	875	177	885

Construction of Project Management Unit (P.M.U.)
in Sindh Camp Office at Dadu.

SGP (Khp.) D. No. 105-11-94 - 50,000 L.F. of 8 is. each.

P.W.D. 287

G.R. P.W.D. Nos. 7938 of 6-4-35
56-1 of 8-6-36, 1952-W of 27-9-37, G.C.M.P.
and M. Deptt. No. 383-P/37 of 9-11-37
(P.W.D.) No. S-173, 2-W of 22-2-38,
G. Ra. (P.W.D.) No. 1038-1 of 22-2-37
12-10-44 and 2-5-44, 6-4-W of 22-2-39
12-10-44, and 2-5-44, 05-W 1038/11-1 of
28-3-49, 5-47-W 2 of 12-12-50.

FORM B-1

PUBLIC WORKS DEPARTMENT

Small Dams Org. CIRCLE Sindh Hyderabad
Small Dams Org. DIVISION Kohistan-I
Dadu.

Certified that this Tender
contains 16 (Sixteen) pages
excluding 14 Nos. (fourteen) pages
of S.C.B. separately

Percentage Rate Tender and Contract
for works

General Notes and Directions for the Guidance of Contractors
Small Dams Organization
Kohistan-I Dadu
Proposed to be executed by contract shall be notified in a
form of invitation to tender posted on a board hung up in the office of the
Executive Engineer and signed by the Executive Engineer.

Issued to M. H. Memon
Gant. Gantapur Hyderabad
DN No. 229060 dt.
14/03/2011.

DISTRICT

This form will state the work to be carried out, as well as the date for
submitting and opening tenders, and the time allowed for carrying out the
work.

PAKISTAN 10000R SPECIAL ADHESIVE	PAKISTAN 5000R SPECIAL ADHESIVE	PAKISTAN 4000R SPECIAL ADHESIVE	PAKISTAN 500R SPECIAL ADHESIVE
PAKISTAN 200R SPECIAL ADHESIVE	PAKISTAN 20R SPECIAL ADHESIVE	PAKISTAN 20R SPECIAL ADHESIVE	

It will also state whether ground rents will be
drawings and estimated in connection with the
purpose of identification at the office of
by a firm, it must be in the presence of the
holder of a power-of-attorney or by some other
receipts for the firm.

shall fill up the usual printed form with the
rates specified in Schedule 'B' to be carried out; he is willing to un-
derstand, on all the ^{Estimated rates} _{Scheduled rates} shall
alteration in the works specified in the time allowed for carrying out
conditions, will be liable to rejection. If a tender for more than one work,
or more works they shall submit a separate envelope and have the name and number of the
envelope.

The duly authorised Assistant shall open the tenders and have submitted tenders or their
representatives who may be present at the time, and he will enter the amounts
of the several tenders in a comparative statement in a suitable form. In the
identification, sign copies of the specifications and other documents mention-
ed in Rule 1. In the event of a tender being rejected the Divisional Officer
shall authorize the Treasury Officer concerned to refund the amount of the
earnest money for deposited to the contractor making the tender, on his giving
a receipt for the return of the money.

6. The Officer competent to dispose of the tenders shall have right of
rejecting all or any of the tenders.

Executive Engineer
Small Dams Organization
Kohistan-I Dadu

Issued on 14-03-2011
Open on 15-03-2011

Executive Engineer
Small Dams Organization
Kohistan-I Dadu

[Signature]

[Signature]

**OFFICE OF THE EXECUTIVE ENGINEER SMALL DAM
ORGANIZATION DIVISION KOHISTAN-I DADU.**

Tender Form B-2.

Certified that due to non availability of B-2 Tender Form, this Form is being issued and in case of lowest Tender this will be replaced by B-2 Tender Form issued to M/S M.H. Memsh

Govt: Contractor Hyderabad.

DR No. 229060 dated 14/03/2011 Rs: 3000/-

(Signature)
(Syed Riaz Hussain Shah)
Executive Engineer
Small Dam Organization Division
K-1 Dadu.

(Signature) I/We hereby tender for the execution for the Government of Sindh (here in before and here in after) referred to as Government of the work specified in the under written memorandum within time specified in (Memorandum) at 35.07 percent ~~below~~ above the Estimated rates entered in Schedule-B Memorandum showing Items of work to be carried out and in accordance in all respects with the specification, Design, Drawings and instructions in writing referred to in Rule-I, here of and in clause-12 of the annexed condition of contract and agree that when Materials for work are provided by the Government such materials and the rates to be paid for them shall be provided in schedule-A hereto.

MEMORANDUM 15/03/2011

- | | |
|--|--|
| a) General Description. | Construction of Project Management Unit (PMU) Camp office at Dadu. |
| b) Estimate cost. | Rs: 5691248/- Rs: 5697167/- |
| c) Earnest Money. | 2% of Estimated cost/ Quoted rate. Rs: 77500/- |
| d) Percentage if any to be deducted in bills. | Rs: 6% |
| e) Security Deposit i/c Earnest Money. | 5% |
| f) Time allowed for completing the work from date fixed in written order commence. | <u>03</u> ... Months. |

Shall this Tender be accepted I/We hereby agree to abide by and fulfill all the terms and provisions of the conditions of Contract annexed here to for as applicable and in default there of to forfeit and pay to Government the sums of money mentioned in the said conditions. *Bank Main Br: Sindh Cantt: Hyd.*
Call Deposit No. CD No: A.012306601:14/3/2011, N.I.B. for a sum of Rs: 77500/- is herewith forwarded representing the earnest money the full value of which is to be absolutely forfeited to the Government of Sindh of his successors in office should I/We not deposit the full amount of security deposit specified in the above Memorandum in accordance with clause-I (A) of the said conditions otherwise the said sum of Rs..... shall be retained by Government as on account of Security deposit specified in Clause -I (B) of the said conditions.

I/We agree to execute on B-2 Form in case my / our Tender is accepted and I/We shall / will further be bound to abide be all terms and conditions provided in Tender/ Contract.

(Signature)
CONTRACTOR.

(Signature)
(Syed Riaz Hussain Shah)
Executive Engineer
Small Dam Organization Division
K-1 Dadu.

SCHEDULE B

NAME OF WORK CONSTRUCTION OF CAMP OFFICE BUILDING OF PROJECT
DIRECTOR /CHIEF ENGINEER SMALL DAMS ORGANIZATION
@ DADU

S.NO	DESCRIPTION	QTY	UNIT	RATE	AMOUNT
PART "A" CIVIL WORK					
1	Excavation In Foundation of Building, Bridges, and other structures, including dag-belling, dressing, refilling around structure with excavated earth watering and ramming lift upto 5 feet. (c) in hard soil or soft murum. (S.I.No.18(c) /P-5)	10547	Cft	1000 Cft 1464.10	15441.86
2	Cement Concrete Plain including placing, compacting, finishing & curing complete (including screening & washing of stone aggrigates without shuterring) Ratio 1:3:6 (S.I.No.5 g /P-18)	2486	Cft	100 Cft 5001.70	124342.26
3	Pacca brick work in foundation & plinth. (e) in cement sand mortar ratio 1: 6 (S.I # 4 e, Page # 25)	10345	Cft	100 Cft 3865.15	399849.77
4	Pacca Brick work In ground floor in cement sand mortar 1:6 (S.I.No.5 (e) /P-25)	4644	Cft	100 Cft 4246.30	197198.17
5	Reinforcement concrete work including all labour and material except the cost of steel reinforcement and its labour for bending and binding which will be paid separately. This rate also includes all kind of forms, moulds, lifting shuttering, curing, rendering and finishing the exposed surface (including Screening and washing of shingle) R.C.C work in roof slab beams columns rafts lintels staircases and other structural members laid in situ or pre-cast laid in position complete in all respects, ratio 1:2:4 90 lbs. Cement 2 Cft sand 4cft shingle 1/8" to 1/4" gauge (S.I # 6 P-18)	1888.0	Cft	1 Cft 114.00	215232.00
6	Fabrication of mild steel reinforcement for cement concrete i/c cutting bending lying in position making joints and fastings i/c cost of biding wire also i/c removal of rust from Tor bars (S.I.No. 7 II (b) /P 20)	67.00	cwt	1 cwt 2772.55	185760.85
7	Supplying & filling Sand under floor and plugging into walls. (S.I.No.29 /P 31)	62818	Cft	100 Cft 203.50	127834.63
8	Providing Anti -termmite treatment by spraying /sprinkling /spreading Neptachlar 0.5% Emulsion as an overall pre -construction treatment in slab type construction under the slab and along attached perches or entrances etc, complete as per directions of Engineer Incharge. (S.I.No.92 /P-115)	2520	Sft	100 Cft 4.16	10483.20

S.NO	DESCRIPTION	QTY	UNIT	RATE	AMOUNT
9	Cement Concrete Plain including placing, compacting, finishing & curing complete (including screening & washing of stone aggregates without shuttering) Ratio 1:4:8 (S.I.No.5 I/P-18)	878 Cft	100 Cft	4319.70	37926.97
10	Cement Concrete Plain including placing, compacting, finishing & curing complete (including screening & washing of stone aggregates without shuttering) Ratio 1:2:4 (S.I.No.5 I/P-18)	878 Cft	100 Cft	5941.10	52162.86
11	Pacca Brick work in First floor in cement sand mortar 1:6 (S.I.No.5 (e) /P-25) 4246.3 + 226.90 = 4473.20	420 Cft	100 Cft	4473.20	18787.44
12	Supplying Iron steel Girders of superior quality this rate also includes hire charges up to site. (Refer R/A # attached)	48 Cwt	1 cwt	5335.10	256084.80
13	Supplying Iron steel T-Irons of superior quality this rate also includes hire charges up to site. (Refer R/A # attached)	38 Cwt	1 cwt	5335.10	202733.80
14	Erection rolled steel beams or old rails in roofs etc. Erection and fixing in position. (S.I.# 6, Page # 96)	88 Cwt	1 Cwt	76.71	6597.06
15	2nd class tile roofing consisting of 4" earth and 1" mud plaster with Gobri keeping over 1/2" thick cement plaster 1:6 with 34 Lbs. of hot bitumen coating sand blinded provided over one layer of tiles 12" x 6" x 2" laid in 1:6 cement mortar with including 1:2 cement pointing under neath of tiles complete i/c curring. (S.I.No.2, P # 38)	1995 Sft	100 Sft	2779.87	55458.41
16	P/ Laying single per layer of polythene sheet 0.13 mm thick for water proofing as per specification and Instruction of Engineer incharge. (Page # 44, Item # 38)	1995 Sft	1 Sft	3.64	7261.80
17	P/ Laying in position 1.5" thick thermopole sheet of superior quality over roof etc complete. (Refer R/A # 01 Attached)	1995 Sft	1 Sft	32.79	65416.05
18	Cement plaster 1:6 upto 20' height 1/2" thick (S.I.No.13 (b)/ P-58)	8616 Sft	100 Sft	531.41	45786.29
19	Cement plaster 1:4 upto 20' height 3/4" thick (S.I.No.11 (c)/P-58)	15928 Sft	100 Sft	779.96	124232.02
20	Applying floating coat of cement 1/32" thick (S.I.No.14 / P-59)	8616 Sft	100 Sft	361.08	31110.65



S.NO	DESCRIPTION	QTY	UNIT	RATE	AMOUNT
21	Providing and fixing G.I Frame / Chowkat 7" x 2" or 4 1/2" x 3" for door using 20 gauge G.I sheet i/c welded hinges and fixing at site with necessary hold fasts filling with cement sand slurry of ratio 1:6 and repairing the jambs the cost also i/c all carriage of tools and plants used in making and fixing (S.I.No. 29 /P-98)	212 Rft	1 Rft	113.37	24034.44
22	First class deodar wood wrought, joinery in doors and windows etc, fixed in position including chowkhats hold fasts hinges, iron tower bolts. Chocks cleats, handles and cords with hooks, etc, (b) 1 3/4" thick deodar paneled or paneled & glazed or fully glazed (b) 1 3/4" thick. (Without chowckats) (S.I.No.7 /P-65) (309.52 - 81.14 = 228.38)	298 Sft	1 Sft	228.38	68057.24
23	Supplying fixing in position aluminum channles framing for hinged door or alcove made with 5mm thick tinted glass glazing (Belgium) and Alpha (Japan) locks i/c handles. Stoppers etc.complete Deluxe model (Bronze) (S.I.No.83 b/ P-114)	70 Sft	1 Sft	601.62	42113.40
24	Supplying in fixing aluminuim channles framing for sliding windows and ventilaotrs of Alcop made with 5mm thick tinted glass glazing (Belgium) & alimunium fly screen i/c handles, stoppers & Looocking arangment etc complete (b) Deluxe Model Bronze (S.I.No.84 (b) /P-114)	143 Sft	1 Sft	652.35	93286.05
25	Providing and fixing iron steel grill using solid square bars of size 1/2" x 1/2" placed at 4" i/c and frame of flat iron patty of 3/4" x 3/4" i/c circle shape at 1-0 apart equivalent fitted with screws or pins i/c palting 3 coats with 1 st of red oxide paint etc (S.I.No.30 / P 98)	213 Sft	1 Sft	123.91	26392.83
26	Providing & fixing C.C Pavers in grey shed having crushing strength 5000 lb / sq inch i/c 3" sand cusion & compaction complete in all respect. (Refer R/A # 05 Attached)	320 Sft	1 Sft	169.07	54102.40
27	Supplying Kitchen Marble top 1" thick. (Afghan Or Zlarat white) [Sch: of Matrials P # 3, I # 34(x)] Add labour charges for laying [S.I # 24, Page # 48]		1 Sft	400.00	
	Total Rate	70 Sft	1 Sft	412.10	28847.00
28	Providing and fixing Porcelien Dado/floor tiles (20"x20") jointed in white cement and laid over bed of 1/2"thick grey cement send mortar ratio 1:3 i/c washing / filling of joints with white cement etc: complete in all respect. (Superior Quality) (Refer R.A. No: 02)	2042 Sft	1 Sft	218.10	445360.20

S.NO	DESCRIPTION	QTY	UNIT	RATE	AMOUNT
29	Providing and fixing Glazed Ceramic floor tiles (12"x18") jointed in white cement and laid over bed of 1/2" thick grey cement sand mortar ratio 1:3 i/c washing / filling of joints with white cement etc: complete in all respect (Superior Quality) (Refer R.A. No: 03)	242 Sft	1 Sft	173.20	41914.40
30	Providing and fixing Glazed Ceramic Tile Dado (12"x18") i/c two layers of Printed Borders (4" Wide) jointed in white cement and laid over bed of 1/2" thick grey cement sand mortar ratio 1:3 i/c washing / filling of joints with white cement etc: complete in all respect (Superior Quality) (Refer R.A. No: 04)	557 Sft	1 Sft	243.54	135651.78
31	Supplying and fixing false ceiling of plaster of paris, in pannels including making frame, work of Deodar Wood including painting with Soligia paint. (S.I.No.52 /P-72)	1734 Sft	100 Sft	10630.26	184328.71
32	Providing & fixing plaster of Paris ceiling border of 8" -10 " with of specified design & thickness i/c fixing besides ceiling with nails/ screws with jettles. (S.I.No.44 /P-45)	421 Rft	1 Rft	44.8	18860.80
33	Providing & fixing plaster of paris centre pieces of 2'-0 dia i/c fixing in ceiling with nails /screws. (S.I.No.45 /P-45)	8 Nos	1 No	152.96	1223.68
34	Preparing the surface and painting with matt finish i/c rubbing the surface with Bathy (Silicon, cabide, rubbing brick) filling the voids with zink / chalk / plaster of paris mixture, applying first coat premix. Making the surface smooth and then painting 3 coats with matt finish of approved make (new surface 2 coats) (S.I.No.36 /P-61 A+B+B) (751.03 + 341.0 + 341.0 = 1433.03)	4368 Sft	100 Sft	1433.03	62594.75
35	Providing and fixing color crete to wall surface to provide durable crust and aesthetics having thickness upto 3/4" with specified colour having water, fire and termite resistance. Up to 20' height (S.I.No.44 /P-63)	3443 Sft	100 Sft	3137.20	108013.80
36	Primary coat of chalk distemper (S.I.No.23 /P-59)	2126 Sft	100 Sft	58.85	1251.15
37	Distemping 3 coats (S.I.No.24 (c) /P-60)	2126 Sft	100 Sft	263.51	5602.22
38	Painting new surface. (c) Preparing surface & Painting of doors & windows any type including edges. 3 coats (Over P. coat) (S.I.No.5 (c) /P-77) Prim: Coat + 3 Coats 408.47+(285.24x3) = 1264.19	455 Sft	100 Sft	1264.19	5752.06



S.NO	DESCRIPTION	QTY	UNIT	RATE	AMOUNT
39	Cement plaster 1:3, 3/4" thick up to 20' height. (S.I No: 10 c, P-58)	584 Sft	100 Sft	817.03	4771.46
40	Khuras on Roof 2' x 2' x 6" (S.# 18, Page # 41)	8 Nos	1 No	173.97	1391.76
41	Bottom khuras of brick masonry in cement mortar ratio 1:6 4' x 2' 4 1/2", over 3" cement concrete 1:4:8. (S. # 19, Page # 41)	8 Nos	1 No	248.66	1989.28
42	Plain G.I sheet iron spouts fixed in place including painting. (S.I No: 25, Page No: 42)	8 Nos	1 No	142.1	1136.80
43	Khapriel of cement concrete 12"x8"x1" of approved design/shape laid flat in 1:2 grey cement mortar over a bed of 3/4" thick cement mortar. (S.I No: 39, Page No: 44)	336 Sft	100 Sft	3813.95	12814.87
44	Making and fixing steel grated door with 1/16" thick steeling l/c angle iron frame 2"x2" 3/8 tp 3/4 square bars 4" c/c with locking Arrangement (S.I.No:24/P/97)	60 Sft	100 Sft	385.76	23146
Say Amount Of Part - A					3572337.96

2570 above


CONTRACTOR


Executive Engineer,
Small Dams Division
K.1 Dadu

SCHEDULE B

NAME OF WORK CONSTRUCTION OF CAMP OFFICE BUILDING OF PROJECT
DIRECTOR /CHIEF ENGINEER SMALL DAMS ORGANIZATION @ NAGARPARKAR.

S.NO	DESCRIPTION	QTY	UNIT	RATE	AMOUNT
PART "B" INTERNAL WATER SUPPLY / SANITARY FITTINGS & DRAINAGE					
(i) Scheduled Items					
1	Providing chambers 9" x 6" (inside dimensions) x 24" deep for stop cocks and valves etc. with 6" thick C.C 1:3:6 cast in situ walls, 6" thick C.C 1:4:8 in foundation 1/2" thick cement plaster 1:3 to all inside wall surface and to top 1" thick C.C 1:2:4 flooring complete with hinged cast iron cover and frame 9"x6" (inside) clear opening (wt 1/2" Qr) etc. fixed in cement concrete 1:2:4 including curing excavation back filling & disposal of earth etc. complete (S.I.No.1 /P-17)	6 Nos	1 No	647.20	3883.20
2	Construction manhole or inspection chamber for the required dia of circular sewer and 3'-6" (1067 mm) depth with walls of B.B in cement mortar 1:3 cement plastered 1:3 1/2" thick inside of walls and 1" (25mm) thick over benching and channel i/c fixing C.I manhole cover with frame of clear opening (1-1/2' x 1-1/2' (457x457 mm) of 1.75 Cwt. (88.9 kg) embedded in plain C.C 1:2:4 and fixing 1" (25 mm) C/C duly painted etc. complete as per specification and drawing No.D.P/I of Public Health Circle Southern zone. (S.I.No.1 P-39)	10 Nos	1 No	5789.30	57893.00
3	Providing UPVC pipe with collars class "B" and digging the trenches to required depth and fixing in position i/c cutting fitting and jointing with maxphalt composition and cement mortar 1:1 and testing with water pressure to a head of 4' ft above the top of the highest pipe and re-align with excavated (S.I.No.2 /P-21)				
	a) 6" dia	180.00 Rft	1 Rft	72.40	13032.00
	b) 9" dia	300.00 Rft	1 Rft	115.20	34560.00

N. S. M. S.

S.NO	DESCRIPTION	QTY	UNIT	RATE	AMOUNT
------	-------------	-----	------	------	--------

4	Providing & fixing 18" x 16" beveled edge mirror of Belgium glass complete with 1/8" thick hard board and c.p screws fixed to wooden pleat. Superior pattern (S.I.No.3 (b) /P-7)	3 Nos	1 No	982.30	2946.90
---	--	-------	------	--------	---------

5	Providing and fixing chrome plated brass towel rail complete with brackets fixing on wooden cleats with 1" long C.P brass screws. 3/4" dia round of square (Superior quality) (s.I.No.1 (b) P-7)	3 Nos	1 No	380.60	1141.80
---	--	-------	------	--------	---------

Total

113456.90 ✓

(ii) Non-Scheduled Items

6	Providing & fixing English Commode with Seat cover including glazed flusing cistern complete in all respects (Superior Quality) (Refer R/A # 06)	3 Nos	1 No	21265/-	63795/-
---	--	-------	------	---------	---------

7	Providing & fixing Urinal including flusing cistern complete in all respects (Superior Quality) (Refer R/A # 07)	3 Nos	1 No	4820/-	14460/-
---	--	-------	------	--------	---------

8	Providing & fixing WC 19" clear size including glazed flusing cistern, without wash basin. Complete in all respects (Superior Quality) (Refer R/A # 08)	3 Nos	1 No	7280/-	21840/-
---	---	-------	------	--------	---------

9	Providing & fixing Wash Basin 22"x16" i/c CP waste pipe & bolt kit etc complete in all respects (Superior Quality) (Refer R/A # 09)	3 Nos	1 No	8556/-	25668/-
---	---	-------	------	--------	---------

10	Providing and fixing C.P Brass concealed Tee stop cock with crystal head heavy patron and superior Quality (Superior Quality) 1/2" dia. (Refer R/A # 10)	20 Nos	1 No	1112/-	22240/-
----	--	--------	------	--------	---------

11	Providing and fixing C.P Brass Wash Basin mixture with crystal heads, heavy patron & superior quality 1/2" dia. (Refer R/A # 11)	3 Nos	1 No	4020/-	12060/-
----	--	-------	------	--------	---------

12	Providing and fixing C.P Brass Double bio cock with Muslim Shower & crystal heads heavy patron 1/2" dia (Superior Quality) (Refer R/A # 12)	6 Nos	1 No	3800/-	22800/-
----	---	-------	------	--------	---------

S.NO	DESCRIPTION	QTY	UNIT	RATE	AMOUNT
13	Providing and fixing C.P Brass Fancy bib cock with crystal head 1/2" dia (Superior Quality) (R/A # 13)	10 Nos	1 No	2440/-	24400/-
14	P/F C.P Rose shower i/c C.P. rod etc (Superior Quality) (Refer R/A # 145)	3 Nos	1 No	870/-	2610/-
15	Providing and fixing C.P Brass concealed stop cock with crystal head 1/2" dia heavy pattron (Superior Quality) (Refer R/A # 15)	24 Nos	1 No	1600/-	38400/-
16	Providing and fixing U.P.V.C. Floor Trap 6"x2" or 6"x3" dia grade 1, (superior quality) i/c Steel floor Jali grade-I including cutting, fitting with collars, clamps and rubber solvent. This rate also includes making holes in walls, plinth, floor and roof for fixing pipe and making good in CC 1:2:4 testing pressure head of 200 ft Refer R/A # 16)	8 Nos	1 No	1045/-	8360/-
17	Providing and fixing U.P.V.C. pipe 4" dia suitable for bath room drainage of grade-I including cutting, fitting with collars, clamps and rubber solvent. This rate also includes making holes in walls, plinth, floor and roof for fixing pipe and making good in CC 1:2:4. Testing pressure head 200 ft. Superior Quality (Refer R/A # 17)	300 Rft	1 Rft	271/-	81300/-
18	Providing and fixing U.P.V.C. 4" dia commode trap of grade-1 i/c including cutting, fitting with collars, clamps and rubber solvent. This rate also includes making holes in walls, plinth, floor and roof for fixing pipe and making good in CC 1:2:4. Testing pressure head 200 ft. Superior Quality. Refer R/A # 18)	3 Nos	1 No	1280/-	3840/-

S.NO	DESCRIPTION	QTY	UNIT	RATE	AMOUNT
------	-------------	-----	------	------	--------

19 Providing and fixing U.P.V.C 4" dia P.Trap of grade-1 i/c including cutting, fitting with collars, clamps and rubber solvent. This rate also includes making holes in walls, plinth, floor and roof for fixing pipe and making good in CC 1:2:4. Testing pressure head 200 ft. Superior quality
Refer R/A # 19)

8 Nos 1 No 1817/- 14536/-

20 Providing and fixing U-P.V.C. 4"x4" plain branch or Y Tee of required degree of grade-1 superior quality including cutting, fitting with collars, clamps and rubber solvent. This rate also includes making holes in walls, plinth, floor and roof for fixing pipe and making good in CC 1:2:4 testing pressure head 200 ft. Superior quality.
Refer R/A # 20)

4 Nos 1 No 1205/- 4820/-

21 Providing and fixing U-P.V.C. 4"x4" branch of required degree with excess door of grade-1 Superior Quality including cutting, fitting with collars, clamps and rubber solvent. This rate also includes making holes in walls, plinth, floor and roof for fixing pipe and making good in CC 1:2:4 testing pressure head 200 ft
(Refer R/A # 21)

6 Nos 1 No 1438/- 8628/-

22 Providing and fixing U-P.V.C. 4" Plain Bend, or Off set Bend of required grade-1 (Superior quality) including cutting, fitting with collars, clamps and rubber solvent. This rate also includes making holes in walls, plinth, floor and roof for fixing pipe and making good in CC 1:2:4. Testing pressure head 200 ft.
(Refer R/A # 22)

9 Nos 1 No 935/- 8415/-

23 Providing and fixing U.P.V.C 4" Plug Bend of required degree with with access door of grade-1 (Superior quality) including cutting, fitting with collars, clamps and rubber solvent. This rate also includes making holes in walls, plinth, floor and roof for fixing pipe and making good in CC 1:2:4. Testing pressure head 200 ft.
(Refer R/A # 23)

5 Nos 1 No 1338/- 6675/-



S.NO	DESCRIPTION	QTY	UNIT	RATE	AMOUNT
------	-------------	-----	------	------	--------

24 Providing and fixing U.P.V.C. Terminal Guard
4" dia superior Quality.
(Refer R/A # 24)

5 Nos 1 No 173/- 865/-

25 Providing & fixing G.I.pipes of superior
quality (ILL) or equivalent i/c necessary
fittings. This rate also i/c breaking through
walls, floor, roof or plinth and fittings pipe with
bitumen tape etc. Complete in all respect.

[(Refer R/A # 25 (a)) (a) Pipe 1/2" dia

300 Rft 1 Rft

70/- 21000/-

[(Refer R/A # 25 (b)) (b) Pipe 1" dia

200 Rft 1 Rft

114/- 22800/-

[(Refer R/A # 25 (c)) (c) Pipe 1-1/2" dia

100 Rft 1 Rft

761/- 16100/-

26 Providing and fixing Brass handle
valve. (Superior Quality) (a) 1" dia
[(Refer R/A 26 (a))

3 Nos 1 No

1075/- 3225/-

27 Providing and fixing Brass handle
valve. (Superior Quality) (a) 1" dia
[(Refer R/A 27 (b))

3 Nos 1 No

2800/- 8400/-

28 Providing and fixing CP Brass Sink Mixture
Superior Quality
[Refer R/A 28]

1 Nos 1 No

3450/- 3450/-

Total

Non. Schedule items

460687/-

CONTRACTOR

Executive Engineer,
Small Dams Division K.T
Dadu

SCHEDULE B

NAME OF WORK CONSTRUCTION OF CAMP OFFICE BUILDING OF PROJECT
DIRECTOR /CHIEF ENGINEER SMALL DAMS ORGANIZATION @ DADU.

S.No	DESCRIPTION	QTY	RATE	UNIT	AMOUNT
PART "C" INTERNAL E.I FITTINGS					
1	Wiring for light or fan point with 3/0.29 PVC ins.wire 3/4" PVC conduit recessed wall or col. As required. (S.I. No 6/P-1) (Electrical)	70	469.49	P.Point	32864.30
2	Siring for plug point with 1/1. 13 (3./029) PVC insulated wire in 2 mm (3/4") PVC conduct recessed required in the wall or columns as (S.I No. 10/P-2).	25	244.41	Each	6110.25
3	Wiring for call bell with 1/1. 13 (3./029) PVC insulated wire in 20 mm (3/4") PVC conduct (S.I No. 12/P-2)	4	469.49	Each	1877.96
4	Wiring for mains with 2-1.78 (7/0.29) PVC insulated wire in 10 mm (3/4") PVC conduit recessed in the wall or column as required (S.I. No. 5/P-4)	1000	24.15	P.Rft	24150.00
5	Wiring for mains with 2-7/1.04(7/0.44) PVC insulated wire in 25 mm (1") PVC conduit (S.I.No.8/P-4) (Electrical)	1200	31.11	P.Rft	37332.00
6	Wiring for mains with 3-1/0.64 & 1/7.036 VIP wire 660 volts grade in 1" PVC conduit recessed in the wall as required (S.I.No. 66/P-08)	800	83.76	Each	67008.00
7	P/F A.C one way S.P 10/15 amps switch flush type one metal board recessed in the wall or columns and covered with fiber sheet. (S.I.No.7/P-10)	100	64.9	Each	6490.00
8	P/F Flush type 2 pin 5 amps S.P plug socket switch and shoe unit on prepared board recessed in wall or columns (S.I.No. 11/P-10)	25	90.48	Each	2262.00
9	P/F Surface type 3 pin 15 amps S.P surface plug socket with and shoe unit on metal board recessed in the walls or columns and covered with plastic. (S.I.No.17/P-11)	15	166.97	Each	2504.55



10	Providing & fixing A.C or D.C Electric bell 200/250 volts 70 mm (S.I.No.21/11).	4	150.7	Each	602.80
11	Providing & fixing flush type electric bell push button. (S.I.No.23/P-12).	4	25.19	Each	100.76
12	P/F distribution board double shutter to accommodate circuit breakers in C.pain line with enameled pain and for other similar jobs on surface (S.I.No.5/P-13).	18	907.96	P.Sft	16343.28
13	P/F PVC brass centre swiveling type button holder (S.I.No.A-2/P-14) (Electrical)	30	54.79	Each	1643.70
14	Fixing A.C Ceiling fan regulator on metal board recessed in the walls or columns and covered with plastic sheet (S.I.No.3/P-14)	12	124.3	Each	1491.60
15	P/F mild steel bar fan clamp 15.8 mm (5/8") dia (S.I.No.C-I/P-14) (Electrical)	12	141.01	Each	1692.12
16	Errrection of ceiling fan i/c wiring of down rod with 1/1 .13 mm (3/.029) PVC wire fixing or regulators blade canopy etc: as required (S.I.No.1/P-14)	12	82.16	Each	985.92
17	P/F on a prepared board iron clad bus bar with 4 copper strips of 100 amps in 24.4 mmx 5.5 mm (1" x 7/32") section with chamber of over all size 609 x 336 mm (24" x 13.25") . (S.I.No.12/P-18) (Electrical)	2	2180.75	Each	4361.50
18	Providing circuit breaker 6 amps to 63 amps D.P i/c fixing on a prepared board and necessary connection. (S.I.No.1/P-20)	6	442.02	Each	2652.12
19	S/F automatic circuit breaker tarasaki japan DP 6 to 63 DP amps. (Heavy Dut). (S.I.No.F-2/P-20) (Electrical)	4	948.02	Each	3792.08
20	Providing Circuit breaker 100 amps triple pole i/c fixing on a prepared board and necessary connection. (S.I.No.5/P-20).	2	9138.25	Each	18276.50



P/F earthing set with 2"x2"x1/2" copper plate buried in ground at a depth of 12" or less if water comes out from the ground level with salt and charcoal, etc: i/c making the pit 12" deep by excavation of all type of soil earth plate to be connected with No.8 S.W.g bare copper, wire run in 1/2" G.L pipe strength from the earth plate upto the metallic electrical necessary i/c providing necessary tee. (S.I.No.1/P-26).

		2	3610.04	Each	7220.08
22	P/F hard drawn bare copper wire no 16 S.W.G as earth continuity conductor with any given mains or sub-mains in all system of wiring i/c metallic electrical necessary i/c providing necessary tee. (S.I.No.1/P-26)	400	5.06	P.Rft	2024.00
23	S/F 1-40 watts tube light complete with 40 watts 4"-0 long rod, Chock, Starter and putty with philip components i/c necessary electric connection and fixing on wall or ceiling etc: complete (S.I.No.1 /P-33).	12	396	Each	4752.00
24	S/F 2-40 watts tube light complete with 40 watts 4"-0 long rod, Chock, Starter and putty with philip components i/c necessary electric connection and fixing on wall or ceiling etc: Complete (S.I.No.2/P-33)	18	1677	Each	30186.00
25	Providing and fixing water pumping set with seimen motor & javed pump 1 H.P 1400 PRM single phase 220 volts 2"x2"-0"1-1/2" suction and delivery 40 ft: head i/c base plate and also making C.C 1:3:6 plate form of required size and fixing with nuts and bolts complete in all respect. (S.I.No.3/P-29)	2	22000	Each	44000.00
26	P/F Energy saver superior quality i/c fixing on existing holder etc: complete (S.I.No.6/P-33).	25	497	Each	12425.00
27	Supply of A.C ceiling fan 56" sweep complete (S.I.No.9/P-14)	12	1567	Each	18804.00

Total Amount For Part "B" Water Supply Etc 351952.52

Say Amount Rupees 351953.00 ✓


CONTRACTOR


Executive Engineer,
Small Dams Division K.1
Dadu



OFFICE OF THE EXECUTIVE ENGINEER SMALL DAMS
ORGANIZATION DIVISION KOHISTAN-I, DADU.

Phone # 025-9200072
Fax # 025-9200072

No: XEN/SDO/K-I/TC/ 82
Dadu Dated: 11/02/2011

To,

The Director,
Information (Advertisement)
Public Relation Department
Government of Sindh
Karachi.

SUBJECT: PUBLICATION OF NOTICE INVITING TENDER.

Enclosed please find herewith (07 copies) of Notice Inviting Tender for publication in one insertion of three well reputed dailies of English, Urdu & Sindhi

It is certified that sufficient funds are available to meet the advertisement bill in respect of work mentioned in the NIT enclosed for wide publicity in newspapers.

It is further requested that the advertisement is essential and publication be restricted newspapers only, keeping in view the budgetary constraints.

Executive Engineer
Small Dams Organization Division Kohistan-I
Dadu

Copy forwarded for information to:

1. The Secretary Irrigation & Power Department Government of Sindh Karachi
2. The P-S to Minister Irrigation Department Sindh Karachi
3. The Project Director / Chief Engineer Small Dams Organization Region in Sindh Hyderabad
4. The Project Director / Superintendent Engineer Small Dams Organization Circle in Sindh Hyderabad
5. The Director (CB) Sindh Public Procurement Regulatory Authority Karachi
6. Copy Notice Board / office file
7. Copy Drawing Branch

Executive Engineer
Small Dams Organization Division Kohistan-I
Dadu



OFFICE OF THE EXECUTIVE ENGINEER SMALL DAMS
ORGANIZATION DIVISION KOHISTAN-I, DADU.

Phone # 025-9200072
Fax # 025-9200072

No: XEN/SDO/K-I/TC/ 80
Dadu Dated: 11/02/2011

NOTICE INVITING TENDER

Sealed Tenders B-1/B-II forms are invited from all interested in individual contractors/forms for the following work on (PPRA) Rules 2010

Sr.No	Name of Scheme/Location	Estimated Cost (M)	Earnest Money	Tender Fee	Time of Completion
01	construction of project management unit (pmu) small dams organization in sindh camp office @dadu	3.875.000/-	75000/-	3000/-	1 month

1. The contract document/blank tender can be obtained from office of the undersigned on payment of tender fee/(Non-refundable) on any working day upto 14-03-2011
2. The tender dully filled in properly and sealed in an envelope will be received back upto office hours on 15-03-2011 and will be opened on the same day in presence of the interested contractors or their authorized representative who may desire to be present.
3. The contractors should produce call deposit as earnest money in the name of undersigned.
4. The procuring Agency may reject all or any bids subject to the relevant provision of (PPRA) Rules.
5. The Registration with Pakistan Engineering council is required for the work above Rs:2:500 (Million)
6. The participant contractors shall have to quote the rates on the amount of schedule "B" (Bill of Quantities) committee to opening of tender compressing Executive Engineer Small Dams Organization Division K-1 Dadu and Divisional Account Officer Small Dams Organization Division Kohistan-1 Dadu. Tenders if not opened on the same date either will opened on the next day or another convenient date in case the undersigned is out of head Quarters.
7. Conditional Tenders will not be entertained

Executive Engineer
Small Dams Organization Division K-1
Dadu

Copy forwarded for information to:

1. The Secretary Irrigation & Power Department Government of Sindh Karachi
2. The P-S to Minister Irrigation Department Sindh Karachi
3. The Project Director / Chief Engineer Small Dams Organization Region in Sindh Hyderabad
4. The Project Director / Superintendent Engineer Small Dams Organization Circle in Sindh Hyderabad
5. The Director Information (advertisement) Public Relation Department Block No-06 Sindh Secretariate Karachi along with 7 copies of NIT for wide publicity through daily news papers is that i-e (One) English (Dawn) , (one) urdu (Dunya), (One) sindhi (Kawish)
6. The Director (CB) Sindh Public Procurement Regulatory Authority Karachi
7. Copy Notice Board / office file
8. Copy Drawing Branch

Executive Engineer
Small Dams Organization Division K-1
Dadu



عوامي حقن جي ترجمان، ڪمپيوٽر تي پهرين مڪمل اخبار

+A B C+
CERTIFIED

Daily AWAMI AWAZ Karachi

روزاني

عوامي آواز

ڪراچي

ڇنڇر 26 فيبروري 2011 ع 22 ربيع الاول 1432ھ (سال) شمارو 56 قيمت 7 روپيا

پ پ نواز ليگ جي فيصلو

پنجاب مخالف

نواز ليگ جي 10 تقاطعي اجنباد پ پ جي منشور

حڪومت پاران ملڪي مسئلن جي حل

پنجاب ۾ پ پ جا وزير استعيفيٰ نه ڏين

اسلام آباد (اڀي پي) پاڪستان پيپلز پارٽي نواز

انسوس جو ڏينهن قرار ڏيندي چيو آهي ته انقلاب

پنجاب ۾ وزارت لاءِ ڊڪ ڊون يونيفڪيشن

لاهور ۾ (اڀي پي) نواز ليگ پنجاب حڪومت کان پ

پ پ کي ڌار ڪرڻ جي اعلان بعد نواز ليگ ۽

پ پ کي ڌار ڪرڻ جي اعلان بعد نواز ليگ ۽

پ پ کي ڌار ڪرڻ جي اعلان بعد نواز ليگ ۽

پ پ کي ڌار ڪرڻ جي اعلان بعد نواز ليگ ۽

پ پ کي ڌار ڪرڻ جي اعلان بعد نواز ليگ ۽

پ پ کي ڌار ڪرڻ جي اعلان بعد نواز ليگ ۽

پ پ کي ڌار ڪرڻ جي اعلان بعد نواز ليگ ۽

پ پ کي ڌار ڪرڻ جي اعلان بعد نواز ليگ ۽

پ پ کي ڌار ڪرڻ جي اعلان بعد نواز ليگ ۽

پ پ کي ڌار ڪرڻ جي اعلان بعد نواز ليگ ۽

پ پ کي ڌار ڪرڻ جي اعلان بعد نواز ليگ ۽

پ پ کي ڌار ڪرڻ جي اعلان بعد نواز ليگ ۽

پ پ کي ڌار ڪرڻ جي اعلان بعد نواز ليگ ۽

پ پ کي ڌار ڪرڻ جي اعلان بعد نواز ليگ ۽

پ پ کي ڌار ڪرڻ جي اعلان بعد نواز ليگ ۽

پ پ کي ڌار ڪرڻ جي اعلان بعد نواز ليگ ۽

پ پ کي ڌار ڪرڻ جي اعلان بعد نواز ليگ ۽

پ پ کي ڌار ڪرڻ جي اعلان بعد نواز ليگ ۽

پ پ کي ڌار ڪرڻ جي اعلان بعد نواز ليگ ۽

پ پ کي ڌار ڪرڻ جي اعلان بعد نواز ليگ ۽

پ پ کي ڌار ڪرڻ جي اعلان بعد نواز ليگ ۽

پ پ کي ڌار ڪرڻ جي اعلان بعد نواز ليگ ۽

پ پ کي ڌار ڪرڻ جي اعلان بعد نواز ليگ ۽

پ پ کي ڌار ڪرڻ جي اعلان بعد نواز ليگ ۽

پ پ کي ڌار ڪرڻ جي اعلان بعد نواز ليگ ۽

پ پ کي ڌار ڪرڻ جي اعلان بعد نواز ليگ ۽

پ پ کي ڌار ڪرڻ جي اعلان بعد نواز ليگ ۽

پ پ کي ڌار ڪرڻ جي اعلان بعد نواز ليگ ۽

دفتر ايگزيڪيوٽو انجنيئر سمال ڊيمس آرگنائيزيشن ڊويزن ڪوهستان - 1 دادو

ٽينڊر گھرائڻ جو نوٽيس

هيت ڄاڻايل ڪم آڏو پي آري 2010 جي تحت خواهشمند فرين ليڪيڊن/فرين کان پي - 1
پي - 2 فرين تي مھربند ٿيندو گھرائجن ٿا.

نمبر	مسڪيرو/لوڪيشن جو نالو	دھمبھو	بيانو	ٿيندو فرين	مھو
01	سنڌ ڪيمپ آفيس دادو ۾ پوريھڪٽ مشيھڪٽ				
	پونٽ (پي آري پي) سمال ڊيمس آرگنائيزيشن جي دھمبھو	3875000	77500	3000	3 مھينا

- ڪانٽريڪٽ دستاويز/عالي ٽينڊر هيت صحيح ڪندو جي آفيس مان ٽينڊر تي ناقابل واپسي جي اندازي ڪرڻ تي ڪنهن به ڪم واري ڏينهن 2011-03-14 تائين حاصل ڪري سگهجن ٿا.
- اڳواٽ پھريل مخصوص طريقي سان لفظي ۾ مھربند ٿيل ٽينڊر 2011-03-15 تي آفيس وقت دوران واپس ورتا ويندا ۽ ساڳئي ڏينهن خواهشمند ليڪيڊن يا انھن جي مھربان نمائندن جي روبرو کوليا ويندا.
- ليڪيڊن کي ڄاڻايل سڙي رقم ڪمال ڊپازٽ جي صورت ۾ هيت صحيح ڪندو جي نالي تي جمع ڪرائڻ گھرجي.
- پروڪيورنگ ايجنسي لاڳاپيل پي پي آري رٽور جي تحت ڪنهن هڪ يا سڀني آڇن کي رد ڪرڻ جو اختيار رکي ٿي.
- پاڪستان انجنيئرنگ ڪانٽرول رٽ ريسٽريشن 2.5 ملين کان مٿي ماليت جي ڪمن لاءِ طريقي آهي.
- مھربان ليڪيڊن کي پنھنجا اگھ ڏيکارڻ پي (بل آف ڪرائسٽين) جي تحت ٽينڊر لوڪيشن ڪميٽي جيڪا ايگزيڪيوٽو انجنيئر سمال ڊيمس آرگنائيزيشن ڊويزن ڪي - 1 دادو ڊويزنل انجنيئر آفيس سمال ڊيمس آرگنائيزيشن ڊويزن ڪوهستان وٽ دادو تي مشتمل آهي اڏو پيش ڪرڻا پھريا جيڪڏهن ٽينڊر مقرر ڪيل تاريخ تي ڪنهن سبب جي ڪري کلي نه سگھيا ته اھي پھي ٽينڊر ڪم واري ڏينهن يا هيت صحيح ڪندو جي هيد ڪوارٽر کان پھريهجن جي صورت ۾ پھي ڪنهن مھربان ڏينهن کوليا ويندا.
- شرطي ٽينڊر تي غور نه ڪيو ويندو.

صحيح/ايگزيڪيوٽو انجنيئر
سمال ڊيمس آرگنائيزيشن ڊويزن ڪي - 1 دادو
INF_KRY No.659/11

آرگنائزیشن ڈویژن - I، دادو

فون نمبر: 025-9200072، فیکس نمبر: 025-9200072

No. XENS/DOK-ITC/80

Date

Dated: 11-02-2011

ٹینڈر طلبی نوٹس

درج ذیل کام کے لیے (PPRA) 2010ء کے تحت دہلی کے مال ڈیپارٹمنٹ کے ذریعہ B-VB-II کی طرح پرمیٹریڈر مطلوب ہیں۔

نمبر	مقام	تعمیراتی	درجہ	قیمت	واحد	میت
01	اسٹریٹ لائٹنگ	اسٹریٹ لائٹنگ	77500/-	3,875,000/-	(pms)	1.3

01 کلرک دہلی کے مال ڈیپارٹمنٹ کے ذریعہ (B-VB-II) کی طرح پرمیٹریڈر (pms) کے تحت 14-03-2011 تک کسی بھی کام کے لیے ان فرمز پر عمل سے حاصل کیے جاسکتے ہیں۔

02 پورٹل سے عمل سرکیرٹائی میں ٹینڈر 15-03-2011 کو درج ذیل کام کے ذریعہ (B-VB-II) کی طرح پرمیٹریڈر کے ذریعہ حاصل کیے جاسکتے ہیں۔

03 اسٹریٹ لائٹنگ کے لیے (PPRA) کے تحت پرمیٹریڈر کے ذریعہ (B-VB-II) کی طرح پرمیٹریڈر کے ذریعہ حاصل کیے جاسکتے ہیں۔

04 (PPRA) کے تحت پرمیٹریڈر کے ذریعہ (B-VB-II) کی طرح پرمیٹریڈر کے ذریعہ حاصل کیے جاسکتے ہیں۔

05 اسٹریٹ لائٹنگ کے لیے (PPRA) کے تحت پرمیٹریڈر کے ذریعہ (B-VB-II) کی طرح پرمیٹریڈر کے ذریعہ حاصل کیے جاسکتے ہیں۔

06 اسٹریٹ لائٹنگ کے لیے (PPRA) کے تحت پرمیٹریڈر کے ذریعہ (B-VB-II) کی طرح پرمیٹریڈر کے ذریعہ حاصل کیے جاسکتے ہیں۔

07 اسٹریٹ لائٹنگ کے لیے (PPRA) کے تحت پرمیٹریڈر کے ذریعہ (B-VB-II) کی طرح پرمیٹریڈر کے ذریعہ حاصل کیے جاسکتے ہیں۔

ایگزیکٹو انجینئر

اسٹریٹ لائٹنگ آرگنائزیشن

Daily Express Kye
Dt: 26/2/2011

FOUNDED BY QUAID-I-AZAM MOHAMMAD ALI JINNAH

DAWN

http://DAWN.com Vol. LXV No. 56 Karachi, Rabi-ul-Awwal 22, 1432 Saturday, February 26, 2011 24 PAGES - YOUNG WORLD

OFFICE OF THE EXECUTIVE ENGINEER
SMALL DAMS ORGANIZATION DIVISION KOHISTAN-I, DADU
Phone # 025-9200072 — Fax # 025-9200072

No: XEN/SDO/K-1/TC/80 Dadu, dated: 17/02/2011

NOTICE INVITING TENDER

Sealed tenders on B-17 B-II Forms are invited from all interested individual contractors / firms for the following work on PPRA Rules 2010:

Sr. No.	Name of Scheme / Location	Estimated Cost (Rs.)	Earnest Money (Rs.)	Tender Fee (Rs.)	Time for Completion
01.	Construction of Project Management Unit (PMU), Small Dams Organization in Sinch-Camp Office at Dadu.	3,875,000	77,500	3,000	3 Months

- The contract document / blank tender can be obtained from office of the undersigned on payment of tender fee (non-refundable) on any working day upto 14/03/2011.
- The tender duly filled in properly and sealed in an envelope will be received back during office hours on 15/03/2011 and will be opened on the same day in presence of the interested contractors or their authorized representatives who may desire to be present.
- The contractors should produce Call Deposit as Earnest Money in the name of the undersigned.
- The Procuring Agency may reject any or all bids subject to the relevant provisions of PPRA Rules.
- The Registration with Pakistan Engineering Council is required for the work above Rs.2.500 (Million).
- The participating contractors shall have to quote the rates on the amount of Schedule "B" (Bill of Quantities) committee to opening of tender comprising Executive Engineer, Small Dams Organization Division K-1, Dadu and Divisional Accounts Officer, Small Dams Organization Division Kohistan-I, Dadu. If tenders could not be opened on the due date, then it will be opened on the next day or another convenient date in case the undersigned is out of Headquarters.
- Conditional tenders will not be entertained.

Executive Engineer
Small Dams Organization Division K-1, Dadu.

JNF:KRY.No. 659/11

**OFFICE OF THE EXECUTIVE ENGINEER SMALL DAM
ORGANIZATION DIVISION KOHISTAN-I DADU.**

Tender Form B-2.

Certified that due to non availability of B-2 Tender Form, this Form is being issued and in case of lowest Tender this will be replaced by B-2 Tender Form issued to M/S Mumtaz & Co.
Sect: Contractor (Civil) Hyderabad.

DR No. 2290611 dated 16/03/2011 Rs: 3500/-

(Signature)
(Syed Riaz Hussain Shah)
Executive Engineer
Small Dam Organization Division
K-1 Dadu.

(Signature)

I/We hereby tender for the execution for the Government of Sindh (here in before and here in after) referred to as Government of the work specified in the under written memorandum within time specified in (Memorandum) at 3.7% percent ~~below~~ above the Estimated rates entered in Schedule-B Memorandum showing Items of work to be carried out and in accordance in all respects with the specification, Design, Drawings and instructions in writing referred to in Rule-I, here of and in clause-12 of the annexed condition of contract and agree that when Materials for work are provided by the Government such materials and the rates to be paid for them shall be provided in schedule-A hereto.

MEMORANDUM

- | | |
|--|---|
| a) General Description. | 15 Construction of Project Management Unit (PMU) Camp office at Dadu. |
| b) Estimate cost. | Rs: <u>5692434-5</u> 5697167/2 |
| c) Earnest Money. | 2% of Estimated cost/ Quoted rate. <u>1177500/-</u> |
| d) Percentage if any to be deducted in bills. | Rs:6% |
| e) Security Deposit i/c Earnest Money. | 5% |
| f) Time allowed for completing the work from date fixed in written order commence. | <u>03</u> Months. |

Shall this Tender be accepted I/We hereby agree to abide by and fulfill all the terms and provisions of the conditions of Contract annexed here to for as applicable and in default there of to forfeit and pay to Government the sums of money mentioned in the said conditions. Dadu.
Call Deposit No. 259974 dt 14/3/2011. M.C. 0095 for a sum of Rs: 78000/- is herewith forwarded representing the earnest money the full value of which is to be absolutely forfeited to the Government of Sindh of his successors in office should I/We not deposit the full amount of security deposit specified in the above Memorandum in accordance with clause-I (A) of the said conditions otherwise the said sum of Rs. shall be retained by Government as on account of Security deposit specified in Clause -I (B) of the said conditions.
I/We agree to execute on B-2 Form in case my / Your Tender is accepted and I/We shall / will further be bound to abide be all terms and conditions provided in Tender/ Contract.

(Signature)
CONTRACTOR.

(Signature)
(Syed Riaz Hussain Shah)
Executive Engineer
Small Dam Organization Division
K-1 Dadu.

SCHEDULE B

NAME OF WORK CONSTRUCTION OF CAMP OFFICE BUILDING OF PROJECT
DIRECTOR /CHIEF ENGINEER SMALL DAMS ORGANIZATION
@ DADU

S.NO	DESCRIPTION	QTY	UNIT	RATE	AMOUNT
PART "A" CIVIL WORK					
1	Excavation in Foundation of Building, Bridges, and other structures, including dag-belling, dressing, refilling around structure with excavated earth watering and ramming lift upto 5 feet. (c) in hard soil or soft murum. (S.I.No.18(c) /P-5)	10547	Cft	1464.10	15441.86
2	Cement Concrete Plain including placing, compacting, finishing & curing complete (including screening & washing of stone aggregates without shutterring) Ratio 1:3:6 (S.I.No.5 g /P-18)	2486	Cft	5001.70	124342.26
3	Pacca brick work in foundation & plinth. (e) in cement sand mortar ratio 1: 6 (S.I # 4 e, Page # 25)	10345	Cft	3865.15	399849.77
4	Pacca Brick work in ground floor in cement sand mortar 1:6 (S.I.No.5 (e) /P-25)	4644	Cft	4246.30	197198.17
5	Reinforcement concrete work including all labour and material except the cost of steel reinforcement and its labour for bending and binding which will be paid separately. This rate also includes all kind of forms, moulds, lifting shuttering, curing, rendering and finishing the exposed surface (including Screening and washing of shingle) R.C.C work in roof slab beams columns rafts lintels staircases and other structural members laid in situ or pre-cast laid in position complete in all respects, ratio 1:2:4 90 lbs. Cement 2 Cft sand 4cft shingle 1/8" to 1/4" gauge (S.I # 6 P-18)	1888.0	Cft	114.00	215232.00
6	Fabrication of mild steel reinforcement for cement concrete i/c cutting bending lying in position making joints and fastings i/c cost of biding wire also i/c removal of rust from Tor bars (S.I.No. 7 II (b) /P-20)	67.00	cwt	2772.55	185760.85
7	Supplying & filling Sand under floor and plugging into walls. (S.I.No.29 /P 31)	62818	Cft	203.50	127834.63
8	Providing Anti -termmite treatment by spraying /sprinkling /spreading Neptachlar 0.5% Emulsion as an overall pre -construction treatment in slab type construction under the slab and along attached perches or entrances etc, complete as per directions of Engineer Incharge. (S.I.No.92 /P-115)	2520	Sft	4.16	10483.20

M. Ady

S.NO	DESCRIPTION	QTY	UNIT	RATE	AMOUNT
9	Cement Concrete Plain including placing, compacting, finishing & curing complete (including screening & washing of stone aggregates without shuttering) Ratio 1:4:8 (S.I.No.5 i /P-18)	878 Cft	100 Cft	4319.70	37926.97
10	Cement Concrete Plain including placing, compacting, finishing & curing complete (including screening & washing of stone aggregates without shuttering) Ratio 1:2:4 (S.I.No.5 f /P-18)	878 Cft	100 Cft	5941.10	52162.86
11	Pacca Brick work in First floor in cement sand mortar 1:6 (S.I.No.5 (e) /P-25) 4246.3 + 226.90 = 4473.20	420 Cft	100 Cft	4473.20	18787.44
12	Supplying Iron steel Girders of superior quality this rate also includes hire charges up to site. (Refer R/A # attached)	48 Cwt	1 cwt	5335.10	256084.80
13	Supplying Iron steel T-irons of superior quality this rate also includes hire charges up to site. (Refer R/A # attached)	38 Cwt	1 cwt	5335.10	202733.80
14	Erection rolled steel beams or old rails in roofs etc. Erection and fixing in position. (S.I.#6, Page # 96)	86 Cwt	1 Cwt	76.71	6597.06
15	2nd class tile roofing consisting of 4" earth and 1" mud plaster with Gobri leaping over 1/2" thick cement plaster 1:6 with 34 Lbs. of hot bitumen coating sand blinded provided over one layer of tiles 12" x 6" x 2" laid in 1:6 cement mortar with including 1:2 cement pointing under neath of tiles complete l/c curring. (S.I.No.2, P # 38)	1995 Sft	100 Sft	2779.87	55458.41
16	P/ Laying single per layer of polythene sheet 0.13 mm thick for water proofing as per specification and instruction of Engineer incharge. (Page # 44, Item # 38)	1995 Sft	1 Sft	3.64	7261.80
17	P/ Laying in position 1.5" thick thermopole sheet of superior quality over roof etc complete. (Refer R/A # 01 Attached)	1995 Sft	1 Sft	32.79	65416.05
18	Cement plaster 1:6 upto 20' height 1/2" thick (S.I.No.13 (b)/ P-58)	8616 Sft	100 Sft	531.41	45786.29
19	Cement plaster 1:4 upto 20' height 3/4" thick (S.I.No.11 (c)/P-58)	15928 Sft	100 Sft	779.96	124232.02
20	Applying floating coat of cement 1/32" thick (S.I.No.14 / P-59)	8616 Sft	100 Sft	361.08	31110.65

Handwritten signature

S.NO	DESCRIPTION	QTY	UNIT	RATE	AMOUNT
21	Providing and fixing G.I Frame / Chowkat 7" x 2" or 4 1/2" x 3" for door using 20 guage G.I sheet i/c welded hinges and fixing at site with necessary hold fasts filling with cement sand slurry of ratio 1:6 and repairing the jambs the cost also i/c all carriage of tools and plants used in making and fixing (S.I.No. 29 /P-98)	212 Rft	1 Rft	113.37	24034.44
22	First class deodar wood wrought, joinery in doors and windows etc, fixed in position including chowkhats hold fasts hinges, iron tower bolts. Chocks cleats, handles and cords with hooks, etc, (b) 1 3/4" thick deodar paneled or paneled & glazed or fully glazed (b) 1 3/4" thick. (Without chowckats) (S.I.No.7 /P-65) (309.52 - 81.14 = 228.38)	298 Sft	1 Sft	228.38	68057.24
23	Supplying fixing in position aluminum channles framing for hinged door or alcope made with 5mm thick tinted glass glazing (Belgium) and Alpha (Japan) locks i/c handles. Stoppers etc.complete Deluxe model (Bronze) (S.I.No.83 b/ P-114)	70 Sft	1 Sft	601.62	42113.40
24	Supplying in fixing alumimuim channles framing for sliding windows and ventilaotrs of Alcop made with 5mm thick tinted glass glazing (Belgium) & alimunium fly screen i/c handles, stoppers & Loocking arangment etc complete (b) Deluxe Model Bronze (S.I.No.84 (b) /P-114)	143 Sft	1 Sft	652.35	93286.05
25	Providing and fixing iron steel grill using solid square bars of size 1/2" x 1/2" placed at 4" i/c and frame of flat iron patty of 3/4" x 3/4" i/c circle shape at 1-0 apart equivalent fitted with screws or pins i/c paiting 3 coats with 1 st of red oxide paint etc (S.I.No.30 / P 98)	213 Sft	1 Sft	123.91	26392.83
26	Providing & fixing C.C Pavers in grey shed having crushing strength 5000 lb / sq Inch i/c 3" sand cusion & compaction complete in all respect. (Refer R/A # 3 Attached)	320 Sft	1 Sft	169.07	54102.40
27	Supplying Kitchen Marble top 1" thick. (Afghan Or Ziarat white) [Sch: of Matrials P # 3, 1 # 34(x)] Add labour charges for laying [S.I # 24, Page # 48]		1 Sft	400.00	
	Total Rate	70 Sft	1 Sft	12.10	
			1 Sft	412.10	28847.00
28	Providing and fixing Porcelien Dado/floor tiles (20"x20") jointed in white cement and laid over bed of 1/2"thick grey cement send mortar ratio 1:3 i/c washing / filling of joints with white cement etc: complete in all respect. (Superior Quality) (Refer R.A. No: 02)	2042 Sft	1 Sft	218.10	445360.20

Ali Adil

S.NO	DESCRIPTION	QTY	UNIT	RATE	AMOUNT
29	Providing and fixing Glazed Ceramic floor tiles (12"x18") jointed in white cement and laid over bed of 1/2" thick grey cement sand mortar ratio 1:3 i/c washing / filling of joints with white cement etc: complete in all respect (Superior Quality) (Refer R.A. No: 08)	242 Sft	1 Sft	173.20	41914.40
30	Providing and fixing Glazed Ceramic Tile Dado (12"x18") i/c two layers of Printed Borders (4" Wide) jointed in white cement and laid over bed of 1/2" thick grey cement sand mortar ratio 1:3 i/c washing / filling of joints with white cement etc: complete in all respect (Superior Quality) (Refer R.A. No: (SA))	557 Sft	1 Sft	243.54	135651.78
31	Supplying and fixing false ceiling of plaster of paris, in pannels including making frame, work of Deodar Wood including painting with Solgia paint. (S.I.No.52 /P-72)	1734 Sft	100 Sft	10630.26	184328.71
32	Providing & fixing plaster of Paris ceiling border of 8" -10 " with of specified design & thickness i/c fixing besides ceiling with nails/ screws with jetties. (S.I.No.44 /P-45)	421 Rft	1 Rft	44.8	18860.80
33	Providing & fixing plaster of paris centre pieces of 2'-0 dia i/c fixing in ceiling with nails /screws. (S.I.No.45 /P-45)	8 Nos	1 No	152.96	1223.68
34	Preparing the surface and painting with matt finish i/c rubbing the surface with Bathy (Silicon, cabide, rubbing brick) filling the voids with zink / chalk / plaster of paris mixture, applying first coat premix. Making the surface smooth and then painting 3 coats with matt finish of approved make (new surface 2 coats) (S.I.No.36 /P-61 A+B+B) (751.03 + 341.0 + 341.0 = 1433.03)	4368 Sft	100 Sft	1433.03	62594.75
35	Providing and fixing color crete to wall surface to provide durable crust and aesthetics having thickness upto 3/4" with speciefied colour having water, fire and termite resistance. Up to 20' height (S.I.No.44 /P-63)	3443 Sft	100 Sft	3137.20	108013.80
36	Primary coat of chalk distemper (S.I.No.23 /P-59)	2126 Sft	100 Sft	58.85	1251.15
37	Distemping 3 coats (S.I.No.24 (c) /P-60)	2126 Sft	100 Sft	263.51	5602.22
38	Painting new surface. (c) Preparing surface & Painting of doors & windows any type including edges. 3 coats (Over P. coat) (S.I.No.5 (c) /P-77) Prim: Coat + 3 Coats 408.47+(285.24x3) = 1264.19	455 Sft	100 Sft	1264.19	5752.06

Amir Adnan

S.NO	DESCRIPTION	QTY	UNIT	RATE	AMOUNT
39	Cement plaster 1:3, 3/4" thick up to 20' height. (S.I No: 10 c, P-58)	584 Sft	100 Sft	817.03	4771.46
40	Khuras on Roof 2' x 2' x 6" (S.# 18, Page # 41)	8 Nos	1 No	173.97	1391.76
41	Bottom khuras of brick masonry in cement mortar ratio 1:6 4' x 2' 4 1/2", over 3" cement concrete 1:4:8. (S. # 19, Page # 41)	8 Nos	1 No	248.66	1989.28
42	Plain G.I sheet iron spouts fixed in place including painting. (S.I No: 25, Page No: 42)	8 Nos	1 No	142.1	1136.80
43	Khapriel of cement concrete 12"x8"x1" of approved design/shape laid flat in 1:2 grey cement mortar over a bed of 3/4" thick cement mortar. (S.I No: 39, Page No: 44)	336 Sft	100 Sft	3813.95	12814.87
44	Making and fixing steel grated door with 1/16"thick steelling i/c angle iron frame 2"x2"3/8 tp 3/4 square bars 4" c/c with locking Arrangment (S.I.No:24/P/97)	60 Sft	100 Sft	385.76	23146
Say Amount Of Part - A					3572337.96


CONTRACTOR


Executive Engineer,
Small Dams Division
K.1 Dadu

SCHEDULE B

NAME OF WORK CONSTRUCTION OF CAMP OFFICE BUILDING OF PROJECT
DIRECTOR /CHIEF ENGINEER SMALL DAMS ORGANIZATION @ NAGARPARKAR.

S.NO	DESCRIPTION	QTY	UNIT	RATE	AMOUNT
PART "B" INTERNAL WATER SUPPLY / SANITARY FITTINGS & DRAINAGE					
<u>(i) Scheduled Items</u>					
1	Providing chambers 9" x 6" (inside dimensions) x 24" deep for stop cocks and valves etc. with 6" thick C.C 1:3:6 cast in situ walls, 6" thick C.C 1:4:8 in foundation 1/2" thick cement plaster 1:3 to all inside wall surface and to top 1" thick C.C 1:2:4 flooring complete with hinged cast iron cover and frame 9"x6" (inside) clear opening (wt 1/2" Qr) etc. fixed in cement concrete 1:2:4 including curing excavation back filling & disposal of earth etc. complete (S.I.No.1 /P-17)	6 Nos	1 No	647.20	3883.20
2	Construction manhole or inspection chamber for the required dia of circular sewer and 3'-6" (1067 mm) depth with walls of B.B in cement mortar 1:3 cement plastered 1:3 1/2" thick inside of walls and 1" (25mm) thick over benching and channel i/c fixing C.I manhole cover with frame of clear opening (1'-2' x 1'-1/2' (457x457 mm) of 1.75 Cwt. (88.9 kg) embedded in plain C.C 1:2:4 and fixing 1" (25 mm) C/C duly painted etc. complete as per specification and drawing No.D.P/I of Public Health Circle Southern zone. (S.I.No.1 P-39)	10 Nos	1 No	5789.30	57893.00
3	Providing UPVC pipe with collars class "B" and digging the trenches to required depth and fixing in position i/c cutting fitting and joining with maphalt composition and cement mortar 1:1 and testing with water pressure to a head of 4' ft above the top of the highest pipe and reflag with excavated (S.I.No.2 /P-21)				
	a) 6" dia	180.00 Rft	1 Rft	72.40	13032.00
	b) 9" dia	300.00 Rft	1 Rft	115.20	34560.00



S.NO	DESCRIPTION	QTY	UNIT	RATE	AMOUNT
------	-------------	-----	------	------	--------

4	Providing & fixing 18" x 16" beveled edge mirror of Belgium glass complete with 1/8" thick hard board and c.p screws fixed to wooden pleat. Superior pattern (S.I.No.3 (b) /P-7)	3 Nos	1 No	982.30	2946.90
---	--	-------	------	--------	---------

5	Providing and fixing chrome plated brass towel rail complete with brackets fixing on wooden cleats with 1" long C.P brass screws, 3/4" dia round of square (Superior quality) (s.l.No.1 (b) P-7)	3 Nos	1 No	380.60	1141.80
---	--	-------	------	--------	---------

Total

113456.90

(ii) Non-Scheduled Items

6	Providing & fixing English Commode with Seat cover including glazed flusing cistern complete in all respects (Superior Quality) (Refer R/A # 06)	3 Nos	1 No	21220/-	63840/-
---	--	-------	------	---------	---------

7	Providing & fixing Urinal including flusing cistern complete in all respects (Superior Quality) (Refer R/A # 07)	3 Nos	1 No	4830/-	14490/-
---	--	-------	------	--------	---------

8	Providing & fixing WC 19" clear size including glazed flusing cistern, without wash basin. Complete in all respects (Superior Quality) (Refer R/A # 08)	3 Nos	1 No	7285/-	21855/-
---	---	-------	------	--------	---------

9	Providing & fixing Wash Basin 22"x16" i/c CP waste pipe & bolt kit etc complete in all respects (Superior Quality) (Refer R/A # 09)	3 Nos	1 No	8560/-	25680/-
---	---	-------	------	--------	---------

10	Providing and fixing C.P Brass concealed Tee stop cock with crystal head heavy patron and superior Quality (Superior Quality) 1/2" dia. (Refer R/A # 10)	20 Nos	1 No	1115/-	22300/-
----	--	--------	------	--------	---------

11	Providing and fixing C.P Brass Wash Basin mixture with crystal heads, heavy patron & superior quality 1/2" dia. (Refer R/A # 11)	3 Nos	1 No	4030/-	12090/-
----	--	-------	------	--------	---------

12	Providing and fixing C.P Brass Double bib cock with Muslim Shower & crystal heads heavy patron 1/2" dia (Superior Quality) (Refer R/A # 12)	6 Nos	1 No	3850/-	23100/-
----	---	-------	------	--------	---------



S.NO	DESCRIPTION	QTY	UNIT	RATE	AMOUNT
13	Providing and fixing C.P Brass Fancy bib cock with crystal head 1/2" dia (Superior Quality) (R/A # 13)	10 Nos	1 No	2445/-	24450/-
14	P/F C.P Rose shower i/c C.P. rod etc (Superior Quality) (Refer R/A # 145)	3 Nos	1 No	885/-	2655/-
15	Providing and fixing C.P Brass concealed stop cock with crystal head 1/2" dia heavy patron (Superior Quality) (Refer R/A # 15)	24 Nos	1 No	1610/-	38640/-
16	Providing and fixing U.P.V.C. Floor Trap 6"x2" or 6"x3" dia grade 1, (superior quality) i/c Steel floor Jali grade-I including cutting, fitting with collars, clamps and rubber solvent. This rate also includes making holes in walls, plinth, floor and roof for fixing pipe and making good in CC 1:2:4 testing pressure head of 200 ft Refer R/A # 16)	8 Nos	1 No	1065/-	8520/-
17	Providing and fixing U.P.V.C. pipe 4" dia suitable for bath room drainage of grade-I including cutting, fitting with collars, clamps and rubber solvent. This rate also includes making holes in walls, plinth, floor and roof for fixing pipe and making good in CC 1:2:4. Testing pressure head 200 ft. Superior Quality (Refer R/A # 17)	300 Rft	1 Rft	273/-	81900/-
18	Providing and fixing U.P.V.C. 4" dia commode trap of grade-1 i/c including cutting, fitting with collars, clamps and rubber solvent. This rate also includes making holes in walls, plinth, floor and roof for fixing pipe and making good in CC 1:2:4. Testing pressure head 200 ft. Superior Quality. Refer R/A # 18)	3 Nos	1 No	1290/-	3870/-

Shree Arora

S.NO	DESCRIPTION	QTY	UNIT	RATE	AMOUNT
------	-------------	-----	------	------	--------

19 Providing and fixing U.P.V.C 4" dia P.Trap of grade-1 i/c including cutting, fitting with collars, clamps and rubber solvent. This rate also includes making holes in walls, plinth, floor and roof for fixing pipe and making good in CC 1:2:4. Testing pressure head 200 ft. Superior quality
Refer R/A # 19)

8 Nos 1 No 1825/- 14600/-

20 Providing and fixing U-P.V.C. 4"x4" plain branch or Y Tee of required degree of grade-I superior quality including cutting, fitting with collars, clamps and rubber solvent. This rate also includes making holes in walls, plinth, floor and roof for fixing pipe and making good in CC 1:2:4 testing pressure head 200 ft. Superior quality.
Refer R/A # 20)

4 Nos 1 No 1210/- 4840/-

21 Providing and fixing U-P.V.C. 4"x4" branch of required degree with excess door of grade-I Superior Quality including cutting, fitting with collars, clamps and rubber solvent. This rate also includes making holes in walls, plinth, floor and roof for fixing pipe and making good in CC 1:2:4 testing pressure head 200 ft
(Refer R/A # 21)

6 Nos 1 No 1445/- 8670/-

22 Providing and fixing U-P.V.C. 4" Plain Bend, or Off set Bend of required grade-1 (Superior quality) including cutting, fitting with collars, clamps and rubber solvent. This rate also includes making holes in walls, plinth, floor and roof for fixing pipe and making good in CC 1:2:4. Testing pressure head 200 ft.
(Refer R/A # 22)

9 Nos 1 No 940/- 8460/-

23 Providing and fixing U.P.V.C 4" Plug Bend of required degree with with access door of grade-I (Superior quality) including cutting, fitting with collars, clamps and rubber solvent. This rate also includes making holes in walls, plinth, floor and roof for fixing pipe and making good in CC 1:2:4. Testing pressure head 200 ft.
(Refer R/A # 23)

5 Nos 1 No 1342/- 6710/-

M. S. S.

SCHEDULE B

NAME OF WORK CONSTRUCTION OF CAMP OFFICE BUILDING OF PROJECT
DIRECTOR /CHIEF ENGINEER SMALL DAMS ORGANIZATION @ DADU.

S.No	DESCRIPTION	QTY	RATE	UNIT	AMOUNT
PART "C" INTERNAL E.I FITTINGS					
1	Wiring for light or fan point with 3/0.29 PVC ins.wire 3/4" PVC conduit recessed wall or col. As required. (S.I. No 6/P-1) (Electrical)	70	469.49	P.Point	32864.30
2	Siring for plug point with 1/1. 13 (3./029) PVC insulated wire in 2 mm (3/4") PVC conduit recessed required in the wall or columns as (S.I No. 10/P-2).	25	244.41	Each	6110.25
3	Wiring for call bell with 1/1. 13 (3./029) PVC insulated wire in 20 mm (3/4") PVC conduit (S.I No. 12/P-2)	4	469.49	Each	1877.96
4	Wiring for mains with 2-1.78 (7/0.29) PVC insulated wire in 10 mm (3/4") PVC conduit recessed in the wall or column as required (S.I. No. 5/P-4)	1000	24.15	P.Rft	24150.00
5	Wiring for mains with 2-7/1.04(7/.044) PVC insulated wire in 25 mm (1") PVC conduit (S.I.No.8/P-4) (Electrical)	1200	31.11	P.Rft	37332.00
6	Wiring for mains with 3-1/.064 & 1/7.036 VIP wire 660 volts grade in 1" PVC conduit recessed in the wall as required (S.I.No. 66/P-08)	800	83.76	Each	67008.00
7	P/F A.C one way S.P 10/15 amps switch flush type one metal board recessed in the wall or columns and covered with fiber sheet. (S.I.No.7/P-10)	100	64.9	Each	6490.00
8	P/F Flush type 2 pin 5 amps S.P plug socket switch and shoe unit on prepared board recessed in wall or columns (S.I.No. 11/P-10)	25	90.48	Each	2262.00
9	P/F Surface type 3 pin 15 amps S.P surface plug socket with and shoe unit on metal board recessed in the walls or columns and covered with plastic. (S.I.No.17/P-11)	15	166.97	Each	2504.55



10	Providing & fixing A.C or D.C Electric bell 200/250 volts 70 mm (S.I.No.21/11).	4	150.7	Each	602.80
11	Providing & fixing flush type electric bell push button. (S.I.No.23/P-12).	4	25.19	Each	100.76
12	P/F distribution board double shutter to accommodate circuit breakers in C.pain line with enameled pain and for other similar jobs on surface (S.I.No.5/P-13).	18	907.96	P.Sft	16343.28
13	P/F PVC brass centre swiveling type button holder (S.I.No.A-2/P-14) (Electrical)	30	54.79	Each	1643.70
14	Fixing A.C Ceiling fan regulator on metal board recessed in the walls or columns and covered with plastic sheet (S.I.No.3/P-14)	12	124.3	Each	1491.60
15	P/F mild steel bar fan clamp 15.8 mm (5/8") dia (S.I.No.C-I/P-14) (Electrical)	12	141.01	Each	1692.12
16	Errection of ceiling fan i/c wiring of down rod with 1/1 .13 mm (3/.029) PVC wire fixing or regulators blade canopy etc: as required (S.I.No.1/P-14)	12	82.16	Each	985.92
17	P/F on a prepared board iron clad bus bar with 4 copper strips of 100 amps in 24.4 mmx 5.5 mm (1" x 7/32") section with chamber of over all size 609 x 336 mm (24" x 13.25") . (S.I.No.12/P-18) (Electrical)	2	2180.75	Each	4361.50
18	Providing circuit breaker 6 amps to 63 amps D.P i/c fixing on a prepared board and necessary connection. (S.I.No.1/P-20)	6	442.02	Each	2652.12
19	S/F automatic circuit breaker tarasaki japan DP 6 to 63 DP amps. (Heavy Dut). (S.I.No.F-2/P-20) (Electrical)	4	948.02	Each	3792.08
20	Providing Circuit breaker 100 amps triple pole i/c fixing on a prepared board and necessary connection. (S.I.No.5/P-20).	2	9138.25	Each	18276.50


[Handwritten Signature]

21	P/F earthing set with 2"x2"x1/2" copper plate buried in ground at a depth of 12" or less if water comes out from the ground level with salt and charcoal, etc: i/c making the pit 12" deep by excavation of all type of soil earth plate to be connected with No.8 S.W.g bare copper, wire run in 1/2" G.L pipe strength from the earth plate upto the metallic electrical necessary i/c providing necessary tee. (S.I.No.1/P-26).	2	3610.04	Each	7220.08
22	P/F hard drawn bare copper wire no 16 S.W.G as earth continuity conductor with any given mains or sub-mains in all system of wiring i/c metallic electrical necessary i/c providing necessary tee. (S.I.No.1/P-26)	400	5.06	P.Rft	2024.00
23	S/F 1-40 watts tube light complete with 40 watts 4"-0 long rod, Chock, Starter and putty with philip components i/c necessary electric connection and fixing on wall or ceiling etc: complete (S.I.No.1 /P-33).	12	396	Each	4752.00
24	S/F 2-40 watts tube light complete with 40 watts 4"-0 long rod, Chock, Starter and putty with philip components i/c necessary electric connection and fixing on wall or ceiling etc: Complete (S.I.No.2/P-33)	18	1677	Each	30186.00
25	Providing and fixing water pumping set with seimen motor & javed pump 1 H.P 1400 PRM single phase 220 volts 2"x2"-0"1-1/2" suction and delivery 40 ft: head i/c base plate and also making C.C 1:3:6 plate form of required size and fixing with nuts and bolts complete in all respect. (S.I.No.3/P-29)	2	22000	Each	44000.00
26	P/F Energy saver superior quality i/c fixing on existing holder etc: complete (S.I.No.6/P-33).	25	497	Each	12425.00
27	Supply of A.C ceiling fan 56" sweep complete (S.I.No.9/P-14)	12	1567	Each	18804.00

Total Amount For Part "B" Water Supply Etc 351952.52

Say Amount Rupees 351953.00


CONTRACTOR


Executive Engineer,
Small Dams Division K.1
Dadu

**OFFICE OF THE EXECUTIVE ENGINEER SMALL DAM
ORGANIZATION DIVISION KOHISTAN-I DADU.**

Tender Form B-2.

Certified that due to non availability of B-2 Tender Form, this Form is being issued and in case of lowest Tender this will be replaced by B-2 Tender Form issued to M/S Muhammad Chaudhary

DR No. 229063 dated 14/03/2011 Rs: 3000/-

(Signature)
(Syed Riaz *(Signature)* Shah)
Executive Engineer
Small Dam Organization Division
K-1 Dadu.

Mohd
I/We hereby tender for the execution for the Government of Sindh (here in before and here in after) referred to as Government of the work specified in the under written memorandum within time specified in (Memorandum) at 32.50% percent below/ above the Estimated rates entered in Schedule-B Memorandum showing Items of work to be carried out and in accordance in all respects with the specification, Design, Drawings and instructions in writing referred to in Rule-I, here of and in clause-12 of the annexed condition of contract and agree that when Materials for work are provided by the Government such materials and the rates to be paid for them shall be provided in schedule-A hereto.

MEMORANDUM. 15/03/2011

- | | |
|--|--|
| a) General Description. | Construction of Project Management Unit (PMU) Camp office at Dadu. |
| b) Estimate cost. | Rs: <u>5697247.25</u> / <u>5697167/2</u> |
| c) Earnest Money. | 2% of Estimated cost/ Quoted rate. <u>Rs 77500/-</u> |
| d) Percentage if any to be deducted in bills. | Rs: 6% |
| e) Security Deposit i/c Earnest Money. | 5% |
| f) Time allowed for completing the work from date fixed in written order commence. | <u>03</u> .. Months. |

Shall this Tender be accepted I/We hereby agree to abide by and fulfill all the terms and provisions of the conditions of Contract annexed here to for as applicable and in default there of to forfeit and pay to Government the sums of money mentioned in the said conditions. Dadu.

Rs: 3000/- is herewith forwarded representing the earnest money the full value of which is to be absolutely forfeited to the Government of Sindh of his successors in office should I/We not deposit the full amount of security deposit specified in the above Memorandum in accordance with clause-I (A) of the said conditions otherwise the said sum of Rs..... shall be retained by Government as on account of Security deposit specified in Clause -I (B) of the said conditions.

I/We agree to execute on B-2 Form in case my / our Tender is accepted and I/We shall / will further be bound to abide be all terms and conditions provided in Tender/ Contract.

(Signature)
CONTRACTOR.

(Signature)
(Syed Riaz *(Signature)* Shah)
Executive Engineer
Small Dam Organization Division
K-1 Dadu.

SCHEDULE B

NAME OF WORK CONSTRUCTION OF CAMP OFFICE BUILDING OF PROJECT
DIRECTOR /CHIEF ENGINEER SMALL DAMS ORGANIZATION
@ DADU

S.NO	DESCRIPTION	QTY	UNIT	RATE	AMOUNT
PART "A" CIVIL WORK					
1	Excavation in Foundation of Building, Bridges, and other structures, including dag-belling, dressing, refilling around structure with excavated earth watering and ramming lift upto 5 feet. (c) in hard soil or soft murum. (S.I.No.18(c) /P-5)	10547 Cft	1000 Cft	1464.10	15441.86
2	Cement Concrete Plain including placing, compacting, finishing & curing complete (including screening & washing of stone aggregates without shuterring) Ratio 1:3:6 (S.I.No.5 g /P-18)	2486 Cft	100 Cft	5001.70	124342.26
3	Pacca brick work in foundation & plinth. (e) in cement sand mortar ratio 1: 6 (S.I # 4 e, Page # 25)	10345 Cft	100 Cft	3865.15	399849.77
4	Pacca Brick work in ground floor in cement sand mortar 1:6 (S.I.No.5 (e) /P-25)	4644 Cft	100 Cft	4246.30	197198.17
5	Reinforcement concrete work including all labour and material except the cost of steel reinforcement and its labour for bending and binding which will be paid separately. This rate also includes all kind of forms, moulds, lifting shuttering, curing, rendering and finishing the exposed surface (including Screening and washing of shingle) R.C.C work in roof slab beams columns rafts lintels staircases and other structural members laid in situ or pre-cast laid in position complete in all respects, ratio 1:2:4 90 lbs. Cement 2 Cft sand 4cft shingle 1/8" to 1/4" gauge (S.I # 6 P-18)	1888.0 Cft	1 Cft	114.00	215232.00
6	Fabrication of mild steel reinforcement for cement concrete i/c cutting bending lying in position making joints and fastings i/c cost of biding wire also i/c removal of rust from Tor bars (S.I.No. 7 II (b) /P 20)	67.00 cwt	1 cwt	2772.55	185760.85
7	Supplying & filling Sand under floor and plugging into walls. (S.I.No.29 /P 31)	62818 Cft	100 Cft	203.50	127834.63
8	Providing Anti -termmite treatment by spraying /sprinkling /spreading Neptachlar 0.5% Emulsion as an overall pre -construction treatment in slab type construction under the slab and along attached perches or entrances etc, complete as per directions of Engineer Incharge. (S.I.No.92 /P-115)	2520 Sft	100 Cft	4.16	10483.20



S.NO	DESCRIPTION	QTY	UNIT	RATE	AMOUNT
9	Cement Concrete Plain including placing, compacting, finishing & curing complete (including screening & washing of stone aggregates without shuttering) Ratio 1:4:8 (S.I.No.5 i /P-18)	878 Cft	100 Cft	4319.70	37926.97
10	Cement Concrete Plain including placing, compacting, finishing & curing complete (including screening & washing of stone aggregates without shuttering) Ratio 1:2:4 (S.I.No.5 f /P-18)	878 Cft	100 Cft	5941.10	52162.86
11	Pacca Brick work in First floor in cement sand mortar 1:6 (S.I.No.5 (e) /P-25) 4246.3 + 226.90 = 4473.20	420 Cft	100 Cft	4473.20	18787.44
12	Supplying Iron steel Girders of superior quality this rate also includes hire charges up to site. (Refer R/A # attached)	48 Cwt	1 cwt	5335.10	256084.80
13	Supplying Iron steel T-irons of superior quality this rate also includes hire charges up to site. (Refer R/A # attached)	38 Cwt	1 cwt	5335.10	202733.80
14	Errrection rolled steel beams or old rails in roofs etc. Errrection and fixing in position. (S.I # 6, Page # 96)	86 Cwt	1 Cwt	76.71	6597.06
15	2nd class tile roofing consisting of 4" earth and 1" mud plaster with Gobri leeping over 1/2" thick cement plaster 1:6 with 34 Lbs. of hot bitumen coating sand blinded provided over one layer of tiles 12" x 6" x 2" laid in 1:6 cement mortar with including 1:2 cement pointing under neath of tiles complete l/c curring. (S.I.No.2, P # 38)	1995 Sft	100 Sft	2779.87	55458.41
16	P/ Laying single per layer of polythene sheet 0.13 mm thick for water proofing as per specification and instruction of Engineer incharge. (Page # 44, Item # 38)	1995 Sft	1 Sft	3.64	7261.80
17	P/ Laying in position 1.5" thick thermopole sheet of superior quality over roof etc complete. (Refer R/A # 01 Attached)	1995 Sft	1 Sft	32.79	65416.05
18	Cement plaster 1:6 upto 20' height 1/2" thick (S.I.No.13 (b)/ P-58)	8616 Sft	100 Sft	531.41	45786.29
19	Cement plaster 1:4 upto 20' height 3/4" thick (S.I.No.11 (c)/P-58)	15928 Sft	100 Sft	779.96	124232.02
20	Applying floating coat of cement 1/32" thick (S.I.No.14 / P-59)	8616 Sft	100 Sft	361.08	31110.65



S.NO	DESCRIPTION	QTY	UNIT	RATE	AMOUNT
21	Providing and fixing G.I Frame / Chowkat 7" x 2" or 4 1/2" x 3" for door using 20 guage G.I sheet i/c welded hinges and fixing at site with necessary hold fasts filling with cement sand slurry of ratio 1:6 and repairing the jambs the cost also i/c all carriage of tools and plants used in making and fixing (S.I.No. 29 /P-98)	212 Rft	1 Rft	113.37	24034.44
22	First class deodar wood wrought, joinery in doors and windows etc, fixed in position including chowkhats hold fasts hinges, iron tower bolts. Chocks cleats, handles and cords with hooks, etc, (b) 1 3/4" thick deodar paneled or paneled & glazed or fully glazed (b) 1 3/4" thick. (Without chowckats) (S.I.No.7 /P-85) (309.52 - 81.14 = 228.38)	298 Sft	1 Sft	228.38	68057.24
23	Supplying fixing in position aluminum channles framing for hinged door or alcop made with 5mm thick tinted glass glazing (Belgium) and Alpha (Japan) locks i/c handles. Stoppers etc.complete Deluxe model (Bronze) (S.I.No.83 b/ P-114)	70 Sft	1 Sft	601.62	42113.40
24	Supplying in fixing alumimuim channles framing for sliding windows and ventilaotrs of Alcop made with 5mm thick tinted glass glazing (Belgium) & allmunium fly screen i/c handles, stoppers & Loocking arangement etc complete (b) Deluxe Model Bronze (S.I.No.84 (b) /P-114)	143 Sft	1 Sft	652.35	93286.05
25	Providing and fixing iron steel grill using solid square bars of size 1/2" x 1/2" placed at 4" i/c and frame of flat iron patty of 3/4" x 3/4" i/c circle shape at 1-0 apart equivalent fitted with screws or pins i/c palting 3 coats with 1 st of red oxide paint etc (S.I.No.30 / P 98)	213 Sft	1 Sft	123.91	26392.83
26	Providing & fixing C.C Pavers in grey shed having crushing strength 5000 lb / sq inch i/c 3" sand cusion & compaction complete in all respect. (Refer R/A # 05 Attached)	320 Sft	1 Sft	169.07	54102.40
27	Supplying Kitchen Marble top 1" thick. (Afghan Or Ziarat white) [Sch: of Matrials P # 3, I # 34(x)] Add labour charges for laying [S.I # 24, Page # 48]		1 Sft	400.00	
	Total Rate	70 Sft	1 Sft	412.10	28847.00
28	Providing and fixing Porcelien Dado/floor tiles (20"x20") jointed in white cement and laid over bed of 1/2"thick grey cement send mortar ratio 1:3 i/c washing / filling of joints with white cement etc: complete in all respect. (Superior Quality) (Refer R.A. No: 02)	2042 Sft	1 Sft	218.10	445360.20

NO	DESCRIPTION	QTY	UNIT	RATE	AMOUNT
29	Providing and fixing Glazed Ceramic floor tiles (12"x18") jointed in white cement and laid over bed of 1/2" thick grey cement sand mortar ratio 1:3 i/c washing / filling of joints with white cement etc: complete in all respect (Superior Quality) (Refer R.A. No: 03)	242 Sft	1 Sft	173.20	41914.40
30	Providing and fixing Glazed Ceramic Tile Dado (12"x18") i/c two layers of Printed Borders (4" Wide) jointed in white cement and laid over bed of 1/2" thick grey cement sand mortar ratio 1:3 i/c washing / filling of joints with white cement etc: complete in all respect (Superior Quality) (Refer R.A. No: 04)	557 Sft	1 Sft	243.54	135651.78
31	Supplying and fixing false ceiling of plaster of paris, in pannels including making frame, work of Deodar Wood including painting with Soligia paint. (S.I.No.52 /P-72)	1734 Sft	100 Sft	10630.26	184328.71
32	Providing & fixing plaster of Paris ceiling border of 8" -10 " with of specified design & thickness i/c fixing besides ceiling with nails/ screws with jetties. (S.I.No.44 /P-45)	421 Rft	1 Rft	44.8	18860.80
33	Providing & fixing plaster of paris centre pieces of 2'-0 dia i/c fixing in ceiling with nails /screws. (S.I.No.45 /P-45)	8 Nos	1 No	152.96	1223.68
34	Preparing the surface and painting with matt finish i/c rubbing the surface with Bathy (Silicon, cabide, rubbing brick) filling the voids with zink / chalk / plaster of paris mixture, applying first coat premix. Making the surface smooth and then painting 3 coats with matt finish of approved make (new surface 2 coats) (S.I.No.36 /P-61 A+B+B) (751.03 + 341.0 + 341.0 = 1433.03)	4368 Sft	100 Sft	1433.03	62594.75
35	Providing and fixing color crete to wall surface to provide durable crust and aesthetics having thickness upto 3/4" with speciefied colour having water, fire and termite resistance. Up to 20' height (S.I.No.44 /P-63)	3443 Sft	100 Sft	3137.20	108013.80
36	Primary coat of chalk distemper (S.I.No.23 /P-59)	2126 Sft	100 Sft	58.85	1251.15
37	Distemping 3 coats (S.I.No.24 (c) /P-60)	2126 Sft	100 Sft	263.51	5602.22
38	Painting new surface. (c) Preparing surface & Painting of doors & windows any type including edges. 3 coats (Over P. coat) (S.I.No.5 (c) /P-77) Prim: Coat + 3 Coats 408.47+(285.24x3) = 1264.19	455 Sft	100 Sft	1264.19	5752.06



S.NO	DESCRIPTION	QTY	UNIT	RATE	AMOUNT
39	Cement plaster 1:3, 3/4" thick up to 20' height. (S.I No: 10 c, P-58)	584 Sft	100 Sft	817.03	4771.46
40	Khuras on Roof 2' x 2' x 6" (S.# 18, Page # 41)	8 Nos	1 No	173.97	1391.76
41	Bottom khuras of brick masonry in cement mortar ratio 1:6 4' x 2' 4 1/2", over 3" cement concrete 1:4:8. (S. # 19, Page # 41)	8 Nos	1 No	248.66	1989.28
42	Plain G.I sheet iron spouts fixed in place including painting. (S.I No: 25, Page No: 42)	8 Nos	1 No	142.1	1136.80
43	Khapriel of cement concrete 12"x8"x1" of approved design/shape laid flat in 1:2 grey cement mortar over a bed of 3/4" thick cement mortar. (S.I No: 39, Page No: 44)	336 Sft	100 Sft	3813.95	12814.87
44	Making and fixing steel grated door with 1/16" thick steeling i/c angle iron frame 2"x2" 3/8 tp 3/4 square bars 4" c/c with locking Arrangement (S.I.No:24/P/97)	60 Sft	100 Sft	385.76	23146
Say Amount Of Part - A					3572337.96


CONTRACTOR

Exec 
Small Dams Division
K-1 Dadu

SCHEDULE B

NAME OF WORK CONSTRUCTION OF CAMP OFFICE BUILDING OF PROJECT
DIRECTOR /CHIEF ENGINEER SMALL DAMS ORGANIZATION @ NAGARPARKAR.

S.NO	DESCRIPTION	QTY	UNIT	RATE	AMOUNT
------	-------------	-----	------	------	--------

**PART "B" INTERNAL WATER
SUPPLY / SANITARY FITTINGS &
DRAINAGE**

(i) Scheduled Items

1	Providing chambers 9" x 6" (inside dimensions) x 24" deep for stop cocks and valves etc. with 6" thick C.C 1:3:6 cast in situ walls, 6" thick C.C 1:4:8 in foundation 1/2" thick cement plaster 1:3 to all inside wall surface and to top 1" thick C.C 1:2:4 flooring complete with hinged cast iron cover and frame 9"x6" (inside) clear opening (wt 1/2" Qr) etc. fixed in cement concrete 1:2:4 including curing excavation back filling & disposl of earth etc. complete (S.I.No.1 /P-17)	6 Nos	1 No	647.20	3883.20
2	Construction manhole or inspection chamber for the required dia of circular sewer and 3'-6" (1067 mm) depth with walls of B.B in cement motor 1:3 cement plastered 1:3 1/2" thick inside of walls and 1" (25mm) thick over benching and hchannel i/c fiding C.I manhole cover with frame of clear opening (1-1/2' x 1., 1/2' (457x457 mm) of 1.75 Cwt. (88.9 kg) embedded in plain C.C 1:2:4 and fixing 1" (25 mm) C/C duly painted etc. complete as per specification and drawing No.D.P/I of Public Health Circle Southern zone. (S.I.No.1 P-39)	10 Nos	1 No	5789.30	57893.00
3	Providing UPVC pipe with collars calss "B" and digginbg the tenches to requied depth and fixing in position i/c cutting fitting and joiting with maxphalt composition and cement mortor 1:1 and testing with water perssure to a head of 4' ft above the top of the highest pipe and reflign with excated (S.I.No.2 /P-21)				
	a) 6" dia	180.00 Rft	1 Rft	72.40	13032.00
	b) 9" dia	300.00 Rft	1 Rft	115.20	34560.00



S.NO	DESCRIPTION	QTY	UNIT	RATE	AMOUNT
------	-------------	-----	------	------	--------

4	Providing & fixing 18" x 16" beveled edge mirror of Belgium glass complete with 1/8" thick hard board and c.p screws fixed to wooden pliar. Superior pattern (S.I.No.3 (b) /P-7)	3 Nos	1 No	982.30	2946.90
---	--	-------	------	--------	---------

5	Providing and fixing chrome plated brass towel rail complete with brackets fixing on wooden cleats with 1" long C.P brass screws. 3/4" dia round of square (Superior quality) (s.I.No.1 (b) P-7)	3 Nos	1 No	380.60	1141.80
---	--	-------	------	--------	---------

Total

113456.90

(ii) Non-Scheduled Items

6	Providing & fixing English Commode with Seat cover including glazed flusing cistern complete in all respects (Superior Quality) (Refer R/A # 06)	3 Nos	1 No	21300/=	63900-00
---	--	-------	------	---------	----------

7	Providing & fixing Urinal including flusing cistern complete in all respects (Superior Quality) (Refer R/A # 07)	3 Nos	1 No	4850/=	14550-00
---	--	-------	------	--------	----------

8	Providing & fixing WC 19" clear size including glazed flusing cistern, without wash basin. Complete in all respects (Superior Quality) (Refer R/A # 08)	3 Nos	1 No	7290/=	21870-00
---	---	-------	------	--------	----------

9	Providing & fixing Wash Basin 22"x16" i/c CP waste pipe & bolt kit etc complete in all respects (Superior Quality) (Refer R/A # 09)	3 Nos	1 No	8565/=	25695-00
---	---	-------	------	--------	----------

10	Providing and fixing C.P Brass concealed Tee stop cock with crystal head heavy pattron and superior Quality (Superior Quality) 1/2" dia. (Refer R/A # 10)	20 Nos	1 No	1120/=	22400-00
----	---	--------	------	--------	----------

11	Providing and fixing C.P Brass Wash Basin mixture with crystal heads, heavy pattron & superior quality 1/2" dia. (Refer R/A # 11)	3 Nos	1 No	4025/=	12075-00
----	---	-------	------	--------	----------

12	Providing and fixing C.P Brass Double bib cock with Muslim Shower & crystal heads heavy pattron 1/2" dia (Superior Quality) (Refer R/A # 12)	6 Nos	1 No	3820/=	22920-00
----	--	-------	------	--------	----------

Mhd

S.NO	DESCRIPTION	QTY	UNIT	RATE	AMOUNT
------	-------------	-----	------	------	--------

13	Providing and fixing C.P Brass Fancy bib cock with crystal head 1/2" dia (Superior Quality) (R/A # 13)	10 Nos	1 No	2450/=	24500-00
14	P/F C.P Rose shower i/c C.P. rod etc (Superior Quality) (Refer R/A # 145)	3 Nos	1 No	875/=	2625-00
15	Providing and fixing C.P Brass concealed stop cock with crystal head 1/2" dia heavy patron (Superior Quality) (Refer R/A # 15)	24 Nos	1 No	1605/=	38520-00
16	Providing and fixing U.P.V.C. Floor Trap 6"x2" or 6"x3" dia grade 1, (superior quality) i/c Steel floor Jali grade-I including cutting, fitting with collars, clamps and rubber solvent. This rate also includes making holes in walls, plinth, floor and roof for fixing pipe and making good in CC 1:2:4 testing pressure head of 200 ft Refer R/A # 16)	8 Nos	1 No	1050/=	8400-00
17	Providing and fixing U.P.V.C. pipe 4" dia suitable for bath room drainage of grade-I including cutting, fitting with collars, clamps and rubber solvent. This rate also includes making holes in walls, plinth, floor and roof for fixing pipe and making good in CC 1:2:4. Testing pressure head 200 ft. Superior Quality (Refer R/A # 17)	300 Rft	1 Rft	275/=	82500-00
18	Providing and fixing U.P.V.C. 4" dia commode trap of grade-1 i/c including cutting, fitting with collars, clamps and rubber solvent. This rate also includes making holes in walls, plinth, floor and roof for fixing pipe and making good in CC 1:2:4. Testing pressure head 200 ft. Superior Quality. Refer R/A # 18)	3 Nos	1 No	1300/=	3900-00

M. H. A.

S.NO	DESCRIPTION	QTY	UNIT	RATE	AMOUNT
------	-------------	-----	------	------	--------

19 Providing and fixing U.P.V.C 4" dia P.Trap of grade-1 i/c including cutting, fitting with collars, clamps and rubber solvent. This rate also includes making holes in walls, plinth, floor and roof for fixing pipe and making good in CC 1:2:4. Testing pressure head 200 ft. Superior quality
(Refer R/A # 19)

8 Nos 1 No 1820/= 14560-00

20 Providing and fixing U-P.V.C. 4"x4" plain branch or Y Tee of required degree of grade-1 superior quality including cutting, fitting with collars, clamps and rubber solvent. This rate also includes making holes in walls, plinth, floor and roof for fixing pipe and making good in CC 1:2:4 testing pressure head 200 ft. Superior quality.
(Refer R/A # 20)

4 Nos 1 No 1208/= 4832-00

21 Providing and fixing U-P.V.C. 4"x4" branch of required degree with excess door of grade-1 Superior Quality including cutting, fitting with collars, clamps and rubber solvent. This rate also includes making holes in walls, plinth, floor and roof for fixing pipe and making good in CC 1:2:4 testing pressure head 200 ft
(Refer R/A # 21)

6 Nos 1 No 1440/= 8640-00

22 Providing and fixing U-P.V.C. 4" Plain Bend, or Off set Bend of required grade-1 (Superior quality) including cutting, fitting with collars, clamps and rubber solvent. This rate also includes making holes in walls, plinth, floor and roof for fixing pipe and making good in CC 1:2:4. Testing pressure head 200 ft.
(Refer R/A # 22)

9 Nos 1 No 938/= 8442-00

23 Providing and fixing U.P.V.C 4" Plug Bend of required degree with with access door of grade-1 (Superior quality) including cutting, fitting with collars, clamps and rubber solvent. This rate also includes making holes in walls, plinth, floor and roof for fixing pipe and making good in CC 1:2:4. Testing pressure head 200 ft.
(Refer R/A # 23)

5 Nos 1 No 1340/= 6700-00

Mol

S.NO	DESCRIPTION	QTY	UNIT	RATE	AMOUNT
------	-------------	-----	------	------	--------

24 Providing and fixing U.P.V.C. Terminal Guard
4" dia superior Quality.
(Refer R/A # 24)

5 Nos 1 No 177/= 885-00

25 Providing & fixing G.I.pipes of superior
quality (ILL) or equivalent i/c necessary
fittings. This rate also i/c breaking through
walls, floor, roof or plinth and fittings pipe with
bitumen tape etc. Complete in all respect.

[(Refer R/A # 25 (a)) (a) Pipe 1/2" dia
[(Refer R/A # 25 (b)) (b) Pipe 1" dia
[(Refer R/A # 25 (c)) (c) Pipe 1-1/2" dia

300 Rft 1 Rft 75/= 22500-00
200 Rft 1 Rft 125/= 25000-00
100 Rft 1 Rft 163/= 16300-00

26 Providing and fixing Brass handle
valve. (Superior Quality) (a) 1" dia
[(Refer R/A 26 (a))

3 Nos 1 No 1090/= 3270-00

27 Providing and fixing Brass handle
valve. (Superior Quality) (a) 1" dia
[(Refer R/A 27 (b))


3 Nos 1 No 2825/= 8475-00


28 Providing and fixing CP Brass Sink Mixture
Superior Quality
[Refer R/A 28]

1 Nos 1 No 3460/= 3460-00

Total

466919-00


CONTRACTOR


Executive Engineer,
Small Dams Division K.1
Dadu

SCHEDULE B

NAME OF WORK CONSTRUCTION OF CAMP OFFICE BUILDING OF PROJECT
DIRECTOR /CHIEF ENGINEER SMALL DAMS ORGANIZATION @ DADU.

S.No	DESCRIPTION	QTY	RATE	UNIT	AMOUNT
PART "C" INTERNAL E.I FITTINGS					
1	Wiring for light or fan point with 3/0.29 PVC ins.wire 3/4" PVC conduit recessed wall or col. As required. (S.I. No 6/P-1) (Electrical)	70	469.49	P.Point	32864.30
2	Siring for plug point with 1/1. 13 (3./029) PVC insulated wire in 2 mm (3/4") PVC conduit recessed required in the wall or columns as (S.I No. 10/P-2).	25	244.41	Each	6110.25
3	Wiring for call bell with 1/1. 13 (3./029) PVC insulated wire in 20 mm (3/4") PVC conduit (S.I No. 12/P-2)	4	469.49	Each	1877.96
4	Wiring for mains with 2-1.78 (7/0.29) PVC insulated wire in 10 mm (3/4") PVC conduit recessed in the wall or column as required (S.I. No. 5/P-4)	1000	24.15	P.Rft	24150.00
5	Wiring for mains with 2-7/1.04(7/0.44) PVC insulated wire in 25 mm (1") PVC conduit (S.I.No.8/P-4) (Electrical)	1200	31.11	P.Rft	37332.00
6	Wiring for mains with 3-1/0.64 & 1/7.036 VIP wire 660 volts grade in 1" PVC conduit recessed in the wall as required (S.I.No. 66/P-08)	800	83.76	Each	67008.00
7	P/F A.C one way S.P 10/15 amps switch flush type one metal board recessed in the wall or columns and covered with fiber sheet. (S.I.No.7/P-10)	100	64.9	Each	6490.00
8	P/F Flush type 2 pin 5 amps S.P plug socket switch and shoe unit on prepared board recessed in wall or columns (S.I.No. 11/P-10)	25	90.48	Each	2262.00
9	P/F Surface type 3 pin 15 amps S.P surface plug socket with and shoe unit on metal board recessed in the walls or columns and covered with plastic. (S.I.No.17/P-11)	15	166.97	Each	2504.55



10	Providing & fixing A.C or D.C Electric bell 200/250 volts 70 mm (S.I.No.21/11).	4	150.7	Each	602.80
11	Providing & fixing flush type electric bell push button. (S.I.No.23/P-12).	4	25.19	Each	100.76
12	P/F distribution board double shutter to accommodate circuit breakers in C.pain line with enameled pain and for other similar jobs on surface (S.I.No.5/P-13).	18	907.96	P.Sft	16343.28
13	P/F PVC brass centre swiveling type button holder (S.I.No.A-2/P-14) (Electrical)	30	54.79	Each	1643.70
14	Fixing A.C Ceiling fan regulator on metal board recessed in the walls or columns and covered with plastic sheet (S.I.No.3/P-14)	12	124.3	Each	1491.60
15	P/F mild steel bar fan clamp 15.8 mm (5/8") dia (S.I.No.C-I/P-14) (Electrical)	12	141.01	Each	1692.12
16	Errection of ceiling fan i/c wiring of down rod with 1/1 .13 mm (3/.029) PVC wire fixing or regulators blade canopy etc: as required (S.I.No.1/P-14)	12	82.16	Each	985.92
17	P/F on a prepared board iron clad bus bar with 4 copper strips of 100 amps in 24.4 mmx 5.5 mm (1" x 7/32") section with chamber of over all size 609 x 336 mm (24" x 13.25") . (S.I.No.12/P-18) (Electrical)	2	2180.75	Each	4361.50
18	Providing circuit breaker 6 amps to 63 amps D.P i/c fixing on a prepared board and necessary connection. (S.I.No.1/P-20)	6	442.02	Each	2652.12
19	S/F automatic circuit breaker tarasaki japan DP 6 to 63 DP amps. (Heavy Dut). (S.I.No.F-2/P-20) (Electrical)	4	948.02	Each	3792.08
20	Providing Circuit breaker 100 amps triple pole i/c fixing on a prepared board and necessary connection. (S.I.No.5/P-20).	2	9138.25	Each	18276.50



	P/F earthing set with 2"x2"x1/2" copper plate buried in ground at a depth of 12" or less if water comes out from the ground level with salt and charcoal, etc: i/c making the pit 12" deep by excavation of all type of soil earth plate to be connected with No.8 S.W.g bare copper, wire run in 1/2" G.L pipe strength from the earth plate upto the metallic electrical necessary i/c providing necessary tee. (S.I.No.1/P-26).	2	3610.04	Each	7220.08
22	P/F hard drawn bare copper wire no 16 S.W.G as earth continuity conductor with any given mains or sub-mains in all system of wiring i/c metallic electrical necessary i/c providing necessary tee. (S.I.No.1/P-26)	400	5.06	P.Rft	2024.00
23	S/F 1-40 watts tube light complete with 40 watts 4"-0 long rod, Chock, Starter and putty with philip components i/c necessary electric connection and fixing on wall or ceiling etc: complete (S.I.No.1 /P-33).	12	396	Each	4752.00
24	S/F 2-40 watts tube light complete with 40 watts 4"-0 long rod, Chock, Starter and putty with philip components i/c necessary electric connection and fixing on wall or ceiling etc: Complete (S.I.No.2/P-33)	18	1677	Each	30186.00
25	Providing and fixing water pumping set with seimen motor & javed pump 1 H.P 1400 PRM single phase 220 volts 2"x2"-0"1-1/2" suction and delivery 40 ft: head i/c base plate and also making C.C 1:3:6 plate form of required size and fixing with nuts and bolts complete in all respect. (S.I.No.3/P-29)	2	22000	Each	44000.00
26	P/F Energy saver superior quality i/c fixing on existing holder etc: complete (S.I.No.6/P-33).	25	497	Each	12425.00
27	Supply of A.C ceiling fan 56" sweep complete (S.I.No.9/P-14)	12	1567	Each	18804.00

Total Amount For Part "B" Water Supply Etc 351952.52

Say Amount Rupees 351953.00


CONTRACTOR


Executive Engineer,
Small Dams Division K.1
Dadu



OFFICE OF THE EXECUTIVE ENGINEER SMALL DAMS
ORGANIZATION DIVISION KOHISTAN-I, DADU.

Phone # 025-9200072
Fax # 025-9200072

No: XEN/SDO/K-I/TC/ 80
Dadu Dated: 11/02/2011.

NOTICE INVITING TENDER

Sealed Tenders B-1/B-II forms are invited from all interested in individual contractors/forms for the following work on (PPRA) Rules 2010

Sl:No	Name of Scheme/Location	Estimated Cost (M)	Earnest Money	Tender Fee	Time of Completion
01	construction of project management unit (pmu) small dams organization in sindh camp office @ dadu	3,875,000/-	77500/-	3000/-	3 Month

1. The contract document/blank tender can be obtained from office of the undersigned on payment of tender fee/(Non-refundable) on any working day upto 14-03-2011.
2. The tender dully filled in properly and sealed in an envelop will be received back upto office hours on 15-03-2011 and will be opened on the same day in presence of the interested contractors or their authorized representative who may desire to be present.
3. The contractors should produce call deposit as earnest money in the name of undersigned.
4. The procuring Agency may reject all or any bids subject to the relevant provision of (PPRA) Rules.
5. The Registration with Pakistan Engineering council is required for the work above Rs:2,500 (Million)
6. The participant contractors shall have to quote the rates on the amount of schedule "B" (Bill of Quantities) committee to opening of tender compressing Executive Engineer Small Dams Organization Division K-1 Dadu and Divisional Account Officer Small Dams Organization Division Kohistan-1 Dadu. Tenders if could not be opened on the due date either will opened on the next day or another convenient date in case the undersigned is out of head Quarters.
7. Conditional Tenders will not be entertained.

Executive Engineer
Small Dams Organization Division K-1
Dadu

Copy forwarded for information to:

1. The Secretary Irrigation & Power Department Government of Sindh Karachi
2. The P-S to Minister Irrigation Department Sindh Karachi
3. The Project Director / Chief Engineer Small Dams Organization Region in Sindh Hyderabad
4. The Project Director / Superintendent Engineer Small Dams Organization Circle in Sindh Hyderabad
5. The Director Information (advertisement) Public Relation Department Block No-96 Sindh Secratrate Karachi along with 7 copies of NIT for wide publicity through daily news papers is that i-e (One) English (Dawn), (one) urdu (Jung), (One) sindhi (Kavish)
6. The Director (CB) Sindh Public Procurement Regulatory Authority Karachi
7. Copy Notice Board / office file
8. Copy Drawing Branch

Executive Engineer
Small Dams Organization Division K-1
Dadu



عوامي حقن جي ترجمان، ڪمپيوٽر تي پهرين مڪمل اخبار

+A B C+ CERTIFIED Daily AWAMI AWAZ Karachi روزاني

عوامي آواز

ڪراچي

ڇنڇر 26 فيبروري 2011 ع 22 ربيع الاول 1432 هـ (سال 22) شمارو 56 قيمت 7 روپيا

پ ب نواز ليگ جي فيصو

پنجاب ۾ مخالف

نواز ليگ جي 10 تقابلي اجنڊا پ ب جي مشور ۾

حڪومت پاران ملڪي مسئلن جي حل

پنجاب ۾ پ ب جا وزير استعيفيٰ نه ڏين

اسلام آباد (اڀي پي سي) پاڪستان پيپلز پارٽي نواز

پنجاب ۾ وزارتن لاءِ ڊڪٽر ڀونڀر جيڪبشن

لاهور (اڀي پي سي) نواز ليگ پنجاب حڪومت کان پ

پ ب کي ڌار ڪرڻ جي اعلان بعد نواز ليگ ۽

10 ڏينهن پنهنجي حقن تي عمل نه ڪيو. صورتحال ڏٺو ته ڏينهن ڪم ڪرڻ شروع ڪيو. شينگار ڪم ڪرڻ کانپوءِ ٿوري نشتر ٺاهڻ جو

دفتر ايگزيڪيوٽو انجنيئر سمائل ڊيمس آرگنائيزيشن ڊويزن ڪوهستان - 1 دادو

ٽينڊر گهرائڻ جو نوٽيس

هيت چٽايل ڪرڻ لاءِ هي آراءي روزو 2010 جي تحت عملبند ٿيڻ تي ٽيڪنڪل ڊويزن/قسمن کان پي-1/1
پي-2 فارمن تي مهربند ٿيندو گهرائڻ ٿا.

نمبر	اسٽيٽو / لوڪيشن جو نالو	تعمير	بيٽو	اڻڻڻو قيمتي	مطلو
01	سنڌ گولڊ، آفيس دادو ۽ پروجيڪٽ مئجسٽر	3875000	77500	3000	3 مهينا

(1) ڪانٽريڪٽ دستاويز/خالي ٽينڊر هيت صحيح ڪندڙ جي آفيس مان ٽينڊر تي ڏانهن واپس جي
امانتي ڪرڻ تي ڪنهن به ڪار واري ڏينهن 2011-03-14 ڏانهن حاصل ڪري سگهجن ٿا.

(2) اڳوڻا پيرل مخصوص ڪريڻ سان لغاتن ۾ مهربند ٿيل ٽينڊر 2011-03-15 تي
آفيس وقت دوران واپس ورتا ويندا ۽ ساڳئي ڏينهن خواهشمند ٽيڪنيڪل يا آفيس جي سڃاڻ
نمايندن جي ذريعي کوليا ويندا.

(3) ٽيڪنيڪل ڪم چٽايل سولي وقت ڪال ڊپارٽ جي صورت ۾ هيت صحيح ڪندڙ جي ٿاڻي تي
جمع ڪرائڻ گهرجي.

(4) پروڪيورنگ ايجنسي لاڳاپيل هي آراءي روز جي تحت ڪنهن هڪ يا سڀني آڀن کي رد ڪرڻ
جو اختيار رکي ٿي.

(5) پاڪستان انجنيئرنگ ڪائونسل رٽ رجسٽريشن 2.5 ملين کان مٿي ماليت جي ڪم لاءِ
شرطي آهي.

(6) مسروٽنڊو ٽيڪنيڪل ڪم پنهنجا اڳوڻو شيدول پي (بل آف ڪونٽريڪٽ) جي تحت ٽينڊر ٺاهڻ
ڪمپني جيڪا ايگزيڪيوٽو انجنيئر سمائل ڊيمس آرگنائيزيشن ڊويزن ڪي-1 دادو ڊويزن
اڪائونٽس آفيسر سمائل ڊيمس آرگنائيزيشن ڊويزن ڪوهستان ڊن دادو تي مشتمل آهي آڏو پيش
ڪرڻا پوندا جيڪڏهن ٽينڊر مقرر ڪيل تاريخ تي ڪنهن سبب جي ڪري ڪلي نه سگهيا نه آهي
پني ايڊز ڪرڻ واري ڏينهن يا هيت صحيح ڪندڙ جي هيڊ ڪوارٽر کان باهر هجڻ جي صورت ۾
پني ڪنهن مشاغل ڏينهن کوليا ويندا.

(7) شرطي ٽينڊر تي غور ڪيو ويندو.

صحيح / ايگزيڪيوٽو انجنيئر
سمائل ڊيمس آرگنائيزيشن ڊويزن ڪي-1 دادو
INF_KRY No.659/11

FOUNDED BY QUAID-I-AZAM MOHAMMAD ALI JINNAH

DAWN



http://DAWN.com Vol. LXV No. 56 Karachi, Rabi-ul-Awwal 22, 1432 Saturday, February 26, 2011 24 PAGES - YOUNG WORLD R...

OFFICE OF THE EXECUTIVE ENGINEER
SMALL DAMS ORGANIZATION DIVISION KOHISTAN-I, DADU
 Phone # 025-9200072 — Fax # 025-9200072

No: XEN/SDOK-K/JTC/80 Dadu, dated: 18/02/2011

NOTICE INVITING TENDER

Sealed tenders on B-I / B-II Forms are invited from all interested individual contractors / firms for the following work on PPRA Rules 2010:

Sr. No.	Name of Scheme / Location	Estimated Cost (Rs.)	Earnest Money (Rs.)	Tender Fee (Rs.)	Time for Completion
01.	Construction of Project Management Unit (PMU), Small Dams Organization in Sindh Camp Office at Dadu.	3,875,000	77,500	3,000	3 Months

1. The contract document / blank tender can be obtained from office of the undersigned on payment of tender fee (non-refundable) on any working day upto 14.03.2011.
2. The tender duly filled in properly and sealed in an envelope will be received back during office hours on 15.03.2011 and will be opened on the same day in presence of the interested contractors or their authorized representatives who may desire to be present.
3. The contractors should produce Call Deposit as Earnest Money in the name of the undersigned.
4. The Procuring Agency may reject any or all bids subject to the relevant provisions of PPRA Rules.
5. The Registration with Pakistan Engineering Council is required for the work above Rs. 2,500 (Million).
6. The participating contractors shall have to quote the rates on the amount of Schedule "B" (Bill of Quantities) committee to opening of tender comprising Executive Engineer, Small Dams Organization Division K-1, Dadu and Divisional Accounts Officer, Small Dams Organization Division Kohistan-1, Dadu. If tenders could not be opened on the due date, then it will be opened on the next day or another convenient date in case the undersigned is out of Headquarters.
7. Conditional tenders will not be entertained.

Executive Engineer
 Small Dams Organization Division K-1, Dadu.

INEKRY, No. 659/11

Telephone No.9202672

GOVERNMENT OF SINDH
INFORMATION DEPARTMENT
Block No.96 Sindh Secretariat No.4-B,Karachi
Dated 04/10/2011 19

BILL NO. 659/11

To, The Executive Engineer,
Small Dams Organization Division Kohistan-I,
D A D U.

Dear Sir,

I am forwarding hereunder a bill for the advertisement (particulars given below) received with your letter NO. 92 dated 11.2.11. The necessary newspaper cuttings of the advertisements are enclosed. Payment of this bill is to be made to this office only and not to the newspaper concerned.

Kindly arrange to remit the amount of the bill to the Director of Information (Advertisement) Public Relations Department, Government of Sindh, Karachi WITHIN FIFTEEN DAYS OF THE RECEIPT OF THIS BILL, in cash, by Money Order, Cheque or Bank Draft. All charges for such remittances are to be borne by you and should not be deducted from amount of the bill.

Our insertion Order NO. INF/KRY 659/11 Dated 24.2.11Z

Sr.No	NAME OF NEWSPAPERS	SPACE PER INSERTION	DATE OF INSERTION	Rs.	Ps.
1.	Dawn Kry	20	26.2.11	3900.	00.
2.	Express "	"	"	4647.	00
3.	Awami Awaz "	"	"	6474.	00
4.	Nau Sijj "	"	25.2.11	4620.	00
5.	Jurat "	"	"	3828.	00
6.	Barkha "	"	"	3874.	00
				27,343.	00
Less Advance Ch.No:0548540, Dtd:19.2.11				50,000.	00
TOTAL	Credit Balance:-			22,657.	00

Rupees: **Twenty Two Thousand Six Hundred Fifty Seven only.**

Encl: _____

[Signature]
DIRECTOR OF INFORMATION
(ADVERTISEMENTS)



BUSINESS

Consumer financing consistently

KARACHI, Feb 25: Consumer financing could not hold ground last year, reflecting poor performance of the banking sector despite increasing profits.

Unlike tall claims by banks about their efforts for the growth of consumer financing, the sector is shrinking sharply as reported by the State Bank on Friday.

Each segment under consumer financing is facing decline, including credit cards.

Overall consumer financing fell from Rs258 billion in January 2010 to Rs226 billion in January 2011, a fall of Rs32 billion in the stock of credit given under this head.

The report shows that despite higher demand of cars and expanding cars market in the country, loans given for purchasing cars and other vehicles are shrinking which means cars demand is

met by cash. During of increase cumulated billion from The m business a year des paigns.

Banker does not card busi has cons However, cards but nomic sit The c credit a January year 201 Analy nness was

SITE indu

Centre urge financing

By Muzaffar Qureshi

KARACHI, Feb 25: The Sindh government has asked the federal government to waive one of its conditions for release of Rs2 billion matching grant to Site industrial estates.

The condition relates to setting of 50 per cent export-oriented units in each industrial estate.

Sources said that the condition could not be easily fulfilled, and was only resulting in delays, affecting industrialisation in the province.

Industries secretary Zamir Ahmed Khan told Dawn that the grant approved by the Central Development Working Party (CDWP) in 2008 was linked with the setting up of 50 per cent export-oriented units. The grant would be equally shared by the provincial government.

Several requests have been sent to the deputy chairman of Planning Commission and

Director Rashid Solangi told Dawn that not a single Site estate, including Karachi, fulfils the condition of 50pc export-oriented units.

Site Association of Industries chairman Wahab Lakhani said that Site Karachi has 80pc export units, including weaving, processing, hosiery and towel, which manufacture finished goods for exporters.

He, however, admitted that these units were not exporting directly, but were supplying products to exporters outside the estate for shipment.

In real terms, the estate does not fulfil the condition of 50pc export units if direct export is taken into consideration.

Hyderabad Site Estate Engineer Kamil Jafferi said that funds are required for development of phase-II in Site which needs roads, sewerage, water lines, and fire tender.

The estate has received substantial investment in textile, leather, bangles.

OFFICE OF THE EXECUTIVE ENGINEER
SMALL DAMS ORGANIZATION DIVISION KOHISTAN-I, DADU
 Phone # 025-9200072 -- Fax # 025-9200072

No: XENS/DO/K-ITC/00 Dadu, dated: 11/02/2011

NOTICE INVITING TENDER

Sealed tenders on B-I / B-II Forms are invited from all interested individual contractors / firms for the following work on PPRA Rules 2010.

Sr. No.	Name of Scheme / Location	Estimated Cost (Rs.)	Earnest Money (Rs.)	Tender Fee (Rs.)	Time for Completion
01.	Construction of Project Management Unit (PMU), Small Dams Organization in Sinch Camp Office at Dadu.	3,875,000	77,500	3,000	3 Months

1. The contract document / blank tender can be obtained from office of the undersigned on payment of tender fee (non-refundable) on any working day upto 14.03.2011.
2. The tender duly filled in properly and sealed in an envelope will be received back during office hours on 15.03.2011 and will be opened on the same day in presence of the interested contractors or their authorized representatives who may desire to be present.
3. The contractors should produce Call Deposit as Earnest Money in the name of the undersigned.
4. The Procuring Agency may reject any or all bids subject to the relevant provisions of PPRA Rules.
5. The Registration with Pakistan Engineering Council is required for the work above Rs. 2,500 (Million).
6. The participating contractors shall have to quote the rates on the amount of Schedule "B" (Bill of Quantities) committee to opening of tender comprising Executive Engineer, Small Dams Organization Division K-1, Dadu and Division Accounts Officer, Small Dams Organization Division Kohistan-I, Dadu. If tenders could not be opened on the due date, then it will be opened on the next day or another convenient date in case the undersigned is out of Headquarters.
7. Conditional tenders will not be entertained.

Executive Engineer
 Small Dams Organization Division K-1, Dadu

INF-KRY No. 659/11

Dawn

Chicken meat price raised to Rs270

By Aamir Shafaat Khan

KARACHI, Feb 25: The poultry industry is fully cashing in on the rising demand and has pushed up the live bird rate to Rs162 per kg and its meat to Rs260-270 per kg.

At a time when marriage season is at its peak in Rabi-ul-Awal and the price of mutton and calf bachiya meat with bones have hit new peak to Rs500-520 and Rs280-300 per kg respectively, consumers are turning up to chicken for daily consumption and receptions as the white meat still costs less.

Many poultry retailers were also seen charging much higher rates ignoring the official price list issued by the Karachi Wholesalers Poultry Association (KWPA).

However the rates issued by Pakistan Poultry Association (PPA) were Rs2 per kg cheaper than the KWPA.

In the third week of January 2011, poultry live bird and its meat was available at Rs130 and Rs210-230 per kg respectively and since then its prices continued soaring.

On February 3 the live bird and its meat was available at Rs140 and Rs230-240 per kg while on February 17 the rates reached to Rs148 and Rs250 per kg, respectively.

Karachiites consume around 400,000 poultry birds daily despite persistent increase in its prices. When live bird and its meat prices decline the daily demand reaches up to 450,000-500,000 birds.

A large number of poultry retailers were making consumers fool by claiming that they were selling the bird and its meat at wholesale, but actually they dipped the bird in the water for few minutes af-

KARACHI, Feb 25: A UAE firm M's Faisal Ali Mousa (FAM) Holding is keen to purchase rice and building materials including cement, marbles and granite, tiles and sanitary ware from Pakistan.

This was stated by chairman FAM Holding, Dr Faisal Ali Mousa while addressing a press conference along with his representative in Pakistan Asad Sajjad here.

He said that his construction company, an arm of FAM Holding, immediately needs cement in large quantity besides tiles, marbles and granite, wood and wood

نواز شريف ملڪ غير مست
تن سالن کان ميثاق جمهوريت تي عمل
جن جي اليڪشن ٽرين نڪري وئي آهي
ملڪ مدرثر چونڊون برداشت نه ٿو
سنڌ جو گهرو وزير ڊاڪٽر ذوالفقار علي ڀٽي
ڪراچي (مر ڊ) سنڌ جي وڏي وزير سيد قاتر
علي شاھ جي آهي ت نواز شريف 10 نقاڻي
رئسڊ ڊيوس معاملي تي پاڪستاني
سي آءِ اي ريسنڊڪي آزاد ڪرڻ لاءِ حريا آهي
واشنگٽن (نيوز ڊيسڪ) پاڪستان ۽
آمريڪا جي گجهن ادارن پر رابطا ڪٽجي
ويا آهن. ريسنڊ ڊيوس معاملي تي ٻنهي
ڌرين پر ڊويزن وڏي روين آهن. آمريڪي

Daily BARKHA Karachi
ABC Certified
روزاني بARKHA
ايڊيٽر: سرفراز عباسي
جلد (4) (شمارو: 24) جمعو 25 فيبروري 2011ع بمطابق 21 ربيع الاول 1432 هـ قيمت 3 روپيا

ڪراچي سگهن وڃ مدي
ڪيئن ڪرائيندا. وزيراعظم
ملڪ کي تڪراهه جي نه پر
آهنگي ۽ رواداري جي
ضرورت آهي. مسلم ليگ
ميٽا وڊ لائين جي حوالي
چيو ته سياست پر ڪو
هونڊو اسان سيني سياست
گڏجي معاشي چئلينج
ڪنداسين. وزيراعظم چيو
هن پارٽين جو نه آهي. اي
اتحادي پارٽين به مطالبو
سڀني سياسي قوتن کي ته
اعتماد پر ورتو ڏجي. هن:
جي اقتصادي ٿيو قومي ا
ڪلاڪ مشاورت ڪئي آه
تي هن چيو ته هو فارورڊ
حق پر نه آهي. 80ع ۽ 90
جي سياست کان پاسو
وزيراعظم پنهنجي انٽرو
ڊريشن مسئلن ۽ چئلينجن
۽ حڪومت جي قدم ۽
بلوچستان جي صورتحال
وزيراعظم سڀني ناراض بل
جي دعوت ڏني ۽ چيو
پنهنجو ملڪ ۽ پنهنجو
واپس اچي قومي سطح
ڪن. هن چيو ته بلوچستان
مداخلت ٿي رهي آهي ۽
پارٽي وزيراعظم من موڊ
اتاري چڪو آهي هن چيو
بلوچستان آرگيو هڪ شر
طرف وڌيڪ قدم کڻيا
جي وسيلن سان نه رڳو ه

اطمينان جوڳو قرار ڏيندي دفاعي معني
جي تربيت ۽ دفاعي تعليمي ادارن پر
تعاون کي وڌيڪ فروغ ڏيڻ جو فيصلو ڪيو
آهي. ٻنهي اڳواڻن فيصلو ڪيو ته
پاڪستان ۽ جاپان جي بچ پر سنارتي
لاڳاپا قاتر ڪرڻ جي 60 هين سالگره
جون تقريبن 2012ع ۾ ٻنهي ملڪن پر
شانائتي طريقي سان ملهائون وينديون.
گڏيل پٽرنامي مطابق ٻنهي ملڪن
سرڪاري ۽ نجی شعبي پر تعاون وڌائڻ
لاءِ حڪومت ۽ ڪاروباري شخصيتن ۽
واپارين سان ڳالهين. عوام جو عوام سان
رابطو خاص طور پارلياماني ۽ ڪاروباري
واپاري ۽ نو جوانن جي وفد جي مئسا
وڌائڻ تي پڻ اتفاق ڪيو. صدر آصف علي
زرداري جي دوري جي پڄاڻي تي جاري
گڏيل پٽرنامي پر وڌيڪ ٻڌايو ويو ته
جاپاني قيادت ۽ صدر آصف علي زرداري
اعليٰ سطحي اقتصادي ڳالهين.
سيڪيورٽي ڊائلاگ سميت پرڏيهي ڌرين
جي ڳالهين ۽ سياسي مشاورت تي به
اطمينان جو اظهار ڪيو. ٻنهي ملڪن
دهشتگردي جي سخت مذمت ڪندي
دهشتگردي جي لعنت جي خاتمي جي عزم
جو اظهار ڪيو ۽ ٻنهي ملڪن قرار ڏنو ته
سڄي دنيا ۽ خاص طور ايشيا پر ترقي ۽
خوشحالي لاءِ ڌڪ ايشيا پر امن ۽
استحڪام ۽ خوشحالي ضروري آهي.

پيپلز پارٽي جي ميمبر انور مهر چيو ته
پاڪستان ٽن کان اڳ اسان وڏي جدوجهد
ڪئي هئي ۽ ان وقت اسان جي ذهن پر هو
ته پاڪستان ٺهڻ بعد سنڌ صوبي کي

مينڊيٽ مطابق پنهنجي 3 ٽڪائي پروگرام
تي عمل پيرا آهي. امن امان جي صورتحال
پهريان کان خراب هئي اسان خراب نه
ڪئي آهي چار اپريل تي قائد عوام

آفيس آف ڊي ايگزيڪيوٽو انجنيئر سمال ڊيمز آرگنائيزيشن ڊويزن ڪوهستان-ا، دادو
نمبر: XEN/SDO/K-1/TC/80
Ph: 025-9200072
Fax: 025-9200072
دادو تاريخ 11/02/2011

آڇون گهراڻن ٿيون
مهر بند آڇون فارم تي 1- بي 2 تي دلچسپي رکندڙ ڌار ٿيڪيڏارن کان ٻيڙا قانون
2010ع جي تحت هيٺين ڪمن لاءِ آڇون گهراڻن ٿيون.

سريبل نمبر	رقا جو نالو / هنڌ	ڪيٽيل لاڳت (ملين)	سوٽي رقم	ٽينڊر في	مدو
01	تعمير پروجيڪٽ مينيجمينٽ پورٽ جي (بي اين يو) ڊيمز آرگنائيزيشن سنڌ ڪيمپ آفيس، دادو	3,875.000	77500	3000	مهينا

1. ٿيڪي جا ڪاغذ / ڪورا ٽينڊر مٿي چٽايل آفيس مان ٽينڊر جي ملهه تي (ناقابل واپسي)
2. ڪنهن به ڪاروباري ڏينهن تي 14/03/2011 تي حاصل ڪري سگهجن ٿا.
3. ٽينڊر صحيح نموني سان پريل مهر بند لفظي سان گڏ آفيس وقت تي 2011-03-15 تي
جمع ڪري سگهيو ۽ ساڳئي ڏينهن تي دلچسپي رکندڙ نمائندن جي موجودگي پر کوليو ويندو.
4. ٿيڪيڏارن کي ڪال ڊيازٽ مهيا ڪرڻ گهرجي ۽ مٿي ڏنل پٽي تي سوٽي رقم امانت گهرجي.
5. رجسٽريشن پاڪستان انجنيئرنگ ڪائونسل کي ڪرڻ جي لاءِ گهربل رقم 2.500 ملين
کان مٿي هجڻ گهرجي.
6. شريڪت ڪندڙ ٿيڪيڏارن کي شيڊول 'بي' جا اڳه ڪوت ڪرڻ گهرجن. ڪاميٽي جي
سامهون ٽينڊر کولڻ جي لاءِ ايگزيڪيوٽو انجنيئر سمال ڊيمز آرگنائيزيشن ڊويزن کي 1 دادو اينڊ
ڊويزنل اڪائونٽ آفيسر سمال آرگنائيزيشن ڊويزن ڪوهستان 1 دادو، ٽينڊر جيڪڏهن نه کلي
سگهن جي صورت پر ايندڙ ڏينهن تي ۽ ان صورت پر جي اداري جو سربراه موجود نه هجي.
7. شرطي ٽينڊر قبول نه ڪيا ويندا.

ايگزيڪيوٽو انجنيئر
سمال ڊيمز آرگنائيزيشن ڊويزن کي 1 دادو
INF/KRY.NO.659/11