## SINDH PUBLIC PROCUREMENT REGULATORY AUTHORITY

#### CONTRACT EVALUATION FORM

## TO BE FILLED IN BY ALL PROCURING AGENCIES FOR PUBLIC CONTRACTS OF WORKS, SERVICES & GOODS

	1)	NAME OF THE ORGANIZATION / DEPTT. KARACHI WATER & SCWERAGE BOARD.
	2)	PROVINCIAL/LOCAL GOVT/OTHER  Replacement of 1800 visited damaged Ms pipe
	3)	TITLE OF CONTRACT  Replacement of 1800 villed famous pages  of Disco pump house a pit toom pe pipe
	4)	TENDER NUMBER ST No 19041 for Imp of w/s at Sectiv 8-L, Ovango Torm
	5)	BRIEF DESCRIPTION OF CONTRACT <u>For improvement</u> of water supply
	6)	FORUM THAT APPROVED THE SCHEME M.D. ICWS (B.
	7)	TENDER ESTIMATED VALUE RS 9, S8,844 2
	8)	ENGINEER'S ESTIMATE RS. 9,58,844/-
		(For civil works only)
	9)	ESTIMATED COMPLETION PERIOD (AS PER CONTRACT)
	10)	TENDER OPENED ON (DATE & TIME) 11-03-2014
]	11)	NUMBER OF TENDER DOCUMENTS FOLD
		(Attach list of buyers)
	,	NUMBER OF BIDS RECEIVED 02 (Two)
	13)	NUMBER OF BIDDERS PRESENT AT THE TIME OF OPENING OF BIDS 02(TWO)
	14)	BID EVALUATION REPORT
		(Enclose a copy)
	15)	NAME AND ADDRESS OF THE SUCCESSFUL BIDDER MIK MBA Loulengers
	16)	CONTRACT AWARD PRICE R. 9.18,844\-
	-	
	17)	RANKING OF SUCCESSFUL BIDDER IN EVALUATION REPORT  GO 151 2nd 31d EVALUATION BID)  ST MBA ENTERIORS
		(i.e. 1st, 2nd, 3rd EVALUATION BID).
	18)	METHOD OF PROCUREMENT USED: - (Tick one)
	ĺ	Domestic/Local
		a) SINGLE STAGE – ONE EN VELOPE PROCEDURE
		b) SINGLE STAGE – TWO ENVELOPE PROCEDURE
	-	A THE SELECTION OF PROPERTY OF THE SELECTION OF THE SELEC
		c) TWO STAGE BIDDING PROCEDURE
		d) TWO STAGE - TWO ENVELOPE BIDDING PROCEDURE
		PLEASE SPECIFY IF ANY OTHER METHOD OF PROCUREMENT WAS ADOPTED i.e.
		EMERGENCY, DIRECT CONTRACTING ETC. WITH BRIEF REASONS:
		•

	19) APPRO	OVING AUTHORITY FOR AWARD OF CO	NTRACT MD. KW4SB.
	20) WHET	THER THE PROCUREMENT WAS INCLUDE	2
	2I) ADVE	RTISEMENT:	Yes No
	i)	SPPRA Website (If yes, give date and SPPRA Identification N	Yes SPPRA SY NO. 19041
		(11 yes, give date and 51 i ica identification is	No.) No
	ii)	News Papers (If yes, give names of newspapers and dates)	Yes
			No
		RE OF CONTRACT	Domestic/ Int.
	WAS IN	HER QUALIFICATION CRITERIA NCLUDED IN BIDDING / TENDER DOCUM enclose a copy)	Yes No
	WAS IN	HER BID EVALUATION CRITERIA ICLUDED IN BIDDING / TENDER DOCUMENTAL PROPERTY OF THE PROPERTY OF	Yes No
	25) WHETH METHO	ER APPROVAL OF COMPETENT AUTHOI DO OTHER THAN OPEN COMPETITIVE BII	PRITY WAS OBTAINED FOR USING A DDING?  Yes No
	26) WAS BI	D SECURITY OBTAINED FROM ALL THE	E BIDDERS? Yes No No
	27) WHETH BID/BE	ER THE SUCCESSFUL BID WAS LOWEST EVALUATED BID (in case of Consultance)	Γ EVALUATED Yes No No
	28) WHETH COMPLI	ER THE SUCCESSFUL BIDDER WAS TECH ANT?	HNICALLY Yes No No
	29) WHETHI THE TIM	ER NAMES OF THE BIDDERS AND THEII Œ OF OPENING OF BIDS?	IR QUOTED PRICES WERE READ OUT AT  Yes No
;	CONTRA	IC1?	D BIDDERS BEFORE THE AWARD OF
	(Attach co	opy of the bid evaluation report)	Yes V No

31) ANY COMPLAINTS RECEIVED (If yes, result thereof)	Yes
	No V
32) ANY DEVIATION FROM SPECIFICATIONS GIVEN IN (If yes, give details)	THE TENDER NOTICE / DOCUMENTS
(11 yes, give details)	Yes
	No
33) WAS THE EXTENSION MADE IN RESPONSE TIME? (If yes, give reasons)	Yes
	No V
34) DEVIATION FROM QUALIFICATION CRITERIA (If yes, give detailed reasons.)	Yes
	No
35) WAS IT ASSURED BY THE PROCURING AGENCY BLACK LISTED?	THAT THE SELECTED FIRM IS NOT  Yes No No
36) WAS A VISIT MADE BY ANY OFFICER/OFFICIAL SUPPLIER'S PREMISES IN CONNECTION WITH THE BE ASCERTAINED REGARDING FINANCING OF WISING, enclose a copy)	E PROCUREMENT? IF SO, DETAILS TO
37) WERE PROPER SAFEGUARDS PROVIDED ON MO THE CONTRACT (BANK GUARANTEE ETC.)?	BILIZATION ADVANCE PAYMENT IN  Yes No
38) SPECIAL CONDITIONS, IF ANY (If yes, give Brief Description)	Yes
39)Date of Award of Contract:	No
Signature & Official Stamp of Authorized Officer  S. NADEEM-UL HASAN NAOVI  Executive Engineer (WD)	_
FOR OFFICE USE ONLY KW&SB	
SPPRA, Block. No.8, Sindh Seci	retariat No.4-A, Court Road, Karaci

3/3

## OFFICE OF THE EXECUTIVE ENGINEER (WATER) ORANGI TOWN KARACHI WATER & SEWERAGE BOARD

NO.EE/W/OT/AC/2014/ 38

DATED: 30/5/2014.

M/S. M.B.A ENTERPRISES

#### **WORK ORDER**

SUBJECT: - REPLACEMENT OF 18" DIA RUSTED / DAMAGED MS PIPE LINE AT DISCO PUMP HOUSE AND P/L 160MM PE PIPE LINE FOR IMPROVEMENT OF WATER SUPPLY AT SECTOR 8-L ORANGI TOWN.

Your tender for the above work has been approved being the first low st and on estimate amounting to Rs.9,58,844/-(In word Nine Loc Fifty Eight Thousand Eight Hundred Forty four only) on item rate basis, has been sanctioned by the CE(WEST) KW&SB Vide No.KW&SB/CE/WEST/2014/56 dated 29 -05-2014 under B.G.Code No.D-013-17.


You are hereby directed to start the work immediately and complete the same within 25 days time commencing from the date of issue of this work order, in case the work is delayed or left unfinished beyond the stipulated time penalty Rs. 500/- per day shall be imposed as per work rules.

EXECUTIVE ENGNEER (W/D-I)
ORANGI TOWN KW&SB

#### Copy to: -

- 1. Director Accounts. KW&SB
- 2. ADLFA KW&SB
- 3. CE (WEST) KW&SB
- 4. SE ORANGI TOWN. KW&SB

EXECUTIVE ENGINEER (W/D-L)
ORANGI TOWN KW&SB



THIS CONTRACT AGREEMENT (hereinafter called the "Agreement") made on the 30th day of 2014 between The Karachi Water & Sewerage Board represented by it's The Chief Engineer (West), KW&SB (hereinafter called the "Employer") of the one part and M/s. M.B.A Enterprises (hereinafter called the "Contractor") of the other part.

WHEREAS the Employer is desirous that certain Works, viz "REPLACEMENT OF 18" DIA RUSTED / DAMAGED MS PIPE LINE AT DISCO PUMP HOUSE AND P/L 160MM PE PIPE LINE FOR IMPROVEMENT OF WATER SUPPLY AT SECTOR 8-L ORANGI TOWN." Should be executed by the Contractor and has accepted a Bid by the Contractor for the execution and completion of such Works and the remedying of any defects therein.

NOW This Agreement witnessed as follows:-

- 1. In this Agreement words and expressions shall have the same meanings as are respectively assigned to them in the Conditions of Contract hereinafter referred to.
- 2. The following documents after incorporating addenda, if any except those parts relating to Instructions to Bidders, shall be deemed to form and be read and construed as part of this Agreement, viz:
  - (a) The Letter of Sanction
  - (b) The completed Form of Bid along with Schedules to Bid:
  - (c) Conditions of Contract & Contract Data:
  - (d) The priced Schedule of Prices.
  - (e) The Specification: and
  - (f) The Drawings

#### Page-2

- 3. In consideration of the payments to be made by the Employer to the Contractor as hereinafter mentioned, the Contractor hereby covenants with the Employer to execute and complete the Works and remedy defects therein in conformity and in all respects within the provisions of the Contract.
- 4. The Employer hereby covenants to pay to the Contractor, in consideration of the execution and completion of the Works as per provision of the Contract, the Contract Price or such other sum as may become payable under provisions of the Contract at the times and in the manner prescribed by the Contract.

IN WITNESS WHEREOF, the parties hereto have caused this Contract Agreement to be executed on the day, month and year first before written in accordance with their respective laws.

Signature of the Contractor

M/S. M.B.A ENTERPRISES.
KARACHI

Signature of Employer

CHIEF ENGINEER WEST

KW&SB

WITNESS:

10/3/4/9

ASIT Colpus

WITNESS:

SUPERINTENDING ENGINEER ORANGI TOWN, KW&SB

EXECUTIVE ENGINEER (W)
ORANGI TOWN, KW&SB



## OFFICE OF THE CHIEF ENGINEER (DISTRICT WEST) KARACHI WATER & SEWERAGE BOAD

Room No269, 2<sup>nd</sup> Floor, Old KBCA Building Behind Civic Centre, Gulshan-e-Igbal, Karachi

No. KW&SB/CE/West/2014/5C.

Dated: 29/5 /2014

M/s. M.B.A Enterprises. <u>Karachi.</u>

#### **LETTER OF ACCEPTANCE / SANCTION LETTER**

SUBJECT:-

PUMP HOUSE AND P/L 160MM PE PIPE LINE FOR IMPROVEMENT OF WATER SUPPLY AT SECTOR 8-L ORANGI TOWN.

REF:-

Your Tender Opened on 11-03-2014.

The under signed is pleased to convey sanction for an amount to Rs.9,58,844/-(Rupees Nine Lac Fifty Eight Thousand Eight Hundred Forty Four Only) for the subjected work under Rule SPPRA-2010, on item rate basis duly assessed by the Procurement/ Evaluation Committee-I KW&SB vide Para-66/N, financially concurred-in by finance department, KW&SB vide Para-69/N to 80/N and approved by MD, KW&SB vide Para-83/N The expenditure is chargeable to BG No.D-013-17 for the financial year-2013-2014. You shall be bound to abide time to time instruction issued by KW&SB.

You are therefore directed to furnish the Earnest Money amounting to Rs. 19,177/- being amount of 2% of sanction cost of the contract. You are further directed to contact concern Executive Engineer Office for execution of agreement, the value of stamp paper will be Rs. 2877/- @ 0.30% sanctioned cost which should be produced by you. In case of failure, the sanction shall be stand cancelled and action as per Contractual rules shall be taken against you.

All correspondence onward shall be carried out through Superintending Engineer, **Orangi Town**, KW&SB.

CHIER ZNOMEER (DISTRICT WEST) KW&SB

Copy to:-

-DIRECTOR ACCOUNTS), KW&SB.

**∤**-ADLFA, KW&SB.

\$-SE (ORANGI TOWN), KW&SB.

4-EF (WATER) (ORANGI TOWN), KW&SB.

\$-OFFICE COPY.

¢.C to:-

MD, KW&SB.

### OFFICE OF THE EXECUTIVE ENGINEER ORANGI TOWN (WATER) DIV-I KW&SB

Estimated amount Rs: On offer rate basis

Time Limit

; 25 days

Penalty for delay

: 500/- P/day

Tender Fee

: 1000/-

Date of opening

: 11-03-2014

Subject :- Replacement of 18"dia rusted/damaged MS pipe line at Disco Pump House

and P/L 160mm PE pipe line for improvement of water supply at sector 8-L

Orangi Town.

	DESCRIPTION OF WORK	QUANTITY	RATE IN	RATE IN	UNIT	AMOUNT
.NC		OR NO.	FIGURE	WORD		·
	Excavation for pipeline in trenches					
	and pits in wet soil or mud clay i/c					
	trimming and dressing sites to	Ÿ				
	alignment and shapes levelling of					
	beds of trenches to correct level and			1		
	grade cutting, jointing holes and					
	disposal of surplus earth and back					
	filling with in one chain as directed			Few branches	l	
	by engineer in charge providing			7000	1	
	fence, guard, light, flags and			for ligible	L	
	temporary crossing for non-			iesely		
	vehicular traffic where ever			/		
	required lift upto 5' and lead upto		Con X			5907/60
	one chain. (0'-5')	1094 Cft	(3400)		% 0 Cft	3/0//250
;	Excavation for pipe line in trenches		4			
	and pits in all kinds of soil of		/			
	murum i/c trimming and dressing	."		1.		
	sides to true alignment and shape					
	levelling of beds of trenches to			0	,	
	correct level and grade cutting joint .			Jao Videncis Sm brilaid	1	
	holes and disposal of surplus earth			C. holand		
	within a one chain as directed by			ON UNUN		
	engineer incharge providing fence guards, light, flags and temporary			Title of		
	crossing for non vehicular traffic			7 7		
	where ever required lift upto 5ft					,
	and lead upto one chain.(0'-5')	7500 Cft	(4650)		% 0 Cft	34875
1	Full higher charges of the pumping	(		· · · · · · · · · · · · · · · · · · ·	700010	<del></del>
´	sets p/day inclusive wages of		7			
	drivers and assistant fuel or electric			570		
	energy plate form required for		·	Ti Flan		
	placing pumps etc. at lower depth			budish		. }
	with suction and delivery pipe for		, .	2.1		
	pumping out water found at various			- my		, ,
	depth from trenches etc.	8- days	(500/)		P/day	1200g
_			1	J	·	/~

JP/I and five in the state of t					
isinting and tixing in trenches i/c fitting					.
Joining and testing etc complete in					
all respect the high density		1	7		
polythene PE pipe (HDPE-100) for			two,	,	:
W/S confirming ISO 4427/DIN			midded.		
8074-8075 BS 3580 E/PSI 3051			11.1.3 06	$\beta_{\epsilon}$	
(PN-10,q) 160 mm			wat 7	7	
	600 DQ	(F5)		'   . · ·	010 1
	OUU KIT	(000)		P/Rft:	318000/
Manufacturing/supplying & five	1		-		/ ^
black steel MS nine and a fixing		17			
MS short confirming to the state of	,				
mis sheet confirming to API 5L	,				
grade x-42 ERW and externally					
asphalt coated with fiber glass 5mm			7.		
thick and internally CC living 8mm			100		
thick (AWWA) specification i/c			Lewisel		
laying jointing with helical welding			Dan lander	1	
in trenches i/c cost of bends of any	; • .		10- 1	J	
degree and testing with water			Unu orly	<b>'</b>	
specified pressure for different die					
of pines as					
	25				1
P/E MS coult coult Coult (7.9mm)	55 -Rft	5103 91	<i>)</i>	P/Rft	280715/
PDCC at a California Lee on	- (			1	-/
rRCC pipe of different size having	`	1			
width as mentioned against each			1	150	
items to suit the size of connection				٠,	
tabricated with 3/8" thick MS plate					
excluding the cost of the net it		•			
including cost of 3/4" thick MS			:		
squire bar on both ends 04 Nos					
3/4:" thick MS flanged with a total	•		Nul		
Weight as mentioned against each			1 Curtain		
item it also include the cost and the			Claruigh		
holte rubbon poolein - 1-1			BANC		
sealing materials.		•	coging succe		•••
and plants and all the tool			illy		
and plants.					1.
12 X12 Net weight 104.860 KG	01-Nos	(19087/)	1 / 1	Fach	19037/
Providing & Fixing ms tail wide		1.10	<del>                                     </del>	Laci	100/
pieces 3/8"thick ms plate both					
caulking and reducerends 9"wide					
provide with a 3/4" thick square lar at			Nin hours	!	
caulking end having a total weight		• • • • • •	- Car bush		
as mentioned against each item it		\$ to	2. 1.0 1		5
incllludes the cost of labour and			ray challis		
Caulking & sealing material etc			M. T. A.A.	1.	
complete (Net weight 51 911-22)	* *		unity cour		
2"dia		2600	. 1/		
	02-Nos	1833/)	1	Each	18876/
stuice valve heavy pattern test		15	ONGA		/-
pressure 21.0 KG / Sq. cm or 300		/ '			/
			Hunsell		
I2" dia	01 -No.	78000)	Mas livered	Each	78000/
			7 96 albert	Each	1 7/1
o dia	UI -NO U >	) <i>ういわけ</i> し	02 1 8 3	17 1	491 E
6" dia	01 -No.		Sidy	Each	78000/
	jointing and testing etc complete in all respect the high density polythene PE pipe (HDPE-100) for W/S confirming ISO 4427/DIN 8074-8075 BS 3580 E/PSI 3051 (PN-10,q) 160 mm  Manufacturing/supplying & fixing black steel MS pipe made out of MS sheet confirming to API 5L grade x-42 ERW and externally asphalt coated with fiber glass 5mm thick and internally CC living 8mm thick (AWWA) specification i/c laying jointing with helical welding in trenches i/c cost of bends of any degree and testing with water specified pressure for different dia of pipes as.  18" dia (7.9mm)  P/F MS split split Collar Tee on PRCC pipe of different size having width as mentioned against each items to suit the size of connection fabricated with 3/8" thick MS plate excluding the cost of the net it including cost of 3/4" thick MS squire bar on both ends 04 Nos. 3/4:" thick MS flanged with a total weight as mentioned against each item it also include the cost nut & bolts rubber packing labour and sealing materials and all the tool and plants.  12"x12" Net weight 104.860 KG Providing & Fixing ms tail wide pieces 3/8"thick ms plate both caulking and reducerends 9"wide provide with a 3/4"thick square lar at caulking and reducerends 9"wide provide with a 3/4"thick square lar at caulking and reducerends 9"wide provide with a 3/4"thick square lar at caulking and reducerends 9"wide provide with a 3/4"thick square lar at caulking and reducerends 9"wide provide with a 3/4"thick square lar at caulking and reducerends 9"wide provide with a 3/4"thick square lar at caulking end having a total weight as mentioned against each item it inclludes the cost of labour and caulking & sealing material etc complete (Net weight 51.81kgs) 12"dia.  CI sluice valve heavy pattern test pressure 21.0 KG / Sq. cm or 300 bs./sq. inch imported.	all respect the high density polythene PE pipe (HDPE-100) for W/S confirming ISO 4427/DIN 8074-8075 BS 3580 E/PSI 3051 (PN-10,q) 160 mm  600 Rft  Manufacturing/supplying & fixing black steel MS pipe made out of MS sheet confirming to API 5L grade x-42 ERW and externally asphalt coated with fiber glass 5mm thick and internally CC living 8mm thick (AWWA) specification i/c laying jointing with helical welding in trenches i/c cost of bends of any degree and testing with water specified pressure for different dia of pipes as.  18" dia (7.9mm)  P/F MS split split Collar Tee on PRCC pipe of different size having width as mentioned against each items to suit the size of connection fabricated with 3/8" thick MS plate excluding the cost of the net it including cost of 3/4" thick MS squire bar on both ends 04 Nos. 3/4:"thick MS flanged with a total weight as mentioned against each item it also include the cost nut & bolts rubber packing labour and sealing materials and all the tool and plants.  12"x12" Net weight 104.860 KG Providing & Fixing ms tail wide pieces 3/8"thick ms plate both caulking and reducerends 9"wide provide with a 3/4"thick square lar at caulking end having a total weight as mentioned against each item it incllludes the cost of labour and caulking & sealing material etcomplete (Net weight 51.81kgs)  12"dia.  CI sluice valve heavy pattern test pressure 21.0 KG / Sq. cm or 300 bs./sq. inch imported.	Jointing and testing etc complete in all respect the high density polythene PE pipe (HDPE-100) for W/S confirming ISO 4427/DIN 8074-8075 BS 3580 E/PSI 3051 (PN-10,q) 160 mm  600 Rft  Manufacturing/supplying & fixing black steel MS pipe made out of MS sheet confirming to API 5L grade x-42 ERW and externally asphalt coated with fiber glass 5mm thick and internally CC living 8mm thick (AWWA) specification i/c laying jointing with helical welding in trenches i/c cost of bends of any degree and testing with water specified pressure for different dia of pipes as.  18" dia (7.9mm)  P/F MS split split Collar Tee on PRCC pipe of different size having width as mentioned against each items to suit the size of connection fabricated with 3/8" thick MS plate excluding the cost of the net it including cost of ¼" thick MS squire bar on both ends 04 Nos. 3/4:" thick MS flanged with a total weight as mentioned against each item it also include the cost nut & bolts rubber packing labour and sealing materials and all the tool and plants.  12"x12" Net weight 104.860 KG Providing & Fixing ms tail wide pieces 3/8" thick ms plate both caulking and reducerends 9" wide provide with a ¼" thick square lar at caulking end having a total weight as mentioned against each item it inclludes the cost of labour and aulking end having a total weight as mentioned against each item it inclludes the cost of labour and aulking & scaling material etc complete (Net weight 51.81kgs)  12"dia.  21 sluice valve heavy pattern test oressure 21.0 KG / Sq. cm or 300 bs./sq. inch imported.	jointing and testing etc complete in all respect the high density polythene PE pipe (HDPE-100) for W/S confirming ISO 4427/DIN 8074-8075 BS 3580 E/PSI 3051 (PN-10,q) 160 mm  600 Rft  Manufacturing/supplying & fixing black steel MS pipe made out of MS sheet confirming to API 5L grade x-42 ERW and externally asphalt coated with fiber glass 5mm thick and internally CC living 8mm thick (AWWA) specification i/c laying jointing with helical welding in trenches i/c cost of bends of any degree and testing with water specified pressure for different dia of pipes as.  18" dia (7.9mm)  P/F MS split split Collar Tee on PRCC pipe of different size having width as mentioned against each items to suit the size of connection fabricated with 3/8" thick MS plate excluding the cost of the net it including cost of 4" thick MS squire bar on both ends 04 Nos. 3/4" thick MS flanged with a total weight as mentioned against each item it also include the cost nut & bolts rubber packing labour and sealing materials and all the tool and plants.  12"x12" Net weight 104.860 KG Providing & Fixing ms tail wide pieces 3/8" thick ms plate both caulking and reducerends 9"wide provide with a 4"thick square lar at caulking end having a total weight as mentioned against each item it incllidues the cost of labour and aulking & sealing material etc complete (Net weight 51.81kgs) 12"dia.  12 sluice valve heavy pattern test ressure 21.0 KG / Sq. cm or 300 bs/sq. inch imported.	Jointing and testing etc complete in all respect the high density polythene PE pipe (HDPE-100) for W/S confirming ISO 4427/DIN 8074-8075 BS 3580 E/PSI 3051 (PN-10,q) 160 mm  600 Rft  Manufacturing/supplying & fixing black steel MS pipe made out of MS sheet confirming to API SI grade x-42 ERW and externally asphalt coated with fiber glass 5mm thick and internally CC living 8mm thick (AWWA) specification i/c laying jointing with helical welding in trenches i/c cost of bends of any degree and testing with water specified pressure for different dia of pipes as.  18" dia (7.9mm)  P/F MS split split Collar Tee on PRCC pipe of different dia of pipes as.  18" dia (7.9mm)  FFM split split Collar Tee on PRCC pipe of different size having width as mentioned against each items to suit the size of connection fabricated with 3/8" thick MS plate excluding the cost of the net it including cost of %" thick MS squire bar on both ends 04 Nos.  34." thick MS flanged with a total weight as mentioned against each item it also include the cost nut & bolts rubber packing labour and sealing materials and all the tool and plants.  12"x12" Net weight 104.860 KG  Providing & Fixing ms tail wide pieces 3/8"thick ms plate both caulking and reducerends 9"wide provide with a 4"thick square lar at caulking and reducerends 9"wide provide with a 4"thick square lar at caulking and reducerends 9"wide provide with a 4"thick square lar at caulking and reducerends 9"wide provide with a 4"thick square lar at caulking and reducerends 9"wide provide with a 4"thick square lar at caulking and reducerends 9"wide provide with a 4"thick square lar at caulking and reducerends 9"wide provide with a 4"thick square lar at caulking and reducerends 9"wide provide with a 4"thick square lar at caulking and reducerends 9"wide provide with a 4"thick square lar at caulking and reducerends 9"wide provide with a 4"thick square lar at caulking and reducerends 9"wide provide with a 4"thick square lar at caulking and reducerends 1.5" and 1.5" and 1.5" and 1.5" and 1.5" and

Quilly3

1

my

I like

9 '~	Fixing of alving and					1	
	Fixing of sluice valve with 2 cast					1	
	iron taile pieces one end flanged					1	
	and other with socket i/c the cost of						`
•	nuts bolts and rubber packing,				the hoters	ean l	
•	labour etc. complete.	-		$\mathbb{N}$	10 11 1 1	ue c	
					Eeft hale	a c	
	12" dia	01	No.	(2921X	West 5 we		2001
	6" dia	01		000	1 -1	Lach	1 332//
		01.	110	18861	One Decen	≰ Each	1886
0 _	Refilling the excavated stuff in				Pall 14 1	1	1000
	trenches 6241: 1 1				1	7	<del> </del>
	trenches 6"thick layer i/c watering		1			h	
,	ramming to full compaction etc				Car Vilvere	Į –	
	complete				1	<b>].</b>	}
			.'		Seur Linter	1	
		8460-	Cft 1	27661	C105		222101
			()	1	-	% 0 Cft	23349/-
ا	Construction of CC block masonry		4				7-7
1	chamber of size 4 'x 4' x 4' deep	•	· }'	. /	] -		/
.	with 24" x 24" cover frame weight		-				
	(50 KG) DCG : 2						
	(50 KG) RCC 1;2;4 slab 5" thick			÷*	1		
1	With steel '2" dia tor har 6" c/c with		1				
٠.	bent up 6" cc 1;3;6 block masonry						r .
1	Wall set 1.6 6" think and 1.6		1	•			
- 1.	wall set 1;6 6" thick cc 1;4;8 in	T	1		1-6 0		-
	foundation 2" thick cc 1;2;4				Generally Exclusion	k	
	flooring ½" thick cement plaster				10-1		
	1;3 inside wall surface top and			į.	County Engli	e ·	
11	pottom slab outer wall surface 1' -				luders		•
	" does not surface I'-				luners	1	
1.	" deep up to roof every 2" deep					٠.	
] 1.	ncluding curing de watering		- \\\		Willy Guera		
e	xcavation refilling and disposal of	06.37			•		,
S	urplus earth etc.	05 -Nc	$\sim  Q $	83578	4	Each /	141785
13	dd (1) and 1			7-		-741011	(3),
	dd (+)or deduct(-) of extra depth				Ohe What		/
0	f every inch	60-Incl	179	97.52 1	// . I.I.m		
		00-11101	, W.	2' 20)	delle lun	P/Inch	11232/
			*		1		
			•		T-	tal - Car	1001-1
				- 19 7		tal = G	20043/)
		نے،	<b>*</b>	cert			10
	$\Lambda = \Lambda $		1	- 14			,
			<b>"</b>				
	"(A)						
111/	MINIST AND			VC,	A		
$M_h$	7.13	2				· ·	
人ノ	(4)			Execut	ive Engineer	(W)	•
		/	U ~	Orang	i Town Div-		
	7			-0			
			1				
. 4/	we hereby offer the amount of Rs. 9	CRKY	3/		•		*
(1				0 01	1 0	· ·	· ·
`		Aly (	LARREN	al Eagle	Ludend	. 1	
	Tiely three nell						
	1 100	- do -		•			
	/					•	
						1	
	. •			Signatur	e of		
	•			Contract		ac -	
				\ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \	.01	<del> </del>	
				$Address_{}$	·	V	
				1/2 "	0.00	<u>_</u>	
				434	Losson S	SULE -	13.A
				/ L			
	The state of the s			(-3. D.	hue 196	/ L	· A.A.
				743	March 7 10	all st	eenle !
			•		- 1		



# KARACHI WATER & SEWERAGE BOARD OFFICE OF THE CHIEF ENGINEER (IP&D)

#### **BID EVALUATION REPORT**

1	Name of Procuring Agency:	KARACHI WATER & SEWERAGE BOARD
2	Tender Reference No:	SPPRA Serial No.19041 I.D No. /2014
3	Tender Description/Name of Work/Item:	REPLACEMENT OF 18" DIA RUSTED / DAMAGED M.S PIPE LINE AT DISCO PUMP HOUSE AND P/L 160MM P.E PIPE LINE FOR IMPROVEMENT OF WATER SUPPLY AT SECTOR 8-L ORANGI TOWN
4	Method of Procurement:	Single Stage (One Envelop)
5	Tender Published:	Through Web Site
6	Total Bid Documents Sold:	<u>2 No</u>
7	Total Bid Received:	2 No
8	Technical Bid Opening Date (if applicable):	<u>N/A</u>
9	No. of Bid Technically Qualified (if applicable)	<u>N/A</u>
10	Bid (s) Rejected:	Nil
11	Financial Bid Opening Date:	11-03-2014
40		

#### 12 **BID EVALUATION REPORT**

S#	Name of Firm / Bidder	COST OFFERED BY THE BIDDER	RANKING IN TERMS OF COST	COMPARISON WITH ESTIMATED COST	REASON FOR ACCEPTANCE/ REJECTION	REMARKS
1.	M/s.M.B.A Enterprises	Rs.9,58,844/-	1 <sup>st</sup> Lowest	At Par	Substantially Responsive	P.O # 10303854 dt:11-03- 2014 from HBL Hasan Square Gulshan-e-Iqbal Branch Karachi Rs.20,000/-
	M/s.Safeer Enterprises	Rs.9,60,158/-	2 <sup>nd</sup> Lowest	@0.137% Above	Substantially Responsive	P.O # 8957391 dt:22-10-2013 from HBL Hasan Square Gulshan-e-Iqbal Branch Karachi Rs.30,000/-

The concerned bidder is being informed accordingly.

M/s. M.B.A Enterprises declared as the single responsive bidder by the Committee and recommended for sanction from Competent Authority.

Arshad Alb Accounts Officer (District West) Member / Secretary

(Saif-ul-Haque) Additional Director Internal Audit - KMC Member

(Maqsood Ahmed Shaikh) Superintending Engineer (KMC)

Member

(Qwais Malik) Chief Engineer (District West)

Member

(Abdul Rahim Rhatti) Chief Engineer (IPD) Convener

# KARACHI WATER & SEWERAGE BOARD OFFICE OF THE CHIEF ENGINEER (IPD)



## **BID OPENING REPORT**

1	Name of Procuring Agency:	KARACHI WATER & SEWERAGE BOARD
2	Tender Reference No:	SPDRA Social No. 10041 April
3	Tender Description/Name of Work/Item:	REPLACEMENT OF 18" DIA RUSTED / DAMAGED M.S PIPE LINE AT DISCO PUMP HOUSE AND P/L 160MM P.E PIPE LINE FOR IMPROVEMENT.
4	Method of Procurement:	WATER SUPPLY AT SECTOR 8-L ORANGI TOWN Single Stage (One Envelop)
5	Tender Published:	Through Web Site
6	Total Bid Documents Sold:	2 No
7	Total Bid Received:	2 No
8	Technical Bid Opening Date (if applicable):	<u>N/A</u>
9	No. of Bid Technically Qualified (if applicable)	<u>N/A</u>
10	Financial Bid Opening Date:	11-03-2014
11	DID OPPOSE	

11 **BID OPENING REPORT** 

S#	Name of Firm / Bidder	COST OFFERED BY THE BIDDERS	RANKING IN TERMS OF COST	REMARKS
1.	M/s.M.B.A Enterprises	Rs.9,58,843/-	1 <sup>st</sup> Lowest	P.O # 10303854 dt:11-03-2014 from HBL Hasan Square Gulshan-e-Iqbal
2	M/s.Safeer Enterprises	Rs.9,60,158/-	2 <sup>nd</sup> Lowest	Branch Karachi Rs.20,000/- P.O # 8957391 dt:22-10-2013 from HBL Hasan Square Gulshan-e-Iqbal
The	Concerned hidder in heim			Branch Karachi Rs.30,000/-

The concerned bidder is being informed accordingly.

M/s. M.B.A Enterprises declared as the single responsive bidder.

Accounts Officer (District West) Member / Secretary

(Saif-ul-Haque) Additional Director Internal Audit - KMC Member

(Maqsood Ahmed Shaikh) Superintending Engineer (KMC)

Membjer.

(Abbul Rahim Khatti) Chief Engineer (IPD)

Convener

(Owais Malik) Chief Engineer (District West)

Member

# COMPARATIVE STATEMENT

Name of Work: REPLACEMENT OF 18" DIA RUSTED / DAMAGED M.S PIPE LINE AT DISCO PUMP HOUSE AND P/L 160MM P.E PIPE LINE FOR IMPROVEMENT OF WATER SUPPLY AT SECTOR 8-L ORANGI TOV

	_ 2				TENDO	TENSOFFET AT SECTOR 8-L ORANGI TOWN	TOR 8-L C	RANGI TOW	N.	
	No No	m Description of Work		Estimated Cost	ed Cost		/W	M/s.M.B.A	W.	M/s Safoor
	-	í	Ougntife				Ent	Enterprises		Scharce
	_	Excavation for pipe line in trenches and pits in wet soils clay	Sugaritity	Kate	Per	Amount	Rate	Amount	Rate	Enterprises
		shape leveling of beds of trenches to correct level and grade cutting joints holes and disposal of surplus earth within one chain as directed by Engineer Incharge providing fence guards, lights, flags sand temporary crossing for nonvehicular traffic wher ever required lift upto 5 ft (1.52 m) and lead upto one chain (30.5m) 0'-5'	· · · · · · · · · · · · · · · · · · ·						,	
	2	Excavation for pipe line in trenches, pits in all kind of soils of murum i/c trimming and dressing sides to transfer	1094.00 Cft	5400.00	%0Cft	5,907.60	5,400.00	5,907.60	5,500.00	6,017.00
		and shade leveling of beds of trenches to correct level and grade, cutting joint holes and disposal of surplus earth within one chain as directed by Engineer Incharge. Providing fence guards, lights, flags sand temporary crossing for nonvehicular traffic wher ever required lift upto 5 ft (1.52 m) and lead upto one chain (30.5m) 0'-5'								
<u> </u>	\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\		7500.00 Cft	4650.00	%0Cft	34,875.00	4,650.00	34,875.00	4,650.00	34,875.00
	7 C	required for placing pumps etc at lower depth with suction delivery at pipe sfor pumping out water found at vairous depths from trenches etc.								
<del></del>		Providing Laying & fixing in trench i/c fitting, jointing and testing etc. complete in all	8.00 Days	1500.00	P/Day	12,000.00	1,500.00	12,000.00	1,500.00	12,000.00
	<u> </u>	Polychylene P.E pipes (HDPE-100) for W/S Conforming ISO 4427 Din 8074 / 8075 BS-3580 & PSI 3051 (PN-10) 160 mm								
-	ا		600 Rft	530.00	P/Rff,	318,000.00	530.00	210,000,000	•	
			4		4		- 1	518,000.00	530.00	318,000.00

530.00 | 318,000.00

Arstuak Ollu A-O(West)


-Name of Work: <u>REPLACEMENT OF 18" DIA RUSTED / DAMAGED M.S PIPE LINE AT DISCO PUMP HOUSE AND</u> P/L 160MM P.E PIPE LINE FOR IMPROVEMENT OF WATER SUPPLY AT SECTOR 8-L ORANGI TOWN

	L.				100	LLI AI SE	CIOR 8-L C	SOLLEL AL SECTOR 8-L ORANGI TOWN	Z	
	Item No	m Description of Work		Estimated Cost	d Cost		M	M/s.M.B.A		M/s Cofeen
	1	Т					 E	Enterprises		s.Saicer
	9		Cuantity	Rate	Per	Amount	Rate	A mount	F.D.	Enterprises
		made out of M.S sheet conforming to APL 5L Grade-X42					wate	Amount	Rate	Amount
		EK W & Externally asphalt coated with fiber glass 5mm thick								· · · ·
		I/c cost of Javing Jointing 8mm thick (AWWA) Specification								
		i/c cost of bends of any degree and testing in trneches in								
		pressure for different dia of pipes as 18" dia (7.9mm)								
<u>L</u>	9	Providing and Eiving M. S. 11.	55.00 Rft	1 5103.91	P/RA	20212 080				
		of different sizes having width of mills				200,712,05	5,103.91	280,715.05	5,105	280,775.00
		item with 3/8" thick M.S plate excluding the 2004 and								
		neck, it includes the cost of 3/4" thick M.S square har on								
		both ends 04 Nos 3/4" thick M.S flanged with a total								
		weight as mentioned against each item it also includes the								
	-	cost of nut & botls rubber packing labour and sealing			_					
		In a set $V_{\infty}$								
	Т	2000 Ng	1.00 No.	-						-
	_	Providing & Fixing M.S tail wide pieces 3/8" thick M.S plate		19,037	Each	19,037.00	19,037	19,037.00	20 000	000000
		both caulking and reducer ends 9" wide provide with a 3/4"							20,02	70,000.00
	_	unick square bar at caulking end having a total weight as		_						
		mentioned against each itme it includes the cost of labour								
		41 91 V 201 12 sealing material etc complete (Net weight)							_	
	- - -	Providing "C.I" Shice Valve how	2.00 Nos	9,438 F	Each	18 876 00	0770	i d		
	7	21.0 Kg / sq. corner 300 lbs/sq. inch 12" dia			-	200	7,430	18,8/6.00	9,438	18,876.00
	╗	oit "9		78000.00	Each	78,000.00	78,000.00	78 000 00	70,000,00	
		Fixing of stuice valve with 2 cast iron tail pieces	ON NO	9360.00	Each	9,360.00	00 095 6	0 350 00	78,000.00	78,000.00
		flanged and other wit Socket i/c the cost of nuts. July sound					00:00:	2,300.00	9,360.00	9,360.00
$\perp$	+	rubber packing etc complete 12 dia				<b></b>	· <u> </u>	_		
		eip "9	1.00 No		Each	3,821.00	3,821.00	3.821.00	000 000 7	
<u>-</u>		1-5	ONI OO:	1886.00	Each	1,886.00	1,886.00	1.886.00	1,000,00	4,000.00
_	>		8460 00 0.4						1,200.00	1,900.00
				2/60.00	%0Cft	23,349.60	2,760.00	23,349.60	2.760.00	72 240 60
		ST. ST.							20.00	72,349.00

Name of Work: REPLACEMENT OF 18" DIA RUSTED / DAMAGED M.S PIPE LINE AT DISCO PUMP HOUSE AND P/L 160MM P.E PIPE LINE FOR IMPROVEMENT OF WATER SUPPLY AT SECTOR 8-L ORANGI TOWN

		Г	_	T	Τ-						_	_	_	_			_
STATE OF THE STATE		M/s.Safeer	Enterprises	Amount							r		141,785.00	11 220 00	11,420.00	960,157.60	0.00
		M/s.	Ente	Rate			_	_			•		28,357.00	187.00			
		M/s.M.B.A	Enterprises	Amount				_					-	11,232.00	058 011 25	7.0,044.7.	958.844
			Ente	Rate				_				28 357 00	20:10:	18/.20		+	
				Amount							_	141.785.00	11 222 00	1,232.00	958,844.25	058 644	10,000
		Estimated Cost	Por	5								Each	P/Inch			_	1
			Rate								1	2835/.00	187.20				
			Quantity						•		5.00	021	ov.vv Inch	-	<del> </del>		
	Description of Warn	According to Work	Construction of C Lizzt.	deep with 24x24 cover from weight 60 17 2 2 2	5" thick with steel 1/2" dia tor bar 6" c/c with bent up 6" cc	1:3:6 block masonry wall set 1:6 6" thick cc 1:4:8 in	Toundation 2" thick cc 1:2:4 flooring 1/2" thick cement	plaster 1:3 inside wall surface top and bottom slab outer wall	surface 1'-0" deep upto roof every 2" deep inclaims and	dewatering excavation refilling and disposal fo sumling earth	etc.	v inch		VAV			
14.	mair N	0 1	=					<u> </u>	<i>V</i> 1	<u> </u>	1	7		0	<u>}</u>		







Member

(Owais Malik)
Chief Engineer (District West)
Member

(Abdul Rahmakata) Chief Engmeer (IPD)

960,158 2nd

958,844 1st