# SINDH PUBLIC PROCUREMENT REGULATORY AUTHORITY

#### CONTRACT EVALUATION FORM

Dated: 29-10-12011

# TO BE FILLED IN BY ALL PROCURING AGENCIES FOR PUBLIC CONTRACTORS OF WORKS, SERVICES & GOODS.

	. Town Local Government, Gulshan-e-Iqbal.	
2), PROVINCIAL / LOCAL GOVT. /OTHER,		AND
3). TITLE OF CONTRACT.	Construction of Road from Zubaida Hospital to Fou Round About Tipu Sultan Road, UC No.01, Gulsha	undation School an-e-Iqbal Town.
4). TENDER NUMBER	Administrator/TLG/G.I/35/2011 Dated: 27-09-2	2011.
5). BRIEF DESCRIPTION OF CONTRACT	As described in title of Contract.	
6). FORUM THAT APPROVED THE SCHEM	E Council of Gulshan-e-Iqbal Town.	
7). TENDER ESTIMATED VALUE	Rs: 36,15,264/- + Open R	Rate
8). ENGINEER'S ESTIMATE (For civil works only)	Rs: 4,00,00,000/-	
9). ESTIMATED COMPLETION PERIOD (AS	S PER CONTRACT) 06 Months	- curee
10). TENDER OPENED ON (DATE & TIME)	17-10-2011 at 2:30 P.M.	
<ol> <li>NUMBER OF TENDER DOCUMENTS S (Attach list of buyers).</li> </ol>		100
12). NUMBER OF BIDS RECEIVED	03	
13). NUMBER OF BIDDERS PRESENT AT	THE TIME OF OPENING OF BIDS	03
14). BID EVALUATION REPORT (Enclose a copy)	Yes	*
15). NAME AND ADDRESS OF THE SUCC	ESSFUL BIDDER. <u>M/s. Waqar Gul Enterprises, Offi</u> <u>Gulshan-e-Amin Tower, Block-15</u> <u>Karachi.</u>	ce: Flat B-37, 5, Gulistan-e-Johar,
16). CONTRACT AWARD PRICE.	Rs: 3,99,72,534/-	
17) RANKING OF SUCCESSEUL BIDDER	IN EVALUATION REPORT  1st M/s. Wagar Gul Enterprises, 2nd M/s. Igbal P  & 3rd M/s. Mohammad Mustafa Construction Co	rogressive Builders.
18). METHOD OF PROCUREMENT USED:	- (Tick one)	
<ul> <li>a). SINGLE STAGE- ONE EN</li> </ul>	NVELOPE PROCEDURE	Domestic/Local
b). SINGLE STAGE – TWO I	ENVELOPE PROCEDURE	Domestic/Local
b).		
c). TWO STAGE BIDDING P	PACEDIRE	1
c). TWO STAGE BIDDING P	ROGEDURE	
d). TWO STAGE - TWO EN	VELOPE BIDDING PROCEDURE	
PLEASE SPECIFY IF AN EMERGENCY, DIRECT CONTRACTING E	IY OTHER METHOD OF PROCUREMENT WAS AD	OOPTED i.e.

19). APPROVIN	NG AUTHORITY FOR AWARD OF CO	ONTRACT Council of Gu	lshan-e-lqb	al Town.		_3
20). WHETHER	R THE PROCUREMENT WAS INCLUI	DED IN ANNUAL PROC	UREMENT	PLAN?	No	
21). ADVERTIS	SEMENT:		<u> Y</u> €	1	INU	
i).	SPPRA Website (If yes give date & SPPRA Identification)		_,*	2. 11	1.00004	T
		Yes	ID No.546	3/2011 8 vernment	v.pk SPPRA website of Gulshan-e- com	Town
		No		8.5	10	8.
ii).	Newspapers (If yes give names of newspapers	& dates)				
		Yes	"PAK" "EXPRES	dated: SS" dat dated:	01-10-2011	and da 2011, "Cl
		No	datou. 01	10 201		
22). NATURE	OF CONTRACT.	Dom	estic /	~	Int.	
		Lo	ocal l	_ocal		
IN BIDDI	R QUALIFICATION CRITERIA WAS IN A TENDER DOCUMENTS? Inclose a copy).	INCLUDED				
(11 963, 6	1101000 a 50p}).	Y	es es		No.	~
IN BIDDI	ER BID EVALUATION CRITERIA WAS NG / TENDER DOCUMENTS?	SINCLUDED			MAR	
(If yes, e	nclose a copy).		Yes	~	No.	1
25). WHETHI	ER APPROVAL OF COMPETENT AU O OTHER THAN OPEN COMPETITIV	THORITY WAS OBTAIN	NED FOR U	ISING A		
METHOL	DOTHER THAN OF EN COME ETTER	- Dissilion	Yes		No.	
60) MAG DI	O OF OUR TY OR TAINED FROM ALL	THE DIDDERS?			N.A	
26). WAS BIL	D SECURITY OBTAINED FROM ALL	THE BIDDERS!	Yes	1	No.	
27) WUETU	ER THE SUCCESSFUL BID WAS LO	WEST EVALUATED BIG	0/	2		
BEST E	VALUATED BID (In case of Consultan	cies).	Yes	./	No.	
	*		DILIANITO	V		
28). WHETH	ER THE SUCCESSFUL BIDDER WA	S TECHNICALLY COMP	Yes Yes		No.	1
29). WHETH	IER NAMES OF THE BIDDERS AND	THEIR QUOTED PRICE	S WERE F	READ OL	JT AT	7/
THE TIM	ME OF OPENING OF BIDS?		Yes		No.	1
30) WHETH	HER EVALUATION REPORT GIVEN T	O BIDDERS BEFORE 1	THE AWAR	D OF CO	ONTRACT?	
(Attach	copy of the bid evaluation report).	r	Yes	-	No.	
			W.O.O.	V	I MICI	1

36). WAS A VISIT MADE BY ANY OFFICER / OFFICIAL OF T PREMISES IN CONNECTION WITH THE PROCUREMEI REGARDING FINANCING OF VISIT, IF ABROAD: (If yes, enclose a copy)  37). WERE PROPER SAFEGUARDS PROVIDED ON MOBIL CONTRACT (BANK GUARANTEE ETC)?  38). SPECIAL CONDITIONS, IF ANY (If yes, give Brief Description)  Signature & Official Stamp of Authorized Officer Guist	NT? IF SO, DET	Yes ICE PAYN Yes Services	MENT IN T	No.	
PREMISES IN CONNECTION WITH THE PROCUREMEI REGARDING FINANCING OF VISIT, IF ABROAD: (If yes, enclose a copy)  37). WERE PROPER SAFEGUARDS PROVIDED ON MOBIL CONTRACT (BANK GUARANTEE ETC)?  38). SPECIAL CONDITIONS, IF ANY (If yes, give Brief Description)	Yes No Town Office	Yes ICE PAYN Yes Services	MENT IN T	No. THE	
PREMISES IN CONNECTION WITH THE PROCUREMEI REGARDING FINANCING OF VISIT, IF ABROAD: (If yes, enclose a copy)  37). WERE PROPER SAFEGUARDS PROVIDED ON MOBIL CONTRACT (BANK GUARANTEE ETC)?  38). SPECIAL CONDITIONS, IF ANY	Yes	Yes ICE PAY	BE ASCEF	No. THE	
PREMISES IN CONNECTION WITH THE PROCUREMEI REGARDING FINANCING OF VISIT, IF ABROAD: (If yes, enclose a copy)  37). WERE PROPER SAFEGUARDS PROVIDED ON MOBIL CONTRACT (BANK GUARANTEE ETC)?  38). SPECIAL CONDITIONS, IF ANY	Yes	Yes ICE PAY	BE ASCEF	No. THE	
PREMISES IN CONNECTION WITH THE PROCUREMEI REGARDING FINANCING OF VISIT, IF ABROAD: (If yes, enclose a copy)  37). WERE PROPER SAFEGUARDS PROVIDED ON MOBIL CONTRACT (BANK GUARANTEE ETC)?  38). SPECIAL CONDITIONS, IF ANY	NT? IF SO, DET.	Yes ICE PAY	BE ASCEF	No. THE	
PREMISES IN CONNECTION WITH THE PROCUREMEI REGARDING FINANCING OF VISIT, IF ABROAD: (If yes, enclose a copy)  37). WERE PROPER SAFEGUARDS PROVIDED ON MOBIL CONTRACT (BANK GUARANTEE ETC)?	NT? IF SO, DET	Yes ICE PAY	BE ASCEF	No. THE	
PREMISES IN CONNECTION WITH THE PROCUREMEI REGARDING FINANCING OF VISIT, IF ABROAD: (If yes, enclose a copy)  37). WERE PROPER SAFEGUARDS PROVIDED ON MOBIL	NT? IF SO, DET	Yes ICE PAY	BE ASCEF	No.	IER'S
PREMISES IN CONNECTION WITH THE PROCUREMENT REGARDING FINANCING OF VISIT, IF ABROAD: (If yes, enclose a copy)	NT? IF SO, DET	AILS TO I	BE ASCEF	No.	IER'S
REGARDING FINANCING OF VISIT, IF ABROAD:	THE PROCURIN NT? IF SO, DET	AILS TO I	CY TO THE BE ASCER	E SUPPL RTAINED	IER'S
		Yes	~	No.	
35). WAS IT ASSURED BY THE PROCURING AGENCY THA	T THE SELECT	ED FIRM	IS NOT R	LACK LIS	STED?
	No				
( ) ) 8110 actailed (Addolle)	Yes				
34). DEVIATION FROM QUALIFICATION CRITERIA (If yes, give detailed reasons)					
	No			~	**********
	Yes				
33). WAS THE EXTENSION MADE IN RESPONSE TIME? (If yes, given reasons)					
	No			V	
	Yes				
<ol> <li>ANY DEVIATION FROM SPECIFICATIONS GIVEN IN TI (If yes, given details)</li> </ol>		TICE / DO	DCUMENT	rs	
	No			V	
	Yes				



# TOWN LOCAL GOVERNMENT GULSHAN-E-IQBAL KARACHI

NO: TO/I.S & S/TLG/G.I/4569\_/2011

Karachi dated: 28 / 10 /2011

M/s. Waqar Gul Enterprises, Office: Flat B-37, Gulshan-e-Amin Tower, Block-15, Gulistan-e-Johar, Karachi.

#### **AWARD LETTER**

SUBJECT: CONSTRUCTION OF ROAD FROM ZUBAIDA HOSPITAL TO FOUNDATION SCHOOL ROUND ABOUT TIPU SULTAN ROAD, UC NO.01, GULSHAN-E-IQBAL TOWN.

This is with reference to your tender for the subjected work dropped on 17-10-2011 therein you were 1st lower bidder by quoted the rates Rs: 4,51,76,385/-

The competent authority has been pleased to award the work at a cost of Rs: 3,99,72,534/- (Rupees Three Crore Ninety Nine Lac Seventy Two Thousand Five Hundred Thirty Four only) after given the rebate. You are therefore directed to furnished the cost of stamp @ of 0.30% of the sanction cost to be affixed on the agreement within (03) days from the receipt of this letter.

This is for your information.

TOWN OFFICER, (I.S & S), TOWN LOCAL GOVERNMENT GULSHAN-E-IQBAL

Director (CB) SPPRA, GOS

With a request to upload on the Website of SPPRA (Authority).

Deputy Town Officer, (I.T), TLG, Gulshan-e-lqbal

With a request to upload on the Website of TLG, Gulshan-e-lqbal.

Copy forwarded for information to: -

1). Deputy Town Officer, (B & R), Town Local Government, Gulshan-e-Iqbal.

2). Office copy.



# TOWN LOCAL GOVERNMENT **GULSHAN-E-IQBAL KARACHI**

Dated: 18-10-2011.

### **Bid Evaluation Report**

	1. Name of Procu	ring Agency:	Town Local G	overnment, Gulshan-	e-Iqbal		
	2. Tender Reference No:		Tender Reference No:Administrator/TLG/G.I/35/2011 Dated: 27-09-2011.				
	3. Tender Descrip	tion/Name of Work/I	tem: <u>Constructi</u> School Ro Igbal Tow	ound About Tipu Sultan	da Hospital to Foundation Road, UC No.01, Gulsi	on han-e-	
	4. Method of Proc	urement: Si	ngle Stage – C	One Envelope Proced	lure		
	5. Tender Publish	"PAK" date "CITY NEW Town Loca	d: 30-09-2011 /S" dated: 01- al Government	, daily "EXPRESS" d 10-2011 & daily "JAN Website.	ated: 30-09-2011, dail ated: 30-09-2011, dail G" dated: 01-10-2011 /spapers names with c	<u>and</u>	
	6. Total Bid docum	nents Sold:	Control (Control A)	03 Nos.	opaporo names war	iaicoj.	
		eived:			12/11/11/11		
	9. No. of Bid Tech	nically qualified (if an	pplicable):	Not a	de details in separate applicable	form)	
	11. Financial Bid (	ed: Opening dated:	17-1	0-2011		Totale.	
S.N	12. Bid Evaluatio Name of Firm or Bidder	Cost offered by the Bidder	Ranking in terms of cost	Comparison with Estimated cost.	Reasons for acceptance/ rejection	Remarks	
0	1	2 +	3	4	5	6	
01	M/s. Waqar Gul Enterprises.	4,51,76,385/- (as per calculation)	1st Lowest Bidder	Estimate cost: Rs: 40 Million	Qualified as per Evaluation criteria		
02	M/s. Iqbal Progressive Builders.	4,70,08,060/- (as per calculation)	2 <sup>nd</sup> Lowest Bidder	Estimate cost: Rs: 40 Million	Qualified as per Evaluation criteria		
03	M/s. Mohammad Mustafa Construction Co.	4,83,03,345/-	3rd Lowest	Estimate cost:	Qualified as per		

#### Signature of the Members of the Committee:

S.NO.	COMMITTEE MEMBER	DESIGNATION	SIGNATURE
01-	TOWN OFFICER (I.S&S)	Chairman	Illuser.
02-	TOWN OFFICER (Finance)	Member	I hom
03-	D. T. O. (B & R)	Member . (	James Protestations
04-	ACCOUNTANT	Secretary	KOR /

Director (CB) SPPRA, GOS

With a request to upload on the Website of SPPRA (Authority).

1). Administrator, Town Local Government, Gulshan-e-lqbal.

Stamp Value: Rs: [19,950]

# TOWN LOCAL GOVERNMENT GULSHAN-E-IQBAL KARACHI

An AGREEMENT made this 99 day of 10 in the Christian Year	
houseind Eleven (2011) between the Town Local Government Gulshan-e-Ighal.	الدائم بال
TOWN LOCAL GOVERNMENT AUTHORITY	3000
thereinafter called the TLG G.Iqbal (which expression shall include their successors) of the	
one part and M/s. Wagar Gul Enterprises	SPECIAL
Office: Flat B-37, Gulshan-e-Amin tower, Block-15, Gulistan-e-Johar, Karachi	APHESHVE _
carrying on business under the name and style of by	
their Proprietor: MR, MUMTAZ SHAIKH	PAKISTAN
hereinafter called the Contractors (which expression shall include their successors and	و من مساورون عليه
assignees of the said firm and heirs executors, administrators and assignees of the said via	
individual partners of the said firm) of the other part.	* / /
	供き
WHEREAS the T.L.G Gulshan-e-lqbal has accepted the Contractor's	
Tender hereunto annexed and marked 1/3 and dated 17-10-2011 ,	
FOR THE WORK OF CONSTRUCTION OF ROAD FROM ZUBAIDA HOSPITAL O	الاحداثا ال
TO FOUNDATION SCHOOL ROUND ABOUT TIPU SULTAN ROAD, UC NO DE	10000R
GULSHAN-E-IQBAL TOWN SANCTIONED AMOUNTRS: 3,99,72,53412	
PENALTY PER DAY RS: 3,000/- TIME LIMIT 06 MONTHS VIDE C.R. NO. 150	SPECIAL -
DATED: 28-10-2011.	ADHESIVE
and signed by the Contractors after having made themselves fully acquainted with is	PAKISTAN
meaning and where as the Contractors have already deposited with the TLG G.Iqbal.	PARISTAL
sum of Rs: 9,72,305/- Dated: 19-10-2011.	(س مرود کرد
for 2% Earnest Money for the above mentioned work	
as security deposit Rs: Balance 8% S.Deposit will be deducted from running Bill.	<b>リープ )</b> 1 年
Rs: NIL in addition to the Earnest Money	
wide Challes No.	الماري الله
given to the T.L.G G.Iqbal a lien over such sum as Security for the due fulfillment of the	C 15 OUH
contract NO. THIS AGREEMENT WITNESSTH that the TLG G.Iqbal and the Contractors	SPECIAL
shall respectively well truly carry out and fulfill the Contract and abide by all the terms and	ADHESIVE
conditions of the aforesaid specification of the tender.	/ Suddings
	PAKISTAN
The Contractors do hereby bind themselves, their heirs, successors/ legal representatives a	( دهر مساله دوني ميا
and assignees to pay to the TLG G. Iqbal a sum of Rs: 9,72,305/- by way of penalty in	F RESERVE
case of the breach of any of the terms and conditions of the contracts including those	2 × 10 × 10 × 10 × 10 × 10 × 10 × 10 × 1
mentioned in the tender without prejudice to the right of the TLG G.Iqbal to recover the	5 A
damages for any such breach.	
IN WITNESS WHEREOF the said parties have set their hands	
this 29/10/ day of 2011	A III
	7.7
Town Local Government Gulshan-e-Iqbal	APPASPECIAL APPARATURE
	PAV STAN
$\mathcal{A}$	
Seal Seal	
	THE TANK
10/10	
WITNESS: Washington and the state of the sta	الهاري سان
A PARILLETTA TOP	10000H
1- AMMINISTRATOR	BIOAUUUH18
G.T.TOWN Contractors.	SPECIAL ADHESIVE
· XO _	ADHESIVE

#### WORK NO. 01

## TOWN LOCAL GOVERNMENT GULSHAN-E-IQBAL TOWN

ESTIMATED COST: 2% EARNEST MONEY Rs: 36,15,264/- + OPEN RATE Rs: 72,305/- + 2% Quoted Amount

TENDER COST : PENALTY PER DAY: TIME LIMIT :

RS: 3,000/-Rs: 3,000/-06 Months

SUBJECT:

CONSTRUCTION OF ROAD FROM ZUBAIDA HOSPITAL TO FOUNDATION SCHOOL-ROUND ABOUT TIPU SULTAN ROAD, UC NO.01, GULSHAN-E-IQBAL

S.No	Description of Work	Quantity	Rate	Unit
01	Cutting and Removing Trees with distemper 160'-0. a). Upto 2.5' girth = 60 Nos. b). Upto 2.6 to 6'-0 girth.	23 Nos. 41 Nos.	230.51 444.68	Each Each
02	Dismantling Cement Concrete plain (1:2:4)	11600 Cft	1597.20	% Cft
03	Dismantling Cement Concrete plain (1:4:8)	7920 Cft	798.60	% Cft
04	Dismantling Cement Concrete Reinforced separating Reinforcement from Concrete Cleaning and Strengthening the same etc.	48 Cft.	2613.60	% Cft
05	Scarifying the existing road surface	100800 Sft	53.25	% Sft
06	Dismantling and Removing Road Metaling	63000 Cft	290.40	% Cft
07	Earth work excavation of road side nalies i/c forming its bank are putting the same on embankment as directed clod breaking dressing etc. complete through work, in ordinary soil.	26000 Cft	631.60	%0 Cft
08	Excavation in foundation of building bridges and other structures including dag belling dressing, refilling around structure with excavated earth watering and remaining lead up to 5 feet b) in ordinary soil	3200 Cft	1306.80	%0 Cft
09	Excavation for Pipe Line in trench and pits in all kind of soils of murum including trimming and dressing sides to true alignment and shape leveling of beds of trenches to correct level and grade cutting joints holes and disposal off surplus earth with one chain as directed by Engineer Incharge providing fence guards, lights, flags and temporary crossing for non vehicular traffic where ever required lift upto 5ft and lead upto one chain.	18000 Cft	2250.60	%0Cft
10	Providing RCC Pipes of ASTM C-76-62 T/C-76-70 class II wall B and fixing in trench including cutting fitting and jointing with rubber ring including testing with water to specified pressure  a). 9" inch dia b). 12" inch dia c). 15" inch dia	400 Rft 800 Rft 400 Rft	128.25 155.15 195.85	P/Rft P/Rft P/Rft
11	Hired charged of pumping set of up to 10-HP (not less than 8" HP) pumping out water from 10' deep trench.	40 days	600	P/day
12	Disposal of unsuitable / surplus excavated material out side the Gulshan- e-lqbal Town limit including loading unloading by mechanical means of 15 miles.	107720 Cft	Open Rate	% Cft
13	Providing / fixing of CI gratings 4" C/C including frame size 4.5 X 3-0 90 Kg.	48 Nos.	Open Rate	Each

Continued on page No.02

S.No	Description of Work	Quantity	Rate	Unit
. 14	Supplying and filling Jute Bags 1.25 with sand or earth swing and laying in position under water.	1680 Bags	Open Rate	P/Bag
15	Manufacturing and supplying RCC Manhole Covers cast in 1:2:4 concrete ratio 03 in deep at center reinforced with 3/8" inch dia for steel bars at 4" C/C welded to 1/8" inch thick 2.5 inch deep MS Plate including cutting stacking and transportation within 10 miles.  21" inch dia	40 Nos.	347.65	
16	Manufacturing and supplying of RCC Ring Slab of 21* inch dia inside 36* inch dia outside 7.5 width and 6" inch thick including 3/8" dia for steel bars two concreting rings with 3/8" inch dia 08 Nos. cross linked bars welded and two sunk type hooks casted in a 1:1-1/2:3 conc. with embedded 15 Kgs., CI frame imperfect position including transportation charges for an average lead of 20 KM per trip from cast yard to Town Office. (A minimum of 25 Slabs per trip will be transported).			Each
17	Providing manhole 4ft dia (Inside) and 5ft clear depth, with C.I. Frame (15Kg) cast in situ with 1:2:4 CC in 9" thick wall 1:4:8 CC in 6ft dia and 6" inch thick in foundation 1:2:4 and 50% extra graded bajri and 50% crash CC in benching ½" thick cement plastering with 1:3 cement mortar on all inside wall surfaces channel and benching i/c making required Nos. of main and branch channels ¾" dia M.S. footrest @ 12" C/C i/c cost of excavation in all kinds of soil, backfilling and disposal of excavated stuff etc complete as per design and instruction of the Engineer Incharge. Extra depth or D/D.	40 Nos. (+) 10 Rft.	6134 1069	Each P/Rft
18	Providing and Fixing of C.I Manhole cover frame i/c cast of material.	48 Cwt.	1954.70	P/Cwt
19	Cement Concrete plain in including placing compacting, finishing & curing, complete including screening & washing of stone aggregate without shuttering Ratio 1:4:8	19056 Cft	4319.70	% Cft
20	Erection and removal of centering for RCC or Plain Cement Concrete work of Deodar Wood (2nd Class), ii) Vertical	9600 Sft	1405.75	% Sft
21	Cement Concrete Plain in including placing compacting finishing and curing complete including screening and washing of stone aggregate without shuttering Ratio 1:2:4	6432 Cft	5941.10	% Cft
22	Preparing Sub Grade i/c earth excavation or filling to an average depth of 9" dressing to camber and consolidation with power roller.	158400 Sft	236.73	% Sft
23	Providing & laying Granular sub-base course over prepared sub grade confirming with lines grade, thickness and typical cross section using well graded crushed stones/gravies, with sand and silt having a smooth gradation cure within the limits for grading C or D as per AASHTO M-147-65 (1980) and compacting to 100% of maximum Dry Density Method-D using approved mechanical means complete as directed.	257400 Cft	Open Rate	% Cft
24	Providing and Fixing fair hydraulic machine pressed pre-cast kerb stone of cement concrete using Sulphate resistant cement having 28 days cube crushing strength of not less than 4000 psi of required size and shape. Up stand kerb shall be laid on 2.5 cm thick 1:4 cement mortar and joined with 1.5 CM thick 1:3 cement mortar, kerb shall be fixed at desired level, alignment and geometry as directed by Engineer Incharge (Hub concrete/envicrete or equivalent)  Height 45 CM  Width 30 CM  Thickness at Top 10 CM  Thickness at base 15 CM	8000 Rft	Open Rate	P/Rft
25	Providing and Laying Aggregate base course over compacted granular sub base in conformity with line grades thickness and typical cross section using well graded gravels/crushed stone with sand and silt having a smooth gradation courses within the envelop limits for grading A or B as per AASHTO M-147-65 (1985) and compacting to AASHTO T-180 Method 'D' using approved mechanical means including watering with all	106128 Cft	Open Rate	% Cft

Continued on page No.03

S.No	Description of Work	Quantity	Rate	Unit
26	P/L 2" inch thick topping cement concrete (1:2:4) including surface finishing and dividing into panel. C). 2" inch thick	43200 Sft	1396.67	% Sft
27	P/S Prime Coat with medium curing Asphalt or pen grade 60/70 Prime Coat shall be used at the rate of 11 liters % Sft at 70-C temperature mixed with adequate quantity of Kerosene Oil using uniformly pressure spray boiler with automatic temperature controller prior to the application of Prime Coat all loose material shall be removed from the base course and the same shall be cleaned by mean of mechanical sweeper/blower and hard brooms and disposal the same within three chains after applying traffic shall be kept off from the surface till laying of bituminous course. Marshal and methodology shall fully comply the test and specification of AASHTO and as directed by the Engineer Incharge (Rates include cost of materials, labours all tests T & P and all leads and			
*******	lifts).  Making Diagonal Groves of 1 ½"X1 ½" at 2ft Centre to Centre in Road	172800 Sft	Open Rate	% Sft
28	Surface.	16500 Sft	67.75	% Sft
29	P/S Tack Coat with slow setting emulsified Asphalt of penetration grade 60/70 Tack Coat shall be used at the rate of 3.7 % Sft at (0.4 liters/square meter) mixed with emulsifying agent at 70 degree centigrade. Using uniformly pressure spray distributor/boiler with automatic temperature controller. Prior to the application earth/rubbish stacked on the existing road surface shall be scarified. The road surface shall be clean by brush and blower in such a way that the surface shall be free from dust and dirt and disposed off all kind of excavated material within three chains. After application, traffic shall be kept off and the surface must be in tackily condition till the laying of bituminous course. Bitumen course must be laid after 2 to 4 hours of tack coat application. Martial and methodology shall	40500 00		
	fully comply the tests and specification of AASHTO and as directed.  Providing and Supplying Asphalt Concrete (Plant Mix) at site of work	16500 Sft	Open Rate	% Sft
30	within jurisdiction of Gulshan-e-Iqbal Town for Asphaltic wearing course confirming latest AASHTO specifications/test and methodology with the following Job mix properties using Asphalt cement of penetration grade 60/70 of Pakistan oil Refinery.  i. Asphalt content 4.25% (minimum Tolerance (+) (-) 0.3 ii. Stability 1000 Kg (minimum)	2 2	=	
	iii. Flow (mm) 8-16 iv. VMA % 14 (minimum) v. Loss of stability 20 (maximum) The mix should have following specified gradation limit Standard Sieve % passing by weight Tolerance 1" inch. (19mm) 80-100 (+) (-) 6 3/8" inch (12.5mm) 75-90 (+) (-) 6 3/8" inch (8.5mm) 60-80 (+) (-) 6 No.04 (4.75mm) 40-60 (+) (-) 6 No.08 (2.36mm) 20-40 (+) (-) 4 No.50 (0.30mm) 05-15 (+) (-) 4 No.200 (0.075mm 03-08 (+) (-) 2 The cost of Asphalt mix should include cost of all lead and lift.			
	The supplied mix at site of work must be at a temperature not less than 140 degree C.	2366 Ton	Open Rate	P/Ton
PAKIS	Laying and Compacting of premixed asphalt concrete in layer not more than 6CM compacted thickness in single operation using mechanical means (Paving Machine, Vibratory Tandem Wheel and Pneumatic Tyre Rollers) and other tool to provide well finished and properly leveled and sealed top surface honeycomb texture of top surface shall be undesirable, if encountered during execution shall be required to be redressed with approved fine asphaltic mix. The density of compacted layer shall be equal to or greater than 96% of the Marshal Density of each day production. The Methodology of laying and compacting asphalt layers standards. Prior to paving asphaltic Road base etc laying shall be done in	200 101	Openinal	111301
	ring laying the temperature asphalt	400000		Piece
	s th	189300 Sft	Open Rate	P/Sft

S.No	— Description of Work	Quant	ify Dot	Control of the Contro		
32	Incharge including cutting concreting (1:2:4) fixing of form work (if matching with existing surface etc complete upto maximum height of 12"		Incharge including cutting concreting (1:2:4) fixing of form work (if matching with existing surface etc complete upto maximum height of 12"		to the existing road surface or level described by Engineer e including cutting concreting (1:2:4) fixing of form work (if at required grade/level its removal, curing finishing and g with existing surface etc complete upto maximum height of 12"	
33	Painting with enamel said	40 Nos.	Open Ra	te Each		
	Painting with enamel paint on masonry walls (new surface 1st coat).		369.82 + 245.14			
34	Providing for and application of hot melt approved thermoplastic pail	4800 Sft	614.96	% Sft		
	Ballotiny intermix glass beads confirming to BW-6088 (1989) is specification when laid in strips give minimum 2mm thickness complete including cleaning the road surface and making for line and length a directed and as per specification.	/c er n				
35	Providing and fixing 3M raised pavement marker (Cat Eyes) plastic body	11088 Sft	Open Rate	P/Sft		
	when illuminated by car bootlinks yields high brightness retroreflected light					
36	Providing laying & jointing of polyethylene pipe (SDPE-100) SDR-13.6 P/N-10 confirming to ISO-4427, Din 8074 & PS-3380: 1994 manufactured by API certified firms i/c transportation charges excluding the cost of lifting & specials (90mm to 450mm dia).		Open Rate	Each		
	110MM dia 160MM dia	2200 Rft	Open Rate	P/Rft		
7 1	Providing / Jointing & Fixing of #P 5	250 Rft	Open Rate	P/Rft		
Į t	Providing / Jointing & Fixing of "P:E" pipe fitting PE-100, PN-10 i/c ransporting.  Discretely present the providing of "P:E" pipe fitting PE-100, PN-10 i/c	04 Nos.	Open Rate	Each		
	160MM dia	02 Nos.				
li	). Flang Adopter (WXZ-400) 110MM dia	10 Nos.	Open Rate	Each		
111	160MM 41-		Open Rate	Each		
"	(110MM Y 110MM Y 110MM Y	04 Nos.	Open Rate	Each		
	· · · · · · · · · · · · · · · · · · ·	02 Nos.	Open Rate	Each		
	160MM dia					
	I/We hereby quoted	02 Nos.	Open Rate	Fach		

I/We hereby quoted	% should be leading	02 1703.   00	en Rate Each
Raté Rs:		the Schedule Rate and Total Amou	int for Items on Ope
and also shall undertake	to abide by prescribed terms and	conditions of the Contract	-
	2.60	The Contract.	- 100
Checked by:	Address:	Contract	or's Signature
A. TO. SUB-ENGI	S NEER /		

DEPUTY TOWN OFFICER (B&R)
TOWN LOCAL GOVERNMENT
GULSHAN-E-IQBAL

TOWN OFFICER (I.S&S)
TOWN LOCAL GOVERNMENT
GULSHAN-E-IQBAL



#### TOWN LOCAL GOVERNMENT GULSHAN-E-IQBAL KARACHI

Dated: 18-10-2011.

#### **Bid Evaluation Report**

Name of Procuring Age	. Name of Procuring Agency:		
2. Tender Reference No:	Administra	tor/TLG/G.I/35/2011 Dated: 27-09-2011.	
3. Tender Description/Na		action of Road from Zubaida Hospital to Foundation Round About Tipu Sultan Road, UC No.01, Gulshan-e- own.	
4. Method of Procuremen	t: Single Stage	- One Envelope Procedure	
5. Tender Published:	"PAK" dated: 30-09-20 "CITY NEWS" dated: 0 Town Local Governm	11 The daily "ASSAS" dated: 30-09-2011, daily 11, daily "EXPRESS" dated: 30-09-2011, daily 11-10-2011 & daily "JANG" dated: 01-10-2011 and ant Website. 3 (SPPRA ID No. & Newspapers names with dates)	
6. Total Bid documents S	old:	03 Nos.	
7. Total Bids Received: _		03 Nos	
Technical Bid Opening     No. of Bid Technically     Bid (s) Rejected:			
11. Financial Bid Opening		7-10-2011	

S.N	Name of Firm or Bidder	Cost offered by the Bidder	Ranking in terms of cost	Comparison with Estimated cost.	Reasons for acceptance/ rejection	Remar
0	1	2	3	4	5	6
01	M/s. Waqar Gul Enterprises.	4,51,76,385/- (as per calculation)	1st Lowest Bidder	Estimate cost: Rs: 40 Million	Qualified as per Evaluation criteria	
02	M/s. Iqbal Progressive Builders.	4,70,08,060/- (as per calculation)	2 <sup>nd</sup> Lowest Bidder	Estimate cost: Rs: 40 Million	Qualified as per Evaluation criteria	13
03	M/s. Mohammad Mustafa Construction Co.	4,83,03,345/- (as per calculation)	3 <sup>re</sup> Lowest Bidder	Estimate cost: Rs: 40 Million	Qualified as per Evaluation criteria	

#### Signature of the Members of the Committee:

S.NO.	COMMITTEE MEMBER	DESIGNATION	SIGNATURE
01-	TOWN OFFICER (I.S&S)	Chairman	Muera:
02-	TOWN OFFICER (Finance)	Member	of from
03-	D. T. O. (B & R)	Member C	Manuel because
04-	ACCOUNTANT	Secretary	NO N

Director (CB) SPPRA, GOS

With a request to upload on the Website of SPPRA (Authority).

Copy to: -

1). Administrator, Town Local Government, Gulshan-e-Iqbal.