

SINDH PUBLIC PROCUREMENT REGULATORY AUTHORITY

CONTRACT EVALUATION FORM

TO BE FILLED IN BY ALL PROCURING AGENCIES FOR PUBLIC CONTRACTS OF WORKS, SERVICES & GOODS

- 1) NAME OF THE ORGANIZATION / DEPTT. H.E.J. Research Institute of Chemistry, International Center for Chemical and Biological Sciences, University of Karachi.
- 2) PROVINCIAL / LOCAL GOVT./ OTHER Semi-government; autonomous body
- 3) TITLE OF CONTRACT Purchase/import of scientific equipments
- 4) TENDER NUMBER Re-Tender Notice No. HEJ-260313 (2ND TIME)
- 5) BRIEF DESCRIPTION OF CONTRACT Purchase/import for research work
- 6) FORUM THAT APPROVED THE SCHEME Director, I.C.C.B.S.
- 7) TENDER ESTIMATED VALUE Below Rs. 2.0 million
- 8) ENGINEER'S ESTIMATE (For civil works only) N.A.
- 9) ESTIMATED COMPLETION PERIOD (AS PER CONTRACT) N.A.
- 10) TENDER OPENED ON (DATE & TIME) 26-03-2013 at 3.00 p.m.
- 11) NUMBER OF TENDER DOCUMENTS SOLD (Attach list of buyers) Fifteen
- 12) NUMBER OF BIDS RECEIVED Forteen
- 13) NUMBER OF BIDDERS PRESENT AT THE TIME OF OPENING OF BIDS Four
- 14) BID EVALUATION REPORT (Enclose a copy) 21-05-2013
- 15) NAME AND ADDRESS OF THE SUCCESSFUL BIDDER Instech and Continental Worldwide Trading Co.
- 16) CONTRACT AWARD PRICE US \$ 15,500/- and Euro: 950/-
- 17) RANKING OF SUCCESSFUL BIDDER IN EVALUATION REPORT (i.e. 1st, 2nd, 3rd EVALUATION BID). 1st lowest (evaluated)

18) METHOD OF PROCUREMENT USED : - (Tick one)

- a) SINGLE STAGE – ONE ENVELOPE PROCEDURE Domestic/ Local
- b) SINGLE STAGE – TWO ENVELOPE PROCEDURE
- c) TWO STAGE BIDDING PROCEDURE
- d) TWO STAGE – TWO ENVELOPE BIDDING PROCEDURE

PLEASE SPECIFY IF ANY OTHER METHOD OF PROCUREMENT WAS ADOPTED i.e. EMERGENCY, DIRECT CONTRACTING ETC. WITH BRIEF REASONS:

19) APPROVING AUTHORITY FOR AWARD OF CONTRACT _____

20) WHETHER THE PROCUREMENT WAS INCLUDED IN ANNUAL PROCUREMENT PLAN?

Yes	<input checked="" type="checkbox"/>	No	<input type="checkbox"/>
-----	-------------------------------------	----	--------------------------

21) ADVERTISEMENT :

i) SPPRA Website
(If yes, give date and SPPRA Identification No.)

Yes	S.No. 15585 ID: 11198/2013
No	

ii) News Papers
(If yes, give names of newspapers and dates)

Yes	24-02-2013 Daily Jang, Dawn and Kawish
No	

22) NATURE OF CONTRACT

Domestic/ Local	<input checked="" type="checkbox"/>	Int.	<input type="checkbox"/>
--------------------	-------------------------------------	------	--------------------------

23) WHETHER QUALIFICATION CRITERIA WAS INCLUDED IN BIDDING / TENDER DOCUMENTS?
(If yes, enclose a copy)

Yes	<input type="checkbox"/>	No	<input checked="" type="checkbox"/>
-----	--------------------------	----	-------------------------------------

24) WHETHER BID EVALUATION CRITERIA WAS INCLUDED IN BIDDING / TENDER DOCUMENTS?
(If yes, enclose a copy)

Yes	<input type="checkbox"/>	No	<input checked="" type="checkbox"/>
-----	--------------------------	----	-------------------------------------

25) WHETHER APPROVAL OF COMPETENT AUTHORITY WAS OBTAINED FOR USING A METHOD OTHER THAN OPEN COMPETITIVE BIDDING?

Yes	<input type="checkbox"/>	No	<input checked="" type="checkbox"/>
-----	--------------------------	----	-------------------------------------

26) WAS BID SECURITY OBTAINED FROM ALL THE BIDDERS?

Yes	<input checked="" type="checkbox"/>	No	<input type="checkbox"/>
-----	-------------------------------------	----	--------------------------

27) WHETHER THE SUCCESSFUL BID WAS LOWEST EVALUATED BID / BEST EVALUATED BID (in case of Consultancies)

Yes	<input checked="" type="checkbox"/>	No	<input type="checkbox"/>
-----	-------------------------------------	----	--------------------------

28) WHETHER THE SUCCESSFUL BIDDER WAS TECHNICALLY COMPLIANT?

Yes	<input checked="" type="checkbox"/>	No	<input type="checkbox"/>
-----	-------------------------------------	----	--------------------------

29) WHETHER NAMES OF THE BIDDERS AND THEIR QUOTED PRICES WERE READ OUT AT THE TIME OF OPENING OF BIDS?

Yes	<input checked="" type="checkbox"/>	No	<input type="checkbox"/>
-----	-------------------------------------	----	--------------------------

30) WHETHER EVALUATION REPORT GIVEN TO BIDDERS BEFORE THE AWARD OF CONTRACT?
(Attach copy of the bid evaluation report)

Yes	<input type="checkbox"/>	No	<input checked="" type="checkbox"/>
-----	--------------------------	----	-------------------------------------

31) ANY COMPLAINTS RECEIVED
(If yes, result thereof)

Yes	
No	NO

32) ANY DEVIATION FROM SPECIFICATIONS GIVEN IN THE TENDER NOTICE / DOCUMENTS
(If yes, give details)

Yes	
No	NO

33) WAS THE EXTENSION MADE IN RESPONSE TIME?
(If yes, give reasons)

Yes	
No	NO

34) DEVIATION FROM QUALIFICATION CRITERIA
(If yes, give detailed reasons.)

Yes	
No	NO

35) WAS IT ASSURED BY THE PROCURING AGENCY THAT THE SELECTED FIRM IS NOT BLACK LISTED?

Yes	<input checked="" type="checkbox"/>	No	<input type="checkbox"/>
-----	-------------------------------------	----	--------------------------

36) WAS A VISIT MADE BY ANY OFFICER/OFFICIAL OF THE PROCURING AGENCY TO THE SUPPLIER'S PREMISES IN CONNECTION WITH THE PROCUREMENT? IF SO, DETAILS TO BE ASCERTAINED REGARDING FINANCING OF VISIT, IF ABROAD:
(If yes, enclose a copy)

Yes	<input type="checkbox"/>	No	<input checked="" type="checkbox"/>
-----	--------------------------	----	-------------------------------------

37) WERE PROPER SAFEGUARDS PROVIDED ON MOBILIZATION ADVANCE PAYMENT IN THE CONTRACT (BANK GUARANTEE ETC.)?

Yes	<input checked="" type="checkbox"/>	No	<input type="checkbox"/>
-----	-------------------------------------	----	--------------------------

38) SPECIAL CONDITIONS, IF ANY
(If yes, give Brief Description)

Yes	
No	NO

39) Date of Award of Contract 19/7 and 11/6 2013

Signature & Official Stamp of
Authorized Officer

Sr. Professor
ICCBS
H.E.J. Research Institute
of Chemistry
University of Karachi

FOR OFFICE USE ONLY

SPPRA, Block. No.8, Sindh Secretariat No.4-A, Court Road, Karachi

Tele: 021-9205356; 021-9205369 & Fax: 021-9206291

Print

Save

Reset

Strengthening of HEJ Phase-II
H.E.J. Research Institute of Chemistry
International Center for Chemical and Biological Sciences
University of Karachi, Karachi-75270, Pakistan


PURCHASE ORDER / WORK ORDER

P.O. No. 046Date: 19-07-2013Messors: New Brunswick Scientific, 175 Freshwater Blvd, Enfield, CT 06082 USA.Ref: Your Quotation No. PAK / AKUH / 19 dated 22-04-2013Subject: Supply of Incubator Shaker for Prof. Dr. M. Iqbal Choudhary Lab P-131Tender No. HEJ-260313 (2nd Time)

Please supply the following articles to the institute.

S. No.	PARTICULARS	QUANTITY	RATE	Amount
1.	Stackable Incubator Shaker Model: I 26R (M1324-0006) Platform: 30" x 18" (76 x 46 cm) Speed: 25 to 400 rpm, Stroke: 1" (25.4 mm) Temperature: From 15°C below ambient to 60 Programming: Automatically changes temperature, Speed. For 230VAC-50Hz Included: M1324-9906 250 ml dedicated platform with 40 clamps. Medium Base to raise shaker to 13" Power Cable & User manual	01 Unit	\$15,500.00	\$15,500.00
		01 Unit		
		01 Unit		
	E. & O.E.	TOTAL C&F Karachi		\$15,500.00

Dollar Fifteen thousand five hundred only



[Signature]
PURCHASE & STORE ADVISOR

MT-103 (Single Credit Customer Transfer)

TO: DEUTSCHE BANK

DEUTDEFF

FROM: UNILPKKA

DATED: 11-06-2013

20	Senders Reference: OFTT/1146/174/13
23B	Bank Operation Code: CRED
32A	Value Date: 11-06-2013 Currency & Amount: EURO= 950/-
50z	<u>Ordering Customer:</u> Name INTERNATIONAL CENTER FOR CHEMICAL AND BIOLOGICAL SCIENCES (ICCBS) A/c No : 358-0003-3 Address : UNIVERSITY OF KARACHI CNIC/Passport No: N/A Date or Place of Birth : N/A Registration number (for other than individuals): N/A Date and place of incorporation (for other than individuals) : 01-JAN-1977 KARACHI UNIVERSITY
52a	Ordering Institution: UNILPKKA
56a	<u>Intermediary Institution:</u> N/A
57a	<u>Account With Institution: :</u> BANK DETAILS : COMMERZBANK AG BLZ : 790 800 52 SWIFT CODE : DRES DE FF 790 IBAN : DE 63 7908 0052 0309 9404 00
59a	<u>Beneficiary Customer:</u> A/c Number : 30 99 40 40 0 Name & address : M/S VITLAB GMBH, LINUS-PAULING-STR. 1, 63762 GROSSOSTHEIM, GERMANY.
70	<u>Remittance Information</u> Purpose : IMPORT OF SCIENTIFIC APPLIANCES Relationship b/w originator /beneficiary : N/A
71A	Details of Charges: OUR

Bid Evaluation Report


1. Name of Procuring Agency: H.E.J. Research Institute of Chemistry, International Center for Chemical and Biological Sciences, University of Karachi, Karachi-75270.
2. Tender Reference No: HEJ-260313 (2nd time)
3. Tender Description/Name of work/item: Purchase/import of scientific equipments and appliances
4. Method of Procurement: Single Stage – Single Envelope
5. Tender Published: Jang, Dawn, Kawish dated 24-02-2013; SPPRA S. No.: 15585; ID: 11198/2013
Print & Electronic Media (SPPRA ID No. & News papers names with dates)
6. Total Bid documents Sold; 15
7. Total Bids Received: 14
8. Technical Bid Opening date: (if applicable) N.A. *(Provide details in separate form)*
9. No. of Bid technically qualified (if applicable): N.A.
10. Bid(s) Rejected: One (Friends Scientific Corporation) due to ex-works rates
11. Financial Bid Opening date: 26-03-2013

12. Bid Evaluation Report:


Item No. 1: Refrigerated Shaking Incubator

S No	Name of Firm or Bidder	Cost offered by the Bidder	Ranking in terms of cost	Comparison with Estimated cost	Reasons for acceptance/rejection	Remarks
0	1	2	3	4	5	6
1.	Instech	\$ 15,500/-	1 st lowest (evaluated)	N.A.	1 st lowest and according to specifications	Recommended for placement of order
2.	Nawaid Scientific Traders	\$ 17,310/-	2 nd lowest	N.A.	According to specs but not lowest	Not recommended
3.	Sure Bio Diagnostic & Pharmaceuticals	\$ 21,223/-	3 rd lowest	N.A.	According to specs but not lowest	Not recommended
4.	Uni-Tech Scientific	\$ 5,331/-	2 nd lowest	N.A.	Speed range 10-300 rpm, while tender requirement was 25-400 rpm	Rejected
5.	Uni-Tech Scientific	\$ 4,345/-	1 st lowest (offer-2)	N.A.	Speed range 30-400 while tender requirement was 25-400	Rejected
6.	Penicon	\$ 11,845/-	4 th lowest (offer-1)	N.A.	Speed range 30-400 while tender requirement was 25-400	Rejected

PURCHASE COMMITTEE, ICCBS INSTITUTIONS



1. Prof. Dr. M. Shaig Ali
Chairman (I.C.C.B.S)


2. Dr. M. Raza Shah
Member (I.C.C.B.S)


3. Dr. M. Ahmed Mesaik
Member (I.C.C.B.S)

Members from Outside Institution


1. Dr. Rahat Azhar Ali
Members from Dept. of Chemistry, U.O.K


3. Dr. Zahida Karim


Signatures of the Members of the Committee


12. Bid Evaluation Report:

Item No. 4.1: Single Channel Adjust Pipett (Range 0.5-10 ul)

<i>S No</i>	<i>Name of Firm or Bidder</i>	<i>Cost offered by the Bidder</i>	<i>Ranking in terms of cost</i>	<i>Comparison with Estimated cost</i>	<i>Reasons for acceptance/rejection</i>	<i>Remarks</i>
0	1	2	3	4	5	6
1.	Continental World Wide Trading Co.	Rs. 15,600/-	1 st lowest	N.A.	1 st lowest and according to specs	Recommended for placement of order
2.	T.M. Enterprises	Rs. 16,150/-	2 nd lowest	N.A.	According to specs but not lowest	Not recommended
3.	Nawaid Scientific Traders	Rs. 22,040/-	3 rd lowest	N.A.	According to specs but not lowest	Not recommended
4.	Sure Bio Diagnostic & Pharmaceuticals	Rs. 22,800/-	4 th lowest	N.A.	According to specs but not lowest	Not recommended
5.	K. Ahmed & Sons	Rs. 28,600/-	5 th lowest	N.A.	According to specs but not lowest	Not recommended
6.	Eco Biosciences	Rs. 35,230/-	6 th lowest	N.A.	According to specs but not lowest	Not recommended
7.	Bio Sciences	Rs. 37,700/-	7 th lowest	N.A.	According to specs but not lowest	Not recommended


PURCHASE COMMITTEE, ICCHS INSTITUTIONS


Prof. Dr. M. Shahn Ali
Chairman (I.C.C.B.S)


2. Dr. M. Raza Shah
Member (I.C.C.B.S)


3. Dr. M. Ahmed Mesaik
Member (I.C.C.B.S)

Members from Outside Institution


1. Dr. Rahat Azhar Ali


3. Dr. Zahida Karim

Members from Dept. of Chemistry, U.O.K


Signatures of the Members of the Committee


12. Bid Evaluation Report:


Item No. 4.2: Single Channel Adjust Pipett (Range 2-20 ul)

S No	Name of Firm or Bidder	Cost offered by the Bidder	Ranking in terms of cost	Comparison with Estimated cost	Reasons for acceptance/rejection	Remarks
0	1	2	3	4	5	6
1.	Continental World Wide Trading Co.	Rs. 15,600/-	1 st lowest	N.A.	1 st lowest and according to specs	Recommended for placement of order
2.	T.M. Enterprises	Rs. 16,150/-	2 nd lowest	N.A.	According to specs but not lowest	Not recommended
3.	Nawaid Scientific Traders	Rs. 22,040/-	3 rd lowest	N.A.	According to specs but not lowest	Not recommended
4.	Sure Bio Diagnostic & Pharmaceuticals	Rs. 22,800/-	4 th lowest	N.A.	According to specs but not lowest	Not recommended
5.	K. Ahmed & Sons	Rs. 28,600/-	5 th lowest	N.A.	According to specs but not lowest	Not recommended
6.	Eco Biosciences	Rs. 35,230/-	6 th lowest	N.A.	According to specs but not lowest	Not recommended
7.	Bio Sciences	Rs. 37,700/-	7 th lowest	N.A.	According to specs but not lowest	Not recommended


PURCHASE COMMITTEE, ICCBS INSTITUTIONS



1. Prof. Dr. M. Shaiq Ali
Chairman (I.C.C.B.S)


2. Dr. M. Raza Shah
Member (I.C.C.B.S)


3. Dr. M. Ahmed Mesalk
Member (I.C.C.B.S)

Members from Outside Institution


1. Dr. Rahat Azhar Ali
Members from Dept. of Chemistry, U.O.K


3. Dr. Zahida Karim
Members from Dept. of Chemistry, U.O.K

Signatures of the Members of the Committee

12. Bid Evaluation Report:

Item No. 4.3: Single Channel Adjust Pipett (Range 10-100 ul)

S No	Name of Firm or Bidder	Cost offered by the Bidder	Ranking in terms of cost	Comparison with Estimated cost	Reasons for acceptance/rejection	Remarks
0	1	2	3	4	5	6
1.	Continental World Wide Trading Co.	Rs. 15,600/-	1 st lowest	N.A.	1 st lowest and according to specs	Recommended for placement of order
2.	T.M. Enterprises	Rs. 16,150/-	2 nd lowest	N.A.	According to specs but not lowest	Not recommended
3.	Nawaid Scientific Traders	Rs. 22,040/-	3 rd lowest	N.A.	According to specs but not lowest	Not recommended
4.	Sure Bio Diagnostic & Pharmaceuticals	Rs. 22,800/-	4 th lowest	N.A.	According to specs but not lowest	Not recommended
5.	K. Ahmed & Sons	Rs. 28,600/-	5 th lowest	N.A.	According to specs but not lowest	Not recommended
6.	Eco Biosciences	Rs. 35,230/-	6 th lowest	N.A.	According to specs but not lowest	Not recommended
7.	Bio Sciences	Rs. 37,700/-	7 th lowest	N.A.	According to specs but not lowest	Not recommended

PURCHASE COMMITTEE, ICCBS INSTITUTIONS

1. Prof. Dr. M. Shaiq Ali
Chairman (I.C.C.B.S)

2. Dr. M. Raza Shah
Member (I.C.C.B.S)

3. Dr. M. Ahmed Mesaik
Member (I.C.C.B.S)

Members from Outside Institution

1. Dr. Rahat Azhar Ali

3. Dr. Zahida Karim

Members from Dept. of Chemistry, U.O.K


Signatures of the Members of the Committee


12. Bid Evaluation Report:


Item No. 4.4: Single Channel Adjust Pipett (Range 50-200 ul)

S No	Name of Firm or Bidder	Cost offered by the Bidder	Ranking in terms of cost	Comparison with Estimated cost	Reasons for acceptance/rejection	Remarks
0	1	2	3	4	5	6
1.	Continental World Wide Trading Co.	Rs. 15,600/-	1 st lowest	N.A.	1 st lowest and according to specs	Recommended for placement of order
2.	T.M. Enterprises	Rs. 16,150/-	2 nd lowest	N.A.	According to specs but not lowest	Not recommended
3.	Nawaid Scientific Traders	Rs. 22,040/-	3 rd lowest	N.A.	According to specs but not lowest	Not recommended
4.	Sure Bio Diagnostic & Pharmaceuticals	Rs. 22,800/-	4 th lowest	N.A.	According to specs but not lowest	Not recommended
5.	K. Ahmed & Sons	Rs. 28,600/-	5 th lowest	N.A.	According to specs but not lowest	Not recommended
6.	Eco Biosciences	Rs. 35,230/-	6 th lowest	N.A.	According to specs but not lowest	Not recommended
7.	Bio Sciences	Rs. 37,700/-	7 th lowest	N.A.	According to specs but not lowest	Not recommended


PURCHASE COMMITTEE, ICCBS INSTITUTIONS



1. Prof. Dr. M. Shaq Ali
Chairman (I.C.C.B.S)


2. Dr. M. Raza Shah
Member (I.C.C.B.S)


3. Dr. M. Ahmed Mesaik
Member (I.C.C.B.S)

Members from Outside Institution


1. Dr. Rahat Azhar Ali


3. Dr. Zahida Karim
Members from Dept. of Chemistry, U.O.K


Signatures of the Members of the Committee


12. Bid Evaluation Report:


Item No. 4.5: Single Channel Adjust Pipett (Range 100-1000 ul)

S No	Name of Firm or Bidder	Cost offered by the Bidder	Ranking in terms of cost	Comparison with Estimated cost	Reasons for acceptance/rejection	Remarks
0	1	2	3	4	5	6
1.	Continental World Wide Trading Co.	Rs. 15,600/-	1 st lowest	N.A.	1 st lowest and according to specs	Recommended for placement of order
2.	T.M. Enterprises	Rs. 16,150/-	2 nd lowest	N.A.	According to specs but not lowest	Not recommended
3.	Nawaid Scientific Traders	Rs. 22,040/-	3 rd lowest	N.A.	According to specs but not lowest	Not recommended
4.	Sure Bio Diagnostic & Pharmaceuticals	Rs. 22,800/-	4 th lowest	N.A.	According to specs but not lowest	Not recommended
5.	K. Ahmed & Sons	Rs. 28,600/-	5 th lowest	N.A.	According to specs but not lowest	Not recommended
6.	Eco Biosciences	Rs. 35,230/-	6 th lowest	N.A.	According to specs but not lowest	Not recommended
7.	Bio Sciences	Rs. 37,700/-	7 th lowest	N.A.	According to specs but not lowest	Not recommended

PURCHASE COMMITTEE, ICCBS INSTITUTIONS



1. Prof. Dr. M. Shatq Ali
Chairman (I.C.C.B.S)


2. Dr. M. Raza Shah
Member (I.C.C.B.S)


3. Dr. M. Ahmed Mesaik
Member (I.C.C.B.S)

Members from Outside Institution


1. Dr. Rahat Azhar Ali
Members from Dept. of Chemistry, U.O.K


3. Dr. Zakida Karim
Members from Dept. of Chemistry, U.O.K


Signatures of the Members of the Committee


12. Bid Evaluation Report:


Item No. 6: (Multi-Channel (8-Channels) Pipette (30-300 ul)

S No	Name of Firm or Bidder	Cost offered by the Bidder	Ranking in terms of cost	Comparison with Estimated cost	Reasons for acceptance/rejection	Remarks
0	1	2	3	4	5	6
1.	Continental Worldwide Trading Co.	Rs. 45,500/-	1 st lowest	N.A.	1 st lowest and according to specifications	Recommended for placement of order
2.	T.M. Enterprises	Rs. 59,525/-	2 nd lowest	N.A.	According to specs but not lowest	Not recommended
3.	Sure Bio Diagnostic & Pharmaceuticals	Rs. 64,426/-	3 rd lowest	N.A.	According to specs but not lowest	Not recommended
4.	Nawaid Scientific Traders	Rs. 72,250/-	4 th lowest	N.A.	According to specs but not lowest	Not recommended
5.	K. Ahmed & Sons	Rs. 76,700/-	5 th lowest	N.A.	According to specs but not lowest	Not recommended
6.	Eco Biosciences	Rs. 102,960/-	6 th lowest	N.A.	According to specs but not lowest	Not recommended
7.	Bio Sciences	Rs. 107,999/-	7 th lowest	N.A.	According to specs but not lowest	Not recommended


PURCHASE COMMITTEE, ICCBS INSTITUTIONS


1. Prof. Dr. M. Shaiq Ali
Chairman (I.C.C.B.S)


2. Dr. M. Raza Shah
Member (I.C.C.B.S)


3. Dr. M. Ahmed Mesaik
Member (I.C.C.B.S)

Members from Outside Institution


1. Dr. Rahat Azhar Ali


3. Dr. Zahida Karim

Members from Dept. of Chemistry, U.O.K

Signatures of the Members of the Committee



H.E.J. TWC PCMD PROJECT

Document Title: Purchase Requisition Form

Doc. No.:	ICCBS/04/08-01	Rev. No.	01	Issue No.	1
-----------	----------------	----------	----	-----------	---

Transaction No. JAN/3/HET/23/2012/13 Serial No.: 10925
 P.O. No. _____ Date _____

PURCHASE REQUISITION FORM

Sci. Equipments	Chemicals	Glassware	Stationary	Computer & Accessories	General Items
<input checked="" type="checkbox"/>					

PLEASE (✓) AT APPROPRIATE PLACE ON THE ABOVE DESCRIPTION
 The prior approval is hereby requested for the purchase of the stated items, which are required for,
 Prof./ Dr./ Mr./ Ms. M. Iqbal Choudhary Lab No. P131 Intercom No. 307
 The amount required for the purchase of these items may deducted from the head of,
Research Grant of Dr. Iqbal

Sr. No.	Item(s)	Specification/ Description	Quantity	Instructions
1	Stackable Shaking Incubator		01	
2	Centrifuge with rotor		01	Tender
3	Inverted Fluorescence Microscope		01	Specifications
4	Separatory funnel Shaker		01	Attached
5	pH meter		04	
6	Single channel pipettes		06	
7	Multichannel electronic pipettes		02	
8	Multichannel pipettes		02	

Requested By: Artia
 Signature:

Signature of the Supervisor

Recommended by Finance Manager

Faculty Incharge of Purchase

Received in Store (Date & Sign.)

Submitted for approval for the purchase of the above items. The payment of the above items may be made from the head of A/C. _____

Purchase Officer

APPROVED BY (Director/ Co.Director)

Shahid Ali Khalid
APR 10/2017

1. **Stackable Incubator Shaker**

Quantity: 1

Specifications:

Shaking: 25 to 400 rpm

Temperature: 5 °C above ambient to 60 °C

Temperature control: PI microprocessor feedback regulation 0.1 ± 0.5 °C

Heaters: Low-watt density, resistance-type heaters with high-temperature safety thermostat cut off

Door: Large viewing window

Size: 34" Wide x 25" Deep x 14" High above platform

Platform: 250 mL Erlenmeyer, 30" x 18" (76.2 x 45.72 cm).

Alarm: Audible and visible signals indicate when speed deviates more than 5 rpm, temperature more than 1°C from setpoint, and when timer operation has expired

Drive and drive motor: Triple-eccentric counterbalanced drive in cast-iron housing with solid-state brushless D.C. motor

Medium base

Cat # New Brunswick I26 or equivalent

2. **Centrifuge with Rotor.**

Quantity: 1

Specification:

Max.capacity: 4 × 750 mL/ 4 × 4 MTP

Max. Rcf: 20,913 × g

Max. Speed: 14,000

Dimension: Bench Top.

Centrifuge 5810, with Rotor A-4-62 incl.adapters for 15 mL/ 50 mL conical tubes: 36 × 15 mL/16 × 50mL (max.capacity of conical tubes per rotor),

Cat # Centrifuge Eppendorf 5810 or equivalent

3. **Inverted Fluorescence Microscope:**

Specifications:

1: Objectives:

-Plan 4x

-Plan Fluor 10x Phase Contrast

-Plan Fluor 20x Elwd Phase Contrast W/Correction Collar

-Plan Fluor 40x Elwd Phase Contrast W/Correction Collar

2: Cubes:

-41001 FITC/ EGFP/ BODIPY FL/ FLUO3/DiO

-41005 Propidium Iodide

As Equivalent to **Nikon TE200** Inverted Fluorescence & Phase Contrast Tissue Culture Microscope W/Side Camera Port & 2 Cubes

4. Separatory Funnel Shaker

Quantity: 1

Specifications

Round, double tube, Squibb type separating funnel should be attached

Size of separating funnel: 3 to 5 liter

Shaking speed: 50 to 300 rpm

5. pH meter

Quantity required : 4

Specification:

Temperature sensor: integrated

Electrode material: Glass

Electrolyte filling solution: KCl 3 mol/ l fluid

Measuring range: -5 to +105 C

Cat # Sartorius PB-11-P11 or equivalent

6. Single channel adjustable pipette

	Range:	Volume increment		Quantity required
1	0.1-2.5 μL	0.002 μL	Eppendroff 4910000.085 or equivalent	02
2	0.5-10 μL	0.01 μL	Eppendroff 4910000.018 or equivalent	02
3	2-20 μL	0.02 μL	Eppendroff 4910000.034 or equivalent	02
4	10-100 μL	0.1 μL	Eppendroff 4910000.042 or equivalent	02
5	50-200 μL	0.2 μL	Eppendroff 4910000.093 or equivalent	02
6	100-1000 μL	1 μL	Eppendroff 4910000.069 or equivalent	02

7. Multi channel (8 channel) electronic pipette with charging adapter

Range; 20-300 μL

Volume increment: 0.5 μL

Quantity required 02

Cat # Eppendroff 4860000.550 or equivalent

8. Multi channel (8 Channel) pipette

Range; 30-300 μ L

Volume increment: 0.2 μ L

Quantity required 02

Cat # Eppendroff 3114000.158 or equivalent

INS-TECH

428, 4th Floor, Mashriq Centre, Sir Shah Mohammad Suleman Road, Gulshan-e-Iqbal, Block-14, Karachi-75300
Phones : (021) 34945487 - 34136486 Fax : (021) 34125992
e-mail : instech@cyber.net.pk

The Chairman Purchase Committee,
HEJ Research Institute Of Chemistry,
International Center For Chemical & Biological Sciences,
University Of Karachi,
KARACHI.

Our Ref. : PAK/AKUH/19A

Date : 22-06-2013

SUB : Extension in Validity of quotation.

Dear Sir,

Reference our quotation submitted in your tender HEJ 260313 for Stackable Incubator Shaker.

We are pleased to extend validity of our quotation till 25-07-2013

Very Truly Yours.

For INSTECH.



SHAHID IMAM.

Bid Evaluation Report

1. Name of Procuring Agency: H.E.J. Research Institute of Chemistry, International Center for Chemical and Biological Sciences, University of Karachi, Karachi-75270.
2. Tender Reference No: HEJ-260313 (2nd time)
3. Tender Description/Name of work/item: Purchase/import of scientific equipments and appliances
4. Method of Procurement: Single Stage - Single Envelope
5. Tender Published: Jang, Dawn, Kawish dated 24-02-2013; SPPRA S. No.: 15585; ID: 11198/2013
Print & Electronic Media (SPPRA ID No. & News papers names with dates)
6. Total Bid documents Sold; 15
7. Total Bids Received: 14
8. Technical Bid Opening date: (if applicable) N.A. *(Provide details in separate form)*
9. No. of Bid technically qualified (if applicable): N.A.
10. Bid(s) Rejected: One (Friends Scientific Corporation) due to ex-works rates
11. Financial Bid Opening date: N.A.


12. Bid Evaluation Report:

Item No. 1: Refrigerated Shaking Incubator

S No	Name of Firm or Bidder	Cost offered by the Bidder	Ranking in terms of cost	Comparison with Estimated cost	Reasons for acceptance/rejection	Remarks
0	1	2	3	4	5	6
1.	Instech	\$ 15,500/-	1 st lowest (evaluated)	N.A.	1 st lowest and according to specifications	Recommended for placement of order
2.	Nawaid Scientific Traders	\$ 17,310/-	2 nd lowest	N.A.	According to specs but not lowest	Not recommended
3.	Sure Bio Diagnostic & Pharmaceuticals	\$ 21,223/-	3 rd lowest	N.A.	According to specs but not lowest	Not recommended
4.	Uni-Tech Scientific	\$ 5,331/-	2 nd lowest	N.A.	Speed range 10-300 rpm, while tender requirement was 25-400 rpm	Rejected
5.	Uni-Tech Scientific	\$ 4,345/-	1 st lowest (offer-2)	N.A.	Speed range 30-400 while tender requirement was 25-400	Rejected
6.	Penicon	\$ 11,845/-	4 th lowest (offer-1)	N.A.	Speed range 30-400 while tender requirement was 25-400	Rejected


PURCHASE COMMITTEE, ICGB INSTITUTIONS



Prof. Dr. M. Waqar Ali
Chairman (I.C.C.B.S)


2. Dr. M. Raza Shah
Member (I.C.C.B.S)


3. Dr. M. Ahmed Mosaik
Member (I.C.C.B.S)

Members from Outside Institution


1. Dr. Rahat Azhar Ali


3. Dr. Zahida Karim

Members from Dept. of Chemistry, U.O.K


Signatures of the Members of the Committee


12. Bid Evaluation Report:


Item No. 4.1: Single Channel Adjust Pipett (Range 0.5-10 ul)

S No	Name of Firm or Bidder	Cost offered by the Bidder	Ranking in terms of cost	Comparison with Estimated cost	Reasons for acceptance/rejection	Remarks
0	1	2	3	4	5	6
1.	Continental World Wide Trading Co.	Rs. 15,600/-	1 st lowest	N.A.	1 st lowest and according to specs	Recommended for placement of order
2.	T.M. Enterprises	Rs. 16,150/-	2 nd lowest	N.A.	According to specs but not lowest	Not recommended
3.	Nawaid Scientific Traders	Rs. 22,040/-	3 rd lowest	N.A.	According to specs but not lowest	Not recommended
4.	Sure Bio Diagnostic & Pharmaceuticals	Rs. 22,800/-	4 th lowest	N.A.	According to specs but not lowest	Not recommended
5.	K. Ahmed & Sons	Rs. 28,600/-	5 th lowest	N.A.	According to specs but not lowest	Not recommended
6.	Eco Biosciences	Rs. 35,230/-	6 th lowest	N.A.	According to specs but not lowest	Not recommended
7.	Bio Sciences	Rs. 37,700/-	7 th lowest	N.A.	According to specs but not lowest	Not recommended


PURCHASE COMMITTEE, ICBS INSTITUTIONS



1 Prof. Dr. M. Shaq Ali
Chairman (I.C.B.S)


2. Dr. M. Reza Shah
Member (I.C.B.S)


3. Dr. M. Ahmed Msaik
Member (I.C.B.S)

Members from Outside Institution


1 Dr. Rahat Azhar Ali
Members from Dept. of Chemistry, U.O.K


3. Dr. Zahida Karim


Signatures of the Members of the Committee


12. Bid Evaluation Report:


Item No. 4.2: Single Channel Adjust Pipett (Range 2-20 ul)

S No	Name of Firm or Bidder	Cost offered by the Bidder	Ranking in terms of cost	Comparison with Estimated cost	Reasons for acceptance/rejection	Remarks
0	1	2	3	4	5	6
1.	Continental World Wide Trading Co.	Rs. 15,600/-	1 st lowest	N.A.	1 st lowest and according to specs	Recommended for placement of order
2.	T.M. Enterprises	Rs. 16,150/-	2 nd lowest	N.A.	According to specs but not lowest	Not recommended
3.	Nawaid Scientific Traders	Rs. 22,040/-	3 rd lowest	N.A.	According to specs but not lowest	Not recommended
4.	Sure Bio Diagnostic & Pharmaceuticals	Rs. 22,800/-	4 th lowest	N.A.	According to specs but not lowest	Not recommended
5.	K. Ahmed & Sons	Rs. 28,600/-	5 th lowest	N.A.	According to specs but not lowest	Not recommended
6.	Eco Biosciences	Rs. 35,230/-	6 th lowest	N.A.	According to specs but not lowest	Not recommended
7.	Bio Sciences	Rs. 37,700/-	7 th lowest	N.A.	According to specs but not lowest	Not recommended


PURCHASE COMMITTEE, ICCBS INSTITUTIONS



1. Prof. Dr. M. Shaiq Ali
Chairman (I.C.C.B.S.)


2. Dr. M. Raza Shah
Member (I.C.C.B.S.)


3. Dr. M. Ahmed Maseek
Member (I.C.C.B.S.)

Members from Outside Institution


1. Dr. Rahat Azhar Ali
Members from Dept. of Chemistry, U.O.K.


3. Dr. Zahida Karim
Members from Dept. of Chemistry, U.O.K.


Signatures of the Members of the Committee


12. Bid Evaluation Report:


Item No. 4.3: Single Channel Adjust Pipett (Range 10-100 ul)

S No	Name of Firm or Bidder	Cost offered by the Bidder	Ranking in terms of cost	Comparison with Estimated cost	Reasons for acceptance/rejection	Remarks
0	1	2	3	4	5	6
1.	Continental World Wide Trading Co.	Rs. 15,600/-	1 st lowest	N.A.	1 st lowest and according to specs	Recommended for placement of order
2.	T.M. Enterprises	Rs. 16,150/-	2 nd lowest	N.A.	According to specs but not lowest	Not recommended
3.	Nawaid Scientific Traders	Rs. 22,040/-	3 rd lowest	N.A.	According to specs but not lowest	Not recommended
4.	Sure Bio Diagnostic & Pharmaceuticals	Rs. 22,800/-	4 th lowest	N.A.	According to specs but not lowest	Not recommended
5.	K. Ahmed & Sons	Rs. 28,600/-	5 th lowest	N.A.	According to specs but not lowest	Not recommended
6.	Eco Biosciences	Rs. 35,230/-	6 th lowest	N.A.	According to specs but not lowest	Not recommended
7.	Bio Sciences	Rs. 37,700/-	7 th lowest	N.A.	According to specs but not lowest	Not recommended


PURCHASE COMMITTEE, ICCBS INSTITUTIONS



1. Prof. Dr. M. Shaiq Ali
Chairman (I.C.C.B.S)


2. Dr. M. Raza Shah
Member (I.C.C.B.S)


3. Dr. M. Ahmed Mesaik
Member (I.C.C.B.S)

Members from Outside Institution


1. Dr. Rahat Azhar Ali
Members from Dept. of Chemistry, U.O.K


3. Dr. Zahida Karim
Members from Dept. of Chemistry, U.O.K


Signatures of the Members of the Committee

12. Bid Evaluation Report:


Item No. 4.4: Single Channel Adjust Pipett (Range 50-200 ul)

S No	Name of Firm or Bidder	Cost offered by the Bidder	Ranking in terms of cost	Comparison with Estimated cost	Reasons for acceptance/rejection	Remarks
0	1	2	3	4	5	6
1.	Continental World Wide Trading Co.	Rs. 15,600/-	1 st lowest	N.A.	1 st lowest and according to specs	Recommended for placement of order
2.	T.M. Enterprises	Rs. 16,150/-	2 nd lowest	N.A.	According to specs but not lowest	Not recommended
3.	Nawaid Scientific Traders	Rs. 22,040/-	3 rd lowest	N.A.	According to specs but not lowest	Not recommended
4.	Sure Bio Diagnostic & Pharmaceuticals	Rs. 22,800/-	4 th lowest	N.A.	According to specs but not lowest	Not recommended
5.	K. Ahmed & Sons	Rs. 28,600/-	5 th lowest	N.A.	According to specs but not lowest	Not recommended
6.	Eco Biosciences	Rs. 35,230/-	6 th lowest	N.A.	According to specs but not lowest	Not recommended
7.	Bio Sciences	Rs. 37,700/-	7 th lowest	N.A.	According to specs but not lowest	Not recommended


PURCHASE COMMITTEE, ICCBS INSTITUTIONS


1. Prof. Dr. M. Shalq Ali
Chairman (I.C.C.B.S)


2. Dr. M. Raza Shah
Member (I.C.C.B.S)


3. Dr. M. Ahmed Mosaik
Member (I.C.C.B.S)

Members from Outside Institution


1. Dr. Rahat Ashar Ali
Members from Dept. of Chemistry, U.O.K


3. Dr. Zahida Karim


Signatures of the Members of the Committee


12. Bid Evaluation Report:

Item No. 4.5: Single Channel Adjust Pipett (Range 100-1000 ul)

S No	Name of Firm or Bidder	Cost offered by the Bidder	Ranking in terms of cost	Comparison with Estimated cost	Reasons for acceptance/rejection	Remarks
0	1	2	3	4	5	6
1.	Continental World Wide Trading Co.	Rs. 15,600/-	1 st lowest	N.A.	1 st lowest and according to specs	Recommended for placement of order
2.	T.M. Enterprises	Rs. 16,150/-	2 nd lowest	N.A.	According to specs but not lowest	Not recommended
3.	Nawaid Scientific Traders	Rs. 22,040/-	3 rd lowest	N.A.	According to specs but not lowest	Not recommended
4.	Sure Bio Diagnostic & Pharmaceuticals	Rs. 22,800/-	4 th lowest	N.A.	According to specs but not lowest	Not recommended
5.	K. Ahmed & Sons	Rs. 28,600/-	5 th lowest	N.A.	According to specs but not lowest	Not recommended
6.	Eco Biosciences	Rs. 35,230/-	6 th lowest	N.A.	According to specs but not lowest	Not recommended
7.	Bio Sciences	Rs. 37,700/-	7 th lowest	N.A.	According to specs but not lowest	Not recommended


PURCHASE COMMITTEE, ICCBS INSTITUTIONS



1. Prof. Dr. M. Shaiq Ali
Chairman (I.C.C.B.S)


2. Dr. M. Raza Shah
Member (I.C.C.B.S)


3. Dr. M. Ahmed Mesalk
Member (I.C.C.B.S)

Members from Outside Institution


1. Dr. Rabat Azhar Ali


3. Dr. Zahida Karim

Members from Dept. of Chemistry, U.O.K

Signatures of the Members of the Committee


12. Bid Evaluation Report:


Item No. 6: (Multi-Channel (8-Channels) Pipette (30-300 ul)

S No	Name of Firm or Bidder	Cost offered by the Bidder	Ranking in terms of cost	Comparison with Estimated cost	Reasons for acceptance/rejection	Remarks
0	1	2	3	4	5	6
1.	Continental Worldwide Trading Co.	Rs. 45,500/-	1 st lowest	N.A.	1 st lowest and according to specifications	Recommended for placement of order
2.	T.M. Enterprises	Rs. 59,525/-	2 nd lowest	N.A.	According to specs but not lowest	Not recommended
3.	Sure Bio Diagnostic & Pharmaceuticals	Rs. 64,426/-	3 rd lowest	N.A.	According to specs but not lowest	Not recommended
4.	Nawaid Scientific Traders	Rs. 72,250/-	4 th lowest	N.A.	According to specs but not lowest	Not recommended
5.	K. Ahmed & Sons	Rs. 76,700/-	5 th lowest	N.A.	According to specs but not lowest	Not recommended
6.	Eco Biosciences	Rs. 102,960/-	6 th lowest	N.A.	According to specs but not lowest	Not recommended
7.	Bio Sciences	Rs. 107,999/-	7 th lowest	N.A.	According to specs but not lowest	Not recommended


PURCHASE COMMITTEE, ICCBS INSTITUTIONS


1. Prof. Dr. M. Shaiq Ali
Chairman (I.C.C.B.S)


2. Dr. M. Raza Shah
Member (I.C.C.B.S)


3. Dr. M. Ahmed Mosaik
Member (I.C.C.B.S)

Members from Outside Institution


1. Dr. Rahat Ashar Ali


3. Dr. Zahida Karim

Members from Dept. of Chemistry, G.O.R

Signatures of the Members of the Committee

H.E.J. RESEARCH INSTITUTE OF CHEMISTRY
 INTERNATIONAL CENTER FOR CHEMICAL AND BIOLOGICAL SCIENCES
 UNIVERSITY OF KARACHI
 KARACHI-75270

COMPARATIVE STATEMENT OF THE RE-TENDER NOTICE NO. HEJ-260313 (2ND TIME)

1. Refrigerated Shaking Incubator
 Quantity: 1

Uni-Tech Scientific	INSTECH	S.B.D.P.	Penicon	N.S.T.
US \$ 5,331/- (C&F) Rs. 533,100/- (conv.) Model: IS-971R Jcio Tech. Co. Korea Alternate: 10-300817m US \$ 4,345/- (C&F) Rs. 434,500/- (conv.) Model: LM-5340R Rong Fong Taiwan 30	US \$ 15,500/- (C&F) Rs. 1,550,000/- (conv.) Model: 1 26R (MI324-0006) New Brunswick, USA dk.	US \$ 21,223/- (C&F) Rs. 2,122,300/- (conv.) Model: MaxQ 8000 Thermo Fisher USA.	US \$ 11,845/- (C&F) Rs. 1,184,500/- (conv.) Part # 97051-686 VWR, Made in USA	Rs. 17,310/- (C&F) Rs. 1,731,000/- (conv.) Cat # 1220G57 Innova I 26R Thomas Scientific USA

4000 rpm
 forced air circulation
 25-110 rpm

PREPARED BY: SHABBIR AHMED

4. Single channel adjustable pipette

S.No.	Range:	C.W.T.C.	K.A.S.	Bio Sciences	S.B.D.P.	T.M. Enterprises	Eco Biosciences	N.S.T.
1	0.1-2.5 µL	N.Q.	€ 220/- (C&F) (ea) Rs. 28,600/- (conv.) Cat # NA71.1 Carl Roth Germany	Rs. 37,700/- (each) Cat # 4910000.085 Eppendorf Germany	US \$ 228/- (C&F) Rs. 22,800/- (ea) Cat # 4642010 Thermo Fisher	N.Q.	US \$ 271/- (C&F) Rs. 35,230/- (ea) Cat # 4910 000 085 Eppendorf Germany	Rs. 22,040/- (ea) Model: 00-NPP-2 Nichiryo Japan.
2	0.5-10 µL	€ 120/- (C&F) (ea) Rs. 15,600/- (conv.) Cat # 1641000 Vitlab Germany	€ 220/- (C&F) (ea) Rs. 28,600/- (conv.) Cat # NA72.1 Carl Roth Germany	Rs. 37,700/- (each) Cat # 4910000.018 Eppendorf Germany	US \$ 228/- (C&F) Rs. 22,800/- (ea) Cat # 4642030 Thermo Fisher	Rs. 16,150/- (ea) Cat # 7041-02 Brand Germany	US \$ 271/- (C&F) Rs. 35,230/- (ea) Cat # 4910 000 018 Eppendorf Germany	Rs. 22,040/- (ea) Model: 00-NPP-20 Nichiryo Japan.
3	2-20 µL	€ 120/- (C&F) (ea) Rs. 15,600/- (conv.) Cat # 1641002 Vitlab Germany	€ 220/- (C&F) (ea) Rs. 28,600/- (conv.) Cat # NA73.1 Carl Roth Germany	Rs. 37,700/- (each) Cat # 4910000.034 Eppendorf Germany	US \$ 228/- (C&F) Rs. 22,800/- (ea) Cat # 4642060 Thermo Fisher	Rs. 16,150/- (ea) Cat # 7041-04 Brand Germany	US \$ 271/- (C&F) Rs. 35,230/- (ea) Cat # 4910 000 034 Eppendorf Germany	Rs. 22,040/- (ea) Model: 00-NPP-100 Nichiryo Japan.
4	10-100 µL	€ 120/- (C&F) (ea) Rs. 15,600/- (conv.) Cat # 1641004 Vitlab Germany	€ 220/- (C&F) (ea) Rs. 28,600/- (conv.) Cat # NA74.1 Carl Roth Germany	Rs. 37,700/- (each) Cat # 4910000.042 Eppendorf Germany	US \$ 228/- (C&F) Rs. 22,800/- (ea) Cat # 4642070 Thermo Fisher	Rs. 16,150/- (ea) Cat # 7041-74 Brand Germany	US \$ 271/- (C&F) Rs. 35,230/- (ea) Cat # 4910 000 042 Eppendorf Germany	Rs. 22,040/- (ea) Model: 00-NPP-200 Nichiryo Japan.

S.No.	Range:	C.W.T.C.	K.A.S.	Bio Sciences	S.B.D.P.	T.M. Enterprises	Eco Biosciences	N.S.T.
5	50-200 µL	€ 120/- (C&F) (ea) Rs. 15,600/- (conv.) Cat # 1641006 Vitlab Germany	€ 220/- (C&F) (ea) Rs. 28,600/- (conv.) Cat # NA75.1 Carl Roth Germany	Rs. 37,700/- (each) Cat # 4910000.093 Eppendorf Germany	US \$ 228/- (C&F) Rs. 22,800/- (ca) Cat # 4642080 Thermo Fisher	Rs. 16,150/- (ea) Cat # 7041-78 Brand Germany	US \$ 271/- (C&F) Rs. 35,230/- (ea) Cat # 4910 000 093 Eppendorf Germany	Rs. 22,040/- (ea) Model: 00-NPP-1000 Nichiryo Japan.
6	100-1000 µL	€ 120/- (C&F) (ea) Rs. 15,600/- (conv.) Cat # 1641008 Vitlab Germany	€ 220/- (C&F) (ea) Rs. 28,600/- (conv.) Cat # A76.1 Carl Roth Germany	Rs. 37,700/- (each) Cat # 4910000.069 Eppendorf Germany	US \$ 228/- (C&F) Rs. 22,800/- (ea) Cat # 4642090 Thermo Fisher	Rs. 16,150/- (ea) Cat # 7041-80 Brand Germany	US \$ 271/- (C&F) Rs. 35,230/- (ea) Cat # 4910 000 069 Eppendorf Germany	Rs. 22,040/- (ea) Model: 00-NPP-10 Nichiryo Japan.

Shabbir Ahmed

PREPARED BY: SHABBIR AHMED

**I.E.J. RESEARCH INSTITUTE OF CHEMISTRY
INTERNATIONAL CENTER FOR CHEMICAL AND BIOLOGICAL SCIENCES
UNIVERSITY OF KARACHI, KARACHI-75270**

RE-TENDER NOTICE NO. HEJ-260313 (2ND TIME)

MINUTES OF TENDER MEETING HELD ON APRIL 12, 2013

ITEM # 1

REFRIGERATED SHAKING INCUBATOR

QUANTITY REQUIRED: 01

Total five bidders were participated in this tender. The following three bidders quoted items as per our tender specification.

Company	Cost	Make /Model/Country of origin
INS-TECH	US \$ 15,500/- (C& F) Rs. 1,550,000/- (Conv.)	New Brunswick / I 26R (M1234-006)/ USA
NAWAID SCIENTIF TRADERS	US \$ 17,310/- (C& F) Rs. 1,731,000/- (Conv.)	Thomas Scientific/ Innova I 26R/ (1220G57)/ USA
SURE BIODIAGNOSTIC & PHAMACEUTICALS	US \$. 21,223/- (C& F) Rs. 2,122,300/- (Conv.)	Thermo Fisher/MaxQ 8000/ USA

Recommendation:

The technical committee recommended to purchase item from the first lowest bidder **INS-TECH** (New Brunswick Cat #I 26R (M1234-006), USA).

REJECTED BIDS:

Company	Cost	Make / Model/ Country of origin	Reason of Rejection
UNI-TECH Scientific CIENTIFIC	US \$ 5,331/- (C& F) Rs 533,100/- (Conv.)	Jeio Tech/ IS-971R/ Korea	They quoted item with speed 10- 300 rpm, while our requirement was 25-400 rpm.
	Alternate US \$ 4,345/- (C& F) Rs 434,500/- (Conv.)	Rong fong/ LM-5340R/ Taiwan	They quoted item with speed 30- 400 rpm, while our requirement was 25-400 rpm.
PENICON	US \$ 11,845/-(C& F) Rs 1,184,500/(Conv.)	VWR/ 97051-686/ USA	They quoted item with speed 30- 400 rpm, while our requirement was 25-400 rpm.

ITEM # 2

CENTRIFUGE WITH ROTOR

QUANTITY REQUIRED: 01

RETENDER WITH REVISED SPECIFICATIONS

ITEM # 3

SEPARATORY FUNNEL SHAKER

QUANTITY REQUIRED: 01

RETENDER WITH REVISED SPECIFICATIONS

ITEM # 4

SINGLE CHANNEL ADJUSTABLE PIPETTES

RANGE: 0.1-2.5 μ L

QUANTITY REQUIRED: 01

Dropped: This item is no longer required

RANGE: 0.5-10 μ L

QUANTITY REQUIRED: 01

Company	Cost	Make / Model/ Country of Origin
Continental Worldwide Trading	Euro120/- (C & F) Rs. 15,600/- (conv.)	Vitlab/ Cat # 1641000/ Germany
T.M. Enterprises	Rs. 16,150/-	Cat # 7041-02/ Germany
Sure Biodiagnostic & Pharmaceuticals	US \$ 228 (C& F) Rs. 22,800/- (Conv.)	Thermo Fisher/ CAT # 4642030/ Germany
K Ahmed & Sons	EURO 220/- (C& F) Rs. 28,600/- (Conv.)	Carl Roth/ Cat # NA72.1/ Germany
Eco Biosciences	US \$ 271 (C& F) Rs. 35,230/- (Conv.)	Eppendorf/ Cat # 4910 000 018/ Germany
Biosciences	Rs. 37,700/-	Eppendorf/ Cat # 4910 000 018/ Germany
Nawaid Scientific Traders	Rs. 22,040/-	Nichiryo/ Model 00-NPP-20, Japan

Recommendation:

Total seven bidders participated in this item. All quoted items are as per our tender specifications. The bid quoted by **Nawaid Scientific Traders** cannot be considered due to their verification letter of committing mistake in bid. Therefore, technical committee recommended to purchase item from 1st lowest bidder **Continental Worldwide Trading** (Vitlab/ Cat # 1641000/ Germany).

RANGE: 2-20 µL**QUANTITY REQUIRED: 01**

Company	Cost	Make / Model/ Country of origin
Continental Worldwide Trading	Euro120/- (C & F) Rs. 15,600/- (conv.)	Vitlab/ Cat # 1641002/ Germany
T.M. Enterprises	Rs. 16,150/-	Cat # 7041-04/ Germany
Sure Biodiagnostic & Pharmaceuticals	US \$ 228 (C& F) Rs. 22,800/- (Conv.)	Thermo Fisher/ CAT # 4642060/ Germany
K Ahmed & Sons	EURO 220/- (C& F) Rs. 28,600/- (Conv.)	Carl Roth/ Cat # NA73.1/ Germany
Eco Biosciences	US \$ 271 (C& F) Rs. 35,230/- (Conv.)	Eppendorf/ Cat # 4910 000 034/ Germany
Biosciences	Rs. 37,700/-	Eppendorf/ Cat # 4910 000 034/ Germany
Nawaid Scientific Traders	Rs. 22,040/-	Nichiryo/ Model 00-NPP-100, Japan

Recommendation:

Total seven bidders participated in this item. All quoted items are as per our tender specifications. The bid quoted by **Nawaid Scientific Traders** cannot be considered due to their verification letter of committing mistake in bid. Therefore, technical committee recommended to purchase item from 1st lowest bidder **Continental Worldwide Trading** (Vitlab/ Cat # 1641002/ Germany).

RANGE: 10-100 µL

QUANTITY REQUIRED: 01

Company	Cost	Make / Model/ Country of origin
Continental Worldwide Trading	Euro 120/- (C & F) Rs. 15,600/- (conv.)	Vitlab/ Cat # 1641004/ Germany
T.M. Enterprises	Rs. 16,150/-	Cat # 7041-74/ Germany
Sure Biodiagnostic & Pharmaceuticals	US \$ 228 (C& F) Rs. 22,800/- (Conv.)	Thermo Fisher/ CAT # 4642070/ Germany
K Ahmed & Sons	EURO 220/- (C& F) Rs. 28,600/- (Conv.)	Carl Roth/ Cat # NA74.1/ Germany
Eco Biosciences	US \$ 271 (C& F) Rs. 35,230/- (Conv.)	Eppendorf/ Cat # 4910 000 042/ Germany
Biosciences	Rs. 37,700/-	Eppendorf/ Cat # 4910 000 042/ Germany
Nawaid Scientific Traders	Rs. 22,040/-	Nichiryo/ Model 00-NPP-200, Japan

Recommendation:

Total seven bidders participated in this item. All quoted items are as per our tender specifications. The bid quoted by Nawaid Scientific Traders cannot be considered due to their verification letter of committing mistake in bid. Therefore, technical committee recommended to purchase item from 1st lowest bidder **Continental Worldwide Trading** (Vitlab/ Cat # 1641004/ Germany).

RANGE: 50-200 µL

QUANTITY REQUIRED: 01

Company	Cost	Make / Model/ Country of origin
Continental Worldwide Trading	Euro 120/- (C & F) Rs. 15,600/- (conv.)	Vitlab/ Cat # 1641006/ Germany
T.M. Enterprises	Rs. 16,150/-	Cat # 7041-78/ Germany
Sure Biodiagnostic & Pharmaceuticals	US \$ 228 (C& F) Rs. 22,800/- (Conv.)	Thermo Fisher/ Cat # 4642080/ Germany

K Ahmed & Sons	EURO 220/- (C& F) Rs. 28,600/- (Conv.)	Carl Roth/ Cat # NA75.1/ Germany
Eco Biosciences	US \$ 271 (C& F) Rs. 35,230/- (Conv.)	Eppendorf/ Cat # 4910 000 093/ Germany
Biosciences	Rs. 37,700/-	Eppendorf/ Cat # 4910 000 093/ Germany
Nawaid Scientific Traders	Rs. 22,040/-	Nichiryo/ Model 00-NPP-1000, Japan

Recommendation:

Total seven bidders participated in this item. All quoted items are as per our tender specifications. The bid quoted by **Nawaid Scientific Traders** cannot be considered due to their verification letter of committing mistake in bid. Therefore, technical committee recommended to purchase item from 1st lowest bidder **Continental Worldwide Trading** (Vitlab/ Cat # 1641006/ Germany).

RANGE: 100-1000 µL

QUANTITY REQUIRED: 01

Company	Cost	Make / Model/Country of origin
Continental Worldwide Trading	Euro 120/- (C & F) Rs. 15,600/- (conv.)	Vitlab/ Cat # 1641008/ Germany
T.M. Enterprises	Rs. 16,150/-	Cat # 7041-80/ Germany
Sure Biodiagnostic & Pharmaceuticals	US \$ 228 (C& F) Rs. 22,800/- (Conv.)	Thermo Fisher/ CAT # 4642090/ Germany
K Ahmed & Sons	EURO 220/- (C& F) Rs. 28,600/- (Conv.)	Carl Roth/ Cat # NA76.1/ Germany
Eco Biosciences	US \$ 271 (C& F) Rs. 35,230/- (Conv.)	Eppendorf/ Cat # 4910 000 069/ Germany
Biosciences	Rs. 37,700/-	Eppendorf/ Cat # 4910 000 069/ Germany

Nawaid Scientific Traders	Rs. 22,040/-	Nichiryo/ Model 00-NPP-10, Japan
---------------------------	--------------	-------------------------------------

Recommendation:

Total seven bidders participated in this item. All quoted items are as per our tender specifications. The bid quoted by Nawaid Scientific Traders cannot be considered due to their verification letter of committing mistake in bid. Therefore, technical committee recommended to purchase item from 1st lowest bidder **Continental Worldwide Trading** (Vitlab/ Cat # 1641008/ Germany).

ITEM # 5

MULTI-CHANNEL (8 CHANNELS) ELECTRONIC PIPETTE WITH CHARGING ADAPTER

QUANTITY REQUIRED: 02

RETENDER WITH REVISED SPECIFICATIONS

ITEM # 6

MULTI-CHANNEL (8 CHANNELS) PIPETTE

QUANTITY REQUIRED: 01


Range 30-300 µL

Company	Cost	Make / Model/ Country of origin
Continental Worldwide Trading	Euro 350/- (C & F) Rs. 45,500/- (conv.)	Vitlab/ Cat # 1608008/ Germany
T.M. Enterprises	Rs. 59,525/-	Cat # 7036-12/ Germany
Sure Biodiagnostic & Pharmaceuticals	US \$ 644.25 (C& F) Rs. 64,426/- (Conv.)	Thermo Fisher/ CAT # 4662030/ Finland
Nawaid Scientific Traders	US \$ 722.50 (C& F) Rs. 72,250/- (Conv.) Alternate: Rs. 46,400/	Brandtech/ 2703712/ Germany Nichiryo/ Japan

K Ahmed & Sons	EURO 590/- (C& F) Rs. 76,700/- (Conv.)	Carl Roth/ Cat # NA81.1/ Germany
Eco Biosciences	US \$ 792 (C& F) Rs. 102,960/- (Conv.)	Eppendorf/ Cat # 3122.000.051/ Germany
Biosciences	Rs. 107,999/-	Eppendorf/ Cat # 3122.000.051/ Germany

Recommendation:

Total seven bidders participated in this item. All quoted items are as per our tender specifications. Therefore, technical committee recommended to purchase item from 1st lowest bidder **Continental Worldwide Trading (Vitlab/ Cat # 1608008/ Germany)**.



Prof. Dr. Viqar-ur-din Ahmed
Convener



Dr. Atia-tul-Wahab
End User



Mr. Sohail Ahmed
Member



Mr. Haris Qureshi
Member