



**COMPARATIVE STATEMENT TECHNICAL
TENDER FOR SUPPLY OF ELECTRICAL, ELECTRONICS MACHINERS, EQUIPMENT AND SOFTWARE FOR THE UNIVERSITY**


TENDER OPENED ON: 05-12-2013
 NAME OF ITEM: Supply of Desktop computer core™ i7
 DEPARTMENT: Store
 ITEM NO: 01
 QUANTITY: 20
 No of participated bidders

Specification	ABM Data (1)	Rajput Engineering (2)	SeeSam Solution Pvt Lrd (3)	Roomi Enterprises (4)	Gemco (5)
(HP or Equivalent) Powered by the Intel® Core™ i7 processor Intel quad-core processor for exceptional power, integrated graphics, expandability Processor - 4 th Generation Intel® ... Memory - 4GB DDR3-1600MHz [1 DIMM] Hard drive - 1TB 7200 RPM SATA Hard Drive Graphics card - Intel HD Graphics [DVI-D] Optical drive - SuperMulti DVD Burner Keyboard and MOUSE Operating system -	Not participated in this item hence not qualified	HARDDRIVE SPECIFICATION DOES NOT MEET THE REQUIRED SPECIFICATION HP Pro Desktop Computer Model: 600 G1 TWR Business System 4 th Generation <ul style="list-style-type: none"> • Intel Q85 Express • Intel Core i7-4770 (3.4GHz / 8MB Cache) • RAM 4GB DDR3 • 500GB SATA Hard Disk • DVD Super Multi • HP USB Keyboard • HP USB Mouse • HP LV1911 18.5" 	Not participated in this item hence not qualified	CONDITIONALLY ACCEPTED MULTIPLE MODEL SPECIFICATION OFFERED WHICH ALSO INCLUDE REQUIRED SPECIFICATION THEREFORE CONDITIONALLY AGREED IF THE VENDOR AGREED TO SUPPLY REQUIRED SPECIFICATION AS MENTIONED IN THE TENDER DOCUMENT HP Compaq Pro 6300 Business PC <ol style="list-style-type: none"> 1. (2) 5.25" external drive bays supporting optical disk drives or removable hard disk drives (2) 3.5" internal drive bays supporting data drives 2. 320W standard efficiency or 90% high efficiency power supply 3. 3.5" external drive bay supporting the optional HP Media Card Reader 4. Rear I/O includes (4) USB 3.0 ports, (2) USB 2.0 ports, serial port, PS/2 mouse and keyboard ports, RJ-45 network interface, DisplayPort 1.1a and VGA video interfaces, and 3.5mm audio in/out jacks 5. Front I/O includes (4) USB 2.0 ports, a headphone output and a microphone jack 6. Full-height expansion slots include (1) PCI, (2) PCI 	Not participated in this item hence not qualified

<p>Windows Pro 8 MS OFFICE 2010 (Word, Excel and Power Point)</p> <p>LED 17" screen Keyboard and Mouse</p>	<p>LED</p> <ul style="list-style-type: none"> • (3 Years Warranty) Windows 8 + Ms Office Home Students 2010 Win 32 English 	<p>Express x1 and (1) PCI Express x16 graphics</p> <ol style="list-style-type: none"> 7. HP Mouse 8. HP Keyboard 9. HP Monitor (sold separately) <p>At A Glance</p> <ul style="list-style-type: none"> • Choice of two professional chassis form factors: Small Form Factor and Microtower. • UEFI BIOS developed and engineered by HP for better security, manageability and software image stability • intel Q75 Express chipset supporting intel 2nd and 3rd generation Core processors featuring Intel HD Graphics • Intel 82579LM GbE integrated network connection • DDR3 Synchronous Dynamic Random Access Memory (SDRAM) • Dual independent monitor support via VGA and digital DisplayPort 1.1a video interfaces • Standard efficiency or 90% high efficiency energy saving power supplies available • ENERGY STAR® qualified models certified EPEAT® Gold • Guaranteed lengthy purchase lifecycles and image stability • Software image fully compatible across all models and form factors • Created using industry leading Design for Environment standards • Selected configurations with global availability easily set up and ordered through HP.com Business to Business portals (http://h10019.www1.hp.com/business-site/index.html) • Tailored HP Factory Express deployment and lifecycle services available (http://h71028.www7.hp.com/enterprise/cache/97688-0-0-225-121.aspx) • Protected by HP Services, including standard warranties up to 5-5-5 (terms and conditions vary by country; certain restrictions and exclusions 	
--	---	---	---

	<p>apply)</p> <ul style="list-style-type: none"> • Tool-less serviceability features for easier upgrades and repairs <p>GRAPHICS Integrated on all models (depends on processor) Intel HD Graphics: Basic, 2000, 2500, 4000 Discrete AMD Radeon HD 6350 (512 MB) PCIe x16 (Includes a DMS-59 to Dual VGA Y Cable) AMD Radeon HD 7450 (1 GB) PCIe x16 (Includes a DVI to VGA adapter cable) NVIDIA NVS 300 (512 MB) PCIe x16 (Includes a DMS-59 to Dual VGA Y Cable) NVIDIA NVS 310 (512 MB) PCIe x16 NVIDIA GeForce GT 630 DP 2GB FH PCIe x16 (Available August 2012) Adapters and Cables DisplayPort to DVI-D Adapter DisplayPort to HDMI Adapter DisplayPort to VGA Adapter DisplayPort Cable</p>		
	<p>STORAGE SATA Hard Drive 250 GB, 7200 rpm, SATA 6.0 Gb/s, SMART IV, 3.5" 500 GB, 7200 rpm, SATA 6.0 Gb/s, SMART IV, 3.5" 1 TB, 7200 rpm, SATA 6.0 Gb/s, SMART IV, 3.5" SATA Self-encrypting Solid State Drive 256 GB, SATA, 3.5" SATA Solid State Drive 120 GB, SATA (with 3.5" adapter) 128 GB, SATA (with 3.5" adapter) Optical Disc Drive DVD-ROM SuperMulti DVD Writer Blu-ray Writer Media Card Reader 22-in-1</p>		
			<p>Standard Features and Configurable Components (availability may vary by Country)</p> <p>MEMORY</p> 

<p>Type DDR3 non-ECC; up to 1600 MT/s Maximum 32 GB # of Slots</p>	<p>Note: For systems configured with more than 3 GB of memory and a 32-bit operating system, all memory may not be available due to system resource requirements. Addressing memory above 4 GB requires a 64-bit operating system. Memory modules support data transfer rate up to 1600 MT/s; actual data rate is determined by the system's configured processor. See processor specifications for supported memory data rate. NETWORKING/COMMUNICATIONS Ethernet (RJ-45) Intel 82579LM Gigabit Network Connection (integrated) Intel Pro Gigabit CT Desktop PCIe x1 Network Card (optional) Wireless 802.11b/g/n PCIe x1 (optional) AUDIO/MULTIMEDIA High Definition Audio with Realtek ALC221 codec (all ports are stereo) Microphone and headphone front ports (3.5mm) Line-out and Line-In rear Ports (3.5mm) Multi-streaming capable Internal Speaker (standard) Thin USB power speakers The front microphone port is re-taskable as a Line-in, Microphone-in or Headphone-out port. Rear audio input ports are retaskable as a Line-in or Microphone-in port. External speakers must be powered externally. Multi-streaming can be enabled in the Realtek Control panel to allow independent audio streams to be sent to/from the front and rear jacks. This allow for different audio application to use separate audio ports on the system. For example, the front jacks could be used with a headset for a</p>



				communications application while the rear jacks are being used with external speakers and a multimedia application. Standard Features and Configurable Components (availability may vary by Country) KEYBOARDS AND POINTING DEVICES Keyboard PS/2 Keyboard USB Keyboard USB Smart Card (CCID) Keyboard USB and PS/2 Washable Keyboard Wireless Keyboard and Mouse Combo Wireless Keyboard and Dongle (Brazil) Mice PS/2 Optical Mouse USB Optical Mouse USB Laser Mouse USB and PS/2 Washable Mouse Wireless Laser Mouse Brazil
--	--	--	--	---

The Remarks (for acceptance) not accepted are given on front page for individual bidder.

[Signature]
Dr. Sarfraz V. Talib
Member/Secretary

[Signature]
Prof. Aijaz Ali Qureshi
Member

[Signature]
Prof. Mahmood Hassan
Member

[Signature]
Mahmood Ali Lakho
Member

[Signature]
Prof. Ghulam Sarwar Qureshi
Chairman

[Signature]
Dr. Azam Khan
V President SMC Alumni
Member

[Signature]
Representative of Health Department
Member

[Signature]
Representative of Finance Department
Member

Technical Bid
Approved/ Not approved

[Signature]

[Signature]

[Signature]
Nafees Ibrabim
Chief Accountant
Member

[Signature]
Representative of Health Department
Member

[Signature]
Representative of Finance Department
Member

[Signature]
Proceeding on a days leave.

[Signature]
IT Incharge

**COMPARATIVE STATEMENT TECHNICAL
TENDER FOR SUPPLY OF ELECTRICAL, ELECTRONICS MACHINERS, EQUIPMENT AND SOFTWARE FOR THE UNIVERSITY**

TENDER OPENED ON: 05-12-2013

NAME OF ITEM: Supply of Heavy Duty Shredder

DEPARTMENT: Store

ITEM NO: 02

QUANTITY: 04

No of participated bidders


Specification	ABM Data (1)	Rajput Engineering (2)	SeeSam Solution Pvt Ltd (3)	Roomi Enterprises (4)	Gemco (5)
Well Reputed Brand High power, thermally protected geared electric motor (4.0 kW motor power) and stable drive 440 mm working width, suitable for All standard computer formats	NOT RELATED TO I.T DEPTT Not participated in this item hence not qualified	NOT RELATED TO I.T DEPTT Heavy Duty Shredder Well Reputed Brand Eclipse Paper Shredder JP-860C Heavy Duty Shredder Well Reputed Brand Eclipse Paper Shredder JP-860C Cut Type Cross Cut Sheet Capacity (70 gm) 20 Auto Start & Stop Yes Reverse Yes Thermal Overload Yes Auto stop on paper jamming Yes Cut size (mm) 3.8 x 40 Throat Width (mm) 230 Bin Capacity (Litres) 34 Shred paper clips Yes Shred staples Yes	NOT RELATED TO I.T DEPTT <u>Lintimus 14.95</u> <u>Industrial shredder</u> <u>Large Document</u> <u>Shredder 14.95 S</u> <u>Security class</u> <u>DIN 32757-1</u> 3 3 2 1 Size of shreds mm 3.8 x 40 6 x 50 5.8 11.8 Shredding capacity 1 sheets 120-130 120-130 120-140 200-210	NOT RELATED TO I.T DEPTT Heavy Duty Shredder Reyle Style Plus	NOT RELATED TO I.T DEPTT JINPEX Paper Shredder JP-820C Paper Shredder Ranges : Office Daily Usage (Times) : 100 – 150 Cut Type : Cross-cut Sheet Capacity (75g) : 17 Auto Start and Stop : Yes - Electronic Reverse : Yes Thermal / Overload Protection: Yes AutoStop on Jamming: Yes Duty Cycle : 15 -20 min Cut Size (mm) : 3.8 x 40 Paper Entry Width : 230mm

<p>Shred Credit cards Yes Shred CD's Yes Noise Level <55 Separate credit card / CD Entry Yes Net Weight (kg) 23 Warranty : 01 Years</p>	<p>Shredding capacity² kg/h 235 280 220 240 Cutting speed approx. m/sec. 0.30 0.30 0.28 0.28 Working width approx. mm 440 440 440 440 Collecting sack volume l 200 Filled weight³ kg 20-38 Sound level⁴dB 68 Power supply Volt 400 / 3ph Motor power kW 4 Dimensions L x W x H mm 1,670 x 800 x 1,630 Weight kg 443 Dimensions mm Length</p>	<p>CD & Credit Card Shredding size : 3.8 mm x 40 mm Safety Features: Safe Touch Bin Capacity (Gal/Litres) : 9/34 Shreds Paper Clips: Yes Shreds Staples: Yes Shreds Credit Cards : Yes Shreds CDs/DVDs: Yes Noise Level (db) : <55 Motor Type: AC Motor Power Consumption (watts): 280w (0.38 hp) Separate Credit Card and CD Entry: Yes Operation Display Type: LCD Display Basket Type: Pull out Casters : Yes Warranty (Whole Unit): 1 Year Warranty (Motor and Cutter): 7 Years Product Size(LxWxH-mm) : 390x305x645 Net Weight(Kg) : 16.7</p>
---	--	--




1,670	Height				
1,630	Inlet height or desk height				
1,200	Width				
800	Required space / distances mm with door on the left side				
1. min. 100					
3. min. 950					
	with door on the right side				
1. min. 950					
3. min. 100					
2. min. 1,000					
4. min.					


Technical Bid ~~is~~ not approved


M. Aurangzeb
In charge I.T


Dr. Srichand V. Talib
Member/Secretary


Prof. Aijaz Ali Qureshi
Member

Prof. Mahmood Hassan
Member


Mahmood Ali Zakiho
Member

Prof. Ghulam Sarwar Qureshi
Chairman


Representative of Finance Department
Member

Representative of Health Department
Member

Dr. Azam Khan
President SMC Alumni
Member

Najees Ibrabim
Chief Accountant
Member


**COMPARATIVE STATEMENT TECHNICAL
TENDER FOR SUPPLY OF ELECTRICAL, ELECTRONICS MACHINERS, EQUIPMENT AND SOFTWARE FOR THE UNIVERSITY**

TENDER OPENED ON: 05-12-2013
 NAME OF ITEM: Supply of Desktop Computer Core™ i3
 DEPARTMENT: Store
 ITEM NO: 03
 QUANTITY: 15
 No of participated bidders

Specification	ABM Data (1)	Rajput Engineering (2)	SecSam Solution Pvt Ltd (3)	Roomi Enterprises (4)	Gemco (5)
HP Equivalent) Powered by the intel® Core™ i3 processor Processor - 3.3GHz Memory - 2 GB Hard drive - 500 GB Graphics card - Intel HD Graphics Optical drive - DVD RW / SUPER DRIVE (HP Branded or Equivalent) Operating system - Windows Pro 8 MS OFFICE 2010 (Word, Excel, Power Point) LED 17" screen Keyboard and MOUSE	Not participated in this item hence not qualified	ACCEPTED	Not participated in this item hence not qualified	CONDITIONALLY ACCEPTED MULTIPLE MODEL SPECIFICATION OFFERED WHICH ALSO INCLUDE REQUIRED SPECIFICATION THEREFORE CONDITIONALLY ACCEPTED IF THE VENDOR AGREED TO SUPPLY REQUIRED SPECIFICATION AS MENTIONED IN THE TENDER DOCUMENT	Not participated in this item hence not qualified
		HP Pro 3330 MT PC – C13 3220 • Processor 3.30 GHz, 3M Cache RAM • 2GB DDR3 • SATA Hard Drive 500 GB • DVD / RW • HP USB		HP Compaq Pro 6300 Business PC 1. (2) 5.25" external drive bays supporting optical disk drives or removable hard disk drives (2) 3.5" internal drive bays supporting data drives 2. 320W standard efficiency or 90% high efficiency power supply 3. 3.5" external drive bay supporting the optional HP Media Card Reader 4. Rear I/O includes (4) USB 3.0 ports, (2) USB 2.0 ports, serial port, PS/2 mouse and keyboard ports, RJ-45 network interface, DisplayPort 1.1a and VGA video interfaces, and 3.5mm audio in/out jacks 5. Front I/O includes (4) USB 2.0 ports, a headphone output and a microphone jack 6. Full-height expansion slots include (1) PCI, (2) PCI Express x1 and (1) PCI Express x16 graphics	

<p>Keyboard</p> <ul style="list-style-type: none"> • HP USB Mouse • HP LV1911 18.5" LED • (3 Years Warrant) <p>Window 8 + Ms Office Home Students 2010 Win 32 English</p>	<ul style="list-style-type: none"> • 7. HP Mouse • 8. HP Keyboard • 9. HP Monitor (sold separately) <p>At A Glance</p> <ul style="list-style-type: none"> • Choice of two professional chassis form factors: Small Form Factor and Microtower. • UEFI BIOS developed and engineered by HP for better security, manageability and software image stability • Intel Q75 Express chipset supporting Intel 2nd and 3rd generation Core processors featuring Intel HD Graphics • Intel 82579LM GbE integrated network connection • DDR3 Synchronous Dynamic Random Access Memory (SDRAM) • Dual independent monitor support via VGA and digital DisplayPort 1.1a video interfaces • Standard efficiency or 90% high efficiency energy saving power supplies available • ENERGY STAR® qualified models certified EPEAT® Gold • Guaranteed lengthy purchase lifecycles and image stability • Software image fully compatible across all models and form factors • Created using industry leading Design for Environment standards • Selected configurations with global availability easily set up and ordered through HP.com Business to Business portals <p>(http://h10019.www1.hp.com/business-site/index.html)</p> <ul style="list-style-type: none"> • Tailored HP Factory Express deployment and lifecycle services available (http://h71028.www7.hp.com/enterprise/cache/97688-0-0-225-121.aspx) • Protected by HP Services, including standard warranties up to 5-5-5 (terms and conditions vary by country; certain restrictions and exclusions apply)
--	---



<ul style="list-style-type: none"> • Tool-less serviceability features for easier upgrades and repairs <p>GRAPHICS Integrated on all models (depends on processor) Intel HD Graphics: Basic, 2000, 2500, 4000</p> <p><u>Discrete</u> AMD Radeon HD 6350 (512 MB) PCIe x16 (includes a DMS-59 to Dual VGA Y Cable) AMD Radeon HD 7450 (1 GB) PCIe x16 (includes a DVI to VGA adapter cable) NVIDIA NVS 300 (512 MB) PCIe x16 (includes a DMS-59 to Dual VGA Y Cable) NVIDIA NVS 310 (512 MB) PCIe x16 NVIDIA GeForce GT 630 DP 2GB FH PCIe x16 (Available August 2012) Adapters and Cables DisplayPort to DVI-D Adapter DisplayPort to HDMI Adapter DisplayPort to VGA Adapter DisplayPort Cable</p> <p>STORAGE SATA Hard Drive 250 GB, 7200 rpm, SATA 6.0 Gb/s, SMART IV, 3.5" 500 GB, 7200 rpm, SATA 6.0 Gb/s, SMART IV, 3.5" 1 TB, 7200 rpm, SATA 6.0 Gb/s, SMART IV, 3.5" SATA Self-encrypting Solid State Drive 256 GB, SATA, 3.5" SATA Solid State Drive 120 GB, SATA (with 3.5" adapter) 128 GB, SATA (with 3.5" adapter) Optical Disc Drive DVD-ROM SuperMulti DVD Writer Blu-ray Writer Media Card Reader 22-in-1</p> <p>MEMORY Type DDR3 non-ECC; up to 1600 MT/s Maximum</p>	
--	---

32 GB	# of Slots	NETWORKING/COMMUNICATIONS	Ethernet (RJ-45)	Intel 82579LM Gigabit Network Connection (integrated)	Intel Pro Gigabit CT Desktop PCIe x1 Network Card	(optional)	Wireless	802.11b/g/n PCIe x1 (optional)	AUDIO/MULTIMEDIA	High Definition Audio with Realtek ALC221 codec (all ports are stereo)	Microphone and headphone front ports (3.5mm)	Line-out and Line-in rear Ports (3.5mm)	Multi-streaming capable	Internal Speaker (standard)	Thin USB power speakers	KEYBOARDS AND POINTING DEVICES	Keyboard	PS/2 Keyboard	USB Keyboard	USB Smart Card (CCID) Keyboard	USB and PS/2 Washable Keyboard	Wireless Keyboard and Mouse Combo	Wireless Keyboard and Dongle (Brazil)	Mice	PS/2 Optical Mouse	USB Optical Mouse	USB Laser Mouse	USB and PS/2 Washable Mouse	Wireless Laser Mouse Brazil
-------	------------	---------------------------	------------------	---	---	------------	----------	--------------------------------	------------------	--	--	---	-------------------------	-----------------------------	-------------------------	--------------------------------	----------	---------------	--------------	--------------------------------	--------------------------------	-----------------------------------	---------------------------------------	------	--------------------	-------------------	-----------------	-----------------------------	-----------------------------

~~Technical Bid~~

~~Approved by~~

[Signature]
Prof. Ghulam Sarwar Qureshi
Chairman

[Signature]
Ma. Aqbal Ali Qureshi
Member

[Signature]
Prof. Mahmood Hassan
Member

[Signature]
Dr. Srichander Talib
Member Secretary

[Signature]
Prof. Aijaz Ali Qureshi
Member

[Signature]
M. Anwarul Haq
Increase i.T

[Signature]
Dr. Azam Khan
President SMC Alumni
Member

[Signature]
Nafees Abrarim
Chief Accountant
Member


[Signature]
Representative of Health Department
Member

[Signature]
Representative of Finance Department
Member

The remain for acceptance/ nos
acceptance) are given on the
front page for individual
bidder.

**COMPARATIVE STATEMENT TECHNICAL
TENDER FOR SUPPLY OF ELECTRICAL, ELECTRONICS MACHINERS, EQUIPMENT AND SOFTWARE FOR THE UNIVERSITY.**


TENDER OPENED ON: 05-12-2013
 NAME OF ITEM: Supply of Multi Function Color Printer
 DEPARTMENT: Store
 ITEM NO: 04
 QUANTITY: 03
 No of participated bidders

Specification	ABM Data (1)	Rajput Engineering (2)	SeeSam Solution Pvt Ltd (3)	Roomi Enterprises (4)	Gemco (5)
(HP, EPSON or Equivalent) Function: Print, copy, scan, fax Multitasking supported: Yes Print speed black: ISO Laser comparable: Up to 8 ppm Print speed color: ISO Laser comparable: Up to 7.5 ppm Color: Up to 4800 x 1200 dpi optimized on select photo paper with 1200 x 1200 input dpi Black: Up to 600 x 600 dpi Processor speed: 240 MHz Number of print cartridges: 4 (1 each black, cyan, magenta, yellow) Automatic paper sensor: Yes Connectivity: standard, Hi-Speed USB 2.0,	Not participated in this item hence not qualified	NOT ACCEPTED COLOR SPEED DOES NOT MEET THE REQUIRED SPECIFICATION REQUIRED: 7.SPPM PROVIDED: 4PPM HP Pro Color Laser Jet Printer Model No : 100 M17A (MFP) Maximum Print Speed Black up to 17 ppm Color up to 4 ppm Print Resolution Up to 600 x 600 dpi Technology Resolution HP ImageREt 2400 Scan Resolution (Optional) Up to 1200 x 1200 dpi Scan Type Flatbed, ADF Copy 300 x 300 dpi	Not participated in this item hence not qualified	ACCEPTED	NOT ACCEPTED DOES NOT FULFILL TECHNICAL GENERAL SPECIFICATION Brother Multifunction Centre Model: MFC 250C General Printing Method Inkjet Max. Document Glass size 8.5" x 11.7" Standard Memory Capacity 32MB Print Max. Print Speeds 27 ppm Black / 22
				HP LaserJet Pro 200 Color MFP M276nw Print Speed: Up to 14 ppm black, Up to 14 ppm color First Page Out: As fast as 18.5 sec (black), As fast as 19 sec (color) Scan Resolution: Up to 1200 x 1200 dpi (hardware) Copy Resolution: Up to 600 x 600 dpi; Max No of Copies: Up to 99 copies	

<p>Maximum Copies Up to 99 copies Standard connectivity Hi-Speed USB 2.0 1 fast Ethernet 10/100Base-TX 1 Wireless 802.11b/g/n Duty Cycle (Monthly) Up to 20,000 pages Duplex Print Options Manual (Driver Support Provided) Warranty One Year limited warranty product exchange</p>	<p>Paper Handling: 150-sheet input tray, 35-sheet automatic document feeder, 125-sheet output bin Standard Connectivity: 1 Hi-Speed USB 2.0 port, 1 Host USB, 1 Ethernet 10/100Base- TX network port, 1 Wireless 802.11b/g/n networking, 1 RJ-11 (Phone only) Duty Cycle (monthly): Up to 30,000 pages</p>	<p>ppm Color Max. Print Resolution 6000 x 12000 dpi Fax Stand Alone Fax Capabilities Color & B/W Fax Compatibility ITU-T Group 3 Dual Access Yes (R&W only) Modem speed (max) Best Transmission Speeds 14.4K bps / 6 secs. Speed Dial Locations 40 Broadcasting (number of locations) 90 Locations <u>Copy</u> Max. Copy Speed 20cpm Black / 18cpm Color Max. Copy Resolution 1200 x 1200 dpi Reduction / Enlargement 25-400% Multiple Copies Yes (99) <u>Scan</u> Scanner Capabilities B/W & Color</p>
--	--	--




Optional Scan Resolution 1200 x 2400 dpi Interpolated Scan Resolution 19,200 x 19,200 dpi Scan to Image, OCR, E- mail, File, USB Flash Memory Drive <u>Paper Handling</u> Standard paper Capacity (max. sheets) 100 Paper sizes standard Tray (min/max) 3.9" x 5.8" / 8.5" 14"					
Output Tray(s) Capacity 50 sheets Supported Operating Systems Windows OS® 2000/XP / XP Professional X64 / Windows Vista® Macintosh® Mac OS® X 10.24 or greater <u>Other</u> Standard interface USB, PictBridge/USB Direct Interface Monthly Duty					





Cycle (max)	2500 pages
Unit Dimensions (WxDxH)	15.4" x 14.4" x 5.9"
Carton Dimension (WxDxH)	18.5" x 8.9" x 18.1"
Unit Weight / Carton Weight	15.7 lbs. 20.3 lbs.


The Remarks (For acceptance / Non acceptance) are given on the front page for individual bidder.



 Dr. Saifuddin V. Talib
 Member / Secretary


Technical Bid
 Approved / Not approved



 Prof. Ghulam Sarwar Qureshi
 Chairman



 Mahmood Ali Talib
 Member



 Prof. Mahmood Hassan
 Member



 Prof. Aijaz Ali Qureshi
 Member


 M. Aurangzeb
 Incharge I.T.


 Dr. Azam Khan
 V President SMC Alumni Member


 Nafees Ibrabim
 Chief Accountant Member


 Representative of Health Department Member


 Representative of Finance Department Member



 Proceeding in code system


**COMPARATIVE STATEMENT TECHNICAL
TENDER FOR SUPPLY OF ELECTRICAL, ELECTRONICS MACHINERS, EQUIPMENT AND SOFTWARE FOR THE UNIVERSITY**


TENDER OPENED ON: 05-12-2013
 NAME OF ITEM: Supply of Printer Laser Jet
 DEPARTMENT: Store
 ITEM NO: 05
 QUANTITY: 10
 No of participated bidders

Specification	ABM Data (1)	Rajput Engineering (2)	SeeSam Solution Pvt Ltd (3)	Roomi Enterprises (4)	Gemco (5)
(HP Branded or Equivalent) 14 A4 pages per minutes (ppm), 15 letter-size ppm First page out in as low as 8 seconds fastRes 600: This setting provides 600 dpi effective	Not participated in this item hence not qualified	ACCEPTED	NOT ACCEPTED DOES NOT FULFILL TECHNICAL GENERAL SPECIFICATION & REQUIRED SPECIFICATION IS 14PPM AND PROPOSED IS 13PPM	ACCEPTED	NOT ACCEPTED DOES NOT FULFILL TECHNICAL GENERAL SPECIFICATION
		HP LaserJet Printer Model No : P1102 Print speed Up to 18 ppm (A4) Exact speed varies depending on the system configuration, software application, driver and document complexity. First page out black As fast as 8.5 sec	Ricoh SP100 e GENERAL 13 pages per minute (A4) 14 pages per minute (letter) Warm-up time: 25 seconds First output speed:	Printer HP Laser Jet Pro P1102 Printer Series Print technology: Laser Print speed: A4 black: Up to 18 ppm First page out (black, A4): As fast as 8.5 sec (from Auto-Off)	"Brother" Brand Laser Printer Model HL-2130 (20ppm) Technology: Electro photographic Print speed: 20 (A4)ppm First print speed:

<p>output quality. FastRes 1200: This setting provides 1200 cpi effective output quality. EconoMode: Text is printed using less toner. This setting is useful when you are printing drafts. You can turn on this option independently of other print-quality settings.</p>	<p>Print resolution Up to 600 x 600 x 2 dpi (1200 dpi effective output); HP FastRes 600, HP FastRes 1200 Processor 266 MHz Memory 2 MB Recommended monthly page volume 250 to 1500 HP recommends that the number of printed pages per month be within the stated range for optimum device performance, based on factors including supplies replacement intervals and device life over an extended warranty period. Duty cycle (monthly, A4) Up to 5000 pages Duty cycle is defined as the maximum number of pages per month of imaged output.</p>	<p>13 seconds Continuous output speed: 13 pages per minute Dimensions (W x D x H): 402 x 368.5 x 119/163/205 mm Weight: 6.2/8/9 kg Power source: 220 - 240 V, 50/60 Hz Duty cycle: 10,000 prints per month COPIER (SP 100SU e, SP 100SF c) Resolution: 300 dpi, 600 dpi Zoom: From 25% to 400% in 1% steps PRINTER Printing process: Laser beam scanning, electro-photographic printing RAM: Standard: 16/16/32 MB Printer language: Standard: GDI Print resolution: Maximum: 1,200 x 600 dpi Interface:</p>	<p>Measured using ISO/IEC 24734, excludes first set of test documents. For more information see http://www.hp.com/go/printerclaims. Exact speed varies depending on the system configuration, software application, driver and document complexity. Processor 266 MHz, Tensilica® Memory P1102: 2 MB; P1102w : 8 MB; Not expandable Print resolution Up to 600 x 600 dpi (1200 effective dpi with HP FastRes 1200) Print quality HP FastRes 600, HP FastRes 1200 Printer languages Host-based printing Typefaces/fonts Not applicable (Host-based) Duty cycle (monthly, A4) Up to 5000 pages Recommended Monthly Page Volume 250 to 1500 Print margins: top: 4 mm, left: 4 mm, right: 4 mm, bottom: 4 mm Media handling: Input Tray 1 Capacity Sheets: 150; envelopes: 15 Weight 60 to 163 g/m² Size A4: A5; B5; postcards; envelopes (C5, DL, B5) 76 x 127 to 216 x</p>	<p>Less than 10 seconds Resolution: 2400 x 600 dpi high resolution Memory: Standard 8MB Processor: 200 MHz Emulation: GDI Printer Language: Win 95/98/Me/NT4.0/2000/XP Interface / Ports: Hi-speed USB 2.0 Paper input capacity: Standard: 250 sheets + one manual paper feeding Paper output capacity: 100 sheets Paper size: A4, Letter, B5, A5, B6, A6, Executive, Legal Monthly Duty Cycle: 10,000 pages per month Weight with Carton: 8.0 Kg</p>
	<p>Paper Input 150-sheet input tray Output 100-sheet face-down bin Duplex printing Manual (driver support provided) Sizes 150-sheet input tray: 147 x 211 to 216 x 356 mm Weights 60 to 163 g/m² Types Paper (laser, plain, photo, rough, vellum), envelopes, labels, cardstock, transparencies, postcards Connectivity Interfaces Hi-Speed USB 2.0 port Languages and fonts Host-based printing; Not applicable</p>	<p>13 seconds Continuous output speed: 13 pages per minute Dimensions (W x D x H): 402 x 368.5 x 119/163/205 mm Weight: 6.2/8/9 kg Power source: 220 - 240 V, 50/60 Hz Duty cycle: 10,000 prints per month COPIER (SP 100SU e, SP 100SF c) Resolution: 300 dpi, 600 dpi Zoom: From 25% to 400% in 1% steps PRINTER Printing process: Laser beam scanning, electro-photographic printing RAM: Standard: 16/16/32 MB Printer language: Standard: GDI Print resolution: Maximum: 1,200 x 600 dpi Interface:</p>	<p>Measured using ISO/IEC 24734, excludes first set of test documents. For more information see http://www.hp.com/go/printerclaims. Exact speed varies depending on the system configuration, software application, driver and document complexity. Processor 266 MHz, Tensilica® Memory P1102: 2 MB; P1102w : 8 MB; Not expandable Print resolution Up to 600 x 600 dpi (1200 effective dpi with HP FastRes 1200) Print quality HP FastRes 600, HP FastRes 1200 Printer languages Host-based printing Typefaces/fonts Not applicable (Host-based) Duty cycle (monthly, A4) Up to 5000 pages Recommended Monthly Page Volume 250 to 1500 Print margins: top: 4 mm, left: 4 mm, right: 4 mm, bottom: 4 mm Media handling: Input Tray 1 Capacity Sheets: 150; envelopes: 15 Weight 60 to 163 g/m² Size A4: A5; B5; postcards; envelopes (C5, DL, B5) 76 x 127 to 216 x</p>	<p>Less than 10 seconds Resolution: 2400 x 600 dpi high resolution Memory: Standard 8MB Processor: 200 MHz Emulation: GDI Printer Language: Win 95/98/Me/NT4.0/2000/XP Interface / Ports: Hi-speed USB 2.0 Paper input capacity: Standard: 250 sheets + one manual paper feeding Paper output capacity: 100 sheets Paper size: A4, Letter, B5, A5, B6, A6, Executive, Legal Monthly Duty Cycle: 10,000 pages per month Weight with Carton: 8.0 Kg</p>



<p>(Host-based)</p> <p>Client operating systems Microsoft® Windows® 7 (32-bit/64-bit), Windows Vista® (32-bit/64-bit), Windows® XP (32-bit/64-bit), Windows® Server 2008 (32-bit/64-bit), Windows® Server 2003 (32-bit/64-bit), Mac OS X v 10.4, v 10.5, v 10.6, Linux (see http://www.hp.hp.com for current)</p> <p>Network operating systems Microsoft® Windows® 7 (32-bit/64-bit), Windows Vista® (32-bit/64-bit), Windows® XP (32-bit/64-bit), Windows® Server 2008 (32-bit/64-bit), Windows® Server 2003 (32-bit/64-bit), Mac OS X v 10.4, v 10.5, v 10.6, Linux (see http://www.hp.hp.com for current)</p> <p>Network protocols None</p> <p>Dimensions (w x d x h) 349 x 238 x 196 mm, 400 x 250 x 298 mm</p> <p>Weight 6.35 kg</p> <p>Warranty One-year, return to HP, authorized service center; telephone and web support (varies according to region). Environmental ranges</p> <p>Operating temperature 17.5 to 25° C</p> <p>Storage temperature -20 to 40° C</p> <p>Operating humidity 30 to 70% RH</p> <p>Storage humidity 10 to 90% RH</p> <p>Acoustics</p>	<p>Standard: USB 2.0</p> <p>Windows® environments: Windows® XP, Windows® Vista, Windows® 7, Windows® Server 2003, Windows® Server 2008</p> <p>SCANNER (SP 100SU e, SP 100SF e) Colour scan: Standard Resolution: 600 dpi Original size: A4</p> <p>Bundled drivers: Network TWA IN FAX (SP 100SF e) Compatibility: ITU-T (CCITT) G3 Compression method: MH, MR, MMR Transmission speed: 3 second(s) Modem speed: Maximum: 33.6 Kbps</p> <p>PAPER HANDLING Recommended paper size: Maximum: A4 Paper input capacity:</p>	<p>356 mm</p> <p>Output: Sheets: Up to 100 sheets. Envelopes: Up to 15 envelopes. Transparencies: Up to 100 sheets; 100-sheet output bin</p> <p>Duplex printing: Manual (driver support provided)</p> <p>Media types: Paper (laser, plain, photo, rough, vellum), envelopes, labels, cardstock, transparencies, postcards</p> <p>Interface and connectivity: P1102: 1 Hi-Speed USB 2.0; P1102w: 1 Hi-Speed USB 2.0; 1 WiFi 802.11b/g/n</p> <p>Operating systems compatibility: Optional Latest drivers available from the HP support Web site at http://www.hp.com/support</p> <p>Minimum system requirements: Microsoft® Windows® 7 (32- bit/64-bit): 1 GB RAM; Windows® Vista® (32-bit/64-bit), Windows® XP, Windows® Server 2008 (32-bit/64-bit), Windows® Server 2003: 512 MB RAM; all systems: 350 MB free hard disk space, CD- ROM drive, USB port</p> <p>Printer management HP Status and Alerts; HP Usage tracking (CD install only)</p> <p>Power: Requirements: Input voltage: 220 to 240 VAC (+/- 10%), 50 Hz (+/- 2 Hz), 6 A. Consumption: P1102: 360 watts (active), 1.4 watts (ready), 0.9 watts (auto-off); 0.6 watts (manual- off). Typical Electricity Consumption (TEC): 0.505</p>	
--	--	--	---

<p>Sound power 6.4 B(A)</p> <p>Sound pressure (bystander) 51 dB(A)</p> <p>Power specifications</p> <p>Power requirements Input voltage 115 to 127 VAC (+/- 10%), 60 Hz (+/- 2 Hz), 12 amp; 220 to 240 VAC (+/- 10%), 50 Hz (+/- 2 Hz), 6.0 amp</p> <p>Power consumption active: 360 watts; standby: 1.4 watts; powersave: 0.9 watts (auto-off); off: 0.6 watts</p> <p>Values subject to change. See http://www.hp.com/go/lip1100_regulatory for current information. Power numbers are the highest values measured using all standard voltages.</p> <p>Typical electricity consumption (TEC) number 0.505 kWh/week</p> <p>Certifications</p> <p>Safety IEC 60950-1 (International), EN 60950-1 +A11 (EU), IEC 60825-1+A1+A2, UL/cUL Listed (US/Canada), GS License (Europe), EN 60825-1+A1+A2 Class 1, 21 CFR 1040.10 and 1040.11 except for deviations; pursuant to Laser notice No. 50, Dated June 24, 2007 (Class 1 Laser/LED Device) GB4943-2001, Low Voltage Directive 2006/95/EC with CE Marking (Europe). Other safety approvals as required by individual countries</p> <p>EMC CISPR 22: 2005+A1/EN 55022:</p>	<p>Maximum: 50 sheets</p> <p>Paper output capacity:</p> <p>Standard: 10 sheets</p> <p>Paper weight:</p> <p>Bypass tray: 60 - 105 g/m²</p> <p>Media capability:</p> <p>Plain paper, Thick paper, Recycled paper, Thin paper</p> <p>ECOLOGY</p> <p>Power consumption:</p> <p>Operating power: 250 W</p> <p>Ready mode: 55 W</p> <p>Sleep mode: 5 W</p> <p>CONSUMABLES</p> <p>Starter kit:</p> <p>Black: 500 print</p>	<p> kWh/Week; P1102w:</p> <p>All values measured with WiFi enabled: 370 watts (active), 2.7 watts (standby), 2.0 watts (Auto-Off), 0.6 watts (off); Typical Electricity Consumption (TEC): 0.704 kWh/week.</p> <p>Dimensions (w x d x h): Out of package 349 x 238 x 196 mm Packaged: 400 x 250 x 298 mm</p> <p>Weight: Out of package: P1102: 5.3 kg; P1102w: 5.3 kg</p> <p>Packaged: P1102: 6.35 kg; P1102w: 6.35 kg</p> <p>Operating environment: Operating temperature: 15 to 32.5° C. Recommended operating temperature: 17.5 to 25° C. Operating humidity: 10 to 80% RH. Recommended operating humidity: 30 to 70% RH. Storage temperature: -20 to 40° C. Storage humidity: 10 to 90% RH. Noise level per ISO 9296: Sound power: LwAd 6.4 B(A)</p> <p>Product certifications Safety certifications: UL 60950-1; IEC 60950-1: 2005 and EN 60950-1: 2006 +A11: 2009. 21 CFR 1040.10 and 1040.11</p> <p>except for deviations pursuant to laser; Notice No. 50, Dated June 24, 2007; IEC 60825-1: 2007 and EN 60825-1: 2007 (Class 1 Laser/LED Product); IEC 62479: 2010/EN 62479: 2010</p> <p>Warranty:</p>	
---	--	--	---

<p>2006-A1 Class B, EN 61000-3-2: 2006, EN 61000-3-3: 1995+A1, EN 55024: 1998-A1 +A2, FCC Title 47 CFR, Part 15 Class B (USA), ICES-003, Issue 4, (Canada), GB9254-1998, EMC Directive 2004/108/EC with CE Marking (Europe), other EMC approvals as required by individual countries</p> <p>HP Sure Supply enabled Yes: HP SureSupply alerts you when your print cartridge is running low and helps you purchase online or locally through HP or a participating retailer. Only available with Original HP supplies; Internet access required. For more information, visit http://www.hp.com/go/SureSupply</p> <p>Warranty: 01 Years</p>	<p>One-year limited warranty. Warranty and support options vary by product, country and local legal requirements.</p> <p>Series at a glance: CE651A: HP LaserJet Pro P1102; print speed of up to 18 ppm black, HP FastRes 1200; up to 600 x 600 dpi (1200 dpi effective output with HP FastRes 1200); 2 MB standard memory, 266 MHz processor; 1 Hi-Speed USB 2.0 port; HP Auto-On/Auto-Off; HP Smart Install; standard input capacity of 150-sheets with one 150-sheet input tray</p> <p>CE658A: HP LaserJet Pro P1102w; as HP LaserJet Pro P1102 Printer with 802.11 b/g/n wireless networking, HP ePrint, Apple AirPrint™, Wireless Direct Print; 8 MB memory, 10-sheet priority input slot.</p>	<p>2006-A1 Class B, EN 61000-3-2: 2006, EN 61000-3-3: 1995+A1, EN 55024: 1998-A1 +A2, FCC Title 47 CFR, Part 15 Class B (USA), ICES-003, Issue 4, (Canada), GB9254-1998, EMC Directive 2004/108/EC with CE Marking (Europe), other EMC approvals as required by individual countries</p> <p>HP Sure Supply enabled Yes: HP SureSupply alerts you when your print cartridge is running low and helps you purchase online or locally through HP or a participating retailer. Only available with Original HP supplies; Internet access required. For more information, visit http://www.hp.com/go/SureSupply</p> <p>Warranty: 01 Years</p>
--	--	--

The Memos (for acceptance/NOT acceptance) are given on the front page for individual bidders.

*M. Anwarzger
Increase 1.7*

Technical Bid
Approved/ Not approved

[Signature]
Prof. Ghulam Sarwar Qureshi
Chairman

[Signature]
~~Dr. Srichan Talib~~
Member Secretary

[Signature]
Prof. Mahmood Hassan
Member

[Signature]
Prof. Aijaz Ali Qureshi
Member

[Signature]
Dr. Azam Khan
President SMC Alumni Member

[Signature]
Nafees Ibrabim
Chief Accountant Member

[Signature]
Proceeds on today's leave
Representative of Finance Department Member


[Signature]
Representative of Health Department Member


TENDER FOR SUPPLY OF ELECTRICAL, ELECTRONICS MACHINERS, EQUIPMENT AND SOFTWARE FOR THE UNIVERSITY

TENDER OPENED ON: 05-12-2013
 NAME OF ITEM: Supply of Scanner
 DEPARTMENT: Store
 ITEM NO: 06
 QUANTITY: 08
 No of participated bidders


Specification	ABM Data (1)	Rajput Engineering (2)	SeeSam Solution Pvt Ltd (3)	Roomi Enterprises (4)	Gemco (5)
(HP Branded or Equivalent) SCAN RESOLUTION2 Hardware: Up to 4800 x 9600 dpi Optical: Up to 4800 dpi Enhanced: Up to 999999 dpi SCAN SIZE MAXIMUM : (IMPERIAL) 8.5 x 11.7 in BIT-DEPTH/GRAYSCALE LEVELS 48-bit, 256 grayscale levels SCAN FILE FORMATS Windows: PDF, PDF searchable, TIFF, TIFF compressed, JPG, BMP, PNG, FFX, GIF, PCX, RTF, TXT, HTML: Macintosh: PDF, TIFF, JPG, FFX, GIF, PICT, RTF, TXT, HTML Control panel 4 front-panel buttons	Not participated in this item hence not qualified	ACCEPTED HP Scan Jet Scanner Model No: G4010 Scanner type Flatbed Scan technology Charge Coupled Device (CCD) HP Real Life Technologies HP Red-eye Removal, HP Adaptive Lighting-improve contrast, dust and scratch removal and color restoration Transparent Materials Adapter	NOT ACCEPTED DOES NOT FULFILL TECHNICAL GENERAL SPECIFICATION Avision IS1000 ' Multifunctional Scanner Throughput Speed: (at Color, 300 dpi, A4 size) 6 sec. Scanning Mode: Flatbed Scanning Technology: CIS Color Depth: 48 bits (input) 24 bits (output)	ACCEPTED ScanJet G3110 Photo Scanner Model :HP Scanjet G3110 SCAN TYPE: Flatbed SCAN TECHNOLOGY Charge Coupled Device (CCD) LIGHT SOURCE (SCANNING) Cold cathode fluorescent lamp HP REAL LIFE TECHNOLOGIES FEATURES	NOT ACCEPTED DOES NOT FULFILL TECHNICAL GENERAL SPECIFICATION MICROTEK Brand Scanner Model: ScanMaker i460s Model Type MRS-4800 U2LED Scanner Type Desktop color flatbed scanner Image sensor Type CCD Resolution 4800 x 9600 dpi Scanning Area Reflective: 8.5" x


<p>(Copy, Scan, Scan to E-mail, Scan to PDF) Bit depth 48-bit</p> <p>Scannable media types Paper (inkjet, laser, plain), photographic material (silver halide, pigment-dye), 3-D objects, 35 mm slides and negatives (using transparent media adapter) Connectivity 1 Hi-Speed USB 2.0</p>	<p>Integrated, 5 slides (35 mm), 6 Negative frames (35mm) Preview Speed Up to 8.5 sec Task Speed 4 x 6-in color photo to file (200dpi, 24-bit, TIFF): About 11 sec for multiple image scan, about 30sec for single image scan: 35mm Slides to file (300dpi, 24-bit, TIFF): about 6sec for multiple image scan, about 24sec for Single image scan: 35mm Negatives to file (300dpi, 24-bit, TIFF): about 8sec For multiple image scan, About 40sec for single image scan OCR 8.5 x 11-in Text page to Microsoft Word: About 25sec for single image scan; 4 x 6-in (10 x 15cm) color photo to share/e-mail (150 dpi, 24-bit): about 30sec for single image scan: 8.5 x 11-in (A4) PDF to e-mail (300 dpi, 24-bit): About 61 sec for single</p>	<p>Recommended Daily Volume: Up to 1,000 pages per day Optical Resolution: 1200 dpi Light Source: LED Output Resolution: 75, 100, 150, 200, 300, 400, and 600 dpi Maximum Document Size: 216 mm x 297 mm (8.5 in x 11.7 in) Connectivity: USB 2.0 (cable included) Interface Support: TWAIN/ISIS Scan to PC File Compression: TIFF G4, JPEG File Format Outputs: Multi-page TIFF and JPEG, GIF, BMP Scan to Flash Disc File Format Outputs: PDF, Multi-PDF, JPEG Scan Mode: Normal, ID Scan, 2-in-1, 4-in-1 Warranty: One-year Electrical Requirements:</p>	<p>Dust and scratch removal capabilities. faded color restoration. HP Adaptive Lighting. HP Red-eye Removal TRANSPARENT MATERIALS ADAPTER Included; Built into lid Transparent Media Adapter (TMA); four 35 mm slides or five 35 mm negative frames TWAIN VERSION Version 1.9 PREVIEW MODE Up to 11 sec TASK SPEED 4 x 6-in color photo to file: about 9.2 sec for multiple image scan, up to 27.9 sec for single image scan; 35 mm slides to file: up to 6.6 sec for multiple image scan, up to 25.6 sec for single image scan; OCR 8.5 x 11-in text page to Microsoft Word: up to 28 sec for single image scan; 4 x 6-in color photo to share/e-mail: up to 20.8 sec for single image scan; 8.5 x 11.7-in PDF to e-mail: up to 28 sec for single image scan</p>	<p>11.7" (216 x 297mm) Bit Depth +8 bit internal Paper size A4 Connectivity Hi-Speed USB (USB 2.0) Drivers Twain Smart touch Buttons 6 buttons Scan able Media Types Reflective, Transparent (Optional) Supported File Types TIF, BMP, EPS, JPG, PSD, IFF, PCX, PXR, TGA, WMF, PDF, DCX, GIF, RLE, ICO Supported Film Types 135 mm film strip, 35 mm slide framed (Optional) OS Support Windows XP/ Vista / Windows 7; Mac OS X 10.6-10.8 (ScanPotter) Dimensions (LxWxH) 444 x 279 x 54 mm</p>
--	---	---	---	---

<p>image</p> <p>Scan Input Modes Front-panel: Scan (reflective) Scans from the glass). Scan film. Copy; Scan to PDF; HP Photosmart Premier software; User application via TWAIN; Transparent materials adapter (transmissive scans of film materials)</p> <p>Scan Resolution Hardware: Up to 4800 x 9600dpi Optical: Up to 4800 dpi Enhanced: Up to 999999 dpi</p> <p>Color bit depth/Grayscale levels 256/96-bit</p> <p>Image scaling or enlargement Range 10 to 2400% in 1% increments</p> <p>Maximum document scan size 8.5 x 12.3 in (216 x 311mm)</p> <p>Media types Paper (plain, inkjet, photo, banner), envelopes, labels, cards (index, greeting), 3-D objects, 35mm slides and negatives (using transparent</p>	<p>Input: 100-240 VAC, 50/60 Hz Output: 12V, 1.25A Power Consumption: <10 W Dimensions: (W x D x H) 440 x 268 x 45 mm 17.3 x 10.6 x 1.8 in. Weight: 1.7Kg (3.8lbs) Features Scan to USB flash drive Scan 2 or 4 A4 sheets and reduce the image to one single A4-size image ID Scan (scan 2 sides of card in one single image file) Hi-speed USB 2.0 interface Includes TWAIN Driver Scan & send images to pre-defined destination with a single press</p>	<p>SCAN INPUT MODES Front-panel scan (reflective scans from the glass, Transmissive scans of film materials). Copy; Scan to Email; Scan to PDF; HP Photo smart software; Scan picture; Scan document; Scan film; Copy; user application via TWAIN; integrated transparent media adapter (Transmissive scans of film materials)</p> <p>SCAN RESOLUTION Hardware: Up to 4800 x 9600 dpi Optical: Up to 4800 dpi Enhanced: Up to 999999 dpi</p> <p>BIT-DEPTH/GRAYSCALE LEVELS 48-bit, 256 grayscale levels</p> <p>ENLARGEMENT RANGE 10 to 2400% in 1% increments</p> <p>DYNAMIC RANGE 3</p> <p>SCAN SIZE MAXIMUM (IMPERIAL) 8.5 x 11.7 in</p> <p>MEDIA TYPES Paper (inkjet, laser, plain), photographic material (silver halide, pigment-dye), 3-D objects, 35 mm slides and negatives (using transparent media adapter)</p>	<p>Weight 4.72 lbs (2.14 kg)</p> <p>Certifications CE, FCC, BSMI, CB, CCC</p> <p>System Requirements MAC CD-ROM drive (for installing software) Color display with 24-bit color output capability 512 MB RAM or more Mac computer (Intel CPU) with built-in USB port Mac OS x 10.6 x ~ 10.8</p>	
---	--	--	---	---

<p>materials adapter), iron-on transfers File formats For images: PDF, BMP, TIFF, TIFF compressed, PCX, JPEG, FlashPix (FPX), GIF, PNG; For text: HTML, TXT, Rich Text Format (RTF) For text and image pages: PDF, PDF (searchable), FlashPix, PNG image Photographic Format Types Reflective scan of printed Photos up to 8.5 x 12.3 inches, Transmissive scans of positive And negative film, 35mm Negative film strips, mounted slides Control panel buttons 4 front-panel buttons (Scan, Scan film, Copy, Scan to PDF) Connectivity Hi-Speed USB (compatible With USB 2.0 specifications) Product Dimensions (W by D by H) 11.93 x 20 x 3.86 in Weight 9.6lb (4.4kg) Temperature</p>	<p>SCAN FILE FORMATS Windows: PDF, PDF searchable, TIFF, TIFF compressed, JPG, BMP, PNG, FPX, GIF, PCX, RTF, TXT, HTML; Macintosh: PDF, TIFF, JPG, FPX, GIF, PICT, RTF, TXT, HTML PHOTOGRAPHIC FORMAT TYPES Reflective scan of printed photos up to 8.5 x 11.7 inches, transmissive scan of positive and negative film: 35 mm mounted slides, 35 mm negative film strips CONTROL PANEL 4 front-panel buttons (Copy, Scan, Scan to E- mail, Scan to PDF) STANDARD CONNECTIVITY 1 USB (2.0) COMPATIBLE OPERATING SYSTEMS Windows 8, Windows 7, Windows Vista, Windows XP (32-bit and 64-bit), Windows XP 64-bit, Windows 2000, Mac OS X v10.6, Lion and Mountain Lion MINIMUM SYSTEM REQUIREMENTS PC: Windows 8, Windows 7, Windows Vista: 1.3 GHz processor, 1 GB RAM (2</p>	
---	---	---

<p>Recommended Operating: 50 to 95°F (10 to 35°C) Storage Range: -40 to 140°F (-40 to 60°C)</p> <p>Humidity Operating Humidity: 0 to 90%RH</p> <p>Recommended Operating Humidity Range: 15 to 80% RH</p> <p>Storage Humidity: 0 to 90% RH</p> <p>Power Specifications 3 Universal AC adapter: 100 To 240 VAC, 50/60Hz input: 24 VDC, 1500mA, 36 watts output; Energy Star efficiency level IV</p> <p>Power consumption: 25 watts maximum</p> <p>Compatible operating system Windows 2000, XP Home, XP Professional, XP Professional x64, XP Media Center Edition 2005; Mac OS X v 10.3.9, v 10.4 and higher</p> <p>Minimum system requirements PC: For Windows XP, XP x64.</p>	<p>GB for 64-bit); Windows XP: 1.3 GHz processor, 512 MB RAM; Windows 2000: 800 MHz processor, 256 MB RAM; for all systems: 60 MB (EMC ISIS/TWAIN drivers only), 450 MB available hard disk space (additional 500 MB and Hi- Speed USB 2.0 port recommended for extensive ADF use), CD-ROM drive, 800 x 600 SVGA monitor, 16-bit color Mac: Mac OS X v10.6, Lion and Mountain Lion</p> <p>OPERATING ENVIRONMENT Recommended Operating Temperature: 50 to 95 ° F (10 to 35 ° C), Maximum Operating Temperature: 50 to 95 ° F (10 to 35 ° C), Temperature Storage Range: -40 to 140 ° F (-40 to 60 ° C), Humidity Recommended Operating Range: 15 to 80% RH, Operating Humidity: 0 to 90% RH, Storage Humidity: 0 to 90% RH</p> <p>POWER Power supply type: External power adapter, Power supply required: 120 VAC, 50/60 Hz input; rest of world: 100 to 240 VAC, 50/60 Hz input; 12 VDC, 1.25 amp output. Power</p>
---	---



<p>consumption: 15 watts maximum</p> <p>PRODUCT DIMENSIONS w x d x h: 17.91 x 12.01 x 2.76 in (455 x 305 x 70 mm);</p> <p>PRODUCT WEIGHT 6.39 lb (2.9 kg)</p> <p>WARRANTY FEATURES US: 90-day limited hardware warranty; Telephone support options and fees vary by product, country and language.</p> <p>Telephone support conditions and telephone numbers are available at http://www.hp.com/support.</p> <p>WHAT IS IN THE BOX HP Scanjet G3110 Photo Scanner, USB cable, power supply adapter/power cord, CDs (include software and user instructions), setup poster, I.R.J.S. registration flyer, warranty statement</p> <p>SERVICE AND SUPPORT OPTIONS HP 1-year Phone Support, HC126PE</p> <p>SOFTWARE INCLUDED HP Photosmart software for Windows and Macintosh (includes integrated OCR, dust and scratch removal, HP Image Editor, faded color restoration, HP Red-eye Removal, HP Adaptive</p>	<p>2000: 233MHz processor, 128MB RAM, 500MB available hard disk space, USB port, CD-ROM drive, 800 x 600 SVGA monitor, 16-bit color, Microsoft Windows Internet Explorer 5.01 Service Pack 2</p> <p>And later; Windows Vista, Vista x64: 800MHz processor, 512MB RAM, 450MB available hard disk space, CD-ROM drive, 800 x 600 SVGA monitor, DirectX 9 capable graphics, Microsoft Windows Internet Explorer 7 Mac: Mac OS X v 10.3.9, V 10.4 and higher; PowerPC (G3, G4 And G5 processor). Intel Core processor, 128MB RAM, [256MB recommended (required for v 10.4 and higher), 250MB Available hard disk space</p> <p>Warranty One year limited hardware warranty. Telephone support options and fees</p>	<p>consumption: 15 watts maximum</p> <p>PRODUCT DIMENSIONS w x d x h: 17.91 x 12.01 x 2.76 in (455 x 305 x 70 mm);</p> <p>PRODUCT WEIGHT 6.39 lb (2.9 kg)</p> <p>WARRANTY FEATURES US: 90-day limited hardware warranty; Telephone support options and fees vary by product, country and language.</p> <p>Telephone support conditions and telephone numbers are available at http://www.hp.com/support.</p> <p>WHAT IS IN THE BOX HP Scanjet G3110 Photo Scanner, USB cable, power supply adapter/power cord, CDs (include software and user instructions), setup poster, I.R.J.S. registration flyer, warranty statement</p> <p>SERVICE AND SUPPORT OPTIONS HP 1-year Phone Support, HC126PE</p> <p>SOFTWARE INCLUDED HP Photosmart software for Windows and Macintosh (includes integrated OCR, dust and scratch removal, HP Image Editor, faded color restoration, HP Red-eye Removal, HP Adaptive</p>	
--	--	--	---

		<p>Vary by product, country and language. Telephone support conditions and telephone numbers available on http://www.hp.com/support</p> <p>What's in the box? HP Scanjet G4010 Photo Scanner, USB cable, power supply adapter/power cord(s), CDs (include software and User's Guide) Setup and Support Guide, I.R.I.S. registration Flyer</p> <p>Service and Support 1-year Post Warranty Phone Support, HPC126PE Warranty: 01 Years</p>	<p>Lighting)</p>
--	--	--	------------------

The Terms (for acceptance/ not accepted) are given on the front page for individual bidder.

M. Anwar

M. Anwar
 In-charge I.T

[Signature]
 Dr. Srichand V. Talib
 Member/Secretary

[Signature]
 Prof. Ajjaz Ali Qureshi
 Member

[Signature]
 Prof. Mahmood Hassan
 Member

[Signature]
 Mahmood Ali Lakhani
 Member

[Signature]
 Prof. Ghulam Sarwar Qureshi
 Chairman

[Signature]
 Dr. Azam Khan
 V. President SMC Alumni
 Member

[Signature]
 Nafees Ibrabim
 Chief Accountant
 Member

[Signature]
 Representative of Finance Department
 Member

[Signature]
 Representative of Health Department
 Member


Technical Bid
 Approved/ Not approved

**COMPARATIVE STATEMENT TECHNICAL
TENDER FOR SUPPLY OF ELECTRICAL, ELECTRONICS MACHINERS, EQUIPMENT AND SOFTWARE FOR THE UNIVERSITY**


TENDER OPENED ON: 05.12-2013
 NAME OF ITEM: Supply of Color Laser Jet Printer
 DEPARTMENT: Store
 ITEM NO: 07
 QUANTITY: 05
 No of participated bidders

Specification	ABM Data (1)	Rajput Engineering (2)	SecSam Solution Pvt Ltd (3)	Roomi Enterprises (4)	Gemco (5)
(HP Branded or Equivalent) Print Speed: up to 20.0 ppm -B/W, up to 20.0 ppm- Color Max Resolution (B&W): 600.0 dpi x 600.0 dpi Max Resolution (Color): 600.0 dpi x 600.0 dpi Processor: Motorola RAM: Ram installed (Max) 128.0 MB /384.0 MB (max) Media Handling: Media Type Envelopes, Glossy Paper, Plain	Not participated in this item hence not qualified	ACCEPTED HP Color LaserJet Pro 400 - M451NW Printer HP Brand LaserJet Pro 400 Color M451NW Print Speed: Up to 21 ppm black (letter). Up to 21 ppm color (letter) Print Resolution: Up to 600 x 600 dpi	NOT ACCEPTED DOES NOT FULFILL TECHNICAL GENERAL SPECIFICATION & PRINT SPEED DOES NOT FULFILL THE REQUIRED SPECIFICATION Nashuatec SPC242DN/SP C242DN <u>GENERAL</u> Technology: 4-drums tandem method, laser beam scanning, electro- photographic printing, single-component toner development Continuous print speed:	ACCEPTED HP Brand LaserJet Pro 400Color M451 Printer Series Print Speed: Up to 21 ppm black (letter). Up to 21 ppm color (letter) Print Resolution: Up to 600 x 600 dpi	NOT ACCEPTED DOES NOT FULFILL TECHNICAL GENERAL SPECIFICATION "BROTHER" Brand Color Laser Printer Model HL- 4150CDN with Built-in Duplex & Network (24 ppm) Technology Electro photographic Print speed Mono / Color 24 prints per


<p>Paper, Recycled Paper, Transparencies, Labels, Cards. Min Media Size (Custom) 3 in x 5 in Max. Media Size (Custom) 8.5 in x 14.0 in. Media Sizes A4 (8.25 in x 11.7 in) B5 (6.93 in x 9.83 in), A5 (5.83 in x 8.25 in), C5 (6.38 in x 9 in), A6 (4.13 in x 5.83 in). Total Media Capacity 300.0 sheets. Max Media Capacity 550.0 sheets. Output Trays Capacity: 150 sheets, Connections: 1.0 x Hi-Speed USB-4 pin USB Type B Consumables Included 1.0 x Toner Cartridge (Magenta), 1.0 x Toner cartridge (Black), 1.0 x toner cartridge (Yellow) 1.0 x Toner cartridge (Cyan) (HP Epson or Equivalent)</p>	<p>Display: 2-line LCD (text) Monthly Volume (Duty Cycle): Up to 40,000 pages Paper Handling: 50-sheet multipurpose tray, 250-sheet input tray 2, 150-sheet output bin, 250-sheet input tray 3 (optional) Technical Specifications Print technology Laser Print speed Black (Normal, letter): Up to 21 ppm; Color (Normal, letter): Up to 21 ppm First Page Out2: As fast as 17 sec Color (letter, ready). As fast as 17 sec black (letter, ready) Print resolution Black (Best): Up to 600 x 600 dpi; Black (Normal): Up to 600 x 600 dpi Color (Best): Up to 600 dpi Print Technology resolution : HP ImageREt 3600 Duplex print options • M451dn & M451dw: Automatic (standard) • M451nw: Manual (driver support provided) HP e-Print Capability Yes Mobile printing capability</p>	<p>Full colour: 16/20 prints per minute BW: 16/20 prints per minute Warm-up time: Less than 30 seconds First print speed: Full colour: Less than 14 seconds BW: Less than 14 seconds Dimensions (W x D x H): 400 x 450 x 320 mm Weight: Less than 23.8 kg Power source: 220 - 240 V, 50 - 60 Hz Power consumption: Maximum: 1.3 kW Energy saver mode: 5/10 W or less Duty cycle: 30,000/65,000 pages per month CONTROLLER Processor: SP C240DN: CPU 220 MHz SP C242DN: CPU 400 MHz Printer language/fonts: SP C240DN: DDST (GDI) SP C242DN: PCL5c, PCL6, PostScript®</p>	<p>Monthly Volume (Duty Cycle): Up to 40,000 pages Paper Handling: 50-sheet multipurpose tray, 250-sheet input tray 2, 150-sheet output bin, 250-sheet input tray 3 (optional) Technical Specifications Print technology Laser Print speed Black (Normal, letter): Up to 21 ppm; Color (Normal, letter): Up to 21 ppm First Page Out2: As fast as 17 sec Color (letter, ready). As fast as 17 sec black (letter, ready) Print resolution Black (Best): Up to 600 x 600 dpi; Black (Normal): Up to 600 x 600 dpi Color (Best): Up to 600 dpi Print Technology resolution : HP ImageREt 3600 Duplex print options • M451dn & M451dw: Automatic (standard) • M451nw: Manual (driver support provided) HP e-Print Capability Yes Mobile printing capability</p>	<p>minute Print Speed (Double sided) Up to 14 side per minute (color & mono) Warm up time Less than 31 sec. First print speed Less than 16 sec. Resolution 600 x 2400 dpi quality Processor 400 MHz Memory Standard 128MB Interface Hi-Speed USB 2.0 Network (Built-in) Ethernet 10/100 Base-TX Duplex Yes Automatic Paper input capacity Standard: 250 sheets, Multi Purpose tray: 50 sheets Paper out put capacity 150 sheets Duty Cycle 40,000 pages per month Paper size A4, LETTER, B5, A5, B6, A6, Exc. Legal</p>
--	--	--	--	--


<p>capability HP e-Print, Apple AirPrint™, Wireless Direct Print10 Standard print languages HP PCL 6, HP PCL 5c, HP postscript level 3 emulation Number of print Cartridges 4 (1 each black, cyan, magenta, yellow) Sure supply supported : Yes Printer Management Windows: HP Device Toolbox (default install), SNP Alerts network install), HP Web Jetadmin (download); Mac: HP Utility Printer smart software features HP ePrint, Apple AirPrint™, Smart Install, HP Auto-On/Auto-Off technology M451nw & M451dw: Plus Wireless Direct Print Standard connectivity : • M451nw & M451dw:1 Hi-Speed USB 2.0 port, 1 Fast Ethernet 10/100Base-TX network port, 1 WiFi 802.11 b/g/n Wireless capability • M451dn : No</p>	<p>3™ emulation: HP80 fonts Printer resolution: 600 x 600 dpi, 1,200 x 600 dpi, 2,400 x 600 dpi Memory: Standard: 64 MB SP C242DN: 256 MB Drivers: PCL5c/PCL6, Postscript® 3™ emulation Windows® XP/Vista/7/Server 2003/Server 2008 (32bit/64bit), Macintosh 10.3v or later CONNECTIVITY Network protocol: TCP/IP (IPv4, IPv6), IPP, Bonjour Supported environments: Windows® XP/Vista/7/Server 2003/2003R2/Server 2008 (32bit/64bit), Server 2008R2 (64bit), Macintosh 10.3v - 10.6v Interface: Ethernet 10 base-T/100 base-TX, USB 2.0, PictBridge</p>	<p>HP e-Print, Apple AirPrint™, Wireless Direct Print10 Standard print languages HP PCL 6, HP PCL 5c, HP postscript level 3 emulation Number of print Cartridges 4 (1 each black, cyan, magenta, yellow) Sure supply supported : Yes Printer Management Windows: HP Device Toolbox (default install), SNP Alerts (minimum network install), HP Web Jetadmin (download); Mac: HP Utility Printer smart software features HP ePrint, Apple AirPrint™, Smart Install, HP Auto-On/Auto-Off technology M451nw & M451dw: Plus Wireless Direct Print Standard connectivity : • M451dn 1 Hi-Speed USB 2.0 port, 1 Fast Ethernet</p>	<p>Weight 21.0 kg</p> 
---	---	--	---


<p>• M451nw & M451dw: Yes, built-in WiFi 802.11 b/g/n</p> <p>Network Capabilities:</p> <ul style="list-style-type: none"> • M451dn: Via built-in 10/100 fast Ethernet • M451nw & M451dw: Via built-in 10/100 Fast Ethernet, Wireless 802.11 b/g/n <p>Control panel</p> <p>2-line, 16-character backlit LCD display, 5 buttons (Cancel job, Left arrow, Right arrow, Select, Back), 2 LED lights (Attention, Ready)</p> <p>Fonts and typefaces:</p> <p>84 scalable TrueType fonts</p> <p>Media types supported:</p> <ul style="list-style-type: none"> • Paper (bond, brochure, colored, glossy, letterhead, photo, plain, preprinted, prepunched, recycled, rough), postcards, transparencies, labels, envelopes <p>Media sizes supported</p> <ul style="list-style-type: none"> • M451nw: Tray 1: Letter, legal, executive, 8.5 x 13 in, 3 x 5 in, 4 x 6 in, 5 x 8 in, envelopes (No 10, Monarch); Tray 2, optional Tray 3: Letter, legal, executive, 8.5 x 13 in, 4 x 6 in, 5 x 8 in, envelopes (No 10, Monarch) 	<p>PAPER HANDLING</p> <p>Paper input capacity:</p> <p>Standard: 250-sheet paper tray 1-sheet bypass tray Maximum: 751 sheets</p> <p>Paper output capacity:</p> <p>Up to 150 sheets</p> <p>Paper size:</p> <p>A6 - A4</p> <p>Paper weight:</p> <p>Standard paper tray: 60 - 160 g/m² Bypass tray: 60 - 160 g/m² Duplex tray: 60 - 90 g/m²</p> <p>Optional paper tray:</p> <p>60 - 105 g/m²</p> <p>Media:</p> <p>Plain paper, middle thick, recycle paper, envelope, thick paper, label, thin paper, color paper, pre-printed paper, pre-punched paper, letterhead, bond paper, card stock, special paper</p> <p>CONSUMABLES</p> <p>Toner:</p> <p>SP C240DN: C, M, Y: 2,300 pages (short yield)1 K: 2,300 pages (short</p>	<p>10/100Base-TX network port, • M451nw & M451dw:1 Hi-Speed USB 2.0 port, 1 Fast Ethernet 10/100Base-TX network port, 1 WiFi 802.11 b/g/n</p> <p>Wireless capability</p> <ul style="list-style-type: none"> • M451dn: No • M451nw & M451dw: Yes, built-in WiFi 802.11 b/g/n <p>Network Capabilities:</p> <ul style="list-style-type: none"> • M451dn: Via built in 10/100 fast Ethernet • M451nw & M451dw: Via built-in 10/100 Fast Ethernet, Wireless 802.11 b/g/n <p>Control panel</p> <p>2-line, 16-character backlit LCD display, 5 buttons (Cancel job, Left arrow, Right arrow, Select, Back), 2 LED lights (Attention, Ready)</p> <p>Fonts and typefaces:</p> <p>84 scalable TrueType fonts</p> <p>Media types supported:</p> <p>Paper (bond, brochure, colored, glossy, letterhead, photo, plain, preprinted, prepunched, recycled, rough), postcards.</p>
---	---	---





	<p>Media weights supported Tray 1: 60 to 176 g/m² (up to 220 g/m² with postcards and HP Color laser glossy photo papers); Tray 2, Tray 3 (optional): 60 to 163 g/m² (up to 176 g/m² with postcards); Automatic duplexer: 60 to 163 g/m²</p> <p>Recommended media weight 16 to 43 lb (60 to 163 g/m²)</p> <p>Duty cycle (monthly, letter) Up to 40,000 pages</p> <p>Recommended monthly page volume Up to 750 to 2,000 pages</p> <p>DISPLAY: 2-line LCD (text)</p> <p>Maximum/standard memory: 384 MB/128 MB</p> <p>Paper handling 50-sheet multipurpose tray, 250-sheet input tray, 150-sheet output bin</p> <p>Input Capacity (standard): Up to 300 Sheets, Up to 50 transparencies. Up to 10 envelopes</p> <p>Input Capacity (maximum): Up to 550 Sheets (with optional tray</p>	<p>yield)1 SP C242DN: C, M, Y: 2,500/6,000 pages (short/long yield)1 K: 2,500/6,500 pages (short/long yield)1 Waste toner bottle: 25,000 prints per bottle The Aficio™SP C240DN/SP C242DN ship with a 1,000-sheet starter kit.</p> <p>OPTIONS External option: 1 x 500-sheet paper tray</p>	<p>transparencies, labels, envelopes</p> <p>Media sizes supported • M451nw: Tray 1: Letter, legal, executive, 8.5 x 13 in, 3 x 5 in, 4 x 6 in, 5 x 8 in, envelopes (No 10, Monarch); Tray 2, optional Tray 3: Letter, legal, executive, 8.5 x 13 in, 4 x 6 in, 5 x 8 in, envelopes (No 10, Monarch) M451dn & M451dw: Tray 1: Letter, legal, executive, 8.5 x 13 in, 3 x 5 in, 4 x 6 in, 5 x 8 in, envelopes (No 10, Monarch); Tray 2, optional Tray 3: Letter, legal, executive, 8.5 x 13 in, 4 x 6 in, 5 x 8 in, envelopes (No 10, Monarch); Automatic duplexer: Letter, legal, executive, 8.5 x 13 in, 4 x 6 in, 5 x 8 in, envelopes (No 10, Monarch)</p> <p>Media weights supported Tray 1: 60 to 176 g/m² (up to 220 g/m² with postcards and HP Color laser glossy photo papers); Tray 2, Tray 3 (optional): 60 to 163 g/m² (up to 176 g/m² with postcards); Automatic duplexer: 60 to 163 g/m²</p> <p>Recommended media</p>
--	---	---	--




<p>3) Output Capacity: Up to 50 Sheets, Up to 50 transparencies. Up to 20 envelopes</p> <p>Processor speed 600 MHz</p> <p>Software included Windows: HP Installer/Uninstaller, HP PCL 6 print driver, Status Alerts, HP Update, DXP: Mac: HP Installer/Uninstaller, HP Postscript driver, HP Setup Assistant, HP Utility, HP Alerts, HP Firmware Updater</p> <p>Minimum system requirements pc: Microsoft® Windows® 7 (32-bit/64-bit), Windows Vista® (32-bit/64-bit): 1 GHz 32-bit (x86) or 64-bit (x64) processor, 1 GB RAM (32-bit) or 2 GB RAM (64-bit), 400 MB free hard disk space, CD/DVD-ROM or Internet, USB or Network port; Windows® XP (32-bit) SP2; Pentium® 233 MHz processor, 512 MB RAM 400 MB free hard disk space, CD/DVD-ROM or Internet, USB or Network port; Mac: Mac OS X v 10.5, v 10.6, PowerPC G4, G5, or Intel® Core™ Processor.</p>	<p>weight 16 to 43 lb (60 to 163 g/m²)</p> <p>Duty cycle (monthly letter) Up to 40,000 pages</p> <p>Recommended monthly page volume Up to 750 to 2,000 pages</p> <p>DISPLAY: 2-line LCD (text)</p> <p>Maximum/standard memory : 384 MB/128 MB</p> <p>Paper handling 50-sheet multipurpose tray, 250-sheet input tray 2, 150-sheet output bin</p> <p>Input Capacity (standard): Up to 300 Sheets, Up to 50 transparencies, Up to 10 envelopes</p> <p>Input Capacity (maximum): Up to 550 Sheets (with optional tray 3)</p> <p>Output Capacity: Up to 50 Sheets, Up to 50 transparencies, Up to 20 envelopes</p> <p>Processor speed 600 MHz</p> <p>Software included Windows: HP Installer/Uninstaller, HP PCL 6 print driver, Status Alerts, HP Update, DXP: Mac: HP Installer/Uninstaller, HP</p>
	


<p>500 MB hard disk, CD-ROM/DVD-ROM or Internet, USB or Network port</p> <p>Compatible operating systems</p> <p>Full software installs supported on:</p> <p>Microsoft® Windows® 7 32-bit and 64-bit, Windows Vista® 32-bit and 64-bit, Windows® XP 32-bit (SP2 or higher); Driver only installs supported on: Microsoft® Windows® Server 2008 32-bit and 64-bit, Windows® Server 2003 32-bit (SP3 or higher); Mac OS X v 10.5, v 10.6; Linpus Linux (9.4, 9.5), Red Hat Enterprise Linux 5.0 (supported with a pre-built package); SUSE Linux (10.3, 11.0, 11, 11.1, 11.2), Fedora (9, 9.0, 10, 10.0, 11.0, 11, 12, 12.0), Ubuntu (8.04, 8.04.1, 8.04.2, 8.10, 9.04, 9.10, 10.04), Debian (5.0, 5.0.1, 5.0.2, 5.0.3)</p> <p>(supported by the automatic installer); HP/UX 11 and Solaris 8/9</p> <p>Operating environment</p> <p>Operating Humidity Range: 10 to 80% RH (non-condensing)</p>		<p>Postscript driver, HP Setup Assistant, HP Utility, HP Alerts, HP Firmware Updater</p> <p>Minimum system requirements pc:</p> <p>Microsoft® Windows® 7 (32-bit/64-bit), Windows Vista® (32-bit/64-bit): 1 GHz 32-bit (x86) or 64-bit (x64) processor, 1 GB RAM (32-bit) or 2 GB RAM (64-bit), 400 MB free hard disk space, CD/DVD-ROM or Internet, USB or Network port;</p> <p>Windows® XP (32-bit) SP2; Pentium® 233 MHz processor, 512 MB RAM 400 MB free hard disk space, CD/DVD-ROM or Internet, USB or Network port; Mac: Mac OS X v 10.5, v 10.6, PowerPC G4, G5, or Intel® Core™ Processor, 500 MB hard disk, CD-ROM/DVD-ROM or Internet, USB Network port; Mac: Mac OS X v 10.5, v 10.6, PowerPC G4, G5, or Intel® Core™ Processor, 500 MB hard disk, CD-ROM/DVD-ROM or Internet, USB Network port</p> <p>Compatible operating systems</p> <p>Full software installs supported on: Microsoft® Windows® 7 32-bit and 64-bit, Windows Vista® 32-bit</p>
--	---	---

		<p>Recommended Humidity Operating Range: 20 to 70% RH (non- condensing) Operating Temperature Range: 59 to 86° F (15 to 30°C) Recommended Operating Temperature Range: 59 to 80.6° F (15 to 27° C) Storage Temperature Range: -4 to 104° F (-20 to 40° C) Non-Operating Humidity: 10 to 95% RH (non- condensing) Acoustic Acoustic Power Emissions: 6.5 B(A); Acoustic Power Emissions (Ready): 4.1 B(A); Acoustic Pressure Emissions Bystander (Active, Printing): 51 dB(A); Acoustic Pressure Emissions Bystander (Ready): 27 dB(A) Power Power Requirements: Input voltage: 110 to 127 VAC (+/- 10%), 60 Hz (+/- 3 Hz) Power Supply Type:</p>		<p>and 64-bit, Windows® XP 32-bit (SP2 or higher); Driver only installs supported on: Microsoft® Windows® Server 2008 32-bit and 64-bit, Windows® Server 2003 32-bit (SP3 or higher); Mac OS X v 10.5, v 10.6; Linpus Linux (9.4, 9.5), Red Hat Enterprise Linux 5.0 (supported with a pre-built package); SUSE Linux (10.3, 11.0, 11, 11.1, 11.2), Fedora (9, 9.0, 10, 10.0, 11.0, 11, 12, 12.0), Ubuntu (8.04, 8.04.1, 8.04.2, 8.10, 9.04, 9.10, 10.04), Debian (5.0, 5.0.1, 5.0.2, 5.0.3) (supported by the automatic installer); HP/UX 11 and Solaris 8/9 Operating environment Operating Humidity Range: 10 to 80% RH (non- condensing) Recommended Humidity Operating Range: 20 to 70% RH (non- condensing) Operating Temperature Range: 59 to 86° F (15 to 30°C)</p>
--	--	--	---	--

<p>Internal (Built-in) power supply: Power Consumption7: 425 watts (Active), 15.2 watts (Ready), 4.0 watts (Sleep), 0.5 watts (Off); Typical Electricity Consumption (TEC) Number: 1.509 kWh/Week Product Dimension M451nw: W x D x H: 15.9 x 17.9 x 12.7 in (405 x 454 x 322 mm) Maximum: 15.9 x 25.9 x 12.7 in (405 x 659 x 322 mm) M451 dn & M451dw: W x D x H: 15.9 x 19.1 x 12.7 in (405 x 484 x 322 mm) Maximum: 15.9 x 27.1 x 12.7 in (405 x 689 x 322 mm)</p> <p>Product Weight M451nw: 50.1 lb (22.74 kg) M451 dn & M451dw: 52.1 lb (23.64 kg)</p> <p>Security Management Wireless: WEP (128 bit), WPA/WPA2 - Personal (AES, TKIP); Embedded Web Server: password-protection, secure browsing via SSL/TLS; Network: enable/disable network ports and features. SNMPv1</p>		<p>Recommended Operating Temperature Range: 59 to 80.6° F (15 to 27° C) Storage Temperature Range: -4 to 104° F (-20 to 40° C) Non-Operating Humidity: 10 to 95% RH (non-condensing) Acoustic Acoustic Power Emissions: 6.5 B(A); Acoustic Power Emissions (Ready): 4.1 B(A); Acoustic Pressure Emissions Bystander (Active, Printing): 51 dB(A); Acoustic Pressure Emissions Bystander (Ready): 27 dB(A) Power Power Requirements: Input voltage: 110 to 127 VAC (+/- 10%), 60 Hz (+/- 3 Hz) Power Supply Type: Internal (Built-in) power supply; Power Consumption7: 425 watts (Active), 15.2 watts (Ready), 4.0 watts (Sleep), 0.5 watts (Off);</p>
---	---	--

<p>community password change; HP ePrint: HTTPS with certificate validation. HTTP Basic Access Authentication. SASL authentication</p> <p>WHAT'S IN THE BOX8 :</p> <p>Printer. Four preinstalled introductory HP LaserJet toner cartridges (yield - 1,400 pages), In-box documentation (Hardware installation guide), Software drivers and documentation on CD-ROMs, Power cord, Built-in Automatic duplexer for two-sided printing (M451dn & M451dw models only), Built-in Wireless Card (M451nw & M451dw models only), USB cable (M451nw & M451dw models only)</p> <p>WARRANTY :</p> <p>One-year limited warranty, return to HP or authorized service provider</p> <p>HP SERVICES AND SUPPORT OPTIONS :</p> <p>HP 3y Nbd Exch Color LaserJet M451 U1H88E</p> <p>HP 1yPW Nbd Exch Color LaserJet M451 SVC, U1H98PE</p> <p>HP NtwkInstall</p>	<p>Typical Electricity Consumption (TEC) Number: 1.509 kWh/Week</p> <p>Product Dimension</p> <p>M451nw: W x D x H: 15.9 x 17.9 x 12.7 in (405 x 454 x 322 mm)</p> <p>Maximum: 15.9 x 25.9 x 12.7 in (405 x 659 x 322 mm)</p> <p>M451dn & M451dw: W x D x H: 15.9 x 19.1 x 12.7 in (405 x 484 x 322 mm)</p> <p>Maximum: 15.9 x 27.1 x 12.7 in (405 x 689 x 322 mm)</p> <p>Product Weight</p> <p>M451nw: 50.1 lb (22.74 kg)</p> <p>M451dn & M451dw: 52.1lb (23.64 kg)</p> <p>Security Management</p> <p>Wireless: WEP (128 bit), WPA/WPA2 - Personal (AES, TKIP); Embedded Web Server: password-protection, secure browsing via SSL/TLS; Network: enable/disable network ports and features, SNMPv1 community password change; HP ePrint: HTTPS with certificate validation, HTTP Basic Access Authentication, SASL authentication</p>	
---	---	--

<p>Inkjet/prsnl LaserJet SVC, H3110E Replacement cartridges: HP 305A Black LaserJet Toner Cartridge (~ 2,200 pages), CE410A HP 305X Black LaserJet Toner Cartridge (~ 4,000 pages), CE410X HP 305A Cyan LaserJet Toner Cartridge (~ 2,600 pages) CE411A HP 305A Yellow LaserJet Toner Cartridge (~ 2,600 pages) CE412A HP 305A Magenta LaserJet Toner Cartridge (~ 2,600 pages) CE413A ACCESSORIES: HP LaserJet 250-sheet Paper Feeder, CF106A HP 256 MB DDR2 144- pin DIMM, CB423A Warranty: 01 Years</p>	<p>WHAT'S IN THE BOX: Printer, Four preinstalled introductory HP LaserJet toner cartridges (yield ~ 1,400 pages). In-box documentation (Hardware installation guide), Software drivers and documentation on CD-ROMs, Power cord. Built-in Automatic duplexer for two-sided printing (M451dn & M451dw models only). Built-in Wireless Card (M451nw & M451dw models only), USB cable (M451nw & M451dw models only) WARRANTY: One-year limited warranty, return to HP or authorized service provider HP SERVICES AND SUPPORT OPTIONS: HP 3y Nbd Exch Color LaserJet M451 HW SVC, UIH88E HP 1yPW Nbd Exch Color LaserJet M451 SVC, UIH98PE HP NtwkInstall Inkjet/prsnl LaserJet SVC, H3110E Replacement cartridges: HP 305A Black LaserJet Toner Cartridge (~ 2,200 pages), CE410A HP 305X Black LaserJet</p>	<p>Replacement cartridges: HP 305A Black LaserJet Toner Cartridge (~ 2,200 pages), CE410A HP 305X Black LaserJet</p>
--	---	--



<p>Toner Cartridge (~ 4,000 pages). CE410X HP 305A Cyan LaserJet Toner Cartridge (~ 2,600 pages) CE411A HP 305A Yellow LaserJet Toner Cartridge (~ 2,600 pages) CE412A HP 305A Magenta LaserJet Toner Cartridge (~ 2,600 pages) CE413A</p>			<p>ACCESSORIES: HP LaserJet 250-sheet Paper Feeder, CF106A HP 256 MB DDR2 144-pin DIMM, CB423A HP BarCodes and More DIMM HG281DJ, HP Scalable BarCodes HG282DJ, HP MICR Font HG283DJ, HP Jetdirect ew2500 802.11b/g Wireless Print Server J8021A</p>
--	--	--	--

Technical Bid
 Approved/ Not approved

Firmal
 Prof. Ghulam Sarwar Qureshi, Chairman
 Dr. Azam Khan, Y President SMC Alumni Member
 Nafees Ibrabim, Ch Accountant Member

Mahmood Ali Lakhani, Member
 Representative of Health Department Member

Prof. Mahmood Hassan, Member
 Representative of Finance Department Member

[Signature]
 Dr. Saeed V. Talib, Member/Secretary

[Signature]
 Prof. Aijaz Ali Qureshi, Member

[Signature]

M. Anwar Saeed, Incharge I.T.


Meeting on 9 days done. Members (for acceptance) are given on the front page for individual version.

TENDER FOR SUPPLY OF ELECTRICAL, ELECTRONICS MACHINERS, EQUIPMENT AND SOFTWARE FOR THE UNIVERSITY
COMPARATIVE STATEMENT TECHNICAL

TENDER OPENED ON: 05-12-2013
 NAME OF ITEM: Supply of Fax Machine
 DEPARTMENT: Store
 ITEM NO: 08
 QUANTITY: 05
 No of participated bidders

Specification	ABM Data (1)	Rajput Engineering (2)	SceSam Solution Pvt Ltd (3)	Roomi Enterprises (4)	Gemco (5)
Canon JX 500 (or equivalent) Copying Max Copying Speedup to 1.2 ppm Max Copying Resolution up to 600 x 600 dpi Gray Scale Half-Tones 256 Maximum Copies 99.0 Printing Inkjet Technology Canon FINE (Full-lithography inkjet Nozzle	NOT ACCEPTED REQUIRED ITEM WAS FAX MACHINE BUT THE SPECIFICATION QUOTED FOR SCANNER WHICH DOES NOT FULFILL THE REQUIREMENT Epson Scanner V33 SCANNER Type Flatbed color scanner Optical Resolution 4800 dpi with Epson MatrixCCD® Maximum Hardware Resolution 4800 x 9600 dpi with Micro Step Drive™ technology Maximum Interpolated	Not participated in this item hence not qualified	NOT ACCEPTED DOES NOT FULFILL TECHNICAL GENERAL SPECIFICATION	Not participated in this item hence not qualified	NOT ACCEPTED DOES NOT FULFILL TECHNICAL GENERAL SPECIFICATION
			Ricoh SP100SF e GENERAL 13 pages per minute (A4) 14 pages per minute (letter) Warm-up time: 25 seconds First output speed: 13 seconds Continuous output speed: 13 pages per minute Dimensions (W x D x		"Brother" Brand Inkjet Multifunction Fax Machine Model MFC-3360C • 6-in-1 • Sheetfed • 25 ppm Mono / 20 ppm Color Copying & Printing • Resolution 600 dpi

<p>Engineering) Fax Machine</p> <p>Compatibility Super G3 Max Transmission Speed 33.6 Kbps</p> <p>Total Memory Capacity 120.0 pages</p> <p>Fax Printing Speed 6.0 ppm</p> <p>Fax Printing Resolution 600 x 600 dpi</p> <p>Handset Corded handset Fax Machine Features</p> <p>Error Correction Mode (ECM) Yes Caller ID Yes</p> <p>Telephone / Fax Switch Yes Broadcast Transmission 110 stations</p> <p>Remote Fax Retrieval (Polling) Yes Features Activity report, Transmit verification report Document & Media Handling</p> <p>Original Type Sheets Document Feeder Capacity 20.0 sheets</p> <p>Max Media Size Legal Legal (8.5 in x 14 in) Min Media Weight 64.0 g/m²</p> <p>Max Media Weight 90.0 g/m² Supported Media Type Plain paper</p> <p>Standard Media Capacity 100.0</p>	<p>Resolution 12,800 dpi</p> <p>Color Scan Mode (bit depth) 48-bit internal/external Grayscale Scan Mode (bit depth) 16-bit internal/external Maximum Scan Area 8.5" x 11.7"</p> <p>Connectivity Hi-Speed USB 2.0</p> <p>SYSTEM REQUIREMENTS Minimum System Requirements Hi-Speed USB 2.0/USB 1.1</p> <p>CPU RAM HDD Microsoft® Windows® XP Home Edition / XP Professional 450 MHz 128MB 95MB Microsoft Windows XP x64 Professional Edition 800 MHz 1GB 95MB Microsoft Windows Vista®/ Windows 7 1 GHz 1GB 95MB Mac OS® X 10.3.9 or 10.4.x</p>	<p>H): 402 x 368.5 x 119/163/205 mm Weight: 6.2/8/9 kg Power source: 220 - 240 V, 50/60 Hz Duty cycle: 10,000 prints per month COPIER (SP 100SU e, SP 100SF e) Resolution: 300 dpi, 600 dpi Zoom: From 25% to 400% in 1% steps PRINTER Printing process: Laser beam scanning, electro-photographic printing RAM: Standard: 16/16/32 MB Printer language: Standard: GDI Print resolution: Maximum: 1,200 x 600 dpi Interface: Standard: USB 2.0 Windows® environments: Windows® XP, Windows® Vista, Windows® 7, Windows® Server 2003, Windows® Server 2008 SCANNER (SP 100SU e, SP 100SF e)</p>	<p>33.6 KBS Faxing (3 sec) with integrated Handset</p> <ul style="list-style-type: none"> 170 Pages Memory 2400 DPI Scanning Scan to Image OCR Email & File USB 2.0 Standard input tray 100 sheets 20 Sheets ADF 500/400 pages Cartridges included (Mono/Color)
--	---	---	---

<p>sheets Document & Media Handling Details Input tray - 20.0 sheets, ADF - 100.0 sheets</p>	<p>PowerPC® G3 400 MHz Intel® 1 GHz 256MB 110MB Mac OS X 10.5.x PowerPC G3 867 MHz Intel® 1 GHz 512MB 110MB Mac OS X 10.6.x Intel 1 GHz 1GB 110MB GENERAL Weight and Dimensions (W x D x H) Product Only: 4.85 lb 11.2" x 16.9" x 1.6" Product in Package: 7 lb 19.5" x 4.2" x 15.9" Software Included • Epson Scan with Epson Easy Photo Fix technology • ABBYY® FineReader® Sprint OCR • ArcSoft MediaImpression™ • ArcSof Scan-n-Stitch Deluxe Warranty One-year limited warranty in the U.S. and Canada</p>	<p>Colour scan: Standard Resolution: 600 dpi Original size: A4 Bundled drivers: Network TWAIN FAX (SP 100SF e) Compatibility: ITU-T (CCITT) G3 Compression method: MH, MR, MMR Transmission speed: 3 second(s) Modem speed: Maximum: 33.6 Kbps PAPER HANDLING Recommended paper size: Maximum: A4 Paper input capacity: Maximum: 50 sheets Paper output capacity: Standard: 10 sheets Paper weight: Bypass tray: 60 - 105 g/m² Media capability: Plain paper, Thick paper, Recycled paper, Thin paper ECOLOGY Power consumption: Operating power: 250 W Ready mode: 55 W Sleep mode: 5 W CONSUMABLES Starter kit:</p>	
---	--	--	---


	<p>What's in the Box</p> <ul style="list-style-type: none"> • Epson Perfection V33 color scanner • CD-ROM software • Start Here poster • Hi-Speed USB 2.0 cable • AC adapter and power cable <p>Eco Features</p> <ul style="list-style-type: none"> • Designed to be recycled² • Mercury-free, LED light source • ENERGY STAR[®] qualified • LED light source — lower energy consumption than A fluorescent lamp • Epson America, Inc. is a SmartWaySM Transport Partner³ 		Black: 500 print	
--	--	--	------------------	--


Technical Bid

Approved/ Not approved


The remarks (for acceleration/ not acceleration) are given on the front page for individual bidder



 Dr. S. Iqbal
 Member/Secretary


 Prof. Ghulam Sarwar Qureshi
 Chairman



 Dr. Azam Khan
 V President SMC Alumni Member



 Nafees Ibrahim
 Chief Accountant Member


 Mahjood Ali Latho
 Member


 Prof. Mahmood Hassan
 Member


 Prof. Aijaz Ali Qureshi
 Member


 Representative of Health Department
 Member


 Representative of Finance Department
 Member

M. Anwar
 Increase I.T

**COMPARATIVE STATEMENT TECHNICAL
TENDER FOR SUPPLY OF ELECTRICAL, ELECTRONICS MACHINERS, EQUIPMENT AND SOFTWARE FOR THE UNIVERSITY**

TENDER OPENED ON: 05-12-2013
 NAME OF ITEM: Supply of Photo Copier
 DEPARTMENT: Store
 ITEM NO: 9
 QUANTITY: 05
 No of participated bidders

Specification	ABM Data (1)	Rajput Engineering (2)	SeeSam Solution Pvt Ltd (3)	Roomi Enterprises (4)	Gemco (5)
<p>Canon NP6016(or equivalent)</p> <p>Speed: 16 Page per Minute Cycle: 10,000 pages monthly Type: Black & White (Monochrome)</p> <p>Description: With the Canon NP6016 multifunction copier machine, you can now print sharp text in monochrome black mode as well as -also copy all your important business documents in a jiffy. This copier provides more than enough features to complete your daily copying and printing needs easily.</p> <p>Other Features: Prints at high resolutions graphics and text using monochrome black only modes</p>	<p>Not participated in this item hence not qualified</p>	<p>Not participated in this item hence not qualified</p>	<p>ACCEPTED</p> <p>Nashuatec MP 2001/MP 2001L/MP 2501L GENERAL Warm-up time: 10 seconds First output speed: 6.5 seconds Continuous output speed: 20/20/25 pages per minute Memory: Standard: 16/128/128 MB Dimensions (W x D x H): 587 x 568 x 430/430/528 mm Weight: 35/37/47 kg Power source:</p>	<p>Not participated in this item hence not qualified</p>	<p>ACCEPTED</p> <p>Ricoh Brand Digital Plain Paper Photocopier Model No: MP 2001 General Warm up time: 20 seconds First output speed: 6 seconds Continuous output speed: 20 pages per minute Memory Standard: 16 MB Maximum Dimension 1.5 GB</p>

Features a built-in sheet feeder
for continuous printing or
copying

220 - 240 V, 50/60
Hz

COPIER

Copying process:

Laser beam scanning
and electro-

photographic printing

Multiple copying:

Up to 99 copies

Resolution:

600 dpi

Zoom:

From 50% to 200%

PRINTER (MP

2001L, MP 2501L)

Printer language:

Standard: DDSTGDI

Print resolution:

600 dpi

Interface:

Standard: USB 2.0

Option: Ethernet 10

base-T/100 base-

TX

Network protocol:

Standard: TCP/IP (IP

v4), IPP

Windows®

environments:

Windows® Vista,

Windows® 7,

Windows® Server

2003, Windows®

Server 2008,

Windows® Server

2008R2

SCANNER (MP

2001L, MP 2501L)

Scanning speed:

BW: Maximum 17

(WxDxH):

587/587 x

568/568 x

460/558 mm

Weight:

44 kg

Power source:

220 - 240 V,

50/60 Hz

Copier

Copying

process:

Laser beam

scanning and

electrophotographic

printing

Multiple copying:

Up to 999 copies

Resolution:

600 dpi

Zoom:

From 50% to

200%

Paper Handling

Recommended

paper size:

Standard paper

tray(s): Minimum

(A5), Maximum

(A3)

Bypass tray:

Minimum (A6),

Maximum (A3)

Paper input

capacity:

Standard 350

sheets

Paper output

capacity:

Maximum 350

originals per minute

Resolution:

Maximum: 600 dpi

Bundled drivers:

Network TWIN

PAPER HANDLING

Recommended

paper size:

Standard paper

tray(s): A3, A4, A5,

B4,

B5

Bypass tray: A3, A4,

A5, A6, B4, B5, B6

Paper input

capacity:

Maximum:

1,350/1,350/1,600

sheets

Paper weight:

Standard paper

tray(s): 60 - 90 g/m²

Bypass tray: 60 - 162

g/m²

ECOLOGY

Power

consumption:

Maximum: 1,550 W

Ready mode:

108/105/106 W

Sleep mode:

0.6/2.3/2.3 W

TEC (Typical

Electricity

Consumption):

1,090/1,330/1,594

W/h

SOFTWARE

Optional

OPTIONS

sheets

Paper weight:

Standard paper

tray(s) 60-105

g/m²

Bypass tray:


60 - 162 g/m



					Platen cover, ADF handle, ARDF, 1 x 500-sheet paper tray, 2 x 500-sheet paper tray, Low cabinet, Medium cabinet, High cabinet, Counter interface, Network controller <u>CONSUMABLES</u> <u>Toner capacity:</u> Black: 9,000 prints
--	--	--	--	--	---

Technical Bid

Approved/ Not approved


Dr. Srichand V. Talib
Member Secretary



M. Aarongzeb
Incharge IT


The Remarks (for acceptance / Not acceptance) are given on the front Page for individual bidder.


Prof. Ghulam Sarwar Qureshi
Chairman

Mahmood Ali Lakho
Member

Prof. Mahmood Hassan
Member


Prof. Ajjaz Ali Qureshi
Member


Dr. Azam Khan
President SMC Alumni
Member


Nafees Jorabim
Chief Accountant
Member

Representative of Health Department
Member


Representative of Finance Department
Member

<p>Latest HP professional series laptop or equivalent</p> <p>Product Type Laptop</p> <p>Processor Intel Core i5 4th Gen</p> <p>Processor Speed 2.6 Ghz, c2, t4, i5-4200U</p> <p>Processor Cache 3 MB</p> <p>Screen Size 13.3" Widescreen or above</p> <p>Screen Type LED, Brightview</p> <p>RAM 4 GB</p> <p>RAM Type DDR3</p> <p>Hard Drive 1 TB</p> <p>Optical Drive Multiformat DVD Writer</p> <p>Graphics Card Intel Integrated Graphics</p> <p>Graphics Memory System Shared</p> <p>Graphics Card Detail Intel® HD Graphics 4400</p> <p>Communication LAN, WiFi</p> <p>Extras Webcam, Bluetooth, Fingerprint Reader</p> <p>External Ports USB 2.0 & 3.0, HDMI, RJ45 (LAN), Headphone</p> <p>Total USB Ports 3</p> <p>Battery Duration: 3 hours</p> <p>Operating System: Windows 8 Professional</p> <p>MS OFFICE 2010 (Word, Excel, Power Point)</p>	<p>Not participated in this item hence not qualified</p>	<p>HP PAVILION Notebook 15-N010TU Ci5 4200U</p> <ul style="list-style-type: none"> • Processor 1.6GHz turbo upto 2.6GHz • RAM 4GB • Hard Disk Drive 500GB • LCD 15.6" • DVD RW • Window 8 • SILVER – (F0C16PA) • Ms Office Home Students 2010 Win32 English <p>Warranty: 03 Years</p> 	<p>Not participated in this item hence not qualified</p>	<p>Note Book / Laptop HP Envy 14 K037TX Ci7 4500U 4GB 1TB 2GB-GC Win 8 HP Envy 14 K037TX Ci7 4500U 4GB 1TB 2GB-GC Win 8 with configuration of Intel® Core™ i7 1.8 GHz turbo upto 3.0 GHz 1 TB 4 GB available in Karachi and all over Pakistan. Order online and get delivered at your home.</p> <p>General Specs Processor Type Intel® Core™ i7 Processor Speed 1.8 GHz turbo upto 3.0 GHz Hard Drive size 1 TB Installed RAM 4 GB Screen size 14.0 inches Operating system (Primary) Windows® 8</p>	<p>Not participated in this item hence not qualified</p>
---	--	---	--	--	--


Detailed Specs				
Processor				
Processor Type				
intel® Core™ i7				
processor Model				
i7-4500U				
processor Speed				
1.8 GHz turbo upto				
3.0 GHz				
Processor Bits				
64-Bits				
Processor Threads				
4				
No of Cores				
2				
Cache				
3 MB				
Chipset				
-				
Memory				
Number of				
Memory Slots				
2 Slots				
Installed RAM				
4 GB				
Maximum memory				
Up to 8GB				
Type of memory				
DDR3				
Storage				
Hard Drive size				
1 TB				
Optical Drive				
Yes				
Type of optical				
drive				



Internal/External
Internal
Type of hard drive
SATA
Card Reader
Yes
Type of memory
cards
Multi-Format
Digital Media Card
Reader for
Secure Digital
Cards
Graphics
Dedicated
Graphics
Yes 2GB
Dedicated
Graphics processor
NVIDIA®
GeForce®GT
740M
Display
Aspect ratio
16:9
Backlight
LED-Backlit
Screen Size
14.0 inches
Screen surface
HD Bright View
LED-backlit
Numeric Keyboard
No
Screen resolution



			<p>1366 x 768 Touchscreen No</p> <p>Design Colors Silver</p> <p>Dimension (WxHxD) 34.57 x 23.93 x 2.13 cm</p> <p>Weight No</p> <p>Fingerprint Reader No</p> <p>Backlit Keyboard Yes</p> <p>Connectivity 3G EDGE No Bluetooth Yes</p> <p>Type of Bluetooth 4.0 + HS LAN Yes</p> <p>Speed 10/100/1000</p> <p>Modem No</p> <p>Wireless/Wifi Yes</p> <p>Type 802.00 a/b/g/n</p> <p>Infrared No</p>	
--	--	--	--	--





				<p>Connectors DVI out No USB Yes</p>	/
--	--	--	--	--	---


Technical Bid


Approved/ Not approved



Prof. Ghulam Sarwar Qureshi
Chairman



Dr. Azam Khan
V President SMC Alumni
Member



Mahmood Ali Lakhani
Member


Nafees Ibrahimi
Chief Accountant
Member


Prof. Mahmood Hassan
Member


Prof. Aijaz Ali Qureshi
Member


Dr. Srichand V. Talib
Member/Secretary





IT Incharge

The Remones for acceptance / Not acceptance are given on the front page for individual to order.

TENDER FOR SUPPLY OF ELECTRICAL, ELECTRONICS MACHINERS, EQUIPMENT AND SOFTWARE FOR THE UNIVERSITY
COMPARATIVE STATEMENT TECHNICAL

TENDER OPENED ON: 05-12-2013
 NAME OF ITEM: Supply of Multimedia Projector
 DEPARTMENT: Store
 ITEM NO: 11
 QUANTITY: 10
 No of participated bidders

Specification	ABM Data (1)	Rajput Engineering (2)	SeeSam Solution Pvt Ltd (3)	Roomi Enterprises (4)	Gemco (5)
HITACHI or equivalent XGA resolution (1024 x 768) 4000 ANSI Lumens 3000: 1 contrast ratio Low noise level - 29dB in Eco Mode 16W Speakers (8W x 2) Blackboard and whiteboard Modes PC-less presentation (supported) 6000 hour filter Long lamp life - up to 6000 hours (Eco Mode)* 1 Fully connectively including 1 x RJ-45 Optional wireless networking	<p style="text-align: center;">NOT ACCEPTED</p> PC-less presentation NOT OFFERED	<p style="text-align: center;">ACCEPTED</p>	Not participated in this item hence not qualified	Not participated in this item hence not qualified	<p style="text-align: center;">NOT ACCEPTED</p> DOES NOT FULFILL TECHNICAL GENERAL CONDITIONS "INFOCUS" Brand Multimedia Projector Model No: IN-3124 Native Resolution XGA 1024 x 768 Max Resolution WuXGA 1920 x 1200 Brightness 4000 lumens Throw Ratio (TR=D/W)
	<p>Epson Multimedia Projector Model EB 1180</p> <p>Specification</p> <p>Brightness 4000 Lumens. Contrast Ratio 3000: 1</p> <p>Image set 0.63" P-si TFT Panel x 3</p> <p>Resolution Native True XGA (1024 x 768) Maximum UXGA (1600 x 1200)</p> <p>Aspect Ratio 4:3 native, 16:9</p> <p>Screen size 30-300 inches diagonal</p> <p>Projection Lens Manual Focus 1.6 x F 1.38 - 2.24 f = 18.2 -29.2 mm</p>	<p>Hitachi Multimedia Projector Model No CP-X4015</p> <ul style="list-style-type: none"> • XGA resolution (1024 x 768) • Light output (brightness) • 4000 ANSI Lumens • 3000 : 1 Contrast ratio • Photo mode • Low noise level - 29db in Eco Mode • 16W Speaker (8W x 2) • Blackboard and Whiteboard Modes • PC-less 			


<p>Lamp 275W UHE E-TORL Lamp Life 3000 hours 6000 hours ECO Color System NTSC, NTSC 4.43, PAL, PAL-M, PAL-N, SECAM Computer Compatibility WUXGAMXGA+LUXGAMXGA/S XGA+SVGANGA HDMI HDTV 720p, 1080i, 1080p Communication Terminal Computer / component video: D-sub 15 pin x 2 s-video: Mini DIN x 1, Composite video: RCA x 1 Audio in x 3 (RCA (L&R) x 1, mini stereo x 2) Variable audio out: Mini stereo x 1, USB connector: Type B x 1 (USB display and mouse / keyboard control), Type A x 2 (for USB memory device / Epson doc camera) Serial: RS-232c x 1 LAN Networking: RJ-45 x 1, Monitor out: Mini D-sub 15 Pin Easy MP Network projection and Easy Network Control. Keystone Correction Vertical ±30 Horizontal ±30 (Auto + Manual) Audio Speaker Built-in Audio 10Watts Noise Level 37dB, 29dB Whisper Accessories Power cord Universal Europe, VGA/RGB Cable Remote</p>	<p>presentation • Anti Theft features Optional Wireless Networking Warranty: 01 Years</p>		<p>1.44 - 2.15 Lamp Life 2000 hours (3000 hours Eco) Contrast 04-05-00 0:01 Audible Noise 33 dB (31 dB Eco) Audio 20W Stereo (2 x 10W) Network Features Project over LAN and WLAN, Email, AMX Device Discovery, crestron Room View Connected ProjectorNet USB Features USB JPG Reader, Display Over USB, Mouse control Inputs HDMI 1.4 x 2, VGA x 2, USB Mini-B, USB Type A, Component Video (RCA), Composite Video, S-Video,</p>
--	--	--	--

	<p>Control with Built in pointer, CD Multi-language user guide. Easy MP software for PC less, wired LAN and wireless LAN USB Cable, soft carrying case and Password protect sticker.</p> <p>Power Consumption 256 Watts Stand by only 0.27 Watts</p> <p>Weight 3.5 Kg</p> <p>Warranty Projector 2 Years with parts & Services</p> <p>Lamp Warranty 1 Year.</p>			<p>3.5mm Stereo input, Microphone, RS232C, RJ45</p> <p>Outputs Monitor Out (VGA), Audio out (3.5mm Stereo), Screen Trigger</p> <p>Security Features Security lock slot, User PIN</p> <p>Accessories Power Cord, VGA Cable, Safety Instructions, User Manual, Remote Control</p>
--	--	--	--	--

Technical Bid


Approved/ Not approved



Dr. Saifullah V. Talib
Member/Secretary




M. Anwarul Haque
Increase V.T

The Remarks (For accept or non accept) are given on the front page for individual bidder.



Prof. Ghulam Sarwar Qureshi
Chairman



Nafees Ibrahim
Chief Accountant
Member


Mahmood Ali
Member


Prof. Mahmood Hassan
Member



Prof. Aijaz Ali Qureshi
Member


Representative of Health Department
Member



Representative of Finance Department
Member

**COMPARATIVE STATEMENT TECHNICAL
TENDER FOR SUPPLY OF ELECTRICAL, ELECTRONICS MACHINERS, EQUIPMENT AND SOFTWARE FOR THE UNIVERSITY**

TENDER OPENED ON: 05-12-2013
 NAME OF ITEM: Supply of Multimedia Projector Screen
 DEPARTMENT: Store
 ITEM NO: 12
 QUANTITY: 05
 No of participated bidders


Specification	ABM Data (1)	Rajput Engineering (2)	SeeSam Solution Pvt Ltd (3)	Roomi Enterprises (4)	Gemco (5)
Screen Size -- 12 x 9 feet Mount: Wall Screen Texture: Matte Remote Motorized: Yes	ACCEPTED Screen Motorized 12 x 9' Matte Finished	NOT ACCEPTED THE REQUIRED ITEM IS NOT OFFERED HITACHI Projector CP-X4015WN Screen size 12x9 Feet Mount: Wall Screen Texture: Matte Remote Motorized: Yes Remote Model No: ELC (9x12) MW Optical LCD Panel 0.63" (1.6cm) P-Si TFT x 3 Resolution XGA (1024x768) White light output (brightness) 4000 ANSI Lumens (Normal Mode) 2600 ANSI Lumens (Eco Mode)	Not participated in this item hence not qualified 	Not participated in this item hence not qualified	Not participated in this item hence not qualified

	<p>Colour light output (colour brightness) 4000 ANSI Lumens (Normal Mode) 2600 ANSI Lumens (Eco Mode) Contrast Ratio 3000:1 Lens Manual focus, manual zoom x 1.2 Lamp wattage 215W UHP Lamp life 5000 hours (Normal Mode) 6000 hours (Eco Mode)* Diagonal display size 30-300" (76-762cm) Number of colours 8 Bit/colour, 16.7M colours Keystone Correction 9:1 upward shift, fixed Focus distance 0.8m-9.0m (Wide), 1.0-10.7m (Tele) Distance to width ratio (:1) 1.5 (Wide), 1.8 (Tele) Compatibility Computer Compatibility IBM Compatible VGA, SVGA, XGA, WXGA, WXGA+, SXGA, SXGA+, UXGA (compressed), MAC 16" Composite/S-Video NTSC, PAL, SECAM, PAL -M, PAL -N, NTSC4.43, 1125p(1080p@50/60),</p>	




750p(720p@50/60)
HDMI Video Signal:
525i(480i), 525p(480p),
625i(576i),
1125i(1080i@50/60),
750p(720p@50/60),
1125p(1080p@50/60)
Plug & Play DDC2B
Features
Speakers 16W Mono
(8W x 2)
Basic functions
Freeze, Magnifying,
Blank, Auto adjustment,
Search, Page Up & Down
(for USB mouse
function), Auto signal
search, Auto eco mode
Picture adjustments
Aspect selection
(video, data, HDMI),
Equalizing Gamma
Correction, Equalizing
Color temperature
adjustment, 2-3 pull down
for NTSC, Mirror reverse
image, up-side down,
image, Progressive Scan,
Noise Reduction,
Overscan
Digital keystone
Auto V keystone ± 30
degrees (@ XGA 60Hz)
Advanced features
MyScreen, My Memory,
My Button, My Text, My
Source, Picture mode
(normal, cinema,
dynamic, blackboard,
whiteboard greenboard,





					
photo). Daytime Mode.	Input Source Naming (English), Resolution setting, Template, Closed Caption (for NTSC & component 480i only), Audio pass through, Framelock, Audio ports assign, Cloning, Drawing function (Optional wireless pen tablet TB-1 is necessary), Eco Mode (Normal, Eco, Intelligent Eco, Saver), iOS Connectivity	Outward Power on & off	Security systems Easy lamp replace from top. Air filter slides towards front side or top direct on, Auto off security bar, PIN-Lock, MyScreen Password, Keypad-Lock, Kensington slot, Transition detector, My Text lock, Security label	Network Network presentation (PC still/moving picture transfer), Campus Notification System.	Configure and control projector via web browser, receive alerts via e-mail, projector management via SNMP, C restron Room View®, Scheduling, My Image, displaying text data

	<p>transferred via the network. Command Control via network. A MX Device Discovery. PJ Link™, Network Bridge</p>	
	<p>OSD languages English, French, German, Spanish, Italian, Norwegian, Dutch, Japanese, Portuguese, Simplified Chinese, Traditional Chinese, Korean, Swedish, Russian, Finnish, Polish, Turkey, Arabic, Persian, Czech, Danish, Hungarian, Romanian, Slovenian, Croatian, Greek, Lithuanian, Estonian, Latvian, Thai, Portuguese (Brazil), Indonesian, Vietnamese</p>	
	<p><u>Connections</u> Digital input 1 x HDMI (HDCP compatible) Computer Input 2 x 15-pin Mini D-sub</p>	
	<p>Monitor output 1 x 15-pin Mini D-sub (RCA combination)</p>	
	<p>Video input 2 x 15-pin Mini D-sub (shared with analogue computer in 1/2)</p>	
	<p>1 x RCA for composite 1 x Mini-DIN for S-Video</p>	
	<p>Audio input 2 x Stereo Mini Jack 1 x pair RCA (L/R)</p>	




		<p>1 x Microphone Jack (Stereo Mini) Audio output 1 x pair RCA (L/R) USB Type A 2 x USB Type A (for PC-less presentation and wireless network) USB Type B 1 x USB Type B (for USB display or USB mouse control) Wired network 1 x RJ-45 Wireless Network Option, IEEE802.11b/g/n ready (optional wireless adapter required) Control 1 x 9-pin D-sub for RS232C Control Power Power Supply 100-120V / 220-240V auto switching Power Consumption/Standby 300W / <0.5W (AC 220-240V) Physical Dimensions (WxHxD) 317x98x288mm (excluding feet and extrusions) Weight 3.6Kg Noise level 29dB (Eco Mode) / 36dB (Normal Mode) Air filter Hybrid</p>



						
(Up to 6000 hours)	Miscellaneous	<p>Indicator lights (lamp, temp. power). Ceiling mount image, Rear projection image, Serial number label on side, MAC PC support: PJ</p> <p>Control software, MAC address label on side, LiveViewer software</p>	Certification	<p>UL60950-1/cUL, FCC Part 15 subpart B class B, CE Marking: EN61000-3-2, EN61000-3-3, EN55022, EN55024 (EMC Directive), EN60950-1 (Low voltage directive), WEEE, RoHS, ErP (lot6) compliant, DEMKO-GS, GOST-R</p>	Accessories Supplied	<p>Remote control with batteries (HL02881), Computer cable, Power cord, Lens cap, Security label, Adapter cover, User manual (detail & concise), Network & wireless software (CD-ROM)</p> <p>Optional Accessories</p> <p>Replacement lamp DT01371 ...</p> <p>USB wireless adaptor USB-WL-1 IN</p> <p>Wireless pen tablet TB-1</p> <p>Warranty</p>

		Projector warranty 3 Years		
		Lamp warranty 6 Months*3		
		Checking Warranty 15 days		


Technical Bid
Approved/ Not approved


Dr. Srichand, V. Talib
Member Secretary






Prof. Ghulam Sarwar Qureshi
Chairman



Mahmood Ali Lakho
Member





Prof. Mahmood Hassan
Member


Prof. Aijaz Ali Qureshi
Member


M. Anwarul Hasan
Increase in

The Remuneration (for acceptance)
Not acceptance) are given
on the front page for
individual bidder.


Dr. Azam Khan
President SMC Alumni
Member


Nafees/ibrabim
Chief Accountant
Member


Representative of Health Department
Member


Representative of Finance Department
Member

Decision to deny leave


**COMPARATIVE STATEMENT TECHNICAL
TENDER FOR SUPPLY OF ELECTRICAL, ELECTRONICS MACHINERS, EQUIPMENT AND SOFTWARE FOR THE UNIVERSITY**


TENDER OPENED ON: 05-12-2013
 NAME OF ITEM: Supply of Multimedia Projector Screen
 DEPARTMENT: Store
 ITEM NO: 13
 QUANTITY: 05
 No of participated bidders


Specification	ABM Data (1)	Rajput Engineering (2)	SeeSam Solution Pvt Ltd (3)	Roomi Enterprises (4)	Genco (5)
Size- 6 x 8 Feet Mount: Portable Tripod Screen Texture: Matte Remote Motorized: No	ACCEPTED Manual Tripod Screen Size 8 x 6' (to vary dimensions)	ACCEPTED Supply of Multimedia Projector Screen Tripod Size 6 x 8 Feet Mount: Portable Tripod Screen Texture : Matte Remote Motorized: No TRP 183 x 244 cm(6' x 8') MW Checking Warranty: 15 days	Not participated in this item hence not qualified	Not participated in this item hence not qualified	Not participated in this item hence not qualified


Technical Bid


Approved/ Not approved



 Prof. Ghulam Sarwar Qureshi
 Chairman



 Dr. Azam Khan
 V President SMC Alumni
 Member



 Mahmood Ali Dastgeer
 Member



 Representative of Health Department
 Member


 Prof. Mahmood Hassan
 Member


 Representative of Finance Department
 Member


 Dr. Sibtain V. Talib
 Member/Secretary


 Prof. Aijaz Ali Qureshi
 Member


 M. Anwar Jett
 Incharge I.T


(The members (for acceptance not acceptance) are given at the top of page two for individual votes)


**COMPARATIVE STATEMENT TECHNICAL
TENDER FOR SUPPLY OF ELECTRICAL, ELECTRONICS MACHINERS, EQUIPMENT AND SOFTWARE FOR THE UNIVERSITY**


TENDER OPENED ON: 05-12-2013
 NAME OF ITEM: Adjustable Roof Mount Stand of Multimedia Projector
 DEPARTMENT: Store
 ITEM NO: 14
 QUANTITY: 05
 No of participated bidders


Specification	ABM Data (1)	Rajput Engineering (2)	SeeSam Solution Pvt Ltd (3)	Roomi Enterprises (4)	Gemco (5)
Expandable up to 5 feet	ACCEPTED	ACCEPTED	Not participated in this item hence not qualified	Not participated in this item hence not qualified	Not participated in this item hence not qualified
Stand for Multimedia Projector up to 5 feet	ACCEPTED	Adjustable Roof Mount Stand of Multimedia Projector Expandable up to 5 feet with Installation Checking warranty: 15 days	Not participated in this item hence not qualified	Not participated in this item hence not qualified	Not participated in this item hence not qualified


Technical Bid
 Approved/ Not approved


 Prof. Ghulam Sarwar Qureshi
 Chairman



 M. Anwarul Zeeshan
 Member



 Prof. Aijaz Ali Qureshi
 Member


 Prof. Aijaz Ali Qureshi
 Member


 Prof. Aijaz Ali Qureshi
 Member


 Prof. Aijaz Ali Qureshi
 Member


 Dr. Azam Khan
 V President SMC Alumni
 Member


 Nafees Ibrabim
 Chief Accountant
 Member



 Representative of Health Department
 Member


 Representative of Finance Department
 Member


 Representative of Finance Department
 Member

Proceeding on 90 days leave. The members (for acceptance) not acceptance are given on the former page for individual vendors

*M. Anwarul Zeeshan
 Increase I.T*




TENDER FOR SUPPLY OF ELECTRICAL, ELECTRONICS MACHINERS, EQUIPMENT AND SOFTWARE FOR THE UNIVERSITY
COMPARATIVE STATEMENT TECHNICAL

TENDER OPENED ON: 05-12-2013
 NAME OF ITEM: Floor Stand of Multimedia Projector
 DEPARTMENT: Store
 ITEM NO: 15
 QUANTITY: 05
 No of participated bidders

Specification	ABM Data (1)	Rajput Engineering (2)	SeeSam Solution Pvt Ltd (3)	Roomi Enterprises (4)	Gemco (5)
Expandable upto 5 feet	Not participated in this item hence not qualified	ACCEPTED	Not participated in this item hence not qualified	Not participated in this item hence not qualified	Not participated in this item hence not qualified
		Floor Stand of Multimedia Project Expandable up to 5 Feet Checking Warranty 15 days			

Technical Bid


Approved/ Not approved



 Dr. Sachand V. Talib
 Member Secretary




M. Awan gets
 Increase 1.7



 Prof. Aijaz Ali Qureshi
 Member



 Prof. Mahmood Hassan
 Member


 Mahinood Ali Lakhoo
 Member


 Prof. Ghulam Sarwar Qureshi
 Chairman


 Nafees Abrabim
 Chief Accountant
 Member


 Representative of Health Department
 Member


 Representative of Finance Department
 Member

The remarks (for acceptance) not accepted are given on the next page for individual bidders.

**COMPARATIVE STATEMENT TECHNICAL
TENDER FOR SUPPLY OF ELECTRICAL, ELECTRONICS MACHINERS, EQUIPMENT AND SOFTWARE FOR THE UNIVERSITY**

TENDER OPENED ON: 05 12-2013
 NAME OF ITEM: Audio Amplifier with Supply & Installation of Audio System with All Types of Audio Cable & Connectors.
 DEPARTMENT: Store
 ITEM NO: 16
 QUANTITY: 06
 No of participated bidders

Specification	ABM Data (1)	Rajput Engineering (2)	SeeSam Solution Pvt Ltd (3)	Roomi Enterprises (4)	Genco (5)
TOA or Equivalent Power Source 220 - 230 V AC, 50/60 Hz Rated Output 240 W Power/Current Consumption 532 W (rated output), 220 W (EN60065), 60 mA or less (when power switch is OFF) Frequency Response 50 Hz - 20 kHz (± 3 dB) Distortion 2 % or less at 1 kHz, rated power Input MIC 1 - 6: -60 dB*, 600 Ω , electronically-balanced, combined type of XLR-3-31 equivalent and phone jack AUX 1 - 2: -20 dB*, 600 Ω , electronically-balanced, combined type of XLR-3-31 equivalent and phone jack (Either MIC 5 or AUX 1, and either MIC 6 or AUX 2 selectable) AUX 3 - 4: -20 dB*, 10 k Ω , unbalanced, RCA pin jack AUX 5: -20 dB*, 10 k Ω , unbalanced, combined type of XLR-3-31 equivalent and phone jack PWR AMP IN: 0 dB*, 600 Ω , unbalanced, RCA	Not participated in this item hence not qualified	Not participated in this item hence not qualified	Not participated in this item hence not qualified	Not participated in this item hence not qualified	Not participated in this item hence not qualified
NO PARTICIPANT					

<p>pin jack (An equalizer or other signal processor connectable between LINE OUT and PWR AMP IN terminals) Output REC: 0 dB*, 600 Ω, unbalanced, RCA pin jack LINE: 0 dB*, 600 Ω, unbalanced, RCA pin jack SPEAKER SELECTOR: 2 zone, high impedance (100 V line/42 Ω), individual selector key, M4 screw terminal DIRECT SPEAKER OUT: High impedance (100 V line/42 Ω), M4 screw terminal Low impedance (4 - 16 Ω), M4 screw terminal (Both Low and High impedance terminals cannot be used at the same time.) Tone Control Bass: ± 10 dB at 100 Hz, Treble: ± 10 dB at 10 kHz Control Input REMOTE VOLUME: M3 screw terminal POWER REMOTE: No-voltage make contact input. open voltage: 28 V DC (when the unit's power is OFF), short-circuit: 10 mA or less, M3 screw terminal Finish Panel: ABS resin, black, hairline Case: Steel plate, black</p>					
--	--	--	--	--	--

Technical Bid

Approved/ Not approved

[Signature]

Prof. Ghulam Sarwar Qureshi
Chairman

[Signature]
Nafees Ibrahim
V President SMC Alumni
Chief Accountant
Member

[Signature]
Mahmood Ali Lakhani
Member

[Signature]
Representative of Health Department
Member

[Signature]
Dr. Srichand, V. Talib
Member/Secretary

[Signature]
Prof. Mahmood Hassan
Member

[Signature]
Representative of Finance Department
Member

[Signature]

M. Anwar Jilani
Incharge I.T

The Remits (for acceptance) are given on the form Page for individual member.

TENDER FOR SUPPLY OF ELECTRICAL, ELECTRONICS MACHINERS, EQUIPMENT AND SOFTWARE FOR THE UNIVERSITY

TENDER OPENED ON: 05-12-2013
 NAME OF ITEM: Speaker
 DEPARTMENT: Store
 ITEM NO: 17
 QUANTITY: 30
 No of participated bidders

COMPARATIVE STATEMENT TECHNICAL

Specification	ABM Data (1)	Rajput Engineering (2)	SeeSam Solution Pvt Ltd (3)	Roomi Enterprises (4)	Gemco (5)
Toa Speaker or Equivalent Rated Input: 40 W Rated Impedance: 100V line: 250 Ω (40W), 500 Ω, (20W), 1k Ω, (10W), 2k Ω (5W) 70V line: 250 Ω (20W), 500 Ω (10W), 1kΩ (5W), 2k Ω (2.5W) Sensitivity: 93 dB (1W, 1m) Frequency Response: 150 – 16,000Hz Speaker Component: 10 cm(4") cone-type x 4	Not participated in this item hence not qualified	Not participated in this item hence not qualified	Not participated in this item hence not qualified	Not participated in this item hence not qualified	Not participated in this item hence not qualified
NO PARTICIPANT					

Technical Bid
 Approved/ Not approved

[Signature]
Prof. Ghulam Sarwar Qureshi
 Chairman

[Signature]
Dr. Azam Khan
 V President SMC Alumni Member

[Signature]
Naifees Ibrabim
 Chief Accountant Member

[Signature]
Mahmood Akhbar
 Member

[Signature]
Prof. Mahmood Hassan
 Member

[Signature]
Representative of Health Department
 Member

[Signature]
Dr. Sridehar V. Talib
 Member/Secretary

[Signature]
Prof. Aijaz Ali Qureshi
 Member

[Signature]
Representative of Finance Department
 Member

[Signature]

[Signature]
M. Anwar Jaffer
 Increase I.T


[Signature]
Representative (for acceptance)
 not acceptance name given
 on the front page for individuals
 vendor.


COMPARATIVE STATEMENT TECHNICAL
TENDER FOR SUPPLY OF ELECTRICAL, ELECTRONICS MACHINERS, EQUIPMENT AND SOFTWARE FOR THE UNIVERSITY


TENDER OPENED ON: 05-12-2013
 NAME OF ITEM: MIC
 DEPARTMENT: Store
 ITEM NO: 18
 QUANTITY: 06
 No of participated bidders


Specification	ABM Data (1)	Rajput Engineering (2)	SeeSam Solution Pvt Ltd (3)	Roomi Enterprises (4)	Gemco (5)
TOA or Equivalent Type Moving coil microphone Directivity Unidirectional Rated Impedance 600 Ω, balanced Rated Sensitivity -56 dB (1 kHz 0 dB=1 V/Pa) Frequency Response 70 Hz - 15 kHz Connection Cables 2-core shielded cable, unbalanced Cable Length 10 m Terminal of Cable Phone plug Talk Switch Short-off, slide switch Finish Body : Die-cast zinc, metallic gold Head : Brass/zinc-plated steel wire, metallic gold Dimensions %c=40.5 x 173 mm (microphone body) Weight 280 g (without connection cable)	Not participated in this item hence not qualified	Not participated in this item hence not qualified	Not participated in this item hence not qualified	Not participated in this item hence not qualified	Not participated in this item hence not qualified
NO PARTICIPANT					


Technical Bid
 Approved/ Not approved


 Prof. Ghulam Sarwar Qureshi
 Chairman


 Dr. Azam Khan
 V President SMC Alumni
 Member


 Nafees Ibrabim
 V Chief Accountant
 Member

 Mahmood Ayub
 Member
 Representative of Health Department

 Prof. Mahmood Hassan
 Member
 Representative of Finance Department

 Dr. Srichand V. Talib
 Member/Secretary

 Prof. Aijaz Ali Qureshi
 Member
 Representative of Finance Department


 M. Durangger
 Member
 Representative of Finance Department

The Member (for acceptance/ not acceptance) are given on next front page for individual bidders.

TENDER FOR SUPPLY OF ELECTRICAL, ELECTRONICS MACHINERS, EQUIPMENT AND SOFTWARE FOR THE UNIVERSITY.
COMPARATIVE STATEMENT TECHNICAL

TENDER OPENED ON: 05-12-2013
 NAME OF ITEM: Stabilizer for PCs
 DEPARTMENT: Store
 ITEM NO: 19
 QUANTITY: 50
 No of participated bidders

Specification	ABM Data (1)	Rajput Engineering (2)	SeeSam Solution Pvt Ltd (3)	Roomi Enterprises (4)	Genco (5)
Well Reputed Brand Input Voltage: 65V-145 / 150V ~ 250V Output Voltage: 110V±0 to 2%, 220V ± 0 to 2% Phase: Single-phase Frequency: 50Hz/60Hz Response Time: Within 0.5 sec. against 10% input voltage deviation. Efficiency: Better than 90% (input voltage 180V, output voltage 220V and at rated load) Power Factor: Better than 95% (input voltage 180V, output voltage 220V and at rated load) Ambient Temperature: 50C ~ + 400C Ambient Humidity (relative humidity): Less than 90% Temperature Rise: Less than 750C (input 180V, output voltage 220V and at rated loaded) Cooling System: Convection-cooled (Model 3kVA ~10kVA Air blast) Control System: DC servo-motor Style: Stand-alone style Insulation Resistance: More than 3 MW at DC 500V	Not participated in this item hence not qualified	ACCEPTED Stabilizer for PC Model No: SF-500C (500VA) <ul style="list-style-type: none"> • Microprocessor based • High precision regulation • LCD Display • Digital display input voltage • Digital display output voltage • Digital display output current • High voltage protection • Overload protection • Output short circuit protection • Automatic delay time system • Control system servo motor • Temperature control 	Not participated in this item hence not qualified	Not participated in this item hence not qualified	Not participated in this item hence not qualified


 M. Anand


Dielectric Strength: for 1 min.	Tested at AC 1500V	<ul style="list-style-type: none"> • system automatically • Single phase • Frequency 50Hz/60Hz • Ambient temperature $-5^{\circ}\text{C} \sim +45^{\circ}\text{C}$ 	Warranty 01 Years		—
------------------------------------	--------------------	---	----------------------	--	---

Technical Bid

Approved/ Not approved



Dr. Syedhard V. Talib
 Member, Secretary






Prof. Ghulam Sarwar Qureshi
 Chairman



Mahmood Ali Lakho
 Member



Prof. Mahmood Hassan
 Member



Prof. Aijaz Ali Qureshi
 Member



Dr. Azam Khan
 V President SMC Alumni
 Member


Nafees Ibrabim
 Chief/Accountant
 Member


Representative of Health Department
 Member


Representative of Finance Department
 Member









M. Anwar gets increase I.T
Time Demands (for a caption) not acceptance) are given on the front page for individual vendors.

**COMPARATIVE STATEMENT TECHNICAL
TENDER FOR SUPPLY OF ELECTRICAL, ELECTRONICS MACHINERS, EQUIPMENT AND SOFTWARE FOR THE UNIVERSITY**

TENDER OPENED ON: 05-12-2013
 NAME OF ITEM: Supply of Electric Kettle
 DEPARTMENT: Store
 ITEM NO: 20
 QUANTITY: 10
 No of participated bidders

Specification	ABM Data (1)	Rajput Engineering (2)	SeeSam Solution Pvt Ltd (3)	Roomi Enterprises (4)	Gemco (5)
(West Point) 1.7 Liters (or equivalent)	Not participated in this item hence not qualified	Not participated in this item hence not qualified	Not participated in this item hence not qualified	Not participated in this item hence not qualified	Not participated in this item hence not qualified
NO PARTICIPANT					

Technical Bid
 Approved/ Not approved

 Prof. Chulam Sarwar Qureshi
 Chairman
 Dr. Azam Khan
 V President SMC Alumni Member
 Nafes Ibrabim
 Chief Accountant Member
 Mahmood Ali Latho
 Member Representative of Health Department
 Prof. Mahmood Hassan
 Member Representative of Finance Department
 Dr. Srichand V. Talib
 Member/Secretary
 Prof. Aijaz Ali Qureshi
 Member
 M. Anwar
 Increase 1.7
 The remarks (For acceptance/ non-acceptation) are given on front page for member bidder.

TENDER FOR SUPPLY OF ELECTRICAL, ELECTRONICS MACHINERS, EQUIPMENT AND SOFTWARE FOR THE UNIVERSITY


TENDER OPENED ON: 65-12-2013
 NAME OF ITEM: Supply of Split Air Conditioners (All Rooms)
 DEPARTMENT: Store
 ITEM NO: 21
 QUANTITY: 30
 No of participated bidders


Specification	ABM Data (1)	Rajput Engineering (2)	SeeSam Solution Pvt Ltd (3)	Roomi Enterprises (4)	Gemco (5)
Haier 1½ Ton (or equivalent)	Not participated in this item hence not qualified	<p>NOT RELATED TO I.T DEPT</p> <p>Haier 1 ½ Ton Split Air Conditioner Haier HSU-18LEK03 With out Installation General Parameters Ton 1.5 Fixed or inverter Fixed Frequency Cooling Capacity(BTU) 18000 BTU Air Circulation (m3/h) 750 Power Input (W) Cooling 2000 Running Current (A) 9.6 Cooling Power Supply (Ph/V/Hz) 1,220,50, EER 2.45 Appearance Color</p>	Not participated in this item hence not qualified	Not participated in this item hence not qualified	Not participated in this item hence not qualified





Type	White	Wall mounted		
Display	Visual LED			
Main Parts	Compressor	Mitsubishi		
Refrigerant	R22			
Refrigerant Pipe	Pure Grooved			
Copper				
Net Dimension & Weight				
Indoor Dimension (mm)	W/D/H	938/187/265		
Outdoor Dimension (mm)	W/D/H	783/255/543		
Warranty	1 Years			


Technical Bid
Approved/Not approved



Dr. S. R. Khan, V. Talib
Member/Secretary



Prof. Chulam Sarwar Qureshi
Chairman



Mahmood Sarwar
Member



Prof. Mahmood Hassan
Member



Prof. Aijaz Ali Qureshi
Member


Dr. Azam Khan
V President SMC Alumni
Member


Nafees Ibrabim
Chief Accountant
Member


Representative of Health Department
Member


Representative of Finance Department
Member


M. Anwar
Inventor I.T
The Remarks (for acceptance/ not acceptance) are given on the front page for individual member.

COMPARATIVE STATEMENT TECHNICAL
TENDER FOR SUPPLY OF ELECTRICAL, ELECTRONICS MACHINERS, EQUIPMENT AND SOFTWARE FOR THE UNIVERSITY

TENDER OPENED ON: 05-12-2013
 NAME OF ITEM: Supply of Pedestal Fans
 DEPARTMENT: Store
 ITEM NO: 22
 QUANTITY: 10
 No of participated bidders

Specification	ABM Data (1)	Rajput Engineering (2)	SeeSam Solution Pvt Ltd (3)	Roomi Enterprises (4)	Gemco (5)
Millet 18" (or equivalent)	Not participated in this item hence not qualified	Not participated in this item hence not qualified	Not participated in this item hence not qualified	Not participated in this item hence not qualified	Not participated in this item hence not qualified
NO PARTICIPANT					

Technical Bid

Approved/ Not approved

[Signature]
Prof. Ghulam Sarwar Qureshi
 Chairman

[Signature]
Dr. Azam Khan
 Member
 V President SMC Alumni

[Signature]
Nafes Ibrabim
 Member
 Chief Accountant

[Signature]
Mahmood Ali Qalho
 Member
 Representative of Health Department

[Signature]
Prof. Wahmood Hassan
 Member
 Representative of Finance Department

[Signature]
Dr. Srichand V. Talib
 Member/Secretary

[Signature]
Prof. Aijaz Ali Qureshi
 Member

[Signature]
M. Awan
 Increase I.T

[Handwritten Note]
 The Remarks (for acceptance / non acceptance) are given on form page for which is attached.

**COMPARATIVE STATEMENT TECHNICAL
TENDER FOR SUPPLY OF ELECTRICAL, ELECTRONICS MACHINERS, EQUIPMENT AND SOFTWARE FOR THE UNIVERSITY**

TENDER OPENED ON: 05-12-2013
 NAME OF ITEM: Supply of LED TV Monitor 29"
 DEPARTMENT: Store
 ITEM NO: 23
 QUANTITY: 10
 No of participated bidders

Specification	ABM Data (1)	Rajput Engineering (2)	SeeSam Solution Pvt Ltd (3)	Roomi Enterprises (4)	Gemco (5)
Samsung UN29 F4000 29" (or equivalent)	Not participated in this item hence not qualified	ACCEPTED Supply of Samsung LED Monitor 32" Model No: UN29F4100 Warranty 01 Years Korian Origin Made in China	Not participated in this item hence not qualified	Not participated in this item hence not qualified	Not participated in this item hence not qualified

Technical Bid

Approved/ Not approved

[Signature]
Prof. Ghulam Sarwar Qureshi
 Chairman

[Signature]
Dr. Azam Khan
 V President SMC Alumni
 Member

[Signature]
Nafees Ibrabim
 Chief Accountant
 Member

[Signature]
Mahmood Ali Qureshi
 Member

[Signature]
Representative of Health Department
 Member

[Signature]
Dr. Srichand. V. Talib
 Member/Secretary

[Signature]
Prof. Aijaz Ali Qureshi
 Member

[Signature]
Representative of Finance Department
 Member

[Signature]

[Signature]
M. Awarages
 Incharge I.T

The Remarks (for acceptance / not acceptance) are given on front page for individual bidders.


**COMPARATIVE STATEMENT TECHNICAL
TENDER FOR SUPPLY OF ELECTRICAL, ELECTRONICS MACHINERS, EQUIPMENT AND SOFTWARE FOR THE UNIVERSITY**


TENDER OPENED ON: 05-12-2013
 NAME OF ITEM: Supply of Microwave Oven
 DEPARTMENT: Store
 ITEM NO: 24
 QUANTITY: 05
 No of participated bidders


Specification	ABM Data (1)	Rajput Engineering (2)	SeeSam Solution Pvt Ltd (3)	Roomi Enterprises (4)	Genco (5)
Panasonic NP 6016 (or equivalent)	Not participated in this item hence not qualified	Not participated in this item hence not qualified	Not participated in this item hence not qualified	Not participated in this item hence not qualified	Not participated in this item hence not qualified
NO PARTICIPANT					


Technical Bid


Approved/ Not approved



 Dr. Saeed Ali Talib
 Member/Secretary



 M. Anwarogha
 Incharge S.T



 Prof. Ghulam Sarwar Qureshi
 Chairman



 Dr. Azam Khan
 V President SMC Alumni
 Member



 Mahmood Ali Lashari
 Member


 Naeem Ibrabim
 Chief Accountant
 Member


 Prof. Mahmood Hassan
 Member


 Representative of Health Department
 Member


 Prof. Aijaz Ali Qureshi
 Member


 Representative of Finance Department
 Member

The Remar (for acceptation) on the front page for indender veride

**COMPARATIVE STATEMENT TECHNICAL
TENDER FOR SUPPLY OF ELECTRICAL, ELECTRONICS MACHINERS, EQUIPMENT AND SOFTWARE FOR THE UNIVERSITY**

TENDER OPENED ON: 65-12-2013
 NAME OF ITEM: Supply of Refrigerate
 DEPARTMENT: Store
 ITEM NO: 25
 QUANTITY: 10
 No of participated bidders

Specification	ABM Data (1)	Rajput Engineering (2)	SeeSam Solution Pvt Ltd (3)	Roomi Enterprises (4)	Gemco (5)
Singer 10 of (or equivalent)	Not participated in this item hence not qualified	NOT RELATED TO I.T DEPT Supply of Refrigerator Haier Brand 10 cu ft Warranty 01 Years U.S.A Origin Made in China	Not participated in this item hence not qualified	Not participated in this item hence not qualified	Not participated in this item hence not qualified

Technical Bid
 Approved/ Not approved

(Signature)
 Dr. Srichand V. Talib
 Member Secretary

(Signature)
 Prof. Aijaz Ali Qureshi
 Member

(Signature)
 Prof. Mahmood Hassan
 Member

(Signature)
 Mahmood Sarwar Qureshi
 Member

(Signature)
 Prof. Ghulam Sarwar Qureshi
 Chairman

(Signature)
 Naqees Ibrabim
 Chief Accountant
 Member

(Signature)
 Dr. Azam Khan
 V President SMC Alumni
 Member


(Signature)
 M. Anwarogha
 Increase 5.T

(Signature)
 The members (for acceptance) not acceptance are given on the front page for individual bidders.

COMPARATIVE STATEMENT TECHNICAL

TENDER FOR SUPPLY OF ELECTRICAL, ELECTRONICS MACHINERS, EQUIPMENT AND SOFTWARE FOR THE UNIVERSITY

TENDER OPENED ON: 05-12-2013
 NAME OF ITEM: Supply of Water Dispenser
 DEPARTMENT: Store
 ITEM NO: 26
 QUANTITY: 10
 No of participated bidders


Specification	ABM Data (1)	Rajput Engineering (2)	SeeSam Solution Pvt Ltd (3)	Roomi Enterprises (4)	Gemco (5)
Heir Hot & Cold (or equivalent)	Not participated in this item hence not qualified	NOT RELATED TO I.T DEPT	Not participated in this item hence not qualified	Not participated in this item hence not qualified	Not participated in this item hence not qualified
		Water Dispenser Haier HLM 60B U.S.A Origin Made in China Warranty 01 Years Brand: Haier Category: Water Dispensers & Filtration >> Water Coolers & Dispensers Model: HLM-60B Item Code:			


			HR 1032 Warranty: One Year Warranty By Hair Service Center	
--	--	--	---	--

Technical Bid


Approved/ Not approved



 Prof. Ghulam Sarwar Qureshi
 Chairman



 Mahmood Ali Lakho
 Member



 Prof. Mahmood Hassan
 Member



 Dr. Saeed V. Talib
 Member/Secretary


 Prof. Aijaz Ali Qureshi
 Member


 Dr. Azam Khan
 V. President SMC Alumni
 Member


 Representative of Health Department
 Member


 Representative of Finance Department
 Member


 M. Anwar Jish
 Incharge I.T


TENDER FOR SUPPLY OF ELECTRICAL, ELECTRONICS MACHINERS, EQUIPMENT AND SOFTWARE FOR THE UNIVERSITY


TENDER OPENED ON: 05-12-2013
 NAME OF ITEM: Supply of Melting Point Apparatus
 DEPARTMENT: Store
 ITEM NO: 27
 QUANTITY: 03
 No of participated bidders


Specification	ABM Data (1)	Rajput Engineering (2)	Seesam Solution Pvt Ltd (3)	Roomi Enterprises (4)	Gemco (5)
Gellen Kemp	Not participated in this item hence not qualified	Not participated in this item hence not qualified	Not participated in this item hence not qualified	Not participated in this item hence not qualified	Not participated in this item hence not qualified
NO PARTICIPANT					


Technical Bid


Approved/ Not approved



 Dr. Saifuddin V. Talib
 Member/Secretary



 Prof. Ghulam Sarwar Qureshi
 Chairman



 Mahmood Ali Lakho
 Member



 Prof. Mahmood Hassan
 Member


 Prof. Aijaz Ali Qureshi
 Member


 Nafies Ibrabim
 Chief Accountant
 Member


 Representative of Health Department
 Member


 Representative of Finance Department
 Member



 M. Anwar
 Incharge I.T


**COMPARATIVE STATEMENT TECHNICAL
TENDER FOR SUPPLY OF ELECTRICAL, ELECTRONICS MACHINERS, EQUIPMENT AND SOFTWARE FOR THE UNIVERSITY**


TENDER OPENED ON: 05-12-2013
 NAME OF ITEM: Supply of Thermometer
 DEPARTMENT: Store
 ITEM NO: 28
 QUANTITY: 24
 No of participated bidders


Specification	ABM Data (1)	Rajput Engineering (2)	SeeSam Solution Pvt Ltd (3)	Roomi Enterprises (4)	Gemco (5)
Till 200° C	Not participated in this item hence not qualified	Not participated in this item hence not qualified	Not participated in this item hence not qualified	Not participated in this item hence not qualified	Not participated in this item hence not qualified
NO PARTICIPANT					


Technical Bid
 Approved/ Not approved



 M. Auresh
 Incharge IT


 Prof. Ghulam Sarwar Qureshi
 Chairman


 Dr. Azam Khan
 V President SMC Alumni Member


 Nafees Ibrabim
 Chief/Accountant Member


 Mahmood Ali
 Member

 Prof. Mahmood Hassan
 Member

 Dr. Srichand V. Talib
 Member/Secretary

 Prof. Aijaz Ali Qureshi
 Member

 Representative of Health Department
 Member


 Representative of Finance Department
 Member

**COMPARATIVE STATEMENT TECHNICAL
TENDER FOR SUPPLY OF ELECTRICAL, ELECTRONICS MACHINERS, EQUIPMENT AND SOFTWARE FOR THE UNIVERSITY**


TENDER OPENED ON: 05-12-2013
 NAME OF ITEM: Toner Cartridge
 DEPARTMENT: Store
 ITEM NO: 29
 QUANTITY: 20
 No. of participated bidders

Specification	ABM Data (1)	Rajput Engineering (2)	SeeSam Solution Pvt Ltd (3)	Roomi Enterprises (4)	Gemco (5)
Cartridge # 12A for HP Printer Model # 1020	Not participated in this item hence not qualified	ACCEPTED	Not participated in this item hence not qualified	Not participated in this item hence not qualified	Not participated in this item hence not qualified
		Toner Q2612A LaserJet 100C/3000/3050 Series M1005/M1319F MFP Black Crtg U.S.A Origin Made in China Checking Warranty			


Technical Bid
 Approved/ Not approved




 Dr. Saichand V. Talib
 Member/Secretary




 Prof. Aijaz Ali Qureshi
 Member




 Prof. Mahmood Hassan
 Member




 Prof. Ghulam Sarwar Qureshi
 Chairman




 Dr. Azam Khan
 V President SMC Alumni Member




 Nafees Ibrabim
 Chief Accountant Member



 Representative of Health Department Member



 Representative of Finance Department Member



 Representative of Education/Not Accredited Member

The Remarks for (accreration / not accreditation) are given on the front page for individual website.

**COMPARATIVE STATEMENT TECHNICAL
TENDER FOR SUPPLY OF ELECTRICAL, ELECTRONICS MACHINERS, EQUIPMENT AND SOFTWARE FOR THE UNIVERSITY**

TENDER OPENED ON: 05-12-2013
 NAME OF ITEM: Toner Cartridge
 DEPARTMENT: Store
 ITEM NO: 30
 QUANTITY: 10
 No of participated bidders

Specification	ABM Data (1)	Rajput Engineering (2)	SecSam Solution Pvt Ltd (3)	Roomi Enterprises (4)	Gemco (5)
(Cartridge # 35A for HP Printer Model # 1005	Not participated in this item hence not qualified	ACCEPTED CB435A LJ P1005/P1006 Print Cartridge U.S.A Origin Made in China Checking Warranty	Not participated in this item hence not qualified	Not participated in this item hence not qualified	Not participated in this item hence not qualified

Technical Bid
 Approved/ Not approved

[Signature]
 Dr. Ghulam Saryar Qureshi
 Chairman

[Signature]
 Prof. Mahmood Hassan
 Member

[Signature]
 Dr. Srichand V. Talib
 Member/Secretary

[Signature]
 Prof. Aijaz Ali Qureshi
 Member

[Signature]
 M. Anwar Jeez
 Increase IT

[Signature]
 Representative of Health Department
 Member

[Signature]
 Representative of Finance Department
 Member

[Signature]
 Representative of SMC Alumni
 Member

[Signature]
 Nafoes Ibrabim
 Chief Accountant
 Member


[Handwritten Note]
 The members (for accounting) not accounting are given on the front page for individual bidder.


**COMPARATIVE STATEMENT TECHNICAL
TENDER FOR SUPPLY OF ELECTRICAL, ELECTRONICS MACHINERS, EQUIPMENT AND SOFTWARE FOR THE UNIVERSITY**


TENDER OPENED ON: 05-12-2013
 NAME OF ITEM: Toner Cartridge
 DEPARTMENT: Store
 ITEM NO: 31
 QUANTITY: 05
 No of participated bidders


Specification	ABM Data (1)	Rajput Engineering (2)	SeeSam Solution Pvt Ltd (3)	Roomi Enterprises (4)	Gemco (5)
Cartridge # 49A for HP Printer Model # 1320	Not participated in this item hence not qualified	ACCEPTED	Not participated in this item hence not qualified	Not participated in this item hence not qualified	Not participated in this item hence not qualified
	Q5949A LJ 1160/1320/3390/3392 Print Cartridge U.S.A Origin Made in China Checking Warranty				


Technical Bid
 Approved/ Not approved



 Dr. Srichand V. Talib
 Member/Secretary



 Prof. Ghulam Sarwar Qureshi
 Chairman



 Naifees Ibrabim
 Chief Accountant
 Member



 Dr. Azam Khan
 V President SMC Alumni
 Member


 Prof. Mahmood Hassan
 Member


 Representative of Health Department
 Member


 Prof. Aijaz Ali Qureshi
 Member


 Representative of Finance Department
 Member


 M. Anwar
 Increase IT

Time limit (for acceptance) not accepted) are given on the front page. For inclusion border.

**COMPARATIVE STATEMENT TECHNICAL
TENDER FOR SUPPLY OF ELECTRICAL, ELECTRONICS MACHINERS, EQUIPMENT AND SOFTWARE FOR THE UNIVERSITY**

TENDER OPENED ON: 05-12-2013
 NAME OF ITEM: Toner Cartridge
 DEPARTMENT: Store
 ITEM NO: 32
 QUANTITY: 10
 No of participated bidders

Specification	ABM Data (1)	Rajput Engineering (2)	SeeSam Solution Pvt Ltd (3)	Roomi Enterprises (4)	Gemco (5)
Cartridge # 85A for Printer Model # 1102	Not participated in this item hence not qualified	ACCEPTED CE285A LJ 1102, LJ 1132, LJ 1212 Black Print Crtg toner U.S.A Origin Made in China Checking Warranty	Not participated in this item hence not qualified	Not participated in this item hence not qualified	Not participated in this item hence not qualified

Technical Bid

Approved/ Not approved

[Signature]
 Prof. Ghulam Sarwar Qureshi
 Chairman

[Signature]
 Dr. Azam Khan
 V President SMC Alumni Member

[Signature]
 Mahmood Ali Qureshi
 Member

[Signature]
 Representative of Health Department
 Member

[Signature]
 Prof. Mahmood Hassan
 Member

[Signature]
 Representative of Finance Department
 Member

[Signature]
 Dr. Srickand V. Talib
 Member/Secretary

[Signature]
 Prof. Aijaz Ali Qureshi
 Member

[Signature]

M. Anwar Qureshi
 Incharge I.T

[Handwritten Note]
 This reminder (for Accounts) not according are given on me from page for under indented border.


COMPARATIVE STATEMENT TECHNICAL
TENDER FOR SUPPLY OF ELECTRICAL, ELECTRONICS MACHINERS, EQUIPMENT AND SOFTWARE FOR THE UNIVERSITY


TENDER OPENED ON: 05-12-2013
 NAME OF ITEM: Toner Cartridge
 DEPARTMENT: Store
 ITEM NO: 33
 QUANTITY: 05
 No of participated bidders


Specification	ABM Data (1)	Rajput Engineering (2)	SeeSam Solution Pvt Ltd (3)	Roomi Enterprises (4)	Gemco (5)
Cartridge # Q2613A for Printer Model # 1300	Not participated in this item hence not qualified	ACCEPTED Q2613A LJ 1300 Print Cartridge U.S.A Origin Made in China Checking Warranty	Not participated in this item hence not qualified	Not participated in this item hence not qualified	Not participated in this item hence not qualified


Technical Bid


Approved/ Not approved



 Prof. Ghulam Sarwar Qureshi
 Chairman



 Dr. Azam Khan
 V President SMC Alumni Member



 Nafees Ibrabim
 Chief Accountant Member



 Prof. Mahmood Hassan
 Member


 Representative of Health Department
 Member


 Representative of Finance Department
 Member


 Dr. Srichand V. Talib
 Member Secretary


 Prof. Aijaz Ali Qureshi
 Member


 M. Auveengal
 Member I.T

The members (for acceptance/ NOT acceptance) are given on the front page for individual vendor

TENDER FOR SUPPLY OF ELECTRICAL, ELECTRONICS MACHINERS, EQUIPMENT AND SOFTWARE FOR THE UNIVERSITY

COMPARATIVE STATEMENT TECHNICAL

TENDER OPENED ON: 05-12-2013
 NAME OF ITEM: RAM DDR-2
 DEPARTMENT: Store
 ITEM NO: 34
 QUANTITY: 20
 No of participated bidders

Specification	ABM Data (1)	Rajput Engineering (2)	SeeSam Solution Pvt Ltd (3)	Roomi Enterprises (4)	Gemco (5)
512 MB, 667 Bus for HP/ Dell Systems	Not participated in this item hence not qualified	NOT ACCEPTED Ram DDR II 512 MB. 667 Bus (Used) U.S.A Origin Made in China Checking Warranty	Not participated in this item hence not qualified	Not participated in this item hence not qualified	Not participated in this item hence not qualified

Technical Bid

Approved/ Not approved

[Signature]
Prof. Ghulam Sarwar Qureshi
 Chairman

[Signature]
Dr. Azam Khan
 V President SMC Alumni
 Member

[Signature]
Nafees Ibrabim
 Chief Accountant
 Member

[Signature]
Mahmood Ali Qureshi
 Member

[Signature]
Representative of Health Department
 Member

[Signature]
Prof, Mahmood Hassan
 Member

[Signature]
Representative of Finance Department
 Member

[Signature]
Dr. Saifullah V. Talib
 Member/Secretary

[Signature]
Prof. Aijaz Ali Qureshi
 Member

[Signature]
MA Awarages
 Increase 1%

The Remarks (for accepting not acceptance) are given at the top of this page for individual bidders.








**COMPARATIVE STATEMENT TECHNICAL
TENDER FOR SUPPLY OF ELECTRICAL, ELECTRONICS MACHINERS, EQUIPMENT AND SOFTWARE FOR THE UNIVERSITY**

TENDER OPENED ON: 05-12-2013
 NAME OF ITEM: RAM DDR-2
 DEPARTMENT: Store
 ITEM NO: 35
 QUANTITY: 40
 No of participated bidders

Specification	ABM Data (1)	Rajput Engineering (2)	SeeSam Solution Pvt Ltd (3)	Roomi Enterprises (4)	Gemco (5)
1 GB, 667 Bus for HP/Dell Systems	Not participated in this item hence not qualified	NOT ACCEPTED Ram DDR II IGB 667 Bus (Used) U.S.A Origin Made in China Checking Warranty	Not participated in this item hence not qualified	Not participated in this item hence not qualified	Not participated in this item hence not qualified

Technical Bid

Approved/ Not approved










Prof. Ghulam Sarwar Qureshi Chairman
Prof. Mahmood Hassan Member
Prof. Mahmood Hassan Member
Prof. Mahmood Hassan Member
Dr. Azam Khan V President SMC Alumni Member
Dr. S. Iqbal Chief Accountant Member
M. Aurangzeb Incharge I.T. Member
The remarks (For acceptance) are given at the top of this page.

TENDER FOR SUPPLY OF ELECTRICAL, ELECTRONICS MACHINERS, EQUIPMENT AND SOFTWARE FOR THE UNIVERSITY
COMPARATIVE STATEMENT TECHNICAL

TENDER OPENED ON: 05-12-2013
 NAME OF ITEM: Hard Disk
 DEPARTMENT: Store
 ITEM NO: 36
 QUANTITY: 10
 No of participated bidders


Specification	ABM Data (1)	Rajput Engineering (2)	SeeSam Solution Pvt Ltd (3)	Roomi Enterprises (4)	Genco (5)
Seagate/ WD 250 GB SATA for Dell/ HP Systems	Not participated in this item hence not qualified	ACCEPTED WD 250GB AAKX 16MB Cache 7200RPM SATA II 6GB/s Interface Detailed Specs Model 250GB AAKX Brand Western Digital Interface SATA 3GB/s Cache 8MB Capacity 250GB Guaranteed Sectors 488,397,168 Formatted Capacity 250,059 MB Height 26.1 mm Width 101.6 mm	Not participated in this item hence not qualified	Not participated in this item hence not qualified	Not participated in this item hence not qualified


 M. Anwarul Haq
 Incharge i.i

		U.S.A Origin Made in China Warranty 1 Years		


Technical Bid
Approved/ Not approved


Dr. Sufyan V. Talib
Member/Secretary



M. A. Aram
Increase I.T


←


Approved for acceptance
(not acceptance) are given
on the form (see for
individual bidder)



Prof. Ghulam Sarwar Qureshi
Chairman



Nafees Ibrabim
Chief Accountant
Member



Dr. Azam Khan
V President SMC Alumni
Member


Mahmood Ali Lakhro
Member


Prof. Mahmood Hassan
Member


Prof. Aijaz Ali Qureshi
Member


Representative of Health Department
Member


Representative of Finance Department
Member

**COMPARATIVE STATEMENT TECHNICAL
TENDER FOR SUPPLY OF ELECTRICAL, ELECTRONICS MACHINERS, EQUIPMENT AND SOFTWARE FOR THE UNIVERSITY**

TENDER OPENED ON: 05/12/2013
 NAME OF ITEM: Hard Disk
 DEPARTMENT: Store
 ITEM NO: 37
 QUANTITY: 20
 No of participated bidders

Specification	ABM Data (1)	Rajput Engineering (2)	SecSam Solution Pvt Ltd (3)	Roomi Enterprises (4)	Gemco (5)
Seagate / Maxtor 80GB SATA for HP / Dell Systems	Not participated in this item hence not qualified	NOT ACCEPTED Seagate / WD 80 GB SATA (Used) Singapore Origin Made in China Checking Warranty	Not participated in this item hence not qualified	Not participated in this item hence not qualified	Not participated in this item hence not qualified

Technical Bid

Approved/ Not approved

[Signature]
Prof. Ghulam Sarwar Qureshi
 Chairman

[Signature]
Dr. Azam Khan
 V President SMC Alumina
 Member

[Signature]
Mahmood Ali Lakho
 Member

[Signature]
Representative of Health Department
 Member

[Signature]
Prof. Mahmood Hassan
 Member

[Signature]
Representative of Finance Department
 Member

[Signature]
Dr. Sachand V. Talib
 Member Secretary

[Signature]
Prof. Aijaz Ali Qureshi
 Member

[Signature]
M. Awaragzeb
 Incharge I.T

[Handwritten Note]
 The members (for acceptance) not acceptance are given on this front page for individual bidder.

**COMPARATIVE STATEMENT TECHNICAL
TENDER FOR SUPPLY OF ELECTRICAL, ELECTRONICS MACHINERS, EQUIPMENT AND SOFTWARE FOR THE UNIVERSITY**


TENDER OPENED ON: 05-12-2013
 NAME OF ITEM: DVD ROM
 DEPARTMENT: Store
 ITEM NO: 38
 QUANTITY: 10
 No. of participated bidders


Specification	ABM Data (1)	Rajput Engineering (2)	SecSam Solution Pvt Ltd (3)	Roomi Enterprises (4)	Gemco (5)
For HP/ Dell Systems	Not participated in this item hence not qualified	NOT ACCEPTED DVD Writer SATA (used) U.S.A Origin Made in China Checking Warranty	Not participated in this item hence not qualified	Not participated in this item hence not qualified	Not participated in this item hence not qualified


Technical Bid


Approved/ Not approved



 Dr. Srichand V. Talib
 Member/Secretary



 Prof. Ghulam Sarwar Qureshi
 Chairman



 Dr. Azam Khan
 V President SMC Alumni
 Member



 Mahmood Ali Qureshi
 Member


 Prof. Mahmood Hassan
 Member


 Prof. Aijaz Ali Qureshi
 Member


 Representative of Health Department
 Member


 Representative of Finance Department
 Member


 M. Anwarul Haq
 Incharge I.T

The Remover (for acceptor) / not acceptor are given at the top of unit Page to be) for individual members.








**COMPARATIVE STATEMENT TECHNICAL
TENDER FOR SUPPLY OF ELECTRICAL, ELECTRONICS MACHINERS, EQUIPMENT AND SOFTWARE FOR THE UNIVERSITY**

TENDER OPENED ON: 05-12-2013
 NAME OF ITEM: Power Cord
 DEPARTMENT: Store
 ITEM NO: 39
 QUANTITY: 60
 No of participated bidders

Specification	ABM Data (1)	Rajput Engineering (2)	SeeSam Solution Pvt Ltd (3)	Roomi Enterprises (4)	Gemco (5)
Three Pins with fuse & 2 Pins power converter	Not participated in this item hence not qualified	NOT ACCEPTED Power cord Three Pins with fuse & 2 pin Power Converter Branded refurbish China Origin Made in China Checking Warranty	Not participated in this item hence not qualified	Not participated in this item hence not qualified	Not participated in this item hence not qualified

Technical Bid

Approved/ Not approved

 Prof. Ghulam Sarwar Qureshi
 Chairman
 Dr. Azam Khan
 V President SMC Alumina Chief Accountant
 Member
 Mahmood Ali Lado
 Member
 Prof. Mahmood Hassan
 Member
 Dr. Aijaz Ali Qureshi
 Member
 Dr. Srichand V. Talib
 Member/Secretary
 Mr. Anwarul Haq
 Increase 1.1
 The members (for acceptance /with acceptance) are given at the top of this report table for individual bidders.

**COMPARATIVE STATEMENT TECHNICAL
TENDER FOR SUPPLY OF ELECTRICAL, ELECTRONICS MACHINERS, EQUIPMENT AND SOFTWARE FOR THE UNIVERSITY**

TENDER OPENED ON: 05-12-2013
 NAME OF ITEM: Cable Roll
 DEPARTMENT: Store
 ITEM NO: 40
 QUANTITY: 2000 Feet
 No of participated bidders

Specification	ABM Data (1)	Rajput Engineering (2)	SeeSam Solution Pvt Ltd (3)	Roomi Enterprises (4)	Gemco (5)
CAT-5- 3M	Not participated in this item hence not qualified	<p style="text-align: center;">ACCEPTED</p> <p>Cable Roll 3M VOILATION Cat-6 U.S.A Origin Made in China Warranty Applies only on complete roll</p> <p>Features:</p> <ul style="list-style-type: none"> • Excellent electrical performance – tested to 350 MHz • Length markings on the cable sheath • Low smoke, zero halogen (LSOH) and PVC versions available <p>Electrical characteristics at 20°C: Conductor resistance at 20°C (max) 98.6 Ω/km Dielectric strength at 50</p>	Not participated in this item hence not qualified	Not participated in this item hence not qualified	Not participated in this item hence not qualified

(Signature)
M. Anant Singh
M.1

Hz	1 KV/l min				
	Insulation resistance (min)				
	5000 MΩ/Km				
	Velocity (nom)				
	66%				
	Characteristic impedance				
	100 +/- 15Ω (1 to 100 MHz)				
	Mutual Capacitance (nom)				
	<55 pF/m				
	Propagation delay skew				
	<50 ns/100m				

Technical Bid

Approved/ Not approved



Dr. Srichand V. Talib
Member/Secretary




M. Anwar
Increase IT

The members (for acceptance not acceptance) are given on line front page tabular for individual member.



Prof. Ghulam Sarwar Qureshi
Chairman



Prof. Mahmood Hassan
Member



Mahmood
Member



Prof. Aijaz Ali Qureshi
Member


Dr. Azam Khan
Member


Nafees Ibrabim
Chief Accountant
Member


Dr. Azam Khan
V. President SMC Alumni
Member


Representative of Health Department
Member


Representative of Finance Department
Member


Representative of Finance Department
Member

COMPARATIVE STATEMENT TECHNICAL

TENDER FOR SUPPLY OF ELECTRICAL, ELECTRONICS MACHINERS, EQUIPMENT AND SOFTWARE FOR THE UNIVERSITY

TENDER OPENED ON: 05-12-2013
 NAME OF ITEM: RJ45 Connectors
 DEPARTMENT: Store
 ITEM NO: 41
 QUANTITY: 200
 No of participated bidders

Specification	ABM Data (1)	Rajput Engineering (2)	SecSam Solution Pvt Ltd (3)	Roomi Enterprises (4)	Genco (5)
CAT-6 AMP or Equivalent Brand	Not participated in this item hence not qualified	NOT ACCEPTED SPECIFICATION NOT MEET REQUIRED CONNECTOR AMP BRAND Microlink Cat6 RJ45 Connector China Origin Made in China Checking Warranty	Not participated in this item hence not qualified	Not participated in this item hence not qualified	Not participated in this item hence not qualified

Technical Bid

Approved/ Not approved

[Signature]
 Prof. Ghulam Sarwar Qureshi
 Chairman

[Signature]
 Dr. Azam Khan
 V President SMC Alumni
 Member

[Signature]
 Naigees Ibrabim
 Chief Accountant
 Member

[Signature]
 Mahmood Ali Durrani
 Member

[Signature]
 Prof. Mahmood Hassan
 Member

[Signature]
 Representative of Health Department
 Member

[Signature]
 Dr. Saeed V. Talib
 Member/Secretary

[Signature]
 Prof. Aijaz Ali Qureshi
 Member

[Signature]
 Representative of Finance Department
 Member

[Signature]
 M. Awangzeb
 Incharge IT


[Signature]
 The Members (for selection not accepted) are given as in table


**COMPARATIVE STATEMENT TECHNICAL
TENDER FOR SUPPLY OF ELECTRICAL, ELECTRONICS MACHINERS, EQUIPMENT AND SOFTWARE FOR THE UNIVERSITY**


TENDER OPENED ON: 05-12-2013
 NAME OF ITEM: SATA Cable
 DEPARTMENT: Store
 ITEM NO: 42
 QUANTITY: 40
 No of participated bidders


Specification	ABM Data (1)	Rajput Engineering (2)	SeeSam Solution Pvt Ltd (3)	Roomi Enterprises (4)	Gemco (5)
For SATA Hard Disk	Not participated in this item hence not qualified	ACCEPTED SATA Cable for SATA Hard Drive China Origin Made in China Checking Warranty	Not participated in this item hence not qualified	Not participated in this item hence not qualified	Not participated in this item hence not qualified


Technical Bid
 Approved/ Not approved



 Dr. Srichand V. Talib
 Member/Secretary



 Prof. Mahmood Hassan
 Member



 Prof. Aijaz Ali Qureshi
 Member



 Mahmood Ali Lakho
 Member



 Nafeez Ibrahim
 Chief Accountant
 Member


 Dr. Ghulam Sarwar Qureshi
 Chairman


 Dr. Azam Khan
 V President SMC, Alumni
 Member


 Representative of Health Department
 Member


 Representative of Finance Department
 Member


 M. Auresh
 Increase T.T

The Remains (for acceptance / not acceptance) are given on this front page paper for individual bidders.

**COMPARATIVE STATEMENT TECHNICAL
TENDER FOR SUPPLY OF ELECTRICAL, ELECTRONICS MACHINERS, EQUIPMENT AND SOFTWARE FOR THE UNIVERSITY**

TENDER OPENED ON: 65.12-2013

NAME OF ITEM: Keyboard

DEPARTMENT: Store

ITEM NO: 45


QUANTITY: 100


No of participated bidders


Specification	ABM Data (1)	Rajput Engineering (2)	SeeSam Solution Pvt Ltd (3)	Roomi Enterprises (4)	Gemco (5)
A4 Tech USB Keyboard	Not participated in this item hence not qualified	ACCEPTED Keyboard A4 Tech KR750 China Origin Made in China Checking Warranty System requirements Windows 2000 XP (X64) 2003 (X64) Vista .PS/2 or USB Port Available	Not participated in this item hence not qualified	Not participated in this item hence not qualified	Not participated in this item hence not qualified


Technical Bid


Approved/ Not approved



Dr. Ghulam Sarwar Qureshi
 Chairman



Dr. Azam Khan
 V. President SMC Alumni / Chief Accountant Member



Mahmood Ali Lashari
 Member


Prof. Mahmood Hassan
 Member


Dr. Srigand V. Talib
 Member/Secretary


Prof. Aijaz Ali Qureshi
 Member


Representative of Health Department
 Member


Representative of Finance Department
 Member

M. Amangos
Increase I.T








The remarks (for allocation / not allocated) are given

**COMPARATIVE STATEMENT TECHNICAL
TENDER FOR SUPPLY OF ELECTRICAL, ELECTRONICS MACHINERS, EQUIPMENT AND SOFTWARE FOR THE UNIVERSITY**

TENDER OPENED ON: 05-12-2013
 NAME OF ITEM: Mouse
 DEPARTMENT: Store
 ITEM NO: 44
 QUANTITY: 100
 No of participated bidders

Specification	ABM Data (1)	Rajput Engineering (2)	SeeSam Solution Pvt Ltd (3)	Roomi Enterprises (4)	Gemco (5)
A4 Tech USB Mouse	Not participated in this item hence not qualified	ACCEPTED Mouse A4 Tech OP70 China Origin Made in China Checking Warranty A4 Tech OP-720 USB Optical Mouse	Not participated in this item hence not qualified	Not participated in this item hence not qualified	Not participated in this item hence not qualified

Technical Bid
 Approved/ Not approved


 Prof. Ghulam Sarwar Qureshi
 Chairman
 Dr. Azam Khan
 V President SMC Alumni Member
 Nafees Ibrahain
 Chief Accountant Member
 Prof. Mahmood Hassan
 Member
 Prof. Aijaz Ali Qureshi
 Member
 Dr. Srichand V. Talib
 Member Secretary
 M. Awaraz Bets
 Increase 5-T
Proceeding on 10 days leave time Remarvis for acceptance / not acceptance are given on this Page table for individual


**COMPARATIVE STATEMENT TECHNICAL
TENDER FOR SUPPLY OF ELECTRICAL, ELECTRONICS MACHINERS, EQUIPMENT AND SOFTWARE FOR THE UNIVERSITY**


TENDER OPENED ON: 05-12-2013
 NAME OF ITEM: Switch
 DEPARTMENT: Store
 ITEM NO: 45
 QUANTITY: 10
 No of participated bidders


Specification	ABM Data (1)	Rajput Engineering (2)	SeeSam Solution Pvt Ltd (3)	Roomi Enterprises (4)	Gemco (5)
Cisco 8-Port	Not participated in this item hence not qualified	ACCEPTED Switch Cisco Linksys SD2008 8 Port Switch U.S.A Origin Made in China Warranty 01 Years	Not participated in this item hence not qualified	Not participated in this item hence not qualified	Not participated in this item hence not qualified


Technical Bid
 Approved/ Not approved



 Prof. Ghulam Sarwar Qureshi
 Chairman



 Dr. Azam Khan
 President SNIC Alumni Member


 Nafees Ibrabim
 Chief Accountant Member


 Prof. Mahmood Hassan
 Member


 Prof. Aijaz Ali Qureshi
 Member


 Dr. Srichand V. Talib
 Member/Secretary



 M. Awangzen
 Incharge

The members (for acceptance) not accepted are given at the end of this page table for individual bidders

**COMPARATIVE STATEMENT TECHNICAL
TENDER FOR SUPPLY OF ELECTRICAL, ELECTRONICS MACHINERS, EQUIPMENT AND SOFTWARE FOR THE UNIVERSITY**

TENDER OPENED ON: 05-12-2013
 NAME OF ITEM: Switch
 DEPARTMENT: Store
 ITEM NO: 46
 QUANTITY: 10
 No of participated bidders


Specification	ABM Data (1)	Rajput Engineering (2)	SecSam Solution Pvt Ltd (3)	Roomi Enterprises (4)	Genco (5)
Cisco 16-Port	Not participated in this item hence not qualified	<p style="text-align: center;">ACCEPTED</p> <p>Switch Cisco Linksys SR2016 16 Port Switch U.S.A Origin Made in China Warranty 01 Years</p> <p>Feature:</p> <ul style="list-style-type: none"> • 16 RJ-45 ports for 10Base-T/100Base-TX/1000Base-TX connections • Auto negotiation of half-duplex and full-duplex mode for all ports • Auto MDI/MDI-X support on all ports for easy cable detection • Efficient MAC address learning engine supports up to 8000 MAC addresses • Store-and-forward 	Not participated in this item hence not qualified	Not participated in this item hence not qualified	Not participated in this item hence not qualified




		<ul style="list-style-type: none"> forwarding scheme Standard width and mounting kit (included) for easy installation into a rack Integrated 256-KB packet buffer memory Support jumbo frame of 9 KB Supports IEEE 802.3X full-duplex operation European union Resistance of Hazardous Substance (RoHS) compliant. 	
--	--	--	--


Technical Bid


Approved/ Not approved



Dr. Sridharand V. Talib
 Member/Secretary



 M. Awarag
 Incharge I.T


The Remarks (for accept or not accept) are given on the form from the for individual boards.



Prof. Ghulam Sarwar Qureshi
 Chairman



Prof. Mahmood Hassan
 Member


Prof. Aijaz Ali Qureshi
 Member


Dr. Azam Khan
 President SMC Alumni/
 Member


Xafes Ibrabim
 Chief Accountant
 Member


Representative of Health Department
 Member


Representative of Finance Department
 Member

**COMPARATIVE STATEMENT TECHNICAL
TENDER FOR SUPPLY OF ELECTRICAL, ELECTRONICS MACHINERS, EQUIPMENT AND SOFTWARE FOR THE UNIVERSITY**

TENDER OPENED ON: 05-12-2013

NAME OF ITEM: Color Laser Jet HP 1025 (C, M, Y, K)

DEPARTMENT: Store

ITEM NO: 47

QUANTITY: 05

No of participated bidders

Specification	ABM Data (1)	Rajput Engineering (2)	SeeSam Solution Pvt Ltd (3)	Roomi Enterprises (4)	Gemco (5)
HP or Equivalent	Not participated in this item hence not qualified	ACCEPTED	Not participated in this item hence not qualified	Not participated in this item hence not qualified	Not participated in this item hence not qualified
		Toner for Color LaserJet Printer HP 1025 (CMYK) U.S.A Origin Made in China Checking Warranty			

Technical Bid

Approved/ Not approved

[Signature]

Prof. Ghulam Sarwar Qureshi
Chairman

Dr. Azam Khan
President SMC Alumni
Member

Representative of Health Department
Member

Representative of Finance Department
Member

Mahmood Ali Khan
Member

Prof. Mahmood Hassan
Member

Prof. Aijaz Ali Qureshi
Member

Dr. Saichand V. Talib
Member/Secretary

[Signature]

M. Anwarul Haq
Member I.T







The Remains (for acceptance / non acceptance) are given at the top of this page to be for individual

**COMPARATIVE STATEMENT TECHNICAL
TENDER FOR SUPPLY OF ELECTRICAL, ELECTRONICS MACHINERS, EQUIPMENT AND SOFTWARE FOR THE UNIVERSITY**

TENDER OPENED ON: 05-12-2013
 NAME OF ITEM: Toner SP-100
 DEPARTMENT: Store
 ITEM NO: 48
 QUANTITY: 05
 No of participated bidders

Specification	ABM Data (1)	Rajput Engineering (2)	SeeSam Solution Pvt Ltd (3)	Roomi Enterprises (4)	Genco (5)
Sp-100 (or Equivalent)	Not participated in this item hence not qualified	Not participated in this item hence not qualified	ACCEPTED Genuine Toner Cartridge SPI100 e	Not participated in this item hence not qualified	ACCEPTED Toner SP-100

Technical Bid
 Approved/ Not approved

Dr. Azam Khan V President SMC Alumni Member
Prof. Ghulam Sarwar Qureshi Chairman
Mahmood Ali Lashari Member
Prof. Mahmood Hassan Member
Dr. Srichand V. Talib Member/Secretary
M. Aunrezes Increase 1.7
Prof. Aijaz Ali Qureshi Member
Representative of Health Department Member
Representative of Finance Department Member
 The members (for acceptance / not acceptance) are given on the front in this table for individual bidders.


COMPARATIVE STATEMENT TECHNICAL
TENDER FOR SUPPLY OF ELECTRICAL, ELECTRONICS MACHINERS, EQUIPMENT AND SOFTWARE FOR THE UNIVERSITY


TENDER OPENED ON: 05-12-2013
 NAME OF ITEM: Toner Type TN-240 BK, CYAN, MAGNETA, YELLOW
 DEPARTMENT: Store
 ITEM NO: 49
 QUANTITY: 05
 No of participated bidders

Specification	ABM Data (1)	Rajput Engineering (2)	SeeSam Solution Pvt Ltd (3)	Roomi Enterprises (4)	Gemco (5)
(or Equivalent)	Not participated in this item hence not qualified	Not participated in this item hence not qualified	Not participated in this item hence not qualified	Not participated in this item hence not qualified	ACCEPTED Toner Type TN-240 BK, CYAN, MAGNETA, YELLOW


Technical Bid


Approved/ Not approved



 Dr. Sridehand, V. Talib
 Member/Secretary





M. Anwar Beg
 Incharge I.T



 Prof. Aijaz Ali Qureshi
 Member


 Prof. Mahmood Hassan
 Member


 Mahmood Ali Lashari
 Member


 Representative of Health Department
 Member


 Nafees Ibrabim
 Chief Accountant
 Member


 Dr. Azam Khan
 President SMC Alumni
 Member

The Removers (for acceptance list acceptance) are given at the top of this page for individual bidder.