KARACHI WATER & SEWERAGE BOARD

OFFICE OF THE DIRECTOR (DESIGN & ESTIMATE)

BID EVALUATION REPORT

	NAME AND ADDRESS OF THE PARTY O	
1	Name of Procuring Agency:	KARACHI WATER & SEWERAGE BOARD
2	Tender Reference No:	KWSB/DPR/188/2017 published in daily "Hilal-e-Pakistan" dt:16-12-17 "Jang" dt:17-12-17, & "Dawn" dt:18-12-17. SPPRA Serial No.35823 LD No.
3	Tender Description/Name of Work/Item:	REPLACEMENT OF 4", AND 6" DIA WATER LINE BY P/L 110 MM &160 MM P.E WATER LINE AT PITCHERD NALLAH, KARA BAI KAREEM JEE ROAD AND BRANCHES QASSAR QANDI MOHALLAH, LYARI TOWN (WATER) KW&SB >
4	Method of Procurement:	Single Stage (One Envelop)
5	Tender Published:	Through Press & SPPRA Web Site
б	Total Bid Documents Sold: 2	4 Nos
7	Total Bid Received:	<u>4 Nos</u>
8	Technical Bid Opening Date (if applicable):	N/A
9	No. of Bid Technically Qualified (if applicable)	N/A
10	Bid (s) Rejected:	<u>01 No</u>
11	Financial Bid Opening Date:	09-01-2018

12 BID EVALUATION REPORT

S#	Name of Firm / Bidder	COST OFFERED BY THE BIDDER	RANKING IN TERMS OF COST	COMPARISON WITH ESTIMATED COST	REASON FOR ACCEPTANCE / REJECTION	REMARKS
1	M/s.Sanaullah Enterprises	Rs.17,06,667/-	1 st Lowest	@0.020% Below	Pay order and required documents are attached. P.O # 19525149 dated:27- 12-2017 Rs.36,000/-from HBL Taimuriya Market Branch Karachi-	Substantially Responsive
F 2	M/s Noor Rehman & Bros	Rs.17.33.425/-	2 ^{ns} Lowest	@1.547% Above	Pay order and required documents are attached. P.O # 12054874 dated:27- 12-2017 Rs.36,000/-from UBL Manghopir Branch Karachi	Substantially Responsive
1/3	M/s.Sind Pipe Industries	Rs.17,93,879/-	3 rd Lowest	@5.089% Above	Pay order and required documents are attached. P.O # 03846627 dated:09- 01-2018 Rs.35,000/-from Bank of Khyber S.I.T.E Branch Karachi	Substantially Responsive
4	M/s KPK Enterprises	Rs.17,61,493/-	-	@3.192% Above	Pay order not attached, required documents are attached.	Un- Responsive

The all concerned bidders are being informed accordingly.

The E.E Concerned for compliance of Rule-45 of SPPRA 2010 M/s.Sanaullah Enterprises declared as the lowest responsive bidder by the Committee and recommended for sanction from Competent Authority.

(Nadcem Ahmer Klinn) D.A.O (Dist. 800N-A)

Member / Secretary

(Saif-ul-Haque)
Additional Director Internal
Audit - KMC Member

(Maqdood Ahmed Shaikh) Superintending Engineer (KMC) Member

(Saifuddin) 10.1.18

Director (Design & Estimate)

Convener

(Muhummad Astan Awan) S.E (District South-A)

Member

NIT No.SPPRA Serial No.35823

Method and procedure of procurement: Open Competitive Bidding (National/International Competitive Bidding) (Single Stage-One Envelope)

Description of work:

REPLACEMENT OF 4", AND 6" DIA WATER LINE BY P/L 110

MM &160 MM P.E WATER LINE AT PITCHERD NALLAH,

KARA BAI KAREEM JEE ROAD AND BRANCHES QASSAR

OANDI MOHALLAH, LYARI TOWN (WATER) KW&SB

Date of Opening:

09-01-2018

BIDDERS' ELIGIBILITY/ QUALIFICATION REPORT

- Eligibility/ Qualification Criteria:

s.			Bidders	s' Name	
No.	Eligibility / Qualification Criteria	M/s.Sanaullah Enterprises	M/s.Noor Rehman & Bros.	M/s.Sind Pipe Industries	∠M/s.KPK Enterprises
1	Registration with PEC (if applicable)	N/A	N/A	N/A	N/A
2.	NTN	Yes	Yes	Yes	Yes
3.	Sales Tax Registration	N/A	N/A	N/A	N/A
4.	Registration with Sindh Revenue Board (SRB)	Yes	Yes	Yes	Yes
	Qualification Criteria:				
5.	Minimum three years' experience of relevant field.	Yes	Yes	Yes	Yes
6.	Turnover of at least last three years	Yes	Yes	Yes	Yes
7.	Required Bid Security is attached.	Yes	Yes	Yes	No
8.	Bid is signed, named and stamped by the authorized person of the firm along with Authorization letter.	Yes	Yes	Yes	Yes
9.	Any other factor deemed to be relevant by the procuring agency subject to provision of Rule-44	N/A	N/A	N/A	N/A
10.	Qualified/ disqualified	Qualified	Qualified	Qualified	Disqualified

(Nadcem Ahmed Khan) D.A.O (Dist. South-A)

Member / Secretary

(Saif-ul-Haque) Additional Director Internal Audit - KMC Member

(Magsood Ahmed Shaikh) Superintending Engineer (KMC)

Member

(Muhammad Asigm Awan) S.E (District South-A)

Member

(Saifuddin)

Director (Design & Estimate)

Convener

NIT Sr. No. SPPRA Serial No.35823

Method of Procurement:

Single Stage Single Envelope.

Name of Work:

REPLACEMENT OF 4", AND 6" DIA WATER LINE BY P/L 110 MM &160 MM P.E WATER LINE AT PITCHERD NALLAH, KARA BAI KAREEM JEE ROAD AND BRANCHES QASSAR QANDI

MOHALLAH, LYARI TOWN (WATER) KW&SB

MINUTES OF BID OPENING MEETING.

A meeting of the procurement committee of this department was held on 09-01-2018 for opening the bids received in respect of subject NIT till deadlines of submission. The meeting was attended by all / following members of the procurement committee and the representative of bidders.

(Attendance sheet is enclosed).

- 2. Four bidders submitted their bids till the deadline of submission.
 - i. M/s. Sanaullah Enterprises
 - ii. M/s.Noor Rehman & Brothers.
 - iii. M/s. Sind Pipe Industries
 - iv. M/s.KPK Enterprises
- 3. The bids were opened at 11:30 A.M in the presence of the above mentioned participants and the rates quoted by bidders were read aloud and encircled by Chairman of the Procurement Committee.

S. No	Name of Firm	Quoted Price	Amount of Bid Security	Pay Order No. / Date				
1.	M/s.Sanaullah Enterprises	Rs.17,06,667/-	Rs.36,000/-	P.O # 19525149 dated:27-12-2017 from HBL Taimuriya Market Branch Karachi				
2.	M/s.Noor Rehman & Brothers	Rs.17,33,425/-	Rs.36,000/-	P.O # 12054874 dated:27-12-2017 from UBL Manghopir-Branch Karachi				
-3	M/s.Sind Pipe Industries	Rs.17,07,009/-	Rs.35.000/-	P.O # 03846627 dated:09-01-2018 from Bank of Khyber S.I.T.E. Branch Karachi				
C 4	M/s.KPK Enterprises	Rs.17,61.493/-	_	Pay order not attached.				

- 4. The bids do not contain any cutting or over-writing.
- 5. The committee shall examine all the bids as per the qualification / eligibility criteria provided in the bidding document and verify the documents and bid security submitted by the bidders (if required).

The meeting ended with the vote of thanks to and from the chair.

(Nadeem Ahmed Khan) D.A.O (Dist. South A)

Member / Secretar

(Saif-ul-Haque)
Additional Director Internal
Audit KMC Member

(Maqsood Ahmed Shaikh) Superintending Engineer (KMC)

Member

(Saifuddin

Director (Design & Estimate)

Convener

(Muhamuhad Astaffi Awar S.E (District South-A)

Member

COMPARATIVE STATEMENT

Name of Work: REPLACEMENT OF 4", AND 6" DIA WATER LINE BY P/L 110 MM &160 MM P.E WATER LINE AT PITCHERD NALLAH, KARA BAI KAREEM JEE ROAD AND BRANCHES QASSAR QANDI MOHALLAH, LYARI TOWN (WATER) KW&SB

ismantling and removing road metalling etc. ismantling and removing cement concrete plain 1:4:8 xcavation for pipe line in trenches and pits in all kind of oils of murum i/c trimming and dressing sides to true ignment and shape leveling of beds of trenches to correct	Quan 2786.00 4000.00	Cft Cft	Rate 605.00	Per %Cft	Amount	Rate	Amount	Rate	Amount	Rate	. /.
ismantling and removing cement concrete plain 1:4:8 excavation for pipe line in trenches and pits in all kind of pils of murum i/c trimming and dressing sides to true ignment and shape leveling of beds of trenches to correct		727-01-0		%Cft	16 055 20				remount	ivace	Amount
excavation for pipe line in trenches and pits in all kind of pils of murum i/c trimming and dressing sides to true ignment and shape leveling of beds of trenches to correct	4000.00	Cft	1663 75		16,855.30	605.00	16,855.30	615.00	17,133.90	5,00	13,930.00
oils of murum i/c trimming and dressing sides to true ignment and shape leveling of beds of trenches to correct			1005.75	%Cft	66,550.00	1660.00	66,400.00	1690.00	67,600.00	5.00	20,000.00
vel and grade cutting joints holes and disposal of surplus arth within one chain as directed by Engineer Incharge roviding fence guards, lights, flags sand temporary cossing for non-vehicular traffic wherever required lift to 5 ft (1.52 m) and lead upto one chain (30.5m).		Waste									
oto 0' to 5' Ft	30537.00	Cft	4650.00		141,997.05	4650.00	141,997.05	4700.00		9.00	274,833.00
oto 5' to 8' ft	7250.00	Cft	5200.00	%0Cft	37,700.00	5200.00	37,700.00	5300.00	38,425.00	1.00	7,250.00
all hire charges of pumping set per day i/c of wages of river and assistant fuel or electric energy platform for acing the pump etc at lower depth with suction and elivery pipes for pumping out water found at various epth from trenches including the cost of erection and smantling after completion of the job. Hire charges of amping set upto 10 HP pumping out water from 10 ft deep ench.		Days	1500.00	P/Day	42,000.00	1500.00	42,000.00	1550.00	43,400.00	1000.00	28,000.00
. Harring 1. Harring Control (1. Harring and March 2014) - Harring and Arring Arring Arring (1. Harring Arring Arr											
	onstruction of Block Masonry chamber size 6'x6'x6' side dimention with 24"x24" C.I Cover and frame weight is Kg fix in RCC 1;2;4 slab 6" thick with steel 1/2" dia tor ain bars @6" C/C bentup 1/4" dia 8" C.C distribution ars B/M wall set 1:6 cm 6" thick C.C 1:4:8 in foundation thick CC 1:2;4 flooring 1/2" thick 1-0 to al in side wall rfaced top & bottom slab outer side wall surface 1-0 deep not or oof slab i/c M.S footrest 5/8" dia bars at every 2-0	onstruction of Block Masonry chamber size 6'x6'x6' side dimention with 24"x24" C.I Cover and frame weight Kg fix in RCC 1:2:4 slab 6" thick with steel 1/2" dia tor ain bars @6" C/C bentup 1/4" dia 8" C.C distribution ars B/M wall set 1:6 cm 6" thick C.C 1:4:8 in foundation thick CC 1:2;4 flooring 1/2" thick 1-0 to al in side wall	onstruction of Block Masonry chamber size 6'x6'x6' side dimention with 24"x24" C.I Cover and frame weight is Kg fix in RCC 1:2:4 slab 6" thick with steel 1/2" dia tor ain bars @6" C/C bentup 1/4" dia 8" C.C distribution ars B/M wall set 1:6 cm 6" thick C.C 1:4:8 in foundation thick CC 1:2;4 flooring 1/2" thick 1-0 to al in side wall rfaced top & bottom slab outer side wall surface 1-0 deep not o roof slab i/c M.S footrest 5/8" dia bars at every 2-0	onstruction of Block Masonry chamber size 6'x6'x6' side dimention with 24"x24" C.I Cover and frame weight is Kg fix in RCC 1:2:4 slab 6" thick with steel 1/2" dia tor ain bars @6" C/C bentup 1/4" dia 8" C.C distribution ars B/M wall set 1:6 cm 6" thick C.C 1:4:8 in foundation thick CC 1:2;4 flooring 1/2" thick 1-0 to al in side wall rfaced top & bottom slab outer side wall surface 1-0 deep oto roof slab i/c M.S footrest 5/8" dia bars at every 2-0	onstruction of Block Masonry chamber size 6'x6'x6' side dimention with 24"x24" C.I Cover and frame weight is Kg fix in RCC 1:2:4 slab 6" thick with steel 1/2" dia tor ain bars @6" C/C bentup 1/4" dia 8" C.C distribution ars B/M wall set 1:6 cm 6" thick C.C 1:4:8 in foundation thick CC 1:2;4 flooring 1/2" thick 1-0 to al in side wall rfaced top & bottom slab outer side wall surface 1-0 deep oto roof slab i/c M.S footrest 5/8" dia bars at every 2-0	onstruction of Block Masonry chamber size 6'x6'x6' side dimention with 24"x24" C.I Cover and frame weight is Kg fix in RCC 1:2:4 slab 6" thick with steel 1/2" dia tor ain bars @6" C/C bentup 1/4" dia 8" C.C distribution ars B/M wall set 1:6 cm 6" thick C.C 1:4:8 in foundation thick CC 1:2;4 flooring 1/2" thick 1-0 to al in side wall rfaced top & bottom slab outer side wall surface 1-0 deep onto roof slab i/c M.S footrest 5/8" dia bars at every 2-0	onstruction of Block Masonry chamber size 6'x6'x6' side dimention with 24"x24" C.I Cover and frame weight is Kg fix in RCC 1:2:4 slab 6" thick with steel 1/2" dia tor ain bars @6" C/C bentup 1/4" dia 8" C.C distribution ars B/M wall set 1:6 cm 6" thick C.C 1:4:8 in foundation thick CC 1:2;4 flooring 1/2" thick 1-0 to al in side wall rfaced top & bottom slab outer side wall surface 1-0 deep onto roof slab i/c M.S footrest 5/8" dia bars at every 2-0	onstruction of Block Masonry chamber size 6'x6'x6' side dimention with 24"x24" C.I Cover and frame weight is Kg fix in RCC 1:2:4 slab 6" thick with steel 1/2" dia tor ain bars @6" C/C bentup 1/4" dia 8" C.C distribution ars B/M wall set 1:6 cm 6" thick C.C 1:4:8 in foundation thick CC 1:2;4 flooring 1/2" thick 1-0 to al in side wall rfaced top & bottom slab outer side wall surface 1-0 deep onto roof slab i/c M.S footrest 5/8" dia bars at every 2-0	onstruction of Block Masonry chamber size 6'x6'x6' side dimention with 24"x24" C.I Cover and frame weight is Kg fix in RCC 1:2:4 slab 6" thick with steel 1/2" dia tor ain bars @6" C/C bentup 1/4" dia 8" C.C distribution ars B/M wall set 1:6 cm 6" thick C.C 1:4:8 in foundation thick CC 1:2;4 flooring 1/2" thick 1-0 to al in side wall rfaced top & bottom slab outer side wall surface 1-0 deep onto roof slab i/c M.S footrest 5/8" dia bars at every 2-0	onstruction of Block Masonry chamber size 6'x6'x6' side dimention with 24"x24" C.I Cover and frame weight is Kg fix in RCC 1:2:4 slab 6" thick with steel 1/2" dia tor ain bars @6" C/C bentup 1/4" dia 8" C.C distribution ars B/M wall set 1:6 cm 6" thick C.C 1:4:8 in foundation thick CC 1:2;4 flooring 1/2" thick 1-0 to al in side wall arfaced top & bottom slab outer side wall surface 1-0 deep onto roof slab i/c M.S footrest 5/8" dia bars at every 2-0	onstruction of Block Masonry chamber size 6'x6'x6' side dimention with 24"x24" C.I Cover and frame weight is Kg fix in RCC 1:2:4 slab 6" thick with steel 1/2" dia tor ain bars @6" C/C bentup 1/4" dia 8" C.C distribution ars B/M wall set 1:6 cm 6" thick C.C 1:4:8 in foundation thick CC 1:2;4 flooring 1/2" thick 1-0 to al in side wall arfaced top & bottom slab outer side wall surface 1-0 deep onto roof slab i/c M.S footrest 5/8" dia bars at every 2-0

The Amy

Name of Work: REPLACEMENT OF 4", AND 6" DIA WATER LINE BY P/L 110 MM &160 MM P.E WATER LINE AT PITCHERD NALLAH, KARA BAI KAREEM JEE ROAD AND BRANCHES QASSAR QANDI MOHALLAH, LYARI TOWN (WATER) KW&SB

Item	Description of Work		1	Estimated	Cost			anaullah erprises	The property of the first of th	r Rehman & others	127,0462-20	Sind Pipe Iustries
No		Quant	ity	Rate	Per	Amount	Rate	Amount	Rate	Amount	Rate	Amount
6	P/F G.I Pipe and Specials i/c fixing, cutting, & fitting complete with i/c the cost of cutting trench upto 2 1/2' deep re-fillig watering ramming and disposal of surpluses earth within one chain and paiintign 2 coats of bitumen paint to pieps & special after cleaning & lasso in lath soaked and mix phalt composition wapped tightly round pipe and											
	testing to a presshre head of 200'ft and handling 3/4" dia.	200.00	Rft	86.36	P/Rft	17,272.00	86.00	17,200.00	88.00	17,600.00	45.00	9,000.00
7	Providing & Laying and Jointing of Polyethylene pipe in trench i/c fitting jointing and testing etc. complete in all respect the high density Polyethylene P.E pipes (HDPE-100) for W/S conforming ISO 4427/DIN-8074/8075 B.S 3580 & PSI 3051 (PN-10). 110 MM	1600.00	Rft	268.00	P/Rft	428,800.00	268.00	428,800.00	270.00	432,000.00	165.00	264,000.00
	160 MM	700.00	Rft	530.00	P/Rft	371,000.00	530.00	371,000.00	540.00	378,000.00	350.00	245,000.00
	200 MM	400.00	Rft	833.00	P/Rft	333,200.00	833.00	333,200.00	850.00	340,000.00	540.00	216,000.00
8	P/F M.S Split Collar tee on PRCC Pipe of different sizes having width as mentioned against each item to suit pipe the size of connection fabricated with 3/8" thick M.S plate excluding the cost of Neck its includes the cost of 3/4" thick M.S Plate with a total weight as mentioned 12" x 12" (Weight 104.86 Kg)	1.00	Nos	19037.00	Each	19,037.00	19000.00	19,000.00	19500.00	19,500.00	35000.00	35,000.00
9	P/F M.S Split Collar 9" wide on AC pipe fabricated with 1/4" thick M.S plate having dimension and weight as mentioned against each item i/c or cost of labour and sealing material cost of 4 Nos 1/4" thick flanges Nuts & bolts rubber packing and sealing etc. (Weight 10.48 Kg) 06"dia (Weight 12.31 Kg) 08"dia	1.00	No No	2129.00 2510.00	Each	2,129.00 2,510.00	2130.00 2500.00	2,130.00 2,500.00	2150.00 2500.00	2,500.00	20000.00 25000.00	20,000.00 25,000.00
	(Weight 14.13 Kg) 10"dia	1.00	No	2800.00	Each	2,800.00	2800.00	2,800.00	2900.00	2,900.00	30000.00	30,000.00
10	P/F M.S tail piece (DHOLKI) on A.C pipe fabricated with 1/2" thick M.S plate having dimension and weight as mentioned against each item it i/c the cost of sealing material (Wt. 6.290 Kg) 04" dia	4.00	Nos	1098.00	Each	4,392.00	1100.00	4,400.00	1100.00	4,400.00	25000.00	100,000.00
	(Wt. 8.410 Kg) 06" dia	1.00	No	1422.00	Each	1,422.00	1420.00	1,420.00	1450.00	1,450.00	30000.00	30,000.00
	(Wt. 12.75 Kg) 08" dia	1.00	No	2199.00	Each	2,199.00	2200.00	2,200.00	2300.00	2,300.00	35000.00	35,000.00

7

D

M

my

Name of Work: REPLACEMENT OF 4", AND 6" DIA WATER LINE BY P/L 110 MM &160 MM P.E WATER LINE AT PITCHERD NALLAH, KARA BAI KAREEM JEE ROAD AND BRANCHES QASSAR QANDI MOHALLAH, LYARI TOWN (WATER) KW&SB

Item	Description of Work			Estimated	Cost			anaullah erprises	-	r Rehman & others	1	ind Pipe ustries
No		Quant	ity	Rate	Per	Amount	Rate	Amount	Rate	Amount	Rate	Amount
11	C.1 Sluice Valve heavy pattern (Test Pressure 21.0 Kg/sq.com or 300 lb/sq.inch) (Imported).06" Dia	1.00	No	9360.00	Each	9,360.00	9350.00	9,350.00	9500.00	9,500.00	40000.00	40,000.00
12	Fixing of sluice valve with 2 cast iron tail pieces one end flanged & other with socket i/c the cost of nut, bolts & rubber packing, labour etc complete. 06" Dia	1.00	No	1886.00	Each	1,886.00	1900.00	1,900.00	2000.00	2,000.00	40000.00	40,000.00
13	P/F 0-9" long 3/8" thick M.S. Neck to existing M.S. Pipe to a split collar tee having a total weight as mentioned against each item. It includes the cost of fabrication and welding to the split collar tee. 04" dia (6.66 Kg)		Nos	1229.00	Each	4,916.00	1220.00	4,880.00	1250,00	5,000.00	20000.00	80,000.00
	06" dia (10.90 Kg)	1.00	No	1984.00	Each	1,984.00	2000.00	2,000.00	2000.00	2,000.00	25000.00	25,000.00
	08" dia (15.75 Kg)	1.00	No	2804.00	Each	2,804.00	2800.00	2,800.00	2900.00	2,900.00	30000.00	30,000.00
14	P/F M.S Bend fabricated with 1/4" thick M.S plate having an outer length and total weight as mentioned against each item. 4" dia (6.340 Kg)	10	Nos	1082.00	Each	2,164.00	1082.00	2,164.00	1100.00	2,200.00	25000.00	50,000.00
	6" dia (14.284 Kg)	1.00	No	2435.00	Each	2,435.00	2400.00	2,400.00	2400.00	2,400.00	30000.00	30,000.00
15"	Refilling the excavated stuff in trenches 6" thick layer i/c watering ramming to full compaction etc complete.	37783.00	Cft	2760.00	%0Cft	104,281.08	2760.00	104,281.08	2800.00	105,792.40	2.00	75,566.00
46	Sand Haro	1000.00	Cft	2425.00	%Cft	24,250.00	2425.00	24,230.00	2450.00	24,500.00	30.00	300.00
17	Carriage of 100 Cft / 5 Tons of all matrials like stonne aggregate, spawl, coal, lime, surkhi etc B.G Rail fastening points and crossing bridges, Girders, pipes sheet Rail, M.S Bars etc. or 1000 Nos bricks, 10"x 5"x3" or 1000 Nos: tiles, 12" x6"x2" or 150 Cft of timber or 100 Maunds of fuel wood by trucks or any other means owned by the Contractors. Carriage for 05 Miles		Cſt	714.29	%Cft	7,142.90	714.00	7,140.00	725.00	7,250.00	30.00	30,000.00
1	TOTAL QUOTED / CORRECTED COST					£1,707,009		≤ 1,786,66¥	0	1,733,425		= 1,793,879

(Nadeem Ahmed Khan) D.A.O (Distt. South-A) Member / Secretary

(Saif-ul-Haque) Addl. Director Internal Audit KMC - Member

(Magsood Ahmed Shaikh) Superintending Engineer (K.M.C) Member

(Muhammad Aslam Awan) S.E (District South)-A

Member

(Saifuddin)

Director (Design & Estimate)

Convener



KARACHI WATER & SEWERAGE BOARD

ATTENDANCE SHEET OF CONTRACTORS

NAME OF WORK :- REPLACEMENT OF 4" DIA & 6" DIA WATER LINE BY P/L 110 MM, 160 MM P.E PIPE WATER LINE AT PITCHERD NALLA KARA BAI KAREEM GEE ROAD AND BRANCHES QASSER QANDI MOHALLAH LYARI TOWN (WATER).

11:30 AM

1. Date of Opening & Time :- 09-01-2018, At 02:30 Pm.

2. Estimated Cost: Rs.17,07,009/=

3. Serial No.:

SPPRA SERIAL NO.35823.

SR.NO.	NAME OF FIRM	NAME OF REPRESENTATIVES & DESIGNATION	SIGNATURE
) ၁)	Ms Sanalloh RAD	Sanolchan	88
22	M/S Noor Rehmands Br	603 Noo3 Rehma	النوري.
33	M/s 1cP1 ESposses	Imon lohon	1909 90 Torez nue az
(4)	Sind Pipe Ins	USS HOW.	(Josepaine of)
	*	1	
		a	0 4
			<u></u>
			37
**			
		×	
Ta			9 9
		3	