


BID EVALUATION REPORT


1.	Name of Procuring Agency	Mushtaque Ahmed Bullo
2.	Tender Reference No.	NIT NO. TC/G-55/286 dated 15.02.2016
3.	Name of Work	Rehabilitation/ Lining of Bago Wah RD-19 to 30, Rehabilitation of Irrigation Colony Ghotki and Pano Akil including Drainage System of Irrigation Colony Ghotki and Rehabilitation/ Brick Lining of Pir Wah at RD 7 to 24.
4.	Method of Procurement	Single Stage one Envelope Procedure
5.	Tender Published	Published in (i) Kawish (Sindhi) dated 19.02.2016 (ii) The News (English) dated 18.02.2016 (iii) Express (Urdu) dated 17.02.2016.
6.	Total Bid Document	01 No.
7.	Total Bid Received	01 No.
8.	Technical Bid Opening Date	09.03.2016 ✓
9.	No. of Bid Technically Qualified	01 No.
10.	Bid (s) Rejected	No. Rejected
11.	Financial Bid Opening Date	09.03.2016 ✓

EVALUATION


S. #	Name of Bidders	Cost offered by the Bidder	Ranking in farm cost	Comparison with Estimate Cost	Reason for acceptance/ rejected	Remarks
1.	Mushtaque Ahmed Bullo	386911532	1 st	3.61% Above Estimated Cost	1 st Lowest	Lowest Accepted

MEMBER


(ALI GUL QAZI)
ASSISTANT EX: ENGINEER
EDUCATION WORKS SUB-DIVISION
MIRPUR MATHELO


(ZAHID HUSSAIN QURESHI)
EXECUTIVE ENGINEER
GHOTKI DIVISION (IRRIGATION)
GHOTKI

CHAIRMAN


(GHULAM YASEEN QURESHI)
DIRECTOR
GHOTKI FEEDER CANAL
AREA WATER BOARD GHOTKI


OFFICIAL RECORD DIARY
NO. 867
DATED. 15-04-16


TECHNICAL EVALUTION REPORT /
BIDDER QUALIFICATION REPORT.

S.NO	NAME OF PROCURING	EXECUTIVE ENIGEER GHOTKI DIVISION (IRRIGATION) GHOTKI
1	TENDER REFERENCE NO.	NIT NO. TC/G-55/286 dated 15.02.2016
2	TENDER DESCRIPTION / NAME OF WORK / ITEM	Rehabilitation/ Lining of Bago Wah RD-19 to 30, Rehabilitation of Irrigation Colony Ghotki and Pano Akil including Drainage System of Irrigation Colony Ghotki and Rehabilitation/ Brick Lining of Pir Wah at RD 7 to 24.
3	Method of procurement	Single stage
4	Name of firm / Bidder	Mushtaque Ahmed Bullp
5	N.T.N	Available
6	REGISTRATION WITH P.E.C	Available Registration
7	EXPERIENCE	Available
8	02 % Earnest MONEY	Deposited
9	Tender fee / cost of bidding document	Deposited
10	Turnover of at least as three years	Available


Signature of the Tendering committee

MEMBER


(ALI GUL QAZI)
ASSISTANT EX: ENGINEER
EDUCATION WORKS SUB-DIVISION
MIRPUR MATHELO


(ZAHID HUSSAIN QURESHI)
EXECUTIVE ENGINEER
GHOTKI DIVISION (IRRIGATION)
GHOTKI

CHAIRMAN


(GHULAM YASEEN QURESHI)
DIRECTOR
GHOTKI FEEDER CANAL
AREA WATER BOARD GHOTKI

MINUTES OF MEETING OF THE COMMITTEE FOR EVALUATION OF BIDS

The tender for the works of Rehabilitation/ Lining of Bago Wah RD-19 to 30, Rehabilitation of Irrigation Colony Ghotki and Pano Akil including Drainage System of Irrigation Colony Ghotki and Rehabilitation/ Brick Lining of Pir Wah at RD 7 to 24, were invited by the procuring agency viz: Executive Engineer Ghotki Division (Irrigation) Ghotki vide Notice No. TC/ G-55 (b)/ 286 Dated 15.02.2016. Accordingly the tenders were required to be issued on 09.03.2016 upto and opened on the same date at 02:00 PM, following contractor purchased the tenders for the above works as shown below against each work.


S. #	Name of Work	Name of Contractor
1.	Rehabilitation/ Lining of Bago Wah RD-19 to 30, Rehabilitation of Irrigation Colony Ghotki and Pano Akil including Drainage System of Irrigation Colony Ghotki and Rehabilitation/ Brick Lining of Pir Wah at RD 7 to 24	Mushtaqe Ahmed Bullo


The tenders were opened in presence of the intending contractors and rates readout openly to the participant. The lowest rates were quoted by the Contractors are shown below against each works.


S. #	Name of Work	Name of Contractor	Whose rates were found lowest
1.	Rehabilitation/ Lining of Bago Wah RD-19 to 30, Rehabilitation of Irrigation Colony Ghotki and Pano Akil including Drainage System of Irrigation Colony Ghotki and Rehabilitation/ Brick Lining of Pir Wah at RD 7 to 24	Mushtaqe Ahmed Bullo	3.61% Above Estimated Cost

The bids evolution report was accordingly timely prepared and signed by the bids evolution committee.

MEMBER


(ALI GUL QAZI)
ASSISTANT EX: ENGINEER
EDUCATION WORKS SUB-DIVISION
MIRPUR MATHELO


(ZAHID HUSSAIN QURESHI)
EXECUTIVE ENGINEER
GHOTKI DIVISION (IRRIGATION)
GHOTKI

CHAIRMAN

(GHULAM YASEEN QURESHI)
DIRECTOR
GHOTKI FEEDER CANAL
AREA WATER BOARD GHOTKI

OFFICE OF THE EXECUTIVE ENGINEER
GHOTKI DIVISION (IRRIGATION) GHOTKI


TELEPHONE NO. # 0723-684826.

This office NIT No.TC/G-55/ 286 Dated. 15.02.2016.


SUBJECT: ATTENDANCE SHEET


DATE OF OPENING

09.03.2016


S.NO	NAME OF FIRM	SIGNATURE
1	Mushtque Ahmed Bullo	

MEMBER


(ALI GUL QAZI)
ASSISTANT EX: ENGINEER
EDUCATION WORKS SUB-DIVISION
MIRPUR MATHELO


(ZAHID HUSSAIN QURESHI)
EXECUTIVE ENGINEER
GHOTKI DIVISION (IRRIGATION)
GHOTKI

CHAIRMAN


(GHULAM YASEEN QURESHI)
DIRECTOR
GHOTKI FEEDER CANAL
AREA WATER BOARD GHOTKI

**OFFICE OF THE EXECUTIVE ENGINEER
GHOTKI DIVISION (IRRIGATION) AT GHOTKI**

CORRIGENDUM

The tenders were invited vide this Office No. TC/G-55(b)/150 dated 22-01-2016, which was timely delivered in the information department, but the publication of the Notice was carried out by the Newspapers on 04-02-2016, causing short response time because the tenders were to be opened on 15-02-2016, which has been opposed by the Chairman Transparency International Pakistan Karachi vide Letter No. TL16/0802/12A dated 08-02-2016, hence the tenders are hereby postponed as under:

1. The tenders will be issued up to 09-03-2016 at 01:00 p.m. and will be received back and opened on 09-03-2016 at 02:00 p.m.

*The News
18/2/16*

Sd/-
**EXECUTIVE ENGINEER
GHOTKI DIVISION (IRRIGATION)
AT GHOTKI**

INF/KRY-393/16

**OFFICE OF THE EXECUTIVE ENGINEER
HIGHWAYS DIVISION
WORKS & SERVICES DEPARTMENT MATIARI**

NOTICE INVITING TENDERS

Procuring Agency invites sealed bids on bidding documents in Single envelope method from all the interested bidders under SPPRA rules 2010 for the following works:

Sr.#/ ADP#	Name of Work	Estimated Cost	Time allowed for completion	Cost of bidding documents
01.	Widening and Recondition of road from N.H. Way to Mori Yousif Khan Hajano via Dargah Hazrat Syed Ahmed	24.459	12 Months	3,000/-

آفيس آف دي ايگزيڪيوٽو انجنيئر گهوٽڪي ڊويزن (اريگيشن) ايت گهوٽڪي

No.TC/G-55(b)/-286، ٽيليفون: 0723-684826

Dated: 15-02-2016

تصحيح

هن آفيس جي نمبر. TC/G-55/(B)/150 تاريخ 22-01-2016 موجب ٽينڊر گهرايا ويا هئا، جيڪي وقت سر انفارميشن ڊپارٽمينٽ ۾ ڏنا ويا پر اخبارن پاران نوٽيس ڪي 04-02-2015 تي شايع ڪيو ويو هو، جنهن لاءِ موٽ واسطي وقت مختصر پيو ٿي جو ٽينڊرن ڪي 15-02-2016 تي ڪولٽو پئجي رهيو هو، جنهن جي چيئرمين ٽرانسپيرنسي انٽرنيشنل پاڪستان ڪراچي پنهنجي ليٽر نمبر. TL16/0802/12A تاريخ 08-02-2016 موجب مخالفت ڪري ڇڏي، هاڻ تنهنڪري ٽينڊرن ڪي هيٺين ريت ملتوي ڪيو ويو آهي.

1. ٽينڊر 09-03-2016 منجهند 1:00 وڳي تائين جاري ڪيا ويندا ۽ 09-03-2016 تي منجهند 2:00 وڳي واپس وصول ڪيا ۽ ڪوليا ويندا.

ايگزيڪيوٽو انجنيئر
گهوٽڪي ڊويزن (اريگيشن) ايت گهوٽڪي

Kawish
19/2/16

INF/KRY.No:393/2016

SAY NO TO CORRUPTION

مذهب جي لبادي ۾ نفرت جو پرچار ڪندڙن کي سڃاڻو.

TEXT

سنڌ ۾ تعليم جي بهتري لاءِ، علمي + پنهنجو پيغام لکي 8 3 9 8 تي ايس ايس ايس ڪريو.



بارڊاڻي (سٽي جي پورين ۽ PP پورين) جي خريداري لاءِ

ٽينڊر نوٽيس جي اماڻڻ ۽ ڪولٽ جي تاريخ ۾ توسيع بابت نوٽيس

فوءِ کاتي، حڪومت سنڌ جي بارڊاڻي (سٽي ۽ PP پورين) جي خريداري لاءِ ٽينڊر نوٽيس جي حوالي سان جيڪو 3 ۽ 4 فيبروري، 2016 تي سنڌ جي معروف روزاني اخبارن ۾ شايع ٿيو هو ۽ ان بعد تصحيح تاريخ 10 فيبروري، 2016 تي شايع ٿي هئي، ٽينڊر ڪاغذن جي اماڻڻ ۽ واڪن ڪولٽ جي آخري تاريخ ۾ ايس پي آري رولز مطابق هيٺين ريت واڌ ڪجي ٿي:

واڪن ڪولٽ جي تاريخ/وقت	اماڻڻ جي آخري تاريخ/وقت	تفصيل	سيريل نمبر
02-03-2016	02-03-2016	سٽي جي پورين جون 6667 گنٽيون	1
ٽيپري جو 3 وڳي	01:00 وڳي تائين	هر هڪ گنٽي ۾ 100 ڪلو گرام منجهند	

عدالت ۾ چوڻو
نمبر 31 سال
ان ڪارپوريشن
چنڊرگرود
لاهوري محلو
مدثر حسين ولد
الله ولد واحد
لاڙڪاڻو...
جيئن ته مٿئين
هڪ درخواست
سي پي سي
11-2014
لاڙڪاڻو
تي ڪم ٿي
ذريعي توهان
تي صبح جو
حاضر رهي
مٿين درخواست
صحيح ۽ هن
ريڊر، چوڻو آيو

عدالت ۾ چوڻو
نمبر 32 سال
ان ڪارپوريشن
چنڊرگرود
لاهوري محلو
مدثر حسين ولد
الدين ولد مح
لاڙڪاڻو...
جيئن ته مٿئين
هڪ درخواست
سي پي سي
11-2014
لاڙڪاڻو
تي ڪم ٿي
ذريعي توهان
تي صبح جو
حاضر رهي
مٿين درخواست
صحيح ۽ هن
ريڊر، چوڻو آيو

OFFICE OF THE EXECUTIVE ENGINEER
GHOTKI DIVISION (IRRIGATION) @ GHOTKI.

Telephone No # 0723-684826.

No. TC/ G-55 (b)/- 286

Ghotki Dated) 5 / 2 / 2016

CORRIGENDUM

SR# 26319

The Tenders were invited vide this office No: TC/ G-55 (b)/ 150 Dated 22.01.2016, which was timely delivered in the information Department, but the publication of the Notice was carried out by the Newspapers on 04.02.2016, causing short response time because the tenders were to be opened on 15.02.2016, which has been opposed by the Chairman Transparency International Pakistan Karachi vide letter No: TL 16/ 0802/ 12A dated 08.02.2016, hence the tenders are hereby postponed as under.

1. The Tenders will be issued upto 09.03.2016 at 01:00 PM and will be received back and opened on 09.03.2016 at 02:00 PM.

(ZAHID HUSSAIN QURESHI)
EXECUTIVE ENGINEER
GHOTKI DIVISION (IRRIGATION)
@ G H O T K I

A Copy is forwarded with compliments to:-

1. Honourable Chief Minister Government of Sindh Karachi for kind information.
2. Honourable Justice, Sindh High Court Karachi for kind information.
3. Honourable Director General NAB Karachi for kind information.
4. Honourable Chief Secretary Government of Sindh Karachi for kind information.
5. Managing Director Sindh Irrigation and Drainage Authority Left Bank Barrage Colony Hyderabad for kind information.
6. Chairman Transparency International Pakistan 5-C, 2nd floor, Khayaban-e-ittehad, phase vii, Defence Housing Authority Karachi for favour of kind information.
7. The Director (A&F) SPPRA/ 3-15/ Government of Sindh, Sindh Public Procurement Regulatory Authority (SPPRA) Barrack No: 8 Sindh Secretariat No: 4-A, Court Road Karachi, for favour of information and placing on the website.
8. The Director Information (Advertisement) Public Relation Department Government of Sindh Block No: 96 Karachi alongwith 6 extra copies for insertion. He is requested to get the advertisement published in leading newspapers also it is requested to publish in daily wisdom newspapers.
9. The Director Ghotki Feeder Canal Area Water Board Ghotki for kind information.
10. The Assistant Ex: Engineer Irrigation Sub-Division of Ghotki Division (Irrigation) Ghotki for information.
11. Drawing Branch Local for information.
12. Copy to Notice Board.

(ZAHID HUSSAIN QURESHI)
EXECUTIVE ENGINEER
GHOTKI DIVISION (IRRIGATION)
@ G H O T K I

SPPRA INWARD DIARY

NO: 8058

DATED: 16-02-16

**COMPARATIVE STATEMENT FOR THE WORK OF
REHABILITATION/LINING OF BAGO WAH RD-19 TO 30, REHABILITATION OF IRRIGATION
COLONY GHOTKI AND PANO AKIL INCLUDING DRAINAGE SYSTEM OF IRRIGATION COLONY
GHOTKI AND REHABILITATION/ BRICK LINING OF PIR WAH AT RD 7 TO 24.**

S. No:	Item	Estimate Cost				Mushtaque Ahmed Bullo	
		Qty:	Rate	Per	Amount	Rate	Amount
1	LINING WORK ALONG BAGO WAH Excavation in foundation of building bridges and other structures i/c dag belling dressing, refilling around the structures with excavated earth and remaining lead up 50ft.	1008000 Cft	3176.25	% Cft	3201660.0		
2	Cement Concrete plan i/c placing compacting finishing and curing complete (i/c screening and washing of stone aggregate without shuttering) ratio 1:3:6.	144000 Cft	12595.0	% Cft	18136800.0		
3	Pucca brick work in foundation and plinth in cement sand mortar ratio 1:4.	216000 Cft	12501.41	% Cft	27003045.0		
4	Pucca brick work other than building including striking of joint up to 20 ft. height in (d) cement sand motar ratio 1:5.	234240 Cft	12574.38	% Cft	29454228.0		
5	Erection and removal centering for R.C.C or plain cement concrete work of portal wood 2 nd class vertical	24000 Sft	3127.41	% Sft	750578.0		
6	Cement concrete plain i/c placing compacting finishing and curring complete i/c screening and washing of stone aggregate Without shuttering ratio 1:2:4.	37560 Cft	14429.25	% Cft:	5419626.0		
7	Cement pointing flush upto 20' height ratio: 1:2.	199200 Sft	1151.32	% Sft:	2293429.0		
8	Cement pointing struck joints on walls ratio 1:2. (103920 Sft	1287.44	% Sft:	1337907.0		
9	Borrow pit excavation undressed lead upto 100' in ordinary or hard soil.	1152000 Cft	2117.50	% Cft:	2439360.0		
10	Carriage of 100 cft/ 5 ton of all materials like stone aggregate spawl, coal, lime surkhi etc B.G rail fastening points and crossing bridges. Girders pipes 10" x 5" or 1000 maunds of fuel wood by trucks or any other means owned by the contractors (1 Miles).	1152000 Cft	407.0	% Cft	4688640.0		

S. No:	Item	Estimate Cost				Mushtaque Ahmed Bullo	
		Qty:	Rate	Per	Amount	Rate	Amount
11	Dressing and leveling of earth work to designed section etc complete in ordinary or hard soil.	1152000 Cft	187.55	% Cft	216057.0		
		Total Amount Rs.				94941332.0	
		Cartage of Material Rs.				24556728.0	
		Add 1% W/C Contingency Rs.				949413.0	
		Total Rs.				120447474.0	
WATER COURSE ALONG BAGO WAH							
1	Dismantling bricks work in lime or concrete mortar.	52 Cft	1285.63	% Cft	668.0		
2	Dismantling cement concrete reinforcement separating reinforcement form concrete cleaning and strengthening the same	1.31	5445.0	% Cft	71.0		
3	Excavation in foundation of building bridges and other structures i/c dag belling dressing, refilling around the structures with excavated earth and remaining lead up to one chain and lift up to 5' ft. in ordinary soil.	453 Cft	2722.50	% Cft	1233.0		
4	Cement concrete brick or stone ballast 1½ to 2" gauge ratio 1:4:8.	93 Cft	10770.93	% Cft	10016.0		
5	Pucca brick work in foundation and plinth in cement sand mortar ratio 1:4.	53 Cft	12501.41	% Cft	6626.0		
6	Pucca brick work other than building including striking of joint up to 20 ft. height.	219 Cft	12574.38	% Cft	27537.0		
7	Cement concrete plain i/c placing compacting finishing and curing complete i/c screening and washing of stone aggregate without shuttering (f) ratio 1:2:4.	52 Cft	14429.25	% Cft	7503.0		
8	Fabrication of mild steel reinforcement for cement concrete i/c cutting bending laying in position making joints and fastening i/c cost of binding wires (also includes removal of rust from bars).	0.40 Cwt	5001.70	P-Cwt	2001.0		
9	R.C.C work in roof slabs, beams, columns, rafts, lintels & other structural members laid in situ or pre cost laid in position complete in all respect ratio (1:2:4) (90 lbs cement 2 cft sand 4 cft shingle 1/8' to ¼' gauge).	7.5 Cft	337.0	P-Cft	2527.0		
10	Cement pointing flush upto 20 ft. ht" ratio 1:2.	184 Sft	1151.35	% Sft	2118.0		
11	Cement pointing struck joints on walls ratio 1:2.	184 Sft	1287.44	% Sft	2369.0		

S. No:	Item	Estimate Cost				Musthaque Ahmed Bullo	
		Qty:	Rate	Per	Amount	Rate	Amount
12	Supplying fixing iron frame sheet (14 gauges)	52 Sft	240.0	% Sft	12480.0		
13	Borrow pit excavation undressed lead upto 100ft: in ordinary soil.	1303 Cft	2117.50	% Cft:	2759.0		
14	Dressing & leveling of earth work to designed section etc complete in ordinary or hard soil.	1303 Cft	187.55	% Cft	244.0		
				Total Rs.	78156.0		
				Add Cartage of Material Rs.	17238.0		
				Total Rs.	95395.0		
				95395 x 31 Water Course, G-Total Rs.	2957239.0		
	RD STONE ALONG BAGO WAH						
1	Fabrication of mild steel reinforcement for cement concrete i/c cutting bending laying in position making joints and fastening i/c cost of binding wires (also includes removal of rust from bars). (GSR Page 20 Item 7 (b)).	0.067 Cwt	5001.78	P-Cwt	335.0		
2	R.C.C work in roof slabs, beams, columns, rafts, lintels & other structural members laid in situ or pre cast laid in position complete in all respect ratio (1:2:4) (90 lbs cement 2 cft sand 4 cft shingle 1/8' to 1/4' gauge). (GSR P-20 Item 6 (a)).	1.00 Cft	309.78	P-Ft	310.0		
3	Excavation in foundation of building bridges and other structures i/c dag belling dressing, refilling around the structures with excavated earth and remaining lead up to one chain and lift up to 5' ft: in ordinary soil.	2.0 Cft	2722.50	% Cft	5.0		
4	Cement concrete plain i/c placing compacting finishing and curring complete i/c screening and washing of stone aggregate Without shuttering ratio 1:2:4.	1.13 Cft	14429.25	% Cft:	163.0		
5	Preparing surface and painting small detached article exceeding one Sft and not exceeding 3 Sft of pointed surface 3 coat	1.0 No:	317.63	Each	318.0		

S. No:	Item	Estimate Cost				Mushtaque Ahmed Bullo	
		Qty:	Rate	Per	Amount	Rate	Amount
6	Write Letters of figures per letter per inches height	8 Nos:	5.30	Each	42.0		
		Add Cartage of Material Rs.			1173.0		
		Total Rs.			86.0		
		1259 x 14 Water Course, G-Total Rs.			1259.0		
		G-Total of Bago Wah Rs.			17626.0		
		Total Rs.			123422337.0		
		(A-TYPE QUARTERS)					
1	Dismantling sun dried brick masonry. Page No. 10.	313 Cft	378.13	% Cft	1183.0		
2	Pucca brick work in ground floor in cement sand mortar ratio 1:5. (Page No. 20)	313 Cft	12902.08	% Cft	40384.0		
3	Cement Plaster 1:2 up to 20' ht: (b) 1/2" thick. (Page No. 51 Item No. 9 (b)).	921 Sft	2496.77	% Sft	22995.0		
4	Fixing water spout or pernalas.	2 Nos:	210.0	Each	420.0		
5	Mud plaster on floor or roof 1" thick	1060 Sft	555.0	% Sft	5883.0		
6	First class deodar wood wrought journey in doors and windows etc, fixed in position i/c chowkats hold fasts, hinges iron towers, bolts, chocks, cleats, handles and cords with hooks etc, deodar paneled or paneled and glazed or fully glazed (a) 2" thick	36.5 Sft	1336.59	P-Sft	48785.0		
7	White washing three coats.	3010 Sft	425.84	% Sft	12818.0		
8	Distempering two coats	2419 sft	1079.65	% Sft	26117.0		
9	Painting doors and windows type two coats. (Page 67).	601 Sft	1160.06	% Sft	6971.0		
10	Providing and lving Halla or pattern tiles glazed 6"x6"x1/4" on floor or wall facing in required colour and pattern of STYLE specification jointed in white cement and pigment over a base of 1:2 gray cement motar 3/4" thick i/c washing and filling of joint with slurry of white cement and pigment in dressed hape with finishing clearing and cost of wax polish etc complete i/c cutting tiles to profile.	444 Sft	47651.56	% Sft	211572.0		
		Total Rs.			377128.0		
		Add Cartage of Material Rs.			14240.0		
		Total Rs.			391370.0		
		391370 x 4 No. Quarters Rs.			1565481.0		

S. No:	Item	Estimate Cost			Mushtaque Ahmed Bullo		
		Qty:	Rate	Per	Amount	Rate	Amount
	(B-TYPE NEW QUARTERS)						
1	Cement plaster 1:3 up to 20' ht. (b) ½ thick.	594 Sft	2496.72	% Sft	14831.0		
2	White washing three coats.	2241 Sft	829.95	% Sft	18599.0		
3	Distemping two coats.	1756 Sft	1079.65	% Sft	18958.0		
4	Painting doors and windows type two coats.	630 Sft	1160.06	% Sft	7308.0		
5	Mud Plaster on floor or roof 1" thick.	632 Sft	555.0	% Sft	3508.0		
6	First class deadar wood wrought journey in doors and windows etc, fixed in position i/c chowkats hold fasts, hinges iron towers, bolts, chocks, cleats, handles and cords with hooks etc, deadar paneled or paneled and glazed or fully glazed (a) 2" thick.	136 Sft	1336.59	P-Sft	181776.0		
7	Proving and laying Halla or pattern tiles glazed 6"x6"x1/4" on floor wall facing in required colour and pattern of STYLE specification jointed in white cement and pigment over a base of 1:2 grey cement mortar ¾" thick i/c washing and filling of joints with slurry of white cement and pigment in desired shape with finishing cleaning and cost of wax polish etc complete i/c cutting tiles to profile.	866 Sft	47651.56	% Sft	412663.0		
		Total Amount Rs.			657643.0		
		Add Cartage of Material Rs.			762.0		
		Total Rs.			658406.0		
		658406 x 6 Nos. Quarters Rs.			3950443.0		
(B-TYPE OLD QUARTERS)							
1	Dismantling sun drayed brick masonry. Page No. 10.	1073 Cft	378.13	% Cft	4057.0		
2	Pucca brick work in ground floor in cement sand mortar ratio 1:5. (Page No. 20)	1073 Cft	12902.08	% Cft	138439.0		
3	Cement Plaster 1:3 up to 20' ht. (b) ½ thick. (Page o. 51.	869 Sft	2496.72	% Sft	21696.0		
4	White washing three coats.	3208 Sft	829.95	% Sft	26624.0		
5	Distemping two coats.	1680 Sft	1079.65	% Sft	18138.0		
6	Painting doors and windows type two coats.	438 Sft	1160.06	% Sft	5081.0		
7	Mud Plaster on floor or roof 1" thick	632 Sft	555.0	% Sft	3508.0		

S. No:	Item	Estimate Cost				Mushtaque Ahmed Bullo	
		Qty:	Rate	Per	Amount	Rate	Amount
8	First class deadar wood wrought journey in doors and windows etc, fixed in position i/c chawkats hold fasts, hinges iron towers, bolts, chocks, cleats, handles and cords with hooks etc, deadar paneled or paneled and glazed or fully glazed (a) 2" thick.	108 Sft	1336.59	P-Sft	144352.0		
9	Providing and lying Halla or pattern tiles glazed 6"x6"x1/4" on floor or wall facing in required colour and pattern of STYLE specification jointed in white cement and pigment over a base of 1:2 gray cement motar 3/4" thick i/c washing and filling of joint with slurry of white cement and pigment in dressed hape with finishing clearing and cost of wax polish etc complete i/c cutting tiles to profile.	968 Sft	47651.56	% Sft	461267.0		
		Total Rs.			823163.0		
		Add Cartage of Material Rs.			42985.0		
		Total Rs.			866148.0		
		866148 x 16 Nos. Quarters Rs.			13858376.0		
(C-TYPE QUARTER NO: 10 & 24)							
1	Dismantling sun drayed brick masonry. Page No. 10.	2602 Cft	378.13	% Cft	9839.0		
2	Pucca brick work in ground floor in cement sand mortar ratio 1:5. (Page No. 20)	2602 Cft	12902.08	% Cft	335712.0		
3	Cement Plaster 1:3 up to 20' ht: (b) 1/2 thick. (Page o. 51.	1986 Sft	2496.72	% Sft	49584.0		
4	White washing three coats.	1374 Sft	829.95	% Sft	11403.0		
5	Distemping two coats.	1396 Sft	1079.65	% Sft	15072.0		
6	Painting doors and windows type two coats.	375 Sft	1160.06	% Sft	4350.0		
7	Mud Plaster on floor or roof 1" thick	592 Sft	555.0	% Sft	3285.0		
8	Providing and laying 1/2" thick topping cement concrete 1:2:4 i/c surface finishing and dividing into panels 3" thick.	407 Sft	2548.29	% Sft	10372.0		

S. No:	Item	Estimate Cost				Mushtaque Ahmed Bullo		
		Qty:	Rate	Per	Amount	Rate	Amount	
9	Providing and lymg Halla or pattern tiles glazed 6"x6"x1/4" on floor or wall facing in required colour and pattern of <u>STYLE specification jointed in white cement and pigment over a base of 1:2 gray cement motar 3/4" thick i/c washing and filling of joint with slurry of white cement and pigment in dressed hape with finishing clearing and cost of wax polish etc complete i/c cutting tiles to profile.</u>	1028 Sft	47651.56	% Sft	489858.0			
10	First class deadar wood wrought journey in doors and windows etc, fixed in position i/c chowkats hold fasts, hinges iron towers, bolts, chocks, cleats, handles and cords with hooks etc, deadar paneled or paneled and glazed or fully glazed (a) 2" thick.	156 Sft	1336.59	P-Sft	208508.0			
11	Fixing Water spout or paralas	2 Nos:	211.5	Each	423.0			
12	Fabrication of mild steel re information cement for cement concect i/c cutting bending laying in position and fasting i/c cost of binding wires (also includes removal of rust form bars) (P-No. 18 Hem No. 7 (a))	31.54 Cwt	4820.20	P-Cwt	152029.0			
13	R.C.C work in roof slabs, beams, columns, rafts, lintels and other structural members laid in position or pre cost laid in situ completion in all respect ratio 1:2:4	588.71 Cft	337.0	P-Cft	198395.0			
(ELECTRIC ARRANGEMENT QUARTER NO: 10 & 24)					Total Rs.	1488830.0		
1	Wiring for light or fan point with 1/1.13 (3/029) PVC insulated wire PVC in 20mm (3/4) PVC conduit recessed in the wall or column as required (P-15 Item 129).	18	910	P-Point	16380.0			
2	Wiring for plug point with (3/0.29) PVC insulated wire in 20mm (3/4) PVC conduit recessed in the wall or column as required. (S. No. 130 P-No: 15).	8	742	P-Point	5936.0			
3	Providing and laying (Main or sub/main) PVC insulated with size 2-7/0.29 copper conductor in 3/4 dia PVC conduit on surface. (P-1 Item 03.	36	171	P-Meter	6156.0			

S. No:	Item	Estimate Cost				Mushtaque Ahmed Bullo	
		Qty:	Rate	Per	Amount	Rate	Amount
4	Providing and laying main or sub main PVC insulated with size 2-7/ 0.52 copper conductor 1" dia PVC conduit on surface. (S. No. 6 P-No: 1).	42	428	P-Meter	17976.0		
5	Providing and fixing 5amps switch flush type one wat S.P 5amps switch flush type. (Page 33 Item 219).	18	54	P-Nos.	972.0		
6	Providing and fixing two pins 5amps switch plug and socket. (Page 33 Item 222)	20	80	P-Nos.	1600.0		
7	Providing and fixing brass bittern holder. (Page 33 Item 232)	10	70	P-Nos.	700.0		
8	Providing and fixing brass pin switch socket.	5.	166	P-Nos.	830.0		
	Non Schedule Items.			Total Rs.	50550.0		
1	Mid steel fan clamp 15.8m dia suitable for R.C.C roof	3	17	Each	51.0		
2	Fixing A.C ceiling fan regulator on S.W board.	3	110	Each	330.0		
3	Providing & fixing S.W board to accommodate main or sub main control switch and for other similar jobs on surface.	8	450	Each	3600.0		
4	Providing & fixing Energy Saver 14 Watts.	6	590	Each	3540.0		
5	Providing & fixing Bulb 10 watts.	4	33	Each	132.0		
6	Providing & fixing Bulb 10 watts.	4	33	Each	132.0		
7	Providing & fixing of ceiling fan 56"	4	4900	Each	19600.0		
8	Providing and fixing Breaker Glob.	3	1000	Each	3000.0		
	(WATER SUPPLY & SENATORY WORK QUARTER NO: 10 & 24)			Total	30385.0		
1	Providing and fixing squatting type white glazed earthen were W.C pan with including the cost of flushing cistern with internal fitting and flush pipe with bend & making requisite number of holes in walls plinth & floor for pipe connections & making good in cement concrete 1:2:4 with 4" dia earthen ware trap & plastic thumble P-1 Item No: 1 (ii)	3	5088.2	P/No	15265		

S. No.	Item	Estimate Cost				Mushtaque Ahmed Bullo	
		Qty:	Rate	Per	Amount	Rate	Amount
	Providing and fixing 24x18" lavatory basin in white glazed earthen ware complete with & i/c the cost of W.I or C.I cantilever brackets 6" built into wall, painted white in two coats after a primary coat of red lead paint, a pair of 1/2" dia chrome plated pillar taps, 1-1/2" rubber plug and chrome brass waste of approved pattern 1-1/4" dia malleable iron C.P brass traps, malleable iron or brass unions and making requisite number of holed in wall, plinth and floor for pipe connection and making good in cement concrete 1:2:4 P-3 Item No. 8						
2	Providing and fixing 24x18" lavatory basin in white glazed earthen ware complete with & i/c the cost of W.I or C.I cantilever brackets 6" built into wall, painted white in two coats after a primary coat of red lead paint, a pair of 1/2" dia chrome plated pillar taps, 1-1/2" rubber plug and chrome brass waste of approved pattern 1-1/4" dia malleable iron C.P brass traps, malleable iron or brass unions and making requisite number of holed in wall, plinth and floor for pipe connection and making good in cement concrete 1:2:4 P-3 Item No. 8	3	4253.90	P-Nos.	12762.0		
3	Add: extra for labour for P/F PF of earth in were pedestal white or colored glazed foreign equipment P-3 Item No. 9	3	938.47	P-Nos.	2815.0		
4	Providing and fixing steel sinke stainless local make complete with cast iron wrought iron brackets 6 inches built in wall 1-1/2" C.P rubber plug chrome plated brass chain 1-1/2" C.P brass waste, with 1-1/2" P.V.C waste pipe and making requisite number of holes in wall and plinth and floor pipe connection and making good in cement concrete 1:2:4 (b) Steel sink stainless sized 36" x18" local make (Standard pattern) P-5 Item No. 19 (b)	1	5162.30	P-Nos.	5162.0		
5	Providing fixing 6"x2" or 6"x3" C.I floor trapor the approved self cleaning desing with C.I screwed down gritting with or without and vent are complete with and i/c making connection and making good in C.C 1:2:4 P-6 Item No. 20	4	2024.46	P-Nos.	8098.0		
6	Providing and fixing in position nylon conncection complete with 1/2" dia bradd stop cock with pair of brass nuts and lining joint to nylonong connection P-6 Item No. 23	4	447.05	P-Nos.	1788.0		
7	Providing and fixing chrome plated brass towel rail complete with brackets fixing on wooden cleat with 1" long C.P screws fixed to wooden pleat P-1 (b) Item No. 1	2	1412.95	P-Nos.	2826.0		

S. No:	Item	Estimate Cost				Mushtaque Ahmed Bullo	
		Qty:	Rate	Per	Amount	Rate	Amount
8	Providing and fixing 15"x12" beloved edge mirror of Belgium glass compelte with 1/8" thick hard board and C.P screws fixed to wooden pleat P-7 item No. 3 (b)	2	2376	P-Nos.	4752.0		
9	Providing and fixing 4" dia C.I soil and event pipes i/c cutting and fitting and extra painting to match the color of buildings P-9 Item No: 1	1	333.29	P-Rft	333.0		
10	Providing and fixing 4"x4x4" dia C.I branches of the required degree with access doors rubber washer 1/8" thick and bolts and nuts and extra painting to match the color or building P-9 Item No. 5	2	270.6	P-Rft	541.0		
11	Providing and fixing 4" dia C.I plain bend of the required degree i.c extra painting to match the color of buildings P-10 Item No. 10	2	566.70	P-Nos.	1133.0		
12	Providing and fixing 4" C.I terminal guard i/c extra painting to match the color of the building P-10 item No. 11	2	389.70	P-Nos.	779.0		
13	Providing and fixing 3"x3"x3" dia C.I branch of the required degree with access door rubber washer 1/8" thick and bolts and nuts and extra painting to match the color or the building P-10 Item No. 17	2	585.30	P-Nos.	1171.0		
14	Providing and fixing 3" dia C.I bend of the required with and bolts and nuts and extra painting to match the color or the building P-11 Item No. 21	2	508.80	P-Nos.	1018.0		
15	Providing G.I pipes and special etc i/c fixing cutting and fitting completer with and i/c the cost of cutting trench upto 2-1/2" feet deep refilling watering ramming and disposal of surplus	20 130	64.88 86.36	P-Rft P-Rft	1298.0 11227.0		

S. No:	Item	Estimate Cost				Mushtaque Ahmed Bullo	
		Qty:	Rate	Per	Amount	Rate	Amount
16	Add: extra labour for concealed C.I pipe and fitting i/c making races in the wall for pipe and making good in cement mortar etc complete P-12 Item No: 2	20	7.82	P-Rft	156.0		
		130	8.45	P-Rft	1099.0		
17	Providing and fixing G.I pipe and special etc i/c fixing cutting and fitting trench upto 2-1/2" feet deep fitting water ramming and disposal of surplus earth with 1 one chain and painting two coats of bitumen paint to pipe and special after cleaning and hassian cloth sacked in and maxphlat composition wrapped tightly round pipes and testing to a pressure head of 200 ft: and handing. P-12 Item No. 1	80 150 50	86.36 116.20 183.58	P-Rft P-Rft P-Rft	6909.0 17430.0 9179.0		
18	Providing an fixing handle valve P-17 Item No. 5	3 2 2	200.42 271.92 365.42	P-Nos. P-Nos. P-Nos.	601.0 544.0 731.0		
19	Supplying and fixing canceled steps cocks for superior quality with C.P head 1/2" dia P-15 Item No. 13	5	478.128	P-Nos.	2391.0		
20	Supplying & fixing long bib cock of superior quality with C.P head 1/2" canceled dia P-15 Item No. 1	5	1109.46	P-Nos.	5547.0		
21	Providing and fixing in C.P brass shower rose with 1/2" or 3/4" inlets 4" dia P-15 Item No. 17	2	259.38	P-Nos.	519.0		
22	Supplying and fixing fiber glass plastic tank of approved quality and design and wall thickness as specified i/c cost of butes bolts and fixing in plate form of C.C 1:3:6 & main connections for inlet and outlet and overflow dipper etc complete (a) 250 Gal	1	21989.61	P-Nos.	21990.0		

S. No.	Item	Estimate Cost				Mushtaque Ahmed Bullo	
		Qty:	Rate	Per	Amount	Rate	Amount
23	Providing R.C.C pipe with collars class "B" and digging the trenches to required depth and fixing in position i/c cutting fitting and jointing with maxphrait composition and cement mortar 1:1 and testing with water pressure to a head of 4 feet: above the top of the heights and refilling with excavated staff P-23 Item NO. 2	30 130 60	146.57 199.25 401.97	P-Rft P-Rft P-Rft	4397.0 25903. 24118.0		
				Total Rs.	192481.0		
				G-Total Rs.	1762247.0		
				Add Cartage of Material Rs.	158107.0		
				Total Rs.	1920355.0		
				1920355 x 2 Nos. Rs.	3840711.0		
	(C-TYPE NEW)						
1	Cement Plaster 1:2 up to 20' ht. ½" thick.	260 Sft	2496.72	% Sft	6491.0		
2	Mud Plaster on roof or floor 1" thick.	572 Sft	555.0	% Sft	3174.0		
3	Fixing water pouts or parnalls.	3 Nos:	211.75	Each	635.0		
4	White washing two coats.	1022 Sft	829.95	% Sft	8482.0		
5	Distemping two coats.	1206 Sft	1079.65	% Sft	13020.0		
6	Painting doors and windows any type two coats.	519 Sft	1160.06	% Sft	6020.0		
7	Proving and laying Halla or pattern tiles glazed 6"x6"x1/4" on floor wall facing in required colour and pattern of STYLE specification jointed in white cement and pigment over a base of 1:2 grey cement mortar ¾" thick i/c washing and filling of joints with slurry of white cement and pigment in desired shape with finishing clearing and cost of wax polish etc complete i/c cutting tiles to profile.	616 Sft	47651.56	% Sft	293533.0		
				Total Rs.	331358.0		
				Add Cartage of Material Rs.	395.0		
				Total Rs.	331753.0		
	(C-TYPE OLD)			331753 x 6 Nos. Rs.	1990518.0		
1	Dismantling sun drayed brick masonry. Page No. 10.	692 Cft	378.13	% Cft	2617.0		
2	Pucca brick work in ground floor in cement sand mortar ratio 1:5.	692 Cft	12902.08	% Cft	89282.0		

S. No:	Item	Estimate Cost				Mushtaque Ahmed Bullo	
		Qty:	Rate	Per	Amount	Rate	Amount
3	Cement Plaster 1:3 up to 20' ht: (b) ½ thick. (Page No. 51.	601 Sft	2496.72	% Sft	15005.0		
4	White washing three coats.	1374 Sft	829.95	% Sft	11403.0		
5	5. Distemping two coats.	1396 Sft	1079.65	% Sft	15072.0		
6	Painting doors and windows type two coats.	375 Sft	1160.06	% Sft	4350.0		
7	Mud Plaster on floor or roof 1" thick	592 Sft	555.0	% Sft	3285.0		
8	Providing and laying ½" thick topping cement concrete 1:2:4 i/c surface finishing and dividing into panels 3" thick.	237 Sft	2548.29	% Sft	6039.0		
9	Providing and lying Halla or pattern tiles glazed 6"x6"x1/4" on floor or wall facing in required colour and pattern of STYLE specification jointed in white cement and pigment over a base of 1:2 gray cement motar ¾" thick i/c washing and filling of joint with slurry of white cement and pigment in dressed hape with finishing clearing and cost of wax polish etc complete i/c cutting tiles to profile.	1028 Sft	47651.56	% Sft	489858.0		
10	First class deadar wood wrought journey in doors and windows etc, fixed in position i/c chowkats hold fasts, hinges iron towers, bolts, chocks, cleats, handles and cords with hooks etc, deadar paneled or paneled and glazed or fully glazed (a) 2" thick.	156 Sft	1336.59	P-Sft	208508.0		
11	Fixing Water spout or paralas	2 Nos:	211.5	Each	423.0		
		Total Rs.			845844.0		
		Add Cartage of Material Rs.			39079.0		
		Total Rs.			884923.0		
		884923 x 28 Nos. Quarters Rs..			24777869.0		
(D-TYPE QUARTERS)							
1	Dismantling Sun dried bricks masonry.	588 Cft	378.13	% Cft	2223.0		
2	Pucca brick work in ground floor i/c striking of joint in cement sand mortar ratio 1:5.	588 Cft	12902.08	% Cft	75864.0		
3	Cement Plaster 1:2 up to 20' ht: ½" thick.	520 Sft	2496.72	% Sft	12983.0		
4	Mud Plaster on roof or floor 1" thick.	311 Sft	555.0	% Sft	1726.0		
5	White washing two coats.	1740 Sft	829.95	% Sft	14441.0		
6	Distemping three coats.	963 Sft	1079.65	% Sft	10397.0		
7	Painting Doors and windows any type two coats.	188 Sft	1160.06	% Sft	2180.0		

S. No:	Item	Estimate Cost				Mushtaque Ahmed Bullo	
		Qty:	Rate	Per	Amount	Rate	Amount
4	Cement plaster 1:2 up to 20' ht: (b) ¾: thick.	6901.25 Sft	3056.62	% Sft	210945.0		
5	Cement plaster thick ½" up to 20' height ratio 1:4.	6901.25 Sft	2283.83	% Sft	157612.0		
6	Providing and lying Halla or pattern tiles glazed 6"x6"x1/4" on floor or wall facing in required colour and pattern of STYLE specification jointed in white cement and pigment over a base of 1:2 gray cement motar ¾" thick i/c washing and filling of joint with slurry of white cement and pigment in dressed hape with finishing clearing and cost of wax polish etc complete i/c cutting tiles to profile.	4946 Sft	47651.56	% Sft	2356846.0		
7	First class deadar wood wrought journey in doors and windows etc, fixed in position i/c chowkats 1¾ thick.	492 Sft	1336.59	P-Sft	657602.0		
8	Painting doors and windows any type 2 coats.	492 Sft	1160.06	% Sft	5707.0		
9	White Washing 3 coats.	11671.25 Cft	2829.95	% Sft	330290.0		
10	Distempering 2 coats.	2764.25 Sft	1079.65	% Sft	29844.0		
		Total Rs.			4106864.0		
		Add Cartage of Material Rs.			128800.0		
		Total Rs.			4235664.0		
		4235664 x 2 Nos. Quarters Rs.			8471239.0		
(CLASS-II, BUNGALOW)							
1	Pucca brick work in ground floor i/c striking of joint in cement sand mortar ratio 1:5.	2801 Cft	12902.08	% Cft	361387.0		
2	Cement plaster 1:2 up to 20' ht: (b) ¾: thick.	8316 Sft	2496.72	% Sft	207627.0		
3	Providing and lying Halla or pattern tiles glazed 6"x6"x1/4" on floor or wall facing in required colour and pattern of STYLE specification jointed in white cement and pigment over a base of 1:2 gray cement motar ¾" thick i/c washing and filling of joint with slurry of white cement and pigment in dressed hape with finishing clearing and cost of wax polish etc complete i/c cutting tiles to profile.	3572 Sft	47651.56	% Sft	1702114.0		
4	First class deadar wood wrought journey in doors and windows etc, fixed in position i/c chowkats 1¾ thick.	406 Sft	1336.59	P-Sft	542656.0		

S. No:	Item	Estimate Cost				Mushtaque Ahmed Bullo	
		Qty:	Rate	Per	Amount	Rate	Amount
5	Distemporing 2 coats.	8316 Sft	1079.65	% Sft	89784.0		
				Total Rs.	2903567.0		
				Add Cartage of Material Rs.	127156.0		
				Total Rs.	3030724.0		
				3030724 x 2 Nos. Rs.	6061448.0		
	(MASJID)						
1	Dismantling cement concrete reinforced separating reinforcement from concrete cleaning and strengthening the same	663 Cft	5445.0	% Cft	36100.0		
2	Fabrication of mild steel reinforcement for concrete i/c cutting bending laying in position making joints and fastening i/c cost of bending wires (also i/c removal of rust from bars. (using for bars)	60.67 Cwt	5001.70	P-Cwt	303453.0		
3	R.C.C work in roof slabs beams columns rats, lintels and other structural members-laid in situ or pre cost laid in position complete in all respects ratio 1:2:4.	1510 Cft	337.0	P-Cft	508870.0		
4	Removing Cement or lime plaster.	5460 Sft	121.0	% Sft	6607.0		
5	Dismantling Bricks work in lime or cement mortar.	108 Cft	1258.63	% Cft	1359.0		
6	Cement concrete plain i/c placing compacting finishing and curing complete (i/c screening and washing of stone aggregate without shuttering) Ratio 1:3:6	659 Cft	12595.0	% Cft	83001.0		
7	Providing and lying Halla or pattern tiles glazed 6"x6"x1/4" on floor or wall facing in required colour and pattern of STYLE specification jointed in white cement and pigment over a base of 1:2 gray cement motar 3/4" thick i/c washing and filling of joint with slurry of white cement and pigment in dressed hape with finishing clearing and cost of wax polish etc complete i/c cutting tiles to profile. (S. No. 61 P-No: 48).	5372 Sft	47651.56	% Sft	2559842.0		
8	Providing and fixing false ceiling thermopile in panels of required design and size i/c frame work of aluminum T-section hanged with nail wire to ceiling etc complete.	980 Sft	91.50	P-Sft	89670.0		

S. No:	Item	Estimate Cost				Mushtaque Ahmed Bullo		
		Qty:	Rate	Per	Amount	Rate	Amount	
9	Pucca brick work in ground floor in (d) cement sand mortar ratio 1:5. (S. No. 5 P-No: 21).	729 Cft	12902.08	% Cft	94056.0			
10	Cement plaster 1:2 up to 20 ft. height (c) ¾" thick. (S. No. 9 P-No: 52).	5460 Sft	3056.62	% Sft	166891.0			
11	First class deadar wood wrought journey in doors and windows etc, fixed in position i/c chowkats hold fasts, hinges iron towers, bolts, chocks, cleats, handles and cords with hooks etc, deadar paneled or paneled and glazed or fully glazed (a) 2" thick. (S. No. 7 (a) P-No: 58).	368 Sft	1336.59	P-Sft	491865.0			
12	Painting doors and windows any type (two coats). (S. No. 4 (c) P-No: 68).	736 Sft	1160.06	% Sft	8538.0			
13	Rough cost/ stucco cement plaster ¾" thick in proportion of 1½" in cement hill sand and Bajri in patterns. (S. No. 32 P-No: 55).	288 Sft	2306.10	% Sft	6642.0			
14	Mud Plaster on floor or roof 1" thick (S. No. 22 P-No: 51).	1080 Sft	555.0	% Sft	5994.0			
15	White washing three coats. (S. No. 26 P-No: 54).	3564 Sft	829.95	% Sft	29579.0			
16	Supplying and fixing in position iron/ steel girl of ¾"x1¼" size flat of approved design i/c printing 3 coats etc complete. (S. No. 26 P-No: 93).	378 CWT	180.50	P-Cwt	68229.0			
(Electric Arrangement Masjid)					Total Rs.	4460696.0		
1	Wiring for light or fan point with 1/1.13 (3/029) PVC insulated wire PVC in 20mm (3/4) PVC conduit recessed in the wall or column as required (P-15 Item 129).	35	910	P-Point	31850.0			
2	Wiring for plug point with (3/0.29) PVC insulated wire in 20mm (3/4) PVC conduit recessed in the wall or column as required. (Page 15 Item 130).	10	742	P-Point	7420.0			
3	Providing and laying (Main or sub/main) PVC insulated with size 2-7/0.29 copper conductor in ¾ dia PVC conduit on surface. (P-1 Item 03).	70	171	P-Meter	11970.0			

S. No:	Item	Estimate Cost				Mushtaque Ahmed Bullo	
		Qty:	Rate	Per	Amount	Rate	Amount
4	Providing and laying (Main or sub/main) PVC insulated with size 7/36 copper conductor in 3/4 dia PVC conduit on surface (P-14 Item 02).	30	252	P-Meter	7560.0		
5	Providing and laying main or sub main PVC insulated with size 2-7/ 0.52 copper conductor 1" dia PVC conduit on surface. Page 01 Item 6).	35	428	P-Meter	14980.0		
6	Providing and fixing 5amps switch flush type one wat S.P 5amps switch flush type. (Page 33 Item 219).	35	54	P-Nos.	1890.0		
7	Providing and fixing two pins 5amps switch plug and socket.	8	80	P-Nos.	640.0		
8	Providing and fixing brass bittern holder.	25	70	P-Nos.	1750.0		
9	Providing and fixing circuit breaker 06m 10m 15, 20, 30, 40, 50 & 63amps S.P (TB 5S) on prepared board as required.	3	916	P-Nos.	2748.0		
10	Providing & fixing circuit breaker 63amps DT on.	3	2456	P-Nos.	7368.0		
11	Providing and Bakelite ceiling rose two terminals.	1	72	P-No.	72.0		
	NON SCHEDULE ITEMS				Total Rs.		88248.0
1	Mid steel fan clamp 15.8m dia suitable for R.C.C roof	5	17	Each	85.0		
2	Fixing A.C ceiling fan regulator on S.W Board	4	110	Each	440.0		
3	Providing & fixing S.W board to accommodate main or sub main control switch and for other similar jobs on surface.	6	450.0	Each	2700.0		
4	Providing & fixing Energy Saver 24 Watts.	20	590.0	Each	11800.0		
5	P.W wall bracket light fancy type superior quality necessary Electric connection and fixing on wall or ceiling etc complete.	6	597	Each	3582.0		
6	Providing & fixing Bulb 10 watts	10	33	Each	330.0		
7	Providing & fixing set with 2X2X1/4" copper plate buried in the ground at a depth of 12" deep by excavation of all type of soil earth plate to be connection with NO: 08 swg bare copper wire run in 1/2" GI pipe straight from the earth plate upto the metallic electrical scary including providing necessary Tee.	1	3045.0	Each	3045.0		

S. No:	Item	Estimate Cost				Mushtaque Ahmed Bullo	
		Qty:	Rate	Per	Amount	Rate	Amount
8	Providing & fixing board double shutter to accommodate circuit breaker for other similar jobs on surface.	2	1089	P-Sft	2178.0		
(Water Supply & Senatory Work Masjid)					Total Rs.	24160.0	
1	Providing and fixing squatting type white glazed earthen were W.C pan with including the cost of flushing cistern with internal fitting and flush pipe with bend & making requisite number of holes in walls plinth & floor for pipe connections & making good in cement concrete 1:2:4 with 4" dia earthen ware trap & plastic thumble (S. No. 1 (ii) P-No: 1).	3	5088.20	P/No	15265		
2	Providing and fixing 24x18" lavatory basin in white glazed earthen ware complete with & i/c the cost of W.I or C.I cantilever brackets 6" built into wall, painted white in two coats after a primary coat of red lead paint, a pair of 1/2" dia chrome plated pillar taps, 1-1/2" rubber plug and chrome brass waste of approved pattern 1-1/4" dia malleable iron C.P brass traps, malleable iron or brass unions and making requite number of holed in wall, plinth and floor for pipe connection and making good in cement concrete 1:2:4 P-3 Item No. 8	3	4253.70	P-Nos.	12762.0		
3	Add: extra for labour for P/F PF of earth in were pedestal white or colored glazed 19essian equipment P-3 Item No. 9	3	938.47	P-Nos.	2815.0		
4	Providing and fixing steel sinke stainless local make complete with cast iron wrought iron brackets 6 inches built in wall 1-1/2" C.P bubbler plug chrome plated brass chain 1-1/2" C.P brass waste, with 1-1/2" P.V.C waste pipe and making requisite number of holes in wall and plinth and floor pipe connection and making good in cement concrete 1:2:4 (b) Steel sink stainless sized 36" x18" local make (Standard pattern) P-5 Item No. 19 (b)	1	5162.30	P-Nos.	5162.0		

S. No:	Item	Estimate Cost				Mushtaque Ahmed Bullo	
		Qty:	Rate	Per	Amount	Rate	Amount
5	Providing fixing 6"x2" or 6"x3" C.I floor trapor the approved self cleaning desing with C.I screwed down gritting with or without and vent are complete with and i/c making connection and making good in C.C 1:2:4 P-6 Item No. 20	4	2024.46	P-Nos.	8098.0		
6	Providing and fixing in position nylon conncection complete with 1/2" dia 20ess stop cock with pair of brass nuts and lining joint to nylong connection P-6 Item No. 23	4	447.05	P-Nos.	1788.0		
7	Providing and fixing chrome plated brass towel rail complete with brackets fixing on wooden cleat with 1" long C.P screws fixed to wooden pleat P-1 (b) Item No. 1	2	1412.95	P-Nos.	2826.0		
8	Providing and fixing 15"x12" beloved edge mirroe of Belgium glass compelte with 1/8" thick hard board and C.P. screws fixed to wooden pleat P-7 item No. 3 (b)	2	2376	P-Nos.	4752.0		
9	Providing and fixing 4" dia C.I soil and event pipes i/c cutting and fitting and extra painting to match the color of buildings P-9 Item No: 1	1	333.29	P-Rft	333.0		
10	Providing and fixing 4"x4x4" dia C.I branches of the required degree with access doors rubber washer 1/8" thick and bolts and nuts and extra painting to match the color or building P-9 Item No. 5	2	270.6	P-Rft	541.0		
11	Providing and fixing 4" dia C.I plain bend of the required degree i/c extra painting to match the color of buildings P-10 Item No. 10	2	566.70	P-Nos.	1133.0		
12	Providing and fixing 4" C.I terminal guard i/c extra painting to match the color of the building P-10 item No. 11	2	389.70	P-Nos.	779.0		
13	Providing and fixing 3"x3"x3" dia C.I branch of the required degree with access door rubber washer 1/8" thick and buits and nuts and extra painting to match the color or the building P-10 Item No. 17	2	585.30	P-Nos.	1171.0		
14	Providing and fixing 3" dia C.I bend of the required with and buits and nuts and extra painting to match the color or the building P-11 Item No. 21	2	508.80	P-Nos.	1018.0		

S. No:	Item	Estimate Cost				Mushtaque Ahmed Bullo	
		Qty:	Rate	Per	Amount	Rate	Amount
15	Providing G.I pipes and special etc i/c fixing cutting and fitting completer with and i/c the cost of cutting trench upto 2-1/2" feet deep refilling watering ramming and disposal of surplus P-174 Item No. 1 (i) & (ii)	20 130	64.88 86.36	P-Rft P-Rft	1298.0 11227.0		
16	Add: extra labour for concealed C.I pipe and fitting i/c making races in the wall for pipe and making good in cement mortar etc complete P-12 Item No: 2	20 130	7.82 8.45	P-Rft P-Rft	156.0 1099.0		
17	Providing and fixing G.I pipe and special etc i/c fixing cutting and fitting trench upto 2-1/2" feet deep fitting water ramming and disposal of surplus earth with 1 one chain and painting two coats of bitumen paint to pipe and special after cleaning and 21essian cloth sacked in and maxphlat composition wrapped tightly round pipes and testing to a pressure head of 200 ft. and handing. P-12 Item No. 1	80 150 50	86.36 116.20 183.58	P-Rft P-Rft P-Rft	6909.0 17430.0 9179.0		
18	Providing anr fixing handle valve P-17 Item No. 5	3 2 2	200.42 271.92 365.42	P-Nos. P-Nos. P-Nos.	601.0 544.0 731.0		
19	Supplying and fixing canceled steps cocks for superior quality with C.P head 1/2" dia P-15 Item No. 13	5	478.28	P-Nos.	2391.0		
20	Supplying & fixing long bib cock of superior quality with C.P head 1/2" canceled dia P-15 Item No. 1	5	1109.46	P-Nos.	5547.0		
21	Providing and fixing in C.P brass shower rose with 1/2" or 3/4" inlets 4" dia P-15 Item No. 17	2	259.38	P-Nos.	519.0		
22	Supplying and fixing fibber glass plastic tank of approved quality and design and wall thickness as specified i/c cost of butes bolts and fixing in plate form of C.C 1:3:6 & main connections for inlet and outlet and overflow dipper etc complete (a) 250 Gal P-18 Item No. 3	1	21989.61	P-Nos.	21990.0		

S. No:	Item	Estimate Cost				Mushtaqe Ahmed Bullo	
		Qty:	Rate	Per	Amount	Rate	Amount
23	Providing R.C.C pipe with collars class "B" and digging the trenches to required depth and fixing in position i/c cutting fitting and jointing with maxphrat composition and cement mortar 1:1 and testing with water pressure to a head of 4 feet: above the top of the heights and refilling with excavated staff P-23 Item NO. 2	30 130 60	146.57 199.25 401.97	P-Rft P-Rft P-Rft	4397.0 25903. 24118.0		
		Total Rs.			192482.0		
		Total Rs.			4765585.0		
		Add Cartage of Material Rs.			134091.0		
		Total Amount Rs.			4899676.0		
(OFFICE BUILDING)							
1	Removing cement or lime plaster.	31508 Sft	121.0	% Sft	38125.0		
2	Pucca brick work in ground floor in (d) cement sand mortar ratio 1:5.	3890 Cft	12902.08	% Cft	501891.0		
3	First class deadar wood wrought journey in doors and windows etc, fixed in position i/c chowkats.	1934 Sft	1336.59	P-Sft	2584956.0		
4	Cement plaster 1:2 up to 20' ht: (b) ¾" thick.	39448 Sft	3056.62	% Sft	1205775.0		
5	Cement pointing struck joint on wall up to 20 ft: height ratio 1:2.	5125 Sft	1287.44	% Sft	65981.0		
6	Providing and lying Halla or pattern tiles glazed 6"x6"x1/4" on floor or wall facing in required colour and pattern of STYLE specification jointed in white cement and pigment over a base of 1:2 gray cement mortar ¾" thick i/c washing and filling of joint with slurry of white cement and pigment in dressed hape with finishing clearing and cost of wax polish etc complete i/c cutting tiles to profile.	21052 Sft	47651.56	% Sft	10031606.0		
7	Supplying and fixing in position iron/ steel girl of ¾"x1/4" size flat of approved design i/c printing 3 coats etc complete.	2160 Sft	180.50	P-Sft	389880.0		
8	Providing and fixing flase ceiling thermopile in panels of required design and size i/c frame work of aluminum T-section hanged with nail wire to ceiling etc complete.	2102 Sft	91.50	P-Sft	192333.0		

S. No.	Item	Estimate Cost				Mushtaque Ahmed Bullo		
		Qty:	Rate	Per	Amount	Rate	Amount	
9	Providing and fixing plaster of paris ceiling border of 8" to 10" with of specified design and thickness ie fixing besides ceiling with nails/ screws with jetties. (S. No. 44 P-No: 39).	500 Rft	104.22	P-Rft	52110.0			
10	Painting new surface (a) preparing surface and corrugated surface patent roofing etc 3 coats. (S. No. 5 P-No: 69).	39448 Sft	1489.68	% Sft	587649.0			
11	Fixing water spouts or panels. (S. No. 14 P-No: 18).	20 Nos:	211.75	Each	5225.0			
12	Distemping three coats. (S. No. 24 P-No: 54).	39448 Sft	1079.65	% Sft	425900.0			
13	White washing three coats. (S. No. 26 P-No: 54).	12189 Sft	829.95	% Sft	101162.0			
14	Mud Plaster on floor or roof 1" thick (S. No. 2 P-No: 51).	11742 Sft	555.0	% Sft	65168.0			
15	Painting new surface preparing surface and painting doors and window any type including edges three coats. (S. No. 5 (b) P-No: 69).	4428 Sft	1489.68	% Sft	65963.0			
(Electric Arrangement Office Block)					Total Rs.			
					16312744.0			
1	Wiring for light or fan point with 1/1.13 (3/029) PVC insulated wire PVC in 20mm (3/4) PVC conduit recessed in the wall or column as required (P-15 Item 129).	150	910	P-Point	136500.0			
2	Wiring for plug point with (3/0.29) PVC insulated wire in 20mm (3/4) PVC conduit recessed in the wall or column as required. (Page 15 Item 130).	40	742	P-Point	29680.0			
3	Providing and laying (Main or sub/main) PVC insulated with size 2-7/0.29 copper conductor in 3/4 dia PVC conduit on surface. (S. No. 3 P-No: 1).	200	171	P-Meter	34200.0			
4	Providing and laying (Main or sub/main) PVC insulated with size 7/36 copper conductor in 3/4 dia PVC conduit on surface (S. No. 11 P-No: 2).	100	252	P-Meter	25200.0			

S. No:	Item	Estimate Cost				Mushtaque Ahmed Bullo	
		Qty:	Rate	Per	Amount	Rate	Amount
5	Providing and laying main or sub main PVC insulated with size 2-7/ 0.52 copper conductor 1" dia PVC conduit on surface. (S. No. 6 P-No: 1).	100	428	P-Meter	42800.0		
6	Providing and fixing 5amps switch flush type one wat S.P 5amps switch flush type. (S. No. 219 P-No: 33).	110	54	P-Nos.	5940.0		
7	Providing and fixing two pins 5amps switch plug and socket. (Page 222 Item 33)	20	80	P-Nos.	1600.0		
8	Providing and fixing brass bittern holder. (Page 33 Item 232)	80	70	P-Nos.	5600.0		
9	Providing and fixing circuit breaker 06m 10m 15, 20, 30, 40, 50 & 63amps S.P (TB 5S) on prepared board as required. (Page 31 Item 203)	15	916	P-Nos.	13740.0		
10	Providing & fixing circuit breaker 63amps DT on. (Page 31 Item 207)	15	2456	P-Nos.	36840.0		
11	Providing and Bakelite ceiling rose two terminals. (Page 33 Item 228)	5	72	P-No.	360.0		
Non Schedule Items		Total Rs.			332460.0		
1	Mid steel fan clamp 15.8m dia suitable for R.C.C roof	20	72	Each	340.0		
2	Fixing A.C ceiling fan regulator on S.W Board	15	110	Each	1650.0		
3	Providing & fixing S.W board to accommodate main or sub main control switch and for other similar jobs on surface.	15	450.0	Each	6750.0		
4	Providing & fixing Energy Saver 24 Watts.	150	590.0	Each	88500.0		
5	5. PMW wall bracket light fancy type superior quality necessary Electric connection and fixing on wall or ceiling etc complete.	15	597	Each	8955.0		
6	Providing & fixing Bulb 10 watts	30	33	Each	990.0		

S. No.	Item	Estimate Cost				Mushtaque Ahmed Bullo	
		Qty:	Rate	Per	Amount	Rate	Amount
7	Providing & fixing set with 2x2x1/4" copper plate buried in the ground at a depth of 12" deep by excavation of all type of soil earth plate to ber connection with NO: 08 swg bare copper wire run in 1/2" GI pipe straight from the earth plate upto the metallic electrical scary including providing necessary Tee.	2	3045.0	Each	6090.0		
8	Providing & fixing board double shutter to accommodate circuit breaker for other similar jobs on surface.	2	1089	P-Sft	2178.0		
				Total Rs.	115453.0		
				Total Rs.	16760657.0		
				Add Cartage of Material Rs.	261613.0		
				Office Material Rs.	166000.0		
				G-Total Amount Rs.	17188271.0		
(DRAINAGE SYSTEM)							
1	Excavation in foundation of buildings bridges and other structures i/c bag billing dressing refilling around structures with excavated earth watering and ramming lead up to 50 ft. in ordinary soil.	24700 Cft	2722.50	% Cft	67246.0		
2	Dismantling and removing Road Metalling.	240 Cft	605.0	% Cft	1452.0		
3	Supply of clear screened (River of pit) sand with in 5 chains including removal of top crust of earth or over burden and royalty to the Government or cost to the private owners.	10425 Cft	420.0	% Cft	4378.0		
4	Dressing and leveling of earth work to designed section etc compete. (a) Asher, Sand, Silt or soft soil.	10425 Cft	187.15	% Cft	1951.0		
5	Cement concrete plain i/c placing compacting finishing and curing complete (i/c screening and washing of stone aggregate without shuttering) Ratio 1:4:8.	7093 Cft	11288.75	% Cft	800711.0		
6	Pucca brick work in foundation & plinth in cement sand mortar 1:4.	34356 Cft	12501.41	% Cft	4294984.0		
7	Erection and removal and centering for RCC or plain cement concrete work of partial wood 2 nd class vertical.	7300 Sft	7000.0	% Sft	511000.0		

S. No:	Item	Estimate Cost				Mushtaque Ahmed Bullo	
		Qty:	Rate	Per	Amount	Rate	Amount
8	Cement concrete plain i/c placing compacting finishing and curing complete (i/c screening and washing of stone aggregate without shuttering) Ratio 1:2:4.	600 Cft	14429.25	% Cft	86576.0		
9	Cement plaster 1:4 up to 20 ft. height 1/2" thick.	45431 Sft	2283.93	% Cft	1037612.0		
10	Fabrication of mild steel reinforcement for cement concrete i/c cutting bending laying in position making joints and fastening i/c cost of bending wires (also i/c removal of rust from bars.(using tor bars)	43.32 Cwt	5001.70	P-Cwt	216674.0		
11	R.C.C work in roof slabs beams columns rafts, lintels and other structural members laid in situ or pre cost laid in position complete in all respects ratio 1:2:4.	1350 Cft	337.0	P-Sft	454950.0		
		Total Rs.			7477534.0		
		Add Cartage of Material Rs.			1854968.0		
		Total Amount Rs.			9332503.0		
(CANTEEN)							
1	Dismantling R.CC WORK	190	5445.0	% Cft	10346.0		
2	Removing cement or lime plaster	1296	121.0	% Sft	1568.0		
3	Dismantling sun drid brick masonry	340	378.13	% Cft	1286.0		
4	Fabrication of mild steel	11.53	5001.70	% p-Cft	57670.0		
5	RCC Work	190	337.0	% p-Cft	64030.0		
6	pacca brick work in ground floor i/c striking Of joint ratio: 1:5	340	12902.08	% Cft	43867.0		
7	cement plaster 1:2:4 up to 20" ht 1/2" thick	1296	2496.72	% Sft	32357.0		
8	Whit washing 2 coats.	360	425.84	% Sft	1533.0		
9	Distern pring 2 coats.	1296	1079.65	% Sft	13992.0		
10	Frist class deadar wood	24	1336.59	P-Sft	32078.0		
11	Painting doors and windows any type 2 coats	48	1160.06	% Sft	557.0		
12	Mud plaster on Roof floor 1" first type coats	360	555.0	% Sft	1998.0		
13	Providing and laying 1" thick looping cement concrete 1:2:4 i/c surface finishing dividing inti panels 2" thick	360	2548.29	% Sft	9174.0		
14	Fixing water spouts or parnals	2 Nos	210.0	Each	420.0		

S. No.	Item	Estimate Cost				Mushtaque Ahmed Bullo	
		Qty:	Rate	Per	Amount	Rate	Amount
15	Small iron work such as gusset plate per cwt knees bends stirrup rings ect including cutting drilling revetting handling excauding erection in position.	11 cwt	6420.61	P-Cwt	70627.0		
				Total Rs.	341502.0		
				Add Cartage of Material Rs.	25228.0		
				Total Amount Rs.	366730.0		
	(RECONDITIONING OF ROAD)						
	(i) W/R						
1	Making diagonal grooves 1½ @ 2 ft. center to center in Road surface.	29.664 Cft	146.41	P %o Cft	4343.0		
2	Diversion in cashing bems for widening the road including preparation of sub grade after watering and rolling with power roller, dressing the excavated staff etc complete.	177.984 Cft	526.27	P-%o Cft	93668.0		
	Sand Cushion						
3	Providing sand cushion i/c supplying and speeding pit/ canal sand of approved quantity from approved source of supply to site of work i/c watering and rolling etc complete	7416 Cft	900	P-% Cft	66744.0		
	Sub-Base Course						
4	Preparing sub base course by supplying and spreading stone metal 1 ½ 2 " gauge of approve quality from approved quarry in required thickness to proper camber and grade i/c hand packing filling void with 20 cft pit/ canal sand and having plasticity index not more than 6% of suitable quality, watering and compacting to achieve 98-100% density as per modified AASHO specifications (Rate i/c all cost of material and carriage upto site of work) (S.I.No. 8 (a) P. No: 3).	29664 Cft	4381.76	% Cft	1299805.0		
	Brick Edging						
5	Laying Brick on end edging including supplying 9" x 4 ½ x 3" first brick excavation for laying edging with small size parallel to the road i/c costs material T&P and carriage upto 3 chains.	4944 Rft	2484.94	% Rft	122855.0		

S. No:	Item	Estimate Cost				Mushtaque Ahmed Bullo	
		Qty:	Rate	Per	Amount	Rate	Amount
6	6. Base Course Providing Base course i/c supplying and spreading stone metal of approved from Arroe quarry properly graded to maximum size of 1/2 in required thickness to proper camber and grade i/c supplying and spreading 15 cft of screening and non plastic quarry line filling depressions with stone metal after initial rolling i/c watering and compacting the same, so as to achieve 100% density as per modified AASHO specifications (Rate i/cs providing of using templates, camber plates, screen forms as directed) Rate i/cs all cost of materials T&P and carriage upto site of work (S.I. No: 10 P.No: 4)	22248 Cft	5252.41	% Cft	1168556.0		
7	1st Coat Providing 1 st coat of surface dressing on new or existing surface with 30 lbs Bitumen and 4.0 Cft of crushed bajri of required size including cleaning the road surface rolling etc complete (Rate includes all cost of material T&P and carriage upto 3 chains).	44496 Sft	1520.45	% Sft	676539.0		
8	1" Thick Carpet Providing 1" thick (consolidated) premixed carpet in proper camber and grade including supplying 10 Cft crushed bajri 4 Cft Hill sand of approved quality and 67 lbs of bitumen of 80/100 penetration including mixing in mechanical mixer in required proportion including heating material T&P and carriage upto 3 chains	44496 Sft	4107.84	% Sft	1827824.0		
9	Formation Earth for road embankment by bulldozer i/c ploughing mixing clod breaking dressing and compacting with optimum moisture content lead 100' & lift upto 5' in all types of soil except rock.	24603 Cft	3656.23	% Cft	89954.0		

S. No:	Item	Estimate Cost				Mushtaque Ahmed Bullo	
		Qty:	Rate	Per	Amount	Rate	Amount
10	Miscellaneous						
	(a) Making & Maintenance Diversion Making and maintenance diversion during construction of road i/c supplying necessary barears notice boards with lighting arrangement providing necessary crossing other water course where ever necessary as to be road in good motor able condition.	0.450 Miles	5884.29	P-KM	2648.0		
	(ii). Construction						
	Formation						
1	(a) (Earth Work 95-100% Compaction) Earth for road embankment by bulldozer i/c ploughing mixing clod breaking dressing and compacting with optimum moisture content lead 100' & lift upto 5' in all types of soil except rock.	78486 Cft	6190.17	%o Cft	485842.0		
	Formation						
	(b) (Earth Work 85% Compaction)						
	Sub-Base Course						
2	Preparing sub base course by supplying and spreading stone metal 1 1/2 2 " gauge of approve quality from approved quarry in required thickness to proper camber and grade i/c hand packing filling void with 20 cft pit/ canal sand and having plasticity index not more than 6% of suitable quality, watering and compacting to achieve 98-100% density as per modified AASHO specifications (Rate i/c all cost of material and carriage upto site of work)	18540 Cft	4381.76	% Cft	812378.0		
	Brick Edging						
3	Laying Brick on end edging including supplying 9" x 4 1/2 x 3" first brick excavation for laying edging with small size parallel to the road i/c costs material T&P and carriage upto 3 chains.	6180 Rft	2484.94	% Rft	153569.0		

S. No:	Item	Estimate Cost				Mushtaque Ahmed Bullo	
		Qty:	Rate	Per	Amount	Rate	Amount
4.	Base Course Providing Base course i/c supplying and spreading stone metal of approved from Arrore quarry properly graded to maximum size of 1/2 in required thickness to proper camber and grade i/c supplying and spreading 15 cft of screening and non plastic quarry line filling depressions with stone metal after initial rolling i/c watering and compacting the same, so as to achieve 100% density as per modified AASHO specifications (Rate i/cs providing of using templates, camber plates, screen forms as directed) Rate i/cs all cost of materials T&P and carriage upto site of work (S.I. No: 10 P.No: 4)	18540 Cft	5252.41	% Cft	973797.0		
5	1 st Coat Providing 1 st coat of surface dressing on new or existing surface with 30 lbs Bitumen and 4.0 Cft of crushed bajri of required size including cleaning the road surface rolling etc complete (Rate includes all cost of material T&P and carriage upto 3 chains).	37080 Sft	1520.45	% Sft	563783.0		
6	1" Thick Carpet Providing 1" thick (consolidated) premixed carpet in proper camber and grade including supplying 10 Cft crushed bajri 4 Cft Hill sand of approved quality and 67 lbs of bitumen of 80/100 penetration including mixing in mechanical mixer in required proportion including heating material T&P and carriage upto 3 chains	37080 Sft	4107.84	% Sft	1523187.0		
7	Miscellaneous (a) Making & Maintenance Diversion Making and maintenance diversion during construction of road i/c supplying necessary barears notice boards with lighting arrangement providing necessary crossing other water course where ever necessary as to be road in good motor able condition.	0.570 Miles	90870.89	P-KM	51796.0		
		Total Rs:				9871800.0	
		Add Cartage of Material Rs.				3585942.0	
		Total Amount Rs.				13457742.0	

S. No:	Item	Estimate Cost				Mushtaque Ahmed Bullo	
		Qty:	Rate	Per	Amount	Rate	Amount
1	(Compound Wall) Cement concrete plain i/c placing compacting finishing and curing complete (i/c screening and washing of stone aggregate without shuttering).	12434 Cft	14429.25	% Cft	1794133.0		
2	Erection and removal and centering for R.C.C or plain cement concrete work of partial wood 2 nd class vertical. (a) Horizontal (b) Vertical	1400 Sft 22100 Sft	3588.48 3127.41	% Sft % Sft	50239.0 691158.0		
3	Pucca brick work other than building i/c striking of joints up to 20 ft: height in (d) cement sand mortar ratio 1:5.	10670 Cft	12574.38	% Cft	1341686.0		
4	Cement plaster 1:4 up to 20' ht: (b) 1/2" thick.	17376 Cft	3056.62	% Sft	531118.0		
5	Cement pointing struck joint on walls ratio 1:2.	13796 Cft	1287.47	% Sft	177619.0		
		Total Rs:			4585953.0		
		Add Cartage of Material Rs.			991396.0		
		Total Amount Rs.			5577349.0		
LINING OF PIR WAH							
1	Excavation in foundation of building ,bridges & other structures i/c dag belling , dressing refilling around the structures with excavated earth & ramming lead upto 50 feet.	1128000 Cft	3176.25	%0Cft	3582510.0		
2	Cement concrete plain i/c placing compacting , finishing & curing complete i/c screening & washing of stone aggregate without shuttering. ratio 1:3:6	144000 Cft	12595.0	% Cft	18136800.0		
3	Pucca brick work in foundation & plinth in cement sand mortar ratio 1:4	216000 Cft	12501.41	% Cft	27003046.0		
4	Pucca brick work other then building i/c striking of joints upto 20ft: height .Ratio 1:5	178416	12574.38	% Cft	22434706.0		
5	Erection & removal of centering for RCC or plain cement concrete work of partial wood 2 nd class (b) vertical.	24000 Cft	3127.41	% Sft	750578.0		
6	Cement concrete plain i/c placing compacting , finishing & curing complete i/c screening & washing of stone aggregate without shuttering. ratio 1:2:4.	49560 Cft	14429.25	% Cft	7151136.0		
7	Cement pointing flush joints up to 20 ft: height ratio 1:2.	182400 Sft	1151.32	% Sft	2100008.0		

S. No:	Item	Estimate Cost				Mushtaque Ahmed Bullo	
		Qty:	Rate	Per	Amount	Rate	Amount
8	Cement pointing struct joints up to 20 ft. height ratio 1:2.	86400 Sft	1287.44	% Sft	1112348.0		
9	Borrow pit excavation undressed lead upto 100 ft in ordinary or hard soil.	1440000 Cft	2117.50	%0 Cft	3049200.0		
10	Carriage of 100 Cft/ 5 tones of all material like stone aggregate, spawal coal lime surki etc B.G. Rail fastening points and crossings, bridges, girders, pipes sheets rails, M.S. bars etc or 1000 Nos or bricks of size 1" x5" x3" or 1000 Nos tiles of size 12"x6"x2" or 150 cft of timber or 100 mounds of fuel wood by trucks or any other means warned by the contractors (1 mile)	1440000 Cft	407.0	% Cft	5860800.0		
11	Dressing & leveling of earth work to designed section etc complete in ordinary or hard soil.	1440000 Cft	187.55	%0 Cft	270072.0		
		Total			91451504.0		
		Add Cartage of Material Rs.			24821683.0		
		Total Amount Rs.			116273187.0		
RAISING SLAB OF R/B AT RD:5.0 ALONG PIR WAH & RD:9.0 ALONG KORAI MINOR.							
1	Dismantling cement concrete plain ratio 1:2:4	650 Cft	3327.50	% Cft	21629.0		
2	Dismantling cement concrete reinforcement separating reinforcement from concrete cleaning & strengthening the same.	1278 Cft	5445.0	% Cft	69587.0		
3	Pucca brick work other than building i/c striking of joints upto 20ft. height. Ratio 1:5	956 Cft	12574.38	% Cft	120211.0		
4	Fabrication of mild steel reinforcement or cement concrete i/c cutting, bending, laying in position making joints & fastening i/c cost of binding wires also i/c removing rust from bars.	82.39 Cwt	4820.20	P.Cwt	397136.0		
5	R.C.C work, roof, slabs, beams, columns, ref, lintels, & other structural members laid in position complete in all respects ratio 1:2:4.	1538 Cft	337.0	P.Cft	518306.0		
6	Cement concrete plain i/c placing compacting, finishing & curing complete i/c screening & washing of stone aggregate without shuttering. ratio 1:2:4	195 Cft	14429.25	% Cft	28137.0		
7	Cement plaster up to 20 ft. ht. ratio 1:2 3/4" thick.	340 Sft	3056.62	% Sft	10393.0		

S. No:	Item	Estimate Cost				Mushtaque Ahmed Bullo	
		Qty:	Rate	Per	Amount	Rate	Amount
8	Borrow pit excavation undressed lead upto 100 ft in ordinary or hard soil.	30980 Cft	2117.50	%0 Cft	65600.0		
9	Carriage of 100 Cft / 5 tones of all material like stone aggregate, spawl coal lime surki etc B.G. Rail fastening points and crossings, bridges, girders, pipes sheets rails, M.S. bars etc or 1000 Nos or bricks of size 1" x5"x3" or 1000 Nos tiles of size 12"x6"x2" or 150 cft of timber or 100 mounds of fuel wood by trucks or any other means warnd by the contactors (3 mile)	30980 Cft	579.41	% Cft	179501.0		
10	Dressing & leveling of earth work to designed section etc complete in ordinary or hard soil.	30980 Cft	187.55	%0 Cft	5810.0		
		Total			1416310.0		
		Add Cartage of Material Rs.			113454.0		
		Total Amount Rs.			1529765.0		
<p align="center">REPAIR OF OFFICE BLOCK OF PANO SUB-DIVISION (CANALS) AT PANO AKIL, REPAIR OF TYNDEL LANDHI AT RD:322 GHOTKI FEEDER.</p>							
1	Dismantling cement concrete reinforcement separating reinforcement from concrete cleaning & strengthening the same.	1045 Cft	5445.0	% Cft	56900.0		
2	Dismantling brick work in line or cement mater.	2671 Cft	1285.63	% Cft	34339.0		
3	Fabrication of mild steel reinforcement or cement concrete i/c cutting, bending, laying in position making joints & fastening i/c cost of binding wires also i/c removing rust from bars.	82.39 Cwt	4820.20	P.C.W.T	397136.0		
4	R.C.C work, roof, slabs, beams, columns, raft, lintels, & other structural members laid in position complete in all respects ratio 1:2:4.	1917 Cft	337.0	P.Cft	646029.0		
5	Pucca brick work other than building i/c striking of joints upto 20ft. height. Ratio 1:5	3215 Cft	12574.38	%Cft	404266.0		
6	Cement plaster up to 20 ft. ht. ratio 1:2 3/4" thick.	4411 Sft	3056.62	% Sft	134828.0		
7	Dismantling cement concert plain ratio 1:2:4.	905 Cft	3327.50	% Cft	30114.0		
8	Cement pointing strict joints up to 20 ft. height ratio 1:2.	3031 Sft	1287.44	% Sft	39022.0		

S. No:	Item	Estimate Cost				Mushtaque Ahmed Bullo	
		Qty:	Rate	Per	Amount	Rate	Amount
9	First class deodar wood wrought joinery in doors and windows etc. Fixed in position i/c chowkats.	897 Sft	309.52	P.Sft	277639.0		
10	Painting new surface (a) preparing surface and corrugated surface surface patent roofing etc priming coat all each subsequent coat of paint.	2459 Sft	1489.68	% Sft	36631.0		
11	Distemping three coats.	13988 Sft	1079.65	% Sft	151021.0		
12	White washing three coats.	6712 Sft	829.95	% Sft	55706.0		
13	Providing and lying Halla or pattern tiles glazed 6"x6"x1/4" on floor or wall facing in required color and pattern of STYLE specification jointed in white cement and pigment over a base of 1:2 grey cement mortar 3/4" thick i/c washing and filling of joint with slurry of white cement and pigment in dressed shape with finishing clearing and cost of wase polish etc complete i/c tiles to profile.	3132 Sft	47655.56	% Sft	1492572.0		
14	Mud plaster on floor or roof 1" thick.	2351 Cft	555.0	% Cft	13048.0		
15	Barrow pit excavation undressed lead upto 100 ft. in ordinary.)	7985 Cft	2117.50	%0 Cft	16908.0		
16	Carriage of 100 Cft / 5 tones of all material like stone aggregate , spawl coal lime surki etc B.G. Rail fastening points and crossings , bridges , girders , pipes sheets rails , M.S. bars etc or 1000 Nos or bricks of size 1" x5"x3" or 1000 Nos tiles of size 12"x6"x2" or 150 cft of timber or 100 mounds of fuel wood by trucks or any other means warnd by the contactors (3 mile)	7985 Cft	579.41	% Cft	46266.0		
17	Earth work compaction (soft ordinary or hard soil) (b) laying earth in 6" layers leveling dressing and watering for compaction. (Page No) Item No)	7985 Cft	354.0	%0 Cft	2827.0		
18	Cement concrete plain i/c placing compacting finishing and curing completion i/c screening and washing of stone aggregate w/o shuttering ratio 1:2:4. (Page No 22 Item No 4)	1110 Cft	14429.25	% Cft	160165.0		
Total					3995419.0		
Add Cartage of Material Rs.					281903.0		
Total Amount Rs.					4277349.0		

S. No:	Item	Estimate Cost				Mushtaque Ahmed Bullo	
		Qty:	Rate	Per	Amount	Rate	Amount
	ESTIMATE FOR CONSTRUCTING OF OFFICE BLOCK OF PANO BUND SUB-DIVISION AT PANO AKIL						
1	Excavation in foundation of building, bridges & other structures i/c dag belling, dressing refilling around the structures with excavated earth & ramming lead upto 50 feet.	1080 Cft	3176.25	%0Cft	3430.0		
2	Cement concrete plain i/c placing compacting, finishing & curing complete i/c screening & washing of stone aggregate without shuttering. ratio 1:3:6	525 Cft	12595.0	% Cft	66124.0		
3	Pucca brick work in foundation & plinth in cement sand mortar ratio 1:4	721 Cft	12501.41	% Cft	90135.0		
4	Pucca brick work other than building i/c stricking of joints upto 20ft. height. Ratio 1:5	1486 Cft	12574.38	% Cft	186855.0		
5	Fabrication of mild steel reinforcement or cement concrete i/c cutting, bending, laying in position making joints & fastening i/c cost of binding wires also i/c removing rust from bars.	41.57 Cwt	4820.20	P.Cwt	200376.0		
6	R.C.C work, roof, slabs, beams, columns, reft, lintels, & other structural members laid in position complete in all respects ratio 1:2:4	776 Cft	337.0	P.Cft	261512.0		
7	Cement plaster up to 20 ft. ht: ratio 1:2 3/4" thick.	3056 Sft	3056.62	%Sft	93410.0		
8	Barrow pit excavation undressed lead upto 100 ft. in ordinary.	2499 Cft	2117.50	%0 Cft	5292.0		
9	Carriage of 100 Cft / 5 tones of all material like stone aggregate, spawl coal lime surki etc B.G. Rail fastening points and crossings, bridges, girders, pipes sheets rails, M.S. bars etc or 1000 Nos or bricks of size 1" x5"x3" or 1000 Nos tiles of size 12"x6"x2" or 150 cft of timber or 100 mounds of fuel wood by trucks or any other means warnd by the contactors (3 mile)	2499 Cft	579.41	% Cft	14479.0		
10	Earth work compaction (soft ordinary or hard soil) (b) laying earth in 6" layers leveling dressing and watering for compaction.	2499 Cft	354.0	%0 Cft	885.0		

S. No:	Item	Estimate Cost				Mushtaque Ahmed Bullo	
		Qty:	Rate	Per	Amount	Rate	Amount
11	Cement concrete plain i/c placing compacting finishing and curing completion i/c screening and washing of stone aggregate w/o shuttering ratio 1:2:4.	357 Cft	14429.25	% Cft	51512.0		
12	Providing and lying Halla or pattern tiles glazed 6"x6"x1/4" on floor or wall facing in required color and pattern of STYLE specification jointed in white cement and pigment over a base of 1:2 grey cement mortar 3/4" thick i/c washing and filling of joint with slurry of white cement and pigment in dressed shape with finishing clearing and cost of was polish etc complete i/c tiles to profile.	382 Sft	47655.56	% Sft	182044.0		
13	Cement pointing struct joints on walls up to 20 ft. height ratio 1:2.	3062 Sft	1287.44	% Sft	39421.0		
14	First class deodar wood wrought joinery in doors and windows etc. Fixed in position i/c chowkats.	367 Sft	309.52	P. Sft	113593.0		
15	Painting new surface (a) preparing surface and corrugated surface surface patent roofing etc priming coat all each subsequent coat of paint.	734 Sft	1489.68	% Sft	10934.0		
16	Distemping 3 coats.	2653 Sft	1079.65	% Sft	28643.0		
17	White washing three coats.	684 Sft	829.95	% Sft	5677.0		
18	Mud plaster on floor or roof 1" thick	701 Cft	555.0	% Cft	3891.0		
		Total			1358215.0		
		Add Cartage of Material Rs.			176312.0		
		Total Amount Rs.			1534527.0		
CONSTRUCTING OF PIPE OUT LET ALONG PIR WAH RD: 0 TO TAIL							
1	Excavation in foundation of building, bridges & other structures i/c dag belling, dressing refilling around the structures with excavated earth & ramming lead upto 50 feet.	4182 Cft	3176.25	%0 Cft	13283.0		
2	Cement concrete plain i/c placing compacting, finishing & curing complete i/c screening & washing of stone aggregate without shuttering. ratio 1:3:6	1275 Cft	12595.0	% Cft	160586.0		
3	Pucca brick work in foundation & plinth in cement sand mortar ratio 1:4	867 Cft	12501.41	% Cft	108387.0		

S. No.	Item	Estimate Cost				Mushtaque Ahmed Bullo	
		Qty:	Rate	Per	Amount	Rate	Amount
4	Pucca brick work other then building i/c stricking of joints upto 20ft. height. Ratio 1:5	1071 Cft	12574.38	% Cft	134672.0		
5	Fixing pipe outlet i/c back filling of earth and puddling portion under water.	204 Rft	71.32	P. Rft	14549.0		
6	Cement pointing strict joints on walls up to 20 ft. height ratio 1:2. (S. No. 19 P-No: 58).	1496 Sft	1287.44	%Sft	19260.0		
7	Providing laying RCC pipe and collars of class "A" and fixing in trench i/c cutting filling and jointing with maxphalt composition and cement mortar (1:1 i/c testing with water to a head of 4.5 meter or 15 ft. 300 mm. (S. No. 1 (e) P-No: 36). Public Health Schedule	204 Rft	246.0	P. ft	50184.0		
		Total			500921.0		
		Add Cartage of Material Rs.			139110.0		
		Total Amount Rs.			640031.0		
		G-Total Rs.			92861569.0		
		Lining of Bago Wah Total Amount Rs.			116001841.0		
		Rehabilitation of Irrigation Colony Ghotki and Pano Akil Rs.			132120197.0		
		Lining of Pir Wah Total Rs.			125282603.0		
		G-Total Rs.			373404641.0		

The Rate Rs. 3.61% Above the Estimated Cost quoted by Mushtaque Ahmed Bullo is found lowest and reasonable. Hence recommended for approval.

MEMBER

CHAIRMAN

(ALI GUL QAZI)
ASSISTANT EX: ENGINEER
EDUCATION WORKS SUB-DIVISION
MIRPUR MATHELO

(ZAHID HUSSAIN QURESHI)
EXECUTIVE ENGINEER
GHOTKI DIVISION (IRRIGATION)
GHOTKI

(GHULAM YASEEN QURESHI)
DIRECTOR
GHOTKI FEEDER CANAL
AREA WATER BOARD GHOTKI

BID EVALUATION REPORT


1	Name of procuring	EXECUTIVE ENGINEER GHOTKI DIVISION (IRRIGATION) GHOTKI
2	Tender Reference	NIT NO. TC/G-55/286 dated 15.02.2016
3	Tender Description / Name of work / Item	Rehabilitation/ Lining of Bago Wah RD-19 to 30, Rehabilitation of Irrigation Colony Ghotki and Pano Akil including Drainage System of Irrigation Colony Ghotki and Rehabilitation/ Brick Lining of Pir Wah at RD 7 to 24.
4	Method of Procurement	Single Stage (by Competitive rate/ bid)
5	Tender published	Published in (i) Kawish (Sindhi) dated 19.02.2016 (ii) The News (English) dated 18.02.2016 (iii) Express (Urdu) dated 17.02.2016.
6	Total Document sold	01 No.
7	Total Bids received	01 No.
8	Technical Bid opening date (if applicable)	(Provided details in separate form)
9	No. of Bid Technically qualified (if applicable)	01 Nos.
10	Bid (s) Reject	01 Nos.
11	Financial Bid Opening Date	09.03.2016.


Bid evaluation Report

S.No	Name of firm or Bidder	Cost offered by the Bidder	Ranking in terms of cost	Comparison with Estimated cost	Reason for acceptance / rejection	Remarks
0	1	2	3	4	5	6
1	Mushtauq Ahmed Bullo	386911532	1 st Lowest	3.61% above the Estimated Cost	Accepted being Lowest	


Signature of the Tendering Committee

MEMBER


 (ALI GUL QAZI)
 ASSISTANT EX: ENGINEER
 EDUCATION WORKS SUB-DIVISION
 MIRPUR MATHELO


 (ZAHID HUSSAIN QURESHI)
 EXECUTIVE ENGINEER
 GHOTKI DIVISION (IRRIGATION)
 GHOTKI

CHAIRMAN



 (GHULAM YASEEN QURESHI)
 DIRECTOR
 GHOTKI FEEDER CANAL
 AREA WATER BOARD GHOTKI

TECHNICAL EVALUTION REPORT /
BIDDER QUALIFICATION REPORT.

S.NO	NAME OF PROCURING	EXECUTIVE ENIGEER GHOTKI DIVISION (IRRIGATION) GHOTKI
1	TENDER REFERENCE NO.	NIT NO. TC/G-55/286 dated 15.02.2016
2	TENDER DESCRIPTION / NAME OF WORK / ITEM	Rehabilitation/ Lining of Bago Wah RD-19 to 30, Rehabilitation of Irrigation Colony Ghotki and Pano Akil including Drainage System of Irrigation Colony Ghotki and Rehabilitation/ Brick Lining of Pir Wah at RD 7 to 24.
3	Method of procurement	Single stage
4	Name of firm / Bidder	Mushtaque Ahmed Bullp
5	N.T.N	Available
6	REGISTRATION WITH P.E.C	Available Registration
7	EXPERIENCE	Available
8	02 % Earnest MONEY	Deposited
9	Tender fee / cost of bidding document	Deposited
10	Turnover of at least as three years	Available


Signature of the Tendering committee

MEMBER


(ALI GUL QAZI)
ASSISTANT EX: ENGINEER
EDUCATION WORKS SUB-DIVISION
MIRPUR MATHELO


(ZAHID HUSSAIN QURESHI)
EXECUTIVE ENGINEER
GHOTKI DIVISION (IRRIGATION)
GHOTKI

CHAIRMAN


(GHULAM YASEEN QURESHI)
DIRECTOR
GHOTKI FEEDER CANAL
AREA WATER BOARD GHOTKI

MINUTES OF MEETING OF THE COMMITTEE FOR EVALUATION OF BIDS

The tender for the works of Rehabilitation/ Lining of Bago Wah RD-19 to 30, Rehabilitation of Irrigation Colony Ghotki and Pano Akil including Drainage System of Irrigation Colony Ghotki and Rehabilitation/ Brick Lining of Pir Wah at RD 7 to 24, were invited by the procuring agency viz: Executive Engineer Ghotki Division (Irrigation) Ghotki vide Notice No. TC/ G-55 (b)/ 286 Dated 15.02.2016. Accordingly the tenders were required to be issued on 09.03.2016 upto and opened on the same date at 02:00 PM, following contractor purchased the tenders for the above works as shown below against each work.


S. #	Name of Work	Name of Contractor
1.	Rehabilitation/ Lining of Bago Wah RD-19 to 30, Rehabilitation of Irrigation Colony Ghotki and Pano Akil including Drainage System of Irrigation Colony Ghotki and Rehabilitation/ Brick Lining of Pir Wah at RD 7 to 24	Mushtaqhe Ahmed Bullo


The tenders were opened in presence of the intending contractors and rates readout openly to the participant. The lowest rates were quoted by the Contractors are shown below against each works.

S. #	Name of Work	Name of Contractor	Whose rates were found lowest
1.	Rehabilitation/ Lining of Bago Wah RD-19 to 30, Rehabilitation of Irrigation Colony Ghotki and Pano Akil including Drainage System of Irrigation Colony Ghotki and Rehabilitation/ Brick Lining of Pir Wah at RD 7 to 24	Mushtaque Ahmed Bullo	3.61% Above Estimated Cost


The bids evolution report was accordingly timely prepared and signed by the bids evolution committee.

MEMBER


(ALI GUL QAZI)
ASSISTANT EX: ENGINEER
EDUCATION WORKS SUB-DIVISION
MIRPUR MATHELO


(ZAHID HUSSAIN QURESHI)
EXECUTIVE ENGINEER
GHOTKI DIVISION (IRRIGATION)
GHOTKI

CHAIRMAN


(GHULAM YASEEN QURESHI)
DIRECTOR
GHOTKI FEEDER CANAL
AREA WATER BOARD GHOTKI

OFFICE OF THE EXECUTIVE ENGINEER
GHOTKI DIVISION (IRRIGATION) @ GHOTKI.

Telephone No # 0723-684826.

No. TC/ G-55 (b)/- 286

Ghotki Dated 15 / 2 / 2016

CORRIGENDUM

The Tenders were invited vide this office No: TC/ G-55 (b)/ 150 Dated 22.01.2016, which was timely delivered in the information Department, but the publication of the Notice was carried out by the Newspapers on 04.02.2016, causing short response time because the tenders were to be opened on 15.02.2016, which has been opposed by the Chairman Transparency International Pakistan Karachi vide letter No: TL 16/ 0802/ 12A dated 08.02.2016, hence the tenders are hereby postponed as under.

1. The Tenders will be issued upto 09.03.2016 at 01:00 PM and will be received back and opened on 09.03.2016 at 02:00 PM.



(ZAHID HUSSAIN QURESHI)
EXECUTIVE ENGINEER
GHOTKI DIVISION (IRRIGATION)
@ GHOTKI

A Copy is forwarded with compliments to:-

1. Honourable Chief Minister Government of Sindh Karachi for kind information.
2. Honourable Justice, Sindh High Court Karachi for kind information.
3. Honourable Director General NAB Karachi for kind information.
4. Honourable Chief Secretary Government of Sindh Karachi for kind information.
5. Managing Director Sindh Irrigation and Drainage Authority Left Bank Barrage Colony Hyderabad for kind information.
6. Chairman Transparency International Pakistan 5-C, 2nd floor, Khayaban-e-ittehad, phase vii, Defence Housing Authority Karachi for favour of kind information.
7. The Director (A&F) SPPRA/ 3-15/ Government of Sindh, Sindh Public Procurement Regulatory Authority (SPPRA) Barrack No: 8 Sindh Secretariat No: 4-A, Court Road Karachi, for favour of information and placing on the website.
8. The Director Information (Advertisement) Public Relation Department Government of Sindh Block No: 96 Karachi alongwith 6 extra copies for insertion. He is requested to get the advertisement published in leading newspapers also it is requested to publish in daily wisdom newspapers.
9. The Director Ghotki Feeder Canal Area Water Board Ghotki for kind information.
10. The Assistant Ex: Engineer Irrigation Sub-Division of Ghotki Division (Irrigation) Ghotki for information.
11. Drawing Branch Local for information.
12. Copy to Notice Board.


(ZAHID HUSSAIN QURESHI)
EXECUTIVE ENGINEER
GHOTKI DIVISION (IRRIGATION)
@ GHOTKI

DAILY EXPRESS



WEDNESDAY, FEBRUARY 17, 2016

پاکستان کے 11 شہروں سے ایک وقت شائع ہونے والا واحد اخبار
جمادی 15 349 | بدھ 8 بروزنی 1437 | 17 فروری 2016ء | 86 ماکن 2072 ب | صفحات 18 قیمت 12 روپے

فون نمبر: 0723-684826

دفتر ایگزیکٹو انجینئر

گھوٹکی ڈویژن (اریکیشن) واقع گھوٹکی

NO. TC/G-55(b)/286

Ghotki

Dated: 15-02-2016

تصیحیح

ٹینڈرز، دفتر ہذا کے نمبر TC/G-55(b)/150 مورخہ 22-01-2016 کے تحت طلب کئے گئے تھے جو محکمہ اطلاعات میں وقت پر ارسال کئے گئے تھے لیکن 04-02-2016 کو اخبارات کی جانب سے شائع کئے گئے تھے جو، جواب کے مختصر وقت کا سبب بنا کیونکہ ٹینڈرز 15-02-2016 کو کھولے جانے تھے جس کی لپٹ نمبر PL 16/0802/12A مورخہ 08-02-2016 کے تحت چیئر مین ٹرانسپیرینسی انٹرنیشنل پاکستان کراچی کی جانب سے مخالفت کی گئی لہذا ٹینڈرز ذیل کے مطابق بذریعہ ہذا منسوی کئے جاتے ہیں۔

1- ٹینڈرز 09-03-2016 بوقت دن 1:00 بجے تک جاری کئے جائیں گے اور 09-03-2016 بوقت دن 2:00 بجے واپس وصول اور کھولے جائیں گے۔

ایگزیکٹو انجینئر

INF-KRY:NO. 393/16

گھوٹکی ڈویژن (اریکیشن)

مذہب کے اہلادے میں نفرت کا پرچار کرنے والوں کو پہچانو۔

کریپشن کو کھسین نہ

واقع گھوٹکی

TEXT

سندھ میں عیسائی کی ہتھی کے لئے زلمی + اپنا پیغام لکھ کر 8 3 9 8 پر ایس ایم ایس کریں۔



Thursday, February 18, 2016

Front Page

INTERNATIONAL

THE NEWS

Karachi Edition

Also published in:
Mumbai / Rawalpindi, Lahore, London and
@threeweb.com.pk
www.threeweb.com.pk

JANG GROUP OF NEWSPAPERS

Thursday
February 18, 2016

Journal of Record, 11 MT A.H.

24 pages
Price Rs. 10.00

OFFICE OF THE EXECUTIVE ENGINEER GHOTKI DIVISION (IRRIGATION) AT GHOTKI

CORRIGENDUM

The tenders were invited vide this Office No. TC/G-55(b)/150 dated 22-01-2016, which was timely delivered in the information department, but the publication of the Notice was carried out by the Newspapers on 04-02-2016, causing short response time because the tenders were to be opened on 15-02-2016, which has been opposed by the Chairman Transparency International Pakistan Karachi vide Letter No. TL16/0802/12A dated 08-02-2016, hence the tenders are hereby postponed as under:

1. The tenders will be issued up to 09-03-2016 at 01:00 p.m. and will be received back and opened on 09-03-2016 at 02:00 p.m.

Sd/-
EXECUTIVE ENGINEER
GHOTKI DIVISION (IRRIGATION)
AT GHOTKI

INF/KRY-393/16

روزانه

aily
KAWISH

ڪاوش

19 مارچ 2016 ع

هڪ ئي وقت ڪراچي، حيدرآباد ۽ سکر مان شايع ٿيندڙ پهرين سنڌي اخبار

روزانه ڪاوش حيدرآباد

آفيس آف ڊي ايگزيڪيوٽو انجنيئر گهوٽڪي
ڊويزن (اريگيشن) ايت گهوٽڪي

0723-684826، ٽيليفون: No.TC/G-55(b)-286 Dated: 15-02-2016

تصحيح

هن آفيس جي نمبر TC/G-55(B)/150 تاريخ 22-01-2016 موجب ٿيندڙ گهرايا ويا هئا، جيڪي وقت سر انفارميشن ڊپارٽمينٽ ۾ ڏنا ويا پر اخبارن پاران نوٽيسن کي 04-02-2016 تي شايع ڪيو ويو هو، جنهن لاءِ موٽ واسطي وقت مختصر ٿيو ٿئي جو ٿيندڙن کي 15-02-2016 تي کولڻو پئجي رهيو هو، جنهن جي چيئرمين ٽرانسپيرنسي انٽرنيشنل پاڪستان ڪراچي پنهنجي ليٽر نمبر TL16/0802/12A تاريخ 08-02-2016 موجب مخالفت ڪري ڇڏي، هاڻ تنهنڪري ٿيندڙن کي هيٺين ريت ملتوي ڪيو ويو آهي.
1. ٿيندڙ 09-03-2016 منجهند 1:00 وڳي تائين جاري ڪيا ويندا ۽ 09-03-2016 تي منجهند 2:00 وڳي واپس وصول ڪيا ۽ کوليا ويندا.

ايگزيڪيوٽو انجنيئر
گهوٽڪي ڊويزن (اريگيشن) ايت گهوٽڪي

INF/KRY.No:393/2016

SAY NO TO CORRUPTION

سڌو سچو ڪاروبار ڪري سڄي دنيا کي سچو ڪريو



ٽيليفون

سڌو سچو ڪاروبار ڪري سڄي دنيا کي سچو ڪريو + پنهنجو پتو لکي 8 3 9 8 تي ايس ايس ڪرين

اردائي (سٽي جي پورين ۽ PP پورين) جي خريداري لاءِ

عدالت و
نمبر 3
ان ڪار
چندر
لاهور
مدت
الله ولد
لاڙڪاڻو
چوڻ نم
هڪ ڏو
سي بي
2014
لا داخل
اتي تعميل
ڌرمي توه

مدين
صحیح
وٺو جوڻ

عدالت و
نمبر 32
ان ڪار
چندر
لا

**OFFICE OF THE EXECUTIVE ENGINEER
GHOTKI DIVISION (IRRIGATION) AT GHOTKI**

NOTICE INVITING BIDS

The Executive Engineer Ghotki Division (Irrigation) Chotki is pleased to cancel the notice inviting bids issued vide this office No. TC-G-55(b)/1981 dated 16-10-2015. In view of the observation of the SPPRA Letter No. MGR(A-II)/IRI-064/Mithrao/3-3/15-16/9057 Karachi, dated 30-12-2015.

2. The fresh notice inviting bids for works as below is therefore invited from the approved contractors on the standard bidding documents registered with Pakistan Engineering Council in equivalent standard category relating to ADP Scheme 820 at Sr. No. 1 only.
3. The intending bidders must be registered with the Sindh Revenue Board in terms of rule (46) (i) (iii) of SPPRA Rule 2010, and shall have to attach the copy of the registration certificate with the application.
4. The intending bidders shall have to produce the renewal license C-3, and C-4 for the year 2016, from the Pakistan Engineering Council.
5. The successful bidders shall have make payment to the procuring agency from this bill towards sales tax at the prescribed rate as per Sindh Sales Tax Act 2011.

S. #	Name of Work	Estimated Cost	Earnest Money 2%	Tender Fee	Time Allowed for Completion
1.	Rehabilitation/Lining of Bago Wah RD 19 to 30, Rehabilitation of Irrigation Colony Ghotki and Pano Akil including Drainage System of Irrigation Colony Ghotki and Rehabilitation / Brick Lining of Pir Wah at RD 7 to 24.	372512286/-	7500000/-	5000/-	12 Months
2.	Constructing Escape at RD 28 along Sangrar Minor.	2997742/-	60000/-	3000/-	03 Months

Documents can be received from office of the Executive Engineer Ghotki Division (Irrigation) Ghotki (Phone No. 0723-684826) during office hours on payment of Rs. 5000/- as documentation fee (Non Refundable) from date 25-01-2016 to 15-02-2016. The bidding documents will be available from the date of 1st publication in newspapers.

The bidding documents will be received back up to 15-02-2016 to 01:00 pm in the office of the Executive Engineer Ghotki Division (Irrigation) Ghotki and will be opened by the Procurement Committee in the office of the Executive Engineer Ghotki Division (Irrigation) Ghotki on 15-02-2016 at 02:00 pm in presence of Contractors or their authorized representatives.

The bidders should submit bid security at the Rate of 2% of bid price in shape of Call Deposit prepared from any Scheduled bank in favor of Executive Engineer Ghotki Division (Irrigation) Ghotki must be accompanied with the bids.

The un-responded bid will be issued from 15-02-2016 to 29-02-2016 up to 01:00 pm and will be opened on 29-02-2016 at 02:00 pm.


**THE INVITING CONTRACTORS/FORMS ARE
REQUIRED TO FURNISH AS UNDER:**

- (a) The Deposit Tender Fee (Non Refundable) in cash along with the application for issuance of bids.
- (b) To verify drawing/plans and any other information from the office of the Executive Engineer Ghotki Division (Irrigation) Ghotki during office hours during the period as mentioned here in above.
- (c) The bids documents must be completed fully before submitting the same duly filled in before required time.
- (d) The intending contractors shall have to produce the NIT certificate with the application.
- (e) Every correction if any made in the bid documents must be duly signed.
- (f) The competent authority / procurement agency reserves the right to reject/accept any bid.

Sd/-
**EXECUTIVE ENGINEER
GHOTKI DIVISION (IRRIGATION)
AT GHOTKI**

INF/KRY-172/16

SAY NO TO CORRUPTION



پاکستان کے 11 شہروں سے ایک وقت شائع ہونے والا پہلا اخبار ہے۔
 پتہ: پورٹ ٹرسٹ، سائبر ٹاؤن، اسلام آباد۔ فون: 3733-3734

دفتر ایگزیکٹو انجینئر

گھوٹکی ڈویژن (اری کیمن) واقع گھوٹکی

فون نمبر: 684826-07

No.TC/G-55(b)/150 Ghotki Dated: 22-01-2016

بندگاہوں کی طلبی کا نوٹس

ایگزیکٹو انجینئر گھوٹکی ڈویژن (اری کیمن) گھوٹکی کو SPPRA سپر جبر MGR(A-II,IR)-064/Mithrao/3-3/15-16/9057 کے تحت 2015ء سے جاری شدہ بندگاہوں کی طلبی کے لیے نوٹس درج ذیل ہے۔

- 2- کام جیسا کہ ذیل میں درج کر دیا گیا ہے۔ اسٹیٹ ریلوے ڈپارٹمنٹ کے دستاویزات پر منظور شدہ کنٹریکٹس کے تحت صرف نمبر شمار 1 میں ADP تکیم 820 سے متعلق اسٹیٹ ریلوے ڈپارٹمنٹ کے مساوی پاکستان انجینئرنگ کونسل سے رجسٹرڈ ہونے والے انجینئروں کی طلبی کے نوٹس کیلئے پیشکشیں مطلوب ہیں۔
- 3- دلچسپی کے حامل بولی دہندگان SPPRA رول 2010 کے رول (i)(ii)(iii) (46) کی شرائط میں مندرجہ ذیل پیمانے پر رجسٹرڈ ہونے والے رجسٹریڈ اور رجسٹریشن سرٹیفکیٹ کی نقل درخواست کے ساتھ منسلک کرنا ہوگی۔
- 4- دلچسپی کے حامل بولی دہندگان کو پاکستان انجینئرنگ کونسل سے سال 2016 کیلئے تجدیدی لائسنس C-3 اور C-4 چیک کرنا ہوگا۔
- 5- کامیاب بولی دہندگان کو مندرجہ ذیل ٹینڈر ایکٹ 2011 کے مطابق مجوزہ شرح پر رولڈ ڈیزائن کیلئے ان بلز میں سے پریمیئم تک ایجنسی کو ادا کرنی ہوگی۔

نمبر	کام کا نام	تعمیراتی لاگت	2% درجہ	ٹینڈر قیمت	مست قیمت
1-	ہاگو واہ RD-19 کی بحالی / لائٹنگ، اری کیمن کا بولی گھوٹکی اور تھوہہ عاقل بشمول اری کیمن کا بولی گھوٹکی کے ڈریج سسٹم کی بحالی اور RD-246 پر پیرواہ کی بحالی / بریک لائٹنگ	372512286/-	7500000/-	5000/-	112ء
2-	ٹھلہ اور ہائیز کیلئے RD 28 پر اسٹیپ کی تعمیر	2997742/-	60000/-	3000/-	103ء

دستاویزات - 5000/- 12 ہلور دستاویزات ٹینڈر (تا قابل واپسی) کی ادائیگی پر تاریخ 25-01-2016 تا 15-02-2016 دوران دفتری اوقات دفتر ایگزیکٹو انجینئر گھوٹکی ڈویژن (اری کیمن) گھوٹکی (فون نمبر: 684826-0723) سے خریدی جاسکتی ہیں۔ بندگاہ دستاویزات اخبارات میں پہلی اشاعت کی تاریخ سے دستیاب ہوں گی۔

بندگاہ دستاویزات 15-02-2016 کو بوقت دن 01:00 بجے تک دفتر ایگزیکٹو انجینئر گھوٹکی ڈویژن (اری کیمن) گھوٹکی میں واپس وصول اور 15-02-2016 کو بوقت دن 02:00 بجے کنٹریکٹرز یا ان کے مجاز نمائندوں کی موجودگی میں دفتر ایگزیکٹو انجینئر گھوٹکی ڈویژن (اری کیمن) گھوٹکی میں پرکھ کر کے کھلی کی جاوے گی۔

بولی دہندگان کو بولی کی قیمت کے 2% کی شرح سے بذمہ داری نقل کال ڈپازٹ جو کسی شیڈول بینک سے ایگزیکٹو انجینئر گھوٹکی ڈویژن (اری کیمن) گھوٹکی کے تحت میں تیار کردہ ہونے چاہئے اور اسے جمع کرنا ہوگی۔

مدد برائے پیشکش 15-02-2016 تا 29-02-2016 دن 01:00 بجے تک جاری اور 29-02-2016 کو بوقت دن 02:00 بجے گھوٹکی جاسکتی ہے۔

- دلچسپی کے حامل کنٹریکٹرز / فرمز سے درج ذیل درکار ہیں:**
- (a) پیشکشوں کے اجراء کیلئے درخواست کے ساتھ ٹینڈر فیس (تا قابل واپسی نقد میں جمع کرانی ہوگی)۔
 - (b) ڈرائنگ، پلانز اور کسی بھی قسم کی دیگر معلومات کی کاپی کے ساتھ کام والے دن دوران دفتری اوقات مدت جیسا کہ اوپر درج کر دیا ہے۔ دفتر ایگزیکٹو انجینئر گھوٹکی ڈویژن (اری کیمن) گھوٹکی میں توثیق کی جاسکتی ہے۔
 - (c) بڑے دستاویزات لاؤ اسٹیلو پلاٹ سے نقل ہونے والے پر شدہ نقشے کے ساتھ ساتھ نقل یا قاعدہ مکمل ہونے چاہئیں۔
 - (d) دلچسپی کے حامل کنٹریکٹرز کو درخواست کے ساتھ NIT سرٹیفکیٹ پیش کرنا ہوگا۔
 - (e) بندگاہ دستاویزات میں کسی درستی کی صورت میں وہاں لاؤ اسٹیلو پلاٹ کے جائیں۔
 - (f) مجاز افساروں پر ریورس ایجنسی کو کسی پیشکش کو قبول / منسوخ کرنے کا حق حاصل ہے۔

ایگزیکٹو انجینئر
 گھوٹکی ڈویژن (اری کیمن)
 واقع گھوٹکی

INF-KRY:No.172/16

