

KARACHI WATER & SEWERAGE BOARD

OFFICE OF THE CHIEF ENGINEER (IP&D)

BID EVALUATION REPORT

1	Name of Procuring Agency	KARACHI WATER & SEWERAGE BOARD
2	Tender Reference No	SPPRA Serial No.22340 I.D No. /2014
3	Tender Description/Name of Work/Item	ERRACTIONING / COMMISSIONING OF COMPLETE NEW INSTALLATION OF ELECTRICAL MECHAICAL & CIVIL WORK FOR KBR (BUFFER ZONE) BOOSTING STATION NEAR ALI PRIDE APPARTMENT NORTH NAZIMABAD (E&M)-WATER)
4	Method of Procurement	Single Stage (One Envelop)
5	Tender Published	 i) Daily Jang ii) Dialy Awami Awaz on Dated 09-01-2015 and iii) Daily The Express Tribune on Dated: 08-01-2015
6	Total Bid Documents Sold	03 Nos
7	Total Bid Received	03 Nos
8	Technical Bid Opening Date (if applicable)	N/A.
9	No. of Bid Technically Qualified (if applicable)	N/A.
10	Bid (s) rejected	Two
11	Financial Bid Opening Date	28/01/2015

12 Bid Evaluation Report

S#	NAME OF FIRM OR BIDDER	COST OFFERED BY THE BIDDERS	RANKING IN TERMS OF COST	COMPARISON WITH ESTIMATED COST	REASON FOR ACCEPTANCE/ REJECTION	REMARKS
1	M/s. G.M Enterprises	Rs. 6,892,198/-	1st Lowest	@ 4 8552% Above	Substantially Responsive	P.O # 11969382 Dt. 27-01-2015 Rs.150,000/- HBL KDA Civic Centre Br
2	M/s. Unity Associates	Rs. 7,122,322/-	2nd Lowest	@ 7.3562% Above	Unresponsive Bid due to disqualified	P.O # 11637742 Dt: 28-01-2015 Rs.150,000/- HBL Hassan Sq Br
3	M/s Shahzad Yousuf Zai	Not Quoted	enter):	State .		Statement .

The all concerned bidder are being informed accordingly.

The E.E Concerned for compliance of rule 45 of SPPRA 2010 M/s. G.M Enterprises, declared as the lowest responsive bidder by the Committee and recommended for Sanction from Competent Authority.

(Abdul JabbarShaikh) Accounts Officer (Central) Member/Secretary)

(Saif-ul-Haque)
Additional Director Internal
Audit - KMC Member

(Magsood Ahmed Shaikh) Superintending Engineer (KMC) Member

(Abdul Rahim Khatti) Chief Engineer (Central) Member

(Abdrul Mennin Khatti) Chief Engineer (IPD), (Convener) NIT Sr. No.22340

Method of Procurement:

Single Stage Single Envelope.

Name of Work:

ERRACTIONING COMMISSIONING OF COMPLETE NEW INSTALLATION OF ELECTRICAL . MECHAICAL & CIVIL WORK FOR KBR (BUFFER ZONE) BOOSTING STATION NEAR ALI PRIDE

APPARTMENT NORTH NAZIMABAD (E&M)-WATER).

MINUTES OF BID OPENING MEETING.

A meeting of the procurement committee of this department was held on 28-01-2015 for opening the bids received in respect of subject NIT till deadlines of submission. The meeting was attended by all / following members of the procurement committee and the representative of bidders. (Attendance sheet is enclosed).

- 2. Three bidders submitted their bids till the deadline of submission.
 - i. M/s. G.M Enterprises.
 - ii. M/s. Unity Associates.
 - iii. M/s. Shahzad Yousuf Zai
- The bids were opened at 02:30 P.M in the presence of the above mentioned participants and the rates quoted by bidders were read aloud and encircled by Chairman of the Procurement mmittee.

S. No	Name of Firm	Quoted Price	Amount of Bid Security	Pay Order No. / Date
01	M/s. G.M Enterprises	Rs. 6,892,198/-	Rs.150,000/-	P.O # 11969382 Dt: 27-01-2015 HBL KDA Civic Centre Br
02	M/s. Unity Associates	Rs. 7,122,322/-	Rs.150,000/-	P.O # 11637742 Dt: 28-01-2015 HBL Hassan Sq Br
03	M/s. Shahzad Yousuf Zai	Not Quoted		****

- The bids do not contain any over-writing or cutting. 4.
- The committee shall examine all the bids as per the qualification / eligibility criteria 5. provided in the bidding document and verify the documents and bid security submitted by the bidders (if required).

The meeting ended with the vote of thanks to and from the chair.

(Abdul JabbarShaikh) Accounts Officer (Central)

Member / Secretary

Additional Director Internal Audit - KMC Member

(Magsood Almed Shaikh) Superintending Engineer (KMC)

Member

(Abdul Rahim Khatti) Chief Engineer (Central)

Member

Method and procedure of procurement: Open Competitive Bidding(National/International

Competitive Bidding) (Single Stage - One Envelope)

Description of work: ERRACTIONING / COMMISSIONING OF COMPLETE NEW

INSTALLATION OF ELECTRICAL . MECHAICAL & CIVIL WORK FOR KBR (BUFFER ZONE) BOOSTING STATION NEAR ALI PRIDE

APPARTMENT NORTH NAZIMABAD (E&M)-WATER).

BIDDERS' ELIGIBILITY/ QUALIFICATION REPORT

Eligibility/ Qualification Criteria:

S. No.	Eligibility / Qualification Criteria	Bidders' name M/s. G.M Enterprises.	Bidders' name M/s. Unity Associates.	Bidders' name M/s. Shahzad Yousuf Zai.
1.	Registration with PEC (if applicable)	Yes	N/A	N/A
2.	NTN	Yes	Yes	N/A
3.	Sales Tax Registration	N/A	N/A	N/A
4.	Registration with Sindh Revenue Board (SRB)	Yes	Yes	N/A
	Qualification Criteria:			
5.	Minimum three years' experience of relevant field.	Yes	N/A	N/A
6.	Turnover of at least last three years	Yes	N/A	N/A
7.	Required Bid Security is attached.	Yes	Yes	N/A
8.	Bid is signed, named and stamped by the authorized person of the firm along with Authorization letter.	Yes	N/A	N/A
9.	Any other factor deemed to be relevant by the procuring agency subject to provision of Rule-44	N/A	N/A	N/A
10.	Qualified/ disqualified	Qualified	Disqualified	Disqualified

Note: The procuring agency may modify the criteria as per their requirements.

(Abdul Jabbar Shaikh) Accounts Officer (Central)

Member / Secretary

(Saif-ul-Haque) Additional Director Internal Audit - KMC Member

(Magsood Ahmed Shaikh) Superintending Engineer (KMC)

Member

Chief Engineer (West)

Member

COMPARATIVE STATEMENT

NAME OF WORK: ERRACTIONING / COMMISSIONING OF COMPLETE NEW INSTALLATION OF ELECTRICAL , MECHAICAL & CIVIL WORK FOR KBR (BUFFER ZONE) BOOSTING STATION NEAR ALI PRIDE APPARTMENT NORTH NAZIMABAD (E&M)-WATER)

12		ā		8		1		4	ω	2	-	Part "A"		S.No
Providing & Laying (Main or Sub Main) PVC insulated & PVC sheeted with 4 core copper	Providing and Fixing Circuit Breaker 15,20,30,40,50,60,75 & 100 amp TP (XS-100NS) on prepared board as required	Providing and Fixing DPI/C change over switch 500 volts 100 amp on a prepared board	Washer (Generals)	Bolts and Nuts (Steel)	Providing Fixing M.S bend fabricated with 1/4" thick M.S plate having an outer length and total weight as motioned against each item (06" dia)	Providing & Fixing M.S flange made of MS plate having thickness and total weight as mentioned against each item it includes the cost of making holes. Facing welding nuts bofts rubber packing white lead. Fitter Cartage etc. complete (06" dia)	Manufacturing supplying black steel Pipe made out of MS Sheet 6.4 mm thickness confirming to API 5I grade X-42 ERW & Eternally bitumen coating with fiber glass 5.0 mm thick (straight) (06" dia)	Girders is quality	Reflex valve heavy pattern (test pressure) 21.0 kg /sq.com or 300 lbs inch (06" dia)	C.I stuice valve heavy pattern (test pressure) 21.0 kg /sq.com or 300 lbs inch (06" dia)	KSB Closed Coupled inline pump type etaline MN 150-250/1504 M11+15 kw/4p Motor + MCU	A" E&M Work		Description of Work
3	4	_	ω	6	_	6	30	285	_	<u> </u>	4		Quantity	
	Nos	Nos	š	Κg	Nos	Nos	D	₫.	Nos	Nos	Nos			
4 722 00	9,261.00	7,612.00	120.00	725.00	2,435.00	1,520.00	1,432.90	77.00	4,062.50	9,360.00	3,300,000.00		Rate	Engineer's Estimate
P/Mtr	Each	Each	P/Kgs	P/Kgs	Each	Each	P/Ft	P/Kgs	Each	Each	Each		Unit	stimate
944,400,00	9,261.00	7,612.00	360.00	4,350.00	2,435 00	9,120.00	42,987.00	21,945.00	4,062.50	9,360.00	3,300,000.00		Amount	
4 720 00	9,200.00	7,600.00	100.00	730.00	2,450.00	1,500.00	1,430.00	77.00	4,000.00	9,300.00	3,630,000.00		Rate	M/s. G.M E
944 000 00	9,200.00	7,600.00	300.00	4,380.00	2,450.00	9,000.00	42,900.00	21,945.00	4,000.00	9,300.00	3,630,000.00		Amount	M/s. G.M Enterprises
4 800 00	9,300.00	7,700.00		800.00		1,500.00	1,500.00	80.00	4,000.00	9,400.00	3,800,000,00		Rate	M/s. Unity
960,000,00	9,300.00	7,700.00		4,800.00		9,000.00	45,000.00	22,800.00	4,000.00	9,400.00	3,800,000.00		Amount	M/s. Unity Associates



NAME OF WORK: ERRACTIONING / COMMISSIONING OF COMPLETE NEW INSTALLATION OF ELECTRICAL . MECHAICAL & CIVIL WORK FOR KBR (BUFFER ZONE) BOOSTING STATION NEAR ALI PRIDE APPARTMENT NORTH NAZIMABAD (E&M)-WATER)

	N	-	Part "			19	18	17	5	5	4	ដ		S.No
	Excavation for pipe line in trenches & pits in all kind of soils of murum 1/c trimming and dressing sides to true alignment & shape leveling of beds of trenches to correct level and grage cutting joints holes & disposal of surplus earth with in a one chain as directed by Engineer incharge providing tence guard light flag, and temporary crossing for non-vehicle trafice where ever required lift upto 5ft (#52m) and lead upto on chain(30.5m)	Dismantling and removing Road Matalling	Part "B" Civil Work	Say	Total Cost of Part "A" E&M Work	P/F Overhead Gentry (Traveling) crane with 5 Mtr chain and wheel as required as per instruction of the Engineer Incharge	P/F Chain Pully Block of 2 Tons capacity with chain of 5 Mtr Length	FAN. Providing & Fixing Brass Ceilling Fan 56" (Good Quality)	Wiring for plug point with 3/,029 PVC insulated wire in 20mm (3/4") PVC conduit recessed in the wall or column as required	Wiring for light or fan point with 3/.029 PVC insulated wire in 20mm (3/4") PVC conduit recessed in the wall or column as required	P/F Earthing set 600 x 600 x 6mm Copper plate barried in ground at the depth of 12' or less in water comes out from the ground with salt coal etc i/c making the pet 12" deeply execavation of all type of soal Earth plate to be connected with 8 Nos copper wire rin in G.I pipe straight from the earth plate up to	Providing & Laying (Main or Sub Main) PVC insulated & PVC sheeted with 4 core copper conductor 600/1000 volts size 25 mm2		Description of Work
	2000	1200				4 /	-	2	3	5	2	250	Quantity	
	C#	Cft				Nos	Nos	Nos	Nos	Nos	Nos	Mtr		
	4.650.00	605.00				12,000.00	15,000.00	3,185.00	985.00	1,130.00	20,023.00	1,909.00	Rate	Engineer's Estimate
-	4.650.00 % 0 Cft	% Cft				Each	Each	Each	Each	Each	Each	P/Mtr	Unit	stimate
Ī	9.300.00	7,260.00		4,915,163	4,915,163.49	12,000.00	15,000.00	6,370.00	2,955.00	5,650.00	:40,046.00	477,250.00	Amount	
İ	4	605.00			CONTROL STATE		15,000.00	3,100.00	1,000.00	1,100.00	20,000.00	1,900.00	Rate	M/s. G.M E
	9,300.00	7,260.00		5,241,775	5,241,774.99	12,000.00	15,000.00	6,200.00	3,000.00	5,500.00	40,000.00	475,000.00	Amount	M/s. G.M Enterprises
	4 700.00	700.00			200000000000000000000000000000000000000	12,000.00	15,000.00	3,200,00	1,000.00	1,200.00	20,000.00	2,000.00	Rate	M/s. Unity Associates
	9 400 00	8,400.00		5,457,350	5,457,349.99	12,000.00	15,000.00	6,400.00	3,000.00	6,000.00	40,000.00	500,000.00	Amount	Associates

NAME OF WORK: ERRACTIONING / COMMISSIONING OF COMPLETE NEW INSTALLATION OF ELECTRICAL, MECHAICAL & CIVIL WORK FOR KBR (BUFFER ZONE) BOOSTING STATION NEAR ALI PRIDE APPARTMENT NORTH NAZIMABAD (E&M)-WATER)

7 Providing 24"x24" CI	6 Fixing of s and flange rubber pac	5 C.I sluice valve 21.0 kg/Sq cm imprinted) 12*dia	4 Manufacturing supply Pipe made out of M 5L grade X-42 ERW with fibre glass 5mm 8mm thick (AWW) jointing with helical w bends of any degn specified pressure fi below. 12"dia 8.7 mm thick	3 Excavation other struc around struc and rammin		S.No
Providing chamber inside dimension with 24*x24" CI cover frame weighing 65 kg in RCC 1:2:4 slab 6" thick steel ½" dia tor bars man at 6" c/c ¼" (8" C/C dia distribution bars 6" thick c.c 1:3:6 block masonry walls set in 1:0 CM 6" thick c.c 1:3:6 block masonry walls set in 1:0 CM 6" thick c.c 1:4:8 in foundation 2" thick c.c 1:2:4 flooring thick cement plaster 1:6 to all inside walls surface top and bottom slab outer side wall surface 1" thick excavation, De-Watering and	Fixing of sluice valves with two tail piece one and flanged and other and nuts and bolts and rubber packing etc. 12*dia	C.1 sluice valve heavy pattern(Test Pressure 21.0 kg/Sq cm or 300 lbs/Sq.inch i/c cartage imprinted) 12*dia	Manufacturing supplying & fixing black steel MS Pipe made out of M.S. sheet confirming to APL SL grade X-42 ERW & externally asphalt coated with fibre glass 5mm thick & internally CC lining 8mm thick (AWWA) specification i/c laying jointing with helical welded in trenches i/c cost of bends of any degree and testing with water specified pressure for different dia of pipes as below. 12"dia 8.7 mm thick	Excavation in foundation of building bridges & other structure i/c dagbelling, dressing refilling around structure with excavated earth watering and ramming lead upto 5 feet in ordinary soil		Description of Work
<u>.</u>	ω	ω	200	431	Quantity	
2	Nos	Nos	R#	₽	ac	
28 357 00	3 821 00	78,000.00	3,674.28	3,176.25	Rate	Engineer's Estimate
	Each	Each	P/Rtt	% O Cft	Unit	stimate
28.357.00	11 463 00	234,000.00	734,856.00	1,368.96	Amount	
28,000,00	3 800 00	78,000.00	3,650.00	3,150.00	Rate	M/s. G.M.E
28,000.00	11 400 00	234,000.00	730,000.00	1,357.65	Amount	M/s. G.M Enterprises
30,000,00	4 000 00	78,000.00	3,600.00	3,200.00	Rate	M/s. Unity
30 000 00	12 000 00	234,000.00	720,000.00	1.379 20	Amount	M/s. Unity Associates

No. of the state o

NAME OF WORK: ERRACTIONING / COMMISSIONING OF COMPLETE NEW INSTALLATION OF ELECTRICAL , MECHAICAL & CIVIL WORK FOR KBR (BUFFER ZONE) BOOSTING STATION NEAR ALI PRIDE APPARTMENT NORTH NAZIMABAD (E&M)-WATER)

				3 3		5	9	00	S.No
	CCC work i/c all Labour and material except the cost of steel reinforcement and its Labour for bending and binding which will be paid separately. This rate also i/c all kind of forms moulds lifting shuttering curing rendering and finishing the exposed surface (i/c screening and washing of shingle) (i) Ratio (1:2.4) 90 lbs ceptent 2 cft sand 4 cft shingle 1/8 to ½ gauge	surface finishing and dividing into panels 3" thick	1/2" ti 2" gauge	insulated wire in 20mm (3/4") PVC conduit recessed in the wall or column as required	thick MS Plate having outer length and total weight as mentioned Net weight 51,427 Kgs 12" Dia	Providing and Fixing MS split collar on PRCC pipe cost of different sizes having width as mentioned against each Item to suit the size of connection fabricated with 3/8" thick MS plate, excluding the cost of neck it i/c the cost of 3/4" thick MS flanges Net Weight 128 17 Kgs 12" (2'-6")	Full hire charges of pumping set i/c wages of driver and Assistant fuel or electric energy plate form required for placing or at lower depths with suction and delivery pipes for pumping and water found at various depth form trenches I/c cost of erection and dismantling after completion of the job. Hire charges of pumping set of upto 10-HP pumping out water from 10' deep trench		Description of Work
460.10	A35 75	392	136.78	4	4	4	15	Quantity	
2) #	St.	Cft	Point	Nos	Nos	Day		
407.00		4,411.82	9,416.28	1.130.00	8,768.00	22,622.00	1,500.00	Rate	Engineer's Estimate
7/0		% Cft	% Cft	P/Point	Each	Each	P/Day	Unit	Estimate
114041/10		17,294.33	12,879.59	4,520.00	35,072 00	90,488.00	22,500 00	Amount	
33/00		4,400.00	9,400.00			22,500.00	1.500.00	Rate	M/s. G.M
1434///5		17,248.00	12,857.32	4,400.00	34,800.00	90,000.00	22,500.00	Amount	M/s. G.M Enterprises
380 00		4,500.00	9,500.00	1,200.00	9,000.00	22 000 00	1,500.00	Rate	M/s. Unity
151 785 B		17.640.00	12,994.10			88 000 00		Amount	M/s. Unity Associates

ALIM WAS

5

NAME OF WORK: ERRACTIONING / COMMISSIONING OF COMPLETE NEW INSTALLATION OF ELECTRICAL . MECHAICAL & CIVIL WORK FOR KBR (BUFFER ZONE) BOOSTING STATION NEAR ALI PRIDE APPARTMENT NORTH NAZIMABAD (E&M)-WATER)

		23	3			3	6 0	: =	5	i õ		S.No
0.0000	Providing and fixing squatting type white glazed earthen ware W.C. pan with front flush inlet & complete with including the cost of flushing cistern with internal fitting and flush pipe with bend and making requisite number of holes in walls, plinth & floor for pipe connection & making good in cement concrete 1:2:4. W.C. pan of not less than 23" clear opening Between flushing rims and 3 gallons flushing tank with 4"	For Dago / Skirting	Laying Floor of approved colourd glazed tiles 1/4" thick laid in white cement and pigment one bad 3/4" thick cement motor 1:2 for Flooring	Making & Fixing steel grated door complete with locking arrangement angle iron frame 2"x2" 3/8" Sq bars 4" centre to centre	Fabrication of mild steel reinforcement for cement concrete including cutting bending, laying in position making joints and fastenings including cost of binding wire (also includes removel of rust from bars).	windows any type (i/c edges)	Preparing surface and painting of doors and	Providing & Laying (Main or Sub Main) PVC insulated with size 2-3/0.029 copper conductor in 3/4" dia PVC conduit on surface	Cement plaster 1:6 upto 12' height (b) 1/2 thick	Providing and laying 1:3:6 cement concrete solid block masonary set in 1:6 cement sand mortor in ground floor super structure including raking out joints & curing etc		Description of Work
	1 0	94.5	16	88.5	4	177	1723	20	1723	270.75	Quantity	
200		Sft	Sft	Sft	Cwt	Sft	St	Mtr	Sft	Cff		
0.044.00		28,299,30	27,747.06	594.57	5,001.71	626,73	1,646.15	121.00	2,206.60	15,771.01	Rate	Engineer's Estimate
Each	16	% Sft	% Sft	P/Sft	P/Cwt	% Sft	% Sft	P/Mtr	% Sft	% Cft	Unit	stimate
004400		26,742.84	4,439.53	52,619 45	70,023.94	1,109.31	28,363.16	2,420.00	38,019.72	42,700.01	Amount	
5 050 00		28,300.00	27,750.00	590.00	5,000.00	620.00	1,640.00	120.00		15,550.00	Rate	M/s. G.M
505000		26,743.50	4,440.00	52,215.00	70,000.00	1,097.40	28,257.20		37,906.00	42,101.63	Amount	M/s. G.M Enterprises
50000		30,000.00	28,000.00	600.00	5,000,00	650.00	1,700.00			15,000,00	Rate	M/s. Unity
500000		28,350,00	4,480.00	53,100.00	70.000.00	1.150.50	N		37.906.00	40.612.50	Amount	M/s. Unity Associates

My Ways

'n