

**SINDH PUBLIC PROCUREMENT REGULATORY AUTHORITY**

**GOVERNMENT OF SINDH**

**Bid Evaluation Report**

1. **Name of Procuring Agency:** Environmental Protection Agency Govt. of Sindh
2. **Tender Reference No:** 12658.
3. **Tender Description /Name of Work /item:** Procurement of Computers & Machinery, Lab Equipment, Furniture and Motor Cycle.
4. **Method of Procurement:** Single stage two envelop.
5. **Tender Published:** 11/05/2012
6. **Total Bid documents Sold:** 17
7. **Total Bids Received:** 13
8. **Technical Bid Opening date: (if applicable)** 28/05/2012.
9. **No. of Bid technically qualified (if applicable):** Technical Evaluation Varies on item to item basis.
10. **Bid(s) Rejected:** Technical Evaluation Varies on item to item basis.
11. **Financial Bid Opening date:** 14/06/2012.
12. **Bid Evaluation Report:** Signed Copy of the report is enclosed as annexure.

Signatures of the Members of the Committee.

The image shows four handwritten signatures in black ink, arranged horizontally below the text 'Signatures of the Members of the Committee.' The signatures are stylized and vary in length and complexity.

ATTENDANCE SHEET OF THE DEPARTMENTAL PURCHASE COMMITTEE, 14/06/2012.


S.NO	NAME OF OFFICERS	DESIGNATION/DEPARTMENTS	SIGNATURE	CELL PHONE
01	Mr. Rafi-ud-din	Director General SEPA		
02	S.M.YAHYA	Director (Lab) EPA		
03	Mr. Mujeeb-ur-Rahman	Deputy Director (ROH)		
04	Representative	Industries, Department Government of Sindh, Karachi		
05	Representative	Finance, Department Government of Sindh, Karachi		

The Chairman of the Committee approved the procurement of the items as per recommendation made by the Committee considering the evaluation reports of technical committee. The Director General was of the view that the process of procurement should be completed during this financial year so that the funds available for this purpose should be utilized properly.

The meeting ended with vote of thanks.



1. M. S. M. YAHYA  
Director (Lab),  
Member



3. Mr. Sarfaraz Chandio  
Representative Industries Department  
Member



2. MR. Majeed-ur-Rahman  
Deputy Director  
Member/Secretary



4. MR. Abdul Hamid Khaskheli  
Representative of Finance Department  
Member



5. Mr. Rafiq-ud-Din  
Director General/Chairman

**BID EVALUATION REPORT FOR THE TENDER 2011-2012.**

**PART "A" (MACHINERY) & COMPUTER EQUIPMENTS]**

Items	Qty	Meson Computer	CE&M Engineering Service	Science & Computer Link	SK Traders	Medco International Traders	Awaysians Protalk	Remarks
Desktop Computer P-IV	2	3	4	5	6	7	8	9
Server Machine with WIFI accessories	10	3	4	5	6	7	8	9
Laser Printer	2	3	4	5	6	7	8	9
Scanner	1	3	4	5	6	7	8	9
UPS	10	3	4	5	6	7	8	9
Generator	1	3	4	5	6	7	8	9

**PART "C" (FURNITURE & FIXTURES)**

Items	Qty	Meson Computer	CE&M Engineering Service	Remarks
Executive Table with Chair	2	3	4	5
Office with dividers, partitions & chair	12	3	4	5
Visiting Chairs	12	3	4	5
Cabiner with lock	04	3	4	5
Magistrah with lock	02	3	4	5

**PART "D" (TRANSPORTATION/MOTORCYCLES)**

Items	Qty	Meson Computer	CE&M Engineering Services	Medco International Traders	Remarks
Motorcycles	2	3	4	5	6

DUPONT  
ADAMS  
KAVIRAM  
GILL

*(Handwritten signatures and notes)*





**ENVIRONMENTAL PROTECTION AGENCY  
GOVERNMENT OF SINDH KARACHI  
ST-2/1, SECTOR-13, KORANGI INDUSTRIAL AREA**

Reference No. EPA/LAB/TENDER/2012

Phone: 021-35065946

Dated: 11/05/2012.

**TECHNICAL EVALUATION REPORT FOR TENDER 2012-13 PART "B"**

M/S Orion Int	M/s Medco Health Care	M/s Ryndos (PVT) Limited	M/S Lab Line	M/S Med Co International Trader	M/S Alintico	M/S Regent International	M/s Business dynamics
Atomic Absorption Spectrophotometer Accepted	Atomic Absorption Spectrophotometer Rejected	Atomic Absorption Spectrophotometer Not quoted	Atomic Absorption Spectrophotometer Not quoted	Atomic Absorption Spectrophotometer Not Quoted	Atomic Absorption Spectrophotometer Not Quoted	Atomic Absorption Spectrophotometer Not Quoted	Atomic Absorption Spectrophotometer Not Quoted
Gas Chromatograph Accepted	Gas Chromatograph Accepted	Gas Chromatograph Not quoted	Gas Chromatograph Not quoted	Gas Chromatograph Not Quoted	Gas Chromatograph Not Quoted	Gas Chromatograph Not Quoted	Gas Chromatograph Not Quoted
Spectrophotometer Single Beam Rejected	Spectrophotometer Single Beam Rejected	Spectrophotometer Single Beam Not quoted	Spectrophotometer Single Beam Not quoted	Spectrophotometer Single Beam Rejected	Spectrophotometer Single Beam Rejected	Spectrophotometer Single Beam ACCEPTED	Spectrophotometer Single Beam Rejected

*[Signature]*

*[Signature]*

*[Signature]*

*[Signature]*

Environmental Anemometer: Not Quoted	Environmental Anemometer: Not Quoted	Environmental Anemometer: Not Quoted	Environmental Anemometer: Not Quoted	Environmental Anemometer: Not Quoted	Environmental Anemometer: Not Quoted	Environmental Anemometer: Not Quoted	Environmental Anemometer: Not Quoted
Biological Microscope : Not Quoted Conductivity/PH Meter/Salinity: Not Quoted	Biological Microscope : Not Quoted Conductivity/PH Meter/Salinity: Not Quoted	Biological Microscope : Not Quoted Conductivity/PH Meter/Salinity: Accepted	Biological Microscope : Not Quoted Conductivity/PH Meter/Salinity: Accepted	Biological Microscope : Accepted Conductivity/PH Meter/Salinity: Accepted	Biological Microscope : Not Quoted Conductivity/PH Meter/Salinity: Accepted	Biological Microscope : Not Quoted Conductivity/PH Meter/Salinity: Accepted	Biological Microscope : Not Quoted Conductivity/PH Meter/Salinity: Accepted
Portable lab/kit 02 Nos: Not Quoted	Portable lab/kit 02 Nos: Not Quoted	Portable lab/kit 02 Nos: ACCEPTED	Portable lab/kit 02 Nos: REJECTED	Portable lab/kit 02 Nos: ACCEPTED	Portable lab/kit 02 Nos: ACCEPTED	Portable lab/kit 02 Nos: ACCEPTED	Portable lab/kit 02 Nos: ACCEPTED
Portable CO2 Analyzer 02 Nos: ACCEPTED	Portable CO2 Analyzer 02 Nos: Not Quoted	Portable CO2 Analyzer 02 Nos: Not Quoted	Portable CO2 Analyzer 02 Nos: Not Quoted	Portable CO2 Analyzer 02 Nos: ACCEPTED	Portable CO2 Analyzer 02 Nos: Not Quoted	Portable CO2 Analyzer 02 Nos: Not Quoted	Portable CO2 Analyzer 02 Nos: Not Quoted
Portable CO Analyzer 02 Nos: ACCEPTED	Portable CO Analyzer 02 Nos: Not Quoted	Portable CO Analyzer 02 Nos: Not Quoted	Portable CO Analyzer 02 Nos: Not Quoted	Portable CO Analyzer 02 Nos: ACCEPTED	Portable CO Analyzer 02 Nos: Not Quoted	Portable CO Analyzer 02 Nos: Not Quoted	Portable CO Analyzer 02 Nos: Not Quoted
PARTICULATE MATTER ANALYZER FOR BOILER & STACK IN COMPLIANCE WITH EPA METHODS 5 & 17 01 NOS ACCEPTED	PARTICULATE MATTER ANALYZER FOR BOILER & STACK IN COMPLIANCE WITH EPA METHODS 5 & 17 01 NOS Not Quoted	PARTICULATE MATTER ANALYZER FOR BOILER & STACK IN COMPLIANCE WITH EPA METHODS 5 & 17 01 NOS Not Quoted	PARTICULATE MATTER ANALYZER FOR BOILER & STACK IN COMPLIANCE WITH EPA METHODS 5 & 17 01 NOS Not Quoted	PARTICULATE MATTER ANALYZER FOR BOILER & STACK IN COMPLIANCE WITH EPA METHODS 5 & 17 01 NOS Not Quoted	PARTICULATE MATTER ANALYZER FOR BOILER & STACK IN COMPLIANCE WITH EPA METHODS 5 & 17 01 NOS Not Quoted	PARTICULATE MATTER ANALYZER FOR BOILER & STACK IN COMPLIANCE WITH EPA METHODS 5 & 17 01 NOS Not Quoted	PARTICULATE MATTER ANALYZER FOR BOILER & STACK IN COMPLIANCE WITH EPA METHODS 5 & 17 01 NOS Not Quoted

*[Handwritten signature]*

*[Handwritten signature]*

*[Handwritten signature]*

*[Handwritten signature]*

*[Handwritten signature]*



Laboratory Refrigerator 02 Nos	Laboratory Refrigerator 02 Nos	Laboratory Refrigerator 02 Nos	Laboratory Refrigerator 02 Nos	Laboratory Refrigerator 02 Nos	Laboratory Refrigerator 02 Nos	Laboratory Refrigerator 02 Nos	Laboratory Refrigerator 02 Nos
Not Quoted	Not Quoted	Not Quoted	Not Quoted	Not Quoted	Not Quoted	Not Quoted	Not Quoted
Programmable Power Supply for Sensitive Equipments 02 nos	Programmable Power Supply for Sensitive Equipments 02 nos	Programmable Power Supply for Sensitive Equipments 02 nos	Programmable Power Supply for Sensitive Equipments 02 nos	Programmable Power Supply for Sensitive Equipments 02 nos	Programmable Power Supply for Sensitive Equipments 02 nos	Programmable Power Supply for Sensitive Equipments 02 nos	Programmable Power Supply for Sensitive Equipments 02 nos
Not Quoted	Not Quoted	Not Quoted	Not Quoted	Not Quoted	Not Quoted	Not Quoted	Not Quoted
Dissolve Oxygen Meter 01 No	Dissolve Oxygen Meter 01 No	Dissolve Oxygen Meter 01 No	Dissolve Oxygen Meter 01 No	Dissolve Oxygen Meter 01 No	Dissolve Oxygen Meter 01 No	Dissolve Oxygen Meter 01 No	Dissolve Oxygen Meter 01 No
Not Quoted	Not Quoted	ACCEPTED	ACCEPTED	ACCEPTED	ACCEPTED	Not Quoted	ACCEPTED
Colony Counter Digital 01 Nos	Colony Counter Digital 01 Nos	Colony Counter Digital 01 Nos	Colony Counter Digital 01 No	Colony Counter Digital 01 Nos	Colony Counter Digital 01 Nos	Colony Counter Digital 01 Nos	Colony Counter Digital 01 Nos
Not Quoted	Not Quoted	Not Quoted	Not Quoted	ACCEPTED	Not Quoted	Not Quoted	Not Quoted
Portable Turbidity Meter 01 Nos	Portable Turbidity Meter 01	Portable Turbidity Meter 01	Portable Turbidity Meter 01	Portable Turbidity Meter 01	Portable Turbidity Meter 01	Portable Turbidity Meter 01	Portable Turbidity Meter 01
Not Quoted	Not Quoted	ACCEPTED	ACCEPTED	ACCEPTED	ACCEPTED	Not Quoted	ACCEPTED
Noise Level Meter 02 Nos.	Noise Level Meter 02 Nos	Noise Level Meter 02 Nos	Noise Level Meter 02 Nos	Noise Level Meter 02 Nos	Noise Level Meter 02 Nos	Noise Level Meter 02 Nos	Noise Level Meter 02 Nos
ACCEPTED	Not Quoted	Not Quoted	Not Quoted	ACCEPTED	Not Quoted	Not Quoted	Not Quoted
Flow meter for gases 02 Nos	Flow meter for gases 02 Nos	Flow meter for gases 02 Nos	Flow meter for gases 02 Nos	Flow meter for gases 02 Nos	Flow meter for gases 02 Nos	Flow meter for gases 02 Nos	Flow meter for gases 02 Nos
Not Quoted	Not Quoted	Not Quoted	Not Quoted	Not Quoted	Not Quoted	Not Quoted	Not Quoted

*[Handwritten signature]*

*[Handwritten signature]*

*[Handwritten signature]*

*[Handwritten signature]*

*[Handwritten signature]*

Flow meter for liquids 02 Not Quoted	Flow meter for liquids 02 Not Quoted	Flow meter for liquids 02 Not Quoted	Flow meter for liquids 02 Not Quoted	Flow meter for liquids 02 Not Quoted	Flow meter for liquids 02 Not Quoted	Flow meter for liquids 02 Not Quoted	Flow meter for liquids 02 Not Quoted
NOX Gas Analyzer 01 Not Quoted	NOX Gas Analyzer 01 Not Quoted	NOX Gas Analyzer 01 Not Quoted	NOX Gas Analyzer 01 Not Quoted	NOX Gas Analyzer 01 ACCEPTED	NOX Gas Analyzer 01 Not Quoted	NOX Gas Analyzer 01 Not Quoted	NOX Gas Analyzer 01 Not Quoted
BOD Apparatus 02 Nos Not Quoted	BOD Apparatus 02 Nos Not Quoted	BOD Apparatus 02 Nos REJECTED	BOD Apparatus 02 Nos REJECTED	BOD Apparatus 02 Nos ACCEPTED	BOD Apparatus 02 Nos REJECTED	BOD Apparatus 02 Nos Not Quoted	BOD Apparatus 02 Nos REJECTED
WATER PURIFICATION SYSTEM Not Quoted	WATER PURIFICATION SYSTEM Not Quoted	WATER PURIFICATION SYSTEM Not Quoted	WATER PURIFICATION SYSTEM ACCEPTED	WATER PURIFICATION SYSTEM Not Quoted	WATER PURIFICATION SYSTEM Not Quoted	WATER PURIFICATION SYSTEM ACCEPTED	WATER PURIFICATION SYSTEM ACCEPTED
Magnetic Stirrer 01 Nos Not Quoted	Magnetic Stirrer 01 Nos Not Quoted	Magnetic Stirrer 01 Nos Not Quoted	Magnetic Stirrer 01 Nos ACCEPTED	Magnetic Stirrer 01 Nos ACCEPTED	Magnetic Stirrer 01 Nos Not Quoted	Magnetic Stirrer 01 Nos Not Quoted	Magnetic Stirrer 01 Nos Not Quoted
Global Positioning System-GPS 02 Nos Not Quoted	Global Positioning System-GPS 02 Nos Not Quoted	Global Positioning System-GPS 02 Nos Not Quoted	Global Positioning System-GPS 02 Nos Not Quoted	Global Positioning System-GPS 02 Nos Not Quoted	Global Positioning System-GPS 02 Nos ACCEPTED	Global Positioning System-GPS 02 Nos ACCEPTED	Global Positioning System-GPS 02 Nos ACCEPTED
Oil Grease, Fat Testing 01 Nos Not Quoted	Oil Grease, Fat Testing 01 Nos Not Quoted	Oil Grease, Fat Testing 01 Nos ACCEPTED	Oil Grease, Fat Testing 01 Nos ACCEPTED	Oil Grease, Fat Testing 01 Nos ACCEPTED	Oil Grease, Fat Testing 01 Nos ACCEPTED	Oil Grease, Fat Testing 01 Nos Not Quoted	Oil Grease, Fat Testing 01 Nos ACCEPTED
Portable Flow Meter/Area Velocity Flow Meter Not Quoted	Portable Flow Meter/Area Velocity Flow Meter Not Quoted	Portable Flow Meter/Area Velocity Flow Meter ACCEPTED	Portable Flow Meter/Area Velocity Flow Meter ACCEPTED	Portable Flow Meter/Area Velocity Flow Meter Not Quoted	Portable Flow Meter/Area Velocity Flow Meter ACCEPTED	Portable Flow Meter/Area Velocity Flow Meter Not Quoted	Portable Flow Meter/Area Velocity Flow Meter ACCEPTED
Portable Sampler Not Quoted	Portable Sampler Not Quoted	Portable Sampler ACCEPTED	Portable Sampler Not Quoted	Portable Sampler Not Quoted	Portable Sampler ACCEPTED	Portable Sampler Not Quoted	Portable Sampler ACCEPTED
Chemicals & Glasswares				M/S Business Dynamics			
Certified Standards for Spectrophotometer				Accepted			
Solvents for GC				Not Quoted			
Glasswares				Not Quoted			

*Handwritten signature*

*Handwritten signature*

*Handwritten signature*

*Handwritten signature*

*Handwritten signature*

M/S Lab Line

Accepted

Accepted

Accepted

Accepted



Di	tal Camera 01 Nos	M/S AWAYSIANS PROTALK Accepted	M/s Medco International Accepted
----	-------------------	-----------------------------------	-------------------------------------

**TECHNICAL EVALUATION REPORT MICROBIOLOGY FOR TENDER 2012-13**

S.No	M/S Orion Int	M/S Medco Health Care	M/S RAYNDOS (PVT) LIMITED	M/S Lab Line	M/S Medco International Traders	M/S Alintco	M/S Regent International	M/S Business Dynamics
1	Auto Clave Not Quoted	Auto Clave Not Quoted	Auto Clave Not Quoted	Auto Clave Not Quoted	Auto Clave ACCEPTED	Auto Clave Not Quoted	Auto Clave Not Quoted	Auto Clave Not Quoted
2	Incubator- 53litre Not Quoted	Incubator- 53litre Not Quoted	Incubator- 53litre Not Quoted	Incubator- 53litre ACCEPTED	Incubator- 53litre ACCEPTED	Incubator- 53litre Not Quoted	Incubator- 53litre ACCEPTED	Incubator- 53litre Not Quoted
3	Drying Oven Not Quoted	Drying Oven Not Quoted	Drying Oven Not Quoted	Drying Oven ACCEPTED	Drying Oven ACCEPTED	Drying Oven Not Quoted	Drying Oven ACCEPTED	Drying Oven Not Quoted
4	Laminar Flow Not Quoted	Laminar Flow Not Quoted	Laminar Flow Not Quoted	Laminar Flow ACCEPTED	Laminar Flow ACCEPTED	Laminar Flow Not Quoted	Laminar Flow Not Quoted	Laminar Flow Not Quoted
5	Stainless Steel Filter Holder Not Quoted	Stainless Steel Filter Holder Not Quoted	Stainless Steel Filter Holder Not Quoted	Stainless Steel Filter Holder ACCEPTED	Stainless Steel Filter Holder ACCEPTED	Stainless Steel Filter Holder Not Quoted	Stainless Steel Filter Holder ACCEPTED	Stainless Steel Filter Holder Not Quoted
6	Portable pH meter Not Quoted	Portable pH meter Not Quoted	Portable pH meter ACCEPTED	Portable pH meter ACCEPTED	Portable pH meter ACCEPTED	Portable pH meter Not Quoted	Portable pH meter ACCEPTED	Portable pH meter ACCEPTED
7	Air Sampler for Air monitoring of microorganisms with use of Standard 90 mm Petri dishes Not Quoted	Air Sampler for Air monitoring of microorganisms with use of Standard 90 mm Petri dishes Not Quoted	Air Sampler for Air monitoring of microorganisms with use of Standard 90 mm Petri dishes Not Quoted	Air Sampler for Air monitoring of microorganisms with use of Standard 80 mm Petri dishes ACCEPTED	Air Sampler for Air monitoring of microorganisms with use of Standard 90 mm Petri dishes ACCEPTED	Air Sampler for Air monitoring of microorganisms with use of Standard 90 mm Petri dishes Not Quoted	Air Sampler for Air monitoring of microorganisms with use of Standard 90 mm Petri dishes NOT QUOTED	Air Sampler for Air monitoring of microorganisms with use of Standard 90 mm Petri dishes ACCEPTED






8.	Rapid Fluorescent Technology for quantitative detection of micro-organisms within the area of 55mm diameter membrane (CFU) sample Not Quoted	Rap d Fluoresce Technology for quantitative detection of micro-organisms within the area of 55mm diameter membrane (CFU) sample Not Quoted	Rapid Fluorescent Technology for quantitative detection of micro-organisms within the area of 55mm diameter membrane (CFU) sample Not Quoted	Rapid Fluorescent Technology for quantitative detection of micro-organisms within the area of 55mm diameter membrane (CFU) sample ACCEPTED	Rapid Fluorescent Technology for quantitative detection of micro-organisms within the area of 55mm diameter membrane (CFU) sample Not Quoted	Rapid Fluorescent Technology for quantitative detection of micro-organisms within the area of 55mm diameter membrane (CFU) sample Not Quoted	Rapid Fluorescent Technology for quantitative detection of micro-organisms within the area of 55mm diameter membrane (CFU) sample Not Quoted	Rapid Fluorescent Technology for quantitative detection of micro-organisms within the area of 55mm diameter membrane (CFU) sample Not Quoted
9.	Portable Microbiological E-Coll and Total Coliform Lab Not Quoted	Portable Microbiological E-Coll and Total Coliform Lab Not Quoted	Portable Microbiological E-Coll and Total Coliform Lab Accepted	Portable Microbiological E-Coll and Total Coliform Lab Rejected	Portable Microbiological E-Coll and Total Coliform Lab Not Quoted	Portable Microbiological E-Coll and Total Coliform Lab Accepted	Portable Microbiological E-Coll and Total Coliform Lab Rejected	Portable Microbiological E-Coll and Total Coliform Lab Accepted

Note: According to bid document all suppliers will be responsible to provide current letter of authorization from product manufacturer to EPA. Sindh original letter along with color photo copy till 14<sup>th</sup> June 2012, other wise their offers may be reconsidered for acceptance/rejection by the technical evaluation committee.

Yes Accept

No Reject (reason for rejection are mentioned in attached test sheet)  
Not quoted.

Signature of Technical Evaluation Committee.

1. SYED INTEERAM UDDIN (PKD) 
2. SYED ASIF ALI Khan 
3. Syed Asif Ali Khan (PKD) 
4. Syed Asif Ali Khan 













Page No: 021/350639/46  
EPP/LA3/ENDER/7001

ENVIRONMENTAL PROTECTION AGENCY  
GOVERNMENT OF SINDH, KARACHI  
Phase-2, SECTOR-23, KOPAN SITA, DUSTY AREA

Date: 16/02/2012

FINANCIAL EVALUATION REPORT FOR TENDER 2012 PAR "B"

M/S Origin	M/S Medico Health Care	M/S Ryndos (PVT) Limited	M/S Lab Line	M/S Med Co International Trader	M/S Allintec	M/S Regent International	M/S Business dynamics
Atomic Absorption Spectrophotometer Rs. 570,200/- Accepted	Atomic Absorption Spectrophotometer Rejected	Atomic Absorption Spectrophotometer Not Quoted	Atomic Absorption Spectrophotometer Not Quoted	Atomic Absorption Spectrophotometer Not Quoted	Atomic Absorption Spectrophotometer Not Quoted	Atomic Absorption Spectrophotometer Not Quoted	Atomic Absorption Spectrophotometer Not Quoted
Chromatograph Rs. 330000/- Accepted	Chromatograph Rs. 4900000/- Accepted	Chromatograph Not Quoted	Chromatograph Not Quoted	Chromatograph Not Quoted	Chromatograph Not Quoted	Chromatograph Not Quoted	Chromatograph Not Quoted
Spectrophotometer Single Beam Rejected	Spectrophotometer Single Beam Rejected	Spectrophotometer Single Beam Rejected	Spectrophotometer Single Beam Rejected	Spectrophotometer Single Beam Rejected	Spectrophotometer Single Beam Rejected	Spectrophotometer Single Beam Rejected	Spectrophotometer Single Beam Rejected
Biological Microscope Not Quoted	Biological Microscope Not Quoted	Biological Microscope Not Quoted	Biological Microscope Not Quoted	Biological Microscope Not Quoted	Biological Microscope Not Quoted	Biological Microscope Not Quoted	Biological Microscope Not Quoted
Conductivity/PH Meter/Salinity Not Quoted	Conductivity/PH Meter/Salinity Not Quoted	Conductivity/PH Meter/Salinity Accepted	Conductivity/PH Meter/Salinity Accepted	Conductivity/PH Meter/Salinity ACCEPTED	Conductivity/PH Meter/Salinity ACCEPTED	Conductivity/PH Meter/Salinity Not Quoted	Conductivity/PH Meter/Salinity Not Quoted
Portable Microbiological	Portable Microbiological	Portable Microbiological	Portable Microbiological	Portable Microbiological	Portable Microbiological	Portable Microbiological E.coli	Portable Microbiological E.coli







				Accepted				
Laboratory	Laboratory	Laboratory	Laboratory	Laboratory	Laboratory	Laboratory	Laboratory	Laboratory
Chemicals	Chemicals	Chemicals	Chemicals	Chemicals	Chemicals	Chemicals	Chemicals	Chemicals
Not Accepted	Accepted	Not Accepted	Not Accepted	Accepted	Not Accepted	Not Accepted	Not Accepted	Not Accepted
Glutarate Broth	Alkline peptone	Glutarate Broth	Alkline peptone	Glutarate Broth	Alkline peptone	Glutarate Broth	Alkline peptone	Glutarate Broth
Alkline peptone	Alkline peptone	Alkline peptone	Alkline peptone	Alkline peptone	Alkline peptone	Alkline peptone	Alkline peptone	Alkline peptone
Water Brilliant Green Bile 2%	Water Brilliant Green Bile 2%	Water Brilliant Green Bile 2%	Water Brilliant Green Bile 2%	Water Brilliant Green Bile 2%	Water Brilliant Green Bile 2%	Water Brilliant Green Bile 2%	Water Brilliant Green Bile 2%	Water Brilliant Green Bile 2%
Green Bile 2%	Green Bile 2%	Green Bile 2%	Green Bile 2%	Green Bile 2%	Green Bile 2%	Green Bile 2%	Green Bile 2%	Green Bile 2%
Not quoted	Not quoted	Not quoted	Not quoted	Not quoted	Not quoted	Not quoted	Not quoted	Not quoted
				RS. 33755				
				Accepted				

**BID EVALUATION REPORT FOR THE TENDER 2011-2012.**

**PART "A" [MACHINERY & COMPUTER EQUIPMENTS]**

Items	Qty	Meson Computer	CE&M Engineering Service	Science & Computer Link	SK Traders	Medco International Traders	Awaysians Protalk	Remarks
1 Desktop Computer P-IV	2	3	4	5	6	7	8	9
10	451,820/-*	473,000/-	641,100/-	452,000/-	460,000/-	No	No	Tender awarded to M/s. Meson Computers
3 Server Machine with WIFI accessories	867,000/-	990,000/-	243,330/-	870,000/-	960,000/-	243,000/-*	No	Tender awarded to M/s. Awaysians Protalk
2 Laser Printer	34,104/-*	40,000/-	42,220/-	41,600/-	39,000/-	No	No	Tender awarded to M/s. Meson Computers
1 Scanner	7,714/-*	14,900/-	7,990/-	9,800/-	14,000/-	No	No	Tender awarded to M/s. Meson Computers
10 UPS	208,800/-*	209,000/-	No	No	--	No	No	Tender awarded to M/s. Meson Computers
1 Generator	493,000/-*	495,000/-	No	No	500,000/-	No	No	Tender awarded to M/s. Meson Computers

**PART "C" [FURNITURE & FIXTURES]**

Items	Qty	Meson Computer	CE&M Engineering Service	Remarks
1 Executive Table with Chair	2	3	4	5
06	167,040/-*	168,000/-	237,600/-	Tender awarded to M/s. Meson Computers
12 Table with dividers / partitions & chair	236,640/-*	24,000/-	40,000/-	Tender awarded to M/s. Meson Computers
12 Visiting Chairs	23,664/-*	40,000/-	30,000/-	Tender awarded to M/s. Meson Computers
04 Cabinet with lock	39,672/-*	30,000/-		Tender awarded to M/s. Meson Computers
02 Almirah with lock	29,870/-*			Tender awarded to M/s. Meson Computers

**PART "D" [TRANSPORTATION/ MOTORCYCLES]**

Items	Qty	Meson Computer	CE&M Engineering Services	Medco International Traders	Remarks
1 Motorcycles	2	3	4	5	6
08	496,480/-	515,000/-	496,000/-*		Tender awarded to M/s. Medco International Traders.

*[Handwritten signature and stamp]*



ENVIRONMENTAL PROTECTION AGENCY  
GOVERNMENT OF SINDH KARACHI  
ST-2/1, SECTOR-23, KORANGI INDUSTRIAL AREA

Phone: 021-35065946


Dated: 08/06/2012.

To,  
The Manager (Assessment),  
SPPRA, Block-8,  
Sindh Secretariat No.4-A,  
Court Road, Karachi.

Subject: **Final Evaluation Report for Tender-2012**

This is to inform that the advertisement was published on 11<sup>th</sup> March 2012 in three newspapers. The tenders were opened on 28<sup>th</sup> May 2012 in presence of Bid participants.

The Evaluations report prepared by Technical Evaluation Committee is being submitted for uploading at web site of SPPRA on 8<sup>th</sup> June 2012 for review of bidders.

  
Director (A&F)

MMK  
15344  
12/18



Reference No. EPA/LAB/TENDER/2012.



**ENVIRONMENTAL PROTECTION AGENCY**  
**GOVERNMENT OF SINDH KARACHI**  
**ST-2/1, SECTOR-23, KORANGI INDUSTRIAL AREA**  
Dated: 11/06/2012.

Phone: 021-25065916

**FINAL EVALUATION REPORT FOR TENDER-2012 PART "A".**

Items	S.K	Science & computer Link	Meson computers	CE & M ENGG Services	MEDCO International	Awaysians Protalk
Desktop computer	Yes	Yes	Yes	Yes	No	No
Sever Machine	Yes	Yes	Yes	Yes	Yes	Yes
Laser Jet Printer	Yes	Yes	Yes	Yes	Yes	No
Scanner	Yes	Yes	Yes	Yes	Yes	Yes
UPS	No	No	Yes	Yes	No	No
Generator	No	No	Yes	Yes	No	No

Yes            Accept

No            Reject (reason for rejection are mentioned in attached test sheet)  
-            Not quoted.

Signature of Technical Evaluation Committee.

1. J. J. Akbar (P.N.A)
2. SEED INTERNATIONAL (P.N.A)
3. SEED INTERNATIONAL (P.N.A)
4. \_\_\_\_\_

11/6/12  
J. J. Akbar (P.N.A)

Reference No. EPA/LAB/TENDER/2012

**ENVIRONMENTAL PROTECTION AGENCY  
GOVERNMENT OF SINDH KARACHI  
ST-2/1, SECTOR-23, KORANGI INDUSTRIAL AREA**



Phone: 021-35065946

Dated: 11/06/2012.

**TECHNICAL EVALUATION REPORT FOR TENDER 2012-13 PART "B"**

M/S Orion Int	M/s Medco Health Care	M/s Ryndos (PVT) Limited	M/S Lab Line	M/S Med Co International Trader	M/S Alintico	M/S Regent International	M/s Business dynamics
Atomic Absorption Spectrophotometer	Atomic Absorption Spectrophotometer	Atomic Absorption Spectrophotometer	Atomic Absorption Spectrophotometer	Atomic Absorption Spectrophotometer	Atomic Absorption Spectrophotometer	Atomic Absorption Spectrophotometer	Atomic Absorption Spectrophotometer
Accepted	Rejected	Not quoted	Not quoted	Not Quoted	Not Quoted	Not Quoted	Not Quoted
Gas Chromatograph	Gas Chromatograph	Gas Chromatograph	Gas Chromatograph	Gas Chromatograph	Gas Chromatograph	Gas Chromatograph	Gas Chromatograph
Accepted	Accepted	Not quoted	Not quoted	Not Quoted	Not Quoted	Not Quoted	Not Quoted
Spectrophotometer Single Beam	Spectrophotometer Single Beam	Spectrophotometer Single Beam	Spectrophotometer Single Beam	Spectrophotometer Single Beam	Spectrophotometer Single Beam	Spectrophotometer Single Beam	Spectrophotometer Single Beam
Rejected	Rejected	Rejected	ACCEPTED	Rejected	Rejected	ACCEPTED	Rejected

Environmental Anemometer:	Environmental Anemometer:	Environmental Anemometer:	Environmental Anemometer:	Environmental Anemometer:	Environmental Anemometer:	Environmental Anemometer:
Not Quoted	Not Quoted	Not Quoted	Not Quoted	Not Quoted	Not Quoted	Not Quoted
Biological Microscope:	Biological Microscope:	Biological Microscope:	Biological Microscope:	Biological Microscope:	Biological Microscope:	Biological Microscope:
Not Quoted	Not Quoted	Not Quoted	Not Quoted	Not Quoted	Not Quoted	Not Quoted
Conductivity/PH Meter/Salinity:	Conductivity/PH Meter/Salinity:	Conductivity/PH Meter/Salinity:	Conductivity/PH Meter/Salinity:	Conductivity/PH Meter/Salinity:	Conductivity/PH Meter/Salinity:	Conductivity/PH Meter/Salinity:
Not Quoted	Not Quoted	ACCEPTED	ACCEPTED	ACCEPTED	ACCEPTED	ACCEPTED
Portable lab/kit 02 Nos:	Portable lab/kit 02 Nos:	Portable lab/kit 02 Nos:	Portable lab/kit 02 Nos:	Portable lab/kit 02 Nos:	Portable lab/kit 02 Nos:	Portable lab/kit 02 Nos:
Not Quoted	Not Quoted	ACCEPTED	ACCEPTED	ACCEPTED	ACCEPTED	ACCEPTED
Portable CO2 Analyzer 02 Nos:	Portable CO2 Analyzer 02 Nos:	Portable CO2 Analyzer 02 Nos:	Portable CO2 Analyzer 02 Nos:	Portable CO2 Analyzer 02 Nos:	Portable CO2 Analyzer 02 Nos:	Portable CO2 Analyzer 02 Nos:
ACCEPTED	Not Quoted	ACCEPTED	ACCEPTED	ACCEPTED	ACCEPTED	ACCEPTED
Portable CO Analyzer 02 Nos:	Portable CO Analyzer 02 Nos:	Portable CO Analyzer 02 Nos:	Portable CO Analyzer 02 Nos:	Portable CO Analyzer 02 Nos:	Portable CO Analyzer 02 Nos:	Portable CO Analyzer 02 Nos:
ACCEPTED	Not Quoted	Not Quoted	Not Quoted	Not Quoted	Not Quoted	Not Quoted
PARTICULATE MATTER ANALYZER FOR BOILER & STACK IN COMPLIANCE WITH EPA METHODS 5 & 17 01 NOS	PARTICULATE MATTER ANALYZER FOR BOILER & STACK IN COMPLIANCE WITH EPA METHODS 5 & 17 01 NOS	PARTICULATE MATTER ANALYZER FOR BOILER & STACK IN COMPLIANCE WITH EPA METHODS 5 & 17 01 NOS	PARTICULATE MATTER ANALYZER FOR BOILER & STACK IN COMPLIANCE WITH EPA METHODS 5 & 17 01 NOS	PARTICULATE MATTER ANALYZER FOR BOILER & STACK IN COMPLIANCE WITH EPA METHODS 5 & 17 01 NOS	PARTICULATE MATTER ANALYZER FOR BOILER & STACK IN COMPLIANCE WITH EPA METHODS 5 & 17 01 NOS	PARTICULATE MATTER ANALYZER FOR BOILER & STACK IN COMPLIANCE WITH EPA METHODS 5 & 17 01 NOS
ACCEPTED	Not Quoted	Not Quoted	Not Quoted	Not Quoted	Not Quoted	Not Quoted

Laboratory Refrigerator Nos	Laboratory Refrigerator 02 Nos	Laboratory Refrigerator 02 Nos	Laboratory Refrigerator 02 Nos	Laboratory Refrigerator 02 Nos	Laboratory Refrigerator 02 Nos	Laboratory Refrigerator 02 Nos	Laboratory Refrigerator 02 Nos
Not Quoted	Not Quoted	Not Quoted	Not Quoted	Not Quoted	Not Quoted	Not Quoted	Not Quoted
Programmable Power Supply for Sensitive Equipments 02 nos	Programmable Power Supply for Sensitive Equipments 02 nos	Programmable Power Supply for Sensitive Equipments 02 nos	Programmable Power Supply for Sensitive Equipments 02 nos	Programmable Power Supply for Sensitive Equipments 02 nos	Programmable Power Supply for Sensitive Equipments 02 nos	Programmable Power Supply for Sensitive Equipments 02 nos	Programmable Power Supply for Sensitive Equipments 02 nos
Not Quoted	Not Quoted	Not Quoted	Not Quoted	Not Quoted	Not Quoted	Not Quoted	Not Quoted
Dissolve Oxygen Meter 01 No	Dissolve Oxygen Meter 01 No	Dissolve Oxygen Meter 01 No	Dissolve Oxygen Meter 01 No	Dissolve Oxygen Meter 01 No	Dissolve Oxygen Meter 01 No	Dissolve Oxygen Meter 01 No	Dissolve Oxygen Meter 01 No
Not Quoted	Not Quoted	Not Quoted	Not Quoted	Not Quoted	Not Quoted	Not Quoted	Not Quoted
Colony Counter Digital 01 Nos	Colony Counter Digital 01 Nos	Colony Counter Digital 01 Nos	Colony Counter Digital 01 Nos	Colony Counter Digital 01 Nos	Colony Counter Digital 01 Nos	Colony Counter Digital 01 Nos	Colony Counter Digital 01 Nos
Not Quoted	Not Quoted	Not Quoted	Not Quoted	Not Quoted	Not Quoted	Not Quoted	Not Quoted
Portable Turbidity Meter 01 Nos	Portable Turbidity Meter 01	Portable Turbidity Meter 01	Portable Turbidity Meter 01	Portable Turbidity Meter 01	Portable Turbidity Meter 01	Portable Turbidity Meter 01	Portable Turbidity Meter 01
Not Quoted	Not Quoted	Not Quoted	Not Quoted	Not Quoted	Not Quoted	Not Quoted	Not Quoted
Noise Level Meter 02 Nos.	Noise Level Meter 02 Nos	Noise Level Meter 02 Nos	Noise Level Meter 02 Nos	Noise Level Meter 02 Nos	Noise Level Meter 02 Nos	Noise Level Meter 02 Nos	Noise Level Meter 02 Nos
ACCEPTED	Not Quoted	Not Quoted	Not Quoted	ACCEPTED	ACCEPTED	ACCEPTED	ACCEPTED
Flow meter for gases 02 Nos	Flow meter for gases 02 Nos	Flow meter for gases 02 Nos	Flow meter for gases 02 Nos	Flow meter for gases 02 Nos	Flow meter for gases 02 Nos	Flow meter for gases 02 Nos	Flow meter for gases 02 Nos
Not Quoted	Not Quoted	Not Quoted	Not Quoted	Not Quoted	Not Quoted	Not Quoted	Not Quoted



Flow meter for liquids 02 Not Quoted	Flow meter for liquids 02 Not Quoted	Flow meter for liquids 02 Not Quoted	Flow meter for liquids 02 Not Quoted	Flow meter for liquids 02 Not Quoted	Flow meter for liquids 02 Not Quoted	Flow meter for liquids 02 Not Quoted
NOx Gas Analyzer 01	NOx Gas Analyzer 01	NOx Gas Analyzer 01	NOx Gas Analyzer 01	NOx Gas Analyzer 01	NOx Gas Analyzer 01	NOx Gas Analyzer 01
Not Quoted	Not Quoted	Not Quoted	Not Quoted	Not Quoted	Not Quoted	Not Quoted
BOD Apparatus 02 Nos	BOD Apparatus 02 Nos	BOD Apparatus 02 Nos	BOD Apparatus 02 Nos	BOD Apparatus 02 Nos	BOD Apparatus 02 Nos	BOD Apparatus 02 Nos
Not Quoted	Not Quoted	REJECTED	REJECTED	REJECTED	REJECTED	REJECTED
WATER PURIFICATION SYSTEM	WATER PURIFICATION SYSTEM	WATER PURIFICATION SYSTEM	WATER PURIFICATION SYSTEM	WATER PURIFICATION SYSTEM	WATER PURIFICATION SYSTEM	WATER PURIFICATION SYSTEM
Not Quoted	Not Quoted	Not Quoted	Not Quoted	Not Quoted	Not Quoted	Not Quoted
Magnetic Stirrer 01 Nos	Magnetic Stirrer 01 Nos	Magnetic Stirrer 01 Nos	Magnetic Stirrer 01 Nos	Magnetic Stirrer 01 Nos	Magnetic Stirrer 01 Nos	Magnetic Stirrer 01 Nos
Not Quoted	Not Quoted	Not Quoted	Not Quoted	Not Quoted	Not Quoted	Not Quoted
Global Positioning System-GPS 02 Nos	Global Positioning System-GPS 02 Nos	Global Positioning System-GPS 02 Nos	Global Positioning System-GPS 02 Nos	Global Positioning System-GPS 02 Nos	Global Positioning System-GPS 02 Nos	Global Positioning System-GPS 02 Nos
Not Quoted	Not Quoted	Not Quoted	Not Quoted	Not Quoted	Not Quoted	Not Quoted
Oil Grease, Fat Testing 01 Nos	Oil Grease, Fat Testing 01 Nos	Oil Grease, Fat Testing 01 Nos	Oil Grease, Fat Testing 01 Nos	Oil Grease, Fat Testing 01 Nos	Oil Grease, Fat Testing 01 Nos	Oil Grease, Fat Testing 01 Nos
Not Quoted	Not Quoted	Not Quoted	Not Quoted	Not Quoted	Not Quoted	Not Quoted
Not Quoted	Not Quoted	Not Quoted	Not Quoted	Not Quoted	Not Quoted	Not Quoted

Chemicals & Glasswares	M/S Business Dynamics	M/S Lab Line
Certified Standards for Spectrophotometer	Accepted	Accepted
Solvents for GC	Not Quoted	Accepted
Glasswares	Not Quoted	Accepted

<b>Digital Camera 01 Nos</b>	<b>M/S AWAYSIANS ROTALK</b>	<b>M/s Medco International</b>
	Accepted	Accepted

**TECHNICAL EVALUATION REPORT MICROBIOLOGY FOR TENDER 2012-13**

S.NO	M/S Orion Int	M/S Medco Health Care	M/S RAYNDOS (PVT) LIMITED	M/S Lab Line	M/S Medco International Traders	M/S Alintco	M/S Regent International	M/S Business Dynamics
1.	Auto Clave Not Quoted	Auto Clave Not Quoted	Auto Clave Not Quoted	Auto Clave Not Quoted	Auto Clave ACCEPTED	Auto Clave Not Quoted	Auto Clave Not Quoted	Auto Clave Not Quoted
2.	Incubator-53 Litre Not Quoted Drying Oven Not Quoted	Incubator-53 Litre Not Quoted Drying Oven Not Quoted	Incubator-53 Litre Not Quoted Drying Oven Not Quoted	Incubator-53 Litre ACCEPTED Drying Oven ACCEPTED	Incubator-53 Litre ACCEPTED Drying Oven ACCEPTED	Incubator-53 Litre Not Quoted Drying Oven Not Quoted	Incubator-53 Litre ACCEPTED Drying Oven ACCEPTED	Incubator-53 Litre Not Quoted Drying Oven Not Quoted
3.	Laminar Flow Not Quoted	Laminar Flow Not Quoted	Laminar Flow Not Quoted	Laminar Flow ACCEPTED	Laminar Flow ACCEPTED	Laminar Flow Not Quoted	Laminar Flow Not Quoted	Laminar Flow Not Quoted
4.	Stainless Steel Filter Holder Not Quoted	Stainless Steel Filter Holder Not Quoted	Stainless Steel Filter Holder Not Quoted	Stainless Steel Filter Holder ACCEPTED	Stainless Steel Filter Holder ACCEPTED	Stainless Steel Filter Holder Not Quoted	Stainless Steel Filter Holder Not Quoted	Stainless Steel Filter Holder Not Quoted
5.	Portable pH meter Not Quoted	Portable pH meter Not Quoted	Portable pH meter Not Quoted	Portable pH meter ACCEPTED	Portable pH meter ACCEPTED	Portable pH meter Not Quoted	Portable pH meter ACCEPTED	Portable pH meter Not Quoted
6.	Air Sampler for Air monitoring of microorganisms with use of Standard 90 mm Petri dishes Not Quoted	Air Sampler for Air monitoring of microorganisms with use of Standard 90 mm Petri dishes Not Quoted	Air Sampler for Air monitoring of microorganisms with use of Standard 90 mm Petri dishes Not Quoted	Air Sampler for Air monitoring of microorganisms with use of Standard 90 mm Petri dishes ACCEPTED	Air Sampler for Air monitoring of microorganisms with use of Standard 90 mm Petri dishes ACCEPTED	Air Sampler for Air monitoring of microorganisms with use of Standard 90 mm Petri dishes ACCEPTED	Air Sampler for Air monitoring of microorganisms with use of Standard 90 mm Petri dishes NOT QUOTED	Air Sampler for Air monitoring of microorganisms with use of Standard 90 mm Petri dishes ACCEPTED

8.	Rapid Fluorescent Technology for quantitative detection of micro-organisms within the area of 55mm diameter membrane. ICFU/ sample	Rapid Fluorescent Technology for quantitative detection of micro-organisms within the area of 55mm diameter membrane. ICFU/ sample	Rapid Fluorescent Technology for quantitative detection of micro-organisms within the area of 55mm diameter membrane. ICFU/ sample	Rapid Fluorescent Technology for quantitative detection of micro-organisms within the area of 55mm diameter membrane. ICFU/ sample	Rapid Fluorescent Technology for quantitative detection of micro-organisms within the area of 55mm diameter membrane. ICFU/ sample	Rapid Fluorescent Technology for quantitative detection of micro-organisms within the area of 55mm diameter membrane. ICFU/ sample
9.	Portable Microbiological E.Coli and Total Coliform Lab Not Quoted	Portable Microbiological E.Coli and Total Coliform Lab Not Quoted	Portable Microbiological E.Coli and Total Coliform Lab Not Quoted	Portable Microbiological E.Coli and Total Coliform Lab Not Quoted	Portable Microbiological E.Coli and Total Coliform Lab Not Quoted	Portable Microbiological E.Coli and Total Coliform Lab Not Quoted

Note: According to bid document all suppliers will be responsible to provide current letter of authorization from product manufacturer to EPA. Original letter along with color photo copy till 14<sup>th</sup> June 2012, other wise their offers may be reconsidered for acceptance/rejection by the technical evaluation committee.

Yes Accept

No Reject (reason for rejection are mentioned in attached test sheet) Not quoted.

Signature of Technical Evaluation Committee.

1. \_\_\_\_\_ (PND) \_\_\_\_\_

2. \_\_\_\_\_ (PND) \_\_\_\_\_

3. \_\_\_\_\_ (PND) \_\_\_\_\_

4. \_\_\_\_\_

*Handwritten notes:*  
 Approved  
 10/11/12  
 Signature of (PND)



**ENVIRONMENTAL PROTECTION AGENCY  
GOVERNMENT OF SINDH KARACHI  
ST-2/1, SECTOR-23, KORANGI INDUSTRIAL AREA**

Phone: 021 35065946




Dated: 11/06/2012.


**FINAL EVALUATION REPORT FOR TENDER -2012. PART "C".**

Product	CE & MENGG Services	Mesons computer
Furniture & fixture	Yes	Yes

Yes                  Accept

Signature of Technical Evaluation Committee.

1. Javed Khan (P) 
2. SYED INTEZAMUDDIN (P) 
3. SYED ABID ALI (P) 
4. \_\_\_\_\_

  
11/6/12

Masud (P)



Reference No. EPA/LAB/TENDER/2012.



**ENVIRONMENTAL PROTECTION AGENCY  
GOVERNMENT OF SINDH KARACHI  
ST-2/1, SECTOR-23, KORANGI INDUSTRIAL AREA**

Phone: 021 75065946




Dated: 11/06/2012.


**FINAL EVALUATION REPORT FOR TENDER -2012 PART "D".**

Product	Medco International	CE & MENGG Services	Mesoas computer
70 cc Motor Cycle	Yes	Yes	Yes

Yes            Accept

Signature of Technical Evaluation Committee.

1. John - I. Khan (PRD) 
2. Syed International (PRD) 
3. Syed Asif Ali (PRD) 
4. \_\_\_\_\_

  
11/6/12  
19/06/2012