KARACHI WATER & SEWERAGE BOARD

OFFICE OF THE CHIEF ENGINEER (IPD) / CONVENER OF THE PROCUREMENT COMMITTEE-I, BLOCK-E, ROOM # 05 9 MILE MAIN SHAHRA-E-FAISAL, KARSAZ, KARACHI

ATTENDANCE SHEET CONTRACTOR's / FIRM's

Name of Work: Reconstruction of Service Road b/w Shabeji Pump House to Hational Highney.

Date of Tender:

10/3/2015

Time of Dropping & Opening:

2300 P.M. of 2430 PM

Venue:

Office of the Chief Engineer (IPD) Block-E, 9th Mile Karsaz, Karachi.

S.No	Name of Contractor	Name of Firms	Signature 🐐
J	Fig. W. S.	E 0	
2	Atique	AL Rehman Grit & Crutes.	
3	Umair	Hausen Cod. Co	(Mr.,
J		1	
4			
5	÷.		11 11 11 11 11 11 11 11 11 11 11 11 11
6			

COMPARATIVE STATEMENT

Name of Work: RE-CONSTRUCTTION OF SERVICE ROAD BETWEEN DHABEJI PUMP HOUSE TO NATIONAL HIGHWAY

smantled material to the smantled material to the 1,800 Sft lying and spreading well having a liquid limit of index not greater than 6" i/c watering, roling and s of each compacted layer ti 98-100% pensity as per tte i/c all cost of amterial ing, compacting, finishing ning and washing at stone f) Ratio 1:3:6 1,500 Cft 1,500 Cft 990 Cft block 3750 PSI industrial g 12" hegith i/c cost of k for launching 1450 Psi cement and mortar. 300 Rft rom borrow pits i/c laying ning dressing comp. lead 28.800 Cft	S.No	Description of Work	Quantity	Estimated Cost	- a	d Cost	d Cost Per Amount	er Amount	er Amount M.	er Amount
Preparing sub ase by supplying and spreading well graded pits or bed run gravel having a liquid limit of greater than 25 and plasticity index not greater than 6" proper chamber and grade i/c watering, roling and compacting in layers thickness of each compacted layer not exceeding 6" cinoacted to ti 98-100% pensity as per modified AASHo density / rate i/c all cost of amterial T&P and carriage upto 3 Chain Cement concrete plain i/c placing, compacting, finishing and curing complete i/c screening and washing at stone aggregate without shuttering (H) Ratio 1:3:6 Ratio 1:2:4 Providing / fixing precast edge block 3750 PSI industrial made size 6" thick 12 " long 12" hegith i/c cost of cartage, excavation, form work for launching 1450 Psi lean concrete for launching 1:4 cement and mortar. Making earthen embankment from borrow pits i/c laying 6" layer clod breaking, ramming dressing comp. lead upto upto 100 and lift upto 5-0 Providing of the cost of cartage. excavation, form work for launching 1450 Psi lean concrete for launching 1:4 cement and mortar.	1)	Dismantling of existing asphalt concrete road i/c base, sub base & disposal fo dismantled material to the designed place.		773.86	%Sfi		13,929.48		8 810.00	8 810.00 14,580.00
Cement concrete plain i/c placing, compacting, finishing and curing complete i/c screening and washing at stone aggregate without shuttering (H) Ratio 1:3:6 Ratio 1:4:8 Ratio 1:2:4 Providing / fixing precast edge block 3750 PSI industrial made size 6" thick 12 " long 12" hegith i/c cost of cartage, excavation, form work for launching 1450 Psi lean concrete for launching 1:4 cement and mortar. Making earthen embankment from borrow pits i/c laying 6" layer clod breaking, ramming dressing comp. lead upto upto 100 and lift upto 5-0 28.800 Cft 2208.37	13	Preparing sub ase by supplying and spreading well graded pits or bed run gravel having a liquid limit of greater than 25 and plasticity index not greater than 6" proper chamber and grade i/c watering, roling and compacting in layers thickness of each compacted layer not exceeding 6" cinoacted to ti 98-100% pensity as per modified AASHo density / rate i/c all cost of amterial T&P and carriage upto 3 Chain	1,500	4381.76	%Cft		65,726.40	4	4,600.00	4,600.00 69,000.00
Ratio 1:2:4 Providing / fixing precast edge block 3750 PSI industrial made size 6" thick 12 " long 12" hegith i/c cost of cartage, excavation, form work for launching 1450 Psi lean concrete for launching 1:4 cement and mortar. Making earthen embankment from borrow pits i/c laying 6" layer clod breaking, ramming dressing comp. lead upto upto 100 and lift upto 5-0 1120-17 120-1	Ú.	Cement concrete plain i/c placing, compacting, finishing and curing complete i/c screening and washing at stone aggregate without shuttering (H) Ratio 1:3:6 Ratio 1:4:8	500	11200 75	600		160 221 26			
Providing / fixing precast edge block 3750 PSI industrial made size 6" thick 12 " long 12" hegith i/c cost of cartage, excavation, form work for launching 1450 Psi lean concrete for launching 1:4 cement and mortar. Making earthen embankment from borrow pits i/c laying 6" layer clod breaking, ramming dressing comp. lead upto upto 100 and lift upto 5-0 28,800 Cft 2208.37		Ratio 1:2:4	990 Cft	14429.25	%Cft	_	142,849.58	142,849.58 15,150.50	-	15,150.50
Making earthen embankment from borrow pits i/c laying 6" layer clod breaking, ramming dressing comp. lead upto upto 100 and lift upto 5-0 28.800 Cft 2208.37	<i>t</i> >	Providing / fixing precast edge block 3750 PSI industrial made size 6" thick 12 " long 12" hegith i/c cost of cartage, excavation, form work for launching 1450 Psi lean concrete for launching 1:4 cement and mortar.					0.00			
28.800 Cft 2208.37	t.Xi	Making earthen embankment from borrow pits i/c laying	300	297,01	P/Rft		89,103.00	89,103.00 312.00		312,00
	-	6" layer clod breaking, ramming dressing comp. lead upto upto 100 and lift upto 5-0	28,800 Cft	2208.37	%0Cft		63,601.06	63.601.06 2.318.00		2.318.00

P

COMPARATIVE STATEMENT

Name of Work: RE-CONSTRUCITION OF SERVICE ROAD BETWEEN DHABEJI PUMP HOUSE TO NATIONAL HIGHWAY

S.N.	Description of Work
6 1 0 m m C	Carriage of 100 Cft / 5 Tons of all material like stone aggregate, spawl, cool, lime, surkhi etc. B.G rail fastening points and crossing bridge, girder pipes, sheets of tiles M.S Bar etc or 1000 Nos of bricks 10x5x3 of 1000 Nos of tiles 12"x6"x2" or 150 Cft of timber or 100 mounds of fuel wood by truck or any other means owned by the contractor (5 miles lead).
TOTAL QUOTED / CORRECTED COST	COST
OTAL QUOTED / CO	DRRECTED COST
İ	SAY

(Riaz Khalid Leiral) 3 (Saif-ul-Haque)
Accounts Officer (6) 3 (Addl. Director Internal Audit Member / Secretary

KMC - Member

Superintending Engineer (K.M.C) (Maqsood Whmed Shaikh) Member

> Chief Enginber (BT&D) S.M.Jamil Akhtar)

Member

(Abdul Bahlin Khan Chief Engineer (IPO Convener



KARACHI WATER & SEWERAGE BOARD

OFFICE OF THE CHIEF ENGINEER (IP&D)

BID EVALUATION REPORT

ı	Name of Procuring Agency:	KARACHI WATER & SEWERAGE BOARD
2	Tender Reference No:	SPPRA Serial No.22896 I.D #
3	Tender Description/Name of Work/Item:	RE-CONSTRUCTION OF SERVICE ROAD BETWEEN DHABEJI PUMP HOUSE TO NATIONAL HIGHWAY
4	Method of Procurement:	Single Stage (One Envelop)
5	Tender Published:	Through Web Site
6	Total Bid Documents Sold:	2 Nos
7	Total Bid Received:	2 Nos
8	Technical Bid Opening Date (if applicable):	N/A
9	No. of Bid Technically Qualified (if applicable)	N/A
10	Bid (s) Rejected:	NIL.
11	Financial Bid Opening Date:	10-03-2015

12 BID EVALUATION REPORT

S#	Name of Firm / Bidder	COST OFFERED BY THE BIDDER	RANKING IN TERMS OF COST	COMPARISON WITH ESTIMATED COST	PAY ORDER	REMARKS REMEN FOR ACCOMMINE
ì	M/s.Al-Rehman Construction & Contractor	Rs.7,87,723/-	1 st Lowest	@4.994% Above	P.O # 11639240 dt:10-03-2015 Rs.18,000/- from HBL Sindh Secretariat Branch Karachi	Substantially Responsive REQUIRED DOCUMEN
2	M/s.Hawan Construction Co.	Rs.7,90,717/-	2 nd Lowest	@5.393% Above	P.O # 11639225 dt:10-03-2015 Rs.20,000/- from HBL Sindh Secretariat Branch Karachi	Substantially

The all concerned bidders are being informed accordingly.

The E.E Concerned for compliance of Rule-45 of SPPR 2010 M/s. Al-Rehman Construction & Contractor declared as the lowest responsive bidder by the Committee and recommended for sanction from Competent Authority.

Accounts Officer (IDT)

Member / Secretary

(Saif-ul-Haque) Additional Director Internal Audit - KMC Member

(Magsood Ahmed Shaikh) Superintending Engineer (KMC)

Member

S.MJamil Akhtar) Chief Engineer (BT&D) Member

(Abdul Rahim Khatti) Chief Engineer (IPD)

Convener

NIT No.SPPRA Serial No.22896

Method and procedure of procurement: Open Competitive Bidding (National/ International Competitive Bidding) (Single Stage-One Envelope)

Description of work:

RE-CONSTRUCTION OF SERVICE ROAD BETWEEN

DHABEJI PUMP HOUSE TO NATIONAL HIGHWAY

Date of Opening:

10-03-2015

BIDDERS' ELIGIBILITY/ QUALIFICATION REPORT

Eligibility/ Qualification Criteria:

		Bidder	's' Name
S. No.	Eligibility / Qualification Criteria	M/s.Al-Rehman Construction & Contractor	M/s.Hawan Construction Co.
1.	Registration with PEC (if applicable)	N/A	N/A
2.	NTN	Yes	Yes
3.	Sales Tax Registration (FBR)	N/A	N/A
4.	Registration with Sindh Revenue Board (SRB)	Yes	Yes
	Qualification Criteria:		
5.	Minimum three years' experience of relevant field.	Yes	Yes
6.	Turnover of at least last three years	Yes	Yes
7.	Required Bid Security is attached.	Yes	Yes
8.	Bid is signed, named and stamped by the authorized person of the firm along with Authorization letter.	Yes	Yes
9,	Any other factor deemed to be relevant by the procuring agency subject to provision of Rule-44	N/A	N/A
10.	Qualified/ disqualified	Qualified	Qualified

Note: The procuring agency may modify the criteria as per their requirements.

Accounts Officer (10)

(Saif-ul-Hāque)
Additional Director Internal
Audit – KMC Member

(Maqsood Ahmed Shaikh) Superintending Engineer (KMC) Member

S.M.Jamil (Akhtar)

Chief Engineer (BT&D)

Members

Chief Engineer (IPD)

Convener

VIT Sr. No. 22896

Method of Procurement: Single Stage Single Envelope.

RE-CONSTRUCTION OF SERVICE ROAD BETWEEN Name of Work:

DHABEJI PUMP HOUSE TO NATIONAL HIGHWAY

MINUTES OF BID OPENING MEETING.

A meeting of the procurement committee of this department was held on 10-03-2015 for opening the bids received in respect of subject NIT till deadlines of submission. The meeting was attended by all / following members of the procurement committee and the representative of bidders.

(Attendance sheet is enclosed).

- 2. Two bidders submitted their bids till the deadline of submission.
 - i. M/s.Al-Rehman Construction & Contractor
 - M/s.Hawan Construction Co.
- The bids were opened at 2:30 P.M in the presence of the above mentioned participants and the rates quoted by bidders were read aloud and encircled by Chairman of the Procurement Committee.

S. No	Name of Firm	Quoted Price	Amount of Bid Security	Pay Order No. / Date
01	M/s.Al-Rehman Construction & Contractor	Rs.7,87,723/-	Rs.18,000/-	P.O # 11639240 dt:10-03-2015 from HBL Sindh Secretariat Branch Karachi
02	M/s.Hawan Construction Co.	Rs.7,90,717/-	Rs.20,000/-	P.O # 11639225 dt:10-03-2015 from HBL Sindh Secretariat Branch Karachi

- 4. The bids do not contain any over-writing or cutting.
- 5. The committee shall examine all the bids as per the qualification / eligibility criteria provided in the bidding document and verify the documents and bid security submitted by the bidders (if required).

The meeting ended with the vote of thanks to and from the chair.

Accounts Office CB. Member / Secretary Additional Director Internal Audit - KMC Member

(Magsood Ahmed Shaikh) Superintending Engineer (KMC)

Member

S.M(Jamil Akhtar)

Chief Engineer (BT&D)

Member

(Abdul RahimKhatti Chief Engineer (IPD)

Convener