

NIT Sr. No. SPPRA Serial No.35558

Method and procedure of procurement: Open Competitive Bidding (National/ International Competitive Bidding) (Single Stage-One Envelope)

Description of work: REPLACEMENT OF 6" DIA & 4" DIA PE PIPE LINE AT SARDAR MOHALLAH & BEWA QUARTER SECTOR NO.1 & 3 IN UC-04 SITE TOWN

Date of Opening: 08-01-2018

BIDDERS' ELIGIBILITY/ QUALIFICATION REPORT

Eligibility/ Qualification Criteria:


| S. No. | Eligibility / Qualification Criteria | Bidders' Name | |
|--------|--|-----------------------------|---------------------|
| | | M/s.Barang Construction Co. | M/s.Gul Sawab & Co. |
| 1. | Registration with PEC (if applicable) | N/A | N/A |
| 2. | NTN | Yes | Yes |
| 3. | Sales Tax Registration (FBR) | N/A | N/A |
| 4. | Registration with Sindh Revenue Board (SRB) | Yes | Yes |
| | Qualification Criteria: | | |
| 5. | Minimum three years' experience of relevant field. | Yes | Yes |
| 6. | Turnover of at least last three years | Yes | Yes |
| 7. | Required Bid Security is attached. | Yes | Yes |
| 8. | Bid is signed, named and stamped by the authorized person of the firm along with Authorization letter. | Yes | Yes |
| 9. | Any other factor deemed to be relevant by the procuring agency subject to provision of Rule-44 | N/A | N/A |
| 10. | Qualified/ disqualified | Qualified | Qualified |


Mirshad Ali
D.A.O (District West)
Member / Secretary


(Saif-ul-Haque)
Additional Director Internal
Audit – KMC Member

(Maqsood Ahmed Shaikh)
Superintending Engineer (KMC)
Member


(Owais Malik)
S.E (District West-A)
Member


(Saifuddin)
Director (Design & Estimate)
Convener

NIT Sr. No. SPPRA Serial No.35558

Method of Procurement: Single Stage Single Envelope.

Name of Work: REPLACEMENT OF 6" DIA & 4" DIA PE PIPE LINE AT SARDAR MOHALLAH & BEWA QUARTER SECTOR NO.1 & 3 IN UC-04 SITE TOWN

MINUTES OF BID OPENING MEETING.

A meeting of the procurement committee of this department was held on 08-01-2018 for opening the bids received in respect of subject NIT till deadlines of submission. The meeting was attended by all / following members of the procurement committee and the representative of bidders.

(Attendance sheet is enclosed).

2. Two bidders submitted their bids till the deadline of submission.

- i. M/s. Barang Construction Co.
- ii. M/s. Gul Sawab & Co.

3. The bids were opened at 2:30 P.M in the presence of the above mentioned participants and the rates quoted by bidders were read aloud and encircled by Chairman of the Procurement Committee.

| S. No | Name of Firm | Quoted Price | Amount of Bid Security | Pay Order No. / Date |
|-------|-----------------------------|---------------|------------------------|--|
| 01 | M/s.Barang Construction Co. | Rs.9,94,881/- | Rs.20,000/- | P.O# 19636508 dt:05-01-2018 from HBL Metroville 1 Site Branch Karachi |
| 02 | M/s.Gul Sawab & Co. | Rs.9,95,838/- | Rs.20,000/- | P.O # 19636507 dt:05-01-2018 from HBL Metroville 1 Site Branch Karachi |

4. The bids do not contain any cutting or over-writing.

5. The committee shall examine all the bids as per the qualification / eligibility criteria provided in the bidding document and verify the documents and bid security submitted by the bidders (if required).


The meeting ended with the vote of thanks to and from the chair.


(Arshad Ali)
D.A.O (District West)
Member / Secretary


(Saif-ul-Haque)
Additional Director Internal
Audit – KMC Member

(Maqsood Ahmed Shaikh)
Superintending Engineer (KMC)
Member


(Owais Malik)
S.E (District West-A)
Member


(Saifuddin) 8.1.18
Director (Design & Estimate)
Convener



KARACHI WATER & SEWERAGE BOARD

OFFICE OF THE DIRECTOR (DESIGN & ESTIMATE)

BID EVALUATION REPORT


| | | |
|----|--|---|
| 1 | Name of Procuring Agency: | KARACHI WATER & SEWERAGE BOARD |
| 2 | Tender Reference No: | SPPRA Serial No.35558 I.D No. _____ |
| 3 | Tender Description/Name of Work/Item: | REPLACEMENT OF 6" DIA & 4" DIA PE PIPE LINE AT SARDAR MOHALLAH & BEWA QUARTER SECTOR NO.1 & 3 IN UC-04 SITE TOWN |
| 4 | Method of Procurement: | <u>Single Stage (One Envelop)</u> |
| 5 | Tender Published: | <u>Through SPPRA Web Site</u> |
| 6 | Total Bid Documents Sold: | <u>2 Nos</u> |
| 7 | Total Bid Received: | <u>2 Nos</u> |
| 8 | Technical Bid Opening Date (if applicable): | <u>N/A</u> |
| 9 | No. of Bid Technically Qualified (if applicable) | <u>N/A</u> |
| 10 | Bid (s) Rejected: | <u>NIL</u> |
| 11 | Financial Bid Opening Date: | <u>08-01-2018</u> |

12 BID EVALUATION REPORT

| S# | Name of Firm / Bidder | COST OFFERED BY THE BIDDER | RANKING IN TERMS OF COST | COMPARISON WITH ESTIMATED COST | REASON FOR ACCEPTANCE / REJECTION | REMARKS |
|----|-----------------------------|----------------------------|--------------------------|--------------------------------|--|--------------------------|
| 1 | M/s.Barang Construction Co. | Rs.9,94,881/- | 1 st Lowest | @0.176% Below | Pay Order and required documents are attached. P.O# 19636508 dt:05-01-2018 Rs.20,000/-from HBL Metroville 1 Site Branch Karachi | Substantially Responsive |
| 2 | M/s.Gul Sawab & Co. | Rs.9,95,838/- | 2 nd Lowest | @0.080% Below | Pay Order and required documents are attached. P.O # 19636507 dt:05-01-2018 Rs.20,000/-from HBL Metroville 1 Site Branch Karachi | Substantially Responsive |

The all concerned bidders are being informed accordingly.


The E.E Concerned for compliance of Rule-45 of SPPRA 2010 **M/s.Barang Construction Co.** declared as the lowest responsive bidder by the Committee and recommended for sanction from Competent Authority.


(Arshad Ali)
D.A.O (District West)
Member / Secretary


(Saif-ul-Haque)
Additional Director Internal
Audit – KMC Member

(Maqsood Ahmed Shaikh)
Superintending Engineer (KMC)
Member


(Owais Malik)
S.E (District West-A)
Member


(Saifuddin) 9.1.18
Director (Design & Estimate)
Convener

COMPARATIVE STATEMENT

Name of Work: REPLACEMENT OF 6" DIA & 4" DIA PE PIPE LINE AT
SARDAR MOHALLAH & BEWA QUARTER SECTOR NO.1 & 3 IN UC-04 SITE TOWN

| Item No | Description of Work | Estimated Cost | | | | M/s.Barang Construction Co. | | M/s.Gul Sawab & Co. | | |
|---------|--|----------------|------|---------|--------|-----------------------------|---------|---------------------|---------|------------|
| | | Quantity | Rate | Per | Amount | Rate | Amount | Rate | Amount | |
| 1 | Dismantling and removing road matelling. | 4250.00 | Cft | 605.00 | %Cft | 25,712.50 | 605.00 | 25,712.50 | 605.00 | 25,712.50 |
| 2 | Excavation for pipe line in trenches and pits in all kind of soil of murum i/c trimming and dressing sides to true alignment and shape leveling of beds of trenches to correct level and grade cutting joints holes and disposal of surplus earth within one chain as directed by Engineer Incharge. Providing fence, lights, flags and temporary crossing for non-vehicular traffic wherever required lift upto 5'-0' ft (1.52m) and lead upto one chain (30.5m). | 18944.00 | Cft | 4650.00 | %0Cft | 88,089.60 | 4650.00 | 88,089.60 | 4650.00 | 88,089.60 |
| 3 | Full hire charges of pumping set per day i/c of wages of driver and assistant fuel or electric energy platform for placing the pump etc at lower depth with suction and delivery pipes for pumping out water found at various depth from trenches including the cost of erection and dismantling after completion of the job. Hire charges of pumping set upto 10 HP pumping out water from 10 ft deep trench | 5.00 | Days | 1500.00 | P/Day | 7,500.00 | 1500.00 | 7,500.00 | 1500.00 | 7,500.00 |
| 4 | P/L & Fixing of Polyethylene pipe in trench i/c fitting jointing and testing etc. complete in all respect the high density Polyethylene P.E pipes (HDPE-100) for W/S conforming ISO 4427/DIN-8074/8075 B.S 3580 & PSI 3051. 160 mm thick (PN-10) | 900.00 | Rft | 530.00 | P/Rft | 477,000.00 | 530.00 | 477,000.00 | 530.00 | 477,000.00 |
| | 11 mm thick (PN-10) | 1000.00 | Rft | 268.00 | P/Rft | 268,000.00 | 268.00 | 268,000.00 | 268.00 | 268,000.00 |
| 5 | P/F split collar 9" wide on A.C pipe fabricated with 1/4" thick M.S plate, weighting as mentioned against each item. It includes the cost of 4 Nos 1/4" thick flanges, nuts & bolts, rubber packing, labour and sealing material etc complete. 10" dia Net Weight 14.13 Kg | 1.00 | Nos | 3095.00 | Each | 3,095.00 | 3090.00 | 3,090.00 | 4000.00 | 4,000.00 |

Amu kw
09/01/18

cut

T

Amu

**Name of Work: REPLACEMENT OF 6" DIA & 4" DIA PE PIPE LINE AT
SARDAR MOHALLAH & BEWA QUARTER SECTOR NO.1 & 3 IN UC-04 SITE TOWN**

| Item No | Description of Work | Estimated Cost | | | | M/s.Barang Construction Co. | | M/s.Gul Sawab & Co. | | |
|--------------------------------------|--|----------------|------|----------|--------|-----------------------------|----------|---------------------|----------|----------------|
| | | Quantity | Rate | Per | Amount | Rate | Amount | Rate | Amount | |
| 6 | Providing C.I Sluice Valve heavy pattern (Test Pressure 21.0 Kg/sq.com or 300 lb/sq.inch) (Imported) 06" Dia | 1.00 | Nos | 9360.00 | Each | 9,360.00 | 940.00 | 940.00 | 955.00 | 955.00 |
| | 04" Dia | 1.00 | Nos | 5460.00 | Each | 5,460.00 | 748.00 | 748.00 | 752.00 | 752.00 |
| 7 | Fixing of sluice valve with 2 cast iron tail pieces one end flanged & other with socket i/c the cost of nut, bolts & rubber packing, labour etc complete. 06" Dia. | 1.00 | Nos | 1886.00 | Each | 1,886.00 | 9355.00 | 9,355.00 | 9362.00 | 9,362.00 |
| | 04" Dia | 1.00 | Nos | 1532.00 | Each | 1,532.00 | 5460.00 | 5,460.00 | 5461.00 | 5,461.00 |
| 8 | Construction of C.C. block masonry chamber of size 4'x4'x4' (inside dimension) with 24" x 24" C.I cover frame weighting 65 kg fixed in RCC 1:2:4 slab 6" thick with steel 1/2" dia tor bar @6" C/C 1/4" betnup 1/4" @ 8" C.C distribution bar 6" thick C.C 1:3:6 block masonry wall set 1:6 C.M 6" C.C 1:4:8 in foundation, 2" thick C.C 1:2:4 flooring, 1/2" thick cement plaster 1:3 ratio inside wall surface top and bottom slab outer side wall surface 1 feet deep upto roof slab M.S foot rest 5/8" bars at every 2 feet deep i/c curing watering excavation refilling and disposal of surplus earth complete. (4'x4'x4') | 2.00 | Nos | 28357.00 | Each | 56,714.00 | 28350.00 | 56,700.00 | 28360.00 | 56,720.00 |
| 9 | Refilling the excavated stuff in trenches 6" thick layer i/c watering ramming to full compaction etc complete. | 18944.00 | Cft | 2760.00 | %0Cft | 52,285.44 | 2760.00 | 52,285.44 | 2760.00 | 52,285.44 |
| TOTAL QUOTED / CORRECTED COST | | | | | | 996,635 | | 994,881 | | 995,838 |

Arshad Ali
Arshad Ali
D.A.O (District West)
Member/Secretary

(Saif-ul-Haque)
(Saif-ul-Haque)
Addl. Director Internal Audit
KMC - Member

(Maqsood Ahmed Shaikh)
(Maqsood Ahmed Shaikh)
Superintending Engineer (K.M.C)
Member

(Owais Malik)
(Owais Malik)
S.E (District West-A)
Member

(Saifuddin) 9.1.18
(Saifuddin) 9.1.18
Director (Design & Estimate)
Convener

ATTENDANCE OF PARTICIPATE CONTRACTOR

Name of Work: - REPLACEMENT OF 6" DIA & 4" DIA PE PIPE LINE AT SARDAR MOHALLAH & BEWA QUARTER SECTOR NO.1 & 3 IN UC-04 SITE TOWN

Date of Opening & Time :

Estimated Cost :

| S.NO | NAME OF FIRM | NAME OF PERSON & DESIGNATION | SIGNATURE |
|------|------------------------------|------------------------------|-------------|
| 1 | M/s. Buvang Construction Co. | محمد سیاتان | محمد سیاتان |
| 2 | M/s. Chaf Sawab & Co | محمد سیاتان | محمد سیاتان |
| 3 | M/s. | | |
| 4 | | | |
| 5 | | | |
| 6 | | | |
| 7 | | | |
| 8 | | | |
| 9 | | | |
| 10 | | | |