

**DR. PANJWANI CENTER FOR MOLECULAR MEDICINE & DRUG RESEARCH
INTERNATIONAL CENTER FOR CHEMICAL AND BIOLOGICAL SCIENCES
UNIVERSITY OF KARACHI
KARACHI-75270**

Tender Notice No: PCMD-221111

Sealed tenders are invited from the sales tax and income tax registered suppliers for purchase/import of the scientific equipments for “PSF-RES/S-KU/MED (278)”. The detail and specification of the items can be collected from Purchase Office of the Center, on any working day between 9.00 a.m. to 12.30 p.m., (except Friday), from the date of notification of this advertisement on the websites, on payment of Rs. 200/- (non-refundable), in shape of a pay order (Demand Draft by the out of Karachi suppliers), in favor of the Director, or downloaded from the websites www.iccs.edu www.pprasindh.gov.pk and www.ppra.org.pk The tenders may be submitted with 2% of the bid price as bid security, in shape of a pay order in favor of the Director I.C.C.B.S., latest by 10.30 a.m. on 22-11-2011. The tenders will be opened in Purchase Office of the Center at 11.00 a.m. on the same day in presence of the bidders or their representatives. The Procuring Agency may reject all or any bid subject to relevant provision of SPP rules.

Principle Investigator

**DR. PANJWANI CENTER FOR MOLECULAR MEDICINE &
DRUG RESEARCH**

**INTERNATIONAL CENTER FOR CHEMICAL AND BIOLOGICAL SCIENCES
UNIVERSITY OF KARACHI
KARACHI 75270, Tel: 111-222-292 Ext: 320**

PSF-RES/S-KU/MED(278)

Tender Notice No: PCMD-221111

SUMMARY SHEET

The tender will be liable to be rejected if this form will not accompany the tender bid / quote

SERIAL No.	BID VALUE	FOREIGN CURRENCY	CONVERSION RATE	PRICE IN PKR

TOTAL BID VALUE IN PKR		
Earnest Money @ 2% in PKR		
Payorder / Bank Draft No:		Date:

Signature

Seal:

S.No	Description	Qty
1	<p>UV MICROPLATE READER With Computer & Software <u>Specification</u></p> <p>Wavelength selection: Filters Wavelength range: 100- 1100 nm Wavelength filters: 450nm, 570nm, 610nm Wavelength accuracy: ±0.1 to 0.5% Read -out range: 0.1-0.6 Abs Light source Halogen: Xenon flash or Quartz-Halogen or Quartz Tungsten Plate types: 96 well plate Measurement mode: Fast Incubation: +4 degree Celsius to 45 degree Celsius at ambient 25°C Shaking: Linear Computer Interface: USB 1.1 (2.0 compatible) User Interface: On-board or PC control Applications: ELISA assays, Nucleic acid analysis, Enzyme assays, Kinetic assays, Cytotoxicity assays, Proliferation assays, Apoptotic assays.</p>	01 Set
2	<p>TRANS ILLUMINATOR <u>Specification</u></p> <p>Assay Type: Transilluminator Filters: 312nm or 445nm Viewing surface dimension: 20 x 20cm High UV output UV safety screen Stainless steel frame UV intensity control High performance 6 x 8 watt UV tubes.</p>	01 No