



No.UGC/Thar/Geology-01/2011

November 19, 2011


Subject: Tender for Purchase of Water Level Meter.

UCG Thar Project is interested in the purchase of following items:-

Specifications details of water level meter (Piezometer) It Consists of following three parts
a) Reel
i) Robust and smooth running
ii) Equipped with an on/off sensitivity switch, light, buzzer, a battery and battery test button.
iii) Contain the probe holder and brake
b) Tape
i) The high quality polyethylene tape reels smoothly, remains flexible and hangs straight in the well, irrespective of temperature
ii) Permanent Marking at each meter, centimeter and millimeter
iii) The 3/8" (10 mm) wide tapes come in lengths up to 650 ft (200 meter)
c) Probe
i) Stainless steel, leak proof probe
ii) size 0.5" dia., 7.5" long, weight 7.5 ounce (200 g)
iii) O-rings to allow submergence to 650 ft. (200 m)
d) Make
Canada/USA or equivalent

- Blank tender forms can be collected from the office of Manager (Admin & Accounts), UCG Project Thar, upto 10-12-2011 at 12:00 Noon, during office hours after depositing the tender fee amounting to Rs.200(Non Refundable) in the shape of pay order in favor of Accounts Officer, UCG Thar Project, Islamkot.
- The tenders will be received backup to 12-12-2011 at 11:00 and will be opened on the same day at 12:00hrs in the presence of Purchase Committee and the bidders or their authorized representatives who wish to be present.
- Bid Security amounting to 2% of Bid Price should be submitted along with the Bid in shape of Pay Order in favor of Accounts Officer, UCG Thar Project, issued by any scheduled Bank of Pakistan.

- d. The bid security will be forfeited to the Government, if the bidder withdraws his bid after opening and before the expiry of the bid validity period or fails to sign the contract if the bid is accepted.
- e. Amount of the tender is below Rs.01 Million.
- f. Conditional tender and tender without bid security shall not be considered.
- g. Delivery time will be 14 days starting after the issuance of supply order.
- h. GST/Income Tax Certificates, as the case may be, must be accompanied with the tender.
- i. The procuring agency may reject all or any bid at any time prior to the acceptance of a bid or proposal, subject to the relevant provision of SPPRA Rules 2010.
- j. Tender envelope should bear the tender No. UCG/Thar/Geology-01/2011 and **Tender for Purchase of Water Level Meter.**

for 
21-11-2011

(Mirza Abdul Samad Baig, SI)

Director
UCG Project Thar Site,
C/O Manager,
National Bank of Pakistan
Islamkot.
Ph: 0232-300989
ucgthar@gmail.com