

**H.E.J. RESEARCH INSTITUTE OF CHEMISTRY
INTERNATIONAL CENTER FOR CHEMICAL AND BIOLOGICAL SCIENCES
UNIVERSITY OF KARACHI
KARACHI-75270**

TENDER NOTICE NO. HEJ-260213

Sealed tenders are invited from the sales tax registered firms with Sindh Board of Revenue and Income Tax Department for purchase on F.O.R. basis or import of item-wise C&F basis of the scientific equipments for the Center. The detail and specification of the items can be collected from the date of notification of the advertisement on the websites, from Purchase Office of the Center, on any working day between 9.00 a.m. to 12.30 p.m., on payment of Rs. 300/- (non-refundable), in shape of a pay order (Demand Draft by the out of Karachi suppliers), in favor of the Director, H.E.J., or downloaded from the websites www.iccs.edu and www.pprasindh.gov.pk. The last date of issuing of the bid documents is 22-02-2013. The tenders can be submitted in Purchase Office of the Center with 2% of the bid value as bid security, in shape of a pay order in favor of the Director, H.E.J., latest by 2.30 p.m. on 26-02-2013. The tenders will be opened in meeting room of the Center at 3.00 p.m. on the same day in presence of the bidders or their representatives. The Procuring Agency may reject all or any bid subject to the relevant provision of SPP rules.

DIRECTOR

SUMMARY SHEET

The tender will liable to be rejected if this form will not accompan^y the tender bid / quote

SERIAL No.	BID VALUE	FOREIGN CURRENCY	CONVERSION RATE	PRICE IN PKR

TOTAL BID VALUE IN PKR		
Earnest Money @ 2% in PKR		
Payorder / Bank Draft No:		Date:
Signature	Seal:	

**H.E.J. RESEARCH INSTITUTE OF CHEMISTRY
INTERNATIONAL CENTER FOR CHEMICAL AND BIOLOGICAL SCIENCES
UNIVERSITY OF KARACHI
KARACHI-75270**

**PROF. DR. KHALID M. KHAN
(LAB. NO. 302; INTERCOM NO. 138)**

LIST OF ITEMS

S.No.	Item	Specifications	Quantity
1.	UV Lamp	6W, 230V, 50 Hz, 254-365 nm tube UVP LLC 95-0279-02 EL series or equivalent	4
2.	Hot Plate	Heidolph No. 505-2000-00-0 Ac 230/240V, 50/60 Hz Ser. No. 01702925 or equivalent	10