



No.UCG/Tender/Geology-88/2013

12<sup>th</sup> June, 2013

Subject: Water Level Meter (Piezometer).

UCG Thar Project is interested in the purchase of:-

S. No	Description	Qty Req
01.	<p><b>1) Reel:</b></p> <p>a. Robust and smooth running.</p> <p>b. Equipped with on/off sensitivity switch, light, buzzer, a battery and battery test button.</p> <p>c. Contain the probe holder and brake.</p> <p><b>2)Tape:</b></p> <p>a. The high quality polyethylene tape reels smoothly, remains flexible and hangs straight in the well, irrespective of temperature.</p> <p>b. Permanent marking at each meter, centimeter and millimeter.</p> <p>c. The 3/8" (10mm) wide tapes come in lengths upto 650 ft (200 meter).</p> <p><b>3)Probe:</b></p> <p>a. Stainless steel, leak proof probe.</p> <p>b. Size 0.5" dia, 7.5" long, weight 7.5 ounce (200g).</p> <p>c. O-Rings to allow submergence to 650 ft (200m).</p> <p><b>4)Make:</b></p> <p>Canada/USA or Equivalent</p>	02

1. Blank tender forms can be collected from the office of Manager (Admin & Accounts), UCG Project Thar, upto **28-06-2013** at **12:00 Noon**, during office hours after depositing the tender fee amounting to Rs.200 (Non Refundable) in the shape of pay order in favor of Accounts Officer, UCG Thar Project, Islamkot.
2. The tenders will be received back upto **29.06-2013** at **11:00** and will be opened on the **same day at 11:00hrs** in the presence of Purchase Committee and the bidders or their authorized representatives who wish to be present.

3. Bid Security amounting to 2% of Bid Price should be submitted along with the Bid in shape of Pay Order in favor of Accounts Officer, UCG Thar Project, issued by any scheduled Bank of Pakistan.
4. The bid security will be forfeited to the Government, if the bidder withdraws his bid after opening and before the expiry of the bid validity period or fails to sign the contract if the bid is accepted.
5. 10% service performance will be held till the completion of job meanwhile 2% bid Price will be released.
6. Amount of the tender is below Rs. One Million.
7. Conditional tender and tender without bid security shall not be considered.
8. Delivery time will be 10 days after the issuance of supply order.
9. GST/Income Tax Certificates, as the case may be, must be submitted with the tender documents.
10. The procuring agency may reject all or any bid at any time prior to the acceptance of a bid or proposal, subject to the relevant provisions of SPP Rules 2010.
11. Tender envelope should bear the tender No. UCG/Tender/Geology-88/2013 and the wording "Tender for Water Level Meter (Piezometer)".



Assistant Manager (Admin)  
UCG Thar Project Site,  
C/O Manager,  
National Bank of Pakistan  
Islamkot.  
Ph: 0232-923036  
0232-923037