



KARACHI WATER & SEWERAGE BOARD

OFFICE OF THE EXECUTIVE ENGINEER (SEW)

LYARI TOWN DISTRICT (SOUTH), KW&SB

JAMILA PUMPING STATION, JAMILA STREET GHASS MANDI LYARI KARACHI

Cell # 0321-3894680

NOTICE FOR INVITING TENDER THROUGH AUTHORITY'S WEBSITE(UNDER 1.00 MILLION).


01.	Name of work	<u>REPAIRING / RAISING OF BROKEN & DAMAGE MANHOLE & CONSTRUCTION OF INTERMEDIATE MANHOLES BETWEEN MANHOLES TO MANHOLES IN THE AREA OF UC-NO. 01 TO UC-NO. 11, LYARI TOWN (SEW).</u>
02.	Eligibility of Contractor:	All eligible Contractor Bidder should having N.T.N Certificate.
03.	Tender can be purchased.	Tender documents can be purchased from the Office of the Accounts Officer (Revenue), KW&SB at KW&SB Head Office, at 1 st Floor Old KBCA, Annexy Building, Behind Civic Centre, Gulshan-e-Iqbal Karachi, between 9:00 am to 1:00 pm in any working day except the date of opening of the tenders.
04.	Source of Funding.	KW&SB's own funds under B.G. NO. E-023-18 (2013-2014) .
05.	Bid Security.	2% of bid security of the quoted cost / price in shape of pay order / Bank Draft for any schedule bank of Pakistan in favour of Karachi Water & Sewerage Board.
06.	Note.	(i) No tender will be issued on the date of opening of tender. (ii) Bid Security in Shape of Pay Order / Bank Draft from any Schedule Bank of Pakistan in favour of KW&SB must be accompanied with the Tender otherwise the tenders shall be treated as invalid & rejected.
07.	Tender Fee.	RS. 1,000/= Non-Refundable in shape of Pay Order in favour of KW&SB.
08.	Start date / Last date of issuing of tender documents.	w.e.f 1 st hoisting upto 16-12-2013 , during working hours from 9:00 am to 1:00 pm.
09.	Date & Time of submission of tenders & Opening of Tenders.	17-12-2013 , upto 02:00 PM and will be opened at 02:30 PM.
10.	Place of Opening.	Tender will be opened by the Procurement Committee-I , at the Office of the Chief Engineer, (IP&D), KW&SB at 9 th Mila Karsaz, Shahrah-e-Faisal, Karachi.
11.	Scope of work:	Improvement of Sewerage System.

Note :- i) The Procuring Agency may reject all or any bids subject to the relevant provision of SPPRA Rules-2010.

ii). Tender can be seen on SPPRA's Website.

iii). In case of any unforeseen situation in closure of office on the date of opening or if Government declares Holiday the tender shall be submitted / opened on the next working day at the same time & venue.

KARACHI WATER & SEWERAGE BOARD


ABDUL MALIK KHALID
Executive Engineer (Sew) Lyari Town,
KW&SB

OFFICE OF THE EXECUTIVE ENGINEER (SEWERAGE)
LYARI TOWN, DIST. (SOUTH), KW&SB.

SUBJECT:- **REPAIRING / RAISING OF BROKEN & DAMAGE**
MANHOLE & CONSTRUCTION OF INTERMEDIATE
MANHOLES BETWEEN MANHOLES TO MANHOLES
IN THE AREA OF UC-NO. 01 TO UC-NO. 11, LYARI
TOWN (SEW).

ESTIMATE COST:- On Item Rate Basis. Issued to M/S. _____

TENDER COST:- Rs. _____/= Pay Order NO: _____


TIME LIMIT:- 30 Days Dated:- _____

PENALTY:- 1000/= Per Day.

SUPERINTENDENT (REVENU)

S.N.	DESCRIPTION.	QUANTITY	RATE		PER	AMOUNT
01.	Dismantling cement concrete plain 1: 2: 4 Etc.	512 Cft.			%Cft	
	Cement concrete plain including placing compacting, finishing and curing, complete (including screening and washing at stone aggregate without shattering.	1025 Cft.			%Cft	
	Cement Plaster ½" thick 1:3 upto 12' ft. height.	271 Sft.			%Sft	
	P / F C.I Frame i/c cost material Etc. (15 Kg). Each.	150 Kg.			P/Kg	
	Hire charges of steel shuttering both side for the const. of manhole (circular) at side i/e its erection in proper position removal after concrete etc complete.	120 Ft.			P/Ft.	
CONT... PAGE...02						

PAGE ...NO...02					
S.N.	DESCRIPTION.	QUANTITY	RATE	PER	AMOUNT
	Providing manholes 4 ft. inside with C.I Frame (15 kg) 5 feet clear depth 1:2:4 cast in situ in 9" thick wall 1:4:8 c.c in 6ft. dia and 6" thick in foundation, 1:2:4 c.c in benching ½" thick C.P 1:3 mortar on inside walls & surface of channel / benching i/c making required nos of main and branch channels, ¾' dia bars M.S foot rest at 12" c/c including cost of excavation of all kinds of soil, backfilling and disposal of excavated stuff etc complete, as per design and instruction of lthe engineer in-charge.	10 Nos.		Each	
	Add / deduct per ft depth.	(+) 15 Ft.		P/Ft.	
				TOTAL:-	RS.


EXECUTIVE ENGINEER (SEW)
LYARI TOWN

I hereby quoted Amounting to Rs. _____ (Inwards) _____

Signature & Stamp of the Contractor:-

Address. _____
