



**KARACHI METROPOLITAN CORPORATION**  
**OFFICE OF THE SUPERINTENDING ENGINEER (CM)**  
**ENGINEERING DEPARTMENT**

No. S.E/(CM)/ED/KMC/ 413 /13

Dated: - 25/11/2013

**NOTICE INVITING TENDERS**  
Through Website of SPPRA & KMC

Tenders in sealed covers are invited on Schedule Plus offer rate basis for the following works from the reputable and experienced firm / contractor having valid NTN and paid up original challan of Professional Tax prescribed fee.

SPPRA INWARD DIARY  
NO: 7344  
DATED: 25/11

S. No.	Tender Reference No.	Name of Scheme	Estimated Cost	Bid Security	Tender Cost
1.	KMC/CM/ED/83/2013-14	Carpeting of Link Road near Dawood Pota Road in District South, KMC.	Rs.9,78,783/=	Rs.20,000/=	Rs.2,500/=
2.	KMC/CM/ED/84/2013-14	Carpeting of Link Road near Fatima Jinnah Road in District South, KMC.	Rs.9,77,153/=	Rs.20,000/=	Rs.2,500/=
3.	KMC/CM/ED/85/2013-14	Carpeting of Link Road Back Side of Freer Hall in District South, KMC.	Rs.9,78,104/=	Rs.20,000/=	Rs.2,500/=
4.	KMC/CM/ED/86/2013-14	Repairing of Trenches and Patch work at Khudadad Round About and Adjoining Area Jamshed Road District East, KMC.	Rs.9,98,000/=	Rs.20,000/=	Rs.2,500/=
5.	KMC/CM/ED/87/2013-14	Restoration of Trenches and Patch Work of Rashid Minhas Road, Karsaz Road and Stadium Road at Gulshan-e-Iqbal.	Rs.9,51,000/=	Rs.19,000/=	Rs.2,500/=
6.	KMC/CM/ED/88/2013-14	Repairing of Patches / Trenches in Different Location of Clifton Division.	Rs.9,88,057/=	Rs.20,000/=	Rs.2,500/=
7.	KMC/CM/ED/89/2013-14	Construction of Under Ground Water Tank & Other Works at Bungalow No.4 (Residence of Administrator, KMC) Bath Island Clifton, Karachi.	Rs.9,28,246/=	Rs.18,600/=	Rs.2,500/=

Tender schedule shall be as follows:

SCHEDULE	DATE & TIME	VENUE
1. Receiving of Application & Issuance of Tender	From <b>28-11-2013</b> to <b>12-12-2013</b> During Office Hours	Office of Director Accounts, Engineering Department of 4 <sup>th</sup> Floor Civic Centre Gulshan-e-Iqbal.
2. Dropping of Tender	<b>13-12-2013</b> 3:00 pm	Committee Room of D.G. (TS) 4 <sup>th</sup> Floor, Civic Centre, Gulshan-e-Iqbal.
3. Opening of Tender	<b>13-12-2013</b> At 3:30 pm	Committee Room of D.G. (TS) 4 <sup>th</sup> Floor, Civic Centre, Gulshan-e-Iqbal.

**TERMS & CONDITIONS.**

1. In case due to any reason, if the tenders are not responded on the above date, the next date of submission and opening will be **31-12-2013** and the tender documents will be available for sale up to **30-12-2013.**

2. The tender documents will be issued to the contractor on submission of written request on letter head and on payment of non-refundable cost of tender price through pay order from any schedule Bank in favor of KMC. Bid Security in shape of pay order / bank guarantee from any schedule Bank in favor of KMC as mentioned above should be enclosed with the bid otherwise the tender will be rejected. No tender will be sold on the tender opening date.
3. In Case the date of opening or last date of sale is declared as public holiday by the Government or non working day due to any reason, the next official working day shall be deemed to be the date of sale and submission and opening of tenders accordingly. The time and venue shall remain the same.
4. The total bid amount as well as the rates of items must be filled both in figures and words and in case any correction made by the contractor himself then each correction must be initialed by the Contractor, otherwise the tenders are liable to be summarily rejected.
5. **Substantial Responsive Bid:**  
Only those bids, which comply with each eligibility criteria as well as minimum qualification criteria attached with the tender documents shall be declared substantially responsive bids at the time of tender opening and will be eligible for further evolution, otherwise the same will be declared as non-responsive / rejected.
6. The bidder is required to submit the above information, the signed evidence against evaluation criteria along with their bids. However Joint venture between two or more firms is allowed subject to compliance of conditions of stipulated rules of PEC.
7. If any fake documents are found then the tender is liable to be rejected/cancelled with out any compensation and with penalty as per rules.
8. Canvassing in connection with tenders is strictly prohibited and tenders submitted by the contractors who report canvassing will liable for rejection.
9. If a bidder submits a seriously unbalanced bid then he may be required to deposit extra performance security to a level sufficient to protect the procuring agency against financial losses, failing which the submitted bid will be rejected.
10. Bid Security of the unsuccessful bidder shall be released once the contract has been finalized with the successful bidder or the validity period has expired.
11. The procuring agency may reject all or any bid subject to the relevant provisions of SPPRA Rules 2010.
12. The conditions of contract are available on KMC website ([www.karachicity.gov.pk](http://www.karachicity.gov.pk)).

*SRA*  
**Superintending Engineer (CM)**  
**Engineering Department, KMC**

**Not to be Published**

✓ **Director (CB)SPPRA, GOS.**

With the request to upload on the SPPRA's website (with 07 sets of tender documents).

**Add: Director (I.T)Computer Section,**

**Administrator Secretariat, KMC.**

With the request to upload on the KMC's website.

1. D.G(TS), KMC.
2. Chief Engineer,(CM)E.D, KMC.
3. Chief Engineer(Concerned).
4. PS to Administrator, KMC.
5. Director (Accounts)E.D, KMC.
6. Office file.

Sr. NO. 81

**KARACHI METROPOLITAN CORPORATION**  
**ENGINEERING DEPARTMENT**



**Tender Reference No.KMC/CM/ED/ 83 /2013-14**

**BILL OF QUANTITIES**

**CARPETING OF LINK ROAD NEAR DAWOOD POTA ROAD IN DISTRICT SOUTH, KMC.**

**NOTE:**

The Condition of contract will be available on KMC website ([www.karachicity.gov.pk](http://www.karachicity.gov.pk)).

Estimate Cost: -	Rs.9,78,783/=
Bid Security: -	Rs.20,000/=
Tender Cost: -	Rs.2,500/=

## **MINIMUM QUALIFICATION / ELIGIBILITY CRITERIA**

The evidence / documents of the following minimum qualification / eligibility criteria will be checked during opening process of tender & if anyone is missing then the tender will be summarily rejected at the moment by the tender opening committee.

### **Eligibility:**

- i). NTN Certificate
- ii). Valid Professional TAX.

### **Minimum Qualification Criteria:**

- iii). Bid Security, as mentioned in the NIT & Bidding Documents, is furnished.
- iv). All rates quoted including the total amount of the bid shall be in figures & words (both).
- v). All corrections / overwriting shall be clearly re-written with initials & duly stamped by the bidder.
- vi). The bid shall be properly signed, named & stamped by the authorized person of the firm and authorization letter for signatory shall be enclosed with the tender by the authorized Person, if other than the signatory of the firm.
- vii). The minimum turn over / work experience with satisfactory completion report in last 2 years or at least two or more works in hand and their aggregate cost should be equal to the work cost in which bidder interested to participate.

**Signature of the Bidder with Stamp**

**KARACHI METROPOLITAN CORPORATIN**  
**ENGINEERING DEPARTMENT**

**Subject:-** **CARPETING OF LINK ROAD NEAR DAWOOD POTA ROAD IN DISTRICT SOUTH, KMC.**

Estimated Cost: **Rs.9,78,783/=**

Earnest Money: **Rs.20,000/=**

Tender Cost: **Rs.2,500/=**

S.No.	DESCRIPTION	QTY	UNIT	Rate (in figure)	Rate (in figure)	AMOUNT
1.	Dismantling and removing of Road Metalling etc complete.	411.84	% Cft	605.00	Six Hundred & Five Only.	2,492
2.	Earth Work Excavated undressed lead up to a single throw of Kassi Phawarah or Shovel.	1476.24	% 0 Cft	1361.25	Thirteen Hundred Sixty One & Paisa Twenty Five Only.	2,010
3.	Dismantling of CC Plain 1:2:4	375	% Cft	3327.50	Thirty Three Hundred Twenty Seven & Fifty Paisa Only.	12,478
4.	Cartage of 100 Cft / 5 Tones of all materials like stone aggregate, spawl, coal, lime, surkhi etc. B.G Rail fastenings points and crossing bridge girders pipes sheets Rails M.S Bars etc or 1000 Nos. bricks 10'x5'x3' or 1000 Cft. Of timer or 100 Maunds of fuel wood by trucks or any other means owned by the contractors (lead up to 15 miles etc).	2263.08	% Cft	1065.04	One Thousand Sixty Five & Four Paisa Only	24,103
5.	P/L Aggregate base course CBR 80% as per (AASHTO) standard specification i/c compacting to the required density by approved mechanical means (Vibratory roller road packer and smooth wheel roller etc) i/c watering with all lead and lift etc complete.	1476.24	% Cft	5542.24	Fifty Four Hundred Forty Two & Twenty Four Paisa Only.	81,817
6.	Making diagonal grooves of 1 1/2" x 1 1/2" and i/c in road surface.	6228.75	% Sft	116.16	One Hundred Sixteen & Sixteen Paisa Only.	7,235
7.	Asphalt course laying to proper line & grade plant mixed asphalt concrete pavers finished (hydraulic / electronic) prepared to specified formula according to job mix formula approved by Engineer incharge i/c rolling & fixed using to proper line grade level and camber etc complete tack coat with	9224.75	% Sft	8274.73	Eighty Two Hundred Seventy Four & Seventy Three Paisa Only.	7,63,323

	bitumen 80/100 penetration all cost of material roller T&P and carriage of material from sand of supply to plant & plant to site of work 5 CM wearing course i/c the cost of prime coat.					
8.	Pavement making in Reflective Thermo Plastic Paint for Lines of 6" width.	1570	P/Rft	41.24	Forty One Rupees & Twenty Four Paisa Only.	64,747
9.	Supplying & fixing of Reflectorize Road Studs Double face, flush surface type.	262	Each	596.26	Five Hundred Ninety Six & twenty Six Paisa Only.	1,56,220
10.	Providing & Laying 2" thick topping cement concrete 1:2:4 including surface finishing and dividing into panel.	900	% Sft	3275.50	Thirty Two Hundred Seventy Five & Fifty Paisa Only.	29,480
11.	Preparing the surface and painting with enamel paint on kerb block.	750	% Sft	1014.14	One Thousand Fourteen & Fourteen Paisa Only.	7,606

**KARACHI METROPOLITAN CORPORATION  
ENGINEERING DEPARTMENT**

Subject: CARPETING OF LINK ROAD NEAR DAWOOD POTA ROAD IN DISTRICT SOUTH,  
KMC.

Estimated Cost:- Rs. 9,78,783/=

Bid Security:- Rs. 20,000/=

Tender Cost: - Rs.2,500/=

I / We hereby quoted as follows:

<b>PART - A:</b> (Items Based on S/R) amounting to Rs.11,51,510/=	Rs. _____
<b>% Below the S/R.</b>	
<b>TOTAL</b>	Rs. _____

The total amount is Rs. \_\_\_\_\_ (Rupees \_\_\_\_\_ (In Words)  
(in Figure) \_\_\_\_\_ for complete job.

I / We have attached a pay order bearing No. \_\_\_\_\_ dated \_\_\_\_\_ issued from  
\_\_\_\_\_ amounting to Rs. \_\_\_\_\_ as per NIT.  
(Name of Bank)

**Completion Time : 30 Days**  
**Penalty per day: Rs. 2,500/=**

**Note:**

- Tender must be quoted in figure & in words both otherwise liable to be cancelled.
- All over writing & correction if any must be initialed & stamped by the bidder.
- All prevailing rules regarding condition of contract will be applicable.
- 15% below is the maximum ceiling on schedule items 2012 by the authority.

**Signature of the Contractor with Stamp**

**Address:** \_\_\_\_\_

Checked By:-

**KARACHI METROPOLITAN CORPORATION**  
**ENGINEERING DEPARTMENT**



**Tender Reference No.KMC/CM/ED/ 84 /2013-14**

**BILL OF QUANTITIES**

**CARPETING OF LINK ROAD NEAR FATIMA JINNAH ROAD IN DISTRICT SOUTH, KMC.**

**NOTE:**

The Condition of contract will be available on KMC website ([www.karachicity.gov.pk](http://www.karachicity.gov.pk)).

Estimate Cost: - Rs.9,77,153/=

Bid Security: - Rs.20,000/=

Tender Cost: - Rs.2,500/=



## **MINIMUM QUALIFICATION / ELIGIBILITY CRITERIA**

The evidence / documents of the following minimum qualification / eligibility criteria will be checked during opening process of tender & if anyone is missing then the tender will be summarily rejected at the moment by the tender opening committee.

### **Eligibility:**

- i). NTN Certificate
- ii). Valid Professional TAX.

### **Minimum Qualification Criteria:**

- iii). Bid Security, as mentioned in the NIT & Bidding Documents, is furnished.
- iv). All rates quoted including the total amount of the bid shall be in figures & words (both).
- v). All corrections / overwriting shall be clearly re-written with initials & duly stamped by the bidder.
- vi). The bid shall be properly signed, named & stamped by the authorized person of the firm and authorization letter for signatory shall be enclosed with the tender by the authorized Person, if other than the signatory of the firm.
- vii). The minimum turn over / work experience with satisfactory completion report in last 2 years or at least two or more works in hand and their aggregate cost should be equal to the work cost in which bidder interested to participate.

**Signature of the Bidder with Stamp**

**KARACHI METROPOLITAN CORPORATIN**  
**ENGINEERING DEPARTMENT**

**Subject:-** **CARPETING OF LINK ROAD NEAR FATIMA JINNAH ROAD IN DISTRICT SOUTH, KMC.**

Estimated Cost: **Rs.9,77,153/=**

Earnest Money: **Rs.20,000/=**

Tender Cost: **Rs.2,500/=**

S.No.	DESCRIPTION	QTY	UNIT	Rate (in figure)	Rate (in figure)	AMOUNT
1.	Dismantling and removing of Road Metalling etc complete.	161.04	% Cft	605.00	Six Hundred & Five Only.	974
2.	Earth Work Excavated undressed lead up to a single throw of Kassi Phawarah or Shovel.	161.04	% 0 Cft	1361.25	Thirteen Hundred Sixty One & Paisa Twenty Five Only.	219
3.	Dismantling of CC Plain 1:2:4	100	% Cft	3327.50	Thirty Three Hundred Twenty Seven & Fifty Paisa Only.	3,328
4.	Cartage of 100 Cft / 5 Tones of all materials like stone aggregate, spawl, coal, lime, surkhi etc. B.G Rail fastenings points and crossing bridge girders pipes sheets Rails M.S Bars etc or 1000 Nos. bricks 10'x5'x3' or 1000 Cft. Of timer or 100 Maunds of fuel wood by trucks or any other means owned by the contractors (lead up to 15 miles etc).	422.08	% Cft	1065.04	One Thousand Sixty Five & Four Paisa Only	4,495
5.	P/L Aggregate base course CBR 80% as per (AASHTO) standard specification i/c compacting to the required density by approved mechanical means (Vibratory roller road packer and smooth wheel roller etc) i/c watering with all lead and lift etc complete.	161.04	% Cft	5542.24	Fifty Four Hundred Forty Two & Twenty Four Paisa Only.	8,925
6.	Making diagonal grooves of 1 ½" x 1 ½" and i/c in road surface.	10072	% Sft	116.16	One Hundred Sixteen & Sixteen Paisa Only.	11,700
7.	Asphalt course laying to proper line & grade plant mixed asphalt concrete pavers finished (hydraulic / electronic) prepared to specified formula according to job mix formula approved by Engineer incharge i/c rolling & fixed using to proper line grade level and camber etc complete tack coat with	10560	% Sft	8274.73	Eighty Two Hundred Seventy Four & Seventy Three Paisa Only.	8,73,811

	bitumen 80/100 penetration all cost of material roller T&P and carriage of material from sand of supply to plant & plant to site of work 5 CM wearing course i/c the cost of prime coat.					
8.	Pavement making in Reflective Thermo Plastic Paint for Lines of 6" width.	960	P/Rft	41.24	Forty One Rupees & Twenty Four Paisa Only.	39,590
9.	Supplying & fixing of Reflectorize Road Studs Double face, flush surface type.	160	Each	596.26	Five Hundred Ninety Six & twenty Six Paisa Only.	95,402
10.	Providing & Laying 2" thick topping cement concrete 1:2:4 including surface finishing and dividing into panel.	2000	% Sft	3275.50	Thirty Two Hundred Seventy Five & Fifty Paisa Only.	65,510
11.	Preparing the surface and painting with enamel paint on kerb block.	4500	% Sft	1014.14	One Thousand Fourteen & Fourteen Paisa Only.	45,636

**KARACHI METROPOLITAN CORPORATION**  
**ENGINEERING DEPARTMENT**

Subject: CARPETING OF LINK ROAD NEAR FATIMA JINNAH ROAD IN DISTRICT SOUTH, KMC.

Estimated Cost:- Rs. 9,77,153/=

Bid Security:- Rs. 20,000/=

Tender Cost: - Rs. 2,500/=

I / We hereby quoted as follows:

1.	<b><u>PART – A:</u></b> (Items Based on S/R) amounting to Rs.11,49,591/= % Below the S/R.	Rs. _____
<b>TOTAL</b>		Rs. _____

The total amount is Rs. \_\_\_\_\_ (Rupees \_\_\_\_\_  
(in Figure) (In Words) \_\_\_\_\_  
\_\_\_\_\_ for complete job.

I / We have attached a pay order bearing No. \_\_\_\_\_ dated \_\_\_\_\_ issued from \_\_\_\_\_  
\_\_\_\_\_ amounting to Rs. \_\_\_\_\_ as per NIT.  
(Name of Bank)

**Completion Time : 30 Days**

**Penalty per day: Rs. 2,500/=**

**Note:**

- Tender must be quoted in figure & in words both otherwise liable to be cancelled.
- All over writing & correction if any must be initialed & stamped by the bidder.
- All prevailing rules regarding condition of contract will be applicable.
- 15% below is the maximum ceiling on schedule items 2012 by the authority.

**Signature of the Contractor with Stamp**

**Address:** \_\_\_\_\_

\_\_\_\_\_

Checked By:-

**KARACHI METROPOLITAN CORPORATION**  
**ENGINEERING DEPARTMENT**



**Tender Reference No.KMC/CM/ED/ 85 /2013-14**

**BILL OF QUANTITIES**

**CARPETING OF LINK ROAD BACK SIDE OF FREER HALL IN DISTRICT SOUTH, KMC.**

**NOTE:**

The Condition of contract will be available on KMC website ([www.karachicity.gov.pk](http://www.karachicity.gov.pk)).

Estimate Cost: -	Rs.9,78,104/=
Bid Security: -	Rs.20,000/=
Tender Cost: -	Rs.2,500/=

## **MINIMUM QUALIFICATION / ELIGIBILITY CRITERIA**

The evidence / documents of the following minimum qualification / eligibility criteria will be checked during opening process of tender & if anyone is missing then the tender will be summarily rejected at the moment by the tender opening committee.

### **Eligibility:**

- i). NTN Certificate
- ii). Valid Professional TAX.

### **Minimum Qualification Criteria:**

- iii). Bid Security, as mentioned in the NIT & Bidding Documents, is furnished.
- iv). All rates quoted including the total amount of the bid shall be in figures & words (both).
- v). All corrections / overwriting shall be clearly re-written with initials & duly stamped by the bidder.
- vi). The bid shall be properly signed, named & stamped by the authorized person of the firm and authorization letter for signatory shall be enclosed with the tender by the authorized Person, if other than the signatory of the firm.
- vii). The minimum turn over / work experience with satisfactory completion report in last 2 years or at least two or more works in hand and their aggregate cost should be equal to the work cost in which bidder interested to participate.

**Signature of the Bidder with Stamp**

**KARACHI METROPOLITAN CORPORATIN**  
**ENGINEERING DEPARTMENT**

**Subject:-** **CARPETING OF LINK ROAD BACK SIDE OF FREER HALL IN DISTRICT SOUTH, KMC.**

Estimated Cost: **Rs.9,78,104/=**

Earnest Money: **Rs.20,000/=**

Tender Cost: **Rs.2,500/=**

S.No.	DESCRIPTION	QTY	UNIT	Rate (in figure)	Rate (in figure)	AMOUNT
1.	Dismantling and removing of Road Metalling etc complete.	120.12	% Cft	605.00	Six Hundred & Five Only.	727
2.	Earth Work Excavated undressed lead up to a single throw of Kassi Phawarah or Shovel.	1051.12	% 0 Cft	1361.25	Thirteen Hundred Sixty One & Paisa Twenty Five Only.	1,431
3.	Dismantling of CC Plain 1:2:4	615	% Cft	3327.50	Thirty Three Hundred Twenty Seven & Fifty Paisa Only.	20,464
4.	Cartage of 100 Cft / 5 Tones of all materials like stone aggregate, spawl, coal, lime, surkhi etc. B.G Rail fastenings points and crossing bridge girders pipes sheets Rails M.S Bars etc or 1000 Nos. bricks 10'x5'x3' or 1000 Cft. Of timer or 100 Maunds of fuel wood by trucks or any other means owned by the contractors (lead up to 15 miles etc).	1471.24	% Cft	1065.04	One Thousand Sixty Five & Four Paisa Only	15,669
5.	P/L Aggregate base course CBR 80% as per (AASHTO) standard specification i/c compacting to the required density by approved mechanical means (Vibratory roller road packer and smooth wheel roller etc) i/c watering with all lead and lift etc complete.	700.92	% Cft	5542.24	Fifty Four Hundred Forty Two & Twenty Four Paisa Only.	38,847
6.	Making diagonal grooves of 1 1/2" x 1 1/2" and i/c in road surface.	8570.25	% Sft	116.16	One Hundred Sixteen & Sixteen Paisa Only.	9,955
7.	Asphalt course laying to proper line & grade plant mixed asphalt concrete pavers finished (hydraulic / electronic) prepared to specified formula according to job mix formula approved by Engineer incharge i/c rolling & fixed using to proper line grade level and camber etc complete tack coat with	10694.25	% Sft	8274.73	Eighty Two Hundred Seventy Four & Seventy Three Paisa Only.	8,84,920

	bitumen 80/100 penetration all cost of material roller T&P and carriage of material from sand of supply to plant & plant to site of work 5 CM wearing course i/c the cost of prime coat.					
8.	Pavement making in Reflective Thermo Plastic Paint for Lines of 6" width.	956	P/Rft	41.24	Forty One Rupees & Twenty Four Paisa Only.	39,425
9.	Supplying & fixing of Reflectorize Road Studs Double face, flush surface type.	160	Each	596.26	Five Hundred Ninety Six & twenty Six Paisa Only.	95,402
10.	Providing & Laying 2" thick topping cement concrete 1:2:4 including surface finishing and dividing into panel.	1200	% Sft	3275.50	Thirty Two Hundred Seventy Five & Fifty Paisa Only.	39,306
11.	Preparing the surface and painting with enamel paint on kerb block.	450	% Sft	1014.14	One Thousand Fourteen & Fourteen Paisa Only.	4,564



**KARACHI METROPOLITAN CORPORATION**  
**ENGINEERING DEPARTMENT**

Subject: CARPETING OF LINK ROAD BACK SIDE OF FREER HALL IN DISTRICT SOUTH, KMC.

Estimated Cost:- Rs. 9,78,104/=

Bid Security:- Rs. 20,000/=

Tender Cost: - Rs.2,500/=

I / We hereby quoted as follows:

1.	<b>PART – A:</b> (Items Based on S/R) amounting to Rs.11,50,711/=	Rs. _____
	% Below the S/R.	
<b>TOTAL</b>		Rs. _____

The total amount is Rs. \_\_\_\_\_ (Rupees \_\_\_\_\_  
(in Figure) (In Words) \_\_\_\_\_  
for complete job.

I / We have attached a pay order bearing No. \_\_\_\_\_ dated \_\_\_\_\_ issued from \_\_\_\_\_  
amounting to Rs. \_\_\_\_\_ as per NIT.  
(Name of Bank)

**Completion Time : 30 Days**  
**Penalty per day: Rs. 2,500/=**

**Note:**

- Tender must be quoted in figure & in words both otherwise liable to be cancelled.
- All over writing & correction if any must be initialed & stamped by the bidder.
- All prevailing rules regarding condition of contract will be applicable.
- 15% below is the maximum ceiling on schedule items 2012 by the authority.

**Signature of the Contractor with Stamp**

**Address:** \_\_\_\_\_

Checked By:- \_\_\_\_\_

**KARACHI METROPOLITAN CORPORATION**

**ENGINEERING DEPARTMENT**



**Tender Reference No.KMC/CM/ED/ 86 /13-14**

**BILL OF QUANTITIES**

**REPAIRING OF TRENCHES AND PATCH WORK AT KHUDADAD  
ROUND ABOUT AND ADJOINING AREA JAMSHED DISTRICT EAST,  
KMC.**

**NOTE:**

The Condition of contract will be available on KMC website ([www.karachicity.gov.pk](http://www.karachicity.gov.pk)).

Estimate Cost: -	Rs.9,98,000/=
Bid Security: -	Rs.20,000/=
Tender Cost: -	Rs.2,500/=

## **MINIMUM QUALIFICATION / ELIGIBILITY CRITERIA**

The evidence / documents of the following minimum qualification / eligibility criteria will be checked during opening process of tender & if anyone is missing then the tender will be summarily rejected at the moment by the tender opening committee.

### **Eligibility:**

- i). NTN Certificate
- ii). Valid Professional TAX.

### **Minimum Qualification Criteria:**

- iii). Bid Security, as mentioned in the NIT & Bidding Documents, is furnished.
- iv). All rates quoted including the total amount of the bid shall be in figures & words (both).
- v). All corrections / overwriting shall be clearly re-written with initials & duly stamped by the bidder.
- vi). The bid shall be properly signed, named & stamped by the authorized person of the firm and authorization letter for signatory shall be enclosed with the tender by the authorized Person, if other than the signatory of the firm.
- vii). The minimum turn over / work experience with satisfactory completion report in last 2 years or at least two or more works in hand and their aggregate cost should be equal to the work cost in which bidder interested to participate.

**Signature of the Bidder with Stamp**

**KARACHI METROPOLITAN CORPORATIN**  
**ENGINEERING DEPARTMENT**

**Subject:-** **REPAIRING OF TRENCHES AND PATCH WORK AT KHUDADAD  
ROUND ABOUT AND ADJOINING AREA JAMSHED ROAD  
DISTRICT EAST, KMC.**

Estimated Cost: **Rs.9,98,000/=**

Earnest Money: **Rs.20,000/=**

Tender Cost: **Rs.2,500/=**

S.No.	DESCRIPTION	QTY	UNIT	Rate (in figure)	Rate (in figure)	AMOUNT
1.	Dismantling of existing asphalt concrete road including base, sub-base and disposal of dismantling material to designate placed.	2568	% Cft	773.86	Seven Hundred Seventy Three & Eighty Six Only.	19,873
2.	Earth Excavation ashes, sand soft soil or silt clearance undressed lead up to 50 ft.	972	% 0 Cft	1663.75	Sixteen Hundred Sixty & Paisa Seventy Five Only.	1,617
3.	Cleaning / desilting of Manhole i/c cartage of material loading and unloading with in 15 miles.	100	Each	474.83	Four Hundred Seventy Four & Eighty Three Paisa Only.	47,483
4.	Cartage of 100 Cft / 5 Tones of all materials like stone aggregate, spawl, coal, lime, surkhi etc. B.G Rail fastenings points and crossing bridge girders pipes sheets Rails M.S Bars etc or 1000 Nos. bricks 10'x5'x3' or 1000 Cft. Of timer or 100 Maunds of fuel wood by trucks or any other means owned by the contractors (lead up to 5 miles etc).	3540	% Cft	714.29	Seven Hundred Fourteen & Twenty Nine Paisa Only	25,286
5.	P/L aggregate base course material over prepared sub grade in conformity with lines, grades, thickness and typical cross section as shown in drawing for new pavements at grade/widening of existing pavement using well graded granular crushed stone with sand and silt having a smooth gradation curve within the limit for grading A or B as per AASHTO-M-142-65 (1975) and compacting to 100% of the minimum dry density according to AASHTO T-180 method D approved mechanical means of i/c watering with all lead and lift complete as per specification as directed by Engineer incharge.	6822	% Cft	5542.24	Fifty Four Hundred Forty Two & Twenty Four Paisa Only.	3,78,092

6.	P/S prime coat with medium curing asphalt of pen: grade 60/70 prime coats shall be use at the rate of 11 liters %Sft (1.2 with adequate quantity of Kerosene Oil using uniformly pressure spray distributor boiler with automatic temperature controller prior to the application of prime coat all used material shall be removed from the base course and the same shall be cleaned by means of approved mechanical sweeper / blower & hard brooms and disposal the same within three chain.	12996	P/Sft	O/R		
7.	Laying to proper line & grade plant mixed asphalt concrete pavers finished (hydraulic / electronic) prepared to specified formula according to job mix formula approved by Engineer incharge i/c rolling & fixed using to proper line grade level and camber etc complete tack coat with bitumen 80/100 penetration all cost of material roller T&P and carriage of material from sand of supply to plant & plant to site of work 3 CM.	12996	% Sft	4134.00	Forty One Hundred & Thirty Four Only.	5,37,255
8.	Repair of Leakages RCC pipe line under the roadway as directed by the Engineer incharge.					
a)	12" dia.	2	Each	O/R		
b)	15" dia.	3	Each	O/R		
9.	Rising of existing sewerage manholes / service chamber cement concrete 1:2:4 up to 2' height i/c fixing of manhole cover with RCC ring slab etc complete.	5	Each	O/R		
10.	M/S of 21" dia RCC manhole cover cast in 1:2:4 concrete ratios 3" deep at center reinforced with ½" dia tor steel bars at 4" C/C welded to 3/8" dia tor bar including compacting i/c curing and transportation with in 10 miles.	10	Each	913.63	Nine Hundred Thirteen & Sixty Three Paise Only.	9,136

**KARACHI METROPOLITAN CORPORATION**  
**ENGINEERING DEPARTMENT**

**Subject: REPAIRING OF TRENCHES AND PATCH WORK AT KHUDADAD ROUND ABOUT AND ADJOINING AREA JAMSHED ROAD DISTRICT EAST, KMC.**

**Estimated Cost:- Rs. 9,98,000/=**

**Bid Security:- Rs. 20,000/=**

**Tender Cost: - Rs.2,500/=**

/ We hereby quoted as follows:

1	<b><u>PART – A:</u></b> (Items Based on S/R) amounting to <b>Rs.10,18,741/=</b> <b>% Below the S/R.</b>	Rs. _____
2	<b><u>PART – B:</u></b> (Items Based on O/R)	Rs. _____
<b>GRAND TOTAL (A+B)</b>		Rs. _____

The total amount is Rs. \_\_\_\_\_ (in Figure) (Rupees \_\_\_\_\_ (In Words) \_\_\_\_\_ for complete job.

/ We have attached a pay order bearing No. \_\_\_\_\_ dated \_\_\_\_\_ issued from \_\_\_\_\_ amounting to Rs. \_\_\_\_\_ as per NIT.

(Name of Bank)

**Completion Time : 30 Days**

**Penalty per day: Rs. 2,500/=**

**Note:**

- Tender must be quoted in figure & in words both otherwise liable to be cancelled.
- All over writing & correction if any must be initialed & stamped by the bidder.
- All prevailing rules regarding condition of contract will be applicable.
- 15% below is the maximum ceiling on schedule items 2012 by the authority.

**Signature of the Contractor with Stamp**

**Address:** \_\_\_\_\_

Checked By:-

**KARACHI METROPOLITAN CORPORATION**

**ENGINEERING DEPARTMENT**



**Tender Reference No.KMC/CM/ED/ 87 /13-14**

**BILL OF QUANTITIES**

**RESTORATION OF TRENCHES AND PATCH WORK OF RASHID  
MINHAS ROAD, KARSAZ ROAD AND STADIUM ROAD AT  
ROAD, GULSHAN-E-IQBAL.**

**NOTE:**

The Condition of contract will be available on KMC website ([www.karachicity.gov.pk](http://www.karachicity.gov.pk)).

Estimate Cost: - Rs.9,51,000/=

Bid Security: - Rs.19,000/=

Tender Cost: - Rs.2,500/=

## **MINIMUM QUALIFICATION / ELIGIBILITY CRITERIA**

The evidence / documents of the following minimum qualification / eligibility criteria will be checked during opening process of tender & if anyone is missing then the tender will be summarily rejected at the moment by the tender opening committee.

### **Eligibility:**

- i). NTN Certificate
- ii). Valid Professional TAX.

### **Minimum Qualification Criteria:**

- iii). Bid Security, as mentioned in the NIT & Bidding Documents, is furnished.
- iv). All rates quoted including the total amount of the bid shall be in figures & words (both).
- v). All corrections / overwriting shall be clearly re-written with initials & duly stamped by the bidder.
- vi). The bid shall be properly signed, named & stamped by the authorized person of the firm and authorization letter for signatory shall be enclosed with the tender by the authorized Person, if other than the signatory of the firm.
- vii). The minimum turn over / work experience with satisfactory completion report in last 2 years or at least two or more works in hand and their aggregate cost should be equal to the work cost in which bidder interested to participate.

**Signature of the Bidder with Stamp**



**KARACHI METROPOLITAN CORPORATIN**  
**ENGINEERING DEPARTMENT**

**Subject:-** **RESTORATION OF TRENCHES AND PATCH WORK OF RASHID MINHAS ROAD, KARSAZ ROAD AND STADIUM ROAD AT GULSHAN-E-IQBAL.**

Estimated Cost: **Rs.9,51,000/=**

Earnest Money: **Rs.19,000/=**

Tender Cost: **Rs.2,500/=**

S.No	DESCRIPTION	QTY	UNIT	Rate (in figure)	Rate (in figure)	AMOUNT
1.	Dismantling and removing of Road Metalling.	960	% Cft	605.00	Six Hundred & Five Only.	5,808
2.	Dismantling of CC Plain & flooring situ in foundation and wall i/c disposal of surplus earth.	450	% Cft	3327.50	Thirty Three Hundred Twenty Seven & Fifty Paiza Only.	14,974
3.	Earth Work Excavation in ashes, sand soft soil or silt clearance undressed lead up to 50 ft ½ (excavation & embankment).	1800	% 0 Cft	1663.75	Sixteen Hundred Sixty & Paiza Seventy Five Only.	2,995
4.	Cartage of excavated material earth work wet silt building material rubbish murrum earth including loading and unloading lead up to 15 miles.	3210	% Cft	1058.00	One Thousand Fifty Eight Only	33,962
5.	Cement concrete plain including placing compacting finishing and curing complete i/c screening and washing at stone aggregate without shuttering. <b>Concrete 1:4:8</b>	23.75	% Cft	11288.75	Eleven Thousand Two Hundred Eighty Eight & Seventy Five Paiza Only.	2,682
6.	<b>Concrete 1:2:4</b>	135	% Cft	14429.25	Fourteen Thousand Four Hundred Twenty Nine & Twenty Five Paiza Only.	19,479
7.	Providing and laying in single layer of 1-1/2" compacted thickness wearing course on following job mix formula. <b>US standard sieve % passing by weight</b> 2"(50mm) ..... 1 ½" (38mm) ..... 3/8" (9.5 mm) 56-70 No.4(4.75mm) 35-50 No.8(2.38mm) 23-35 No.50(0.3mm) 5-12 No.200(0.75mm) 2-8 Asphalt (60/70 grade) content weight 4.5 of total mixture. Use of natural sand in form is strictly prohibited in job mix formula). Prior to the paving of asphalt	11200	% Sft	6873.79	Sixty Eight Hundred Seventy Three & Seventy Nine Paiza Only.	7,69,864

	concrete, surface be clean from rubbish etc and must be sticky by virtue or prime coat to make un slippery bondage. During laying the temperature of asphalts concrete shall not be less then 140 degree Asphalt concrete shall be laid with paver and compacted by steel and pneumatic tire roller at a density of 100% of the dry density determines according to AASHTO T-180 method (Modified). Asphalt concrete wearing course shall be 1000 kg (minimum) on stability and 20% (maximum) on loss of stability at Marshall test criteria. All the material and methodology shall fully comply to the test and specification of AASHTO & directed by Engineer incharge. Rate includes tack coats with bitumen 80/100 penetration and all cost material etc.					
8.	P/L Compacted granular Sub-Base in confirm with lines, grades, thickness and typical cross section as shown in drawing for new pavement at grade / widening of existing pavement using well graded gravel or curve within a smooth gradation curve within the limits for grading "A" or "B" as per AASHTO-M-147 S-65 (1985) and compacting to 100% of the maximum dry density according to AASHTO T-180 method using approved mechanical means i/c watering with all lead and lift complete as per specification as directed by Engineer incharge.	1536	% Cft	3341.71	Thirty Three Hundred Forty One & Seventy One Paisa Only.	51,329
9.	P/L Compacted aggregate base course over compacted granular sub base in confirm with lines, grades, thickness and typical cross section as shown in drawing for new pavement at grade / widening of existing pavement using well graded gravel or curve within a smooth gradation curve within the limits for grading "A" or "B" as per AASHTO-M-147 S-65 (1985) and compacting to 100% of the maximum dry density according to AASHTO T-180 method using approved mechanical means i/c watering with all lead and lift complete as per specification as directed by Engineer incharge.	1320	% Cft	5542.24	Fifty Four Hundred Forty Two & Twenty Four Paisa Only.	73,158

10.	Providing and fixing precast Edge Block 3750 psi industrial made size 6" inches thick x 12 inches long x 18 inches high including the cost of lean concrete 1L4 etc complete.	100	P/Rft	297.01	Two Hundred Ninety Seven & One Paisa Only.	29,701
11.	Providing RCC grating.	20	Each	O/R		
12.	P/S prime coat with medium curing cut back asphalt of pen: grade 60/70 prime coat shall be use at the rate of 11 litters %Sft at 70-C temperature mixed with adequate quantity of Kerosene Oil using uniformly pressure spray boiler with automatic temperature controller prior to the application of prime coat all loose material shall be removed by mean of mechanical sweeper/blower & hard grooms and disposal the same within three chain after application traffic shall be kept off from the surface till laying of bituminous course Martial and methodology shall fully comply the specification of AASHTO and as directed by the Engineer incharge.	4000	P/Sft	O/R		

**KARACHI METROPOLITAN CORPORATION**  
**ENGINEERING DEPARTMENT**

Subject: RESTORATION OF TRENCHES AND PATCH WORK OF RASHID MINHAS ROAD,  
KARSAZ ROAD AND STADIUM ROAD AT GULSHAN-E-IQBAL.

Estimated Cost:- Rs. 9,51,000/=

Bid Security:- Rs. 19,000/=

Tender Cost: - Rs.2,500/=

I / We hereby quoted as follows:

1.	<b>PART - A:</b> (Items Based on S/R) amounting to Rs.10,03,952/= % Below the S/R.	Rs. _____
2.	<b>PART - B:</b> (Items Based on O/R)	Rs. _____
<b>GRAND TOTAL (A+B)</b>		Rs. _____

The total amount is Rs. \_\_\_\_\_ (Rupees \_\_\_\_\_  
(in Figure) (In Words)

\_\_\_\_\_ for complete job.

I / We have attached a pay order bearing No. \_\_\_\_\_ dated \_\_\_\_\_ issued from  
\_\_\_\_\_ amounting to Rs. \_\_\_\_\_ as per NIT.  
(Name of Bank)

**Completion Time : 30 Days**

**Penalty per day: Rs. 2,500/=**

**Note:**

- Tender must be quoted in figure & in words both otherwise liable to be cancelled.
- All over writing & correction if any must be initialed & stamped by the bidder.
- All prevailing rules regarding condition of contract will be applicable.
- 15% below is the maximum ceiling on schedule items 2012 by the authority.

**Signature of the Contractor with Stamp**

**Address:** \_\_\_\_\_

Checked By:- \_\_\_\_\_

**KARACHI METROPOLITAN CORPORATION**  
**ENGINEERING DEPARTMENT**



**Tender Reference No.KMC/CM/ED/ 88 /2013-14**

**BILL OF QUANTITIES**

**REPAIRING OF PATCHES / TRENCHES IN DIFFERENT LOCATION OF CLIFTON DIVISION.**

**NOTE:**

The Condition of contract will be available on KMC website ([www.karachicity.gov.pk](http://www.karachicity.gov.pk)).

Estimate Cost: - Rs.9,88,057/=

Bid Security: - Rs.20,000/=

Tender Cost: - Rs.2,500/=

## **MINIMUM QUALIFICATION / ELIGIBILITY CRITERIA**

The evidence / documents of the following minimum qualification / eligibility criteria will be checked during opening process of tender & if anyone is missing then the tender will be summarily rejected at the moment by the tender opening committee.

### **Eligibility:**

- i). NTN Certificate
- ii). Valid Professional TAX.

### **Minimum Qualification Criteria:**

- iii). Bid Security, as mentioned in the NIT & Bidding Documents, is furnished.
- iv). All rates quoted including the total amount of the bid shall be in figures & words (both).
- v). All corrections / overwriting shall be clearly re-written with initials & duly stamped by the bidder.
- vi). The bid shall be properly signed, named & stamped by the authorized person of the firm and authorization letter for signatory shall be enclosed with the tender by the authorized Person, if other than the signatory of the firm.
- vii). The minimum turn over / work experience with satisfactory completion report in last 2 years or at least two or more works in hand and their aggregate cost should be equal to the work cost in which bidder interested to participate.

**Signature of the Bidder with Stamp**

**KARACHI METROPOLITAN CORPORATIN**  
**ENGINEERING DEPARTMENT**

**Subject:-** **REPAIRING OF PATCHES / TRENCHES IN DIFFERENT LOCATION OF CLIFTON DIVISION.**

Estimated Cost: **Rs.9,88,057/=**

Earnest Money: **Rs.20,000/=**

Tender Cost: **Rs.2,500/=**

S.No.	DESCRIPTION	QTY	UNIT	Rate (in figure)	Rate (in figure)	AMOUNT
1.	P/L Aggregate base course CBR in proper grade and camber having CBR 80% as per (AASHTO) standard specification i/c compacting to the required density by approved mechanical means (Motor Grader, Vibratory roller and smooth wheel roller etc) watering to maintain the moisture content the compaction of each layer shall 100 percent to the max dry density (Rate i/c all cost of material T&P and carriage up to 3 chains.	6059.70	% Cft	5542.24	Fifty Four Hundred Forty Two & Twenty Four Paisa Only.	3,35,843
2.	laying to proper line & grade plant mixed asphalt concrete pavers finished (hydraulic / electronic control) prepared to specified formula according to job mix formula approved by Engineer incharge i/c rolling & finishing to proper line grade level and camber etc (Machinery with POLs cost of material carriage) 2" (50 mm) Thick Asphalt Concrete wearing course Plant mix i/c prime coat.	9989.17	% Sft	8274.73	Eighty Two Hundred Seventy Four & Seventy Three Paisa Only.	8,26,577

**KARACHI METROPOLITAN CORPORATION**  
**ENGINEERING DEPARTMENT**

Subject: REPAIRING OF PATCHES / TRENCHES IN DIFFERENT LOCATION OF CLIFTON DIVISION.

Estimated Cost:- Rs. 9,88,057/=

Bid Security:- Rs. 20,000/=

Tender Cost: - Rs.2,500/=

I / We hereby quoted as follows:

1.	<b>PART - A:</b> (Items Based on S/R) amounting to <b>Rs.11,62,420/=</b> <b>% Below the S/R.</b>	Rs. _____
<b>TOTAL</b>		Rs. _____

The total amount is Rs. \_\_\_\_\_ (Rupees \_\_\_\_\_)  
(in Figure) (In Words) \_\_\_\_\_  
\_\_\_\_\_ for complete job.

I / We have attached a pay order bearing No. \_\_\_\_\_ dated \_\_\_\_\_ issued from \_\_\_\_\_  
\_\_\_\_\_ amounting to Rs. \_\_\_\_\_ as per NIT.  
(Name of Bank)

**Completion Time : 15 Days**

**Penalty per day: Rs. 2,500/=**

**Note:**

- Tender must be quoted in figure & in words both otherwise liable to be cancelled.
- All over writing & correction if any must be initialed & stamped by the bidder.
- All prevailing rules regarding condition of contract will be applicable.
- 15% below is the maximum ceiling on schedule items 2012 by the authority.

**Signature of the Contractor with Stamp**

**Address:** \_\_\_\_\_

Checked By:- \_\_\_\_\_



Sp. No. 07.

**KARACHI METROPOLITAN CORPORATION**  
**ENGINEERING DEPARTMENT**



**Tender Reference No.KMC/CM/ED/ 89 /2013-14**

**BILL OF QUANTITIES**

**CONSTRUCTION OF UNDER GROUND WATER TANK & OTHER WORKS**  
**AT BUNGALOW NO.4 (RESIDENCE OF ADMINISTRATOR, KMC) BATH**  
**ISLAND, CLIFTON KARACHI.**

**NOTE:**

The Condition of contract will be available on KMC website ([www.karachicity.gov.pk](http://www.karachicity.gov.pk)).

Estimate Cost: -      Rs.9,28,246/=

Bid Security: -      Rs.18,600/=

Tender Cost: -      Rs.2,500/=

## **MINIMUM QUALIFICATION / ELIGIBILITY CRITERIA**

The evidence / documents of the following minimum qualification / eligibility criteria will be checked during opening process of tender & if anyone is missing then the tender will be summarily rejected at the moment by the tender opening committee.

### **Eligibility:**

- i). NTN Certificate
- ii). Valid Professional TAX.

### **Minimum Qualification Criteria:**

- iii). Bid Security, as mentioned in the NIT & Bidding Documents, is furnished.
- iv). All rates quoted including the total amount of the bid shall be in figures & words (both).
- v). All corrections / overwriting shall be clearly re-written with initials & duly stamped by the bidder.
- vi). The bid shall be properly signed, named & stamped by the authorized person of the firm and authorization letter for signatory shall be enclosed with the tender by the authorized Person, if other than the signatory of the firm.
- vii). The minimum turn over / work experience with satisfactory completion report in last 2 years or at least two or more works in hand and their aggregate cost should be equal to the work cost in which bidder interested to participate.

**Signature of the Bidder with Stamp**

**KARACHI METROPOLITAN CORPORATIN**  
**ENGINEERING DEPARTMENT**

**Subject:-** **CONSTRUCTION OF UNDER GROUND WATER TANK & OTHER WORKS AT BUNGALOW NO.4 (RESIDENCE OF ADMINISTRATOR, KMC) BATH ISLAND CLIFTON KARACHI.**

Estimated Cost: **Rs.9,28,246/=**

Bid Security: **Rs.18,600/=**

Tender Cost: **Rs.2,500/=**

S.No.	DESCRIPTION	QTY	UNIT	Rate (in figure)	Rate (in figure)	AMOUNT
1.	Dismantling of cement concrete plain 1:2:4.	157	% Cft	3327.50	Thirty Three Hundred Twenty Seven & Fifty Paiza Only.	5,224
2.	Excavation in foundation of building bridges and other structures i/c deg-belling dressing refilling around structure with excavated earth watering and ramming lead up to 5 ft (b) in ordinary soil.	2700	% 0 Cft	3176.25	Thirty One Hundred Seventy Six & Twenty Five Paiza Only.	8,576
3.	Cement Concrete plain i/c placing compacting finishing and curing complete i/c screening washing of stone aggregate without shuttering. <b>Ratio 1:4:8</b>	150	% Cft	11288.75	Eleven Thousand Two Hundred Eighty Eight & Seventy Five Paiza Only.	16,933
4.	Reinforced Cement Concrete including all labor and material except the cost of steel reinforced and it labor for bending and binding which will be paid separately. This rate also includes all kind of forms moulds lifting, shuttering, curing, rendering and finishing the exposed surface (including screening and washing of single).	739	P/Cft	258.61	Two Hundred Fifty Eight & Sixty One paiza Only.	1,91,113
5.	Fabrication of Tor Steel reinforcement for cement concrete including cutting bending lying in position making joints and fastenings including cost of binding wire (also includes removal of rust from bars).	39.59	P/Cwt	5001.70	Five Thousand One & Seventy Paiza Only.	1,98,017
6.	P/L 1:3:6 of Cement Concrete solid block masonry wall 6" and below in thickness set in 1:6 cement mortars in ground floor super structure i/c raking out joints and curing etc complete.	293.39	% Cft	15771.01	Fifteen Thousand Seven Hundred Seventy One & One Paiza Only.	46,271

7.	Cement plaster 1:4 up to 12' height (c) ¾" thick.	1682.93	% Sft	3015.76	Three Thousand Fifteen & Seventy Six Paisa Only.	50,753
8.	Providing & laying 3" thick topping cement concrete (1:2:4) including surface finishing and dividing into panels.	137.75	% Sft	4411.82	Forty Four Hundred Eleven & Eighty Two Paisa Only.	6,077
9.	Providing and fixing PVC pipe i/c fitting.					
a)	½" dia	50	P/Rft	O/R		
b)	¾" dia	70	P/Rft	O/R		
c)	1" dia	75	P/Rft	O/R		
10.	Providing and fixing 1 HP centrifugal pump with CC plate form as per the requirement.	1	Each	O/R		
11.	Raising of Steel gate / grill with required section of steel i/c fabricating, erecting & applying two coats red oxide paint etc complete i/c with or without.	1220.805	P/Kg	O/R		
12.	P/F 3/8" thick Marble tiles of approval quality and color shad size 8" x 4/6" x 4" in dado skirting and fencing removal / tucking of existing plaster surface etc over ½" thick base of cement mortar 1:3 setting of tiles in slurry of white cement over mortar base i/c filling the joints and washing the tiles white cement slurry, current, finishing cleaning and polishing etc. complete (ii) for old works.	200	P/Sft	201.07	Two Hundred One & Seven Paisa Only.	40,214
13.	Cartage of all material i/c loading unloading lead up to 20 miles as per direction of Engineer incharge.	3420	% Cft	1965.04	Nineteen Hundred Sixty Five & Four Paisa Only.	67,204
14.	Preparing the surface and painting with plastic emulsion paint of approved make i/c rubbing the surface with sand paper filling the voids with chalk / plaster of Paris and then painting etc complete 2 <sup>nd</sup> & subsequent coat.	735	% Sft	2237.95	Twenty Two Hundred Thirty Seven & Ninety Five Paisa Only.	16,449
15.	Dewatering through pumping set i/c wages of operator, assistant, diesel / petrol with suction & delivery pipe etc complete.	10	P/day	1500	Fifteen Hundred Only.	15,000

16.	Erection & removal of centering for RCC or plain cement concrete works of partal wood (2 <sup>nd</sup> class) (ii) vertical.	1050	% Sft	3127.41	Thirty One Hundred & Twenty Seven & Forty One Paisa Only.	32,838
17.	Preparing the surface and painting with weather coat i/c rubbing the surface with rubbing brick / sand paper, filling the voids with chalk / Plaster of Paris and then painting with weather coat of approved make 2 <sup>nd</sup> & subsequent coat.	7800	% Sft	2567.95	Twenty Five Hundred Sixty Seven & Ninety Five Paisa Only.	2,00,300

**KARACHI METROPOLITAN CORPORATION  
ENGINEERING DEPARTMENT**

Subject: CONSTRUCTION OF UNDER GROUND WATER TANK & OTHER WORKS AT BUNGALOW NO.4 (RESIDENCE OF ADMINISTRATOR, KMC) BATH ISLAND CLIFTON KARACHI.

Estimated Cost:- Rs. 9,28,246/=

Bid Security:- Rs. 18,600/=

Tender Cost: - Rs.2,500/=

I / We hereby quoted as follows:

1.	<b>PART - A:</b> (Items Based on S/R) amounting to Rs.8,94,969/= % Below the S/R.	Rs. _____
2.	<b>PART - B:</b> (Items Based on O/R)	Rs. _____
3.	<b>PART - C:</b> (Electrical Work) O/R	Rs. _____
<b>GRAND TOTAL (A+B+C)</b>		Rs. _____

The total amount is Rs. \_\_\_\_\_ (Rupees \_\_\_\_\_  
(in Figure) (In Words)

\_\_\_\_\_ for complete job.

I / We have attached a pay order bearing No. \_\_\_\_\_ dated \_\_\_\_\_ issued from \_\_\_\_\_  
amounting to Rs. \_\_\_\_\_ as per NIT.

(Name of Bank)

**Completion Time : 90 Days**

**Penalty per day: Rs. 2,500/=**

**Note:**

- Tender must be quoted in figure & in words both otherwise liable to be cancelled.
- All over writing & correction if any must be initialed & stamped by the bidder.
- All prevailing rules regarding condition of contract will be applicable.
- 20% below is the maximum ceiling on schedule items 2012 by the authority.

**Signature of the Contractor with Stamp**

**Address:** \_\_\_\_\_

\_\_\_\_\_

Checked By:-