

(4: (0238) 571948 Email. phedumerkot@gmail.com

No. T.C' 359 / of / 2015 EXF JUTIVE ENGINEER PUBLIC HEALTH ENGINEERING DIVISION **UMERKOT**

DATED: 15 / 89 /2015

NOTICE INVITING TENDER

Sealed Tenders on Standard Bidding Documents are invited from all the interested Persons/Suppliers/Contractors/Firms for the following works (Under Sindh Public Procurement Rules 2010).

| S.No. | Name of Work | Estimated Cost in Million (Tentative) | Earnest Money in Million | Tender Fee | Time of Completion |
|-------|---|---|--------------------------------|---------------|-----------------------|
| 1 | 2 | 3 | 4 | 5 | 66 |
| 1/ | SCHEMES UNDER REHABILITATION Rehabilitation of Rural Water Supply Scheme Fazal Chopan Taluka & District Umerkot. | 12.858 | 0.257 | 0.003 | 06-Months |
| 2/. | Rehabilitation of Rural Water Supply Scheme Ibrahim Rind Taluka Kunri District Umerkot. | 10.912 | 0.218 | 0.003 | 06-Months |
| 3, | Rehabilitation of Rural Water Supply Scheme Amir Hussain Shah (Bacha Band) Taluka Pithoro District Umerkot. | 9.857 | 0.197 | 0.003 | 06-Months |
| 4./ | Rehabilitation of Rural Water Supply Scheme liyas Khakheli Taluka & District Umerkot. | 4.218 | 0.0834 | 0.002 | 06-Months |

The blank Tender Forms can be had from the Office of the undersigned up to 13/10/2015 on any working day during office working hours on payment of Tender Fee. The Tender will be received back duly sealed on or before 14/10/2015 @ 2:00 P.M and will be opened by Executive Engineer, Public Health Engineering Division Umerkot on same date at 3:00 P.M in the presence of the bidders/contractor or their authorized representatives.

In case the Tender are cancelled / rejected or not tendered, the next date of issue will be 20/10/2015 and received back for opening on 21/10/2015 @ 1:00 P.M respectively. N.I.T to cover the minimum time of 15-days as per SPPRA Rules.

2% Earnest money of the tender amount in the shape of call deposit from schedule Bank accompany with the applications in the name of undersigned for issuing the tender. Without Call Deposit the Tender will not be issued.

The Tender will be issued to the contractors/firms after providing following documents.

- Valid PEC Registration Certificate for year 2015 a)
- Field of Specialization CE-09 & CE-10. b)
- Affidavit in which the bidder undertakes that it is not involved in any litigation. C)
- d) The firms / contractors should have successfully completed at least two contracts of equivalent value and of same nature in last Five years.
- National Tax Number Certificate. e)
- f Affidavit that the bidder has not been black listed by any Government / Semi Government / autonomous body.
- Valid Registration Certificate of Sales Tax with Sindh Board of Revenue. g)
- Financial turn over for last 03 years being average not less than thrice the cost of work under h)
- i) Audited Account Statement for last 03 years.
- Current Bank Statement confirming cash availability / credit facility equivalent to 40% of cost j) of work under procurement.
- k) Operation & Maintenance cost is also included in estimate cost & the contractor shall be responsible for one year successfully operation maintenance of the scheme.

Please host SBD, s wo ID

(L.H PUNHANI) EXECUTIVE ENGINEER PUBLIC HEALTH ENGG: DIVISION UMERKOT

Copy F.W.Cs for information to:

- 1. The Chief Engineer Public Health Engineering Department Government of Sindh, Hyderabad.
- 2. The Superintending Engineer, Public Health Engineering Circle Mirpurkhas.
- 3. The Deputy Commissioner District Tharparkar @ Mithi.
- 4. The Director (C.B) SPPRA Government of Sindh Barrack No. 08, Sindh Secretariat No:4-A Court Road Karachi for hoisting the N.I.T on website.
- 5. The Director Information (Advertisement) Department Government of Sindh Barrack No. 96 Sindh Secretariat Shah-Rah-Iraq Karachi for publication in at least three leading Newspapers (Urdu, English & Sindhi) (07 copies of N.I.T are enclosed).


6. Notice Board.

(L.H PUNHANI)

EXECUTIVE ENGINEER

PUBLIC HEALTH ENGG: DIVISION

UMERKOT



No. TC/ 2 57 /of/2015

EXECUTIVE ENGINEER

PUBLIC HEALTH ENGINEERING

DIVISION UMERKOT

DATED: // 7 /2015

NOTIFICATION

As per SPPRA requirements, the complaints Committee is formed and the following Members would be responsible to entertain the complaints if received / observed during the Bidding procedure thereof.

| 1 | Mr. L.H PUNHANI | EXECUTIVE ENGINEER PUBLIC HEALTH ENGG: DIVISION THARPARKAR@ MITHI |
|---|------------------------|---|
| 2 | Mr. Ghulam Qadir Memon | Assistant Engineer PHE Sub- Division Kunri |
| 3 | Mr. Barkat Ali Khuwaja | Assistant Engineer PHE Sub- Division I Umerkot |

EXECUTIVE ENGINEER
PUBLIC HEAT HE ENGG: DIVISION

Copy F.w.c.s to:

1. The Superintending Engineer Public Health Engineering Circle Office Mirpurkhas for his kind information.

EXECUTIVE ENGINEERPUBLIC HEALTH ENGG: DIVISION
UMERKOT

ANNUAL PROCUREMENT PLAN

FINANCIAL YEAR 2015-2016

| | Ousatite | Estimated | | | Source of | Proposed | <u>α</u> , | Timing of Procurement | of nent | | |
|--|---------------------|------------------------------------|-------------------------|--------------------|------------------------------|------------------------|------------|--------------------------|-------------|------------|-----------------------------------|
| Description of Procurement | Where applicable | unit cost (where applicable) | Estimated total cost | Funds allocated | funds (ADP/Non ADP) | Procurement Methods | 1st Qtr | 2nd Otr 6 | 3rd Qtr | 4th Qtr | Remarks |
| Rehabilitation of Rural water supply Scheme Fazal Chopan i/c one year operation Maintenance Cost Taluka & District Umerkot | Various Item | 12.858 | 12.858 | 12.858 | Provincial Rehabilitation | Through NIT | Yes | : | | - I | |
| Rehabilitation of Rural water supply Scheme Amir Hussain Shah (Bacha Band) i/c one year operation Maintenance Cost Taluka Pithoro District Umerkot | Various Item | 9.857 | 9.857 | 9.857 | Provincial Rehabilitation | Through NIT | Yes | | | | ; |
| Rchabilitation of Rural water supply Scheme Ibrahim Rind i/c one year operation Maintenance Cost Taluka Kunri District Umerkot. | Various Item | 10.912 | 10.912 | 10.912 | Provincial Rehabilitation | Through NIT | Yes | | ! | | 1 |
| Rehabilitation of Rural water supply Scheme Ilyas Khaskheli i/c one year operation Maintenance Cost Taluka & District Umerkot. | Various Item | 4.218 | 4.218 | 4.218 | Provincial Rehabilitation | Through NIT | Yes | | | - | |
| Construction of RCC Underground Reservoirs (2 Nos), Compound wall and Rising Main 6" dia P.E pipe for Installation of R.O Plant at village Fateh Mohammad Rajar Taluka & District Umerkot. | Various Item | 7.112 | 7.112 | | Provincial ADP | Through NIT | | Yes | ; | 1 | Subject to release of funds |
| Providing, installing R.O Plant capacity 3000 gallons per Hour and Pump House (18'x23') for Installation of R.O Plant i/c One Year Operation Maintenance Cost at village Fateh Mohammad Rajar Taluka & District Umerkot. | Various Item | 8.081 | 8.081 | 15.00 | Provincial ADP | Through NIT | ! | Yes | ! ! ! | 1 | op |
| Drilling, Installing and testing Tube Well i/c Test Bore, Pumping Machinery, Diesel Generator set 100 KVA i/c all accessories and construction of pump House (8'x8') and staff quarter Type-III for Installation of R.O Plant at village Fateh Mohammad Rajar Taluka & District Unerkot. | Various Item | 8.165 | 8.165 | - - - | Provincial ADP | Through NIT | 1 | Yes | | | op |

| * C | Construction of Compound wall and Supplying Installing Pumping Machinery (a water works for Improvement & Extension of water supply scheme Khararo Syed and adjoining village Khararo Charan Taluka & District Umerkot | Various Item | 3.400 | 3.400 | | Provincial ADP | Through NIT | i | Yes | | · i | · · · · · · · · · · · · · · · · · · · |
|-----|--|-----------------|-------|-------|----------|----------------|-------------|--------|-----|---|-----|---------------------------------------|
| 60 | Providing, Laving, Jointing & Testing UPVC pipe Distribution system and Supplying & Installing Pumping Machinery (i) Source for Improvement & Extension of water supply scheme Khararo Syed and adjoining village Khararo Charan Taluka & District Umerkot | Various Item | 2.000 | 2.000 | | Provincial ADP | Through NIT | j I | Yes | | | 1 1 |
| 10 | Construction of water tanks in Taiuka Umerkot & Pithoro (04 Units) | Various Item | 2.400 | 2.400 | n 790 | Provincial ADP | Through NIT | | Yes | : | | 1 |
| | Construction of water tanks in Taluka Pithoro & Samaro (04 Units) | Various Item | 2.400 | 2.400 | t 00.0 | Provincial ADP | Through NIT | 1 | Yes | | ! | : |





NO.GM/ PHED/(PPRA-RULE-2010/ OFFICE OF THE CHIEF ENGINEER. PUBLIC HEALTH ENGG. DEPARTMENT. GOVERNMENT OF SINDH,

Hyderabad dated

/2013.

To,

The Superintending Engineer, Public Health Engineering Circle, HYDERABAD & MIRPURKHAS.

SUBJECT.

NOTIFICATION.

Under Rule-7 of SPP Rules-2010, worthy Secretary PHE Department Government of Sindh Karachi has constituted the Division wise Departmental Procurement Committees vide Notification No. SO (T) / PHE/ SPPRA Rules/ 2013 dated 16th May 2013. Copy of the same is sent herewith for information and necessary compliance.

DA/As above.

(NAFEES AHMED SHAIKH) CHIEF ENGINEER PUBLIC HEALTH ENGG. DEPARTMENT

GOVERNMENT OF SINDH HYDERABAD

C.C. to the:-

Secretary, PHE Department Government of Sindh, Karachi, for his kind information.

Chief Engineer, PHE Department Government of Sindh Sukkur for information and necessary action.

Executive Engineers, (All) under Public Health Engineering Circle Hyderabad and Mirpurkhas for information and necessary compliance.



GOVERNMENT OF SINDH PUBLIC HEALTH ENGINEERING DEPARTMENT Karachi dated the May, 2013

NOTIFICATION

No.SO(T)/PHE/SPPRA-Rules/2013 (pt-II), In exercise of powers conferred by Cale-7 of SPP Rules-2010, the Division wise Departmental Procurement Committees are hereby constituted in Public Health Engineering Department as under:-

| S.# | NAME OF PHE DIVISION | PROCUREMENT COMMITTEE | CHAIRMAN/ MEMBER |
|-------------|-------------------------|--|---------------------|
| 01 | Hyderabad | Executive Engineer, PHE, Division No. 1 Hyderabad | Chairman |
| | | Executive Engineer, Education Works Division Hyderabad | Member |
| | | Assistant Engineer, PHE Sub-Division. Qasimabad | Member |
| 2 | Jamshoro | Executive Engineer, PHE, Division Jamshoro | Chairman |
| | | Executive Engineer, Education Works, Division Hyderabad | Member |
| | | Assistant Engineer, PHE, Sub-Division Jamshoro | Member |
| 3 | Thatta | Executive Engineer, PHE, Division Thatta | Chairman |
| | | Executive Engineer, Education Works Division Thatta | Member |
| | | Assistant Engineer, PHE, Sub-Division No. 1 Thatta | Member |
| 4 | Tando Muhammad | Executive Engineer, PHE, Division Tando Muhammad Khan | Chairman |
| | Khan | Executive Engineer, Education Works Division Tando Muhammad Khan | ไฟโซกูกักโซก |
| ! ! ! | | Executive Engineer, PHE, Sub- Division No. II Tando Muhammad | Member |

| 5 | Badin | Executive Engineer, PHE, Division Badin | Chairman |
|-------|-----------------------|--|--------------------|
| | | Executive Engineer, Education Works Division Badin | Member |
| | | Assistant Engineer, PHE, Sub-Division Tando Bago | Member |
| 6 | Matiari | Executive Engineer, PHE, Division Matiari Divisional Accounts Officer Hala Divn. Irrigation Department Hyderabad | Chairman Member |
| | | Assistant Engineer, PHE, Sub-Division Matiari | Member |
| 7 | Karachi | Executive Engineer, PHE, Division | Chairman |
| | | Karachi Executive Engineer, Local Government Deptt. Karachi | 1 Member |
| . **3 | | Executive Engineer, PHE, Sub- Division No. IV Karachi | Member |
| 8 | Mirpurkhas | Executive Engineer, PHE, Division Mirpurkhas | Chairman |
| | | Assistant Engineer, Building Division Works & Services Deptt. Mirpurkhas | Member |
| | · | Assistant Engineer, PHE, Sub-Division No. II Mirpurkhas | Member |
| 9 | ando Allahyar | Executive Engineer, PHE, Division Tando Allahyar | Chairman |
| | | Executive Engineer, Highway Division Tando Allahyar | Member |
| | | Assistant Engineer, PHE, Division No II Tando Allahyar | Member |
| 10 | Sanghar | Executive Engineer, PHE, Division Sanghar | Chairman |
| | | Assistant Engineer, Education Works Sub-Division Sinjhoro | Member |
| | | Assistant Engineer, PHE Sub-Divn, Qazi Ahmed Sinjhoro | Member |
| ; ; 1 | Tharparkar @ Mithi | Executive Engineer, PHE, Division Tharparkar @ Mith! | Cheirman |
| | · ! | & Services Tharparkar @ Mithi | A Agentage |
| | i | Assistant Engineer PHE DIVIT MITH | Member |

できる A Command Text of Manager Command Comman

| 12 | Umerkot | Executive Engineer, PHE, Division Umerkor | Chairman |
|-----|----------------------------|--|---------------|
| | | Executive Engineer, Education & Works Division Umerkot | Member |
| | | Assistant Engineer, PHE, Sub-Division Kunri | Member |
| 13 | Sukkur | Executive Engineer, PHE, Division | Chairman |
| | | Sukkur | |
| | | Executive Engineer, Highway Division Sukkur | Member |
| | | Assistant Engineer PHE, Sub-Division | |
| | | No. II Sukkur | Member |
| 1-1 | Ghotki @ Mirpur Mathelo | Executive Engineer, PHE, Division Ghotki @ Mirpur Mathelo | Chairman |
| | | Executive Engineer, Education Works District Ghotki | Member |
| | | Assistant Engineer, PHE, Sub-Division No.III Ghotki | Member |
| 15 | Khairpur-I | Executive Engineer, PHE, Division No. 1 Khairpur | Chairman |
| | | Executive Engineer, Provincial Highway N'Feroze at Khairpur | Member |
| | | Assistant Engineer, PHE, Sub-Division No.III Khairpur | Member |
| | | | |
| 16, | Khairpur-II @ Ranipur | Executive Engineer, PHE, Division No.II Khairpur @ Ranipur | Chairman |
| | <u> </u> | Executive Engineer, Irrigation East Division Khairpur | Member |
| | ٠, | Assistant Engineer, PHE, Sub-Division Gambat | Member |
| 17 | Naushahro Feroze | Executive Engineer, PHE, Division Naushahro Feroze | Chairman |
| | | Assistant Engineer, Highway Sub- Division Mehrabpur | Member |
| | | Assistant Engineer, PHE, Sup Division Naushahro Feroze | Ni State on 1 |

| 18 | Shaheed Benazirabad | Executive Engineer, PHE, Division No. 5 Shaheed Benazirabad | Chairman |
|----|------------------------|---|-----------------------|
| | | Executive Engineer, Education Works Divn. Shaheed Benazirabad | Member |
| | | Assistant Engineer, PHE, Sub-Division No.II Sakrand | Member |
| 19 | Larkana | Executive Engineer, PHE, Division Larkana | Chairman |
| | | Executive Engineer, Building Provincial Division, Larkana | Member |
| | | Assistant Engineer PHE, Sub-Division No. II Larkana | Member |
| 20 | Dadu | Executive Engineer, PHE, Division Dadu | Chairman |
| | | Executive Engineer, Highway Division Dadu | Member |
| 1 | | Assistant Engineer, PHE, Sub-Division Johi | Member |
| 21 | Jacobabad | Executive Engineer, PHE, Division Jacobabad | Chairman |
| | | Executive Engineer, Highway Division, Jacoabad | Member |
| | | Assistant Engineer, PHE, Sub-Division No. 1 Jacobabad | Member |
| 22 | Kamber Shahdadkot @ | Executive Engineer, PHE, Division Kamber Shahdadkot @ Kamber | Chai rm an |
| | Kamber | Executive Engineer, Education Works Division Kamber Shahdadkot @ Kamber | Member |
| | | Assistant Engineer, PHE, Sub-Division No. 1 Kamber | Member |
| 23 | Shikarpur | Executive Engineer, PHE, Division Shikarpur | Chairman |
| | | Executive Engineer, Machinary & Maintenance Division Khairpur @ Shikarpur | Member |
| | | Assistant Engineer, PHE, Sub-Division Lakhi | Member |

| 24 | Kashmore @ | Executive Engineer, PHE, Division | Chairman |
|----|------------|---------------------------------------|----------|
| | Kandhkot | Kashmore @ Kandhkot | |
| | | | |
| | | Executive Engineer, Roads Kashmore | Member |
| | | @ Kandhkot | |
| | | | |
| | | Assistant Engineer, PHE, Sub-Division | Member |
| | • | No. 1 Kashmore @ Kandhkot | |

Terms of reference of the Committees:

- i. Preparing bidding documents
- 2. Carrying out technical as well as financial evaluation of the bids
- 3. Preparing evaluation report as provided in Rule 45
- 4. Making recommendations for the award of contract to the competent authority; and
- 5. Perform any other function ancillary and incidental to the above

S.M. KALEEM MAKKI

Secretary to Government of Sindh

A copy forwarded for information & necessary action to:-

- The Accountant General Sindh, Karachi.
- The Administrative Secretaries (all) in Sindh.
- The Commissioner (all) in Sindh.
- The Chief Engineer, PHED, Hyderabad / Sukkur.
 - The Director, Procurement Regulatory Authority Sindh Karachi.
 - The Deputy Commissioner (all) in Sindh.
 - The Superintending Engineer, PHED (all) in Sindh.
 - The Executive Engineer, PHE, Division (all) in Sindh.
 - PS to Secretary, PHED, Govt. of Sindh, Karachi.
 - Additioanal Secretary, PHED, Govt. of Sindh, Karachi.

(ABDUL GHAFFAR SHAIKH)
Section Officer (Technical)

BIDDING DATA

This section should be filled in by the Engineering Procuring Agency before issuance of the bidding documents. The following specific data for the works to be procured shall complement, amend, or supplement the provisions in the instructions to Bidders. Wherever there is a conflict; the provisions herein shall prevail over those in the instruction to bidders)

Instructions to Bidders Clause Reference

| 1.38 | Name of Procuring Agency (insert name of the Procuring Agency) | Public Health Engineering Division Umerkot |
|---------|--|---|
| | Brief Description of work | REHABILITATION OF RURAL WATER SUPPLY SCHEME FAZAL CHOPAN TALUKA & DISTRICT UMERKOT. |
| 5.1 (a) | Procuring Agency's Address | Office of the Executive Engineer Public Health Engg. Division Umerkot. |
| | (Insert address of the Procuring agency with Tele Fax | Phone / Fax: 0238-571948 |
| (h) | Engineer's Address | Office of the Executive Engineer Public Health Engg. Division Umerkot. |
| | (Insert address of the Procuring agency with Tele-Fax | Phone / Fax: 0238-571948 |
| 10.3 | Bid Shall be quoted Entirely in Pak | The Payment shall be made in Pak Rupees. |

- 10.3 Bid Shall be quoted Entirely in Pak. The Payment shall be made in Pak Rupees.

 Rupees
- 11.02 The bidder has the financial, technical and construction capability necessary to perform the contract as follows (insert required capabilities and documents.)
 - i) Financial Capacity (Must have turnover of Rs.5.0.)
 - ii) Technical capacity (mention the appropriate category of registration with PLC & Qualification and experience of the staff.
 - iii) Construction capacity (mention the names and number of equipments required for the work.
- 12.1(a) A detail description of the work, essential technical and performance characteristics. Complete set of technical information, Description data, literature and drawing and required in accordance with Schedule-B to Bid, specific work data. This include but not be limited to a sufficient number of drawing.
 - (b) Photographs, catalogues, illustration and such other information as is necessary to illustrate clearly the significant characteristics such as general construction dimension and other relevant information about the word to be performed.
- Amount of Bid security

 (Fill in lump sam amount o in sage of bit amount. Estimate cost but not below 1% and not exceeding 8%.)

[4.1] Period of Bid Validity

(fill in number of days not exceeding 90 days 90)

- No. of copies of the Bid to be <u>One Original Plus Copies</u> submitted.
- Procuring Agency's Address for the purpose of Bid submission.

 Office of the Executive Engineer Public Health Engg. Division Umerkot.

(Insert postal Address of location of Bid Box for Delivery by Hand)

- 15.1 Dead line for submission of Bids On .09.2015, time .00 PM
- 16.1 Venue Time and date of bid Opening

 On .09.2015, time 0 .00 PM office of the Executive Engineer Public Health Engg.

 Division Umerkot.

16.4 Responsiveness of Bids.

- (i) Bid is valid till required period.
- (ii) Bid prices are firm during currency of contract. Price adjustment.
- (iii) Completion period offered is within specified limits
- (iv) Bidder is eligible to bid and possesses the requisite experience, capability and qualification.
- (v) Bid does not deviate from basic technical requirements and.
- (vi) Bids are generally in order, etc: "Procuring Agency can adopt either of two option (select either of them)

(a) Fixed Price Contract

If these contract no escalation will be provided during currency of the contract and normally period of completion these work is upto 04 Months.

(b) Price adjustment contract

If the contracts no escalation will be paid only on those items and in the manner as notified by the finance Department, Government of sindh after bid opening during currency of the contract.

ÆXECUMVE ENGINEER PUBLIC HEARMI ENGG, DIVISION UNERKOT

SCHEDULE "B"

NAME OF WORK

REHABILITATION OF RURAL WATER SUPPLY SCHEME FAZAL CHOPAN TALUKA & DISTRICT UMERKOT.

| PA | RT-A | RENOVATION | OF STORA | GE TANK | <u> </u> |
|------------|---|---|--|---|--|
| S | # DESCRIPTION | N QTY: | RATE | UNI | T AMOUNT |
| 1. | | avation in ashes, upto 50'f t (GSI N | | | arance |
| | 32094.16 Cft | @ Rs. 1663/75 | P.% | 0 Cft | Rs.53397/- |
| 2. | Extra for Wet ea | arth work (GSINo. | 15 P-3) | | |
| | 32094.0 Čft | @ Rs. 1058/75 | P % | 0 Cft | Rs. 33980/- |
| 3′ | driver and assist for placing pumpipes of pumptre3nches i/c completion of the 10 H.P (But not | s of the pumping stant fuel or electrons etc at I; ower or the cost of ercone job. (iv) Hire of thes than 5 H.P. PHSI No.23 (i) P- | ic energy plate plate to the plate of the pl | ate forms rection and decous depths dismantling mping set o | quired elivery from after f upto |
| | 10 Days | @ Rs. 1500/- | P.da | ays | Rs. 15000/- |
| 4. | | 50 ft additional le ary , hard and ver | | | earth |
| | .32094.0 Cft | @ Rs. 1814/04 | P % | 0 Cft | Rs. 58220/- |
| 5. i) / | | te plain i/c plar.r e i/c screening & . 5 P-16) | | _ | - |
| d. | 5066.0 Cft | @ Rs. 14429/2 | √ 5 P% | Cft | Rs. 730986/- |
| ii) | Rate 1:4:8 | | | | , |
| , | 796.0. Cft | @ Rs. 11288/7 | 5 P% | Cft | Rs. 89858/- |
| 6. | | ork in foundation 3 (GSI No.4/e P-21 | | vel in ceme | ent sand |
| | 402.40 Cft | @ Rs. 1194 | 8/36 | P % C | Cft Rs. 48080/- |
| 5. | Cement Plaster (GSI No.11/a P- | (1:4) upto 12' heig 52) | jht (a) 3/8" th | ck | |
| | 2890.66 Sft | @ Rs. 2283 | 5/93 | P % S TOTA | |

REPAIR OF COMPOUND WALL S.# DESCRIPTION QTY: UNIT AMOUNT Cement concrete plain i/c planning compacting finishing and curing complete i/c screening & washing of stone aggregate without (GSI No. 5 P-16) Rate 1:4:8 P% Cft Rs. 9821/-125.62 Cft @ Rs. 11288/75 5. Pucca brick work in foundation or plinth level in cement sand mortar ration 1:6 (GSI No.4/e P-21) @ Rs. 11948/36 Rs. 112912/-945.0 Cft P % Cft Damp proof course (DPC) with cement, sand and shingle concrete 1:2:4 i/c 2 coat of asphaltic mixture 2" thick (GSI NO.28/b P-19) P % Sft 251.0 Sft ² @ Rs. 3912/85 [~] Rs. 9821/-4. Pucca work other than building i/c striking of joints upto 20' ft height in cement mortar (1:6) (GSI NO. 7 P-22). Rs. 68889/-557.96 Cft @ Rs. 12346/65 P% Cft 5. Cement Plaster (1:6) upto 12 ft height 1/2" thick (GSI No.13/b P-52) P % Sft Rs. 273001/-12372.00 Sft @ Rs. 2206/60 6. Cement Plaster (1:4) upto 12 ft height 3/8" thick (GSI No.11/a P-52) 12372.00 Sft @ Rs. 2197/52 Rs. 271877/-7 Making and fixing steel grated door with 1/16" thick sheeting including angle iron frame 2"x2" 3/8 and 3/4" squar bars 4" centre to centre with locking arrangement.(GSI No.24 P-92) 72.00 Sft ~ P Sft ~ Rs. 52324 @ Rs. 726/72 8 White washing 1 coat (GSI NO.26(b) B-54) 12372.0 Sft [™] @ Rs. 416/63 P % Sft Rs. 51545/-Colour washing 2 coat (GSI NO.24(b) B-54) 12372.0 Sft P% Sft @ Rs. 859/90 Rs. 106387/-10. Painting new surface, preparing surface and paining of doors, windows any type (i/c edges (GSI NO.5 P-70) 144.00 Sft @ Rs. 2116/41 P Sft Rs. 3048/-

TOTAL

RS.963985/- ~

| PA | RT- C PUMP HO | USE AN | D STAFF (| DUARTER | | |
|-----|---|------------|--------------|---------------|----------------|-------------|
| | .# DESCRIPTION | | QTY: | RATE | UNIT | AMOUNT |
| 1 | Providing and la | | | | | |
| | (1:2:4) including st | | J | aiviaing into | panei | |
| | (c) 2" thick (GSI No |), 16 P-4, | 2) | | | ` |
| | 2"thick 523.62 Sft | @ Rs. | 3275/50 | P % | Sft | Rs. 17151/- |
| | 1-1/2"thick | | _ | | | (|
| | 239.25 Sft 🗸 | @ Rs. | 2548/29 | P % | Sft | Rs. 6097/- |
| 2. | Cement Plaster (1: (GSI No.11/ P-52) | 4) upto 1 | I2 ft height | 1/2" thick | | |
| | 883.0 Sft | @ Rs. : | 2283/93 | Р% | Sft | Rs. 20167/- |
| 3 | White washing 2 | oat (GSI | NO.26(b) | B-54) | | |
| | 1003.0 Sft | @ Rs. | 425/84 | Р% | Sft | Rs. 4271/- |
| 4 | Colour washing 2 | coat (GS | 51 NO.24(b) | B-54) | | |
| | 781.0 Sft | @ Rs. 8 | 359/90 J | P % \$ | <i></i> Sft | Rs. 6716/- |
| 10. | Painting Old surfa | ace, pre | paring su | rface and p | aining of | |

doors, windows any type (i/c edges (GSI NO.5 P-70)

@ Rs. 1160/06 242.0Sft

P % Sft


Rs. 2807∕≃

TOTAL

RS.57209/-

PART- D PUMPING MACHINERY @ WATER WORKS

AMOUNT **DESCRIPTION** QTY: **RATE** UNIT \$.# J Supplying & installing in position i/c transportation to site of water supply scheme Fazal Chopan Electric Pumping Set of 2800/2900 RPM (Siemens) 15 BHP Electric (3) phase, 50 Cycles, 500 / 220 Volts, with Centrifugal pump type ETA (65-200) size (3x 2-1/2') mounted on common steel frame or base plate (Capable) of discharge 130 GPM against the required head of 170 ft, i/c installed on cement concrete foundation Ratio (1:2:4) with MS nuts & bolts of 5/8" dia to be embedded made in CC foundation, Providing & fixing Automatic Delta Starter (made Twain), i/c Providing fixing & prepared board iron plate double pools & neutral switch & fuse with seywer type fuse link CC 500 volts 30 amp: i/c Providing, fixing, Volt Meter, 100 volt and main submission centre switch press in the wall (5"x4"), providing phase indicator with holder & providing internal Electric wiring for main switch 3,7 PVC installed wire 500 volts, grade 15 mm on the ground @ the depth of 3.7 m (12) as per Pak PWD specification & testing pumping set against the required head for 72 hours etc complete. (R.AA) @ Rs. 350430/-1 Set P. Set Rs. 350430/-2. Supplying & installing Diesel Engine set i/c transportation to site water supply scheme Fazal Chopan Diesel Engine 22 HP (Golden made) 2200 RPM i/c standard accession coupled with (KSB clogging pump type ETA (65-200) size 3'x2-1/2" capable to give discharge 130 GPM against head of 170 ft mounted on common steel frame or base plate including installing of diesel pumping set on cement concrete foundation Ratio (1:2:4) with MS nuts & bolts of 5/8" dia to be embedded in CC foundation plinth of the pumping set for 72 overs under actual working condition etc complete. (R.AA) @ Rs. 236280/-1 Set P. Set Rs. 236280/-3. M.S Pipe made out of M.S sheet of 4.8mm (3/16" thick) M.S sheet i/c cutting bending folding to correct curvature as shape (Base on schedule) i) SUCTION 3" DIA @ R₃. 385/89 44.0 Rft 4 P. Rft Rs. 16979/ii) DELIVERY MAIN 4" DIA 21.0 Rft @ Rs. 506/60 P. Rft ¹ Rs. 10639/-4. Manufacturing supplying M.S flanged of Diff: dia made out of M.S sheet cutting drilling holes and welding of flanges with M.S pipe etc complete (Rate approved based on schedule) @ Rs. 500/89 3" dia 8.0 Nos Each Rs. 4007/-@ Rs. 596/75 8.0 Nos Each 4" dia Rs. 4774/-



Jointing C.I / M.S flanged pipes and specials flange and inside a trench i/c supplying rubber packing of the required thickness nuts bolts with was hers etc and other tools required for jointing and testing and testing the joint to the specified pressure etc complete (PHSI M No.1 P-405)

i) 3" dia

16.0 Joint (

@ Rs.499/-

P.Joint

Rs. 7984/-

ii) **4" dia**/

8.0 Joint '

@ Rs.513/-

P.Joint

Rs. 4104/-

13. Cutting holes 4"x6" in stone masonry or brick wall with chisel repairing masonry dibries within on chain (GSI No.72 P-107)

3.0 Nos 1

@ Rs.169/40

P. Hole

Rs. 508/-

TOTAL ====→ Rs 657625/-

PAR-E PUMPING MACHINERY @ SOURCE

S.# DESCRIPTION QTY: RATE UNIT AMOUNT

Supplying & installing in position i/c transportation to site of water supply scheme Fazal Chopan Electric Pumping Set of 2800/2900 RPM (Siemens) 20 BHP Electric (3) phase . 50 Cycles, 500 / 220 Volts, with Centrifugal pump type ETA (65-(3x 2-1/2') mounted on common steel frame or base plate (Capable) of discharge 200 GPM against the required head of 147 ft, i/c installed on cement concrete foundation Ratio (1:2:4) with MS nuts & bolts of 5/8" dia to be made in CC foundation. Providina & fixina Automatic Delta Starter (made Twain), i/c Providing fixing & prepared board iron plate double pools & neutral switch & fuse with seywer type fuse link CC 500 volts 30 amp: i/c Providing, fixing, Volt Meter, 100 volt and main submission centre switch press in the wall (5"x4"), providing phase indicator with holder & providing internal Electric wiring for main switch 3.7 PVC installed wire 500 volts, grade 15 mm on the ground @ the depth of 3.7 m (12) as per Pak PWD specification & testing pumping set against the required head for 72 hours etc complete. (R.AA)

1 Set

@ Rs. 400180/-

P. Set

Rs. 400180/-

2. Supplying & installing Diesel Engine set i/c transportation to site water supply scheme Fazal Chopan Diesel Engine 22 HP (China made) 2200 RPM i/c standard accession coupled with (KSB clogging pump type ETA (65-20) size 3'x2-1/2" capable to give discharge 200 GPM against head of 147 ft mounted on common steel frame or base plate including installing of diesel pumping set on cement concrete foundation Ratio (1:2:4) with MS nuts & bolts of 5/8" dia to be embedded in CC foundation plinth of the pumping set for 72 overs under actual working condition etc complete. (R.AA)

1 Sets

@ Rs. 240000/-

P. Set

Rs. 240000/-

3. M.S Pipe made out of M.S sheet of 4.8mm (3/16" thick) M.S sheet i/c cutting bending folding to correct curvature as shape (Base on schedule)

i) SUCTION 3" D

44.0 Rft 4

@ Rs. 385/89

P. Rft

Rs. 16979/-

ii) DELIVERY MAIN 4" DIA

21.0 Rft

@ Rs. 506/60

P. Rft

Rs. 10639/-

| 4. | Manufacturing supplying M.S flanged of Diff: dia made out of M.S sheet cutting drilling holes and welding of flanges with M.S pipe etc complete (Rate approved based on schedule) | | | | | | | |
|----------|---|--|---|--------------|--------------|--|--|--|
| | <u>3" dia</u> | 8.0 Nos | @ Rs. 500/89 | Each | Rs. 4007/- | | | |
| <i>,</i> | <u>4" dia</u> | 8.0 Nos | @ Rs. 596/75 | Each | Rs. 4774/- 7 | | | |
| 5. | C.I. Sluice valve heavy pattern (test pressure 300 lbs/sq: inch) (SOMI No.2 P-1) (important). | | | | | | | |
| | <u>3" dia</u> | | | | | | | |
| | 2.0 Nos′ | | @ Rs. 4290/- | Each | Rs. 8580/- | | | |
| 6. | | | vy pattern (Test) pr o 16 P.12) (important) | essure 300 | | | | |
| i) | <u>3" dia</u> | | | | | | | |
| , | 2.0 Nos | i e e e e e e e e e e e e e e e e e e e | @ Rs. 1543/75 | Each | Rs. 3088/- | | | |
| 7. | | t valve heavy pat) No. 4 P-11) | ttern with cone type gat | e (Imported) | • | | | |
| | 2.0 Nos | / | @ Rs. 731/25 | Each | Rs. 1463/- | | | |
| 8. | | d with flanged er s for all size (SOI | nds with holes i/c turning MI No.8 P-11) | g and facing | 4 | | | |
| | 42.01 Kg | 1 4 | @ Rs. 120/- | P.kg | Rs. 5041/- | | | |
| 9. 9. | | s i/c turning and | ed or central tapered fl facing of flanges for all | ~ | , | | | |
| | 15.75 Kg | l | @ Rs. 120/- | p.KG | Rs. 1890/- | | | |

| 10 | C.I. Tee with flanged ends with holes i/c turning and facing of flanges for all sizes (SOMI No.11 P-11) | | | | | |
|-----|--|--|---------------------------------------|-------------|--|--|
| 1 | 11.45 Kg | @ Rs. 120/- | p.kg' | Rs. 1374/- | | |
| 11. | C.I short piece (SOMI No. | 9 P-15) | | | | |
| | 4" dia | | , | , | | |
| | 1.0 No | @ Rs. 487/50/- | Each | Rs. 488/- | | |
| 12 | Jointing C.I / M.S flange inside a trench i/c supply thickness nuts bolts wit required for jointing and specified pressure etc con | ing rubber packing of h was hers etc and testing and testing the | the required other tools joint to the | | | |
| i) | <u>3" dia</u> | | | | | |
| | 16.0 Nos | @ Rs.499/- | Each | Rs. 7984/- | | |
| ii) | <u>4" dia</u> | | | , | | |
| | 8.0 Nos | @ Rs,513/- | Each | Rs. 4104/- | | |
| 13 | Cutting holes 4"x6" in stone masonry or brick wall with chisel repairing masonry dibries within on chain (GSI No.72 P-107) | | | | | |
| | 3.0 Nos | @ Rs.169/40 | P. Hole | Rs. 508/- | | |
| | | TO | TAL ==== → | Rs 711099/- | | |

| PΔ | RT- F _ PUMP HO | NISE | | | |
|----|---------------------------------------|---|------------------------------------|---------------------|-------------|
| _ | B.# DESCRIPTION | | RATE | UNIT | AMOUNT |
| 1 | | aying 2" thick top surface finishing and lo.16 P-42) | | | |
| | 359.0 Sft ['] | @ Rs. 3275/50 | P % | Sft | Rs. 11759/- |
| 2. | (GSI No.11/ P-52) | I:4) upto 12 ft heigh) | t 1/2" thick | | |
| | 429.00 Sft | @ Rs. 2283/93 | Р% | Sft | Rs. 9798/- |
| 3. | i/c angle iron fram | steel grated door w ne 2"x2" 3/8" and ¾ king arrangement (G | " square bars | 4" centre | |
| | 28.00 Sft | @ Rs. 726/72 | P Sf | t / | Rs. 20348/- |
| 4. | squire bars of size of 3/4x3/4 stap a | g in position iron / e 1/2"x1/2" placed a t 1- apart equivent ng 3 coats with isteo) | 4" i/c and from ent fitted with | m of flat serews | |
| | 12.00 Sft [/] | @ Rs. 180/50 | P Sff | | Rs. 2166/- |
| 5 | White washing 2 | coat (GSI NO.26(b) | B-54) | | |
| | 549.00 Sft | @ Rs. 425/84 | P% \$ | Sft | Rs. 2338/- |
| 6 | Distempering 2 co | oat (GSI NO.24(b) E | 3-54) | | |
| | 429.00 Sft | @ Rs. 1043/90 | P% \$ | Sft | Rs. 4478/- |
| 7 | Color washing. (b) | Two coats (GSI N | o 25/b P-54) | | |
| | 580.50 Sft | @ Rs. 859/90 | P % S | Sft / | Rs. 4992/- |
| 8 | | ce, preparing surfac (i/c edges (GSI NO | | of doors, | |
| | 128.0 Sft 🗽 | @ Rs. 2116/41 * | P % \$ | Sft | Rs. 2709/- |

RS.58588/-TOTAL

| PART-G RISING MAIN (P.E PIPE 6" DIA) | | | | | | | | |
|---------------------------------------|--|--|---|---|---------------|--|--|--|
| | .# DESCRIPTION | QTY: | RATE | UNIT | AMOUNT | | | |
| 1./ | Providing, laying, and fixing in trench i/c fitting jointing and testing etc compete in all respect the high density Pollthylene P.E pipes (HDPE-100) for W/S confirming ISO 4427/DIN 8074/8075 B.S 3580 and PSI 3051 (PHSI NO.F/1 P-25) 6" DIA (P.E PIPE (PN-8) 160 MM (OD) | | | | | | | |
| | 10500.0 Rft | @ Rs. 440/- | P. R | ft | RS. 4620000/- | | | |
| 2. | Excavation for pipe I trimming and dressin leveling of beds of cutting joint holes and chain or as directed guards lights flags and traffic wherever required one chain (30.50 mm) | g sides to true a trenches to cor d disposal of su by Engineer Inch d temporary cros red lift upto 5'ft | alignments a rect level a rplus earth v narge Provid ssing for non (1.52m) and | nd shape nd grade vithin one ling fence vehicular | | | | |
| | 82687.50 Cft | @ Rs. 3600/- | P. % | 0 Cft | RS. 297675/- | | | |
| 3. (| Reflex valve of heavy 300 lbs / sq inch (impo | | | J/sq cm or | | | | |
| | 6" dia 1.0 Nos | @ Rs. 4062/50 | /- Each | 1~ | RS. 4063/- | | | |
| 4 ./ | Air valve double acting 6" dia | g (PHSI No.8 P-9 | 98) | | | | | |
| | 2 No ⁽ | @ Rs. 4000/- | Each | י ו | RS. 8000/- | | | |
| 5. | Fire hydrant tee (SMI 6" dia | NO 10 P-102) | | | | | | |
| | 2.0 Nos ' | @ Rs. 1375/- | Each | ו ֹ | RS. 2750/- | | | |
| 6; | C.I Tail piece (SOMI N | lo.9 P-15) | | | 4 | | | |
| | 2.0 Nos ' | @ Rs. 618/75 | Each | 1 | RS. 1238/- | | | |
| 7, | But fusion joint (SOMI <u>6" dia</u> | NO.H P-106) | | | · · | | | |
| | 6.0 Nos | @ Rs. 1000/- / | Each |) 1 | RS. 6000/- | | | |

8. Refilling the excavated stuff in trench 6" thick layers i/c watering ramming to full compaction etc complete (PHSI No.24 P-77)

74418.75 Cft

@ Rs. 2760/-


P. % 0 C**ř**t

RS. 205396/-

TOTAL ======→ Rs. 5145122/->
520/5/7

| S.# | | TION SYSTEM QTY: | RATE | UNIT | AMOUNT |
|-----------|---|---------------------|-------------------|-------------------|--------------|
| 1. (| Providing Laying UPVe in trench i/c cutting fitting i/c testing with wat (PHSI No.1 P-22) 6" DIA | ing and jointing wi | th 'Z' joint witl | h one rubb | |
| | 2350.0Rft | @ Rs. 262/ | <i>(</i> - | P. Rft | Rs. 615700/- |
| | <u>4" Dia</u> | | | | |
| | 1775.0 Rft | @ Rs. 137/- | - - | P. Rft | Rs 243175/- |
| | <u>3" Dia</u> | | | <i>2</i> 1 | |
| | 6800.0 Rft | @ Rs. 90/- | | P. Rft | Rs. 612000/- |
| 2. | Supplying C.I Sluice LBS/ sq inch .(S.O.I.N | | rn (Test Pre | essure 300 | |
| | 2.0 Nos ⁷ | @ Rs. 9360 |)/- | Each | Rs. 18720/- |
| | 4" DIA | | <i>y</i> | | |
| | 2.0 Nos | @ Rs. 5460 |)/- | Each | Rs. 10920/- |
| | 3" DIA | | <i>,</i> | | 7 |
| | 3.0 Nos | @ Rs. 4290 | /- | Each | Rs. 12870/- |
| 3. | Specials for PVC pipe No. 5 P- 100) | e "B" Class Stand | ard weight A | ACIL (SOM | 11 |
| <u>i)</u> | PVC TEE | | i i | / | i |
| a) | <u>6"x6"6</u> 2 Nos | @ Rs. 1800 | / - | Each | Rs. 3600/- |
| b) | 6"x6"4 3 Nos | @ Rs. 1800 | /- | Each | Rs. 5400/- |
| C) | <u>4"x4"3</u> 3 Nos | @ Rs. 1181 | /- * | Each [*] | Rs. 3543/- |
| d) | <u>3"x3"3</u> 4.0 Nos | @ Rs. 900/- | / | Each | Rs. 3600/- |

| <u>ii)</u> | C.I Jabault Joint (Sh of mat no.9 P-101) 3" DIA | | | | | |
|-------------|---|------------------------------|---------------------------|------|-------------|--|
| | 18.0 No | os S | @ Rs. 568/75 | Each | Rs. 10237/- | |
| | <u>4" DIA</u> | | | | | |
| | 12.0 No | os.⁄ | @ Rs. 731/25 | Each | Rs. 8775/- | |
| | 6 " DIA | <u>.</u> | | | | |
| | 15.0 No | os ′ | @ Rs.1062/50 ['] | Each | Rs. 15937/- | |
| <u>ii)</u> | C.I Sho | ort piece (Sh of m | nat no.9 P-101) | | | |
| | <u>3" DIA</u> | | | | | |
| | 6.0 Nos | 6 | @ Rs. 375/- | Each | Rs. 2250/- | |
| | <u>4" DIA</u> | | | | | |
| | 4.0 Nos | 3 | @ Rs. 487/50 | Each | Rs. 1950/- | |
| | <u>6 " DIA</u> | : | | | | |
| ř | 4.0 Nos | • | @ Rs.618/75 | Each | Rs. 2475/- | |
| <u>iii)</u> | C.I DEE <u>3" di</u> a | ED ENDS (PHSM | I No. 13P-103) | | | |
| | 6.0 No | s ′ | @ Rs. 250/- | Each | Rs. 1500/- | |
| <u>iv)</u> | PVC Be | end 90 ⁰ (SOMI No | o.11 P-28) | | | |
| | <u>6" dia</u> | 2 Nos | @ Rs. 1913/- | Each | Rs. 3826/- | |
| | <u>4" dia</u> | 4 Nos | @ Rs. 956/- | Each | Rs. 3824/- | |
| c) | <u>3" dia</u> | 4.0 Nos | @ Rs. 731/- ' | Each | Rs. 2924/- | |
| v) | PVC Re | educer (SOMI No | .11 P-102) | | | |
| | <u>4'x3"</u> | 2.0Nos | @ Rs. 1258/- | Each | Rs. 2516/- | |
| | <u>6x4"</u> | 2 Nos | @ Rs. 1866/- | Each | Rs. 3732/- | |



69956.25 Cft

@ Rs. 3750/- (

P. % ⁰ Cft

Rs. 262336-

5. Making joint to PVC specials fitting i/c laying of specials and cost of solvent cement testy th joint along with the PVC pipe and B class to the specified pressure and making good to all teaky joints etc complete (PHSI No. 1 P-35)

 6" DIA
 23 Joints
 @ Rs. 96/ P. Joint
 Rs. 2208/

 4" DIA
 20.0Joints
 @ Rs. 70/ P. Joint
 Rs. 1400/

 3" DIA
 26.0Joints
 @ Rs. 59/ P. Joint
 Rs. 1534/

6. Joint C.I /M.S flanged pipe and specials flanged and insie atren et i/c supplying rubber pacing of the required thickness & bolt with washers etc and other toll required tfor jointing to testing the joint to the specified etc complete (PHSI NO. 1 P 35)

3" DIA

6.0 Joints

@ Rs. 499/-

P. Joint

Rs. 2994/-

<u>4" DIA</u>

4.0 Joints

@ Rs. 513/-

P. Joint

Rs. 2052/-

6" DIA

4.0 Joints

@ Rs. 938/-

P. Joint

Rs. 3752/-

7. Raffling the excavated stuff trench 6" thick layers i/c watering ramming to full compaction etc compete (PHSI No. 24 P-77)

62960.62 ft

1

@ Rs. 2760/- P % Oft Rs 173771/-

Providing Chamber 2-1/2x2-1/2 de dimension 4 1/2 (1372 8. meter) deep as per approved design for sluice valve 3" to 12" with 18" (457 mm) dia in side cast iron cover and frame (wt=1 Cwt 3gr fixed in RCC 1:2:4 (102 mm) thick (with 5 Lbs Steel per Cft) slab 9" (229 mm) thick brick (1152 mm) Thick cement concrete 1:3:6 in foundation 1" (25 mm) thick cement concrete 1:2:4 flooring 1/2 " (12.5 mm) thick cement plaster 1:3 to all inside wall surface and to top i/c providing & fixing M.S foot rest & every 1' beyond 2 ½ depth curing excavation back filing & disposal of surpals earth etc complete. (PHSI NO.1 P-49)

6.0 Nos

@ Rs. 18820/-

Each

Rs. 112920/-

TOTAL ===→ Rs. 2152441/- ~

ABSTRACT Rs. 1095542/-Repair of Storage Tank Part-A Rs.963985/-Repair of Compound wall Part-B Rs.57209/- 1 Part-C Repair Pump House & Staff Quarter Part-D Pumping Machinery @ water works Pumping Machinery @ Source Rs. 658203/-Part-E Pump House @ Source Part-F Rs.56400/-Rising Main (P.E Pipe 6" dia) Rs.5286168/-Part-G Part-H Distribution System Rs.2276660/-TOTAL ===→ Rs. 41943721/-

CONDITIONS

- 1. The rate should inclusive of all the taxes i.e Sales Tax, Octroi, royalties etc. if any
- 2. No separate carriage will be allowed to the firms/ contractors.
- 3. No Premium will be allowed on non schedule items.
- 4. Steel Shuttering will be used in RCC works.
- 5. For RCC & Plain Cement concrete the mixture machine will be used.
- 6. The testing of the work will be arranged by the contractor at his own cost, no separate payment will be made.
- 7. Any error or omission in the specification item will be governed by the relevant specification and schedule items.
- 8. The decision of the undersigned shall be final and binding on all the parties in any dispute.

CONTRACTOR

EXECUTIVE ENGINEER
PUBLIC HEALTH ENGG. DIVISION
UMERKOT

ABSTRACT

| | TOTAL ===→ | Rs. 10897538/- |
|--------|-----------------------------------|----------------|
| Part-H | Distribution System | Rs.2152441/- |
| Part-G | Rising Main (P.E Pipe 6" dia) | Rs.5201049/- |
| Part-F | Pump House @ Source | Rs.58588/- |
| Part-E | Pumping Machinery @ Source | Rs. 711099/- |
| Part-D | Pumping Machinery @ water works | Rs. 657625/- |
| Part-C | Repair Pump House & Staff Quarter | Rs.57209/- |
| Part-B | Repair of Compound wall | Rs.963985/- |
| Part-A | Repair of Storage Tank | Rs. 1095542/- |

CONDITIONS

- 1. The rate should inclusive of all the taxes i.e Sales Tax, Octroi, royalties etc. if any
- 2. No separate carriage will be allowed to the firms/ contractors.
- 3. No Premium will be allowed on non schedule items.
- 4. Steel Shuttering will be used in RCC works.
- 5. For RCC & Plain Cement concrete the mixture machine will be used.
- 6. The testing of the work will be arranged by the contractor at his own cost, no separate payment will be made.
- 7. Any error or omission in the specification item will be governed by the relevant specification and schedule items.
- 8. The decision of the undersigned shall be final and binding on all the parties in any dispute.

CONTRACTOR

EXECUTIVE ENGINEER
PUBLIC HEARTH ENGG. DIVISION
WHERKOT

BIDDING DATA

This section should be tilled in by the Engineering. Procuring Agency before issuance of the bidding documents. The following specific data for the works to be procured shall complement, amend, or supplement the provisions in the instructions to Bidders. Wherever there is a conflict: the provisions herein shall prevail over those in the instruction to bidders)

Instructions to Bidders Clause Reference

| 1.38 | Name of Procuring Agency (insert name of the Procuring Agency) | Public Health Engineering Division Umerkot |
|---------|--|---|
| | Brief Description of work | REHABILITATION OF RURAL WATER SUPPLY SCHEME IBRAHIM RIND TALUKA KUNRI DISTRICT UMERKOT. |
| 5.1 (a) | Procuring Agency's Address | Office of the Executive Engineer Public Health Engg. Division Umerkot. |
| | (Insert address of the Procuring agency with Tele Tax | Phone / Fax: 0238-571948 |
| (b) | Engineer's Address | Office of the Executive Engineer Public Health Engg. Division Umerkot. |
| | (Insert address of the Procuring agency with Tele- Fax | Phone / Fax: 0238-571948 |
| 10.3 | Bid Shall be quoted intirely in Pak Rupees | The Payment shall be made in Pak Rupees. |
| 11.02 | The bidder has the financial, technical a | and construction capability necessary to perform the |

- 11.02 The bidder has the financial, technical and construction capability necessary to perform the contract as follows (insert required capabilities and documents.)
 - i) Financial Capacity (Must have turnover of Rs.5.0)
 - ii) Technical capacity (mention the appropriate category of registration with PEC & Qualification and experience of the staff.
 - iii) Construction capacity (mention the names and number of equipments required for the work.
- 12.1(a) A detail description of the work, essential technical and performance characteristics. Complete set of technical information, Description data, literature and drawing and required in accordance with Schedule-B to Bid, specific work data. This include but not be limited to a sufficient number of drawing.
 - (b) Photographs, catalogues, illustration and such other information as is necessary to illustrate clearly the significant characteristics such as general construction dimension and other relevant information about the word to be performed.
- Amount of Bid security 2% Rs.0.218 (m)
 (Uil in tump sum amount o in "same of bit amount. Estimate cost but not below 1% and not exceeding 5%

14.1 Period of Bid Validity

(fill in number of days not exceeding 90 days 90)

No. of copies of the Bid to be <u>One Original Plus Copies</u> submitted.

14.6 Procuring Agency's Address for the purpose of Bid submission.

Office of the Executive Engineer Public Health Engg. Division Umerkot.

(Insert postal Address of location of Bid Box for Delivery by Hand)

15.1 Dead line for submission of Bids On

On .09.2015, time .00 PM

16.1 Venue Time and date of bid Opening

On .09.2015, time 0 .00 PM office of the Executive Engineer Public Health Engg. Division Umerkot.

16.4 Responsiveness of Bids.

- (i) Bid is valid till required period.
- (ii) Bid prices are firm during currency of contract/ Price adjustment.
- (iii) Completion period offered is within specified limits
- (iv) Bidder is eligible to bid and possesses the requisite experience, capability and qualification.
- (v) Bid does not deviate from basic technical requirements and.
- (vi) Bids are generally in order, etc: "Procuring Agency can adopt either of two option (select either of them)

(a) Fixed Price Contract

If these contract no escalation will be provided during currency of the contract and normally period of completion these work is upto 04 Months.

(b) Price adjustment contract

If the contracts no escalation will be paid only on those items and in the manner as notified by the finance Department. Government of sindh after bid opening during currency of the contract.

EXECUTIVE ENGINEER
PUBLIC HÉALTH ENGG. DIVISION
UMERKOT

NAME OF WORK

SCHEDULE-B

REHABILITATION OF RURAL WATER SUPPLY SCHEME IBRAHIM RIND TALUKA KUNRI DISTRICT UMERKOT

PART-A P.E PIPE RISING MAIN 6" DIA

S.# DESCRIPTION QTY: RATE UNIT AMOUNT

 Providing, laying, and fixing in trench i/c fitting jointing and testing etc compete in all respect the hight density Pollthylene P.E pipes (HDPE-100) for W/S confirming 150 427DIN 8074/8075 B.S 3580 and PSI 3051 (PHSI NO.F/1 PN10T P-26)

6"dia 160 mm

6600.0 Rft

@ Rs. 440/-

P.Rft

Rs. 2904000/-

2. Excavation for pipe lines in trench and pits in soft soil i/c trimming and dressing sides to true alignments and shape leveling of beds of trenches to correct level and grade cutting joint holes and disposal of surplus earth within one chain or as directed by Engineer Incharge Providing fence guards lights flags and temporary crossing for non vehicular traffic wherever required lift upto 5'ft (1.52m) and lead pto one chain (30.50 mm) (PHSI No. 1 P-60).

8" dia

51995.0 Cft

@ Rs. 3600/-

P%0Cft

Rs. 187110/-

3. Refilling the excavated stuff trench 6" thick layers i/c watering ramming to full compaction etc compete (PHSI No.

24 P-77)

46777.50 Cft


@ Rs. 2760/-

P%0Cft

Rs. 129106/-

TOTAL Rs.3220210/-

| <u>PA</u> | RT-B F | <u>RENOVA</u> | TION OF S | TORAGE T | <u>rank</u> | |
|-----------|--|----------------------|--------------------------|---------------------|---------------|--------------|
| | S.# DESCRIPTIO | N | QTY: | RATE | UNIT | AMOUNT |
| 1. | Earth work excaundressed lead undressed lead to 18304.00 Cft | upto 50'f t | ŕ | ļ | , | Rs.30452/- |
| | 10004.00 Oit | @ 113. | 1000/10 | 1 7000 | 71 (| 113.50402/- |
| 2. | Extra for every swork (soft, ordinal) | ary , hard | | ļ - | /a P-2) | Rs. 55340/- |
| 3. | Cement concrete curing complete without (GSI No. Rate 1:2:4 | i/c scree 5 P-16) | _ | | ne aggregat | |
| | Rate 1:4:8 3978.00 Cft | @ Rs. 1 | 1288/75 | P% Cft | | Rs. 449066/- |
| 4. | Pucca Brick work (GSI No.4/e P-2* 80.00 Cft | 1). | ation and plir | | | Rs. 9559/- |
| 6. | Cement Plaster ((GSI No.11/a P-5 2154.0Sft | 2) | 12' height (a |) 3/8" thick P % | Sft | Rs. 49196/- |
| 7. | C.I Sluice valve (PHI No.2 P-97) For interconnect 18" dia | heavy p | attern (test | pressure) 3 | 300 lbs/sq in | nch |
| 8 | 2.00 Nos C.I Short piece (S | | s. 110700/- no.9 P-10 | Each 1) | 1 | Rs. 221400/- |
| | <u>18" dia</u> | | | | | |
| | 4.00 Nos | @ R | s. 8287/- | Each | 1 | Rs. 33148/- |



TOTAL

Rs.1826840/-

| S.# DESCRIPTION | QTY: | RATE | UNIT | AMOUNT |
|--|---------------------|---------------|-------------------------|-------------|
| 1. Dismantling of cer reinforcement from consume (GSI No.20 P- | oncrete cleaning | | separating ening the | |
| | / | : | | |
| 61.00 Cft | @ Rs. 5445/- | : i | P. % Cft | Rs. 3321/- |
| 2. Cement concrete Bri (ratio 1:4:8) (GSI No | | ast 1 ½ " to | 2" guage | |
| 9.50 Cft | @ Rs. 9416/28 | | P. % Cft | Rs. 895/- |
| Pacca work other that height in cement more | | | upto 20' ft | |
| 160.95 Cft | @ Rs. 12346/65 | · ! | P. % Cft | Rs. 19878/- |
| 4. Cement plaster (1:4) (GSI No. 13 P- 57). |) upto 12 'ft heigl | nt 1/2" thick | | |
| 3636.0 .00Sft (| @ Rs. 2283/93 | | P. % Sft | Rs. 83044/- |
| 5. Cement Pointing Stric | t Joint on wall (G | SI NO.19/b F | P-53) | |
| 2220.0 Sft (| @ Rs. 1213/58 | | P. % Sft | Rs. 26941/- |
| Making & fixing Steel i/c iron frame 2"X2" arrangement (GSI NC | X3/8" & ¾" sq | | | |
| 72.00 Sft | @ Rs. 726/72 | P. Sft | | Rs. 52324/- |
| 7. White washing two co | ats (GSI No. 26/ | a P-59). | | |
| 3636.0 Sft | @ Rs. 416/63 | P. % Sft | | Rs. 15149/- |
| 7. Color washing 2 coats | GSI No. 25/b F | P-59). | | |
| | | | | |
| | @ Rs. 859/90 | P.% Sft | | Rs. 93179/- |
| 8. Painting new surface, & windows any type (| | | g of doors | |
| 144.0 Sft (| ② Rs. 2116/41 | P.%.Sft | | Rs. 3048/- |
| | ; | | TOTAL | Rs.297779/- |

| | | | ISE & STAFF QUARTER | |
|-----------------|--|--|--|----------------------------|
| 1 ι | Cement Plaster (GSI No.13 P-58) | 1:6) upto 12' height () | b) ½" thick | |
| | 1865.12 Sft @ | D Rs. 2206/60 | P.%Sft | Rs. 41153/- |
| 2 ' | Cement Plaster ((GSI No.11 P-58) | 1:4) upto 12' height (| a) 3/8" thick | |
| | 1865.0 Sft @ | D Rs. 2197/52 | P.%Sft | Rs. 40983/- |
| 3. | round iron and shincluding cutting | neet iron for making | angles, tees flat iron truses, girders tank etc sembling and fixing but 2 P-91 | |
| | 2.03 Cwt | @ Rs. 4928/49 | P Cwt | Rs. 19798/- |
| 4. V | | 3/8" and 3/4" sq bars | including fixing at site at 4" centre to centre | |
| | 72.00 Sft | @ Rs. 180/50 | P .Sft | Rs. 12996/- |
| 5 | sheeting including | g angle iron frame 2 centre with locking ar | pors with 1/16" thick "2" 3/8 and ¾" square rangement | |
| | 52.50 Sft | @ Rs. 726/72 | P .Sft | Rs. 38153/- |
| 6 ~ | Providing and la (1:2:4) including s (c) 2" thick (GSI N | urface finishing and | ing cement concrete dividing into panel | |
| | 760.75 Sft | @ Rs. 3275/50 | P % Sft | Rs. 31448/- |
| _{7.} √ | White washing (G (a) three coat 511.0 Sft | @ Rs. 829/50 | P % Sft | Rs. 4239/- |
| | (b) Qne coat 1865.0 Sft | @ Rs. 416/63 | P % Sft | Rs. 7770/- |
| 8. | Color washing. (b) | Two coats (GSI No | 25/b P-54) | |
| | 1865.0 Sft | @ Rs. 859/90 | P % Sft | Rs. 16037/- |
| 9. ~ | , , | and painting doors GSI No. 5/c P- 70) | & windows and any | |
| | 249.00 Sft | @ Rs. 2116/41 | P % Sft TOTAL ===== → | Rs. 5270/- Rs. 217847/- |

S.# | DESCRIPTION QTY: RATE UNIT **AMOUNT** 1.

Supplying & installing in position i/c transportation to site of water supply scheme Ibrahim Rind Electric Pumping Set of 2800/2900 RPM (Siemens) 10 BHP Electric (3) phase, 50 Cycles, 500 / 220 Volts, with Centrifugal pump Type- ETA Norm (80-200) size 4"x3" mounted on common steel frame or base plate (Capable) of discharge 235 GPM against the required head of 85 ft, i/c installed on cement concrete foundation Ratio (1:2:4) with MS nuts & bolts of 5/8" dia to be made in CC foundation, embedded Providing & fixing Automatic Delta Starter (made Twain). i/c Providing fixing & prepared board iron plate double pools & neutral switch & fuse with seywer type fuse link CC 500 volts 30 amp: i/c Providing, fixing, Volt Meter, 100 volt and main submission centre switch press in the wall (5"x4"), providing phase indicator with holder & providing internal Electric wiring for main switch 3.7 PVC installed wire 500 volts, grade 15 mm on the ground @ the depth of 3.7 m (12) as per Pak PWD specification & testing pumping set against the required head for 72 hours etc complete. (R.AA)

1 Set

@ Rs. 413300/-

P. Set

Rs. 413300/-

2. Supplying & installing Diesel Engine set i/c transportation to site water supply scheme Ibrahim Rind Diesel Engine 16 HP (China made) 2800/2900 RPM i/c standard accession coupled with KSB clogging pump type ETA Norm (80-200) size 4"x3") capable to give discharge 230 GPM against head of 85 ft mounted on common steel frame or base plate including installing of diesel pumping set on cement concrete foundation Ratio (1:2:4) with MS nuts & bolts of 5/8" dia to be embedded in CC foundation plinth of the pumping set for 72 overs under actual working condition etc complete. (R.AA)

1 Sets

@ Rs. 295560/-

P. Set

Rs. 295560/-

3. M.S Pipe made out of M.S sheet of 4.8mm (3/16" thick) M.S sheet i/c cutting bending folding to correct curvature as shape (Base on schedule)

SUCTION 4" DIA

44.0 Rft

@ Rs. 749/34

P. Rft

Rs. 32971/-


DELIVERY MAIN 6" DIA


21.0 Rft

@ Rs. 749/34

P. Rft

Rs. 15736/-





S.# DESCRIPTION QTY: RATE UNIT AMOUNT

1. Supplying & installing in position i/cl transportation to site of water supply scheme Ibrahim Rind Electric Pumping Set of 2800/2900 RPM (Siemens) 10 BHP Electric (3) phase , 50 Cycles, 500 / 220 Volts, with Centrifugal pump Type- ETA Norm (80-200) size 4"x3" mounted on common steel frame or base plate (Capable) of discharge 235 GPM against the required head of 85 ft, i/c installed on cement concrete foundation Ratio (1:2:4) with MS nuts & bolts of 5/8" dia to be made in CC foundation, Providing & fixing embedded Automatic Delta Starter (made Twain), i/c Providing fixing & prepared board iron plate double pools & neutral switch & fuse with seywer type fuse link CC 500 volts 30 amp: i/c Providing, fixing, Volt Meter, 100 volt and main submission centre switch press in the wall (5"x4"), providing phase indicator with holder & providing internal Electric wiring for main switch 3.7 PVC installed wire 500 volts, grade 15 mm on the ground @ the depth of 3.7 m (12) as per Pak PWD specification & testing pumping set against the required head for 72 hours etc complete. (R.AA)

1 Set

@ Rs. 297170/-

P. Set

Rs. 297170/-

2. Supplying & installing Diesel Engine set i/c transportation to site water supply scheme Ibrahim Rind Diesel Engine 16 HP (China made) 2800/2900 RPM i/c standard accession coupled with KSB clogging pump type ETA Norm (80-200) size 4"x3") capable to give discharge 230 GPM against head of 85 ft mounted on common steel frame or base plate including installing of diesel pumping set on cement concrete foundation Ratio (1:2:4) with MS nuts & bolts of 5/8" dia to be embedded in CC foundation plinth of the pumping set for 72 overs under actual working condition etc complete. (R.AA)

1 Sets

@ Rs. 208990/-

P. Set

Rs. 208990/-

3. M.S Pipe made out of M.S sheet of 4.8mm (3/16" thick) M.S sheet i/c cutting bending folding to correct curvature as shape (Base on schedule)

i) SUCTION 4" DIA

44.0 Rft

@ Rs. 385/89

P. Rft

Rs. 16979/-


ii) <u>DELIVERY MAIN 6" DIA</u>


21.0 Rft

@ Rs. 506/60

P. Rft

Rs. 10639/-






SUMP WELL 10' DIA @ SOURCE PART – G S.# | DESCRIPTION QTY: **RATE** UNIT AMOUNT Excavation for tanks and reservoir in soft |Soil i/c trimming and dressing 1. sides to true alignment/ design correct/ profiles and shape, leveling of beds of trenches to correct level grade i/d laying of earth in 6" layers of Construction of tanks and dressing and disposal of surplus Excavated earth within one chain as directed by Engineer Incharge i/c Providing Fence guard, lights, flags where ever required lift upto 5 feet (1.52mm) and lead upto One chain (30.5mm)(PHSI, NO. 15(i) P-67). i) <u>0'-5' DEPTH</u> 565.0 Cft > @ Rs. 3000/-P % 0 Cft RS.1695/-Excavation for tanks and reservoirs in Wet soil i/c trimming and dressing sides to true alignment/ design sections/profiles and shape leveling of beds of trenches to correct level and grade i/c laying of earth in 6" layer for construction of banks and dressing and disposal of surplus. Excavated earth within one chain as directed by Engineer Incharge, i/c providing fence guards, lights,. Flags wherever required lift upto 5 feet (1.52 mm) and lead upto one chain (30.5 mm) (PHSI No. 14 P-74). i) <u>5'-8' DEPTH</u> P % 0 Cft 339.00 Cft @ Rs. 4800/-RS.1627/-Cement concrete plain i/c placing compacting finishing and curin complete (i/c) screening and washing stone aggregate without shuttering (G.S. No. 5 P-18). Ratio (1:4:8) 57.00 Cft • P % Cft @ Rs. 11288/75 RS.6435/-Ratio (1:2:4 P % Cft 20.00 Cft ν @ Rs. 14429/25 RS.2886/-R.CC work i/c labour and material except the reinforcement and its labour for bending includes all kinds of forms mould lifting shuttering curing rendering and screening finishing of exposed surface i/c screening and washing of shingle (a) Rcc Work in roofs slabs beams columns rafts lintels and other structural members laid in situ or pre-cost laid in position complete in all respect (I) Ratio (1:2:4) (GSI No. 6 P-17) 568.0 Cft @ Rs. 337/-RS.191416/-Fabrication of Mild Steel reinforcement for cement concrete i/c cutting bending laying in position making joints and fastening i/c cost of binding wire also i/c removal of rust from bars No.7(ii) P-17). RS.114139/-Cwt @ Rs. 5001/70 22.82 Cwt Cement plaster 1:4 upto 20' height (1/2" Thick)(GSINo.11/b P-52). RS.9867/-P % Sft @ Rs. 2283/93 432.0 Sft


TOTAL


Rs. 328065/-

| | S.# DESCRIPTION | V QTY: | RATE | UNIT | AMOUNT |
|----|---|---|---|---|-------------|
| 1. | structures i/c d | foundation buildi lag belling dressing I eater watering ra SSI No.18 P-4). | refilling arour | | ! |
| | Say 188.0 Cft | @Rs3176/25 | P%oCft | | Rs 597/- |
| 2. | Cement concre (ratio 1.4:8) (GS | te Brick or stone Ball SI No.4/b P-15) | last 1-1/2" to 2" | guage | _ |
| | 96,00Cft | @Rs:9416/28 | P%Cft | I | Rs: 9040/= |
| 3. | Pucca Brick wo (GSI No.4/e P-2 | rk in foundation and 21). | plinth in ratio (| (1:6) | |
| | 192.0 Cft | @Rs:11948/36 | P%Cft. | Į | Rs: 22941/= |
| 4. | | arse with cement san | | | |
| | 62.00 Sft | @Rs: 3912/85 | P% | Sft F | Rs: 2426/= |
| 5. | Filling watering from foundation (GSIO No. 21 I | • | | • | |
| | 211.0 Cft | @Rs:1512/50 | P%oCft | F | Rs:319/= |
| 6. | Pacca brick wor (GSI No:5/e P-2 | k in ground floor in c | ement sand m | ortar 1:6 | |
| | 343.0 Cft | @Rs: 12674/36 | P% Cft | F | Rs: 43473/= |
| 7. | reinforcement and forms mould lifting finishing of expensions shingle (a) RCC lintels and other cast laid in position 1:2:4 90lbs cem | • | ding includes a rendering and reening and v s beams colu | all kinds of screening vashing of umns rafts or pre- (1) Ratio | |
| | 149.0 Cft | @Rs:337/- | P.Cft | R | s: 50213/= |
| 8. | i/c cutting bend | nild steel reinforceme ing laying in position oval or rust for bars | on making jo | inting and | |
| | .5.98 Cwt. | @Rs:5001/70 | P.Cwt. | R | .s29910/= |



PART-I DISTRIBUTION SYSTEM





| 5. | cost of s and B cla | oint to PVC spe solvent cement to ass to the specif nts etc complete | esty th join ied pressu | t along wi | th the P\ | /C pipe | | / | |
|----|--|---|--|---|--|--|-------------------------------|--------|---|
| | 6" DIA 4" DIA 3" DIA | 23 Joints 20.0Joints 26.0Joints | @ Rs. @ Rs. @ Rs. | 96/- 70/- 59/- | P. Joint P. Joint P. Joint | // | Rs. 220 Rs. 140 Rs. 153 | 00/-/- | |
| 3. | et i/c sup with was | /M.S flanged pip oplying rubber pa hers etc and oth to the specified | acing of the er toll requ | e required | thicknes jointing t | ss & bol o testing | t I | | |
| | 3" DIA | | | | | | | | |
| | 6.0 Joints | / S | @ Rs. 49 | 9/- | P. Jo | oint | Rs. 299 |)4/- | |
| | 4" DIA | | | | | | | | |
| | 4.0 Joints | 6 | @ Rs. 51 | 3/ | P. Jo | oint | Rs. 205 | 2/- | |
| | <u>6" DIA</u> | | | | / | | | | |
| | 2.0 Joints | <i>(</i> | @ Rs. 93 | B/ ₁ | P. Jo | oint | Rs. 187 | 6/- | |
| 7. | | he excavated st to full compactio | | | | | | | |
| | 24332.5 (| Off. | @ Rs. 27 | 50/- | Р% | ^o Cft | Rs 6688 | 32/- | |
| 8. | meter) de with 18" (Cwt 3qr fi per Cft) : cement ce | Chamber 2-1/2 eep as per appro 457 mm) dia in s ixed in RCC 1:2: slab 9" (229 n concrete 1:3:6 i oncrete 1:2:4 flo 3 to all inside was 5 foot rest & e n back filing 6 | ved design side cast in 4 (102 mm mm) thick n foundati foring ½ " all surface very 1' be disposa | for sluice on cover a n) thick (v brick (1 on 1" (12.5 mm and to top | e valve 3" and frame with 5 Lbs 152 mm) (25 mm)) thick co i/c provi | to 12" e (wt=1 s Steel Thick thick cement iding & curing | | | |
| | For s/valv | re / | | | ./ | / | (| | |
| | 2.0 Nos | J | @ Rs. 188 | 320/- | Each TOTAL | - | Rs. 376 Rs. 8969 | | _ |
| | | | | | | | | | |

5.

ABSTRACT

| Part-A | Rising Main (P.E pipe 6 ndia) | Rs.3220210/- |
|--------|--------------------------------------|---------------|
| Part-B | Repair of Storage Tank | Rs.1826840/- |
| Part-C | Repair of Compound wall | Rs.297779/- |
| Part-D | Repair of Pump House & Staff Quarter | Rs.217847/- |
| Part-E | Pumping Machinery @ source | Rs.876750/- |
| Part-F | Pumping Machinery @ Water works | Rs. 574332/- |
| Part-G | Sump well @ Source | Rs.328065/- |
| Part-H | Pump House @ Source | Rs.259687/- |
| Part-I | Distribution System | Rs. 896965/- |
| | TOTAL ===- → | Rs. 8498475/- |

CONDITIONS

- 1. The rate should inclusive of all the taxes i.e Sales Tax, Octrol, royalties etc. if any
- 2. No separate carriage will be allowed to the firms/ contractors.
- 3. No Premium will be allowed on non schedule items.
- 4. Steel Shuttering will be used in RCC works.
- 5. For RCC & Plain Cement concrete the mixture machine will be used.
- 6. The testing of the work will be arranged by the contractor at his own cost, no separate payment will be made.
- 7. Any error or omission in the specification item will be governed by the relevant specification and schedule items.

8. The decision of the undersigned shall be final and binding on all the parties in any dispute.

CONTRACTOR

EXECUTIVE ENGINEER
PUBLIC HEALTH ENGG. DIVISION
UMERKOT

BHDDING DATA

This section should be filled in by the Engineering / Procuring Agency before issuance of the bidding documents. The following specific data for the works to be procured shall complement, amend, or supplement the provisions in the instructions to Bidders. Wherever there is a conflict: the provisions herein shall prevail over those in the instruction to bidders)

Instructions to Bidders Clause Reference

| 1.38 | Name of Procuring Agency (insert name of the Procuring Agency) | Public Health Engineering Division Umerkot |
|---------|---|---|
| | Brief Description of work | REHABILITATION OF RURAL WATER SUPPLY SCHEME AMIR HUSSAIN SHAH (BACHA BAND) TALUKA PITHORO DISTRICT UMERKOT. |
| 5.1 (a) | Procuring Agency's Address | Office of the Executive Engineer Public Health Engg. Divi ion Umerkot. |
| | (Insert address of the Procuring agency with Tele Tax | <u>Phone / Fax: 0238-571948</u> |
| (b) | Engineer's Address | Office of the Executive Engineer Public Health Engg. Division Umerkot. |
| | (Insert address of the Procuring agency with Tele Fax | Phone / Fax: 0238-571948 |
| 10.3 | Bid Shall be quoted Entirely in Pak Rupees | The Payment shall be made in Pak Rupees. |

- 11.02 The bidder has the financial, technical and construction capability necessary to perform the contract as follows (insert required capabilities and documents.)
 - i) Financial Capacity (Must have turnover of Rs.5.0)
 - ii) Fechnical capacity (mention the appropriate category of registration with PEC & Qualification and experience of the staff.
 - iii) Construction capacity (mention the names and number of equipments required for the work.
- 12.1(a) A detail description of the work, essential technical and performance characteristics. Complete set of technical information, Description data, literature and drawing and required in accordance with Schedule-B to Bid, specific work data. This include but not be limited to a sufficient number of drawing.
 - (b) Photographs, catalogues, illustration and such other information as is necessary to illustrate clearly the significant characteristics such as general construction dimension and other relevant information about the word to be performed.
- Amount of Bid security 2% Rs.0.197 (m)

 (bill in transport amount of it forms of bit amount.) Stimute cost but not below 1% and not exceeding 2%

14.1 Period of Bid Validity

(fill in number of days not exceeding 90 days 90)

- 14.4 No. of copies of the Bid to be <u>One Original Plus Copies</u> submitted.
- Procuring Agency's Address for the purpose of Bid submission.

 Office of the Executive Engineer Public Health Eng. Division Umerkot.

(Insert postal Address of location of Bid Box for Delivery by Hand)

- 16.1 Venue Time and date of bid Opening
 On .09.2015, time 0 .00 PM office of the
 Executive Engineer Public Health Engg.
 Division Umerkot.

16.4 Responsiveness of Bids.

- (i) Bid is valid till required period.
- (ii) Bid prices are firm during currency of contract: Price adjustment.
- (iii) Completion period offered is within specified limits
- (iv) Bidder is eligible to bid and possesses the requisite experience, capability and qualification.
- (v) Bid does not deviate from basic technical requirements and.
- (vi) Bids are generally in order, etc. Procuring Agency can adopt either of two option (select either of them)

(a) Fixed Price Contract

If these contract no escalation will be provided during currency of the contract and normally period of completion these work is upto 04 Months.

(b) Price adjustment contract

If the contracts no escalation will be paid only on those items and in the manner as notified by the finance Department. Government of sindh after bid opening during currency of the contract.

EAECUXIVE ENGINEER PUBLIC HEAETH ENGG. DIVISION UMERKOT

NAME OF WORK

SCHEDULE "B"

REHABILITATION OF RURAL WATER SUPPLY SCHEME AMIR HUSSAIN SHAH (BACHA BAND) TALUKA PITHORO DISTRICT UMERKOT

PART-A RENOVATION OF STORAGE TANK

| | S.# DESCRIPTIO | N QTY: | RATE | UNIT | AMOUNT |
|----|---|---|---|--|---------------------------|
| 1. | | vation in ashes, sa upto 50'f t (GSI No | | | ce |
| | 13467.00 Cft | @ Rs. 1663/75 | P % 0 0 | Oft | Rs.22406/- |
| 2. | Extra for Wet ea | rth work (GSINo.15 | P-3) | | |
| | 13467.00Cft | @ Rs. 1058/75 | P % 0 0 | Oft | Rs. 14258/- |
| 3 | driver and assist for placing pump pipes of pumpi tre3nches i/c tompletion of the 10 H.P (But not | s of the pumping setant fuel or electric os etc at I;ower deling out water four he cost of erecte job. (iv) Hire challess than 5 H.P.) personers. | energy plate to the with suction at various tion and disreges of pumpioumping out was | forms require n and delive depths fro mantling afte ng set of up | ed ry m er to |
| | 6.0 Days | @ Rs. 1500/- | P.days | | Rs. 9000/- |
| 4. | | 50 ft additional lead ary , hard and very l | • | , , | th |
| | 13467.0 Cft | @ Rs. 2217/16 | P % 0 C | Cft C | Rs. 29858/- |
| 5. | | e plain i/c plannin i/c screening & v 5 P-16) | | | |
| | 2936.0 Cft | @ Rs. 11288/75 | P% Cf | t | Rs. 331438/- |
| | Rate 1:2:4 | | | | 5 -2 |
| | 5731.71 Cft | @ Rs. 14429/25 | P % Cf | t | Rs. 827042/- |
| 6. | | in foundation or p (GSI No.4/e P-21) | linth (1:6) leve | l in cement s | sand |
| | 452.0Cft | @ Rs. 11948/ | '36 ~ | P % Cft | Rs. 54007/- |
| 7. | Cement Plaster ((GSI No.11/a P-5 | 1:4) upto 12' height i2) | (a) 3/8" thick | | |
| | 1750.0Sft 💟 | @ Rs. 2283/9 | 3 | P % Sft | Rs. 39969/- |

REPAIR OF COMPOUND WALL S.# | DESCRIPTION QTY: **RATE** UNIT AMOUNT Pucca work other than building i/c striking of joints upto 20' ft 1. height in cement mortar (1:6) (GSI NO. 7 P-22). P% Cft 370.0 Cft ~ @ Rs. 12346/65 Rs. 45683/-2. Cement Plaster (1:6) upto 12 ft height 1/2" thick (GSI No.13/b P-52) P% Sft 8731.0 Sft @ Rs. 2206/60 Rs. 192658/-3 Cement Plaster (1:4) upto 12 ft height 3/8" thick (GSI No.11/a P-52) (_ 8731.0Sft @ Rs. 2197/52 P% Sft Rs. 191865/-Making and fixing steel grated door with 1/16" thick sheeting including angle iron frame 2"x2 3/8 and 3/4" squar bars 4" centre to centre with locking arrangement.(GSI No.24 P-92) P Sft Rs. 52324/-72.00 Sft @ Rs. 726/72 White washing 2 coat (GSI NO.26(b) B-54) 5. 8731.0 Sft @ Rs. 416/63 P% Sft Rs. 36376/-Colour Washing 2 coat (GSI NO.24(b) B-54) 6. 8731.0 Sft @ Rs. 859/90 P% Sft Rs. 75078/-7.

Painting new surface, preparing surface and paining of doors, windows any type (i/c edges (GSI NO.5 P-70)

@ Rs. 2116/41 144.00 Sft 🐣

P % Sft

Rs. 3048/-

TOTAL

RS.597032/-

| PART- | C | REPAIR OF PUMP H | OUSE |
|---------|--------|------------------|------|
| TABLES. | \sim | | OUL |

| | S.# DESCRIPTIO | N QTY: | RATE UNIT | AMOUNT |
|----|--------------------|-------------------------|----------------------|-------------|
| | | | | |
| 1 | Providing and | laying 2" thick topp | ing cement concret | e |
| | (1:2:4) including | surface finishing and | dividing into panel | |
| | (c) 2" thick (GSI | No.16 P-42) | | |
| | 2" thick | | | |
| | · · | | | <u> </u> |
| | 240.0 Sft | @ Rs. 3275/50 | P % Sft | Rs. 7861/- |
| | 1-1/2" thick | | | |
| | | . | | |
| | 478.50 .0 Sft | @ Rs. 2548/79 | P % Sft | Rs. 12194/- |
| | | | | |
| 2. | Cement Plaster | (1:4) upto 12 ft height | 1/2" thick | |
| | (GSI No.11/ P-52 | 2) | | |
| | | _ | | ~ |
| | 812.50 Sft | @ Rs. 2283/93 | P% Sft | Rs. 18557/- |
| | | | | |
| 3 | White washing (| GSI NO.26(b) B-54) | | |
| | 2 coat | | <i></i> | |
| | 240.0 Sft | @ Rs. 829/95 | P% Sft | Rs. 1992/- |
| | | | | |
| | 1 coat | | <i>/</i> | |
| | 812.50 Sft | @ Rs. 416/63 | P% Sft | Rs. 3385/- |
| | | | | |
| 4 | Colour washing 2 | 2 coat (GSI NO.24(b) | B-54) | |
| | | | | |
| | 858.00 Sft | @ Rs. 859/90 | P% Sft | Rs. 6987/- |
| | | _ | | |
| 5. | Painting old surfa | ace, preparing surface | and paining of doors | , |
| | | e (i/c edges (GSI NO.5 | | |
| | | • | <i>y</i> : | _ |
| | 228.0 Sft | @ Rs. 1160/06 | P % Sft | Rs. 2645/- |
| | | | | |
| | | | TOTAL | RS.53621/- |
| | | | | |

PART- D PUMPING MACHINERY AT WATER WORKS

S.# DESCRIPTION QTY: RATE UNIT AMOUNT

1. Supplying & installing in position i/c transportation to site of water supply scheme Amir Hussain Shah (Bacha Band) Electric Pumping Set of 2800/2900 RPM (Siemens) 15 BHP Electric (3) phase, 50 Cycles, 500 / 220 Volts, with Centrifugal pump type ETA (65-200) size (3x 2-1/2') mounted on common steel frame or base plate (Capable) of discharge 210 GPM against the required head of 120 ft , i/c installed on cement concrete foundation Ratio (1:2:4) with MS nuts & bolts of 5/8" dia to be embedded made in CC foundation, Providing & fixing Automatic Delta Starter (made Twain), i/c Providing fixing & prepared board iron plate double pools & neutral switch & fuse with seywer type fuse link CC 500 volts 30 amp: i/c Providing, fixing, Volt Mater, 100 volt and main submission centre switch press in the wall (5"x4"), providing phase indicator with holder & providing internal Electric wiring for main switch 3.7 PVC installed wire 500 volts, grade 15 mm on the ground @ the depth of 3.7 m (12) as per Pak PWD specification & testing pumping set against the required head for 72 hours etc complete. (R.AA)

1 Sets

@ Rs. 350000/-

P. Set

Rs. 350000/-

2. Supplying & installing Diesel Engine set i/c transportation to site water supply scheme Amir Hussain Shah Bacha Band Diesel Engine 20 HP (Golden made) 2200 RPM i/c standard accession coupled with (KSB clogging pump type ETA (65-200) size 3'x2-1/2" capable to give discharge 215 GPM against head of 120 ft mounted on common steel frame or base plate including installing of diesel pumping set on cement concrete foundation Ratio (1:2:4) with MS nuts & bolts of 5/8" dia to be embedded in CC foundation plinth of the pumping set for 72 overs under actual working condition etc complete. (R.AA)

1 Sets ►

@ Rs. 235840/-

P. Set

Rs. 235840/-

3. M.S Pipe made out of M.S sheet of 4.8mm (3/16" thick) M.S sheet i/c cutting bending folding to correct curvature as shape (Base on schedule)

i) SUCTION 3" DIA

44.0 Rft

@ Rs. 385/89

P. Rft

Rs. 16979/-

ii) <u>DELIVERY MAIN 4" DIA</u>

21.0 Rft 、

@ Rs. 506/60

P. Rft

Rs. 10639/-

4. Manufacturing supplying M.S flanged of Diff: dia made out of M.S sheet cutting drilling holes and welding of flanges with M.S pipe etc complete (Rate approved based on schedule)

6" dia ✓ 8.0 Nos

@ Rs. 500/89

Each


Rs. 4007/-

<u>4" dia</u> , 8.0 Nos

@ Rs. 596/75

Each

Rs. 4774/-



PART- E ___PUMPING MACHINERY AT SOURCE S.# DESCRIPTION QTY: RATE UNIT AMOUNT Supplying & installing in position i/c transportation to site of water 1. scheme Amir Hussain (Bacha Band) Electric Pumping Set of 2800/2900 RPM (Siemens) 15 BHP Electric (3) phase , 50 Cycles, 500 / 220 Volts, with Centrifugal pump type ETA (65-200) size (3x 2-1/2') mounted on common steel frame or base plate (Capable) of discharge 210 GPM against the required head of 130 ft, i/c installed on cement concrete foundation Ratio (1:2:4) with MS nuts & bolts of 5/8" dia to made in CC foundation, Providing & fixing be embedded Automatic Delta Starter (made Twain), i/c Providing fixing & prepared board iron plate double pools & neutral switch & fuse with seywer type fuse link CC 500 volts 30 amp: i/c Providing, fixing, Volt Meter, 100 volt and main submission centre switch press in the wall (5"x4"), providing phase indicator with holder & providing internal Electric wiring for main switch 3.7 PVC installed wire 500 volts, grade 15 mm on the ground @ the depth of 3.7 m (12) as per Pak PWD specification & testing pumping set against the required head for 72 hours etc complete. (R.AA) @ Rs. 350000/-P. Set Rs. 350000/-1 Set 2. Supplying & installing Diesel Engine set i/c transportation to site water supply scheme Amir Hus ain Shah (Bacha Band) Diesel Engine 23 HP (Golden made) 2200 RPM i/c standard accession coupled with (KSB clogging pump type ETA (65-200) size 3'x2-1/2" capable to give discharge 210 GPM against head of 130 ft mounted on common steel frame or base plate including installing of diesel pumping set on cement concrete foundation Ratio (1:2:4) with MS nuts & bolts of 5/8" dia to be embedded in CC foundation plinth of the pumping set for 72 overs under actual working condition etc complete. (R.AA) P. Set 1 Set -@ Rs. 235840/-Rs. 235840/-3. M.S Pipe made out of M.S sheet of 4.8mm (3/16" thick) M.S sheet i/c cutting bending folding to correct curvature as shape (Base on schedule) i) SUCTION 3" DIA 44.0 Rft Rs. 16979/-@ Rs. 385/89 P. Rft ii) DELIVERY MAIN 6" DIA 21.0 Rft 💍 Rs. 10639/-@ Rs. 506/60 P. Rft Manufacturing supplying M.S flanged of Diff: dia made out of 4. M.S sheet cutting drilling holes and welding of flanges with M.S pipe etc complete (Rate approved based on schedule)

@ Rs. 500/89

@ Rs. 596/75

6" dia

4" dia

8.0 Nos


8.0 Nos

Rs. 4007/-

Rs. 4774/-

Each

Each



PART-F RISING MAIN (P.E PIPE6 " DIA) S.# | DESCRIPTION UNIT QTY: RATE **AMOUNT** 1. Providing, laying, and fixing in trench i/c fitting jointing and testing etc compete in all respect the high density Pollthylene P.E pipes (HDPE-100) for W/S confirming ISO 4427/DIN 8074/8075 B.S 3580 and PSI 3051 (PHSI NO.F/1 6" DIA (P.E PIPE (PN-8) 160 MM (OD) @ Rs. 440/-P. Rft RS. 2860000/-6500.0 Rft 🐧 Excavation for pipe lines in trench and pits in soft soil i/c trimming and dressing sides to true alignments and shape leveling of beds of trenches to correct level and grade cutting joint holes and disposal of surplus earth within one chain or as directed by Engineer Incharge Providing fence guards lights flags and temporary crossing for non vehicular traffic wherever required lift upto 5'ft (1.52m) and lead pto one chain (30.50 mm) (PHSI No. 1 P-60). 511875.0 Cft @ Rs. 3600/-P. % 0 Cft RS. 184275/-Reflex valve of heavy pattern (Tust pressure) 21 kg/sq cm or 300 lbs / sq inch (important) (PHSI NO.6/d P-97) 6" dia @ Rs. 9360/-1.0 Nos 💆 Each 1 RS. 9360/-Air valve double acting (PHSI No.8 P-98) 6" dia RS. 8000/-2 Nos @ Rs. 4000/-Each Fire hydrant tee (SMI NO 10 P-102) 5. 6" dia RS. 2750/-2 Nos Each @ Rs. 1375/-C.I Tail piece (SOMI No.9 P-15) RS. 1238/-@ Rs. 618/75 Each 2.0 Nos 7 But fusion joint (SOMI NO.H P-106) 6" dia RS. 6000/-6.0 Nos ∽ @ Rs. 1000/-Each Refilling the excavated stuff in trench 6" thick layers i/c 8. watering ramming to full compaction etc complete (PHSI No.24 P-77) P. % 0 Cft RS. 127150/-46068.75 Cft @ Rs. 2760/-TOTAL ======----Rs. 3198773/-

PART-G DISTRIBUTION SYSTEM S.# DESCRIPTION **RATE** UNIT **AMOUNT** Providing Laying UPVC Pipes of Class 'B' (equivalent make) fixing 1. in trench i/c cutting fitting and jointing with 'Z' joint with one rubber ring i/c testing with water to head of 61 meter or 200 ft. (PHSI No.1 P-22) <u>6" DIA</u> 1800.0Rft P. Rft @ Rs. 262/ Rs. 471600/-4" Dia 1200.0 Rft P. Rft @ Rs. 137/-Rs 164400/-3" Dia 4500.0 Rft Rs. 405000/-@ Rs. 90/-2. Supplying C.I Sluice valve heavy pattern (Test Pressure 300 LBS/ sq inch .(S.O.I.M No 2 p-97). 6" DIA Rs. 9360/-1.0 Nos @ Rs. 9360/-Each 4" DIA 2.0 Nos Each Rs. 10920/-@ Rs. 5460/-3" DIA 3.0 Nos @ Rs. 4290/-Each Rs. 12870/-Specials for PVC pipe "B" Class Standard weight ACIL (SOMI 3. No. 5 P- 100) **PVC TEE** <u>i)</u> a) 6"x6"6 2 Mos @ Rs. 1800/-Each Rs. 3600/ @ Rs. 1800/-Rs. 3600/ 6"x6"4 2 Nos Each b) 3 Nos/ Rs. 35431-4"x4"3 @ Rs. 1181/-Each c) 3"x3"3 4.0 Nos @ Rs. 900/-/ Each Rs. 3600/d) C.I Jabault Joint (Sh of mat no.9 P-101 ii) 3" DIA 10.0 Nos Rs. 5688/-@ RJ. 568/75 Each

@ Rs. 731/25

@ Rs.1062/50

Each


Each

Rs. 5850/-

Rs. 4250/-

<u>4" DIA</u>

8.0 Nos-



6. Joint C.I /M.S flanged pipe and specials flanged and insie atren et i/c supplying rubber pacing of the required thickness & bolt with washers etc and other toll required tfor jointing to testing the joint to the specified etc complete (PHSI NO. 1 P 35)

3" DIA

6.0 Joints

@ Rs. 499/-

P. Joint

Rs. 2994/-

4" DIA

4.0 Joints

@ Rs. 513/-

P. Joint

Rs. 2052/-

<u>6" DIA</u>

4.0 Joints

@ Rs. 938/-

P. Joint

Rs. 3752/-

7. Raffling the excavated stuff trench 6" thick layers i/c watering ramming to full compaction etc compete (PHSI No. 24 P-77)

43537.50Cft

@ Rs. 2760/-

P % ⁰ Cft

Rs 120164/-

8. Providing Chamber 2-1/2x2-1/2 de dimension 4 1/2 (1372 meter) deep as per approved design for sluice valve 3" to 12" with 18" (457 mm) dia in side cast iron cover and frame (wt=1 Cwt 3qr fixed in RCC 1:2:4 (102 mm) thick (with 5 Lbs Steel per Cft) slab 9" (229 mm) thick brick (1152 mm) Thick cement concrete 1:3:6 in foundation 1" (25 mm) thick cement concrete 1:2:4 flooring ½ " (12.5 mm) thick cement plaster 1:3 to all inside wall surface and to top i/c providing & fixing M.S foot rest & every 1' beyond 2 ½ depth curing excavation back filing & disposal of surpals earth etc complete. (PHSI NO.1 P-49)

For s/valve

2.0 Nos

@ Rs. 18820/-

Each

Rs. 37640/-

TOTAL ===→ Rs. 1478643/-

ABSTRACT

| | TOTAL ===→ | Rs.7970157/- |
|--------|-----------------------------------|---------------|
| Part-G | Distribution System & Rising Main | Rs.1478643/- |
| Part-F | Rising Main (P.E. PIPE6" DIA) | Rs.3198773/- |
| Part-E | Pumping Machinery @ source | Rs.656755/- |
| Part-D | Pumping Machinery @ water works | Rs. 656755/- |
| Part-C | Repair Pump House | Rs.53621/- |
| Part-B | Repair of Compound wall | Rs.597032/- |
| Part-A | Repair of Storage Tank | Rs. 1328578/~ |

CONDITIONS

- 1. The rate should inclusive of all the taxes i.e Sales Tax, Octroi, royalties etc. if any
- 2. No separate carriage will be allowed to the firms/ contractors.
- 3. No Premium will be allowed on non schedule items.
- 4. Steel Shuttering will be used in RCC works.
- 5. For RCC & Plain Cement concrete the mixture machine will be used.
- 6. The testing of the work will be arranged by the contractor at his own cost, no separate payment will be made.
- 7. Any error or omission in the specification item will be governed by the relevant specification and schedule items.
- 8. The decision of the undersigned shall be final and binding on all the parties in any dispute.

CONTRACTOR

EXECUTIVE ENGINEER
PUBLIC HEALTH ENGG. DIVISION
UNIERKOT

ABSTRACT

| | TOTAL ===→ | Rs.8753458/- |
|--------|-----------------------------------|--|
| Part-H | Operation Maintenance Cost | Rs.779455/- |
| Part-G | Distribution System & Rising Main | / <i>47.74.47</i> / Rs. 1482319/ |
| Part-F | Rising Main (P.E. PIPE6" DIA.) | Rs.3198773/- |
| Part-E | Pumping Machinery @ source | Rs. 656830/ - |
| Part-D | Pumping Machinery @ water works | <i>656755/</i> Rs. 656850/- ' |
| Part-C | Repair Pump House | Rs.53621/- / |
| Part-B | Repair of Comr ound wall | Rs.597032/- |
| Part-A | Repair of Storage Tank | Rs. 1328578/- / |

CONDITIONS

- 1. The rate should inclusive of all the taxes i.e Sales Tax, Octroi, royalties etc. if any
- 2. No separate carriage will be allowed to the firms/ contractors.
- 3. No Premium will be allowed on non schedule items.
- 4. Steel Shuttering will be used in RCC works.
- 5. For RCC & Plain Cement concrete the mixture machine will be used.
- 6. The testing of the work will be arranged by the contractor at his own cost, no separate payment will be made.
- 7. Any error or omission in the specification item will be governed by the relevant specification and schedule items.
- 8. The decision of the undersigned shall be final and binding on all the parties in any dispute.

CONTRACTOR

EXECUTIVE ENGINEER
PUBLIC HEALETH ENGG. DIVISION
UMERKOT

BIDDING DATA

This section should be filled in by the Engineering Procuring Agency before issuance of the bidding documents. The following specific data for the works to be procured shall complement, amend, or supplement the provisions in the instructions to Bidders. Wherever there is a conflict: the provisions herein shall prevail over those in the instruction to bidders)

Instructions to Bidders Clause Reference

| 1.38 | Name of Procuring Agency (insert name of the Procuring Agency) | Public Health Engineering Division Umerkot |
|---------|--|---|
| | Brief Description of work | REHABILITATION OF RURAL WATER SUPPLY SCHEME ILYAS KHAKHELI TALUKA & DISTRICT UMERKOT. |
| 5.1 (a) | Procuring Agency's Address | Office of the Executive Engineer Public Health Engg. Division Umerkot. |
| | (Insert address of the Procuring agency with Tele-Fax | Phone / Fax: 0238-571948 |
| (b) | Engineer's Address | Office of the Executive Engineer Public Health Engg. Division Umerkot. |
| | (Insert address of the Procuring agency with Tele Fax | Phone / Fax: 0238-571948 |
| 10.3 | Bid Shall be quoted Entirely in Pak Rupees | The Payment shall be made in Pak Rupees. |

- 11.02 The bidder has the financial, technical and construction capability necessary to perform the contract as follows (insert required capabilities and documents.)
 - i) Financial Capacity (Must have turnover of Rs.5.0)
 - ii) Technical capacity function the appropriate category of registration with PEC & Qualification and experience of the staff.
 - iii) Construction capacity (mention the names and number of equipments required for the work.
- 12.1(a) A detail description of the work, essential technical and performance characteristics. Complete set of technical information, Description data, literature and drawing and required in accordance with Schedule-B to Bid, specific work data. This include but not be limited to a sufficient number of drawing.
 - (b) Photographs, catalogues, illustration and such other information as is necessary to illustrate elearly the significant characteristics such as general construction dimension and other relevant information about the word to be performed.
- 13.1 Amount of Bid scenarity 2% Rs.0.0834 (m)

 (Fill in hump sum amount o in "wage of bit amount 1 stimute cost but not below 1% and not exceeding 5%...

1-4.1 Period of Bid Validity

(fill in number of days not exceeding 90 days

- No. of copies of the Bid to be One-Original Plus Copies 1.4.4 submitted.
- 14.6 purpose of Bid submission.

Procuring Agency's Address for the Office of the Executive Engineer Public Health Engg. Division Umerkot.

(Insert postal Address of location of Bid Box for Delivery by Hand)

15.1 Dead line for submission of Bids On -

16.1 Venue Time and date of bid Opening On .09.2015, time 0 .00 PM office of the Executive Engineer Public Health Engg. Division Umerkot.

16.4 Responsiveness of Bids.

- (i) Bid is valid till required period.
- (ii) Bid prices are firm during currency of contract. Price adjustment.
- (iii) Completion period offered is within specified limits
- (iv) Bidder is eligible to bid and possesses the requisite experience, capability and qualification.
- (v) Bid does not deviate from basic technical requirements and.
- (vi) Bids are generally in order, etc: "Procuring Agency can adopt either of two option (select either of them)

(a) Fixed Price Contract

If these contract no escalation will be provided during currency of the contract and normally period of completion these work is upto 04 Months.

(b) Price adjustment contract

If the contracts no escalation will be paid only on those items and in the manner as notified by the finance Department, Government of sindh after bid opening during currency of the contract.

> EXECCTIVE ENGINEER PUBLIC HEXITH ENGG. DIVISION UMERKOT

SCHEDULE -B

NAME OF WORK

REHABILITATION OF RURAL WATER SUPPLY SCHEME HAJI ILYAS KHASKHELI (JALAL KHASKHELI) TALUKA KUNRI DISTRICT UMERKOT

| SUB-HEAD NO. I | STORAGE TANKS |
|----------------|---------------|
| | |

| | | | · · · · · · · · · · · · · · · · · · · | | | |
|-------------|---|------------------|---------------------------------------|----------|-------------------------------|--|
| S. # | DESCRIPTION | QTY: | RATE | UNIT | AMOUNT | |
| 1. | Earth work excavation in ashes sand soft soil or silt clearance undressed lead upto 50 ft (GSI No. 2 P-1) | | | | | |
| | 10848.0 Cft | @ Rs 1663/75 | P % 0 | Cft | Rs. 18048/- | |
| 2 | Extra for wet earth v | work (GSLNO 15 | 5 P-3) | | | |
| | 10848.0 Cft | @ Rs. 1058/75 | P % 0 | Cſŧ | Rs. 11485/- | |
| 3. | Full hire charges of the pumping set per day inclusive of warge of driver and assistant fuel or electric energy plate forms required for placing pumps etc at lower depth with suction and delivery pipes of pumping out water found at various depths from tre3nches i/c the cost of erection and dismantling after completion of the job. (iv) Hire charges of pumping set of upto 10 H P (But not less than 5 H.P.) pumping out water from 10 ft deep trenches (Sch. Rates vol-3 Part- iv No. 23/iv P-53). | | | | | |
| | 20.0 Days | @ Rs. 1500/- | P day | , | Rs. 30000/- | |
| 4 | Dismantling of brick | in time or cemer | it mortar (GSI N d | 13 P-10) | | |
| | 730 93 .0 Cft | @ Rs 1285/63 | Р%С | ft | Rs. 9397/- | |
| 5. | Dismantling of cement concrete plain (1:4:8) (GSINo 19/cP-11) | | | | | |
| | 651 91 Cft | @ Rs 1663/75 | Р%С | f(| Rs 10846/- | |
| 6. | Extra for every 50 ft additional lead or part thereof (a) for earth work (soft ordinary hard and very hard) (GSI No. 8/a P-3) | | | | | |
| | 12230.84 Cft | @ Rs 1814/04 | P % 00 | Cft | Rs 22187/- | |
| 7. | Cement concrete plain i/c placing compacting, finishing and curing complete i/c screening & washing of stone aggregate, without shuttering (GSI No. 5 P-17) Ratio (1:4:8) | | | | | |
| | 665 74 Cft | @ Rs 11288/75 | 5 P%C | ft | Rs. 75154/- | |
| | Ratio (1:2:4) | | | | | |
| | 8381 0 Cft | @ Rs. 14429/25 | P % C TOTA | | Rs. 1209315/- Rs.1386432/- | |

SUB-HEAD NO.2 REPAIR OF PUMP HOUSE

| S. | # DESCRIPTION | QTY: | RATE | UNIT | AMOUNT | | |
|----|---|--------------|-------|------|------------|--|--|
| 1. | White washing two coats (GSI No.26/b P-54) | | | | | | |
| | 273.0 Sft | @ Rs. 425/84 | P% S | Sft | RS. 1163/- | | |
| 2. | Distempering 2 coats (GSI No 24/b P-54) | | | | | | |
| | 884.0 Sft | @ Rs 1043/90 | P % S | Sft | RS 9228/- | | |

3. Painting old surface.

Preparing surface and painting of doors and

window of any type I/c edges (GSI No.4/c P-68)

Three Coats

104.0 Sft

DESCRIPTION

S.#

@ Rs 1662/21

₽% Sft

UNIT

RS. 1729/-

TOTAL

RATE

Rs.12120/-

AMOUNT

Rs.130719/-

SUB-HEAD NO.3 REPAIR OF COMPOUND WALL


QTY:

| 1. | Distempering 2 coats (GSI No 24/b P-54) | | | | | |
|----|--|---------------|---------|--------------|--|--|
| | 12395.0 Sft | @ Rs. 1043/90 | P% Sft | RS. 129391/- | | |
| 2. | Painting old surface. | | | | | |
| | Preparing surface and painting of doors and window of any type i/c edges. (GSI No.5/c P-76). Two Coats | | | | | |
| | | | | | | |
| | | | | | | |
| | 120.0 Sft | @ Rs. 1106/60 | P % Sft | RS 1328/- | | |

TOTAL

SUB-HEAD NO.4 REPAIR OF STAFF QUARTER

| S.# | DESCF | RIPTION | QTY: | RATE | UNIT | AMOUNT | |
|------|---|----------|------------------|--------------|--------|----------------------------------|--|
| 1. | White washing two coats (GSI No 26/b P-54) | | | | | | |
| | 300.75 | Sft | @ Rs. 425/84 | ۳ % | Sft | RS. 1281/- | |
| 2. | Distempering 2 coats (GSI No.24/b P-54) | | | | | | |
| | 1358.0 \$ | Sft | @ Rs. 1043/90 | Р% | Sft | RS. 14176/- | |
| 3. | Painting old surface. Preparing surface and painting of doors and | | | | | | |
| | Windaw Three C | , , , | ı/c edges (GSI l | No 4/c P-68) | | | |
| | 96.0 Sft | | @ Rs. 1162/21 | P % | Sft | RS. 1116/- Rs.16573 /- | |
| SUB- | -HEAD N | 10.5 SUC | TION DELIVE | RY | | | |
| S.# | | RIPTION | QTY: | RATE | UNIT | AMOUNT | |
| 1. | M S Pipe made out of M S sheet of 4.8mm (3/16" thick) M.S sheet i/c cutting bending folding to correct curvature as shape (Base on schedule) SUCTION 4" DIA | | | | | | |
| | 44.0 Rft @ Rs 506/60 P. Rft Rs. 22290/- DELIVERY_MAIN 6" DIA | | | | | | |
| | 21.0 Rft | | @ Rs. 749 | /34 | P. Rft | Rs. 15736/- | |
| 2. | Manufacturing supplying M.S flanged of Diff: dia made out of M.S sheet cutting drilling holes and welding of flanges with M.S pipe etc complete (Rate approved based on schedule) | | | | | | |
| | <u>4" dia</u> | 8.0 Nas | @ Rs. 596 | 175 | Each | Rs 4774/- | |
| | <u>6" dia</u> | 8 0 Nos | @ Rs 804 | /77 | Each | Rs. 6438/ | |
| 3. | C I Sluice valve heavy pattern (test pressure 300 lbs/sq: inch) (SOMI No 2 P-1) (important). 4" dia | | | | | | |
| | 2.0 Nos | | @ Rs. 546 | 0/- | Each | Rs. 10920/- | |



SUB-HEAD NO.5 REPAIR OF DISTRIBUTION SYSTEM

| S.# | DESCRIPTION | QTY: | RATE | UNIT | AMOUNT | |
|-----|---|-----------------|-------|-------------|-------------|--|
| 1. | Providing PVC Pipes of Class 'B' (equivalent make) fixing in trench i/c cutting fitting and jointing with Z joint with one rubber ring i/c testing with water to head of 61 meter or 200 ft. (R.A attached) 4" dia | | | | | |
| | 500.0 Rft | @ Rs 137/- | P.Rft | | RS. 68500/- | |
| | <u>3" dia</u> | | | | | |
| | 840 0 Rft | @ Rs 90/- | ₽ Rft | | RS 75600/- | |
| 2. | PVC socket (S M I 4" dia | NO P) | | | | |
| | 2.0 Nos | @ Rs 1125/- | Each | | RS. 2250/- | |
| | <u>3" dia</u> | | | | | |
| | 4.0 Nos | @ Rs. 405/- | Each | | RS. 1620/- | |
| 3 | Supplying C.I Sluid LBS/ sq inch. (Sch. <u>6" dia</u> | • • | | ressure 300 | | |
| | 4.0 Nos | @ Rs. 9360/- | Each | | RS 37440/ | |
| | <u>4" dia</u> | | | | | |
| | 1.0 No | @ Rs. 5460/- | Each | | RS. 5460/- | |
| | <u>3" dia</u> | | | | | |
| | 1 0 No | @ Rs 4290/- | Each | | RS 4290/- | |
| 4 | C Jabault Joint (S 6" dia | h of mat no 5 P | 14) | | | |
| | 4.0 Nos <u>4" dia</u> | @ Rs 1062/50 | Each | | RS 4250/- | |
| | 2 0 Nos <u>3" dia</u> | @ Rs 731/25 | Each | | RS 1463/- | |
| | 2 0 Nos | @ Rs 568/75 | Each | | RS 1138/- | |

| 5 | Excavation for pipe line in trenches & pits in soft soil i/c trimming |
|---|---|
| | and Pits in wet soils clay of mudit/c trimming and dressing sides |
| | to true alignment and shape leveling of beds of trenches to |
| | correct level and grade cutting joint holes and disposal of surplus |
| | earth within a one chain as director Engineer Incharge, i/c |
| | providing fence guards, light Temporary crossing for non |
| | vehicular traffic where ever required lift up to 5' ft (1.52 mm) and |
| | lead upto one chain (30 50 mm) (PHSI No. 1 P-46) |

8040.0Cft

@ Rs 3600/-

P % Oft

Rs. 28944/

 Joint C.I /M S flanged pipe and specials flanged and inside trench et i/c supplying rubber pacing of the required thickness & bolt with washers etc and other toll required tfor jointing to testing the joint to the specified etc complete (PHSLNO, 1 P 35)

6"dia

8.0 Joints

@ Rs 938/-

P. Joint

Rs. 7504/-

4"dia

2.0 Joints

@ Rs 513/-

P Joint

Rs 1026/-

3"dia

2.0 Joints

@ Rs. 499/-

P.Joint

Rs. 998/-

7. Refilling the excavated stuff trench 6" thick layers i/c watering ramming to full compaction etc compete (PHSI No. 24 P-53)

7236.0Cft

@ Rs. 2760/-

P%0Cft

Rs 19971/-

8. Providing Chamber 3 00x4 00 de dimension 4 1/2 (1372 metere) deep as per approved design for sluice valve 3" to 12" with 18" (467 mm) dia in side cast iron cover and frame (wt=1 Cwt 3qr fixed in RCC 1:2'4 (102 mm) thick (with 5 l.bs Steel per Cft) slab 9" (229 mm) thick brick (1152 mm) Thick ement concrete 1:3'6 in foundation 1" (25 mm) thick cement concrete 1:2 4 flooring ½ " (12.5 mm) thick cement plaster 1:3 to all inside waii surface and to top i/c providing & fixing M.S foot rest & every 1" beyond 2 ½ depth curing excavation back filing & disposal of surpals earth etc complete (Detair)

3.0 Nos

@ Rs 18820/-

Each

RS 56460/-

TOTAL

Rs.316914/-

| .# | DESCRIPTION | QTY: | RATE | UNIT | AMOUNT | | |
|----|---|--|--------------|------------------|--------------|--|--|
| 1. | Barrow pit excavation | on undressed lea | ad upto 100 | 0 ft in ordinary | | | |
| | soil (G.S.I.No. 3 P-1 | Service Control of the Control of th | | | | | |
| | 5343.75 Cft | @ Rs 2117/8 | 50 | P. % 0 Cft | Rs. 11375/ | | |
| 2. | Earth work compact | ion (Soft ordinar | ry or hard s | soil) (b) Laying | | | |
| | earth in 6' layer | s ieveling dres | ssing and | watering for | | | |
| | compaction etc comp | plete (G SI NO 1 | 3/B P-3) | | | | |
| | 5343 75 Cft | @ Rs. 354/- | | P. % 0 Cft | Rs 1892/- | | |
| 3 | Cement concrete pla | ıın i/c planning co | mpacting fi | nishing and | | | |
| | curing complete i/c s | creening & washi | ing of stone | e aggregate | | | |
| | without (GSI No. 5 P | -16) | | | | | |
| | Ratio (1:2:4) | | | | | | |
| | 3250.0 Cft | @ Rs. 14429/ | 25 | P. % Cft | Rs. 468951/- | | |
| 4 | Erection and remove | al of centering f | or RCC or | plain cement | | | |
| | concrete work of Deodar wood (2 nd class) for Partal wood Ho | | | | | | |
| | Vertical (GSI No 19/b | o-ii P-18) | | | | | |
| | 1121 50 Cft | @ Rs 3127/4 | 1 | P % Sft | Rs 35074/ | | |

TOTAL Rs.517292/-

ABSTRACT

| Sub-Head No.1 | Repair of Storage Tanks | Rs.1386432/- |
|---------------|-------------------------------|--------------|
| Sub-Head No.2 | Repair of Pump House. | Rs. 12120/- |
| Sub-Head No.3 | Repair of Compound wall | Rs. 130719/- |
| Sub-Head No 4 | Repair of Staff Quarter | Rs.16573/- |
| Sub-Head No.5 | Repair of Suction Delivery | Rs.97125/- |
| Sub-Head No.6 | Repair of Distribution system | Rs.316914/- |
| Sub-Head No.7 | Repair of C C road | Rs.517292/- |
| | | |

CONDITIONS

The rate should inclusive of all the taxes i.e Sales Tax. Octroi, royalties etc. if any

TOTAL ===→

- 2. No separate carnage will be allowed to the firms/ contractors.
- 3. No Premium will be allowed on non schedule items
- 4 Steel Shuttering will be used in RCC works.
- 5. For RCC & Plain Cement concrete the mixture machine will be used
- 6. The testing of the work will be arranged by the contractor at his own cost, no separate payment will be made
- 7. Any error or omission in the specification item will be governed by the relevant specification and schedule items.

8. The decision of the undersigned shall be final and binding on all the parties in any dispute.

CONTRACTOR

EXECUTIVE ENGINEER
PUBLIC HEACTH ENGG. DIVISION

ZMERKOT

Rs. 2477175/-

SPPRA BIDDING DOCUMENT

STANDARD FORM OF BIDDING DOCUMENT FOR

PROCUREMENT OF WORKS

(For Contracts (Small) amounting between Rs.4.0 million to Rs.50 million)

INSTRUCTIONS TO PROCURING AGENCIES

INSTRUCTIONS TO PROCURING AGENCIES (Not to be included in Bidding Documents)

A. Basis of Documents

These Documents have been prepared as a global document intended to be used by different agencies users according to their requirements. This document is envisaged for National Competitive Bidding (NCB), meant for use for Works costing not more than Rs. 25 Million. These documents may be tailored according to the scope of works as well as in case of contracts on International Competitive Bidding (ICB) basis, funded by international financial institutions donors, with payments in foreign currencies. Procuring agencies are then to tailor the relevant clauses to suit their requirements including appropriate modifications in the relevant sections of the documents in the light of SPPRA Bidding Documents for Large Works.

The Procuring Agency is expected to manage the Contract liself. The role of Engineer may be added by the Procuring Agency, if the Procuring Agency wishes to engage a consultant. The role of the Engineer with specific delegated powers under various clauses of Instructions to Bidders such as clarifications of Bid Documents. Amendment of Bid Documents, evaluation of Bids etc. and to administer the Contract under various clauses of Conditions of Contract should have been specified. The Procuring Agency will be required to set out in the specifications and drawings the full scope of work including the extent of design to be done by the Contractor, if any.

B. Contents of Documents

As stated in Clause IB. For Instructions to Bidders, the complete Bidding Documents in addition to Invitation for Bids shall comprise items listed therein including any addendum to Bidding Documents issued in accordance with IB.6. The Standard Form of Bidding Documents (for Small Contracts) includes the following:

- 1. Instructions to Bidders & Bidding Data
- 2. Form of Bid & Schedules to Bid
- 3. Conditions of Contract & Contract Data
- 4. Standard Forms
- 5. Specifications
- 6. Drawings, if any

In addition, Instructions to procuring agencies are also provid d at various locations of this document within parenthesis or as a Note(s). Procuring agencies are expected to edit or finalise this document accordingly, by filling in all the relevant blank spaces and forms as per the scope of the work, deleting all notes and instructions intended to help the bidders.

The procuring agency is required to prepare the following for completion of the Bidding Documents:

- (i) Invitation for Bids
- (ii) Bidding Data
- (iii) Schedules to Bid (Samples)
- (iv) Schedule of Prices (Formar)
- (v) Contract Data
- (vi) Specifications
- (vii) Drawings, if any

The Procuring agency's attention is drawn to the following while finalizing the Bidding Documents.

C. Notice Inviting Tender/ Invitation for Bids/ Request for Expression of Interest

The —Notice Inviting Tender' is meant for publication of tenders for calling bids in the newspapers and SPPRA Website.

The blank spaces wherever shown are required to be filled by the Procuring Agency before issuance of Bidding Documents.

The Procuring Agency may modify para 1 of Notice Inviting Tender as per its requirements. The notice should be published so as to give the interested bidders sufficient working period for preparation and submission of bids—not less than 15 days for National Competitive Bidding and 45 days for International Competitive Bidding (SPP Rule 18).

- 1. The eligible bidders are defined in IB.2: the text can be amended by the Procuring Agency as deemed appropriate.
- 2. The non-refundable fee for the sale of Bidding Documents should be nominal so as to cover printing reproduction and mailing costs and to ensure that only bona-fide bidders shall apply (SPP Rule 20).
- The amount of Bid Security should be a lump sum figure or a percentage, but not less than 1% and more than 5% of bid price and should be in accordance with IB.13.1 (SPP Rule 37).
- 4. If the venue of receipt of bids and the opening of bids is the same, the timex for receipt and opening of bids are to be emered in fast Para of the Notice Inviting Tender, otherwise indicate the name, address and exact location for the opening of bids. However the date for the receipt and the opening of bids shall be same (SPP Rufe 11).

D. Instructions to Bidders

These Instructions to Bidders will not be part of Contract and will cease to have effect once the Contract is signed along with Bidding Data.

The Instructions to Bidders can be used as given. Procuring agency may have to make changes under Bidding Data.

The Procuring Agency's or Lugineer's Representative, if any, shall exercise powers of the Engineer Procuring Agency under and in connection with Clauses IB.5, IB.6, IB.16, etc. In

ease an Engineer has been appointed by the Procuring Agency, the aforesaid chauses may be modified accordingly to specify the role of the Engineer by the Procuring Agency, otherwise the Engineer's reference wherever exist, except Sub Clause 1.1.20 & Clause 15 of Conditions of Contract and Item 1.1.20 of Contract Data, shall be deleted

E. Bidding Data

The blank spaces wherever shown in Bidding Data are required to be filled by the Engineer Procuring Agency before issuance of Bidding Documents.

- 1. Contents of IB.10.3 may be retained or modified by the Procuring Agency.
- 2. Procuring Agency should insert required experience in IB. 14.2.
- 3. Referring to IB.14.1, the period of bid validity may range from 30 to 90 days depending upon the size and nature of the works. Number of days shall be filled in as per Procuring Agency's requirements.
- 4. Contents of IB.16.3 to IB.16.8 may be retained or modified by the Procuring Agency in accordance with its requirements.

F. Schedules to Bid

Specimen of Schedules to Bid including formul of Schedule of Prices are provided in this document. The Procuring Agency may add delete modify as per its requirement.

The blank spaces wherever snown are required to be tilled by the Engineer Procuring Agency before issuance of Bidding Documents except those required to be provided by the Contractor.

G. Conditions of Contract

The procuring agency while preparing Contract Data, shall ensure that no Clause of Conditions of Contract is deleted and that the changes included in Contract Data shall be such as not to change the spirit of the document. Any adjustment or change in clauses of Conditions of Contract to meet specific project features shall be made with eare and incorporated in Contract Data.

H. Contract Data

The blank spaces wherever shown are required to be filled by the Engineer-Procuring Agency before issuance of Bidding Documents.

- L. Referring to Sub-Clause [1,1] of Conditions of Contract, the Engineer Procuring Agency may add, in order of priority, such other documents as to form part of the Contract, in Sub-Clause 1.3 of the Contract Data.
- 2. The Procuring Agency's Representative, If any, shall exercise powers of the Procuring Agency under and in connection with Sub-Clauses 1.3, 2.3, 4.2, 4.3, 5.1, 7.3, 8.2, 9.1, 9.2, 10.1, 10.2, 10.5, 11.1, 11.5, 12.1, 13.2 and 14.1 of the Conditions of Contract. In case an Engineer has been appointed by the Procuring Agency, the aforesaid clauses may be modified accordingly by the Procuring Agency.
- 3. The sum insured for different insurances including minimum amount of third party insurance should be assessed by the Engineer Procuring Agency and entered in Contract Data. Such insurance cover shall be carried out with Insurance Company having at least AA rating from PACRA. JCR in the favour of the procuring agency.
- 4. The time for completion of the whole of the works should be assessed by the Engineer Procuring Agency and entered in the Contract Data.
- 5. The Conditions of Contract contain no overall limit on the Contractor's liability. The amount of **liquidated damages** per day of delay shall be entered by the Engineer Procuring Agency in Contract Data. Usually the liquidated damages are set between 0.05 percent and 0.10 percent per day and the maximum limit as 10 percent of contract price stated in the Letter of Acceptance.
- 6. Any amendment and or additions to the Conditions of the Contract that are specific to a given Bid Contract should be included by the Procuring agency. This may include but not be limited to the provisions regarding the following:
 - Lerms of Payment should be prepared and incorporated in Contract Data by the Engineer Procuring Agency.
 - b) The Engineer Procuring Agency to make sure that all taxes and duties are included by the Bidders Contractors in their prices.

I. Specifications

To be prepared and incorporated by the Engineer Proctaing Agency

J. Drawings

To be prepared and incorporated by the Linguiseer Procuring Agency, if required.

SUMMARY OF CONTENTS

| (1) | INVITATION FOR BIDS |
|-------------|--|
| (11) | INSTRUCTIONS TO BIDDERS & BIDDING DATA |
| (111) | FORM OF BID & SCHEDULIS TO BID. |
| (IV) 33 | CONDITIONS OF CONTRACT & CONTRACT DATA |
| (V) 54 | STANDARD FORMS. |
| (VI) 67 | SPECIFICATIONS |
| (VII) 68 | DRAWINGS |

INVITATION FOR BIDS

INVITATION FOR BIDS

| | Bid Reference No.: |
|----|---|
|]. | The Procuring Agency. [enter name of the procuring agency], invites sealed bids from interested firms or persons licensed by the Pakistan Engineering Council in the appropriate category(not required for works costing Rs 2.5 million or less) and or duly prequalified(if pre-qualification is done for specific scheme project) with the Procuring Agency for the Works, [22] [Amer title, type and timawial volume of work], which will be completed in [enter appropriate time period] days. |
| Ĵ. | A complete set of Bidding Documents may be purchased by an interested eligible bidder on submission of a written application to the office given below and upon payment of a non-refundable fee of Rupees (Insert Amount). Bidders may acquire the Bidding Documents from the Office of the Procuring Agency, at (Mailing Address). |
| 3. | All bids must be accompanied by a Bid Security in the amount of Rs. (Rupees) or percentage of bid price in the form of (pay order demand draft bank guarantee) and must be delivered to (Indicate Address and Exact Focation) at or before hours, on (Date). Bids will be opened at hours on the same day in the presence of bidders' representatives who choose to attend, at the same address [indicate the address if it differs]. |

Procuring Agency to enter the requisite information in blank spaces.

The bid shall be opened within one hour after the deadline for submission of bids.

[Note: L

INSTRUCTIONS TO BIDDERS & BIDDING DATA

Notes on the Instructions to Bidders

This section of the bidding documents should provide the information necessary for bidders to prepare responsive bids, in accordance with the requirements of the Procuring Agency. It should also give information on bid submission, opening and evaluation, and on the award of contract.

Matters governing the performance of the Contract or payments under the Contract, or matters affecting the risks, rights, and obligations of the parties under the Contract are not normally included in this Section, but rather in the appropriate sections of the Conditions of Contract and/or Contract Data.

TABLE OF CONTENTS

INSTRUCTIONS TO BIDDERS

| Clause No. A. GENERA | Description AL | Page No. | |
|-------------------------|--|----------------|--|
| 113.1 | Scope of Bid & Source of Funds | | |
| IB.2 | Lligible Bidders | | |
| IB.3 | Cost of Budding | 7 | |
| | B. BIDDING DOCUMENTS | | |
| IB.4 | Contents of Bidding Documents | 7 | |
| IB.5 | Clarification of Bidding Documents | | |
| IB.6 | Amendment of Bidding Documents | 8 | |
| | C- PREPARATION OF BID | | |
| IB.7 | Language of Bid | 8 | |
| IB.8 | Documents Comprising the Bid | 8 | |
| IB.9 | Sufficiency of Bid | 8 | |
| IB.10 | Bid Prices. Currency of Bid & Payment | | |
| IB.11 | Documents Establishing Bidder's Eligibility and Qu | ralifications9 | |
| 113.12 | Documents Establishing Works Conformity to | | |
| | Bidding Documents | 9 | |
| IB.13 | Bidding Security | | |
| 1B.14 | Validity of Bids, Format, Signing and Submission o | î Bid10 | |
| | D-SUBMISSION OF BID | | |
| 18.15 | Deadline for Submission, Modification & With 'raw | at of Bids 11 | |
| E. BID OPE | NING AND EVALUATION | | |
| IB.16 | Bid Opening, Clarification and Evaluation | 12 | |
| 1B.17 | Process to be Confidential. | | |
| F. AWARD (| OF CONTRACT | | |
| IB.18 | Qualification | | |
| IB.19 | Award Criteria & Procuring Agency's Right | | |
| IB.20 | Notification of Award & Signing of Contract Agrees | | |
| IB.21 | Performance Security | | |
| 18.22 | Integrity Pact. | | |
| 11 i | | | |

INSTRUCTIONS TO BIDDERS

(Note: (These Instructions to Bulders (IB) along with Bulding Data will not be part of Contract and will cease to have effect once the Contract is signed).

A. GENERAL

1B.1 Scope of Bid & Source of Funds

1.1 Scope of Bid

The Procuring Agency as defined in the Bidding Data (hereinafter called —the Procuring Agency') wishes to receive Bids for the Works summarized in the Bidding Data (hereinafter referred to as — the Works).

Bidders must quote for the complete scope of work. Any Bid covering partial scope of work will be rejected as not responsive.

1.2 Source of Funds

The Procuring Agency has arranged funds from its own sources or Federal Provincial Donor agency or any other source, which may be indicated accordingly in bidding data towards the cost of the project scheme.

1B.2 Eligible Bidders

- 2.1 Bidding is open to all firms and persons meeting the following requirements:
 - a) duly licensed by the Pakistan Engineering Council (PEC) in the appropriate category for value of works.

Provided that the works costing Rs. 2.5 million or less shall not require any registration with PEC.

b) duly pre-qualified with the Procuring Agency. (Where required).

In the event that prequalification of potential bidders has been undertaken, only bids from prequalified bidders will be considered for award of Contract.

- e) if prequalification has not undertaken, the procuring agency may ask information and documents not limited to following:-
 - (i) company profile:
 - (ii) works of similar mature and size for each performed in last 3-5 years:
 - (iii) construction equipments:
 - (iv) qualification and experience of technical personnel and key site management:
 - (v) financial statement of last 3 years:
 - (vi) information regarding litigations and abandoned works if any.

IB.3 Cost of Bidding

3.1 The bidder shall bear all costs associated with the preparation and submission of its bid and the Produring Agency will in no case be responsible or liable for those costs, regardless of the conduct or outcome of the bidding process (SPP Rules 24 & 25).

B. BIDDING DOCUMENTS

IB.4 Contents of Bidding Documents

- 4.1 In addition to Invitation for Bids, the Bidding Documents are those stated below, and should be read in conjunction with any Addendum issued in accordance with Sub-Clause IB.6.1.
 - 1. Instructions to Bidders & Bidding Data
 - 2. Form of Bid. Qualification Information & Schedules to Bid Schedules to Bid comprise the following:
 - (i) Schedule A: Schedule of Prices Bill of Quantities (BoQ).
 - (ii) Schedule B: Specific Works Data
 - (iii) Schedule C: Works to be Performed by Subcontractors
 - (iv) Schedule D: Proposed Programme of Works
 - (v) Schedule F: Method of Performing Works
 - (vi) Schedule F: Integrity Pact (works costing Rs 10 million and above)
 - 3. Conditions of Contract & Contract Data

- 4. Standard Forms:
 - (i) Form of Bid Security.
 - (ii) Form of Performance Security:
 - (iii)Form of Contract Agreement:
 - (iv) Form of Bank Guarantee for Advance Payment.
- 5. Specifications
- 6. Drawings, if any

IB.5 Clarification of Bidding Documents

- 5.1 A prospective bidder requiring any clarification(s) in respect of the Bidding Documents may notify the Engineer Procuring Agency at the Engineer's Procuring Agency's address indicated in the Bidding Data.
- 5.2 An interested bidder, who has obtained bidding documents, may request for clarification of contents of bidding documents in writing and procuring agency shall respond to such quarries in writing within three calendar days, provided they are received at least five calendar days prior to the date of opening of bid (SPP Rule 23-1).

IB.6 Amendment of Bidding Documents (SPP Rules 22(2) & 22).

- 6.1 At any time prior to the deadline for submission of Bids, the Procuring Agency may, for any reason, whether at his own initiative or in response to a clarification requested by a interested bidder, modify the Bidding Documents by issuing addendum.
- 6.2 Any addendum thus issued shall be part of the Bidding Documents pursuant to Sub-Clause 6.1 hereof, and shall be communicated in writing to all purchasers of the Bidding Documents. Prospective bidders shall acknowledge receipt of each addendum in writing to the Procuring Agency.
- 6.3 To afford interested bidders reasonable time in which to take an addendum into account in preparing their Bids, the Procuring Agency may at its discretion extend the deadline for submission of Bids.

C. PREPARATION OF BIDS

1B.7 Language of Bid

7.1 All documents relating to the Bid shall be in the language specified in the Contract Data.

1B.8 Documents Comprising the Bid

- 8.1 The Bid submitted by the bidder shall comprise the following:
 - (a) Offer Covering Letter
 - (b) Form of Bid duly filled, signed and scaled, in accordance with IB.14.3.
 - (c) Schedules (A to 1) to Bid duly filled and initialed, in accordance with the instructions contained therein & in accordance with IB.14.3.
 - (d) Bid Security furnished in accordance with (B.13.)
 - (e) Power of Attorney in accordance with IB 14.5.
 - (f) Documentary evidence in accordance with IB.2(e) & IB.11
 - (g) Documentary evidence in accordance with IB.12.

IB.9 Sufficiency of Bid

- 9.1 Each bidder shall satisfy himself before Bidding as to the correctness and sufficiency of his Bid and of the premium on the rates of CSR rates and prices quoted/entered in the Schedule of Prices, which rates and prices shall except in so far as it is otherwise expressly provided in the Comract, cover all his obligations under the Contract and all matters and things necessary for the proper completion of the works.
- 9.2 The bidder is advised to obtain for himself at his own cost and responsibility all information that may be necessary for preparing the bid and entering into a Contract for execution of the Works.

IBAO Bid Prices, Currency of Bid and Payment

- 10.1 The bidder shall fill up the Schedule of Prices (Schedule A to Bid) indicating the percentage above or below the Composite Schedule of Pates unit rates and prices of the Works to be performed under the Contract. Prices in the Schedule of Prices Bill of Quantities shall be quoted entirely in Pak Rupees keeping in view the instructions contained in the Preamble to Schedule of Prices.
- 10.2 Unless otherwise stipulated in the Conditions of Contract, prices quoted by the bidder shall remain fixed during the bidder's performance of the Contract and not subject to variation on any account.
- 10.3 The unit rates and prices in the Schedule of Prices or percentage above or below on the composite schedule of rates shall be quoted by the bidder in the currency as stipulated in Bidding Data.
- 10.4 Items for which no rate or price is entered by the Biader will not be paid for by the Procuring Agency when executed and shall be deemed covered by the other rates and prices in the Bill of Quantities.

IB.11 Documents Establishing Bidder's Eligibility and Qualifications

- 11.1 Pursuant to Clause 1B.8, the bidder shall furnish, as part of its bid, documents establishing the bidder's eligibility to bid and its qualifications to perform the Contract if its bid is accepted.
- 11.2 Bidder must possess and provide evidence of its capability and the experience as stipulated in Bidding Data and the Qualification Criteria mentioned in the Bidding Documents.

1B.12 Documents Establishing Works' Conformity to Bidding Documents

- 12.1 The documentary evidence of the Works' conformity to the Bidding Documents may be in the form of literature, drawings and data and the bidder shall furnish documentation as set out in Bidding Data.
- 12.2 The bidder shall note that standards for workmanship, material and equipment, and references to brand names or catalogue numbers, if any, designated by the Procuring Agency in the Technical Provisions are intended to be descriptive only and not restrictive.

IB.13 Bid Security

- 13.1 Each bidder shall furnish, as part of his bid, at the option of the bidder, a Bid Security as percentage of bid price estimated cost or in the amount stipulated in Bidding Data in Pak. Rupces in the form of *Deposit at Call Payer's Order or a Bank Guarantee* issued by a Scheduled Bank in Pakistan in favour of the Procuring Agency valid for a period up to twenty eight (28) days beyond the bid validity date (*Bid security should not be below Phand not exceeding 5% of bid price estimated cost SPP Rule 37*).
- 13.2 Any bid not accompanied by an acceptable Bid Security shall be rejected by the Procuring Agency as non-responsive.
- 13.3 The bid securities of unsuccessful bidders will be returned upon award of contract to the successful bidder or on the expiry of validity of Bid Security whichever is earlier.
- 13.4 The Bid Security of the successful bidder will be returned when the bidder has furnished the required Performance Security, and signed the Contract Agreement (SPP Rule 37).
- 13.5 The Bid Security may be forfeited:
 - (a) if a bidder withdraws his bid during the period of bid validity; or
 - (b) if a bidder does not accept the correction of his Bid Price, pursuant to Sub-Clause 16.4 (b) hereoff or
 - (c) in the case of a successful bidder, if he fails within the specified time limit to:
 - (i) furnish the required Performance Security or
 - (ii) sign the Contract Agreement.

1B.14 Validity of Bids, Format, Signing and Submission of Bid

- 14.1 Bids shall remain valid for the period stipulated in the Bidding Data after the date of bid opening.
- 14.2 In exceptional circumstances. Procuring Agency may request the bidders to extend the period of validity for a additional period but not exceeding 13 of the original period. The request and the bidders' responses shall be made in writing or by cable. A Bidder may refuse the request without forfeiting the Bid Security. A Bidder agreeing to the request will not be required or permitted to otherwise modify the Bid, but will be required to extend the validity of Bid Security for the period of the extension, and in compliance with 1B.13 in all respects (SPP Rule 38).
- 14.3 All Schedules to Bid are to be properly completed and signed.
- 14.4 No alteration is to be made in the Form of Bid except in filling up the blanks as directed. If any alteration be made or if these instructions be not fully complied with, the bid may be rejected.
- 14.5 Each bidder shall prepare Original and number of copies specified in the Bidding Data of the documents comprising the bid as described in IB.8 and clearly mark them
 -ORIGINAL and --COPY as appropriate. In the event of discrepancy between them, the original shall prevail.
- 14.6 The original and ail copies of the bid shall be typed or written in indelible ink and shall be signed by a person or persons duly authorized to sign (in the case of copies, Photostats are also acceptable). This shall be indicated by submitting a written Power of Mtorney authorising the signatory of the bidder to act for and on behalf of the bidder. All pages of the bid shall be initiated and official seal be affixed by the person or persons signing the bid.
- 14.7 The Bid shall be delivered in person or sent by registered mail at the address to Procuring Agency as given in Bidding Data.

D. SUBMISSION OF BID

1B.15 Deadline for Submission, Modification & Withdrawal of Bids

15.1 Bids must be received by the Procuring Agency at the address provided in Bidding Data not later than the time and date stipulated therein.

- 15.2 The inner and outer envelopes shall
 - (a) be addressed to the Procuring Agency at the address provided in the Bidding Data:
 - (b) bear the name and identification number of the Contract as defined in the Bidding and Contract Data; and
 - (e) provide a warning not to open before the specified time and date for Bid opening as defined in the Bidding Data.
 - (d) in addition to the identification required in 15.2, the inner envelopes shall indicate the name and address of the Bidder to enable the Bid to be returned unopened in case it is declared late.
 - (e) If the outer envelope is not scaled and marked as above, the Procuring Agency will assume no responsibility for the misplacement or premature opening of the Bid.
- 15.3 Bids submitted through telegraph, telex, fax or e-mail shall not be considered.
- 15.4 Any bid received by the Procuring Agency after the deadline for submission prescribed in Bidding Data will be returned unopened to such bidder.
- 15.5 Any bidder may modify or withdraw his bid after bid submission provided that the modification or written notice of withdrawal is received by the Procuring Agency prior to the deadline for submission of bids.
- 15.6 Withdrawal of a bid during the interval between the deadline for submission of bids and the expiration of the period of bid validity specified in the Form of Bid may result in forfeiture of the Bid Security pursuant to IB.13.5 (a).

E. BID OPENING AND EVALUATION

1B.16 Bid Opening, Clarification and Evaluation (SPP Rules 41, 42 & 43)

- 16.1 The Procuring Agency will open the bids, in the presence of bidders' representatives who choose to attend, at the time, date and in the place specified in the Bidding Data.
- 16.2 The bidder's name. Bid Prices, any discount, the presence or absence of Bid Security, and such other details as the Procuring Agency at its discretion may consider appropriate, will be announced by the Procuring Agency at the bid opening. The Procuring Agency will record the minutes of the bid opening. Representatives of the bidders who choose to attend shall sign the attendance sheet.

Any Bid Price or discount which is not read out and recorded at bid opening will not be taken into account in the evaluation of bid.

- 16.3 To assist in the examination, evaluation and comparison of Bids the Engineer Procuring Agency may, at its discretion, ask the bidder for a charification of its Bid. The request for charification and the response shall be in writing and no change in the price or substance of the Bid shall be sought, offered or permitted (SPP Rule 43).
- 16.4 (a) Prior to the detailed evaluation, pursuant to 1B.16.7 to 16.9, the Engineer Procuring Agency will determine the substantial responsiveness of each bid to the Bidding Documents. For purpose of these instructions, a substantially responsive bid is one which conforms to all the terms and conditions of the Bidding Documents without material deviations. It will include determining the requirements fisted in Bidding Data.
 - (b) Arithmetical errors will be rectified on the following basis:

If there is a discrepancy between the unit price and total price that is obtained by multiplying the unit price and quantity, the unit price shall prevail and the total price shall be corrected. If there is a discrepancy between the words and figures the amount in words shall prevail. If there is a discrepancy between the Total Bid price entered in Form of Bid and the total shown in Schedule of Prices-Summary, the amount stated in the Form of Bid will be corrected by the Procuring Agency in accordance with the Corrected Schedule of Prices.

If the bidder does not accept the corrected amount of Bid, his Bid will be rejected and his Bid Security forfeited.

- 16.5 A Bid determined as substantially non-responsive will be rejected and will not subsequently be made responsive by the bidder by correction of the non-conformity.
- 16.6 Any minor informality or non-conformity or irregularity in a Bid which does not constitute a material deviation (major deviation) may be waived by Procuring Agency, provided such waiver does not prejudice or affect the relative ranking of any other bidders.

(A). Major (material) Deviations include:-

- (i) has been not properly signed:
- (ii) is not accompanied by the bid security of required amount and manner:
- (iii) stipulating price adjustment when fixed price bids were called for:
- (iv) failing to respond to specifications:
- (v) failing to comply with Mile-stones Critical dates provided in Bidding Documents:
- (vi) sub-contracting contrary to the Conditions of Contract specified in Bidding Documents;
- (vii) refusing to bear important responsibilities and liabilities allocated in the Bidding Documents, such as performance guarantees and insurance coverage:
- (viii)—taking exception to critical provisions such as applicable law, taxes and duties and dispute resolution procedures:
- (ix) a material deviation or reservation is one:
 - (a) which affect in any substantial way the scope, quality or performance of the works:
 - (b) adoption rectification whereof would affect unfairly the competitive position of other bidders presenting substantially responsive bids.

(B) Minor Deviations

Bids that offer deviations acceptable to the Procuring Agency and which can be assigned a monetary value may be considered substantially responsive at least as to the issue of fairness. This value would however be added as an adjustment for evaluation purposes only during the detailed evaluation process.

16.7 The Engineer Procuring Agency will evaluate and compare only the bids previously determined to be substantially responsive pursuant to IB.16.4 to 16.6 as per requirements given hereunder. Bids will be evaluated for complete scope of works. The prices will be compared on the basis of the Evaluated Bid Price pursuant to IB.16.8 herein below.

Technical Evaluation: It will be examined in detail whether the works offered by the bidder complies with the Technical Provisions of the Bidding Documents. For this purpose, the bidder's data submitted with the bid in Schedule B to Bid will be compared with technical features criteria of the works detailed in the Technical Provisions. Other technical information submitted with the bid regarding the Scope of Work will also be reviewed.

16.8 Evaluated Bid Price

In evaluating the bids, the Engineer Procuring Agency will determine for each bid in addition to the Bid Price, the following factors (adjustments) in the manner and to the extent indicated below to determine the Evaluated Bid Price:

- (i) making any correction for arithmetic errors pursuant to IB.16.4 hereof.
- (ii) discount, if any, offered by the bidders as also read out and recorded at the time of bid opening.
- (iii) excluding **provisional sums** and the provisions for **contingencies** in the Bill of Quantities **if any**, but including **Day work**, where priced competitively.

IB.17 Process to be Confidential

- 17.1 Subject to IB.16.3 heretofore, no bidder shall contact Engineer Procuring Agency on any matter relating to its Bid from the time of the Bid opening to the time the bid evaluation result is announced by the Procuring Agency. The evaluation result shall be announced at least seven (07) days prior to award of Contract (SPP Rule 45). The announcement to all bidders will include table(s) comprising read out prices, discounted prices, price adjustments made, final evaluated prices and recommendations against all the bids evaluated.
- 17.2 Any effort by a bidder to influence Engineer Procuring Agency in the Bid evaluation. Bid comparison or Contract Award decisions may result in the rejection of his Bid. Whereas any bidder feeling aggrieved, may lodge a written complaint to Complaint Redressal Committee as per terms and conditions mentioned in SPP Rules 31 & 32. However, mere fact of lodging a complaint shall not warrant suspension of procurement process.
- 17.3 Bidders may be excluded if involved in "Corrupt and Fraudulent Practices" means either one or any combination of the practices given below SPP Rule2(q):
- (i) Coercive Practice means any impairing or harming, or threatening to impair or harm, directly or indirectly, any party or the property of the party to influence the actions of a party to achieve a wrongful gain or to cause a wrongful loss to another party:
- (ii) —Collusive Practice: means any arrangement between two or more parties to the procurement process or contract execution, designed to achieve with or without the knowledge of the procuring agency to establish prices at artificial, noncompetitive levels for any wrongful gain:
- (iii) "Corrupt Practice" means the offering, giving, receiving or soliciting, directly or indirectly, of anything of value to influence the acts of another party for wrongful gain:
- (iv) —**Fraudulent Practice**" means any act or omission, including a misrepresentation, that knowingly or recklessly misleads, or attempts to mislead, a party to obtain a financial or other benefit or to avoid an obligation:
- (x) "Obstructive Practice" means harming or threatening to harm, directly or indirectly, persons or their property to influence their participation in a procurement process, or affect the execution of a contract or deliberately destroying, falsifying, altering or concealing of
- evidence material to the investigation or making false statements before investigators in order to materially impede an investigation into allegations of a corrupt, fraudulent, coercive or collusive practice; or threatening, harassing or intimidating any party to prevent it from disclosing its knowledge of matters relevant to the investigation or from pursuing the investigation, or acts intended to materially impede the exercise of inspection and audit rights provided for under the Rules.

F. AWARD OF CONTRACT

1B.18, Post Qualification

- 18.1 The Procuring Agency, at any stage of the bid evaluation, having credible reasons for or prima tacie evidence of any defect in contractor's capacities, may require the contractors to provide information concerning their professional, technical, financial, legal or managerial competence whether already pre-qualified or not:
 - Provided, that such qualification shall only be laid down after recording reasons therefore in writing. They shall form part of the records of that bid evaluation report.
- 18.2 The determination will take into account the bidder's financial and technical capabilities. It will be based upon an examination of the documentary evidence of the bidders' qualifications submitted under B.11, as well as such other information required in the Bidding Documents.

1B.19 Award Criteria & Procuring Agency's Right

- 19.1 Subject to IB.19.2, the Procuring Agency will award the Contract to the bidder whose bid has been determined to be substantially responsive to the Bidding Documents and who has offered the lowest evaluated Bid Price, provided that such bidder has been determined to be qualified to satisfactory perform the Contract in accordance with the provisions of the IB.18.
- 19.2 Not withstanding 1B.19.1, the Procuring Agency reserves the right to accept or reject any bid, and to annul the bidding process and reject all bids, at any time prior to award of Contract, without thereby incurring any liability to the affected bidders or any obligation to inform the affected bidders of the grounds for the Procuring Agency's action except that the grounds for its rejection of all bids shall upon request be communicated, to any bidder who submitted a bid, without justification of the grounds. Notice of the rejection of all the bids shall be given promptly to all the bidders (SPP Rule 25).

1B.20 Notification of Award & Signing of Contract Agreement

- 20.1 Prior to expiration of the period of bid validity prescribed by the Procuring Agency, the Procuring Agency will notify the successful bidder in writing (—Letter of Acceptance) that his bid has been accepted (SPP Rule 49).
- 20.2 Within seven (07) days from the date of furnishing of acceptable Performance Security under the Conditions of Contract, the Procuring Agency will send the successful bidder the Form of Contract Agreement provided in the Bidding Documents, incorporating all agreements between the parties.
- 20.3 The formal Agreement between the Procuring Agency and the successful bidder duly stamped at rate of ---- of bid price(updated from time to time) stated in Letter of Acceptance shall be executed within seven (07) days of the receipt of Form of Contract Agreement by the successful bidder from the Procuring Agency.

IB.21 Performance Security

- 21.1 The successful bidder shall furnish to the Procuring Agency a Performance Security in the form and the amount stipulated in the Conditions of Contract within a period of fourteen (14) days after the receipt of Letter of Acceptance (SPP 39).
- 21.2 Failure of the successful bidder to comply with the requirements of Sub-Clauses IB.20.2 & 20.3 or 21.1 or Clause IB.22 shall constitute sufficient grounds for the annulment of the award and forfeiture of the Bid Security.
- 21.3 Publication of Award of Contract: within seven days of the award of contract, the procuring shall publish on the website of the authority and on its own website, if such a website exists, the results of the bidding process, identifying the bid through procurement identifying Number if any and the following information:
- (1) Evaluation Report:
- (2) Form of Contract and letter of Award:
- (3) Bill of Quantities or Schedule of Requirements. (SPP Rule 50)
- **1B.22 Integrity Pact** The Bidder shall sign and stamp the Form of Integrity Pact provided at Schedule-F to Bid in the Bidding Document for all Sindh Government procurement contracts exceeding Rupees (en (10) million. Failure to provide such Integrity Pact shall make the bid non-responsive (SPP Rule 89).

RIDDING DATA

(This section should be tilled in by the Engineer Procuring Agency before issuance of the Bidding Documents. The following specific data for the works to be tendered shall complement, amend, or supplement the provisions in the Instructions to Bidders. Wherever there is a conflict, the provisions herein shall prevail over those in the Instructions to Bidders.)

Instructions to Bidders Clause Reference

1.1 Name of Procuring Agency

(Insert name of the Procuring Agency)

Brief Description of Works

5.1 (a) Procuring Agency's address:

(Insert address of the Procuring Agency with telex fax)

(b) Engineer's address:

(Insert name and address of the Engineer, if any, with telev fax.)

- 10.3 Bid shall be quoted entirely in Pak. Rupees. The payment shall be made in Pak. Rupees.
- 11.2 The bidder has the financial, technical and constructional capability necessary to perform the Contract as follows: (Insert required capabilities and documents)
 - i. Financial capacity: (must have turnover of Rs-- -Million):
 - ii. Lechnical capacity: invention the appropriate category of registration with PEC and qualification and experience of the staff):
 - iii. Construction Capacity: (mention the names and number of equipments required for the work).

| 12.1 (a) A detailed description of the Works, essential technical and performed characteristics. | nance |
|--|-------|
|--|-------|

| (b) | Complete set of technical information, description data, literature and drawings |
|-----|--|
| | as required in accordance with Schedule B to Bid. Specific Works Data. This |
| | will include but not be limited to a sufficient number of drawings, photographs, |
| | catalogues, illustrations and such other information as is necessary to illustrate |
| | clearly the significant characteristics such as general construction dimensions |
| | and other relevant information about the works to be performed. |

13.1 Amount of Bid Security

(Fill in lump sum amount or in $^{o}_{-\sigma}$ age of bid amount estimated cost, but not below $T^{o}_{-\sigma}$ and not exceeding $S^{o}_{-\sigma}$

[4.1] Period of Bid Validity

(Fill in "number of days" not exceeding 9th

14.4 Number of Copies of the Bid to be submitted:

One original plus copies.

14.6 (a) Procuring Agency's Address for the Purpose of Bid Submission

tinsert postal address or location of bid box for delivery by hundr

15.1 Deadline for Submission of Bids

Time: AM/PM on

| 16.1 | Venue. | Time. | and | Date | θÉ | Bid | () | pening |
|------|--------|-------|-----|------|----|-----|----|--------|
|------|--------|-------|-----|------|----|-----|----|--------|

Venue: Date:

16.4 Responsiveness of Bids

- (i) Bid is valid till required period.
- *(ii) Bid prices are firm during currency of contract Price adjustment:
- (iii) Completion period offered is within specified limits.
- (iv) Bidder is eligible to Bid and possesses the requisite experience, capability and qualification.
- (v) Bid does not deviate from basic technical requirements and
- (vi) Bids are generally in order, etc.

- (a) **Fixed Price contract:** In these contracts no escalation will be provided during currency of the contract and normally period of completion of these works is up to 12 months.
- (b) Price adjustment contract: In these contracts escalation will be paid only on those items and in the manner as notified by Finance Department. Government of Sindh, after bid opening during currency of the contract.

^{*}Procuring agency can adopt either of two options. (Select either of them)

FORM OF BID AND SCHEDULES TO BID

FORM OF BIO (11 111-R OF OFFER)

| Bid | R∂ | ŀы | . 111 | in in | No |
|-----|----|----|-------|-------|----|
| | | | | | |

Name of Works)

Fo:

Gentlemen.

1. Having examined the Bidding Documents including Instructions to Bidders, Bidding Data, Conditions of Contract, Contract Data, Specifications, Drawings, if any, Schedule of Prices and Addenda Nos.

for the execution of the above-named works, we, the undersigned, being a company doing business under the name of and address

and being duly incorporated under the laws of Pakistan hereby offer to execute and complete such works and remedy any defects therein in conformity with the said Documents including Addenda thereto for the Lotal Bid Price of Rs (Rupees) or such other sum as may be ascertained in accordance with the said Documents.

- 2. We understand that all the Schedules attached hereto form part of this Bid.
- 3. As security for due performance of the undertakings and obligations of this Bid, we submit herewith a Bid Security in the amount of

drawn in your favour or made payable to you and valid for a period of twenty eight (28) days beyond the period of validity of Bid.

- 4. We undertake, if our Bid is accepted, to commence the Works and to deliver and complete the Works comprised in the Contract within the time(s) stated in Contract Data.
- 5. We agree to abide by this Bid for the period of days from the date fixed for receiving the same and it shall remain binding upon us and may be accepted at any time before the expiration of that period.
- 6. Unless and until a formal Agreement is prepared and executed, this Bid, together with your written acceptance thereof, shall constitute a binding contract between us.

- 7. We undertake, if our Bid is accepted, to execute the Performance Security referred to in Conditions of Contract for the due performance of the Contract.
- 8. We understand that you are not bound to accept the lowest or any bid you may receive.
- We do hereby declare that the Bid is made without any collusion, comparison of figures or arrangement with any other person or persons making a bid for the Works.

| Dated this | day of | . 20 | |
|---------------------------|-------------------|------------------------------|------|
| Signature | | | |
| in the capacity of | duly authorized t | o sign bid for and on behalf | `of` |
| Name of Bidder in Block C | iapitals) | (Scal) | |
| Address | | | |
| | | | |
| | | | |
| Witness: | | | |
| (Signature) | | | |
| Name: Address: | | | |

[SCHEDULES TO BID INCLUDE THE FOLLOWING:

- Schedule A to Bid: Schedule of Prices
- Schedule B to Bid: Specific Works Data
- Schedule C to Bid: Works to be Performed by Subcontractors
- Schedule D to Bid: Proposed Program of Works
- Schedule F to Bid: Method of Performing Works
- Schedule F to Bid: Integrity Pact]

SCHEDULE - A TO BID

SCHEDULE OF PRICES

| <u>Sr. No.</u> | <u>Page No.</u> |
|----------------|---|
| 1. | Preamble to Schedule of Prices |
| 2. | Schedule of Prices |
| | ≙ta) Summary of Bid Prices |
| | * (S. Charailed Sobodule of Prizes Bill of Cuentities (BOO) |

* [To be prepared by the Engineer Procuring Agency]

PREAMBLE TO SCHEDULE OF PRICES

I. General

- 1.1 The Schedule of Prices shall be read in conjunction with the Conditions of Contract Contract Data together with the Specifications and Drawings, if any
- 1.2 The Contract shall be for the whole of the works as described in these Bidding Documents. Bids must be for the complete scope of works.

2. Description

2.1 The general directions and descriptions of works and materials are not necessarily repeated nor summarized in the Schedule of Prices. References to the relevant sections of the Bidding Documents shall be made before entering prices against each item in the Schedule of Prices.

3. Units & Abbreviations

3.1 Units of measurement, symbols and abbreviations expressed in the Bidding Documents shall comply with the Systeme Internationale d'Unites (81 Units).

(Note: The abbreviations to be used in the Schedule of Prices to be defined by the Procuring Agency).

4. Rates and Prices

- 4.1 Except as otherwise expressly provided under the Conditions of Contract, the rates and amounts entered in the Schedule of Prices shall be the rates at which the Contractor shall be paid and shall be the full inclusive value of the works set forth or implied in the Contract; except for the amounts reimbursable, if any to the Contractor uncer the Contract.
- 1.2 Unless otherwise stipulated in the Contract Data, the premium, rates and prices entered by the bidder shall not be subject to adjustment during the performance of the Contract.
- 4.3 All duties, taxes and other levies payable by the Contractor shall be included in the rates and prices.
- 4.4 The whole cost of complying with the provisions of the Contract shall be included in the items provided in the Schedule of Prices, and where

SCHEDULE - A TO BID

no items are provided, the cost shall be deemed to be distributed among the rates and prices entered for the related items of the Works and no separate payment will be made for those items.

The rates, prices and amounts shall be entered against each item in the Schedule of Prices. Any item against which no rate or price is entered by the bidder will not be paid for by the Procuring Agency when executed and shall be deemed covered by the rates and prices for other items in the Schedule of Prices.

- 4.5 (a) The bidder shall be deemed to have obtained all information as to and all requirements related thereto which may affect the bid price.
 - *(b) The Contractor shall be responsible to make complete arrangements for the transportation of the Plant to the Site.

4.6 The Contractor shall provide for all parts of the Works to be completed in every respect. Notwithstanding that any details, accessories, etc. required for the complete installation and satisfactory operation of the Works, are not specifically mentioned in the Specifications, such details shall be considered as included in the Contract Price.

5. Bid Prices

5.1 Break-up of Bid Prices

The various elements of Bid Prices shall be quoted as detailed by the Procuring Agency in the format of Schedule of Prices.

The bidder shall recognize such elements of the costs which he expects to incur the performance of the Works and shall include all such costs in the rates and amounts entered in the Schedule of Prices.

5.2 Fotal Bid Price

The total of bid prices in the Schedule of Prices shall be entered in the Summary of Bid Prices.

6. Provisional Sums and Day work

- 6.1 Provisional Sums included and so designated in the Schedule of Prices if any, shall be expended in whole or in part at the direction and discretion of the Engineer Procuring Agency. The Contractor will only receive payment in respect of Provisional Sums, if he has been instructed by the Engineer Procuring Agency to utilize such sums.
- 6.2 Day work rates in the contractor's bid are to be used for small additional amounts of work and only when the Engineer have given written instructions in advance for additional work to be paid for in that way.

SCHEDULE - A TO BID

Procuring Agency may modify as appropriates

SCHEDULE OF PRICES SUMMARY OF BID PRICES (Sample)

| Bill No. | Description | Total Amount (Rs) |
|-------------|---|------------------------------|
| | (A) Building Work | |
| | Civil works | |
| 2 | Internal sanitary and water supply | |
| 3 | Electrification | |
| ļ | External Development works | # ! |
| 5 | Miscellaneous Items | |
| | (B) Road Work. | |
| ١. | Larthwork | |
| <u> </u> | Hard Crust and Surface Treatment | |
| 3. | Culverts and Bridges | |
| 4. | Miscellaneous Items | |
| | (C) Public Health Engineering Works. | |
| 1. | | |
| n | Subsurface Drains | |
| 3, | Pipe Laying and Man holes | |
| ↓. | Tube wells. Pump houses | |
| 5. | Compound wall | |
| 6. | Miscellaneous Items | |
| | | |
| | Í | |
| | | |
| | | |
| | | |
| | | • : |
| | | |
| | | |
| | | 1 |
| | | |
| | | • |
| | Lotal Bid Price (The amount to be entered in Pa (In words). | ragraph Lof the Form of Bid) |

SCHEDULE OF PRICES

| Item No. | Description | Quantity Unit Rate(Rs) | Total Amount (Rs) |
|----------------|---------------------------------------|------------------------|-------------------|
| l. 2. 3. | I. (Civil works) | | |
| · ? 3. | H.Internal sanitary and water supply. | | |
| 2. | III, Electrification. | | |
| 1. 2. 3. | IV. External Development works. | | |
| 1. 2. 3. | V. Miscellaneous Items | | |
| | lo be carried to Summary of Bid Pr | | |

Add Deduct the percentage quoted above below on the prices of items based on Composite Schedule of Rates.

*SPECIFIC WORKS DATA

(To be prepared and incorporated by the Procuring Agency)

*tNote: The Procuring Agency shall spell out the information & data required to be filled out by the bidder and to furnish complementary information).

SCHEDULE - C TO BID

WORKS TO BE PERFORMED BY SUBCONTRACTORS*

The bidder will do the work with his own forces except the work listed below which he intends to sub-contract.

Items of Works — Name and address of — Statement of similar to be Sub-Contracted — Sub-Contractors — works previously executed, rattach evidence.

Note:

- * The Procuring Agency should decide whether to allow subcontracting or not.

 In case Procuring Agency decides to allow subcontracting then following conditions shall be complied with:
- 1. No change of Sub-Comractors shall be made by the bidder without prior approval of the Procuring Agency.
- 2. The truthfulness and accuracy of the statemen, as to the experience of Sub-Contractors is guaranteed by the bidder. The Procuring Agency's judgment shall be final as to the evaluation of the experience of Sub-Contractors submitted by the bidder.
- 3. Statement of similar works shall include description, location & value of works, year completed and name & address of the clients.

SCHEDULE DITO BID

PROPOSED PROGRAMME OF WORKS

Bidder shall provide a programme in a bar-chart or Program Evaluation and Review Technique (PFRT) or Critical Path Method (CPM) showing the sequence of work items by which he proposes to complete the works of the entire Contract. The programme should indicate the sequence of work items and the period of time during which he proposes to complete the works including the activities like designing, schedule of submittal of drawings, ordering and procurement of materials, manufacturing, delivering, construction of civil works, erection, testing and commissioning of works to be supplied under the Contract.

METHOD OF PERFORMING WORKS

The bidder is required to submit a narrative outlining the method of performing the Works. The narrative should indicate in detail and include but not be limited to:

- The sequence and methods in which he proposes to carry out the Works, including the number of shifts per day and hours per shift, he expects to work.
- A list of all major items of construction and plant erection, tools and vehicles proposed to be used in delivering carrying out the works at site.
- The procedure for installation of equipment and transportation of equipment and materials to the site.
- Organisation chart indicating head office & field office personnel involved in management, supervision and engineering of the Works to be done under the Contract.

SCHEDULE - F TO BID

(INTEGRITY PACT)

DECLARATION OF FEES, COMMISSION AND BROKERAGE ETC PAYABLE BY CONTRACTORS

(FOR CONTRACTS WORTHERS, 10.00 MILLION OR MORE)

| Contract So. | Differd |
|----------------------------------|---|
| Contract Value; | |
| Contract little: | |
| | [name of Contractor] hereby declares that it has not obtained or |
| induced the procurement of any | contract, right, interest, privilege or other obligation or benefit |
| | (8) or any administrative subdivision or agency thereof or any |
| other entity owned or controlled | by it (GoS) through any corrupt business practice. |

Without limiting the generality of the foregoing, [name of Contractor] represents and warrants that it has fully declared the broketage, commission, fees etc. paid or payable to anyone and not given or agreed to give and shall not give or agree to give to anyone within or outside Pakistan either directly or indirectly through any natural or juridical person, including its affiliate, agent, associate, broker, consultant, director, promoter, shareholder, sponsor or subsidiary, any commission, gratification, bribe, finder's fee or kickback, whether described as consultation fee or otherwise, with the object of obtaining or inducing the procurement of a contract, right, interest, privilege or other obligation or benefit in whatsoever form from Procuring Agency (PA) except that which has been expressly declared pursuant hereto.

[name of Contractor] accepts full responsibility and strict flability that it has made and will make full disclosure of all agreements and arrangements with all persons in respect of or related to the transaction with PA and has not taken any action or will not take any action to circumvent the above declaration, representation or warranty.

[name of Contractor] accepts full responsibility and strict liability for making any false declaration, not making full disclosure, misrepresenting facts or taking any action likely to defent the purpose of this declaration, representation and warranty. It agrees that any contract, right, interest, privilege or other obligation or benefit obtained or procured as aforesaid shall, without prejudice to any other rights and remedies available to PA under any law, contract or other instrument, be voidable at the option of PA.

Notwithstanding any rights and remedies exercised by PA in this regard, [name of Supplier Contractor Consultant] agrees to indemnify PA for any loss or damage incurred by it on account of its corrupt business practices and further pay compensation to PA in an amount equivalent to ten time the sum of any commission, gratification, bribe, finder's fee or kickback given by [name of Contractor] as aforesaid for the purpose of obtaining or inducing the procurement of any contract, right, interest, privilege or other obligation or benefit in whatsoever form from PA.

| *************************************** | |
|---|------------|
| [Procuring Agency] | Contractor |

CONDITIONS OF CONTRACT

TABLE OF CONTENTS

CONDITIONS OF CONTRACT

| Clause No | Description | Page No |
|---------------------|---|---------|
| 1. General Provisi | 35 | |
| 2. The Procuring | Agency | |
| 3. Engineer's Pro- | curing Agency's Representatives | |
| | ,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,, | |
| 5. Design by Cont | ractor | |
| | ney's Risks | |
| 7. Time for Comp | letion | |
| | | |
| 9. Remedying De | feets | 41 |
| 10. Variations and | Claims | |
| H. Contract Price | And Payment | 43 |
| 12. Default | | |
| 13. Risks and Resp | onsibilities | 46 |
| | | |
| 15. Resolution of I | Disputes | 47 |
| 16. Integrity Pact. | · · · · · · · · · · · · · · · · · · · | 48 |

CONDITIONS OF CONTRACT

1. GENERAL PROVISIONS

1.1 **Definitions**

In the Contract as defined below, the words and expressions defined shall have the following meanings assigned to them, except where the context requires otherwise:

The Contract

- 1.1.1 —Contract means the Contract Agreement and the other documents listed in the Contract Data.
- 4.4.2 —Specifications: means the document as listed in the Contract Data, including Procuring Agency's requirements in respect of design to be carried out by the Contractor (if any), and any Variation to such document.
- 1.1.3 —Drawings means the Procuring Agency's drawings of the Works as listed in the Contract Data, and any Variation to such drawings.

Persons

- 1.1.4 Procuring Agency' means the person named in the Contract Data and the legal successors in title to this person, but not (except with the consent of the Contractor) any assignee.
- 1.1.5 —Contractor means the person named in the Contract Data and the legal successors in title to this person, but not (except with the consent of the Procuring Agency) any assignce.
- 1.1.6 Party means either the Procuring Agency or the Contractor.

Dates, Times and Periods

- 1.1.7 -Commencement Date means the date fourteen (14) days after the date the Contract comes into effect or any other date named in the Contract Data.
- 1.1.8 —Day : means a calendar day
- 1.1.9 Time for Completion' means the time for completing the Works as stated in the Contract Data (or as extended under Sub-Clause 7.3), calculated from the Commencement Date.

Money and Payments

1.1.10 —Cost means all expenditure properly incurred (or to be incurred) by the Contractor, whether on or off the Site, including overheads and similar charges but does not include any allowance for profit.

Other Definitions

- 1.1.11 —Contractor's Equipment means all machinery, apparatus and other things required for the execution of the Works but does not include Materials or Plant intended to form part of the Works.
- 1.1.12 Country means the Islamic Republic of Pakistan.
- 1.1.13 Procuring Agency's Risks means those matters listed in Sub-Clause 6.1.
- 1.1.14 —Force Majeure means an event or circumstance which makes performance of a Party's obligations illegal or impracticable and which is beyond that Party's reasonable control.
- 1.1.15 Materials means things of all kinds (other than Plant) to be supplied and incorporated in the Works by the Contractor.
- 1.1.16 —Plant/ means the machinery and apparatus intended to form or forming part of the Works.
- 1.1.17 ——Site: means the places provided by the Procuring Agency where the Works are to be executed, and any other places specified in the Contract as forming part of the Site.
- 1.1.18 Variation' means a change which is instructed by the Engineer Procuring Agency under Sub-Clause 10.1.
- 1.1.19 Works means any or all the works whether Supply. Installation. Construction etc. and design (if any) to be performed by the Contractor including temporary works and any variation thereof.
- 1.1.20 —Engineer means the person notified by the Procuring Agency to act as Engineer for the purpose of the Contract and named as such in Contract Data.

1.2 Interpretation

Words importing persons or parties shall include firms and organisations. Words importing singular or one gender shall include plural or the other gender where the context requires.

1.3 Priority of Documents

The documents forming the Contract are to be taken as mutually explanatory of one another. If an ambiguity or discrepancy is found in the documents, the priority of the documents shall be in accordance with the order as listed in the Contract Data.

1.4 Law

The law of the Contract is the relevant Law of Islamic Republic of Pakistan.

1.5 Communications

All Communications related to the Contract shall be in English language.

1.6 Statutory Obligations

The Contractor shall comply with the Laws of Islamic Republic of Pakistan and shall give all notices and pay all fees and other charges in respect of the Works.

2. THE PROCURING AGENCY

2.1 Provision of Site

The Procuring Agency shall provide the Site and right of access thereto at the times stated in the Contract Data.

Site Investigation Reports are those that were included in the bidding documents and are factual and interpretative reports about the surface and subsurface conditions at the Site.

2.2 Permits etc.

The Procuring Agency shall, if requested by the Contractor, assist him in applying for permits, ficences or approvals which are required for the Works.

2.3 Engineer's/Procuring Agency's Instructions

The Contractor shall comply with all instructions given by the Procuring Agency or the Engineer, if notified by the Procuring Agency, in respect of the Works including the suspension of all or part of the works.

2.4 Approvals

No approval or consent or absence of comment by the Engineer Procuring Agency shall affect the Contractor's obligations.

3. ENGINEER'S/PROCURING AGENCY'S REPRESENTATIVES

3.1 Authorised Person

The Procuring Agency shall appoint a duly authorized person to act for him and on his behalf for the purposes of this Contract. Such authorized person shall be duly identified in the Contract Data or otherwise notified in writing to the Contractor as soon as he is so appointed. In either case the Procuring Agency shall notify the Contractor, in writing, the precise scope of the authority of such authorized person at the time of his appointment.

3.2 Engineer's/Procuring Agency's Representative

The name and address of Engineer's Procuring Agency's Representative is given in Contract Data. However the Contractor shall be notified by the Engineer Procuring Agency, the delegated duties and authority before the Commencement of works.

4. THE CONTRACTOR

4.1 General Obligations

The Contractor shall carry out the works properly and in accordance with the Contract. The Contractor shall provide all supervision, labour, Materials, Plant and Contractor's Equipment which may be required

4.2 Contractor's Representative

The Contractor shall appoint a representative at site on full time basis to supervise the execution of work and to receive instructions on behalf of the Contractor but only after obtaining the consent of the Procuring Agency for such appointment which consent shall not be withheld without plausible reason(s) by the Procuring Agency. Such authorized representative may be substituted replaced by the Contractor at any time during the Contract Period but only after obtaining the consent of the Procuring Agency as aforesaid.

4.3 Subcontracting

The Contractor shall not subcontract the whole of the works. The Contractor shall not subcontract any part of the works without the consent of the Procuring Agency.

4.4 Performance Security

The Contractor shall furnish to the Procuring Agency within fourteen (14) days after receipt of Letter of Acceptance a Performance Security at the option of the bidder, in the form of Payee's order Bank Oraft or Bank Guarantee from scheduled bank for the amount and validity specified in Contract Data.

5. DESIGN BY CONTRACTOR

5.1 Contractor's Design

The Contractor shall carry out design to the extent specified, as referred to in the Contract Data. The Contractor shall promptly submit to the Engineer Procuring Agency all designs prepared by him, within fourteen (14) days of receipt the Engineer Procuring Agency shall notify any comments or, if the design submitted is not in accordance with the Contract, shall reject it stating the reasons. The

Contractor shall not construct any element of the works designed by him within fourteen (14) days after the design has been submitted to the Engineer/Procuring Agency or which has been rejected. Design that has been rejected shall be promptly amended and resubmitted. The Contractor shall resubmit all designs commented on taking these comments into account as necessary.

5.2 Responsibility for Design

The Contractor shall remain responsible for his bided design and the design under this Clause, both of which shall be fit for the intended purposes defined in the Contract and he shall also remain responsible for any infringement of any patent or copyright in respect of the same. The Engineer Procuring Agency shall be responsible for the Specifications and Drawings.

6. PROCURING AGENCY'S RISKS

6.1 The Procuring Agency's Risks

The Procuring Agency's Risks are:

- a) war, hostifities (whether war be declared or not), invasion, act of foreign enemies, within the Country;
- b) rebellion, terrorism, revolution, insurrection, military or usurped power, or civil war, within the Country;
- e) riot, commotion or disorder by persons other than the Contractor's personnel and other employees including the personnel and employees of Sub-Contractors, affecting the Site and or the Works;
- d) ionising radiations, or contamination by radio-activity from any nuclear fuel, or from any nuclear waste from the combustion of nuclear fuel, radio-active toxic explosive, or other hazardous properties of any explosive nuclear assembly or nuclear component of such an assembly, except to the extent to which the Contractor Sub-Contractors may be responsible for the use of any radio-active material:

- e) Pressure waves caused by aircraft or other aerial devices travelling at sonic or supersonic speeds;
- 1) use or occupation by the Procuring Agency of any part of the Works, except as may be specified in the Contract;
- g) late handing over of sites, anomalies in drawings, late delivery of designs and drawings of any part of the Works by the Procuring Agency's personnel or by others for whom the Procuring Agency is responsible:
- a suspension under Sub-Clause 2.3 unless it is attributable to the Contractor's failure; and
- i) physical obstructions or physical conditions other than climatic conditions, encountered on the Site during the performance of the Works, for which the Contractor immediately notified to the Procuring Agency and accepted by the Procuring Agency.

7. TIME FOR COMPLETION

7.1 Execution of the Works

The Contractor shall commence the Works on the Commencement Date and shall proceed expeditiously and without delay and shall complete the Works, subject to Sub-Clause 7.3 below, within the Time for Completion.

7.2 Programme

Within the time stated in the Contract Data, the Contractor shall submit to the Engineer Procuring Agency a programme for the Works in the form stated in the Contract Data.

7.3 Extension of Time

The Contractor shall, within such time as may be reasonable under the circumstances, notify the Procuring Agency Engineer of any event(s) falling within the scope of Sub-Clause 6.1 or 10.3 of these Conditions of Contract and request the Procuring Agency Engineer for a reasonable extension in the time for the completion of works. Subject to the aforesaid, the Procuring Agency Engineer shall determine such reasonable extension in the time for the completion of works as may be justified in the light of the details particulars supplied by the Contractor in connection with the such determination by the Procuring Agency Engineer within such period as may be prescribed by the Procuring Agency Engineer for the same: and the Procuring Agency may extend the time for completion as determined.

7.4 Late Completion

If the Contractor fails to complete the Works within the Time for Completion, the Contractor's only liability to the Procuring Agency for such failure shall be to pay the amount as **liquidity damages** stated in the Contract Data for each day for which he fails to complete the Works.

8. TAKING-OVER

8.1 Completion

The Contractor may notify the Engineer Procuring Agency when he considers that the Works are complete.

8.2 Taking-Over Notice

Within fourteen (14) days of the receipt of the said notice of completion from the Contractor the Procuring Agency Engineer shall either takeover the completed works and issue a Certificate of Completion to that effect or shall notify the Contractor his reasons for not taking-over the works. While issuing the Certificate of Completion as aforesaid, the Procuring Agency Engineer may identify any outstanding items of work which the Contractor shall undertake during the Maintenances Period.

9. REMEDYING DEFECTS

9.1 Remedying Defects

The Contractor shall for a period stated in the Contract Data from the date of issue of the Certificate of Completion carry out, at no cost to the Procuring Agency, repair and rectification work which is necessitated by the earlier execution of poor quality of work or use of below specifications material in the execution of Works and which is so identified by the Procuring Agency Engineer in writing within the said period. Upon expiry of the said period, and subject to the Contractor's faithfully performing his aforesaid obligations, the Procuring Agency Engineer shall issue a Maintenance Certificate whereupon all obligations of the Contractor under this Contract shall come to an end.

Failure to remedy any such defects or complete outstanding work within a reasonable time shall entitle the Procuring Agency to carry out all necessary works at the Contractor's cost. However, the cost of remedying defects not attributable to the Contractor shall be valued as a Variation.

9.2 Uncovering and Testing

The Engineer Procuring Agency may give instruction as to the uncovering and or testing of any work. Unless as a result of an uncovering and or testing it is established that the Contractor's design, materials, plant or workmanship are not in accordance with the Contract, the Contractor shall be paid for such uncovering and/or testing as a Variation in accordance with Sub-Clause 10.2.

10. VARIATIONS AND CLAIMS

10.1 Right to Vary

The Procuring Agency/Engineer may issue Variation Order(s) in writing. Where for any reason it has not been possible for the Procuring Agency Engineer to issue such Variations Order(s), the Contractor may confirm any verbal orders given by the Procuring Agency Engineer in writing and if the same are not refuted denied by the Procuring Agency Engineer within ten (10) days of the receipt of such confirmation the same shall be deemed to be a Variation Orders for the purposes of this Sub-Clause.

10.2 Valuation of Variations

Variations shall be valued as follows:

- at a lump sum price agreed between the Parties, or
- b) where appropriate, at rates in the Contract, or
- in the absence of appropriate rates, the rates in the Contract shall be used as the basis for valuation, or failing which
- d) at appropriate new rates, as may be agreed or which the Engineer Procuring Agency considers appropriate, or
- e) if the Engineer Procuring Agency so instructs, at day work rates set out in the Contract Data for which the Contractor shall keep records of hours of labour and Contractor's Equipment, and of Materials, used.

10.3 Changes in the Quantities.

- a) If the final quantity of the work done differs from the quantity in the Bill of Quantities for the particular item by more than 25 percent, provided the change exceeds 1 percent of the Initial Contract Price, the Procuring Agency Engineer shall adjust the rate to allow for the change and will be valued as per sub clause 10.2.
- b) The Engineer shall not adjust rates from changes in quantities if thereby the Initial Contract Price is exceeded by more than 15 percent, except with the prior approval of the Procuring Agency.
- c) If requested by the Engineer, the contractor shall provide the Engineer with a detailed cost breakdown of any rate in the Bill of Quantities.

10.4 Early Warning

The Contractor shall notify the Fugineer Procuring Agency in writing as soon as he is aware of any circumstance which may delay or disrupt the Works, or which may give rise to a claim for additional payment.

To the extent of the Contractor's failure to notify, which results to the Engineer Procuring Agency being unable to keep all relevant records or not taking steps to minimise any delay, disruption, or Cost, or the value of any Variation, the Contractor's entitlement to extension of the Time for Completion or additional payment shall be reduced rejected.

10.5 Valuation of Claims

If the Contractor incurs Cost as a result of any of the Procuring Agency's Risks, the Contractor shall be emitted to the amount of such Cost. If as a result of any

Procuring Agency's Risk, it is necessary to change the Works, this shall be dealt with as a Variation subject to Contractor's notification for intention of claim to the Engineer Procuring Agency within fourteen (14) days of the occurrence of cause.

10.6 Variation and Claim Procedure

The Contractor shall submit to the Engineer Procuring Agency an itemised detailed breakdown of the value of variations and claims within twenty eight (28) days of the instruction or of the event giving rise to the claim. The Engineer Procuring Agency shall check and if possible agree the value. In the absence of agreement, the Procuring Agency shall determine the value.

H. CONTRACT PRICE AND PAYMENT

11.1 (a) Terms of Payments

The amount due to the Contractor under any Interim Payment Certificate issued by the Engineer pursuant to this Ciause, or to any other terms of the Contract, shall, subject to Clause 11.3, be paid by the Procuring Agency to the Contractor within 30 days after such Interim Payment Certificate has been jointly verified by Procuring Agency and Contractor, or, in the case of the Final Certificate referred to in Sub-Clause 11.5, within 60days after such Fin, Payment Certificate has been jointly verified by Procuring Agency and Contractor:

Provided that the Interim Payment shall be caused in thirty (30) days and binal Payment in 60 days in case of foreign funded project. In the event of the failure of the Procuring Agency to make payment within 90 days then Procuring Agency shall pay to the Contractor compensation at the 28 days rate of KIBOR (2%) per annum in focal currency and IBOR (1%) for foreign currency, upon all sums unpaid from the date by which the same should have been paid.

(b) Valuation of the Works

The Works shall be valued as provided for in the Contract Data, subject to Clause 10.

11.2 Monthly Statements

The Contractor shall be entitled to be paid at monthly intervals:

- a) the value of the Works executed less to the cumulative amount paid previously; and
- b) value of secured advance on the materials and valuation of variations (if any).

The Contractor shall submit each month to the Engineer Procuring Agency a statement showing the amounts to which he considers himself entitled.

11.3 Interim Payments

Within a period not exceeding seven (07) days from the date of submission of a statement for interim payment by the Contractor, the Engineer shall verify the same and within a period not exceeding thirty (30 60) days from the said date of submission by the Contractor, the Procuring Agency shall pay to the Contractor the sum subject to adjustment for deduction of the advance payments and retention money.

HA Retention

Retention money shall be paid by the Procuring Agency to the Contractor within fourteen (14) days after either the expiry of the period stated in the Contract Data, or the remedying of notified defects, or the completion of outstanding work, all as referred to in Sub-Clause 9.1, whichever is the later

11.5 Final Payment

Within twenty one (21) days from the date of issuance of the Maintenance Certificate the Contractor shall submit a final account to the Engineer to verify and the Engineer shall verify the same within fourteen (14) days from the date of submission and forward the same to the Procuring Agency together with any documentation reasonably required to enable the Procuring Agency to ascertain the final contract value.

Within sixty (60) days from the date of receipt of the verified final account from the Engineer, the Procuring Agency shall pay to the Contractor any amount due to the Contractor. While making such payment the Procuring Agency may, for reasons to be given to the Contractor in writing, withhold any part or parts of the verified amount.

11.6 Currency

Payment shall be in the currency stated in the Contract Data.

I2. DEFAULT

12.1 Defaults by Contractor

If the Contractor abandons the Works, refuses or fails to comply with a valid instruction of the Engineer Procuring Agency or fails to proceed expeditiously and without delay, or is, despite a written complaint, in breach of the Contract, the Procuring Agency may give notice referring to this Sub-Clause and stating the default.

If the Contractor has not taken all practicable steps to remedy the default within fourteen (14) days after receipt of the Procuring Agency's notice, the Procuring Agency may by a second notice given within a further twenty one (21) days, terminate the Contract. The Contractor shall then deniobilize from the Site leaving behind any Contractor's Equipment which the Procuring Agency instructs, in the second notice, to be used for the completion of the Works at the risk and cost of the Contractor.

12.2 Defaults by Procuring Agency

If the Procuring Agency fails to pay in accordance with the Contract, or is, despite a written complaint, in breach of the Contract, the Contractor may give notice referring to this Sub-Clause and staring the default. If the default is not remedied within fourteen (14) days after the Procuring Agency's receipt of this notice, the Contractor may suspend the execution of all or parts of the Works.

If the default is not remedied within twenty eight (28) days after the Procuring Agency's receipt of the Contractor's notice, the Contractor may by a second notice given within a further twenty one (21) days, terminate the Contract. The Contractor shall then demobilise from the Site.

12.3 Insolvency

If a Party is declared insolvent under any applicable law, the other Party may by notice terminate the Contract immediately. The Contractor shall then demobilise from the site leaving behind, in the case of the Contractor's insolvency, any Contractor's Equipment which the Procuring Agency instructs in the notice is to be used for the completion of the Works.

12.4 Payment upon Termination

After termination, the Contractor shall be entitled to payment of the unpaid balance of the value of the works executed and of the Materials and Plant reasonably delivered to the site, adjusted by the following:

- a) any sums to which the Contractor is entitled under Sub-Clause 10.1.
- b) any sums to which the Procuring Agency is intitled.
- e) if the Procuring Agency has terminated under Sub-Clause 12.1 or 12.3, the Procuring Agency shall be entitled to a sum equivalent to twenty percent (20%) of the value of parts of the Works not executed at the date of the termination, and
- d) if the Contractor has terminated under Sub-Clause 12.2 or 12.3, the Contractor shall be entitled to the cost of his demobilisation together with a sum equivalent to ten percent (10%) of the value of parts of the works not executed at the date of termination.

The net balance due shall be paid or repaid within twenty eight (28) days of the notice of termination.

13. RISKS AND RESPONSIBILITIES

13.1 Contractor's Care of the Works

Subject to Sub-Clause 9.1, the Contractor shall take full responsibility for the care

of the Works from the Commencement Date until the date of the Procuring Agency's Engineer's issuance of Certificate of Completion under Sub-Clause 8.2. Responsibility shall then pass to the Procuring Agency. If any loss or damage happens to the Works during the above period, the Contractor shall rectify such loss or damage so that the Works conform with the Contract.

Unless the loss or damage happens as a result of any of the Procuring Agency's Risks, the Contractor shall indemnify the Procuring Agency, or his agents against all claims loss, damage and expense arising out of the Works.

13.2 Force Majeure

If Force Majeure occurs, the Contractor shall notify the Engineer Procuring Agency immediately. If necessary, the Contractor may suspend the execution of the Works and, to the extent agreed with the Procuring Agency demobilize the Contractor's Equipment.

If the event continues for a period of eighty four (84) days, either Party may then give notice of termination which shall take effect twenty eight (28) days after the giving of the notice.

After termination, the Contractor shall be entitled to payment of the unpaid balance of the value of the Works executed and of the Materials and Plant reasonably delivered to the Site, adjusted by the following:

- a) any sums to which the Contractor is entitled under Sub-Clause 10.1.
- b) the cost of his demobilization, and
- e) less any sums to which the Procuring Agency is entitled.

The net balance due shall be paid or repaid within thirty five (35) days of the notice of termination.

14. INSURANCE

14.1 Arrangements

The Contractor shall, prior to commencing the Works, effect insurances of the types, in the amounts and naming as insured the persons stipulated in the Contract Data except for items (a) to (c) and (i) of the Procuring Agency's Risks under Sub-Clause 6.1. The policies shall be issued by insurers and in terms approved by the Procuring Agency. The Contractor shall provide the Engineer-Procuring Agency with evidence that any required policy is 'a force and that the premiums have been paid.

14.2 Default

If the Contractor fails to effect or keep in force any of the insurances referred to in the previous Sub-Clause, or fails to provide satisfactory evidence, policies or receipts, the Procuring Agency may, without prejudice to any other right or remedy, effect insurance for the cover relevant to such as a default and pay the premiums due and recover the same plus a sum in percentage given in Contractor Data from any other amounts due to the Contractor.

15. RESOLUTION OF DISPUTES

15.1 Engineer's Decision

If a dispute of any kind whatsoever arises between the Procuring Agency and the Contractor in connection with the works, the matter in dispute shall, in the first place, be referred in writing to the Engineer, with a copy to the other party. Such reference shall state that it is made pursuant to this Clause. No later than the twenty eight (28) days after the day on which he received such reference, the Engineer shall give notice of his decision to the Procuring Agency (Superintending Engineer) and the Contractor.

Unless the Contract has already been repudiated or terminated, the Contractor shall, in every case, continue to proceed with the work with all due diffgence, and the Contractor and the Procuring Agency (Superintending Engineer) shall give effect forthwith to every such decision of the Engineer unless and until the same shall be revised, as hereinafter provided in an arbitral award.

15.2 Notice of Dissatisfaction

If a Party is dissatisfied with the decision of the Engineer of consultant or if no decision is given within the time set out in Sub-Clause 15.1 here above, the Party may give notice of dissatisfaction referring to this Sub-Clause within fourteen (14) days of receipt of the decision or the expiry of the time for the decision. If no notice of dissatisfaction is given within the specified time, the decision shall be final and binding on the Parties. If notice of dissatisfaction is given within the specified time, the decision shall be binding on the Parties who shall give effect to it without delay unless and until the decision of the Engineer is revised by an arbitrator.

If a contractor is dissatisfied with the decision of the Engineer of the department or decision is not given in time then be can approach Superintending Engineer within 14 days, in case of dissatisfaction with decision of Superintending Engineer or not decided within 28 days, then arbitration process would be adopted as per clause 15.3.

15.3 Arbitration

A dispute which has been the subject of a notice of dissatisfaction shall be finally settled as per provisions of Arbitration Act 1940 (Act No. X of 1940) and Rules made there under and any statutory modifications thereto. Any hearing shall be held at the place specified in the Contract Data and in the fanguage referred to in Sub-Clause 1.5.

16 INTEGRITY PACT

- 16.1 If the Contractor or any of his Sub-Contractors, agents or servants is found to have violated or involved in violation of the Integrity Pact signed by the Contractor as Schedule-1 to his Bid, then the Procuring Agency shall be entitled to:
 - (a) recover from the Contractor an amount equivalent to ten times the sum of any commission, gratification, bribe, finder's fee or kickback given by the Contractor or any of his Sub-Contractors, agents or servants;
 - (b) terminate the Contract; and
 - (c) recover from the Contractor any loss or damage to the Procuring Agency as a result of such termination or of any other currupt business practices of the Contractor or any of his Sub-Contractors, agents or servants.

On termination of the Contract under Sub-Para (b) of this Sub-Clause, the Contractor shall demobilize from the site leaving behind Contractor's Equipment which the Procuring Agency instructs, in the termination notice, to be used for the completion of the works at the risk and cost of the Contractor, Payment upon such termination shall be made under Sub-Clause 12.4, in accordance with Sub-Para (c) thereof, after having deducted the amounts due to the Procuring Agency under Sub-Para (a) and (c) of this Sub-Clause.

CONTRACT DATA

(Note: Except where afterwise indicated, all Contract Data should be filled in by the Procuring Agency prior to issuance of the Bidding Documents.)

| | Editions of Contract Procuring Agency's Drawings, i (To be listed by the Procuring 1 | |
|---|--|---|
| 1.1.4 | The Procuring Agency means | |
| | | |
| 1.1.5 | The Contractor means | |
| | ••• | |
| | | |
| 1.1.7 | | he date of issue of Engineer's Notice to Commence fourteen (14) days of the signing of the Contract |
| 1.1.9 | Time for Completion | days |
| | The time for completion of t | he whole of the Works should be assessed by the |
| | | ong with the designation including whether he and other details |
| | | • • |
| | Engineer (mention the name algs to department or consultant) | • • |
| belon | Engineer (mention the name algs to department or consultant) | and other details |
| belon; 1.3 (a) | Engineer (mention the name algs to department or consultant) Documents forming the Contra | and other details |
| belon; 1.3 (a) (b) | Engineer (mention the name algs to department or consultant) Documents forming the Contract Agreement Letter of Acceptance The completed Form of Bid | and other details |
| belong | Documents forming the Contract Agreement Letter of Acceptance The completed Form of Bid Contract Data | and other details |
| 1.3 (a) (b) (c) (d) | Engineer (mention the name algs to department or consultant) Documents forming the Contract Agreement Letter of Acceptance The completed Form of Bid Contract Data Conditions of Contract | and other details act listed in the order of priority: |
| 1.3 (a) (b) (c) (d) (f) | Documents forming the Contract Letter of Acceptance The completed Form of Bid Contract Data Conditions of Contract The completed Schedules to Bid | and other details act listed in the order of priority: |
| (a) (b) (c) (d) (g) | Documents forming the Contract Letter of Acceptance The completed Form of Bid Contract Data Conditions of Contract The completed Schedules to Bid The Drawings, if any | and other details act listed in the order of priority: |
| (a) (b) (c) (d) (c) (f) (g) | Documents forming the Contract Letter of Acceptance The completed Form of Bid Contract Data Conditions of Contract The completed Schedules to Bid | and other details act listed in the order of priority: |
| (a) (b) (c) (d) (g) | Documents forming the Contract Letter of Acceptance The completed Form of Bid Contract Data Conditions of Contract The completed Schedules to Bid The Drawings, if any | and other details act listed in the order of priority: |

| 2.1 | Provision of Site: On the Commencement Date | | |
|------|---|--|--|
| 3.1 | Authorized person: | | |
| 3.2 | Name and address of Engineer's/Procuring Agency's representative | | |
| 4.4 | Performance Security: | | |
| | Amount | | |
| | Validity | | |
| | (Form: As provided under Standard Forms of these Documents) | | |
| 5.1 | Requirements for Contractor's design (if any): | | |
| | Specification Clause Nots | | |
| 7.2 | Programme: | | |
| | Time for submission: Within fourteen (14) days* of the Commencement Date. | | |
| | Form of programme: iBar Chart CPM PERT or other) | | |
| 7.4 | Amount payable due to failure to complete shall be $-^{6}$ oper day up to a maximum of (10^{6}) of sum stated in the Letter of Acceptance | | |
| | (Usually the liquidated damages are set between 0.05 percent and 0.10 percent per- day.) | | |
| 7.5 | Early Completion In case of earlier completion of the Work, the Contractor is entitled to be paid bonus up-to limit and at a rate equivalent to 50% of the relevant limit and rate of liquidated damages stated in the contract data. | | |
| 9.1 | Period for remedying defects | | |
| 10.2 | (c) Variation procedures: | | |

Day work rates

(details)

11.1 Terms of Payments

a) Mobilization Advance

- (1) Mobilization Advance up to 10 % of the Contract Price stated in the Letter of Acceptance shall be paid by the Procuring Agency to the Contractor on the works costing Rs.2.5 million or above on following conditions:
 - (i) on submission by the Contractor of a Mobilization Advance Guarantee for the full amount of the Advance in the specified form from a Scheduled Bank in Pakistan to the Procuring Agency.
 - (ii) Contractor will pay interest on the mobilization advance at the rate of 10% per annum on the advance; and
 - (iii) This Advance including the interest shall be recovered in 5 equal installments from the five (05) R.A bills and in case the number of bills is less than five (05) then 15th of the advance **inclusive of the interest** thereon shall be recovered from each bill and the balance together with interest be recovered from the final bill. It may be insured that there is sufficient amount in the final bill to enable recovery of the Mobilization Advance.

OR

2) Secured Advance on Materials

- (a) The Contractor shall be entitled to receive from the Procuring Agency Secured Advance against an INDINITRI BOND in P.W. Account Form No. 31(Fin. R. Form No. 2 acceptable to the Procuring Agency of such sum as the Engineer may consider proper in respect of non-perishable materials brought at the Site but not yet incorporated in the Permanent Works provided that:
 - (i) The materials are in accordance with the Specifications for the Permanent Works:
 - (ii) Such materials have been delivered to the Site and are properly stored and protected against loss or damage or deterioration to the satisfaction and verification of the Engineer but at the risk and cost of the Contractor;
 - (iii) The Contractor's records of the requirements, orders, receipts and use of materials are kept in a form approved by the Engineer, and such records shall be available for inspection by the Engineer:
 - (iv) The Contractor shall submit with his monthly statement the estimated value of the materials on Site together with such documents as may be required by the Engineer for the purpose of valuation of materials and providing evidence of ownership and payment therefore:
 - (v) Ownership of such materials shall be deemed to vest in the Procuring Agency and these materials shall not be removed from the Site or otherwise disposed of without written permission of the Procuring Agency:

- (vi) The sum payable for such materials on Site shall not exceed 75% of the (i) landed cost of imported materials, or (ii) ex-factory / ex-warehouse price of locally manufactured or produced materials, or (iii) market price of stands other materials;
- (vii) Secured Advance should not be allowed unless & until the previous advance, if an, fully recovered:
- (viii) Detailed account of advances must be kept in part II of running account bill; and
- (ix) Secured Advance may be permitted only against materials/quantities anticipated to be consumed futilized on the work within a period of 3 months from the date of issue of secured advance and definitely not for full quantities of materials for the entire work contract

(b) Recovery of Secured Advance:

- (i) Secured Advance paid to the Contractor under the above provisions shall be effected from the monthly payments on actual consumption basis, but not later than period specified in the rules not more than three months (even if unutilized); other conditions.
- (ii) As recoveries are made the outstanding accounts of the items concerned in Part II should be reduced b making deduction entries in the column: —deduct quantity utilized in work measured since previous bill; equivalent to the quantities of materials used by the contractor on items of work shown as executed in part I of the bill.
- (c) Interim payments: The Contractor shall submit to the Engineer monthly statements of the estimated value of the work completed less the cumulative amount certified previously.
 - (i) The value of work completed comprises the value of the quantities of the items in the Bill of Quantities completed.
 - (ii) value of secured advance on the materials and valuation of variations (if any).
 - (iii) I regineer may exclude any item certified in a previous certificate or reduce the proportion of any item previously certified in any certificate in the light of later information.
 - (v) Retention money and other advances are to be recovered from the bill submitted by contractor.

11.2 *(a) Valuation of the Works:

- i) Lump sum price (details), or
- ii) Lump sum price with schedules of rates (details), or
- iii) Lump sum price with bill of quantities (details), or
- iv) Re-measurement with estimated bid quantities in the Schedule of Prices or on premium above or below quoted on the rates mentioned in CSR (details), or and
- v) Cost reimbursable (details)

| 11.6 | Currency of payment: Pak. Rupees | | |
|--------|---|-----------------|-------------|
| 14.1 | Insurances: (Procuring Agency may deci and the scope of the work) | ide, keeping in | view the n |
| | Type of cover | | |
| | The Works | | |
| | Amount of cover | | |
| | The sum stated in the Letter of Acceptance | plus lifteen pe | greent (15% |
| | Type of cover | | |
| | Contractor's Equipment: | | |
| | Amount of cover | | |
| | Fulf replacement cost | | |
| Туре | of cover | | |
| | Third Party-injury to persons and damage t | o property | |
| | (The minimum amount of third party insure Procuring Agency and entered). | mee should be | assessed h |
| | Workers: | | |
| | Other cover*: | | |
| | On each case name of insured is Contracto | r and Procuri | ід Аденсу) |
| 14.2 | Amount to be recovered | | |
| | Premium plus | percent (| Φ'n). |
| 15.3 | Arbitration** | | |
| | Place of Arbitration: | | |
| | | | |
| * iPro | neuring Agenes to specify as appropriates | | |

11.3 Percentage of retention*: five (5%)

| STANDARD FORMS |
|--|
| |
| (Note: Standard Forms provided in this document for securities are to be issued by a bank In case the bidder chooses to issue a bond for accompanying his bid or performance of contract or receipt of advance the relevant format shall be tailored accordingly without changing the spirit of the borms of securities: |
| |
| |
| |
| |
| |
| |
| |
| |
| |
| |
| 64 |
| |

FORM OF BID SECURITY

(Bank Guarantee)

Guarantee No. 1 xecuted on

(Letter by the Guarantor to the Procuring Agency) Name of Guarantor (Scheduled Bank in Pakisran) with address:

Name of Principal (Bidder) with address:

Sum of Security (express in words and figures):

Bid Reference No.

Date of Bid

KNOW ALL MEN BY THESE PRESENTS, that in pursuance of the terms of the Bid and at the request of the said Principal, we the Guarantor above-named are held and firmly bound unto the ... (hereinafter called The —Procuring Agency!) in the sum stated above, for the payment of which sum well and truly to be made, we bind ourselves, our heirs, executors, administrators and successors, jointly and severally, firmly by these presents.

THE CONDITION OF THIS OBLIGATION IS SUCIL that whereas the Principal has submitted the accompanying Bid numbered and dated as above for

(Particulars of Bid) to the said Procoring

Agency: and

WHEREAS, the Procuring Agency has required as a condition for considering the said Bid that the Principal furnishes a Bid Security in the above said sum to the Procuring Agency, conditioned as under:

- (1) that the Bid Security shall remain valid for a period of twenty eight (28) days beyond the period of validity of the bid:
- (2) that in the event of:
 - (a) the Principal withdraws his Bid during the period of validity of Bid, or
 - (b) the Principal does not accept the correction of his Bid Price, pursuant to Sub-Clause 16.4 (b) of Instructions to Bidders, or
 - (c) failure of the successful bidder to
 - (i) furnish the required Performance Security, in accordance with Sub-Clause IB-21.1 of Instructions to Bidders, or

(ii) sign the proposed Contract Agreement, in accordance with Sub-Clauses IB-20.2 & 20.3 of Instructions to Bidders, the entire sum be paid immediately to the said Procuring Agency for delayed completion and not as penalty for the successful bidder's failure to perform.

NOW THEREFORE, if the successful bidder shall, within the period specified therefore, on the prescribed form presented to him for signature enter into a formal Contract Agreement with the said Procuring Agency in accordance with his Bid as accepted and furnish within fourteen (14) days of receipt of Letter of Acceptance, a Performance Security with good and sufficient surety, as may be required, upon the form prescribed by the said Procuring Agency for the faithful performance and proper fulfilment of the said Contract or in the event of non-withdrawal of the said Bid within the time specified then this obligation shall be void and of no effect, but otherwise to remain in full force and effect.

PROVIDED THAT the Guarantor shall forthwith pay to the Procuring Agency the said sum stated above upon first written demand of the Procuring Agency without cavil or argument and without requiring the Procuring Agency to prove or to show grounds or reasons for such demand, notice of which shall be sent by the Procuring Agency by registered post daly addressed to the Guarantor at its address given above.

PROVIDED ALSO HEAT the Procuring Agency shall be the sole and final judge for deciding whether the Principal has duly performed his obligations to sign the Contract Agreement and to furnish the requisite Performance Security within the time stated above, or has defaulted in fulfilling said requirements and the Guarantor shall pay without objection the sum stated above upon first written demand from the Procuring Agency forthwith and without any reference to the Principal or any other person.

IN WITNESS WHEREOF, the above bounded Guarantor has executed the instrument under its seal on the date indicated above, the name and seal of the Guarantor being hereto affixed and these presents duly signed by its undersigned representative pursuant to authority of its governing body.

| | Guarantor (Bank) | |
|--------------------------------|----------------------------|--|
| Witness: | 1. Signature | |
| 1. | 2. Name | |
| Corporate Secretary (Seal) 2. | 3. Little | |
| (Name, Little & Address) | Corporate Guarantor (Seat) | |

FORM OF PERFORMANCE SECURITY (Bank Guarantee)

Cuarantee No.

1 Necuted on
1 Apiry Date

(Letter by the Guarantor to the Procuring Agency)

Name of Guarantor (Scheduled Bank in Pakistan) with

address:

Name of Principal (Contractor) with address:

Penal Sum of Security (express in words and figures)

Letter of Acceptance No.

Dated

KNOW ALL MEA BY THEST PRESENTS, that in pursuance of the terms of the Bidding Documents and above said Letter of Acceptance (hereinafter called the Documents) and at the request of the said Principal we, the Guarantor above named, are held and firmly bound unto the (hereinafter called the

Procuring Agency) in the penal sum of the amount stated above, for the payment of which sum well and truly to be made to the said Procuring Agency, we bind ourselves, our heirs, executors, administrators and successors, jointly and severally, firmly by these presents.

THE CONDITION OF THIS OBJIGATION IS SUCH, that whereas the Principal has accepted the Procuring Agency's above said Letter of Acceptance for (Name of Contract) for the

(Name of Project).

NOW THEREFORE, if the Principal (Contractor) shall well and truly perform and fulfill all the undertakings, covenants, terms and conditions of the said Documents during the original terms of the said Documents and any extensions thereof that may be granted by the Procuring Agency, with or without notice to the Guarantor, which notice is, hereby, waived and shall also well and truly perform and fulfill all the undertakings, covenants terms and conditions of the Contract and of any and all modifications of the said Documents that may hereafter be

made, notice of which modifications to the Guarantor being hereby waived, then, this obligation to be void: otherwise to remain in full force and virtue till all requirements of Clause 9. Remedying Defects, of Conditions of Contract are fulfilled.

Our total liability under this Guarantee is limited to the sum stated above and it is a condition of any liability attaching to us under this Guarantee that the claim for payment in writing shall

be received by us within the validity period of this Guarancee, failing which we shall be discharged of our liability, if any, under this Guarantee.

We. (the Guarantor), waiving all objections and defenses under the Contract, do hereby irrevocably and independently guarantee to pay to the Procuring Agency without delay upon the Procuring Agency's first written demand without cavil or arguments and without requiring the Procuring Agency to prove or to show grounds or reasons for such demand any sum or sums up to the amount stated above, against the Procuring Agency's written declaration that the Principal has refused or failed to perform the obligations under the Contract. For which payment will be effected by the Guarantor to Procuring Agency's designated Bank & Account Number.

PROVIDED ALSO THAT the Procuring Agency shall be the sole and final judge for deciding whether the Principal (Contractor) has duly performed his obligations under the Contract or has defaulted in fulfilling said obligations and the Guarantor shall pay without objection any sum or sums up to the amount stated above upon first written demand from the Procuring Agency forthwith and without any reference to the Principal or any other person.

IN WITNESS WHERLOF, the above bounded Guarantor has executed this Instrument under its seal on the date indicated above, the name and corporate seal of the Guarantor being hereto affixed and these presents duty signed by its undersigned representative, pursuant to authority of its governing body.

| | Guarantor (Bank) | |
|----------------------------|----------------------------|--|
| Witness: 1. | 1. Signature | |
| | 2. Name | |
| Corporate Secretary (Seal) | 3. Title | |
| 2. | | |
| (Name, Title & Address) | Corporate Guarantor (Scal) | |

FORM OF CONTRACT AGREEMENT

| THIS CON | TRACLAGR | EEEMENT (hereinafter ea | fled theAgreement) made on the |
|-----------|------------------|-------------------------|--------------------------------|
| day of | 200 | between | (hereinafter called the |
| Procuring | g Agencyl) of | the one part and | (hereinafter called the |
| Contracto | or") of the othe | er part. | |

WHEREAS the Procuring Agency is desirous that certain Works, viz should be executed by the Contractor and has accepted a Bid by the Contractor for the execution and completion of such Works and the remedying of any defects therein.

NOW this Agreement witnesseth as follows:

- 1. In this Agreement words and expressions shall have the same meanings as are respectively assigned to them in the Conditions of Contract hereinafter referred to.
- 2. The following documents after incorporating addenda, if any except those parts relating to Instructions to Bidders, shall be deemed to form and be read and construed as part of this Agreement, viz:
 - (a) The Letter of Acceptance:
 - (b) The completed Form of Bid along with Schedules to Bid:
 - (e) Conditions of Contract & Contract Data:
 - (d) The priced Schedule of Prices Bill of quantities (BoO):
 - (e) The Specifications; and
 - (f) The Drawings
- 3. In consideration of the payments to be made by the Procuring Agency to the Contractor as hereinafter mentioned, the Contractor hereby covenants with the Procuring Agency to execute and complete the Works and remedy defects therein in conformity and in all respects within the provisions of the Contract.
- 4. The Procuring Agency hereby covenants to pay the Contractor, in consideration of the execution and completion of the Works as per provisions of the Contract. Price or such other sum as may become payable under the provisions of the Contract at the times and in the manner prescribed by the Contract.

IN WITNESS WITERFOL the parties hereto have caused this Contract Agreement to be executed on the day, month and year first before written in accordance with their respective laws.

| Signature of the Contactor | Signature of the Procuring Agency | | | | |
|--|---------------------------------------|--|--|--|--|
| (Seal) | (Seal) | | | | |
| Signed. Sealed and Delivered in the presence of: | | | | | |
| Witness: | Witness: | | | | |
| | · · · · · · · · · · · · · · · · · · · | | | | |
| (Name, Little and Address) | (Name, Title and Address) | | | | |

MOBILIZATION ADVANCE GUARANTEE

Guarantee No.

Executed on

(Letter by the Guarantor to the Procuring Agency).

WHEREAS the (hereinafter

called the Procuring Agency) has entered into a Contract for

(Particulars of Contract), with

thereinafter called the Contractor).

AND WHEREAS the Procuring Agency has agreed to advance to the Contractor, at the Contractor's request, an amount of Rs. Rupees

) which amount shall be advanced to the Contractor as per provisions of the Contract.

AND WHEREAS the Procuring Agency has asked the Contractor to furnish Guarantee to secure the advance payment for the performance of his obligations under the said Contract.

AND WHEREAS (Scheduled Bank) (hereinafter called the Guarantor) at the request of the Contractor and in consideration of the Procuring Agency agreeing to make the above advance to the Contractor, has agreed to furnish the said Guarantee.

NOW THEREFORI the Guarantor hereby guarantees that the Contractor shall use the advance for the purpose of above mentioned Contract and if he fails, and commits default in fulfillment of any of his obligations for which the advance payment is made, the Guarantor shall be liable to the Procuring Agency for payment not exceeding the aforementioned amount.

Notice in writing of any default, of which the Procuring Agency shall be the sole and final judge, as aforesaid, on the part of the Contractor, shall be given by the Procuring Agency to the Guarantor, and on such first written demand payment shall be made by the Guarantor of all sums then due under this Guarantee without any reference to the Contractor and without any objection.

This Guarantee shall come into force as soon as the advance payment has been credited to the account of the Contractor.

This Guarantee shall expire not later than

by which date we must have received any claims by registered letter, telegram, telex or telefax.

It is understood that you will return this Guarantee to us on expiry or after settlement of the total amount to be claimed bereunder.

| | Goarantor (Scheduled Bank) | | | | |
|----------------------------|----------------------------|--|--|--|--|
| Witness: 1. | 1. Signature | | | | |
| | 2. Name | | | | |
| Corporate Secretary (Seal) | 3. Title | | | | |
| 7 | | | | | |
| (Name, Litle & Address) | Corporate Guarantor (Seal) | | | | |

INDENTURE FOR SECURED ADVANCES.

| (For use in cases in which is contract is for finished work and the contractor has entered into an agreement for the execution of a certain specified quantity of work in a given time). |
|---|
| This INDENTURE made the |
| Contractor" which expression shall where the context so admits or implied be deemed to include his heirs, executors, administrators and assigns) of the one part and THE GOVERNOR OF SINDH (hereinafter called "the Government" of the other part). |
| WHEREAS by an agreement, dated (hereinafter called the said agreement, the contractor has agreed to perform the under-mentioned works (hereinafter referred to as the said work):- |
| (Here enter (the description of the works). |
| AND WHERLAS the contractor has applied to the |
|) on the security of materials absolutely belonging to him and brought by him to the site of the said works the subject of the said agreement for use in the construction of such of the said works as he has undertaken to execute at rates fixed for the finished work (inclusive of the cost of materials and labour and other charge) AND WHEREAS the Government has agreed to advance to the Contractor the sum of Rupees. (Rs) on the security of materials the quantities and other particulars of which are detailed in Part II of Running Account Bill (F), the said works signed by the contractor fin R Form I. A |
| on and on such covenants and conditions as are hereinafter contained and the Government has reserved to itself the option of marking any further advance or advances on the security of other materials brought by the Contractor to the site of the said works. |
| NOW THIS INDENTURE, WITNESSLITE—that in pursuance—of the said agreement and in consideration of the sum of Rupees |
| And doth hereby covenant and agree with the Government and declare ay bllow:- |
| (1) That the said sum of Rupees |
| |

(2) That the materials detailed in the said Raming Account Bill (B) which have been tank tomotors.

Offered to and accepted by the Government as security for the said amount are absolutely by the Contractors own property free from encumbrances of any kind and the Contractor will not make any application for or receive a further advance on the security of materials which are not absolutely his own property and free from encumbrances of any kind and the contractor hereby agrees, at all times, to indemnify and save harmless the Government against all claims whatsoever to any materials in respect of which an advance has been made to him as aforesaid.

(3) That the said materials detailed in the said Running Account Bill (B) and all other

Materials on the security of which any further advance or advances may hereafter be made as aforesaid (hereinafter called the said materials) shall be used by the Contractor solely in the execution of the said works in accordance with the directions of the Divisional Officer) and in the terms of the said agreement.

- (4) That the Contractor shall make at his own cost all necessary and adequate arrangement for the proper watch, safe custody and protection against all risks of the said material and that until used in construction as aforesaid the said materials shall remain at the site of the said works in the Contractor's custody and at his own risk and on his own responsibility and shall at all times be open to inspection by the Divisional Officer or any officer authorized by him. In the event of the said materials of any part (hereof being stolen, destroyed or damaged or becoming deteriorated in a grater degree than is due to reasonable use and wear thereof Contractor will forthwith replace the same with other materials of like qualify or repair and make good the same as required by the Divisional Officer and the materials so brought to replace the said materials so repaired and made good shall also be considered as security for the said amount.
- (5) Thurt the said materials shall not on any account be removed from the site of the said works except with the written permission of the Divisional Officer or an officer authorized by him in that behalf
- (6) That the said amount shall be payable in full when or before the Contractor receives payment, from the Government of the price payable to him for the said works under the terms and provisions of the said agreement PROVIDED THAT if any intermediate payments are made to the contractor on account of work done then on the occasion of each such payment the Government will be at liberty to make a recovery from the Contractors Bill for such payment by deducting there from in the value of the said materials (hen actually used in the construction and in respect of which recovery has not been made previously the value for this purpose being determined in respect of each description of material at the rates at which the amount of the advances made under these presents were calculated.

(7) That if the Contractor shall at any time make any definit in the performance or observation in any respect of any of the terms and provisions of the said agreement or of these presents the total amount of the advance or advances that may still be owing to the Government shall immediately on the happening of such default be repayable by the Contractor to the Government together with interest thereon at twelve

percent per annum from the date or respective dates of such advance or advances to the date or repayment and with all costs, charges, damages and expenses incurred by the Government in or for the recovery thereof or the enforcement of this security or otherwise by reason of the default of the Contractor and any moneys so becoming due and payable shall constitute a debt due from the Contractor to the Government and the Contractor hereby covenants and agrees with the Government to repay and the same respectively to it accordingly.

| (8 | 8) | Hal | the t | Contracto | r hereby | charges a | ill the | said materia | ls wit | h the |
|----------|----------|--------|--------|-------------|-----------|-------------|----------|----------------|--------|---------------|
| repay me | nt to th | ie Ge | s crui | nent of the | said sm | n of Rapec | · | | | ************ |
| (Rs | |) | and; | any furthe | r sum or | sums which | h may l | re advanced a | s afor | esaid and |
| alle | osts ¢ | harge | es da | images a | nd expe | nses paya | ble und | ler these pr | esent | PROVIDED |
| ALWAY | YS and | Lit i | s her | eby agree | d and de | clared that | not w | itlestanding a | iythin | g in the said |
| agreeme | nt an | d wi | thout | prejudie | e to the | powers a | containe | ed therein if | and | whether the |
| covenan | it for p | aym | ant ai | nd repayn | ient here | inbefore e | ontaine | d shall becon | ic enl | orecable and |
| the mon- | es oni | ing sl | iall n | or be paid | to accor | dingly. | | | | |

Once therewith the Government may at any time thereafter adopt all or any of following courses as it may deem best:-

- (a) Seize and utilize the said materials or any part thereof in the completion of the said works on behalf of the Contractor in accordance with the provisions in that behalf contained in the said agreement debiting the Contractor with the actual cost of effecting such completion the amount due in respect of advances under these presents and crediting the Contractor with the value of work done as he had carried it out in accordance with the said agreement and at the rates thereby provided. If the balance is against the Contractor he is to pay the same to the Government on demand.
- (b) Remove and sell by public auction the seized materials or any part thereof and out of the moneys arising from the sale retain all the sums aforesaid repayable to the Government under these presents and pay over the surplus (if any) to the Contractor.
- (c) Deduct all or any part of the moneys owing out of the security deposit or any sum due to the Contractor under the said agreement.
- (9) That except as is expressly provided by the presents interest on the aid advance shall not be payable.

| (10) That in the event of any conflict between the provis- said agreement the provisions of these presents shall prevail a or difference arising over the construction or effect of these pro- has not been hereinbefore expressly provided for the same shall referred to the Superintending Engineer | nd in the event of any dispute esents the settlement of which I be . Circle whose |
|--|---|
| In witnesses whereof the* | on behalf of the |
| Governor of Sindh and the said | have hereunto set |
| Signed, scaled and delivered by hin the presence of | |
| Seal 1st witness 2 nd witness | |
| Signed, sealed and delivered by * In the presence of | |
| Seal | |
| 1st Witness 2 nd witness | |

SPECIFICATIONS

[Note for Preparing the Specifications]

A set of precise and clear specifications is a prerequisite for bidders to respond realistically and competitively to the requirements of the user without qualifying their Bids. The specifications must be drafted to permit the widest possible competition and, at the same time, present a clear statement of the required standards of workmanship, materials, performance of the works. Only if this is done objectives of economy, efficiency, and fairness in procurement will be realized and responsiveness of Bids can be ensured, and the subsequent task of bid evaluation can be facilitated. The specifications should require that materials to be incorporated in the works be new, unused, and of the most recent or current models, and incorporated all recent improvements in design and materials unless provided for otherwise in the contract.

Samples of specifications from similar to previous procurements are useful in this respect. The use of metric units is encouraged. Depending on the complexity of the works and the repetitiveness of the type of procurement, it may be advantageous to standardize the Technical Specifications that should cover all classes of workmanship, materials and equipment although not necessarily to be used in a particular procurement.

Care must be taken in drafting specifications to ensure that they are not restrictive. In the specification of standards for equipment, materials, and workmanship, recognized international standards should be used as much as possible. The specifications shall consider all conditions but not limited to seismic conditions, weather conditions and environmental impact. The specifications should state that equipment, materials, and workmanship that meet other authoritative standards, and which ensure at least a substantially equal quality than the standards mentioned, will also be acceptable. The following clause may be inserted in the Specifications.

Sample Clause: Equivalency of Standards and Codes

Wherever reference is made in the Specifications to specific standards and codes to be met by Works to be firmished and tested, the provisions of the latest current edition or revision of the relevant shall apply, unless otherwise expressly stated in the Contract. Other authoritative standards that ensure equivalence to the standards and codes specified will be acceptable.]

*DRAWINGS

* (Note: The Engineer Procuring Agency may incorporate specific Drawings for Bidding purposes only or may include the detailed drawings in a separate

volume, if necessary).