



GOVERNMENT OF SINDH
CULTURE, TOURISM & ANTIQUITIES DEPARTMENT
PLANNING, DEVELOPMENT, MONITORING,
IMPLEMENTATION & EVALUATION CELL,
PAK SECRETARIAT, BLOCK NO. 76-A

Karachi dated: 23-02-2016

To,

The Manager (ENF-II),
SPPRA, Government of Sindh,
Karachi.

SUBJECT: **HOSTING OF FINANCIAL PROPOSAL / NIT FOR PREQUALIFIED**
BIDDERS / CONTRACTORS.

I am directed to enclose herewith the subjected proposal / NIT for hoisting on authority's website as per provision of SPPRA.

It is therefore requested that, the subjected financial proposal for prequalified bidders may kindly be hoisted accordingly.

(MUMTAZ ALI KHOKHAR)
Deputy Director
23/02/2016

C.C to:

1. P.S to Secretary, Culture, Tourism & Antiquities Department, Government of Sindh, Karachi.
2. Copy to Member (All) Procurement Committee.
3. Copy for Display on Notice Board.



No.XEN/PDMI&E Cell/CT&AD/NIT-F/2015-16/963-A

GOVERNMENT OF SINDH
CULTURE, TOURISM & ANTIQUITIES DEPARTMENT
PLANNING, DEVELOPMENT, MONITORING,
IMPLEMENTATION & EVALUATION CELL,
PAK SECRETARIAT, BLOCK NO. 76-A

Karachi dated: 23-02-2016

NOTICE INVITING TENDER FOR FINANCIAL PROPOSAL FROM
PREQUALIFIED BIDDERS / CONTRACTORS

Sealed tenders / financial proposal are invited under SPPRA Rules, 2010 (Amended 2013) from the companies / firms who were prequalified with reference to this office NIT No. D.D/PDMI&ECELL/CT&AD/NIT/2015-16/919 daetd:28-01-2016 SPPRA S.No. 26286 Dated:01-02-2016, published in the following newspapers:-

- 1-SPPRA dated 01st Feb, 2016 S.NO.26286.
- 2-Daily Express Tribune INF.KRY:109/2016 Dated 31-01-2016.
- 3-Daily Awami Awaz INF.KRY:109/2016 Dated 31-01-2016.
- 4-Daily Jang Karachi INF.KRY:109/2016 Dated 01-02-2016.

Blank bid documents / financial proposal can be obtained from the office of Deputy Director, Planning, Development, Monitoring, Implementation & Evaluation Cell, Culture, Tourism & Antiquities Department, Pak Secretariat, Block No.76-A Opp: MPA Hostel Karachi on are before 09th March, 2016 at 01:00 pm.

Financial / Proposals will be opened on the same day at 02:00 pm

(MUMTAZ ALI KHOKHAR)
Deputy Director

C.C to:

1. Manager ENF-II, SPPRA, Government of Sindh, Karachi for hoisting the Financial Proposal and bid document on the website of SPPRA.
2. P.S to Minister, for Culture & Tourism Department, Government of Sindh, Karachi.
3. P.S to Secretary, Culture, Tourism & Antiquities Department, Government of Sindh, Karachi.
4. Copy to Member (All) Procurement Committee.
5. Copy for Display on Notice Board.

Conservation, Preservation , Restoration and Rehabilitation of
Dabgheer Mosque Thatta and Establishment Of Sindh Kashi Institute
At Bhitshah

A) Civil Work

Schedule Items

S.NO	DESCRIPTION	QTY	RATE	UNIT	AMOUNT
1	Excavtion in foundation of Building Bridges and other structures including dagbelling dressing,refilling around structrue with excavated earth Watering and ramming lead upto 5 ft. (b) In ordinary soil.	10860.00	3176.25	P- % 0 Cft.	34494.08
2	Cement concrete brick or stone ballast 1 1/2" to 2" gauge.(b)	5430.00	9416.28	P- %Cft.	511304.00
3	Cement concrete plain including placing compacting, finishing and curing, comlete (including screening and washing at stone aggregate without shuttering 1:4:8	3600	11288.75	P-% Cft	406395
4	Filling, watering and ramming earth under floor with new earth (Excavated from outside) lead upto one chain and lift upto 5 feet.t p-6, S.no:21	4168.3	3630	% 0 Cft	15130.929
5	Reinforced cement concrete work including all labour and material except the cost of steel reinforcement and its labour for bending and binding which will be paid separately. This rate also includes all kinds of forms moulds: lifting shuttering curing rendering and finishing the exposed surface (including screening and washing of shingle.) (I) Ratio (1 : 2: 4) 90 Lbs.cement 2 Cft. Sand 4 Cft. Shingle 1/8" to 1/4" gauge.	2800.87	337	P-Cft	943893.19
6	(a) Fabrication of mild steel reinforcement for cement concrete including cutting,bending, laying in position, making joints and fastenings including cost of binding wire (also includes removeal of rust from bars.) (b) Using Tor bars.	25.01	5001.6	P-Cwt	125078.8517
7	Pacca brick work in foundation and plinth in (a) cement sand mortor 1:2	3579.19	13802.71	P.% Cft	494025.22
8	Pacca brick work in ground floor (a) cement sand mortor 1:2	4242	14528.71	P.% Cft	616307.88
9	Cement plaster 1:2 upto 12' height c) 3/4" thick	11312	3056.62	P.% Sft	345764.85

10	Providing & fixing colour crete to wall surface to provide, durable crust and aesthetics having water, fire anti termite resistance (upto 20'-00" height)	11312	6319.5	P.% Sft	714861.84
11	Laying white marble flooring 3/4" thick (S.I No.28 (a) p-42)	2563.96	24	P.% Sft	615.35
12	Marble dado skirting 3/8" thick (s.i no 68 (a) p-48)	299.17	250	P.% Sft	747.93
13	Glazed tile 1/4" thick (S.I No 24/p-42)	1450	300	P.% Sft	4350.00
14	White Glazed tile 1/4" thick dado (s.i no 37 / 44)	1473.5	380	P.% Sft	5599.3
15	Supplying & fixing in position Aluminium channels framing for slidding windows & ventilators of Alcop made with 5 mm thick tinted glass glazing (Belgium) & Aluminium fly screen l/c handles stoppers & locking arrangement etc. complete.). (S.I No.84 (b) /p-107	444.5	1647.69	P. Sft	732398.21
16	Supplying & fixing inposition Aluminium channels framing for hinged doors or Alcop made with 5 mm thick tinted glass glazing (Belgium) and Alpha (Japan) locks l/c handles, stoppers etc.complete.(b) Deluxe model (Bronze). (S.I NO 83 (b) /p-107	677	1507.66	P. Sft	1020685.82
17	Supplying and fixing false cailing of plaster of paris, in pannels including making frame , work of Deodar wood including painting with Soligia paint. (s.i no. 52 / p-63)	2330	25293	P.% Sft	589326.90
18	Two coats or bitumen laid hot using 34 lbs for %Sft over roof & blinded with sand at one Cft per % Sft.(S.I # 13, Pg-40)	8400.00	P-% Sft.	1887.40	158,541.60
19	Varnishing wood work including cleaning and reparing surface. (a) First Coat (S.no: 8a , pg no: 86)	743.67	831.05	P-% Sft	6180.27
20	Providing Anti -termmite treatment by spraying /sprinkling /spreading Neptachlar 0.5% Emulsion as an overall pre - construction treatment in slab type construction under the slab and along attached perches or entrances etc, complete as per directions of Engineer Incharge.	13000.69	P.Rft.	40.10	521,327.67

Total = 7247028.88

_____ above / below = _____

Total (A)	=	_____
------------------	----------	-------

B: Water & Sanitary Work**a) Schedule Items**

1	Providing & fixing 24" x 18" lavatory basin in white glazed earthen ware complete with & I/c the cost of W.I or C.I cantilever brackets 6 inches built into walls, painted white in two coats after a primary coat of red lead paint a pair of 1/2" dia rubber plug & chrome plated brass chain 1-1/4" dia, malleable iron or brass unions and making requisite number of holes in walls, plinth & floor for Pipe connections and making good in cement concrete 1: 2: 4 (Foreign or Equivalent).(S.no: 10. ch: no 1)	12.00	Each	4928.00	59136.00
2	Providing & fixing 24" x 18" bavelled edge mirror of belgium glass complete with 1/8" thick hard board and c.p screws fixed to wooden pleat. (b) Superior Quality. (S.no: 3b Ch: no: 2)	12.00	Each	2376.00	28512.00
3	Providing & fixing M.S clamps of the approved design to 4" dia C.I Pipe sockets including the cost of cutting and making good to wall or M.S bolts and nuts, 4" into wall including Pipe distance Pieces extra painting to match the colour of the building. (S.no: 2, Ch: 3)	80.00	Each	12.72	1017.60
4	Providing and fixing squatting type white glazed earthen ware w.c pan with front flush inletr & complete with including the cost of flushing cistern with internal fitting and flush Pipe with bend and making requisite number of holes in walls plinth & floor for Pipe connection & making good in cement concrete 1: 2: 4: (Foreign Equivalent). (S.no: 2, Ch: no 1) (A) W.C.pan 23" & low level earthen ware flush tank 3 gallons. (ii) With 4" dia white glazed earthen were trap and plastic thumble.	12.00	Each	5772.80	69273.60
5	Providing & fixing 4" dia C.I soil & vent Pipe including cutting and fitting and extra painting to match the colour of building. (S.no: 1 .Ch: 2)	300.00	Rft	333.29	99987.00

6	Providing & fixing 4" dia bend of the required degree with access door rubber washer 1/8" thick and bolts and nuts and extra painting to match the colour of the building. (S.no: 9, Ch:3)	36.00	Each	599.60	21585.60
7	Providing G.I Pipes, specials, and clamps etc, including fixing cutting & fitting complete with and I/c the cost of breaking thorough walls and roof, making good etc. painting two coats after cleaning the Pipe etc. with white zink paint with pigment to match the colour5 of the building and testing with water to a pressure head of 200 feet and handling. (S.no: 1, Ch:4) (I) 1/2" dia G.I Pipe (ii) 3/4" dia G.I Pipe (iii) 1" dia G.I Pipe (iv) 1-1/2" dia G.I Pipe (vi) 2" dia G.I Pipe	160.00 850.00 710.00 210.00 430.00	Rft Rft Rft Rft Rft	73.21 95.79 128.55 188.97 133.00	11713.60 81421.50 91270.50 39683.70 57190.00
8	Supplying & fixing Telephonic shower with ring Pipe etc. Complete. (S.no: 20, Ch:6)	12.00	Each	1122.00	13464.00
9	Supplying & fixing Bath room accessories set (7 Piece) I/c towel rod, brush holder soaptray shelf of approved design I/c cost of screws, nuts etc Complete.(Master Brand). (S.no 23, Ch: 6)	12.00	Each	10322.00	123864.00
10	(a) S/Fixing long bib- cock of superir quality with c.p head 1/2" dia. (S.no:23, Ch:6	24.00	Each	1109.46	26627.04
11	(a) Supplying & fixing C.P Muslim Showerer with double Bib cock & ring Pipe etc complete.	12.00	Each	3432.00	41184.00

Total = 765930.14

% Above / Below =

Total (B)	=	
------------------	---	--

C) ELECTRIC WORK

1	Providing & Fixing of flood light 250 watts (HPIT) having IPS65 classification with 250w lamp, choke, capacitor, igniter & Internal wiring complete in all respect at the height up to 40 ft with the help of hydraulic crane and manual labour as per site requirement and instruction of EI	24.00	Each	15440	370,560
2	Providing & fixing 250 watts (HPMV) lamp @ the height as per site Requirement & instruction of engineer in charge	20.00	P.No	607	12,140
3	Providing & fixing two pin 5amp plug & socket	24.00	P.No	80	1920

4	Providing & fixing three pin 5amp plug & socket	22.00	P.No	91	2002
5	Wiring for light or fan point with 3/.029 PVC insulated wire in 20mm (3/4") PVC conduit on surface as required.	60.00	P.Point	797	47820

6	Wiring for plug point with 3/.029 PVC insulated wire in 20mm (3/4'') PVC conduit on surface as required.	60.00	P.Point	669	40140
7	Wiring for call bell point with 3/.029 PVC insulated wire in 20mm (3/4'') PVC conduit on surface as required.	40.00	P.Point	1380	55200
8	Providing & fixing junction box as per following specification Size of box 10''x8''x5'' MS plate size 16 SWG thick Clamp with nuts & bolts Cover plate with screw Painting two coats of rust preventivered oxide & two coats of ICI oil paint as per site requirement & instruction of EI	20.00	P.No	1020	20400
9	Providing & fixing circuit breaker 6,10,15,20, 30,40,50 & 63amp DP (TB-5S) on prepared board as required.	25.00	P.No	2456	61400
10	Wiring of Control circuit for Split A/C Unit from outdoor A/C unit to indoor unit.	16.00	Each	2200	35200
11	Providing & fixing holder for 125 watts light @ as per site Requirement & instruction of engineer in charge	160.00	Each	203	32480
12	Providing & fixing DP I/C change over switch 500volts 30amp on a prepared board	30.00	Each	2615	78450
13	203. Providing & fixing circuit breaker 6,10,15,20, 30,40,50 & 63amp SP (TB-5S) on prepared board as required.	20.00	Each	916	18320
14	Providing & fixing ammeters size 96/96mm Direct 15A, 30A, 50A, 60A & 100A as required & as per instruction of EI.	13.00	Each	1054	13702
15	Providing & fixing Brass Bracket fan 18'' (good quality) Per No	24.00	Each	2791	66984
16	Wiring of Exhaust Fan points complete in all respect as directed by Engineer Incgarge.	12.00	P.Nos	3000	36000

17	Providing, wiring and connecting of TV points with WISI make or equivalent 2x75 OHMS TV antenna coaxial cable RG6U single shielded having centre conductor of 1 sq.mm in 25 mm dia high impact PVC conduit recessed in floor/slab/wall. Complete in all respect as directed by Engineer Incharge.	24.00	P.Nos	4000	96000
18	Provide, fix, connect and commission light fixtures Philips make or equivalent with Philips components as approve, complete in all respects and ready for use.Philips Type TBS-140 or equivalent complete with 1 x 40 W fluorescent lamps:	36.00	Each	2600	93600
19	Providing and installing the gate light of approved quality complete in all respect as directed by Engineer Incharge.	8.00	P.No	5600	44800
20	Providing & Fixing of LED lights of approved quality including connection, wiring, fitting, complete in all respect as directed by Engineer Incharge.	24.00	P.Job	22500	540000
21	294. Providing & fixing channel patti 1/2'' as required as per instruction of EI.	8400	P-Rft	31	260400
			Total	=	1,927,518

_____ % Above / Below = _____

Total (C)	=	_____
------------------	---	-------

GRAND TOTAL

A. Civil Work	=	_____
B. Water & Sanitary Work	=	_____
C. Electric Work	=	_____

Contractor
SEAL & SIGNATURE

Executive Engineer PDMI & E Cell
Directorate of Culture Sindh Secretariat
Block No. 76/A , Opposite MPA Hostel
Karachi Ph & Fax : 021-992063782

FINANCIAL BIDDING DOCUMENTS



GOVERNMENT OF SINDH CULTURE, TOURISM & ANTIQUITIES DEPARTMENT

Planning, Development, Monitoring, Implementation & Evaluation Cell

Name of Project/Scheme

1

**Conservation, Preservation, Restoration and Rehabilitation of
Dabgheer Thatta and Establishment of Sindh Kashi Institute
at Bhitshah**

Name of Procuring Agency

*PDMI&E CELL - CULTURE, TOURISM &
ANTIQUITIES DEPARTEMNT*

Document issued to

INETRIOR & EXTERIOR CONSERVATION & SURFACE DECORATION OF
KHUDABAD MOSQUE, DADU

A) CIVIL WORK

1.Schedule Items

S.NO	DESCRIPTION	QTY	UNIT	RATE	AMOUNT
1	Excavtion in foundation of Building Bridges and other structures including dagbelling dressing,refilling around structrure with excavated earth Watering and ramming lead upto 5 ft. (b) In ordinary soil.	16527.00	P- % 0 Cft.	3176.25	52493.88375
2	Providing & laying 1: 4: 8 lime concrete P-15 S.i 4 (b)	603	P-%Cft	9416.28	56780.1684

Total = 109274.05

Above / Below =

Total 1 =

2. Non-Schedule Items

S.NO	DESCRIPTION	QTY	UNIT	RATE	AMOUNT
1	Archecural Drawings (Three sets)	1	P.Job		
2	Provision for treatment of cracks (as per Sugesstion of site incharge)	1	P.Job		
0	Dismantling old decayed lime terraced flooring 3" thick.	15658	P Sft		
4	Dismantling and cutting of damaged burnt brick tile masonry.	9261	P Cft		
5	Providing & laying terraced flooring 3" thick	12300	P Sft		
6	Providing & laying burnt brick tile masonry of special size (9)12 " x 6 1h" x 1)12") laid in lime cement mortar.	2079	P Cft		
7	Restoring of the vaulted roof 2 thick.	5709	P Cft		
8	Providing & laying 1)12" thick lime plaster	7810	P Sft		
9	Dismantling of the damaged/loose Kashi tiles.	6311	P Sft		
10	Providing and laying paper pulp treatment to the wall surface.	3321	P Sft		
11	Provision for treatment to the surface of the wall	7872	P Sft		

12	Providing and laying 2" thick Chiroli sand plaster.	11390	P Sft		
13	Providing & laying Kashi tiles of various sizes.	9370	P Sft		
14	Providing & laying Kashi tiles on flooring, wall facings at up to 5' high and at the boarder of domes (6" x 6") laid in cement mortar.	1968	P Sft		
15	Restoring the missmg and faded fresco painting.	7891	P Sft		
16	During cleaning of floor, walls with ammonia solution.	1270	P Sft		
12	Applying solution of aquouscycle hexylamine.	7952	P Sft		
13	Removal of saline earth away one miles)	16527	P Sft		
14	Supplying sweet earth from approved site with in a radius of 6miles	34546	P Cft		
15	Stabilizing a core of the platform.	1378	P Sft		
			Total 2	=	

Total (A) = Total 1 + Total 2			=	_____
--------------------------------------	--	--	---	-------

(B). ELECTRIC WORK

Schedule items

1	Providing & Fixing of flood light 250 watts (HPIT) having IPS65 classification with 250w lamp, choke, capacitor, igniter & Internal wiring complete in all respect at the height up to 40 ft with the help of hydraulic crane and manual labor as per site requirement and instruction of EI	5	Each	15440	77,200
2	Providing & fixing 250 watts (HPMV) lamp @ the height as per site Requirement & instruction of engineer in charge	8	P.No	607	4,856
3	Providing & fixing two pin 5amp plug & socket	22	P.No	80	1,760
4	Providing & fixing three pin 5amp plug & socket	22	P.No	91	2,002

5	Wiring for light or fan point with 3/.029 PVC insulated wire in 20mm (3/4'') PVC conduit on surface as required.	18	P.Point	797	14,346
6	Wiring for plug point with 3/.029 PVC insulated wire in 20mm (3/4'') PVC conduit on surface as required.	18	P.Point	669	12,042
7	Wiring for call bell point with 3/.029 PVC insulated wire in 20mm (3/4'') PVC conduit on surface as required.	12	P.Point	1380	16,560
8	Providing & fixing junction box as per following specification Size of box 10''x8''x5'' MS plate size 16 SWG thick Clamp with nuts & bolts Cover plate with screw Painting two coats of rust preventive red oxide & two coats of ICI oil paint as per site requirement & instruction of EI	2	P.No	1020	2,040
9	Providing & fixing circuit breaker 6,10,15,20, 30,40,50 & 63amp DP (TB-5S) on prepared board as required.	4	P.No	2456	9,824
10	Wiring of Control circuit for Split A/C Unit from outdoor A/C unit to indoor unit.	2	Each	2200	4,400
11	Wiring of Exhaust Fan points complete in all respect as directed by Engineer Incgarge.	8	P.Nos	3000	24,000
12	Providing, wiring and connecting of TV points with WISI make or equivalent 2x75 OHMS TV antenna coaxial cable RG6U single shielded having center conductor of 1 sq.mm in 25 mm dia high impact PVC conduit recessed in floor/slab/wall. Complete in all respect as directed by Engineer Incharge.	12	P.Nos	4000	48,000

13	Provide, fix, connect and commission light fixtures Philips make or equivalent with Philips components as approve, complete in all respects and ready for use. Philips Type TBS-140 or equivalent complete with 1 x 40 W fluorescent lamps:	16	Each	2600	41,600
14	Providing and installing the gate light of approved quality complete in all respect as directed by Engineer In charge.	2	P.No	5600	11,200
17	Providing & Fixing of LED lights of approved quality including connection, wiring, fitting, complete in all respect as directed by Engineer Incharge.	12	P.Job	22500	270,000
				TOTAL	539,830

_____ Above /Below = _____

Total (B)	=	_____
------------------	----------	-------

C) PLUMBING, SANITARY AND SEWERAGE WORKS:

Schedule Items

S.NO	Item of Work	Unit	Qty	Rate	Amount
1	Providing G.I pipes & Special etc including fixing cutting & fitting complete with & I/c the cost of cutting trench upto 2-1/2" feet deep refilling watering ramming and disposal of surplus earth within one chain and painting 2 coats of bitumen paint to pipes & specials after cleaning & hessian cloth soaked in maxphalt composition wrapped tightly round pipes and testing to a pressure head of 200 feet and handling				
(ii)	3/4" dia G.I Pipe	Rft	1076.192	64.888	69831.95
(iii)	1" dia G.I Pipe	Rft	850	86.36	73406.00
(vi)	2" dia G.I Pipe	Rft	400	225.73	90292.00

2	Providing & fixing 4" dia C.I soil & vent Pipe including cutting and fitting and extra painting to match the colour of building.	Rft	80	333.29	26663.2
3	Providing & fixing M.S clamps of the approved design to 4" dia C.I Pipe sockets including the cost of cutting and making good to wall or M.S bolts and nuts, 4" into wall including Pipe distance Pieces extra painting to match the colour of the building.	Each	80	72.06	5764.8
4	Providing & fixing European type white glazed earthen ware wash down w.c pan complete with & I/c cost of white/black plastic seat (Best Qty) & lid with c.p brass hinges best quality and buffers 3 gallons plastic flushing cistern with internal fitting with fitting and clamp 3/4" dia.and cutting & making requisite number of holes in walls, plinth & follr for Pipe connection & making good in cement concrete 1: 2: 4.	Each	8	5339.4	42715.20
5	Providing and fixing handle valves (china) (ii) 3/4" dia (iii) 1" dia (vi) 2" dia.	Each Each Each	16 16 16	271.92 365.42 1382.92	4350.72 5846.72 22126.72
6	Making the connection with the existing G.I Pipe upto 2" dia including cutting the Pipe & providing and fixing necessary fittings.	Each	16	402.16	6434.56
7	Making connection with public Health mains for the house hold filling with M.S clamps, socket screws etc,complete (b) 4" dia.	Each	16	431.2	6899.20

8	Providing chamber 9" x 6" (inside dimensions) x 24" deep for stop cocks and valves etc. with 6" thick C.C. 1 : 3 : 6 : cast in situ walls, 6" thick C.C 1: 4: 8: in foundation 1/2" thick cement plaster 1: 3 to all inside wall surface and to top 1" THICK c.c.1: 2: 4 flooring complete with hinged cast iron cover and frame 9" X 6" (inside)clear opening (wt -1/2 qr') etc, fixed in cement concrete 1:2: 4 including curing excavation, back filling & disposal of earth etc. complete.	Each	16	2582.47	41319.52
9	Providing R.C.C pipe with collars class "B" and digging the trenches to required depth & fixing in position including cutting , fitting & jointing with maxphalt composition & cement mortar 1: 1 and testing with water pressure jto a head of 4 feet above the top of the highest pipe & refilling with excavated stuff. (e) 12" dia R.C.C pipe class "B"	Rft	200	401.97	80394.00
10	Constructing manhole or inspection chamber for the required diameter of circular sewer and 3'-6" (1067 mm) depth with walls of B.B in cement sand mortar 1:3 cement plastered 1:3, 1/2" thick, inside of walls and 1" (25 mm) thick over benching and channel i/c fixing C.I manhole cover with frame of clear opening 1-1/2' x1-1/2' (457x457 mm) of 1.75 cwt. (88.9 kg) embaded in plain C.C 1:2:4 and fixing 1" (25 mm) dia M.S steps 6" (150 mm) wide projecting 4" (102 mm) from the face of wall at 12" (305 mm) C/C duly painted etc. Complete as per standard specification and drawing 4" to 12" dia 2'x2'x3'-6"	Each	3	14748	44244.00
				Total (a) =	520288.59

_____ % Above / Below = _____

Total (b) = _____

$\text{TOTAL (C)} = \text{Total (a)} + \text{Total (b)}$	=	
--	---	--

GRAND TOTAL

A.	Civil Work	=	_____
B.	Electric Work	=	_____
	Grand Total	=	_____

Contractor
SEAL & SIGNATURE

Executive Engineer PDMI & E Cell
Directorate of Culture Sindh Secretariat
Block No. 76/A , Opposite MPA Hostel
Karachi Ph & Fax : 021-992063782

FINANCIAL BIDDING DOCUMENTS



GOVERNMENT OF SINDH
CULTURE, TOURISM & ANTIQUITIES DEPARTMENT
Planning, Development, Monitoring, Implementation & Evaluation Cell

Name of Project/Scheme

2

**INTERIOR & EXTERIOR CONSERVATION & SURFACE
DECORATION OF KHUDABAD MOSQUE, DADU**

Name of Procuring Agency

*PDMI&E CELL - CULTURE, TOURISM &
ANTIQUITIES DEPARTMENT*

Document issued to

FINANCIAL BIDDING DOCUMENTS



GOVERNMENT OF SINDH
CULTURE, TOURISM & ANTIQUITIES DEPARTMENT
Planning, Development, Monitoring, Implementation & Evaluation Cell

Name of Project/Scheme

3

**CONSERVATION, PRESERVATION, RESTORATION,
REHABILITATION AND FACE LIFTING FRONT SIDE ROAD OF
QUAID-E-AZAM MUHAMMAD ALI JINNAH HOUSE MUSEUM.**

Name of Procuring Agency

*PDMI&E CELL - CULTURE, TOURISM &
ANTIQUITIES DEPARTEMNT*

Document issued to

**CONSERVATION, PRESERVATION, RESTORATION, REHABILITATION AND
FACE LIFTING FRONT SIDE ROAD OF QUAID-E-AZAM MUHAMMAD ALI
JINNAH HOUSE MUSEUM.**

1. Schedule Items

S.NO	DESCRIPTION	QTY	UNIT	RATE	AMOUNT
1	Applying chemical polishing on existing mosaic /Marble flooring / dado including cleaning, grinding with carborandum stone / sand paper and applying chemical polish as per requirement. (S.no: 70, Pg no: 60)	10,104.00	P.Sft	36.60	369,806.40
2	Laying Murum flooring consisting of 1" layer of fine powdery or flakey variety of Murum laid over 6" good hard layer of Murum spread over 9" thick sub-base comprising of hand packed rubble or broken bricks properly watered and rammed provided over well rammed earth. (S.No 1 pg 39)	5,400.00	P.Sft	39.18	211,572.00
3	Varnishing wood work including cleaning and repairing surface. (a) First Coat (S.no: 8a , pg no: 86)	3396.00	P.Sft	8.31	28220.76
4	Cement concrete plain including placing compacting, finishing and curing, complete (including screening and washing at stone aggregate without shuttering. (S.No:5,pg no:15)	4502.00	P.Cft	125.95	567026.90
5	Supplying and fixing special heavy type steel doors for look - ups withn angle iron frame of 2- 1/2" to 2- 1/2" x 3/8" size and shutter of 2" x 2" x 3/8" with 1" diameter M.S bars placed @ 4" center to center with aseparate locking box having size of 12" x 12" of M. steel sheet embedded in masonry with proper locking arrangement as per approved design including cost of erection of steel gate and jfixing in masonry wallin cement concrete 1: 2: 4 etc. complete, as per instructions of Engineer Incharge. (S.NO:27,Pg:92)	168.00	P.Sft	930.76	156367.68

6	Supplying & fixing in position iron/steel grill of 3/4" x 1/4" size flat iron of approved design including painting 3 coats etc. complete (weight not to be less than 3.7 Lbs./Sq . Foot of finished grill). (S.NO 26, Pg:91)	1263.00	P.Sft	39.07	49345.41
7	Coloured cement tiles (Pattern 8" x 8" x 3/4" of approved shade and pattern laid flat in 1:2 grey cement mortar over a bed of 3/4" thick grey cement mortar 1:2.(S.no:58,pg:46)	2796.00	P.Sft	109.62	306497.52
8	Flag stone flooring laid in lime mortar 1:2 over 3/4" bedding mortar in platforms and floors etc. 3" thick. (S.no:19,pg 41)	9367.00	P.Sft	163.24	1529069.08
9	Sand grouting in stone apron with High Pressure house. (S.No 13, pg 30)	13963.00	P.Sft	1.77	24714.51
10	Pavement of 8" deep stone sets chisel dressed set in lime mortar (1 lime, 2 surkhi) (S.No 30,pg 10)	2376.00	P.Sft	206.31	490192.56
11	Preparing the surface and painting with matt finish I/c rubbing the surface with Bathy (silicon carbide rubbing brick) filling the voids with zink /chalk / plaster of paris mixture, applying first coat premix, making the surface smooth and then painting 3 coats with matt finish of approved make etc: complete .(new surface).(S.No:36,S.No:54)	16996.00	P.Sft	19.89	338050.44
12	Khapriel (Manglore) Tiles 15" x 8" x 1-1/2" of approved designed/shape laid flat in 1:2 gray cement martar over a bed if 3/4" thick cement Mortar (1:2). (S.No:40,Pg 38)	10963.00	P.Sft	36.45	399601.35
13	Providing & fixing cement paving blocks flooring having size of 197 x 97 x 80 (mm) of city / quddra / cobble shape with natural colours, having strength b/w 5000 psi to 8500 psi I/c filling the joints with hill sand and laying in specified manner / pattern and design etc: complete. (S.no: 73, Pg no: 61)	768.00	P.Sft	223.97	172008.96
TOTAL=					4642473.57

_____ % Above / Below = _____
Total 1 = _____

2. Non Schedule Items

S.NO	DESCRIPTION	QTY	UNIT	RATE	AMOUNT
1	Providing structural , Architectural drawings,work methodology & Scheduling & Planning of project complete in all respect as directed by Engineer.	1.00	P.Job		
2	Providing, construction and installation of Inauguration Plaque as per drawing complete including all civil related works, foundations, earthwork concrete, protection works etc complete as directed by the Engineer.	1.00	P.Job		
3	Providing and installation of Project sign board as per drawing complete including all civil related works, foundations, earthwork concrete, protection works complete as directed by the Engineer.	1.00	P.Job		
		Total 2		=	

Grand Total = Total 1 + Total 2 = _____

Grand Total

1 Civil Work = _____

Contractor
 SEAL & SIGNATURE

Executive Engineer PDMI & E Cell
 Directorate of Culture Sindh Secretariat
 Block No. 76/A , Opposite MPA Hostel
 Karachi Ph & Fax : 021-992063782

;

S.NO	DESCRIPTION	QTY	UNIT	RATE	AMOUNT
	RENOVATION ITEMS				
1	Providing structural drawings, work methodology & Scheduling & Planning of project complete in all respect as directed by Engineer.	1	P.Job	250000.00	250000.00
2	Dismantling brick work in lime or cement	1650	P.Sft	12.85	21202.5
3	Providing and laying tiles glazed 6" x 6" x 1/4" on floor or wall facing in required colour and apttern of STILE specification jointed in white cement and pigment over a base of 1:2 grey cement mortar 3/4" thick including washing and filling of joints with slaurry of white cement and pigment in desired shape with finishing, clearing and cost of wax polish etc. complete including cutting tiles to proper profile. (S.No:60, Pg: 58)	8280	P.Sft	305.09	2526145.2
4	P/L porcelain tiles using full body porcelain tiles of approved size, quality, colour and make, laid in approved pattern set in neat cement mortar, joints grouted with white/coloured cement i/c curing etc. at any height and any floor complete in all respects as shown on the drawings, specifications and as directed by the Engineer Incharge. (R/A)	1872	P.Sft	823	1540656
5	Laying white marble flooring fine dressed on the surface without winding set in lime mortar 1:2 including rubbing and polishing of the joints. (S.No: 28, Pg No-53) (b) 1" thick flooring	5104	P.Sft	628.93	3210058.72

6	P/F 3/8" thick marble tiles of approved quality and colour and shade size 8"x4" / 6"x4" in dado skirting and facing removal / tucking of existing plaster surface etc, Over 1/2" thick base of cement mortar 1:3: setting of tiles in slurry of white cement over mortar base i/c filling the joints and washing the tiles with white cement slurry , currint finishing cleaning and ploishig etc complete. (P-49/S # 68-1) For new works.	511	P.Sft	186.04	95066.44
7	Pacca brick work in ground floor in: (c) In cement sand mortar (S.No : 5 (I) (c) ,pg No: 28	1650	P.Cft	132.17	218080.5
8	Cement plaster 1:4 upto 12' height. (c) 3/4" thick (S.no: 11c, Pg no: 64)	9775	P.Sft	30.15	294716.25
9	Preparing the surface and painting with matt finish I/c rubbing the surface with Bathy (silicon carbide rubbing brick) filling the voids with zink /chalk / plaster of paris mixture, applying first coat premix, making the surface smooth and then painting 3 coats with matt finish of approved make etc: complete .(new surface)	89,215.00	P.Sft	19.89	1,774,486.35
10	Applying chemical polishing on existing mosaic /Marble flooring / dado including cleaning, grinding with carborandum stone / sand paper and applying chemical polish as per requirement.(S.no: 70, Pg no: 60)	10,104.00	P.Sft	36.60	369,806.40
11	Two coats or bitumen laid hot using 34 lbs for %Sft over roof & blinded with sand at one Cft per % Sft.(S.I # 13, Pg-40)	9,100.00	P.Sft	18.87	171,717.00
12	Varnishing wood work including cleaning and reparing surface. (a) First Coat (S.no: 8a , pg no: 86)	3396.00	P.Sft	8.31	28220.76
13	Providing & fixing cement paving blocks flooring having size of 197 x 97 x 80 (mm) of city / quddra / cobble shape with natural colours, having strength b/w 5000 psi to 8500 psi I/c filling the joints with hill sand and laying in specified manner / pattern and design etc: complete. (S.no: 73, Pg no: 61)	768.00	P.Sft	223.97	172008.96

				TOTAL=	10672165.08
	W/S WORK				
1	Supplying and fixing special heavy type steel doors for look - ups withn angle iron frame of 2- 1/2" to 2- 1/2" x 3/8" size and shutter of 2" x 2" x 3/8" with 1" diameter M.S bars placed @ 4" center to center with aseparate locking box having size of 12" x 12" of M. steel sheet embedded in masonry with proper locking arrangement as per approved design including cost of erection of steel gate and fixing in masonry wallin cement concrete 1: 2: 4 etc. complete, as per instructions of Engineer Incharge	60.00	P.Sft	930.76	55845.60
2	Providing and fixing squatting type white glazed earthen ware w.c pan with front flush inletr & complete with including the cost of flushing cistern with internal fitting and flush Pipe with bend and making requisite number of holes in walls plinth & floor for Pipe connection & making good in cement concrete 1: 2: 4: (Foreign Equivalant). (S.no: 2, Ch: no 1)				
	(A) W.C.pan 23" & low level earthen ware flush tank 3 gallons.				
	(ii) With 4" dia white glazed earthen were	12.00	Each	5772.80	69273.60
3	Providing & fixing 24" x 18" lavatory basin in white glazed earthen ware complete with & I/c the cost of W.I or C.I cantilever brackets 6 inches built into walls, painted white in two coats after a primary coat of red lead paint a pair of 1/2" dia rubber plug & chrome plated brass chain 1-1/4" dia, malloable iron or brass unions and making requisite number of holes in walls , plinth & floor for Pipe connections and making good in cement concrete 1: 2: 4 (Foreign or Equivalant).(S.no: 10. ch: no 1)	12.00	Each	4928.00	59136.00
4	Providing & fixing24" x 18" bavelled edge mirror of belgium glass complete with 1/8" thick hard board and c.p screws fixed to wooden pleat. (b) Superior Quaility. (S.no: 3b Ch: no: 2	12.00	Each	2376.00	28512.00

5	Providing & fixing 4" dia C.I soil & vent Pipe including cutting and fitting and extra painting to match the colour of building. (S.no: 1 .Ch: 2)	300.00	Rft	333.29	99987.00
6	Providing & fixing M.S clamps of the approved design to 4" dia C.I Pipe sockets including the cost of cutting and making good to wall or M.S bolts and nuts, 4" into wall including Pipe distance Pieces extra painting to match the colour of the building. (S.no: 2, Ch: 3)	80.00	Each	12.72	1017.60
7	Providing & fixing 4" dia bend of the required degree with access door rubber washer 1/8" thick and bolts and nuts and extra painting to match the colour of the building. (S.no: 9, Ch:3)	16.00	Each	599.60	9593.60
8	Providing G.I Pipes, specials, and clamps etc, including fixing cutting & fitting complete with and I/c the cost of breaking thorough walls and roof, making good etc. painting two coats after cleaning the Pipe etc. with white zink paint with pigment to match the colour5 of the building and testing with water to a pressure head of 200 feet and handling. (S.no: 1, Ch:4) (I) 1/2" dia G.I Pipe	160.00	Rft	73.21	11713.60
	(ii) 3/4" dia G.I Pipe	850.00	Rft	95.79	81421.50
	(iii) 1" dia G.I Pipe	710.00	Rft	128.55	91270.50
	(iv) 1-1/2" dia G.I Pipe	210.00	Rft	188.97	39683.70
	(vi) 2" dia G.I Pipe	430.00	Rft	133.00	57190.00
9	(a) Supplying & fixing C.P Muslim Shower with double Bib cock & ring Pipe etc complete.	12.00	Each	3432.00	41184.00
10	Supplying & fixing Telephonic shower wi	12.00	Each	1122.00	13464.00
11	Supplying & fixing Bath room accessories set (7 Piece) I/c towel rod, brush holder soaptray shelf of approved design I/c cost of screws, nuts etc Complete.(Master Brand). (S.no 23, Ch: 6)	12.00	Each	10322.00	123864.00
12	(a) S/Fixing long bib- cock of superir quality with c.p head 1/2" dia. (S.no:23, Ch:6	12.00	Each	1109.46	13313.52
				TOTAL=	796470.22
	ELECTRIC WORK				

1	Providing & Fixing of flood light 250 watts (HPIT) having IPS65 classification with 250w lamp, choke, capacitor, igniter & Internal wiring complete in all respect at the height up to 40 ft with the help of hydraulic crane and manual labour as per site requirement and instruction of EI	6	Each	15440	92,640
2	Providing & fixing 250 watts (HPMV) lamp @ the height as per site Requirement & instruction of engineer in charge	8	P.No	607	4,856
3	Providing & fixing two pin 5amp plug & socket	24	P.No	80	1920
4	Providing & fixing three pin 5amp plug & socket	12	P.No	91	1092
5	Wiring for light or fan point with 3/.029 PVC insulated wire in 20mm (3/4'') PVC conduit on surface as required.	60	P.Point	797	47820
6	Wiring for plug point with 3/.029 PVC insulated wire in 20mm (3/4'') PVC conduit on surface as required.	60	P.Point	669	40140
7	Wiring for call bell point with 3/.029 PVC insulated wire in 20mm (3/4'') PVC conduit on surface as required.	12	P.Point	1380	16560
8	Providing & fixing junction box as per following specification Size of box 10''x8''x5'' MS plate size 16 SWG thick Clamp with nuts & bolts Cover plate with screw Painting two coats of rust preventivered oxide & two coats of ICI oil paint as per site requirement & instruction of EI	4	P.No	1020	4080
9	Providing & fixing circuit breaker 6,10,15,20, 30,40,50 & 63amp DP (TB-5S) on prepared board as required.	4	P.No	2456	9824
10	Wiring of Control circuit for Split A/C Unit from outdoor A/C unit to indoor unit.	12	Each	2200	26400
11	Wiring of Exhaust Fan points complete in all respect as directed by Engineer Incgarge.	12	P.Nos	3000	36000

12	Providing, wiring and connecting of TV points with WISI make or equivalent 2x75 OHMS TV antenna coaxial cable RG6U single shielded having centre conductor of 1 sq.mm in 25 mm dia high impact PVC conduit recessed in floor/slab/wall. Complete in all respect as directed by Engineer Incharge.	12	P.Nos	4000	48000
13	Provide, fix, connect and commission light fixtures Philips make or equivalent with Philips components as approve, complete in all respects and ready for use.Philips Type TBS-140 or equivalent complete with 1 x 40 W fluorescent lamps:	36	Each	2600	93600
14	Providing and installing the gate light of approved quality complete in all respect as directed by Engineer In charge.	2	P.No	5600	11200
17	Providing & Fixing of LED lights of approved quality including connection, wiring, fitting, complete in all respect as directed by Engineer Incharge.	12	P.Job	22500	270000
				TOTAL =	704,132
SUB TOTAL A					12172767.30

	GENERAL ITEMS				
1	Construction of fountain with all respect, providing with small centrifugal pump moter with all necessary conections complete in all respect as directed by Engineer Incharge.	4	P.Job	500000	2000000
2	Electric centrifugal Pump for Swimming pool inter connected with fountains ,including with complete G.I Fitting complete & complete in all respect.	1	P.Job	700000	700000
3	Providing & installing filter plant complete in all respect.	1	P.Job	500000	500000
			SUB TOTAL B	3200000	

GRAND TOTAL (A + B) 15372767.30

CONSERVATION & REHABILITATION OF MAKLI HILL MONUMENTS

Civil Works

1 SCHEDULE ITEMS

S.NO	DESCRIPTION	QTY	UNIT	RATE	AMOUNT
1	Laying Murum flooring consisting of 1" layer of fine powdery or flakey variety of Murum laid over 6" good hard layer of Murum spread over 9" thick sub-base comprising of hand packed rubble or broken bricks properly watered and rammed provided over well rammed earth. (S.No 1 pg 39)	5,400.00	P.Sft	39.18	211,572.00
2	Coursed Ruble masonry including hammer dressing.(i) 1 Lime 2 sand. (S.no:2 pg no:27)	4,973.00	P.Cft	182.91	909,611.43
3	Cement concrete plain including placing compacting, finishing and curing, comlete (including screening and washing at stone aggregate without shuttering. (S.No:5,pg no:15)	4502.00	P.Cft	125.95	567026.90
4	Sand grouting in stone apron with High Pressure house. (S.No 13, pg 30)	13963.00	P.Sft	1.77	24714.51
		TOTAL A			1712924.84

_____ % above / below = _____

Total 1 = _____

2 NON-SCHEDULE ITEM

S.NO	DESCRIPTION	QTY	UNIT	RATE	AMOUNT
1	Fine Chisel dressing of Quarried Jandoti Stone members in the original size	8976	P.Sft		
2	Country brick masonry with special size tile 10" x 7" x 1 1/2" laid in lime surkhi mortar 1:6:6 in arch work.	6971	P.Cft		
3	Fine carving including tracing work of lime stone in floral and other geometrical design as per original pattern	1209	P.Sft		
4	Kanker lime pointing 1 1/2" 2" thick on a wall after cleaning the joints with kamker lime mortar (3:1) three fine kanker lime one white lime including curing etc.complete.	4891	P.Sft		

5	Kanker lime plaster 2" thick an average in the ratio of 3:1:4 (three fine K, lime one white lime and four coarse k.lime mixing with chopped jute @ 2 kg per 100 sft.Finding coated with liquid mixture of kanker lime five and white lime cream in ration of (3:1) in tapping and curing etc .complete.	3591	P.Sft		
		TOTAL 2	=		

Total Civil Works = Total 1 + Total 2	=	_____
--	---	-------

Grand Total

1 Civil Work = _____

Contractor

SEAL & SIGNATURE

Executive Engineer PDMI & E Cell

Directorate of Culture Sindh Secretariat

Block No. 76/A , Opposite MPA Hostel

Karachi Ph & Fax : 021-992063782

FINANCIAL BIDDING DOCUMENTS



GOVERNMENT OF SINDH
CULTURE, TOURISM & ANTIQUITIES DEPARTMENT
Planning, Development, Monitoring, Implementation & Evaluation Cell

Name of Project/Scheme

4

**CONSERVATION & REHABILITATION OF MAKLI HILL
MONUMENTS**

Name of Procuring Agency

*PDMI&E CELL - CULTURE, TOURISM &
ANTIQUITIES DEPARTEMNT*

Document issued to

Name of work: Conservation of Structural Remains at Moenjodaro Site 2013-14

Sub Head:

Details of Work	No.	Measurements			Quantities	
		L.	B.	H.		
Part - A						
Work proposed to be carried out on contract if possible.						
Part - B						
Work proposed to be carried out departmently by employing labour on daily wages.						
Item No. 1						
Resetting of loose bricks and replacing the decayed, once over the top of the walls with brick of same size in mud mortar.						
S-D Area						
Stupa Section						
B.No.1, S/Wall, R.No.1	1x1	19'-4"	4'-2"		81	Sft
B.No.1, W/Wall, R.No.1	1x1	14'-0"	4'-3"		60	Sft
B.No.1, N/Wall, R.No.1	1x1	9'-9"	3'-11"+2'-6"/2		31	Sft
B.No.1, E/Wall, R.No.1	1x1	11'-0"	4'-5"		49	Sft
B.No.1, E/Wall, R.No.2	1x1	10'-8"	4'-5"		47	Sft
B.No.1, N/Wall, R.No.2	1x1	12'-9"	6'-0"		77	Sft
B.No.1, E/Wall, R.No.3 (i)	1x1	8'-5"	5'-8"		48	Sft
B.No.1, E/Wall, R.No.3 (ii)	1x1	11'-3"	2'-10"+5'-0"/2		44	Sft
B.No.1, N/Wall, R.No.3	1x1	11'-6"	2'-9"+7'-0"/2		56	Sft
B.No.1, N/Wall, R.No.4	1x1	18'-0"	3'-0"+4'-7"/2		68	Sft
B.No.1, E/Wall, R.No.6 (i)	1x1	11'-8"	2'-3"		26	Sft
B.No.1, E/Wall, R.No.6 (ii)	1x1	11'-9"	4'-0"+3'-3"/2		43	Sft
B.No.1, S/Wall, R.No.6	1x1	3'-9"	3'-0"		11	Sft
B.No.1, E/Wall, R.No.7	1x1	10'-0"	2'-3"		23	Sft
B.No.1, N/Wall, R.No.7	1x1	5'-6"	2'-6"		14	Sft
B.No.1, N/Wall, R.No.10 (i)	1x1	14'-6"	2'-3"		33	Sft
B.No.1, N/Wall, R.No.10 (ii)	1x1	6'-4"	2'-3"		15	Sft
B.No.1, S/Wall, R.No.10	1x1	16'-6"	2'-0"+3'-6"/2		45	Sft
B.No.1, S/Wall, R.No.9,15	1x1	36'-0"	2'-0"		72	Sft
B.No.1, E/Wall, R.No.11	1x1	7'-9"	2'-0"		16	Sft
B.No.1, S/Wall, R.No.11	1x1	14'-9"	2'-2"		32	Sft
B.No.1, S/Wall, R.No.14	1x1	19'-0"	2'-8"+2'-0"/2		44	Sft
B.No.1, W/Wall, R.No.13	1x1	7'-0"	2'-7"		18	Sft
B.No.1, W/Wall, R.No.12	1x1	20'-5"	6'-0"		123	Sft
B.No.1, S/Wall, R.No.12	1x1	27'-6"	2'-6"		69	Sft
B.No.1, Wall of dust bin in street	1x1	7'-0"	1'-0"		7	Sft
B.No.1, W/Wall, R.No.12	1x1	25'-7"	2'-0"		51	Sft
B.No.1, E/Wall, R.No.12	1x1	10'-7"	2'-6"		26	Sft
B.No.1, S/Wall, R.No.13	1x1	25'-0"	2'-0"		50	Sft
B.No.1, E/Wall, R.No.13	1x1	11'-0"	4'-5"		49	Sft
B.No.1, E/Wall, R.No.13,14	1x1	19'-0"	3'-8"		70	Sft
B.No.1, S/Wall, R.No.15	1x1	10'-0"	4'-2"		42	Sft
B.No.1, E/Wall, R.No.35,36	1x1	60'-7"	4'-2"		253	Sft

B.No.1, E/Wall, R.No.19	1x1	17'-3"	2'-2"		37	Sft
B.No.1, N/Wall, R.No.18	1x1	14'-4"	2'-5"		35	Sft
B.No.1, E/Wall, R.No.18	1x1	12'-0"	2'-2"		26	Sft
B.No.1, S/Wall, R.No.19	1x1	10'-3"	2'-5"		25	Sft
B.No.1, N/Wall, R.No.17	1x1	14'-10"	2'-6"		37	Sft
B.No.1, S/Wall, R.No.17	1x1	10'-6"	2'-2"		23	Sft
B.No.1, W/Wall, R.No.17	1x1	11'-10"	2'-0"		24	Sft
B.No.1, E/Wall, R.No.8	1x1	10'-8"	1'-0"		11	Sft
B.No.1, W/Wall, R.No.8	1x1	11'-8"	2'-2"		25	Sft
B.No.1, S/Wall, R.No.26	1x1	25'-4"	2'-7"		65	Sft
B.No.1, W/Wall, R.No.21,22	1x1	9'-2"	1'-9"		16	Sft
B.No.1, E/Wall, R.No.20	1x1	5'-5"	2'-0"		11	Sft
B.No.1, S/Wall, R.No.20	1x1	13'-0"	2'-0"		26	Sft
B.No.1, S/Wall, R.No.24	1x1	34'-0"	1'-6"		51	Sft
B.No.1, E/Wall, R.No.24	1x1	16'-7"	1'-9"		29	Sft
B.No.1, S/Wall, R.No.27	1x1	24'-6"	1'-9"		42	Sft
B.No.1, S/Wall, R.No.23	1x1	12'-8"	2'-6"		32	Sft
B.No.1, E/Wall, R.No.27	1x1	12'-6"	2'-0"		25	Sft
B.No.1, S/Wall, R.No.NIL	1x1	10'-8"	3'-0"		32	Sft
B.No.1, S/Wall, R.No.28	1x1	28'-0"	2'-5"		68	Sft
B.No.1, E/Wall, R.No.29	1x1	11'-4"	2'-7"		29	Sft
B.No.1, S/Wall, R.No.29	1x1	23'-10"	3'-0"		71	Sft
B.No.1, W/Wall, R.No.29	1x1	11'-8"	2'-2"		25	Sft
B.No.1, Wall between 28,29	1x1	10'-4"	1'-0"		10	Sft
B.No.1, E/Wall, R.No.28	1x1	7'-6"	2'-2"		16	Sft
B.No.1, W/Wall, R.No.25	1x1	9'-7"	7'-0"		67	Sft
B.No.1, S/Wall, R.No.23	1x1	13'-4"	4'-10"		60	Sft
B.No.1, E/Wall, R.No.29 (i)	1x1	8'-4"	2'-8"		22	Sft
B.No.1, E/Wall, R.No.29 (ii)	1x1	6'-0"	2'-6"		15	Sft
B.No.1, N/Wall, R.No.33	1x1	6'-10"	3'-6"		24	Sft
B.No.1, W/Wall, R.No.33	1x1	8'-5"	7'-10"		66	Sft
B.No.1, N/Wall, R.No.32	1x1	3'-11"	1'-0"		4	Sft
B.No.1, E/Wall, R.No.32	1x1	17'-6"	2'-6"		44	Sft
B.No.1, N/Wall, R.No.32	1x1	12'-10"	1'-3"		16	Sft
B.No.1, N/Wall, R.No.NIL	1x1	3'-8"	2'-8"		10	Sft
B.No.1, S/Wall, R.No.32	1x1	23'-8"	2'-3"		53	Sft
B.No.1, S/Wall, R.No.NIL	1x1	15'-0"	2'-7"		39	Sft
B.No.1, S/Wall, R.No.NIL	1x1	11'-3"	3'-0"		34	Sft
B.No.1, W/Wall, R.No.35,36	1x1	30'-7"	2'-2"		66	Sft
B.No.1, N/Wall, R.No.34	1x1	4'-3"	3'-6"		15	Sft
B.No.1, N/Stair, R.No.34	1x1	14'-0"	8'-0"		112	Sft
B.No.1, S/Wall, R.No.40,41	1x1	14'-6"	2'-5"		35	Sft
B.No.1, W/Wall, R.No.40	1x1	11'-5"	1'-6"		17	Sft
B.No.1, N/Wall, R.No.39	1x1	4'-0"	2'-5"		10	Sft
B.No.1, W/Wall, R.No.39	1x1	10'-10"	4'-2"		45	Sft
B.No.1, W/Wall, R.No.38	1x1	6'-8"	1'-9"		12	Sft
B.No.1, W/Wall, R.No.37 (i)	1x1	13'-10"	7'-9"		107	Sft

B.No.1, W/Wall, R.No.37	(ii)	1x1	7'-0"	3'-6"		25	Sft
B.No.1, S/Wall, R.No.48	(i)	1x1	22'-9"	2'-0"+5'-9"/2		88	Sft
B.No.1, S/Wall, R.No.48	(ii)	1x1	10'-0"	2'-0"		20	Sft
B.No.1, S/Wall, R.No.50		1x1	6'-8"	2'-6"		17	Sft
B.No.1, S/Wall, R.No.54		1x1	5'-3"	2'-9"		14	Sft
B.No.1, W/Wall, R.No.54		1x1	8'-0"	2'-5"		19	Sft
B.No.1, S/Wall, R.No.53		1x1	14'-2"	2'-0"		28	Sft
B.No.1, W/Wall, R.No.55		1x1	22'-0"	2'-2"		48	Sft
B.No.1, S/Wall, R.No.55		1x1	11'-8"	3'-9"		44	Sft
B.No.1, E/Wall, R.No.43		1x1	20'-0"	3'-8"		73	Sft
B.No.1, W/Wall, R.No.43		1x1	10'-10"	1'-0"		11	Sft
B.No.1, E/Wall, R.No.55		1x1	17'-2"	3'-5"		59	Sft
B.No.1, N/Wall, R.No.55	(i)	1x1	4'-0"	2'-0"		8	Sft
B.No.1, N/Wall, R.No.55	(ii)	1x1	2'-6"	2'-11"		7	Sft
B.No.1, S/Wall, R.No.57,60		1x1	45'-8"	2'-6"		114	Sft
B.No.1, W/Wall, R.No.53		1x1	14'-0"	6'-3"		88	Sft
B.No.1, E/Wall, R.No.48,49		1x1	24'-0"	2'-5"		58	Sft
B.No.1, S/Wall, R.No.51		1x1	10'-0"	5'-8"		57	Sft
B.No.1, S/Wall, R.No.47		1x1	10'-11"	2'-5"		56	Sft
B.No.1, E/Wall, R.No.47		1x1	10'-4"	2'-3"		23	Sft
B.No.1, E/Wall, R.No.44,45,46		1x1	21'-6"	2'-0"		43	Sft
B.No.1, S/Wall, R.No.44		1x1	3'-4"	2'-1"		7	Sft
B.No.1, N/Wall, R.No.44		1x1	9'-0"	2'-3"		20	Sft
B.No.1, N/Wall, R.No.45		1x1	7'-4"	1'-7"		12	Sft
B.No.1, W/Wall, R.No.45,46,56		1x1	35'-0"	3'-0"+3'-6"/2		114	Sft
B.No.1, W/Wall, R.No.57	(i)	1x1	9'-0"	5'-8"		51	Sft
B.No.1, W/Wall, R.No.57	(ii)	1x1	7'-4"	4'-3"		31	Sft
B.No.1, S/Wall, R.No.62		1x1	18'-0"	7'-0"		126	Sft
B.No.1, E/Wall, R.No.62,63		1x1	29'-0"	2'-10"		82	Sft
B.No.1, W/Wall, R.No.62,63		1x1	50'-0"	3'-4"		167	Sft
B.No.1, N/Wall, R.No.63		1x1	13'-0"	2'-3"		29	Sft
B.No.1, E/Wall, R.No.62		1x1	6'-8"	2'-8"		18	Sft
B.No.1, E/Wall, R.No.63		1x1	8'-0"	6'-0"		48	Sft
B.No.1, N/Wall, R.No.63	(i)	1x1	9'-6"	1'-9"		17	Sft
B.No.1, N/Wall, R.No.63	(ii)	1x1	4'-7"	8'-0"		37	Sft
B.No.1, E/Wall, R.No.73		1x1	6'-5"	4'-7"		29	Sft
B.No.1, N/Wall, R.No.73	(i)	1x1	15'-0"	3'-3"		49	Sft
B.No.1, N/Wall, R.No.73	(ii)	1x1	6'-4"	3'-4"		21	Sft
B.No.1, E/Wall, R.No.72		1x1	6'-9"	3'-11"		26	Sft
B.No.1, N/Wall, R.No.72		1x1	4'-0"+6'-5"/2	6'-4"		33	Sft
B.No.1, W Platform, R.No.72		1x1	12'-6"	13'-10"		173	Sft
B.No.1, N/Wall, R.No.76		1x1	20'-10"	4'-0"		83	Sft
B.No.1, N/Wall, R.No.60		1x1	37'-6"	2'-8"		100	Sft
B.No.1, W/Wall, R.No.69		1x1	35'-8"	2'-5"		86	Sft
B.No.1, E/Wall, R.No.67		1x1	27'-11"	1'-4"		37	Sft
B.No.1, S/Wall, R.No.67		1x1	14'-0"	1'-6"		21	Sft
B.No.1, W/Wall, R.No.61,66		1x1	33'-8"	2'-7"		87	Sft

B.No.1, E/Wall, R.No.56	1x1	6'-0"	7'-4"		44	Sft
B.No.1, S/Wall, R.No.64	1x1	4'-0"	2'-6"		10	Sft
B.No.1, N/Wall, R.No.64,66,67	1x1	46'-3"	2'-2"		100	Sft
B.No.1, E/Wall, R.No.68,69,70	1x1	52'-0"	3'-0"		156	Sft
B.No.1, N/Wall, R.No.68	1x1	8'-0"	1'-0"		8	Sft
B.No.1, N/Wall, R.No.70	1x1	11'-0"	7'-0"		77	Sft
B.No.1, N/Wall, R.No.71	1x1	11'-4"	3'-6"		40	Sft
B.No.1, E/Wall, R.No.77	1x1	11'-0"	3'-8"		40	Sft
B.No.1, S/Wall, R.No.78	1x1	7'-3"	1'-8"		12	Sft
B.No.1, E/Wall, R.No.78	1x1	13'-0"	4'-0"		53	Sft
B.No.1, W/Wall, R.No.77	1x1	7'-4"	2'-8"		20	Sft
B.No.1, E/Wall, R.No.65	1x1	12'-0"	4'-8"+1'-6"/2		37	Sft
B.No.1, S/Wall, R.No.75	1x1	20'-11"	6'-0"		126	Sft
B.No.1, E/Wall, R.No.75	1x1	5'-6"	1'-6"		8	Sft
B.No.1, N/Wall, R.No.75	1x1	1'-8"	2'-0"		3	Sft
B.No.1, W/Wall, R.No.74	1x1	6'-6"	4'-0"		26	Sft
B.No.1, N/Wall, R.No.74,76,77,78	1x1	50'-0"	1'-8"		84	Sft
B.No.1, W/Wall, R.No.NIL (i)	1x1	4'-0"	2'-10"		11	Sft
B.No.1, W/Wall, R.No.NIL (ii)	1x1	3'-2"	2'-2"		7	Sft
B.No.2, N/Wall, R.No.1	1x1	8'-0"	4'-0"		32	Sft
B.No.2, W/Wall, R.No.1 (i)	1x1	4'-7"	4'-7"		21	Sft
B.No.2, S/Wall, R.No.1 (ii)	1x1	5'-2"	5'-4"		28	Sft
B.No.2, S/Wall, R.No.2	1x1	13'-4"	4'-7"		61	Sft
B.No.2, N/Wall, R.No.2 (i)	1x1	24'-0"	5'-7"		134	Sft
B.No.2, N/Wall, R.No.2 (ii)	1x1	27'-6"	5'-7"		153	Sft
B.No.2, S/Wall, R.No.2 (i)	1x1	20'-2"	3'-0"		61	Sft
B.No.2, S/Wall, R.No.2 (ii)	1x1	18'-8"	3'-0"		56	Sft
B.No.2, S/Wall, R.No.9	1x1	13'-11"	3'-3"		45	Sft
B.No.2, W/Wall, R.No.8	1x1	27'-11"	3'-7"		100	Sft
B.No.2, N/Wall, R.No.NIL	1x1	4'-0"	1'-4"		5	Sft
B.No.2, E/Wall, R.No.14 (i)	1x1	36'-0"	3'-0"		108	Sft
B.No.2, E/Wall, R.No.14 (ii)	1x1	36'-0"	3'-0"		108	Sft
B.No.2, W/Wall, R.No.10 (i)	1x1	14'-0"	2'-0"		28	Sft
B.No.2, W/Wall, R.No.10 (ii)	1x1	14'-0"	2'-0"		28	Sft
B.No.2, W/Wall, R.No.12	1x1	4'-7"	2'-2"		10	Sft
B.No.2, S/Wall, R.No.3 (i)	1x1	26'-4"	2'-11"		77	Sft
B.No.2, S/Wall, R.No.3 (ii)	1x1	26'-4"	2'-11"		77	Sft
B.No.2, N/Wall, R.No.5	1x1	10'-4"	3'-3"		34	Sft
B.No.2, S/Wall, R.No.5	1x1	7'-6"	4'-8"		35	Sft
B.No.2, S/Wall, R.No.NIL	1x1	3'-2"	1'-10"		6	Sft
B.No.2, S/Wall, R.No.NIL	1x1	7'-2"	6'-5"		46	Sft
B.No.2, S/Wall, R.No.NIL (i)	1x1	17'-11"	7'-6"		134	Sft
B.No.2, S/Wall, R.No.NIL (ii)	1x1	17'-11"	7'-6"		134	Sft
B.No.2, E/Wall, R.No.6 (i)	1x1	13'-11"	3'-10"		53	Sft
B.No.2, E/Wall, R.No.6 (ii)	1x1	13'-11"	3'-10"		53	Sft
B.No.2, S/Wall, R.No.20 (i)	1x1	19'-10"	3'-0"		59	Sft
B.No.2, S/Wall, R.No.20 (ii)	1x1	19'-10"	3'-0"		59	Sft

B.No.2, N/Wall, R.No.20	(i)	1x1	25'-11"	2'-5"+4'-5"+7'-2/3	89	Sft
B.No.2, N/Wall, R.No.20	(ii)	1x1	25'-11"	2'-5"+4'-5"+7'-2/3	89	Sft
B.No.2, W/Wall, R.No.4		1x1	99'-11"	4'-0"	400	Sft
B.No.2, N/Wall, R.No.16	(i)	1x1	13'-4"	4'-3"+2'-8"/2	46	Sft
B.No.2, N/Wall, R.No.16	(ii)	1x1	13'-4"	4'-3"+2'-8"/2	46	Sft
B.No.2, N/Wall, R.No.17	(i)	1x1	15'-3"	4'-6"	69	Sft
B.No.2, N/Wall, R.No.17	(ii)	1x1	4'-2"	2'-7"	11	Sft
B.No.2, N/Wall, R.No.17	(iii)	1x1	4'-4"	2'-5"	10	Sft
B.No.2, N/Wall, R.No.18	(i)	1x1	16'-11"	2'-7"+4'-6"/2	74	Sft
B.No.2, N/Wall, R.No.18	(ii)	1x1	16'-11"	2'-7"+4'-6"/2	60	Sft
B.No.2, S/Wall, R.No.18	(i)	1x1	5'-3"	1'-6"	8	Sft
B.No.2, S/Wall, R.No.18	(ii)	1x1	5'-3"	1'-6"	8	Sft
B.No.2, N/Wall, R.No.19, 20		1x1	15'-5"	1'-4"	21	Sft
B.No.2, E/Wall, R.No.20		1x1	13'-2"	2'-8"	35	Sft
B.No.2, N/Wall, R.No.21		1x1	8'-8"	4'-5"	38	Sft
B.No.2, W/Wall, R.No.20		1x1	11'-9"	2'-5"	28	Sft
B.No.2, S/Wall, R.No.21	(i)	1x1	9'-3"	2'-8"	3	Sft
B.No.2, S/Wall, R.No.21	(ii)	1x1	9'-3"	2'-8"	25	Sft
B.No.2, W/Wall, R.No.21		1x1	14'-0"	4'-0"	56	Sft
B.No.2, N/Wall, R.No.24		1x1	42'-3"	2'-7"	109	Sft
B.No.2, E/Wall, R.No.24		1x1	6'-4"	2'-0"	13	Sft
B.No.2, W/Wall, R.No.23		1x1	7'-3"	5'-5"	39	Sft
B.No.2, W/Wall, R.No.5	(i)	1x1	15'-7"	3'-10"+2'-7"/2	50	Sft
B.No.2, W/Wall, R.No.5	(ii)	1x1	15'-7"	3'-10"+2'-7"/2	50	Sft
B.No.2, S/Wall, R.No.24	(i)	1x1	15'-9"	2'-8"	42	Sft
B.No.2, S/Wall, R.No.24	(ii)	1x1	15'-9"	2'-8"	42	Sft
B.No.2, E/Wall, R.No.25		1x1	14'-4"	2'-0"	30	Sft
B.No.2, S/Wall, R.No.25	(i)	1x1	14'-9"	2'-7"	38	Sft
B.No.2, S/Wall, R.No.25	(ii)	1x1	12'-9"	2'-7"	33	Sft
B.No.2, N/Wall, R.No.25		1x1	6'-9"	2'-8"	18	Sft
B.No.2, E/Wall, R.No.27		1x1	6'-8"	2'-6"	17	Sft
B.No.2, S/Wall, R.No.27	(i)	1x1	15'-6"	4'-0"	62	Sft
B.No.2, S/Wall, R.No.27	(ii)	1x1	15'-6"	4'-0"	62	Sft
B.No.2, S/Wall, R.No.27a	(i)	1x1	15'-10"	2'-1"	33	Sft
B.No.2, S/Wall, R.No.27a	(ii)	1x1	15'-10"	2'-1"	33	Sft
B.No.2, E/Wall, R.No.28		1x1	15'-10"	1'-10"	29	Sft
B.No.2, W/Wall, R.No.26		1x1	6'-3"	2'-2"	14	Sft
B.No.2, N/Wall, R.No.28		1x1	15'-8"	1'-8"	26	Sft
B.No.2, E/Wall, R.No.25a	(i)	1x1	11'-10"	2'-6"	30	Sft
B.No.2, E/Wall, R.No.25a	(ii)	1x1	11'-10"	2'-6"	30	Sft
B.No.2, E/Wall, R.No.29		1x1	8'-6"	2'-6"	21	Sft
B.No.2, N/Wall, R.No.29		1x1	10'-7"	4'-0"+1'-6"/2	29	Sft
B.No.2, E/Wall, R.No.50		1x1	15'-2"	2'-5"	37	Sft
B.No.2, E/Wall, R.No.30a		1x1	14'-2"	2'-7"	37	Sft
B.No.2, N/Wall, R.No.30		1x1	9'-4"	2'-9"	26	Sft
B.No.2, W/Wall, R.No.31	(i)	1x1	10'-2"	1'-11"	20	Sft
B.No.2, W/Wall, R.No.31	(ii)	1x1	10'-2"	1'-11"	20	Sft

B.No.2, N/Wall, R.No.31 (i)	1x1	12'-4"	1'-10"		23	Sft
B.No.2, N/Wall, R.No.31 (ii)	1x1	12'-4"	1'-10"		23	Sft
B.No.2, E/Wall, R.No.31,32,33	1x1	43'-11"	2'-9"		121	Sft
B.No.2, W/Wall, R.No.32,33 (i)	1x1	24'-4"	2'-2"		53	Sft
B.No.2, W/Wall, R.No.32,33 (ii)	1x1	24'-4"	2'-2"		52	Sft
B.No.2, S/Wall, R.No.33	1x1	6'-0"	2'-6"		15	Sft
B.No.2, S/Wall, R.No.34	1x1	10'-4"	2'-7"		27	Sft
B.No.2, E/Wall, R.No.35,36	1x1	25'-3"	2'-5"		61	Sft
B.No.2, S/Wall, R.No.35	1x1	6'-6"	2'-6"		16	Sft
B.No.2, S/Wall, R.No.36	1x1	10'-4"	2'-5"		25	Sft
B.No.2, W/Wall, R.No.35,36	1x1	30'-4"	2'-7"+6'-3"/2		15	Sft
B.No.2, S/Wall, R.No.37	1x1	8'-0"	3'-2"		25	Sft
B.No.2, W/Wall, R.No.27a (i)	1x1	7'-10"	2'-9"		22	Sft
B.No.2, W/Wall, R.No.27a (ii)	1x1	7'-10"	2'-9"		22	Sft
B.No.2, W/Wall, of divinity street	1x1	96'-0"	2'-0"		192	Sft
B.No.2, N/Wall, R.No.NIL	1x1	20'-0"	3'-9"		75	Sft
B.No.2, S/Wall, R.No.80 (i)	1x1	20'-0"	4'-3"		85	Sft
B.No.2, S/Wall, R.No.80 (ii)	1x1	20'-0"	4'-3"		85	Sft
B.No.2, W/Wall, R.No.80	1x1	21'-8"	3'-0"		65	Sft
B.No.2, N/Wall, R.No.80 (i)	1x1	17'-4"	2'-10"		49	Sft
B.No.2, N/Wall, R.No.80 (ii)	1x1	17'-4"	2'-10"		49	Sft
B.No.2, E/Wall, R.No.80 (i)	1x1	7'-6"	2'-11"		22	Sft
B.No.2, E/Wall, R.No.80 (ii)	1x1	7'-6"	2'-11"		19	Sft
B.No.2, Stupa stair beside, R.No.58	1x1	77'-7"	5'-4"		414	Sft
B.No.2, W/Wall, R.No.79	1x1	25'-0"	2'-6"		63	Sft
B.No.2, S/Wall, R.No.82	1x1	10'-5"	6'-10"		71	Sft
B.No.2, S/Wall, R.No.79	1x1	3'-0"	1'-6"		5	Sft
B.No.2, S/Wall, R.No.87	1x1	25'-6"	3'-3"		83	Sft
B.No.2, S/Wall, R.No.85	1x1	22'-6"	3'-3"		74	Sft
B.No.2, E/Wall, R.No.84	1x1	7'-7"	2'-11"		22	Sft
B.No.2, S/Wall, R.No.83,84	1x1	18'-7"	2'-9"		51	Sft
B.No.2, W/Wall, R.No.81	1x1	7'-0"	3'-0"		21	Sft
B.No.2, S/Wall, R.No.81	1x1	13'-9"	1'-0"		14	Sft
B.No.2, E/Wall, R.No.81	1x1	7'-0"	3'-7"		25	Sft
B.No.2, W/Wall, R.No.57	1x1	29'-2"	2'-9"		80	Sft
B.No.2, S/Wall, R.No.84	1x1	4'-0"	1'-8"		7	Sft
B.No.2, E/Wall, R.No.81	1x1	14'-0"	1'-0"		14	Sft
B.No.2, N/Wall, R.No.78,79	1x1	34'-3"	3'-1"		105	Sft
B.No.2, E/Wall, R.No.79	1x1	13'-4"	2'-0"		27	Sft
B.No.2, E/Wall, R.No.78 (i)	1x1	4'-8"	5'-0"		23	Sft
B.No.2, E/Wall, R.No.78 (ii)	1x1	13'-4"	1'-0"		14	Sft
B.No.2, S/Wall, R.No.78,79	1x1	39'-0"	4'-4"		169	Sft
B.No.2, W/Wall, R.No.38,39	1x1	29'-7"	2'-7"		76	Sft
B.No.2, S/Wall, R.No.38	1x1	21'-3"	2'-8"		57	Sft
B.No.2, S/Wall, R.No.40,41,42	1x1	27'-10"	2'-8"		74	Sft
B.No.2, E/Wall, R.No.32,39	1x1	25'-7"	2'-5"		62	Sft
B.No.2, N/Wall, R.No.38	1x1	8'-0"	3'-0"		24	Sft

B.No.2, N/Wall, R.No.40	1x1	11'-9"	2'-7"		30	Sft
B.No.2, E/Wall, R.No.40	1x1	23'-0"	2'-4"		54	Sft
B.No.2, E/Wall, R.No.41	1x1	21'-9"	2'-9"		60	Sft
B.No.2, N/Wall, R.No.45,43	1x1	34'-2"	2'-5"+4'-0"/2		110	Sft
B.No.2, E/Wall, R.No.42,43	1x1	23'-3"	2'-3"		52	Sft
B.No.2, N/Wall, R.No.42	1x1	9'-6"	2'-9"		20	Sft
B.No.2, S/Wall, R.No.44,46,49,51	1x1	54'-5"	2'-7"		140	Sft
B.No.2, S/Wall, R.No.45	1x1	10'-3"	2'-9"		28	Sft
B.No.2, E/Wall, R.No.44,45	1x1	26'-0"	2'-5"		63	Sft
B.No.2, N/Wall, R.No.46	1x1	9'-9"	2'-9"		27	Sft
B.No.2, N/Wall, R.No.47,48	1x1	20'-7"	3'-0"		62	Sft
B.No.2, E/Wall, R.No.46,47	1x1	21'-6"	2'-4"		50	Sft
B.No.2, E/Wall, R.No.48	1x1	23'-6"	2'-4"		55	Sft
B.No.2, S/Wall, R.No.50	1x1	9'-5"	3'-0"		28	Sft
B.No.2, E/Wall, R.No.49,50	1x1	23'-0"	2'-4"		54	Sft
B.No.2, N/Wall, R.No.50	1x1	12'-0"	2'-3"		27	Sft
B.No.2, N/Wall, R.No.52	1x1	14'-9"	2'-5"		36	Sft
B.No.2, S/Wall, R.No.52	1x1	10'-0"	3'-0"		30	Sft
B.No.2, E/Wall, R.No.51,52	1x1	34'-0"	2'-7"		88	Sft
B.No.2, E/Wall, R.No.53	1x1	18'-9"	2'-6"		47	Sft
B.No.2, N/Wall, R.No.NIL	1x1	13'-10"	2'-6"		35	Sft
B.No.2, E/Wall, R.No.55	1x1	6'-6"	3'-10"		25	Sft
B.No.2, S/Wall, R.No.55	1x1	16'-4"	1'-8"		27	Sft
B.No.2, E/Wall, R.No.56	1x1	20'-5"	2'-5"		49	Sft
B.No.2, E/Wall, R.No.57	1x1	30'-3"	2'-8"		81	Sft
B.No.2(b),W/Wall, R.No.5 (i)	1x1	6'-6"	2'-3"		15	Sft
B.No.2(b),W/Wall, R.No.5 (i)	1x1	35'-8"	2'-1"		74	Sft
B.No.2(b),W/Wall, R.No.5 (ii)	1x1	9'-5"	3'-9"		35	Sft
B.No.2(b),E/Wall, R.No.5,6	1x1	23'-8"	3'-2"		75	Sft
B.No.2(b),S/Wall, R.No.5	1x1	7'-10"	2'-2"		17	Sft
B.No.2(b),W/Wall, R.No.6	1x1	5'-3"	2'-4"		12	Sft
B.No.2(b),S/Wall, R.No.6	1x1	12'-8"	2'-3"		29	Sft
B.No.2(b),E/Wall, R.No.2	1x1	14'-3"	2'-2"		31	Sft
B.No.2(b),N/Wall, R.No.2	1x1	39'-2"	0'-11"+2'-0"/2		57	Sft
B.No.2(b),S/Wall, R.No.2	1x1	7'-7"	1'-11"		15	Sft
B.No.2(b),N/Wall, R.No.8,9	1x1	24'-5"	11'-10"		289	Sft
B.No.2(b),S/Wall, R.No.4	1x1	17'-5"	10'-3"		182	Sft
B.No.2(b),E/Wall, R.No.3	1x1	8'-7"	5'-0"		43	Sft
B.No.2(b),W/Wall, R.No.4	1x1	8'-7"	1'-5"		12	Sft
B.No.3, N/Wall, R.No.1	1x1	40'-7"	2'-5"		98	Sft
B.No.3, W/Wall, R.No.1,2	1x1	59'-7"	3'-0"		189	Sft
B.No.3, S/Wall, R.No.4,5	1x1	47'-7"	2'-2"		103	Sft
B.No.3, E/Wall, R.No.3,5,6	1x1	37'-0"	1'-6"		56	Sft
B.No.3, E/Wall, R.No.3	1x1	2'-8"	2'-0"		5	Sft
B.No.3, N/Wall, R.No.2	1x1	20'-3"	1'-7"		32	Sft
B.No.4, N/Wall, R.No.3	1x1	69'-4"	2'-6"		173	Sft
B.No.4, W/Wall, R.No.1	1x1	8'-9"	5'-5"		47	Sft

B.No.4, N/Wall, R.No.2	1x1	22'-0"	4'-9"		105	Sft
B.No.4, E/Wall, R.No.1	1x1	2'-7"	1'-10"		5	Sft
B.No.4, S/Wall, R.No.14,15,4	1x1	38'-4"	3'-0"		115	Sft
B.No.4, W/Wall, R.No.14	1x1	16'-0"	2'-5"		39	Sft
B.No.4, E/Wall, R.No.9	1x1	21'-0"	2'-11"		61	Sft
B.No.4, N/Wall, R.No.11	1x1	24'-0"	3'-8"		88	Sft
B.No.4, S/Wall, R.No.14	1x1	12'-10"	2'-6"		32	Sft
B.No.4, W/Wall, R.No.4	1x1	23'-9"	2'-9"		65	Sft
B.No.4, E/Wall, R.No.4	1x1	24'-0"	1'-8"		40	Sft
B.No.5, S/Wall, R.No.1,2	1x1	8'-0"	2'-7"		21	Sft
B.No.5, N/Wall, R.No.4	1x1	20'-0"	3'-0"		60	Sft
B.No.5, N/Wall, R.No.6	1x1	23'-0"	2'-1"		48	Sft
B.No.6, W/Wall, R.No.1,2	1x1	31'-7"	2'-7"		81	Sft
B.No.6, N/Wall, R.No.1,4	1x1	23'-0"	2'-5"		56	Sft
B.No.6, E/Wall, R.No.4,5 (i)	1x1	21'-5"	2'-5"		52	Sft
B.No.6, E/Wall, R.No.4,5 (ii)	1x1	16'-10"	2'-4"		39	Sft
B.No.6, S/Wall, R.No.4	1x1	10'-0"	1'-6"		15	Sft
B.No.6, E/Wall, R.No.1	1x1	6'-5"	1'-9"		11	Sft
B.No.6, S/Wall, R.No.1	1x1	13'-9"	1'-8"		23	Sft
B.No.7, N/Wall, R.No.1	1x1	17'-7"	2'-8"		47	Sft
B.No.7, W/Wall, R.No.1	1x1	19'-6"	3'-9"		73	Sft
B.No.7, N/Wall, R.No.2	1x1	16'-0"	8'-6"		136	Sft
B.No.7, E/Wall, R.No.1	1x1	10'-5"	3'-0"		31	Sft
B.No.7, S/Wall, R.No.3 (i)	1x1	13'-8"	3'-6"		48	Sft
B.No.7, S/Wall, R.No.3 (ii)	1x1	14'-2"	3'-5"		48	Sft
B.No.7, E/Wall, R.No.4	1x1	16'-0"	3'-10"		61	Sft
B.No.10, S/Wall, R.No.9,10 (i)	1x1	61'-0"	2'-5"		148	Sft
B.No.10, S/Wall, R.No.9,10 (ii)	1x1	20'-4"	4'-7"		93	Sft
B.No.10, S/Wall, R.No.9,10 (iii)	1x1	6'-4"	4'-5"		28	Sft
B.No.10, E/Wall, R.No.6	1x1	17'-4"	6'-0"+2'-0"/2		69	Sft
B.No.10, N/Wall, R.No.9	1x1	36'-0"	2'-11"		105	Sft
B.No.10, E/Wall, R.No.9 (i)	1x1	2'-0"	3'-0"		5	Sft
B.No.10, E/Wall, R.No.9 (ii)	1x1	2'-0"	2'-0"		4	Sft
B.No.10, E/Wall, R.No.9 (iii)	1x1	6'-3"	3'-0"		18	Sft
B.No.10, N/Wall, R.No.10	1x1	7'-7"	3'-11"		30	Sft
B.No.10, W/Wall, R.No.7,8	1x1	50'-0"	2'-6"		125	Sft
B.No.10, E/Wall, R.No.5	1x1	11'-8"	1'-6"		18	Sft
B.No.10, S/Wall, R.No.5	1x1	10'-9"+7'-6"/2	1'-9"+6'-8"/2		38	Sft
B.No.10, W/Wall, R.No.5	1x1	60'-0"	6'-0"		360	Sft
Great Bath Section						
B.No.1, S/Wall, R.No.5	1x1	24'-9"	6'-3"		155	Sft
B.No.1, S/Wall, R.No.2,3	1x1	43'-6"	6'-4"		275	Sft
B.No.1, S/Wall, R.No.4	1x1	21'-3"	6'-6"		138	Sft
B.No.1, W/Wall, R.No.4	1x1	45'-7"	9'-3"		422	Sft
B.No.1, N/Wall, R.No.4	1x1	15'-10"	4'-0"		63	Sft
B.No.1, E/Wall, R.No.4	1x1	7'-9"	3'-3"		25	Sft
B.No.1, N/Wall, R.No.3	1x1	37'-2"	4'-0"		149	Sft

B.No.1, S/Wall, R.No.12	1x1	15'-2"	4'-0"		61	Sft
B.No.1, W/Wall, R.No.5	1x1	7'-3"	5'-2"		37	Sft
B.No.1, N/Wall, R.No.5	1x1	6'-2"	3'-11"		24	Sft
B.No.1, E/Wall, R.No.13,14	1x1	62'-2"	5'-9"		357	Sft
B.No.1, W/Wall, R.No.13,14	1x1	36'-10"	3'-8"		135	Sft
B.No.1, N/Wall, R.No.13	1x1	14'-7"	3'-4"		49	Sft
B.No.1, N/Wall, R.No.14	1x1	16'-8"	3'-4"		56	Sft
B.No.1, E/Wall, R.No.15 (i)	1x1	13'-11"	2'-8"		37	Sft
B.No.1, E/Wall, R.No.15 (ii)	1x1	6'-8"	5'-4"		36	Sft
B.No.1, W/Wall, R.No.15,16,17	1x1	46'-2"	3'-3"		150	Sft
B.No.1, N/Wall, R.No.15	1x1	14'-8"	3'-0"		44	Sft
B.No.1, E/Wall, R.No.16,17,18	1x1	49'-3"	5'-3"		259	Sft
B.No.1, N/Wall, R.No.16	1x1	14'-6"	4'-0"		58	Sft
B.No.1, S/Wall, R.No.18	1x1	15'-7"	4'-2"		65	Sft
B.No.1, W/Wall, R.No.18	1x1	13'-6"	3'-2"		43	Sft
B.No.1, S/Wall, R.No.19	1x1	15'-4"	3'-0"		46	Sft
B.No.1, W/Wall, R.No.12	1x1	87'-3"	3'-8"		320	Sft
B.No.1, N/Wall, R.No.8,9,10,11	1x1	56'-4"	3'-9"		211	Sft
B.No.1, W/Wall, R.No.35 (i)	1x1	24'-0"	3'-5"		82	Sft
B.No.1, W/Wall, R.No.35 (ii)	1x1	49'-2"	3'-6"		172	Sft
B.No.1, S/Wall, R.No.26	1x1	60'-0"	4'-6"		270	Sft
B.No.1, N/Wall, R.No.29,30	1x1	63'-10"	3'-7"		229	Sft
B.No.1, N/Wall, R.No.35	1x1	42'-9"	4'-3"		182	Sft
B.No.1, E/Wall, R.No.35	1x1	5'-9"	4'-5"		25	Sft
B.No.1, Piller, R.No.28,29,30,31	1x1	5'-11"	4'-3"		25	Sft
B.No.1, S/Wall, R.No.36	1x1	23'-3"	3'-3"		76	Sft
B.No.1, N/Wall, R.No.36	1x1	23'-8"	3'-0"		71	Sft
B.No.1, E/Wall, R.No.37	1x1	11'-10"	4'-8"		55	Sft
B.No.1, W/Wall, R.No.37	1x1	25'-5"	4'-9"		121	Sft
B.No.1, N/Wall, R.No.26	1x1	39'-4"	3'-3"		128	Sft
B.No.1, E/Wall, R.No.27	1x1	12'-4"	3'-2"		39	Sft
B.No.1, W/Wall, R.No.27	1x1	5'-0"	4'-0"		20	Sft
B.No.1, N/Wall, R.No.25	1x1	29'-11"	5'-0"		150	Sft
B.No.1, W/Wall, R.No.21,22	1x1	19'-9"	3'-7"		71	Sft
B.No.1, N/Stair, R.No.22	1x1	8'-0"	6'-7"		53	Sft
B.No.1, W/plateform, R.No.21	1x1	46'-0"	11'-6"		529	Sft
B.No.1, N/Wall, R.No.25	1x1	64'-0"	6'-5"		410	Sft
B.No.1, S/Wall of lane, R.No.21	1x1	55'-0"	5'-2"		284	Sft
B.No.1, E/Wall, R.No.19	1x1	9'-7"	6'-0"		57	Sft
B.No.1, N/Wall, R.No.19	1x1	9'-8"	4'-9"		46	Sft
B.No.1, S/Wall, R.No.20	1x1	21'-4"	4'-4"		92	Sft
B.No.1, W/Wall, R.No.19	1x1	11'-8"	4'-6"		53	Sft
B.No.1, E/Wall, R.No.21	1x1	11'-2"	2'-10"		32	Sft
B.No.1, E/Wall, R.No.20	1x1	13'-0"	2'-0"		26	Sft
B.No.2, H.No.XI, N/Wall, R.No.119	1x1	3'-0"+1'-6"/2	3'-0"		21	Sft
B.No.2, H.No.XI, N/Wall, R.No.118	1x1	4'-10"	3'-0"		5	Sft
B.No.2, H.No.XI, S/Wall, R.No.114	1x1	4'-5"+3'-4/2	2'-11"		12	Sft

B.No.2, H.No.XI, W/Wall, R.No.117	1x1	3'-6"+5'-6"/2	3'-0"+2'-0"/2	17	Sft
B.No.2, H.No.XI, S/Wall, R.No.117	1x1	8'-3"+4'-8"/2	2'-0"	53	Sft
B.No.2, H.No.XI, E/Wall, R.No.114	1x1	4'-0"	2'-0"	28	Sft
B.No.2, H.No.XI, E/Wall, R.No.115,116	1x1	1'-8"+3'-3"/2	2'-0"	63	Sft
B.No.2, H.No.XI, N/Wall, R.No.116	1x1	3'-0"	2'-0"	9	Sft
B.No.2, H.No.XI, N/Wall, R.No.114,115	1x1	2'-6"+4'-7"/2	2'-0"	29	Sft
B.No.2, H.No.XI, Plate form of R.No.111	1x1	2'-0"+1'-0"/2	2'-0"	150	Sft
B.No.2, H.No.XI, E/Wall, R.No.114	1x1	1'-0"	2'-0"	23	Sft
B.No.2, H.No.XI, W/Wall, R.No.120	1x1	2'-0"	2'-0"	38	Sft
B.No.2, H.No.X, E/Wall, R.No.120,22	1x1	2'-7"+2'-9"/2	2'-0"	45	Sft
B.No.2, H.No.X, S/Wall, R.No.120	1x1	1'-7"	2'-0"	4	Sft
B.No.2, Granery Section, R.No.Nil	1x1	43'-0"	11'-0"	473	Sft
B.No.2, Granery Section, R.No.Nil	1x1	47'-8"	16'-0"	763	Sft
B.No.2, Granery Section, R.No.Nil	1x1	45'-0"	16'-0"	720	Sft
B.No.2, Granery Section, R.No.Nil	1x1	14'-9"	15'-7"	230	Sft
B.No.2, Granery Section, R.No.Nil	1x1	30'-10"	14'-0"	432	Sft
B.No.2, Granery Section, R.No.Nil	1x1	19'-5"	15'-8"	304	Sft
B.No.2, Granery Section, R.No.Nil	1x1	18'-9"	15'-8"	294	Sft
B.No.2, Granery Section, R.No.Nil	1x1	27'-0"	10'-0"	270	Sft
B.No.2, Granery Section, R.No.Nil	1x1	19'-0"	10'-0"	190	Sft
B.No.2, Granery Section, R.No.Nil	1x1	38'-4"	15'-0"	575	Sft
B.No.2, Granery Section, R.No.Nil	1x1	40'-0"	2'-2"	87	Sft
B.No.2, Granery Section, R.No.Nil	1x1	13'-0"	5'-5"	70	Sft
B.No.2, Granery Section, R.No.Nil	1x1	21'-0"	11'-0"	231	Sft
B.No.2, Granery Section, R.No.Nil	1x1	19'-10"	6'-0"	119	Sft
B.No.2, Granery Section, R.No.Nil	1x1	54'-0"	27'-0"	1458	Sft
B.No.2, Granery Section, R.No.Nil	1x1	22'-0"	14'-0"	308	Sft
B.No.2, Granery Section, R.No.Nil	1x1	18'-0"	12'-10"	231	Sft
B.No.2, Granery Section, R.No.Nil	1x1	53'-0"	15'-0"	795	Sft
B.No.2, Granery Section, R.No.Nil	1x1	22'-0"	2'-0"	44	Sft
B.No.2, Granery Section, R.No.Nil	1x1	4'-0"	2'-0"	8	Sft
B.No.2, Granery Section, R.No.Nil	1x1	24'-8"	3'-8"	91	Sft
B.No.2, Granery Section, R.No.Nil	1x1	8'-0"	4'-0"	32	Sft
B.No.2, Granery Section, R.No.Nil	1x1	32'-0"	5'-8"	181	Sft
B.No.2, Granery Section, R.No.Nil	1x1	14'-0"	2'-0"	28	Sft
B.No.2, Granery Section, R.No.Nil	1x1	14'-0"	2'-0"	28	Sft
B.No.2, Granery Section, R.No.Nil	1x1	6'-10"	3'-0"	19	Sft
B.No.2, Granery Section, R.No.Nil	1x1	20'-0"	3'-0"	60	Sft
B.No.2, Granery Section, R.No.Nil	1x1	93'-0"	5'-0"	465	Sft
B.No.2, Granery Section, R.No.Nil	1x1	30'-0"	2'-0"	60	Sft
B.No.2, Granery Section, R.No.Nil	1x1	21'-0"	5'-0"	105	Sft
B.No.2, Granery Section, R.No.Nil	1x1	12'-0"	5'-6"	66	Sft
B.No.2, Granery Section, R.No.Nil	1x1	20'-5"	2'-0"	40	Sft
B.No.2, Granery Section, R.No.Nil	1x1	36'-0"	2'-0"	72	Sft
B.No.2, Granery Section, R.No.Nil	1x1	14'-0"	1'-0"	14	Sft
B.No.2, Granery Section, R.No.Nil	1x1	10'-10"	2'-3"	24	Sft
B.No.2, Granery Section, R.No.Nil	1x1	31'-0"	5'-0"	155	Sft

B.No.2, Granery Section, R.No.Nil	1x1	12'-7"	2'-0"		25	Sft
B.No.2, Granery Section, R.No.Nil	1x1	6'-3"	5'-0"		30	Sft
B.No.3, S/Wall, R.No. 3,4	1x1	72'-5"	6'-6"		471	Sft
B.No.3, W/Wall, R.No. 3	1x1	22'-9"	3'-11"		89	Sft
B.No.3, W/Wall, R.No. 4	1x1	26'-9"	6'-0"		161	Sft
B.No.3, N/Wall, R.No. 3	1x1	31'-0"	2'-7"+4'-0"/2		102	Sft
B.No.3, N/Wall, R.No. 4	1x1	47'-0"	4'-3"+9'-9"/2		329	Sft
B.No.3, E/Wall, R.No. 4	1x1	33'-3"	5'-10"		194	Sft
B.No.4, W/Wall, R.No. 3	1x1	34'-9"	7'-0"		243	Sft
B.No.4, W/Wall, R.No. Nil	1x1	22'-3"	9'-10"+8'-6"		313	Sft
B.No.4, W/Wall, R.No. 1	1x1	14'-8"	22'-0"		323	Sft
B.No.4, N/Wall, R.No. 4	1x1	26'-4"	2'-5"+3'-6"/2		78	Sft
B.No.4, W/Wall, R.No. 4	1x1	30'-0"	5'-0"		150	Sft
B.No.4, W/Wall, R.No. 2	1x1	13'-11"	6'-9"		94	Sft
B.No.4, E/Wall, R.No. 2	1x1	64'-0"	4'-0"		256	Sft
B.No.4, E/Wall, R.No. 4	1x1	14'-0"	9'-0"		126	Sft
B.No.4, E/Wall, R.No. 16	1x1	21'-4"	4'-7"		98	Sft
B.No.4, W/Wall, R.No. 16	1x1	17'-4"	5'-5"		94	Sft
B.No.4, S/Wall, R.No. 15	1x1	4'-9"	3'-3"		15	Sft
B.No.4, W/Wall, R.No. 15	1x1	10'-5"	3'-5"+2'-0"/2		28	Sft
B.No.4, N/Wall, R.No. 15	1x1	13'-9"	1'-6"+3'-0"/2		31	Sft
B.No.4, S/Wall, R.No. 14,15	1x1	13'-5"	4'-10"		65	Sft
B.No.4, N/Wall, R.No. 14	1x1	20'-7"	7'-7"		156	Sft
B.No.4, N Piller, (i)	1x1	3'-8"	3'-4"		12	Sft
B.No.4, N Piller, (ii)	1x1	3'-5"	1'-9"		6	Sft
B.No.4, W/Wall, R.No. 14	1x1	6'-4"	3'-2"		20	Sft
B.No.4, N/Wall, R.No. 9,14	1x1	22'-2"	4'-10"		107	Sft
B.No.4, W/Wall, R.No. 9	1x1	11'-4"	5'-4"		60	Sft
B.No.4, Piller beside R.No. 11	1x1	6'-4"	5'-8"		36	Sft
B.No.4, W/Wall, R.No. 17 (i)	1x1	11'-0"	3'-0"		33	Sft
B.No.4, W/Wall, R.No. 17 (ii)	1x1	23'-0"	9'-4"+5'-0"/2		165	Sft
B.No.4, Piller beside R.No. 8	1x1	8'-9"	4'-8"+2'-0"/2		29	Sft
B.No.4, Piller beside R.No. 20	1x1	5'-0"	2'-6"		13	Sft
B.No.4, Plateform in front m/street	1x1	15'-9"	12'-4"		194	Sft
B.No.4, W/Wall, R.No.19	1x1	6'-0"	6'-0"		36	Sft
B.No.4, E/Wall, Beside R.No.11	1x1	16'-9"	8'-4"		140	Sft
B.No.4, E/Wall, R.No.13	1x1	5'-10"	5'-0"		29	Sft
B.No.4, N/Wall, R.No.13	1x1	13'-7"	3'-0"		41	Sft
B.No.4, W/Wall beside, R.No.19	1x1	18'-7"	3'-3"		60	Sft
B.No.4, W/Wall, R.No.19	1x1	3'-3"	1'-2"		4	Sft
B.No.4, S/Wall, R.No.33	1x1	5'-8"	2'-7"		15	Sft
B.No.4, W/Wall, R.No.33	1x1	33'-0"	3'-9"		124	Sft
B.No.4, S/Piller of, R.No.33	1x1	3'-5"	1'-4"		5	Sft
B.No.4, E/Wall, R.No.Nil (i)	1x1	16'-0"	1'-7"		25	Sft
B.No.4, E/Wall, R.No.Nil (ii)	1x1	8'-5"	3'-9"		32	Sft
B.No.4, N/Wall, R.No.Nil (i)	1x1	6'-6"	3'-1"		20	Sft
B.No.4, N/Wall, R.No.Nil (ii)	1x1	12'-7"	5'-0"		63	Sft

B.No.4, W/Wall, R.No.31,32	1x1	37'-11"	1'-11"		73	Sft
B.No.4, S/Wall, R.No.Nil	1x1	12'-0"	4'-0"		48	Sft
B.No.4, E/Piller, R.No.Nil	1x1	5'-6"	4'-3"		23	Sft
B.No.4, W/Wall, R.No.28	1x1	6'-5"	6'-0"		39	Sft
B.No.4, W/Wall, Nil beside R.No.27	1x1	8'-11"	2'-10"+7'-1"/2		44	Sft
B.No.4, S/Wall, Nil beside R.No.27	1x1	10'-10"	4'-2"		45	Sft
B.No.4, W/Wall, Nil beside R.No.27	1x1	9'-0"	2'-8"		24	Sft
B.No.4, E/Wall, R.No.23	1x1	13'-5"	5'-5"+3'-3"/2		58	Sft
B.No.4, S/Wall, R.No.23	1x1	13'-11"	4'-0"		56	Sft
B.No.4, E/Wall, R.No.22	1x1	43'-10"	3'-11"		172	Sft
B.No.4, N/Wall, R.No.23	1x1	12'-5"	1'-8"		21	Sft
B.No.4, E/Wall, R.No.24	1x1	13'-11"	2'-0"		28	Sft
B.No.4, Piller of R.No.25	1x1	9'-10"	2'-0"		20	Sft
B.No.4, S/Wall, R.No.29	1x1	9'-8"	2'-2"		21	Sft
B.No.4, N/Wall, R.No.29	1x1	26'-0"	3'-5"		89	Sft
B.No.4, N/Wall, R.No.31	1x1	9'-6"	2'-2"		21	Sft
B.No.4, N/Wall, R.No.32	1x1	12'-1"	3'-4"		40	Sft
B.No.4, E/Wall, R.No.32	1x1	16'-3"	5'-0"		81	Sft
B.No.4, N/Wall, R.No.33	1x1	3'-9"	2'-2"		8	Sft
B.No.4, S/Wall, R.No.34	1x1	4'-9"	0'-10"		4	Sft
B.No.4, S/Wall, R.No.35	1x1	6'-2"	3'-0"		19	Sft
B.No.4, N/Wall, R.No.35	1x1	4'-5"	2'-3"		10	Sft
B.No.4, N/Wall, R.No.36	1x1	6'-8"	2'-10"		19	Sft
B.No.4, E/Wall, R.No.33,34,35,36	1x1	41'-4"	3'-11"+3'-8"/2		157	Sft
B.No.4, E/Alley	1x1	46'-9"	2'-4"		109	Sft
B.No.4, N/Alley	1x1	69'-0"	3'-6"		242	Sft
B.No.4, E/Wall, R.No.Nil	1x1	20'-10"	3'-11"		82	Sft
B.No.4, N/Wall, R.No.Nil	1x1	9'-3"	1'-3"		12	Sft
B.No.4, W/Wall, R.No.Nil	1x1	21'-5"	1'-9"		37	Sft
B.No.4, E/Wall, R.No.Nil	1x1	14'-3"	6'-0"		86	Sft
B.No.4, Plate form N/Side of Alley	1x1	29'-10"	15'-3"		455	Sft
B.No.4, N/Wall beside Plate form	1x1	28'-8"	7'-4"		210	Sft
B.No.4, Plate form No.2	1x1	19'-4"	16'-8"		322	Sft
B.No.4, N/Wall, Plate form No.2	1x1	17'-8"	7'-3"		128	Sft
B.No.4, Piller N/Side of Lane (i)	1x1	7'-0"	5'-8"		39	Sft
B.No.4, Piller N/Side of Lane (ii)	1x1	9'-0"	6'-0"		54	Sft
B.No.7, Wall beside, R.No.Nil (i)	1x1	16'-0"	5'-3"		84	Sft
B.No.7, Wall beside, R.No.Nil (ii)	1x1	10'-7"	3'-10"		41	Sft
B.No.7, Wall beside, R.No.Nil (iii)	1x1	7'-0"	3'-3"		23	Sft
B.No.7, Wall beside, R.No.Nil (iv)	1x1	10'-7"	3'-0"+1'-9"/2		25	Sft
B.No.7, Wall beside, R.No.Nil (v)	1x1	17'-0"	4'-0"		68	Sft
B.No.7, Wall beside, R.No.Nil (vi)	1x1	7'-9"	4'-6"		35	Sft
B.No.7, Wall beside, R.No.Nil (vii)	1x1	9'-0"	2'-3"		20	Sft
B.No.7, Wall beside, R.No.Nil (viii)	1x1	17'-0"	3'-0"		51	Sft
B.No.7, Wall beside, R.No.Nil (ix)	1x1	6'-0"	2'-5"		15	Sft
B.No.7, Wall beside, R.No.Nil (x)	1x1	6'-10"	3'-3"		22	Sft
B.No.7, Wall beside, R.No.Nil (xi)	1x1	9'-6"	4'-9"		45	Sft

B.No.7, Wall beside, R.No.Nil (xii)	1x1	19'-5"	10'-0"+4'-10"/2	144	Sft
B.No.8, E/Wall, R.No.Nil	1x1	7'-8"	2'-11"	22	Sft
B.No.8, N/Wall, R.No.Nil	1x1	6'-0"	2'-2"	13	Sft
B.No.8, S/Wall, Lane	1x1	39'-9"	4'-3"	169	Sft
B.No.8, Piller R.No.Nil	1x1	5'-10"	4'-2"	24	Sft
B.No.8, Wall beside Piller	1x1	9'10"	4'-11"	48	Sft
B.No.8, N/Wall, R.No.12	1x1	47'-10"	5'-7"+4'-0"/2	229	Sft
B.No.8, E/Wall, Beside R.No.12	1x1	10'-3"	10'-0"+3'-5"/2	69	Sft
B.No.8, S/Wall, R.No.12 (i)	1x1	14'-0"	4'-2"	58	Sft
B.No.8, S/Wall, R.No.12 (ii)	1x1	26'-10"	4'-4"+2'-8"+6'-11"/3	124	Sft
B.No.8, W/Wall beside Well	1x1	20'-3"	6'-0"	222	Sft
B.No.8, S/Wall beside Well	1x1	55'-0"	5'-2"+7'-9"/2	355	Sft
B.No.8, E/Wall of Lane	1x1	35'-0"	2'-9"	96	Sft
B.No.9, W/Wall of Lane	1x1	59'-7"	3'-2"	189	Sft
B.No.9, S/Wall, R.No.14	1x1	22'-4"	2'-5"	54	Sft
B.No.9, W/Wall, R.No.15	1x1	4'-3"	2'-3"	9	Sft
B.No.9, W/Wall, R.No.11	1x1	6'-11"	2'-7"	18	Sft
B.No.9, N/Wall, R.No.11	1x1	6'-9"	2'-4"	16	Sft
B.No.9, N/Wall, R.No.14	1x1	63'-11"	5'-0"	320	Sft
B.No.9, W/Wall, R.No.15	1x1	10'-3"	2'-9"	28	Sft
B.No.9, W/Wall, R.No.12	1x1	9'-5"	2'-9"	26	Sft
B.No.9, R.No.Nil, W/Wall No.3	1x1	10'-9"	2'-0"	32	Sft
B.No.9, R.No.Nil, W/Wall No.4	1x1	10'-8"	2'-0"	29	Sft
B.No.9, R.No.Nil, W/Wall No.5	1x1	8'-6"	2'-0"	23	Sft
B.No.9, R.No.Nil, N/Wall No.6	1x1	73'-0"	2'-0"	292	Sft
B.No.9, R.No.Nil, N/Wall No.7	1x1	18'-4"	2'-0"	37	Sft
B.No.9, R.No.Nil, W/Wall No.8	1x1	7'-6"	2'-0"	23	Sft
B.No.9, R.No.Nil, W/Wall No.9	1x1	17'-0"	2'-0"	41	Sft
B.No.9, R.No.Nil, Piller	1x1	6'-0"	2'-0"	17	Sft
B.No.9, R.No.Nil, Wall beside B.No.7 (i)	1x1	26'-0"	2'-0"	169	Sft
B.No.9, R.No.Nil, Wall beside B.No.7 (ii)	1x1	36'-4"	2'-0"	342	Sft
Total				45853	sft

Repointing of eroded mortar joints with mud mortar for sound bonding of the loose bricks of the wall structures.

B.No.1, S/Wall, R.No.1	2x1	19'-4"	4'-0"	155	Sft
B.No.1, W/Wall, R.No.1	2x1	14'-0"	4'-9"	133	Sft
B.No.1, N/Wall, R.No.1	2x1	9'-9"	4'-0"	78	Sft
B.No.1, E/Wall, R.No.1	1x1	11'-0"	3'-3"	36	Sft
B.No.1, E/Wall, R.No.2	1x1	10'-8"	4'-0"	43	Sft
B.No.1, N/Wall, R.No.2	2x1	12'-9"	3'-6"	89	Sft
B.No.1, E/Wall, R.No.3 (i)	2x1	8'-5"	4'-9"	73	Sft
B.No.1, E/Wall, R.No.3 (ii)	2x1	11'-3"	1'-7"	36	Sft
B.No.1, N/Wall, R.No.3	2x1	11'-6"	2'-0"	46	Sft
B.No.1, N/Wall, R.No.4	1x1	18'-0"	4'-7"	82	Sft
B.No.1, E/Wall, R.No.6 (i)	2x1	11'-8"	1'-8"	39	Sft

B.No.1, E/Wall, R.No.6 (ii)	1x1	11'-9"	3'-6"		41	Sft
B.No.1, S/Wall, R.No.6	1x1	3'-9"	3'-0"		11	Sft
B.No.1, E/Wall, R.No.7	2x1	10'-0"	1'-7"		32	Sft
B.No.1, N/Wall, R.No.7	1x1	5'-6"	1'-11"		11	Sft
B.No.1, N/Wall, R.No.10 (i)	2x1	14'-6"	1'-8"+1'-0"/2		39	Sft
B.No.1, N/Wall, R.No.10 (ii)	2x1	6'-4"	4'-0"		51	Sft
B.No.1, S/Wall, R.No.10	2x1	16'-6"	1'-4"		44	Sft
B.No.1, S/Wall, R.No.9,15	2x1	36'-0"	3'-5"+2'-2"+1'-5"/3		168	Sft
B.No.1, E/Wall, R.No.11	2x1	7'-9"	2'-3"+1'-6"/2		29	Sft
B.No.1, S/Wall, R.No.11	2x1	14'-9"	2'-0"+4'-4"/2		93	Sft
B.No.1, S/Wall, R.No.14	2x1	19'-0"	2'-0"+4'-4"/2		120	Sft
B.No.1, W/Wall, R.No.13	2x1	7'-0"	3'-0"+1'-6"/2		32	Sft
B.No.1, W/Wall, R.No.12	1x1	20'-5"	2'-10"		58	Sft
B.No.1, S/Wall, R.No.12	2x1	27'-6"	3'-8"+5'-2"/2		243	Sft
B.No.1, Wall of dust bin in street	2x1	7'-0"	3'-3"		46	Sft
B.No.1, W/Wall, R.No.12	2x1	25'-7"	3'-0"+6'-7"/2		245	Sft
B.No.1, E/Wall, R.No.12	1x1	10'-7"	2'-10"		30	Sft
B.No.1, S/Wall, R.No.13	1x1	25'-0"	3'-0"		75	Sft
B.No.1, E/Wall, R.No.13	2x1	11'-0"	4'-8"		108	Sft
B.No.1, E/Wall, R.No.13,14	2x1	19'-0"	6'-10"		260	Sft
B.No.1, S/Wall, R.No.15	1x1	10'-0"	4'-0"		40	Sft
B.No.1, E/Wall, R.No.35,36	2x1	60'-7"	7'-9"+9'-6"/2		1045	Sft
B.No.1, E/Wall, R.No.19	2x1	17'-3"	5'-10"		201	Sft
B.No.1, N/Wall, R.No.18	2x1	14'-4"	5'-10"		167	Sft
B.No.1, E/Wall, R.No.18	2x1	12'-0"	4'-7"		110	Sft
B.No.1, S/Wall, R.No.19	2x1	10'-3"	4'-8"		96	Sft
B.No.1, N/Wall, R.No.17	2x1	14'-10"	4'-5"+3'-2"/2		114	Sft
B.No.1, S/Wall, R.No.17	2x1	10'-6"	1'-7"		33	Sft
B.No.1, W/Wall, R.No.17	2x1	11'-10"	1'-5"		34	Sft
B.No.1, E/Wall, R.No.8	2x1	10'-8"	1'-0"		21	Sft
B.No.1, W/Wall, R.No.8	2x1	11'-8"	1'-8"		16	Sft
B.No.1, S/Wall, R.No.26	2x1	25'-4"	1'-2"		59	Sft
B.No.1, W/Wall, R.No.21,22	2x1	9'-2"	1'-4"		24	Sft
B.No.1, E/Wall, R.No.20	2x1	5'-5"	1'-3"		62	Sft
B.No.1, S/Wall, R.No.20	2x1	13'-0"	1'-7"		41	Sft
B.No.1, S/Wall, R.No.24	1x1	34'-0"	2'-7"		28	Sft
B.No.1, E/Wall, R.No.24	2x1	16'-7"	1'-0"		175	Sft
B.No.1, S/Wall, R.No.27	2x1	24'-6"	1'-6"		74	Sft
B.No.1, S/Wall, R.No.23	2x1	12'-8"	0'-8"		17	Sft
B.No.1, E/Wall, R.No.27	2x1	12'-6"	1'-1"		27	Sft
B.No.1, S/Wall, R.No.NIL	2x1	10'-8"	1'-7"		34	Sft
B.No.1, S/Wall, R.No.28	2x1	28'-0"	4'-3"+2'-0"/2		125	Sft
B.No.1, E/Wall, R.No.29	2x1	11'-4"	3'-10"		87	Sft
B.No.1, S/Wall, R.No.29	2x1	23'-10"	2'-6"		119	Sft
B.No.1, W/Wall, R.No.29	2x1	11'-8"	1'-11"		45	Sft
B.No.1, Wall between 28,29	2x1	10'-4"	1'-3"		26	Sft
B.No.1, E/Wall, R.No.28	2x1	7'-6"	1'-0"		15	Sft

B.No.1, W/Wall, R.No.25	1x1	9'-7"	8'-0"		77	Sft
B.No.1, S/Wall, R.No.23	2x1	13'-4"	3'-10"		102	Sft
B.No.1, E/Wall, R.No.29 (i)	2x1	8'-4"	3'-6"		58	Sft
B.No.1, E/Wall, R.No.29 (ii)	2x1	6'-0"	1'-4"		16	Sft
B.No.1, N/Wall, R.No.33	2x1	6'-10"	5'-3"		72	Sft
B.No.1, W/Wall, R.No.33	2x1	8'-5"	4'-8"		79	Sft
B.No.1, N/Wall, R.No.32	2x1	3'-11"	3'-9"		29	Sft
B.No.1, E/Wall, R.No.32	2x1	17'-6"	5'-7"		195	Sft
B.No.1, N/Wall, R.No.32	2x1	12'-10"	2'-4"		60	Sft
B.No.1, N/Wall, R.No.NIL	2x1	3'-8"	2'-3"		17	Sft
B.No.1, S/Wall, R.No.32	2x1	23'-8"	2'-2"+4'-0"/2		73	Sft
B.No.1, S/Wall, R.No.NIL	2x1	15'-0"	4'-0"		120	Sft
B.No.1, S/Wall, R.No.NIL	2x1	11'-3"	1'-9"		39	Sft
B.No.1, W/Wall, R.No.35,36	2x1	30'-7"	6'-8"		408	Sft
B.No.1, N/Wall, R.No.34	2x1	4'-3"	1'-6"		13	Sft
B.No.1, N/Stair, R.No.34	2x1	14'-0"	8'-0"		224	Sft
B.No.1, S/Wall, R.No.40,41	2x1	14'-6"	2'-2"		63	Sft
B.No.1, W/Wall, R.No.40	2x1	11'-5"	3'-4"		35	Sft
B.No.1, N/Wall, R.No.39	2x1	4'-0"	1'-9"		14	Sft
B.No.1, W/Wall, R.No.39	2x1	10'-10"	1'-8"		36	Sft
B.No.1, W/Wall, R.No.38	2x1	6'-8"	2'-2"		29	Sft
B.No.1, W/Wall, R.No.37 (i)	2x1	13'-10"	3'-6"		97	Sft
B.No.1, W/Wall, R.No.37 (ii)	2x1	7'-0"	6'-0"		84	Sft
B.No.1, S/Wall, R.No.48 (i)	2x1	22'-9"	2'-3"		102	Sft
B.No.1, S/Wall, R.No.48 (ii)	2x1	10'-0"	2'-0"		40	Sft
B.No.1, S/Wall, R.No.50	2x1	6'-8"	2'-9"		37	Sft
B.No.1, S/Wall, R.No.54	2x1	5'-3"	3'-2"		33	Sft
B.No.1, W/Wall, R.No.54	2x1	8'-0"	4'-0"		64	Sft
B.No.1, S/Wall, R.No.53	2x1	14'-2"	4'-0"		113	Sft
B.No.1, W/Wall, R.No.55	2x1	22'-0"	3'-6"		154	Sft
B.No.1, S/Wall, R.No.55	2x1	11'-8"	4'-4"		101	Sft
B.No.1, E/Wall, R.No.43	2x1	20'-0"	7'-5"		296	Sft
B.No.1, W/Wall, R.No.43	2x1	10'-10"	1'-2"		25	Sft
B.No.1, E/Wall, R.No.55	2x1	17'-2"	6'-4"		217	Sft
B.No.1, N/Wall, R.No.55 (i)	2x1	4'-0"	5'-0"		40	Sft
B.No.1, N/Wall, R.No.55 (ii)	2x1	2'-6"	4'-6"		23	Sft
B.No.1, S/Wall, R.No.57,60	2x1	45'-8"	3'-8"+3'-0"+1'-8"/3		254	Sft
B.No.1, W/Wall, R.No.53	2x1	14'-0"	7'-5"+1'-7"/2		126	Sft
B.No.1, E/Wall, R.No.48,49	2x1	24'-0"	2'-6"		120	Sft
B.No.1, S/Wall, R.No.51	2x1	10'-0"	1'-0"		20	Sft
B.No.1, S/Wall, R.No.47	2x1	10'-11"	2'-3"		49	Sft
B.No.1, E/Wall, R.No.47	2x1	10'-4"	1'-4"		62	Sft
B.No.1, E/Wall, R.No.44,45,46	2x1	21'-6"	2'-4"		100	Sft
B.No.1, S/Wall, R.No.44	2x1	3'-4"	1'-0"		7	Sft
B.No.1, N/Wall, R.No.44	2x1	9'-0"	1'-11"		35	Sft
B.No.1, N/Wall, R.No.45	2x1	7'-4"	1'-0"		15	Sft
B.No.1, W/Wall, R.No.45,46,56	2x1	35'-0"	2'-6"+6'-0"/2		298	Sft

B.No.1, W/Wall, R.No.57 (i)	2x1	9'-0"	3'-0"		54	Sft
B.No.1, W/Wall, R.No.57 (ii)	2x1	7'-4"	1'-5"		13	Sft
B.No.1, S/Wall, R.No.62	2x1	18'-0"	1'-0"		36	Sft
B.No.1, E/Wall, R.No.62,63	2x1	29'-0"	2'-6"+3'-2"/2		85	Sft
B.No.1, W/Wall, R.No.62,63	2x1	50'-0"	6'-6"+3'-10/2		517	Sft
B.No.1, N/Wall, R.No.63	2x1	13'-0"	4'-6"		117	Sft
B.No.1, E/Wall, R.No.62	2x1	6'-8"	0'-9"		10	Sft
B.No.1, E/Wall, R.No.63	2x1	8'-0"	1'-4"		21	Sft
B.No.1, N/Wall, R.No.63 (i)	2x1	9'-6"	1'-8"		32	Sft
B.No.1, N/Wall, R.No.63 (ii)	2x1	4'-7"	2'-8"		24	Sft
B.No.1, E/Wall, R.No.73	2x1	6'-5"	2'-2"		28	Sft
B.No.1, N/Wall, R.No.73 (i)	2x1	15'-0"	2'-7"		98	Sft
B.No.1, N/Wall, R.No.73 (ii)	2x1	6'-4"	3'-8"		46	Sft
B.No.1, E/Wall, R.No.72	2x1	6'-9"	0'-10"		11	Sft
B.No.1, N/Wall, R.No.72	2x1	4'-0"+6'-5"/2	2'-7"		27	Sft
B.No.1, W Platform, R.No.72	2x1	12'-6"	1'-4"		33	Sft
B.No.1, N/Wall, R.No.76	2x1	20'-10"	2'-3"		94	Sft
B.No.1, N/Wall, R.No.60	2x1	37'-6"	1'-7"+1'-7"/2		119	Sft
B.No.1, W/Wall, R.No.69	2x1	35'-8"	2'-2"+1'-7"/2		67	Sft
B.No.1, E/Wall, R.No.67	2x1	27'-11"	0'-6"		27	Sft
B.No.1, S/Wall, R.No.67	2x1	14'-0"	0'-6"		56	Sft
B.No.1, W/Wall, R.No.61,66	2x1	33'-8"	3'-7"+2'-0"/2		67	Sft
B.No.1, E/Wall, R.No.56	2x1	6'-0"	1'-0"		12	Sft
B.No.1, S/Wall, R.No.64	2x1	4'-0"	1'-0"		8	Sft
B.No.1, N/Wall, R.No.64,66,67	2x1	46'-3"	3'-11"+3'-3"/2		93	Sft
B.No.1, E/Wall, R.No.68,69,70	2x1	52'-0"	5'-9"+5'-0"/2		559	Sft
B.No.1, N/Wall, R.No.68	2x1	8'-0"	2'-7"		41	Sft
B.No.1, N/Wall, R.No.70	2x1	11'-0"	4'-7"		101	Sft
B.No.1, N/Wall, R.No.71	2x1	11'-4"	2'-2"		49	Sft
B.No.1, E/Wall, R.No.77	2x1	11'-0"	1'-7"		35	Sft
B.No.1, S/Wall, R.No.78	2x1	7'-3"	1'-5"		21	Sft
B.No.1, E/Wall, R.No.78	2x1	13'-0"	2'-0"+3'-0"/2		65	Sft
B.No.1, W/Wall, R.No.77	2x1	7'-4"	2'-2"		32	Sft
B.No.1, E/Wall, R.No.65	2x1	12'-0"	1'-0"		74	Sft
B.No.1, S/Wall, R.No.75	2x1	20'-11"	1'-8"+4'-6"/2		129	Sft
B.No.1, E/Wall, R.No.75	2x1	5'-6"	4'-2"		46	Sft
B.No.1, N/Wall, R.No.75	2x1	1'-8"	3'-11"		13	Sft
B.No.1, W/Wall, R.No.74	2x1	6'-6"	0'-9"		10	Sft
B.No.1, N/Wall, R.No.74,76,77,78	2x1	50'-0"	1'-2"		117	Sft
B.No.1, W/Wall, R.No.NIL (i)	2x1	4'-0"	0'-6"		4	Sft
B.No.1, W/Wall, R.No.NIL (ii)	2x1	3'-2"	0'-6"		3	Sft
B.No.2, N/Wall, R.No.1	2x1	8'-0"	1'-5"		11	Sft
B.No.2, W/Wall, R.No.1 (i)	2x1	4'-7"	2'-6"		11	Sft
B.No.2, S/Wall, R.No.1 (ii)	2x1	5'-2"	1'-3"		11	Sft
B.No.2, S/Wall, R.No.2	2x1	13'-4"	2'-0"		6	Sft
B.No.2, N/Wall, R.No.2 (i)	2x1	24'-0"	3'-8"		27	Sft
B.No.2, N/Wall, R.No.2 (ii)	2x1	27'-6"	1'-0"		88	Sft

B.No.2, S/Wall, R.No.2 (i)	2x1	20'-2"	1'-0"		20	Sft
B.No.2, S/Wall, R.No.2 (ii)	2x1	18'-8"	2'-8"		50	Sft
B.No.2, S/Wall, R.No.9	2x1	13'-11"	2'-3"		31	Sft
B.No.2, W/Wall, R.No.8	2x1	27'-11"	3'-7"		200	Sft
B.No.2, N/Wall, R.No.NIL	2x1	4'-0"	1'-2"		9	Sft
B.No.2, E/Wall, R.No.14 (i)	2x1	36'-0"	1'-0"		36	Sft
B.No.2, E/Wall, R.No.14 (ii)	2x1	36'-0"	2'-0"		72	Sft
B.No.2, W/Wall, R.No.10 (i)	2x1	14'-0"	3'-3"		46	Sft
B.No.2, W/Wall, R.No.10 (ii)	2x1	14'-0"	2'-0"		28	Sft
B.No.2, W/Wall, R.No.12	2x1	4'-7"	1'-2"		11	Sft
B.No.2, S/Wall, R.No.3 (i)	2x1	26'-4"	0'-9"		20	Sft
B.No.2, S/Wall, R.No.3 (ii)	2x1	26'-4"	2'-6"		66	Sft
B.No.2, N/Wall, R.No.5	2x1	10'-4"	1'-4"		27	Sft
B.No.2, S/Wall, R.No.5	2x1	7'-6"	1'-7"		24	Sft
B.No.2, S/Wall, R.No.NIL	2x1	3'-2"	1'-0"		6	Sft
B.No.2, S/Wall, R.No.NIL	2x1	7'-2"	1'-4"		8	Sft
B.No.2, S/Wall, R.No.NIL (i)	2x1	17'-11"	1'-5"		25	Sft
B.No.2, S/Wall, R.No.NIL (ii)	2x1	17'-11"	4'-0"		72	Sft
B.No.2, E/Wall, R.No.6 (i)	2x1	13'-11"	5'-6"		77	Sft
B.No.2, E/Wall, R.No.6 (ii)	2x1	13'-11"	3'-5"		48	Sft
B.No.2, S/Wall, R.No.20 (i)	2x1	19'-10"	4'-7"		91	Sft
B.No.2, S/Wall, R.No.20 (ii)	2x1	19'-10"	1'-3"		25	Sft
B.No.2, N/Wall, R.No.20 (i)	2x1	25'-11"	4'-0"		20	Sft
B.No.2, N/Wall, R.No.20 (ii)	2x1	25'-11"	1'-7"		82	Sft
B.No.2, W/Wall, R.No.4	2x1	99'-11"	2'-0"		400	Sft
B.No.2, N/Wall, R.No.16 (i)	2x1	13'-4"	2'-9"		73	Sft
B.No.2, N/Wall, R.No.16 (ii)	2x1	13'-4"	2'-2"		58	Sft
B.No.2, N/Wall, R.No.17 (i)	2x1	15'-3"	2'-0"		301	Sft
B.No.2, N/Wall, R.No.17 (ii)	2x1	4'-2"	2'-0"		17	Sft
B.No.2, N/Wall, R.No.17 (iii)	2x1	4'-4"	2'-6"		22	Sft
B.No.2, N/Wall, R.No.18 (i)	2x1	16'-11"	2'-1"		70	Sft
B.No.2, N/Wall, R.No.18 (ii)	2x1	16'-11"	3'-6"		118	Sft
B.No.2, S/Wall, R.No.18 (i)	2x1	5'-3"	3'-3"		34	Sft
B.No.2, S/Wall, R.No.18 (ii)	2x1	5'-3"	1'-8"		18	Sft
B.No.2, N/Wall, R.No.19, 20	2x1	15'-5"	1'-6"		16	Sft
B.No.2, E/Wall, R.No.20	2x1	13'-2"	3'-6"		92	Sft
B.No.2, N/Wall, R.No.21	2x1	8'-8"	2'-0"		35	Sft
B.No.2, W/Wall, R.No.20	2x1	11'-9"	3'-0"		72	Sft
B.No.2, S/Wall, R.No.21 (i)	2x1	9'-3"	6'-9"		62	Sft
B.No.2, S/Wall, R.No.21 (ii)	2x1	9'-3"	2'-4"		22	Sft
B.No.2, W/Wall, R.No.21	2x1	14'-0"	2'-8"		75	Sft
B.No.2, N/Wall, R.No.24	2x1	42'-3"	4'-6"+2'-2"/2		282	Sft
B.No.2, E/Wall, R.No.24	2x1	6'-4"	3'-4"		42	Sft
B.No.2, W/Wall, R.No.23	2x1	7'-3"	3'-0"		44	Sft
B.No.2, W/Wall, R.No.5 (i)	2x1	15'-7"	9'-4"		145	Sft
B.No.2, W/Wall, R.No.5 (ii)	2x1	15'-7"	1'-3"		19	Sft
B.No.2, S/Wall, R.No.24 (i)	2x1	15'-9"	7'-5"		117	Sft

B.No.2, S/Wall, R.No.24 (ii)	2x1	15'-9"	2'-6"		39	Sft
B.No.2, E/Wall, R.No.25	2x1	14'-4"	2'-8"		77	Sft
B.No.2, S/Wall, R.No.25 (i)	2x1	14'-9"	5'-0"		74	Sft
B.No.2, S/Wall, R.No.25 (ii)	2x1	12'-9"	2'-5"		31	Sft
B.No.2, N/Wall, R.No.25	2x1	6'-9"	3'-"		41	Sft
B.No.2, E/Wall, R.No.27	2x1	6'-8"	4'-4"		58	Sft
B.No.2, S/Wall, R.No.27 (i)	2x1	15'-6"	8'-6"		132	Sft
B.No.2, S/Wall, R.No.27 (ii)	2x1	15'-6"	4'-4"		67	Sft
B.No.2, S/Wall, R.No.27a (i)	2x1	15'-10"	8'-0"		227	Sft
B.No.2, S/Wall, R.No.27a (ii)	2x1	15'-10"	3'-9"		59	Sft
B.No.2, E/Wall, R.No.28	2x1	15'-10"	3'-3"		103	Sft
B.No.2, W/Wall, R.No.26	2x1	6'-3"	2'-6"		31	Sft
B.No.2, N/Wall, R.No.28	2x1	15'-8"	3'-7"		112	Sft
B.No.2, E/Wall, R.No.25a (i)	2x1	11'-10"	2'-6"		30	Sft
B.No.2, E/Wall, R.No.25a (ii)	2x1	11'-10"	1'-5"		17	Sft
B.No.2, E/Wall, R.No.29	2x1	8'-6"	2'-3"		43	Sft
B.No.2, N/Wall, R.No.29	2x1	10'-7"	2'-4"		49	Sft
B.No.2, E/Wall, R.No.50	2x1	15'-2"	2'-7"		78	Sft
B.No.2, E/Wall, R.No.30a	2x1	14'-2"	1'-3"		35	Sft
B.No.2, N/Wall, R.No.30	2x1	9'-4"	2'-5"		45	Sft
B.No.2, W/Wall, R.No.31 (i)	2x1	10'-2"	5'-6"		112	Sft
B.No.2, W/Wall, R.No.31 (ii)	2x1	10'-2"	1'-10"		37	Sft
B.No.2, N/Wall, R.No.31 (i)	2x1	12'-4"	1'-0"		25	Sft
B.No.2, N/Wall, R.No.31 (ii)	2x1	12'-4"	2'-5"		60	Sft
B.No.2, E/Wall, R.No.31,32,33	2x1	43'-11"	3'-0"+2'-0"/2		220	Sft
B.No.2, W/Wall, R.No.32,33 (i)	2x1	24'-4"	4'-2"		203	Sft
B.No.2, W/Wall, R.No.32,33 (ii)	2x1	24'-4"	1'-2"		57	Sft
B.No.2, S/Wall, R.No.33	2x1	6'-0"	2'-4"		28	Sft
B.No.2, S/Wall, R.No.34	2x1	10'-4"	2'-4"		48	Sft
B.No.2, E/Wall, R.No.35,36	2x1	25'-3"	3'-6"		157	Sft
B.No.2, S/Wall, R.No.35	2x1	6'-6"	2'-6"		33	Sft
B.No.2, S/Wall, R.No.36	2x1	10'-4"	3'-0"		62	Sft
B.No.2, W/Wall, R.No.35,36	2x1	30'-4"	5'-4"		32	Sft
B.No.2, S/Wall, R.No.37	2x1	8'-0"	4'-0"		64	Sft
B.No.2, W/Wall, R.No.27a (i)	2x1	7'-10"	9'-2"		144	Sft
B.No.2, W/Wall, R.No.27a (ii)	2x1	7'-10"	2'-7"		40	Sft
B.No.2, W/Wall, of divinity street	2x1	96'-0"	10'-10"		1040	Sft
B.No.2, N/Wall, R.No.NIL	2x1	20'-0"	5'-7"		223	Sft
B.No.2, S/Wall, R.No.80 (i)	2x1	20'-0"	4'-0"		160	Sft
B.No.2, S/Wall, R.No.80 (ii)	2x1	20'-0"	2'-1"		83	Sft
B.No.2, W/Wall, R.No.80	2x1	21'-8"	7'-4"		318	Sft
B.No.2, N/Wall, R.No.80 (i)	2x1	17'-4"	4'-7"		159	Sft
B.No.2, N/Wall, R.No.80 (ii)	2x1	17'-4"	1'-10"		63	Sft
B.No.2, E/Wall, R.No.80 (i)	2x1	7'-6"	3'-8"		55	Sft
B.No.2, E/Wall, R.No.80 (ii)	2x1	7'-6"	2'-2"		33	Sft
B.No.2, Stupa stair beside, R.No.58	2x1	77'-7"	3'-0"+3'-8"+3'-2"/3		155	Sft
B.No.2,W/Wall, R.No.79	2x1	25'-0"	3'-2+7'-5"/2		265	Sft

B.No.2,S/Wall, R.No.82	2x1	10'-5"	5'-10"+7'-3"/2	136	Sft
B.No.2,S/Wall, R.No.79	2x1	3'-0"	3'-6"	21	Sft
B.No.2,S/Wall, R.No.87	2x1	25'-6"	3'-0"	153	Sft
B.No.2,S/Wall, R.No.85	2x1	22'-6"	8'-6"	383	Sft
B.No.2,E/Wall, R.No.84	2x1	7'-7"	4'-0"	61	Sft
B.No.2,S/Wall, R.No.83,84	2x1	18'-7"	7'-9"	288	Sft
B.No.2,W/Wall, R.No.81	2x1	7'-0"	3'-0"	42	Sft
B.No.2,S/Wall, R.No.81	2x1	13'-9"	1'-8"	46	Sft
B.No.2,E/Wall, R.No.81	2x1	7'-0"	3'-5"	48	Sft
B.No.2,W/Wall, R.No.57	2x1	29'-2"	1'-6"+5'-0"/2	190	Sft
B.No.2,S/Wall, R.No.84	2x1	4'-0"	2'-7"	21	Sft
B.No.2,E/Wall, R.No.81	2x1	14'-0"	3'-0"	84	Sft
B.No.2,N/Wall, R.No.78,79	2x1	34'-3"	7'-9"+3'-10"/2	40	Sft
B.No.2,E/Wall, R.No.79	2x1	13'-4"	4'-5"	118	Sft
B.No.2,E/Wall, R.No.78 (i)	2x1	4'-8"	5'-0"	47	Sft
B.No.2,E/Wall, R.No.78 (ii)	2x1	13'-4"	0'-8"	18	Sft
B.No.2,S/Wall, R.No.78,79	2x1	39'-0"	7'-11"	618	Sft
B.No.2,W/Wall, R.No.38,39	2x1	29'-7"	3'-7"	212	Sft
B.No.2,S/Wall, R.No.38	2x1	21'-3"	2'-4"	99	Sft
B.No.2,S/Wall, R.No.40,41,42	2x1	27'-10"	2'-0"	111	Sft
B.No.2,E/Wall, R.No.32,39	2x1	25'-7"	3'-11"	201	Sft
B.No.2,N/Wall, R.No.38	2x1	8'-0"	2'-3"	36	Sft
B.No.2,N/Wall, R.No.40	2x1	11'-9"	1'-5"	33	Sft
B.No.2,E/Wall, R.No.40	2x1	23'-0"	2'-8"	123	Sft
B.No.2,E/Wall, R.No.41	2x1	21'-9"	2'-6"	123	Sft
B.No.2,N/Wall, R.No.45,43	2x1	34'-2"	2'-8"	182	Sft
B.No.2,E/Wall, R.No.42,43	2x1	23'-3"	3'-3"	151	Sft
B.No.2,N/Wall, R.No.42	2x1	9'-6"	4'-1"	78	Sft
B.No.2,S/Wall, R.No.44,46,49,51	2x1	54'-5"	1'-10"	199	Sft
B.No.2,S/Wall, R.No.45	2x1	10'-3"	3'-6"	72	Sft
B.No.2,E/Wall, R.No.44,45	2x1	26'-0"	3'-0"	156	Sft
B.No.2,N/Wall, R.No.46	2x1	9'-9"	2'-7"	50	Sft
B.No.2,N/Wall, R.No.47,48	2x1	20'-7"	3'-0"	123	Sft
B.No.2,E/Wall, R.No.46,47	2x1	21'-6"	4'-0"	172	Sft
B.No.2,E/Wall, R.No.48	2x1	23'-6"	3'-3"	153	Sft
B.No.2,S/Wall, R.No.50	2x1	9'-5"	3'-0"	56	Sft
B.No.2,E/Wall, R.No.49,50	2x1	23'-0"	3'-0"	138	Sft
B.No.2,N/Wall, R.No.50	2x1	12'-0"	3'-0"	72	Sft
B.No.2,N/Wall, R.No.52	2x1	14'-9"	1'-5"	42	Sft
B.No.2,S/Wall, R.No.52	2x1	10'-0"	3'-3"	23	Sft
B.No.2,E/Wall, R.No.51,52	2x1	34'-0"	1'-7"	277	Sft
B.No.2,E/Wall, R.No.53	2x1	18'-9"	3'-0"+4'-9"/2	38	Sft
B.No.2,N/Wall, R.No.NIL	2x1	13'-10"	3'-0"	83	Sft
B.No.2,E/Wall, R.No.55	2x1	6'-6"	3'-10"	50	Sft
B.No.2,S/Wall, R.No.55	2x1	16'-4"	1'-11"	63	Sft
B.No.2,E/Wall, R.No.56	2x1	20'-5"	1'-9"+3'-7"/2	109	Sft
B.No.2,E/Wall, R.No.57	2x1	30'-3"	2'-9"+3'-10/2	61	Sft

B.No.2,Stupa Plateform	2x1	62'-0"+66'-	17'-7"		2250	Sft
B.No.2,Stupa Drum	2x1	60'-0"+29'-	7'-4"		652	Sft
B.No.2(b),W/Wall, R.No.5 (i)	2x1	6'-6"	1'-6"		20	Sft
B.No.2(b),W/Wall, R.No.5 (i)	2x1	35'-8"	1'-11"		137	Sft
B.No.2(b),W/Wall, R.No.5 (ii)	1x1	9'-5"	2'-6"		24	Sft
B.No.2(b),E/Wall, R.No.5,6	2x1	23'-8"	3'-4"+2'-2"/2		130	Sft
B.No.2(b),S/Wall, R.No.5	2x1	7'-10"	3'-6"		24	Sft
B.No.2(b),W/Wall, R.No.6	2x1	5'-3"	1'-2"		12	Sft
B.No.2(b),S/Wall, R.No.6	2x1	12'-8"	2'-0"		51	Sft
B.No.2(b),E/Wall, R.No.2	2x1	14'-3"	2'-0"		57	Sft
B.No.2(b),N/Wall, R.No.2	1x1	39'-2"	1'-8"		65	Sft
B.No.2(b),S/Wall, R.No.2	2x1	7'-7"	1'-8"		25	Sft
B.No.2(b),N/Wall, R.No.8,9	2x1	24'-5"	2'-0"+2'-5"/2		60	Sft
B.No.2(b),S/Wall, R.No.4	2x1	17'-5"	1'-9"+4'-0"/2		139	Sft
B.No.2(b),E/Wall, R.No.3	2x1	8'-7"	2'-9"		47	Sft
B.No.2(b),W/Wall, R.No.4	2x1	8'-7"	1'-8"		29	Sft
B.No.3,N/Wall, R.No.1	2x1	40'-7"	7'-9"		629	Sft
B.No.3,W/Wall, R.No.1,2	2x1	59'-7"	6'-11"+5'-3"/2		725	Sft
B.No.3,S/Wall, R.No.4,5	2x1	47'-7"	4'-0"		381	Sft
B.No.3,E/Wall, R.No.3,5,6	2x1	37'-0"	2'-3"		167	Sft
B.No.3,E/Wall, R.No.3	2x1	2'-8"	2'-3"		12	Sft
B.No.3,N/Wall, R.No.2	2x1	20'-3"	5'-0"		203	Sft
B.No.4,N/Wall, R.No.3	2x1	69'-4"	8'4"		1155	Sft
B.No.4,W/Wall, R.No.1	2x1	8'-9"	7'-9"		136	Sft
B.No.4,N/Wall, R.No.2	2x1	22'-0"	1'-6"		66	Sft
B.No.4,E/Wall, R.No.1	2x1	2'-7"	3'-3"		17	Sft
B.No.4,S/Wall, R.No.14,15,4	2x1	38'-4"	1'-4"+6'-5"/2		300	Sft
B.No.4,W/Wall, R.No.14	2x1	16'-0"	3'-1"+7'-9"/2		173	Sft
B.No.4,E/Wall, R.No.9	2x1	21'-0"	3'-0"		126	Sft
B.No.4,N/Wall, R.No.11	2x1	24'-0"	3'-8"		176	Sft
B.No.4,S/Wall, R.No.14	2x1	12'-10"	9'-8"+2'-0"/2		150	Sft
B.No.4,W/Wall, R.No.4	2x1	23'-9"	6'-2"+2'-3"/2		48	Sft
B.No.4,E/Wall, R.No.4	2x1	24'-0"	6'-2"		296	Sft
B.No.5,S/Wall, R.No.1,2	2x1	8'-0"	3'-7"		57	Sft
B.No.5,N/Wall, R.No.4	2x1	20'-0"	2'-0"		80	Sft
B.No.5,N/Wall, R.No.6	2x1	23'-0"	1'-6"		69	Sft
B.No.6,W/Wall, R.No.1,2	2x1	31'-7"	4'-0"		253	Sft
B.No.6,N/Wall, R.No.1,4	2x1	23'-0"	3'-0"		138	Sft
B.No.6,E/Wall, R.No.4,5 (i)	2x1	21'-5"	3'-4"		143	Sft
B.No.6,E/Wall, R.No.4,5 (ii)	2x1	16'-10"	2'-6"		21	Sft
B.No.6,S/Wall, R.No.4	2x1	10'-0"	2'-2"		43	Sft
B.No.6,E/Wall, R.No.1	2x1	6'-5"	2'-9"		35	Sft
B.No.6,S/Wall, R.No.1	2x1	13'-9"	3'-0"		83	Sft
B.No.7,N/Wall, R.No.1	2x1	17'-7"	3'-2"		114	Sft
B.No.7,W/Wall, R.No.1	2x1	19'-6"	3'-6"		137	Sft
B.No.7,N/Wall, R.No.2	2x1	16'-0"	1'-6"		48	Sft
B.No.7,E/Wall, R.No.1	2x1	10'-5"	2'-0"		42	Sft

B.No.7,S/Wall, R.No.3 (i)	2x1	13'-8"	4'-0"		109	Sft
B.No.7,S/Wall, R.No.3 (ii)	2x1	14'-2"	3'-0"		85	Sft
B.No.7,E/Wall, R.No.4	2x1	16'-0"	0'-9"		24	Sft
B.No.10,S/Wall, R.No.9,10 (i)	2x1	61'-0"	2'-5"		295	Sft
B.No.10,S/Wall, R.No.9,10 (ii)	2x1	20'-4"	1'-2"		48	Sft
B.No.10,S/Wall, R.No.9,10 (iii)	2x1	6'-4"	2'-11"		37	Sft
B.No.10,E/Wall, R.No.6	2x1	17'-4"	3'-0"		104	Sft
B.No.10,N/Wall, R.No.9	2x1	36'-0"	0'-9"+2'-0"/2		99	Sft
B.No.10,E/Wall, R.No.9 (i)	2x1	2'-0"	1'-0"		4	Sft
B.No.10,E/Wall, R.No.9 (ii)	2x1	2'-0"	1'-0"		4	Sft
B.No.10,E/Wall, R.No.9 (iii)	2x1	6'-3"	0'-6"		9	Sft
B.No.10,N/Wall, R.No.10	2x1	7'-7"	0'-9"		11	Sft
B.No.10,W/Wall, R.No.7,8	2x1	50'-0"	1'-9"		18	Sft
B.No.10,E/Wall, R.No.5	2x1	11'-8"	3'-0"		70	Sft
B.No.10,S/Wall, R.No.5	2x1	10'-9"+7'-6"	10'-4"		88	Sft
B.No.10,W/Wall, R.No.5	2x1	60'-0"	3'-0"+4'-0"/2		420	Sft
Great Bath Section						
B.No.1,S/Wall, R.No.5	2x1	24'-9"	7'-10"		388	Sft
B.No.1,S/Wall, R.No.2,3	2x1	43'-6"	8'-4"		362	Sft
B.No.1,S/Wall, R.No.4	2x1	21'-3"	8'-4"		177	Sft
B.No.1,W/Wall, R.No.4	2x1	45'-7"	4'-0"+9'-0"/2		296	Sft
B.No.1,N/Wall, R.No.4	2x1	15'-10"	3'-3"		51	Sft
B.No.1,E/Wall, R.No.4	2x1	7'-9"	4'-4"		34	Sft
B.No.1,N/Wall, R.No.3	2x1	37'-2"	5'-3"		195	Sft
B.No.1,S/Wall, R.No.12	2x1	15'-2"	6'-3"		95	Sft
B.No.1,W/Wall, R.No.5	2x1	7'-3"	5'-10"		42	Sft
B.No.1,N/Wall, R.No.5	2x1	6'-2"	5'-6"		34	Sft
B.No.1,E/Wall, R.No.13,14	2x1	62'-2"	7'-0"+4'-7"/2		360	Sft
B.No.1,W/Wall, R.No.13,14	2x1	36'-10"	2'-6"		92	Sft
B.No.1,N/Wall, R.No.13	2x1	14'-7"	3'-3"		47	Sft
B.No.1,N/Wall, R.No.14	2x1	16'-8"	2'-4"		39	Sft
B.No.1,E/Wall, R.No.15 (i)	2x1	13'-11"	1'-10"		25	Sft
B.No.1,E/Wall, R.No.15 (ii)	2x1	6'-8"	4'-3"		28	Sft
B.No.1,W/Wall, R.No.15,16,17	2x1	46'-2"	3'-5"		158	Sft
B.No.1,N/Wall, R.No.15	2x1	14'-8"	3'-3"		48	Sft
B.No.1,E/Wall, R.No.16,17,18	2x1	49'-3"	5'-3"+4'-10"/2		203	Sft
B.No.1,N/Wall, R.No.16	2x1	14'-6"	3'-3"		47	Sft
B.No.1,S/Wall, R.No.18	2x1	15'-7"	2'-0"		31	Sft
B.No.1,W/Wall, R.No.18	2x1	13'-6"	5'-3"		71	Sft
B.No.1,S/Wall, R.No.19	2x1	15'-4"	5'-0"		77	Sft
B.No.1,W/Wall, R.No.12	2x1	87'-3"	3'-5"+2'-10"+1'-6"/3		225	Sft
B.No.1,N/Wall, R.No.8,9,10,11	2x1	56'-4"	2'-0"+4'-3"/2		176	Sft
B.No.1,W/Wall, R.No.35 (i)	2x1	24'-0"	5'-10"+1'-9"+4'-4"/3		95	Sft
B.No.1,W/Wall, R.No.35 (ii)	2x1	49'-2"	3'-8"+3'-2"+7'-2"/3		230	Sft
B.No.1,S/Wall, R.No.26	2x1	60'-0"	1'-10"+4'-3"/2		182	Sft
B.No.1,N/Wall, R.No.29,30	4x1	63'-10"	1'-9"+3'-4"/2		162	Sft
B.No.1,N/Wall, R.No.35	4x1	42'-9"	1'-7"		68	Sft

B.No.1,E/Wall, R.No.35	4x1	5'-9"	0'-9"		4 Sft
B.No.1,Piller, R.No.28,29,30,31	4x4	5'-11"	1'-4"		8 Sft
B.No.1,S/Wall, R.No.36	1x1	23'-3"	8'-4"		194 Sft
B.No.1,N/Wall, R.No.36	1x1	23'-8"	7'-4"+4'-5"/2		139 Sft
B.No.1,E/Wall, R.No.37	2x1	11'-10"	3'-8"		87 Sft
B.No.1,W/Wall, R.No.37	1x1	25'-5"	2'-0"		51 Sft
B.No.1,N/Wall, R.No.26	2x1	39'-4"	3'-8"+2'-5"/2		240 Sft
B.No.1,E/Wall, R.No.27	2x1	12'-4"	4'-6"		55 Sft
B.No.1,W/Wall, R.No.27	2x1	5'-0"	0'-8"		3 Sft
B.No.1,N/Wall, R.No.25	2x1	29'-11"	5'-3"+4'-6"+2'-8"/3		124 Sft
B.No.1,W/Wall, R.No.21,22	2x1	19'-9"	2'-6"+4'-11"/2		73 Sft
B.No.1,N/Stair, R.No.22	2x1	8'-0"	8'-0"		64 Sft
B.No.1, W/plateform, R.No.21	2x1	46'-0"	7'-0"+3'-6"		242 Sft
B.No.1,N/Wall, R.No.25	2x1	64'-0"	3'-0",5'-5"		269 Sft
B.No.1,S/Wall of lane, R.No.21	2x1	55'-0"	2'-6"+1'-10"/2		119 Sft
B.No.1,E/Wall, R.No.19	2x1	9'-7"	5'-4"		51 Sft
B.No.1,N/Wall, R.No.19	2x1	9'-8"	4'-11"		48 Sft
B.No.1,S/Wall, R.No.20	2x1	21'-4"	6'-2"		132 Sft
B.No.1,W/Wall, R.No.19	2x1	11'-8"	5'-6"		64 Sft
B.No.1,E/Wall, R.No.21	2x1	11'-2"	4'-6"		101 Sft
B.No.1,E/Wall, R.No.20	2x1	13'-0"	5'-10"+5'-0"/2		141 Sft
B.No.2,Granery Section, R.No.Nil	1x1	43'-0"	2'-5"+4'-0"/2		215 Sft
B.No.2,Granery Section, R.No.Nil	2x1	47'-8"	8'-0"+1'-9"/2		465 Sft
B.No.2,Granery Section, R.No.Nil	2x1	45'-0"	2'-9"		248 Sft
B.No.2,Granery Section, R.No.Nil	2x1	14'-9"	3'-2"		94 Sft
B.No.2,Granery Section, R.No.Nil	2x1	30'-10"	3'-0"+3'-10"/2		211 Sft
B.No.2,Granery Section, R.No.Nil	2x1	19'-5"	2'-7"		100 Sft
B.No.2,Granery Section, R.No.Nil	2x1	18'-9"	2'-5"		91 Sft
B.No.2,Granery Section, R.No.Nil	2x1	27'-0"	3'-8"		198 Sft
B.No.2,Granery Section, R.No.Nil	2x1	19'-0"	4'-3"		162 Sft
B.No.2,Granery Section, R.No.Nil	2x1	38'-4"	4'-3"+5'-10"/2		386 Sft
B.No.2,Granery Section, R.No.Nil	2x1	40'-0"	2'-0"		400 Sft
B.No.2,Granery Section, R.No.Nil	2x1	13'-0"	3'-9"		98 Sft
B.No.2,Granery Section, R.No.Nil	2x1	21'-0"	4'-10"		203 Sft
B.No.2,Granery Section, R.No.Nil	2x1	19'-10"	3'-3"		129 Sft
B.No.2,Granery Section, R.No.Nil	2x1	54'-0"	3'-3"+4'-0"/2		196 Sft
B.No.2,Granery Section, R.No.Nil	2x1	22'-0"	1'-11"+4'-6"/2		141 Sft
B.No.2,Granery Section, R.No.Nil	2x1	18'-0"	2'-0"		72 Sft
B.No.2,Granery Section, R.No.Nil	2x1	53'-0"	3'-3"		345 Sft
B.No.2,Granery Section, R.No.Nil	2x1	22'-0"	7'-10"		345 Sft
B.No.2,Granery Section, R.No.Nil	1x1	4'-0"	5'-5"		22 Sft
B.No.2,Granery Section, R.No.Nil	1x1	24'-8"	9'-3"		228 Sft
B.No.2,Granery Section, R.No.Nil	1x1	8'-0"	5'-0"		40 Sft
B.No.2,Granery Section, R.No.Nil	1x1	32'-0"	8'-7"		275 Sft
B.No.2,Granery Section, R.No.Nil	1x1	14'-0"	7'-10"		110 Sft
B.No.2,Granery Section, R.No.Nil	1x1	14'-0"	7'-10"		110 Sft
B.No.2,Granery Section, R.No.Nil	2x1	6'-10"	9'-5"		129 Sft

B.No.2, Granery Section, R.No.Nil	2x1	20'-0"	3'-0"		120	Sft
B.No.2, Granery Section, R.No.Nil	2x1	93'-0"	7'-0"		1302	Sft
B.No.2, Granery Section, R.No.Nil	2x1	30'-0"	4'-0"		240	Sft
B.No.2, Granery Section, R.No.Nil	2x1	21'-0"	4'-10"		203	Sft
B.No.2, Granery Section, R.No.Nil	2x1	12'-0"	4'-0"		96	Sft
B.No.2, Granery Section, R.No.Nil	2x1	20'-5"	6'-3"		255	Sft
B.No.2, Granery Section, R.No.Nil	2x1	36'-0"	4'-0"+4'-10"/2		318	Sft
B.No.2, Granery Section, R.No.Nil	2x1	14'-0"	4'-0"		112	Sft
B.No.2, Granery Section, R.No.Nil	2x1	10'-10"	3'-10"		83	Sft
B.No.2, Granery Section, R.No.Nil	2x1	31'-0"	5'-0"		310	Sft
B.No.2, Granery Section, R.No.Nil	2x1	12'-7"	1'-6"		38	Sft
B.No.2, Granery Section, R.No.Nil	2x1	6'-3"	2'-0"		25	Sft
B.No.3, S/Wall, R.No. 3,4	2x1	72'-5"	3'-4"		482	Sft
B.No.3, W/Wall, R.No. 3	2x1	22'-9"	1'-3"		57	Sft
B.No.3, W/Wall, R.No. 4	2x1	26'-9"	2'-5"		129	Sft
B.No.3, N/Wall, R.No. 3	1x1	31'-0"	9'-2"		284	Sft
B.No.3, N/Wall, R.No. 4	2x1	47'-0"	10'-7"+6'-3"/2		791	Sft
B.No.3, E/Wall, R.No. 4	2x1	33'-3"	2'-11"		194	Sft
B.No.4, W/Wall, R.No. 3	2x1	34'-9"	2'-0"		139	Sft
B.No.4, W/Wall, R.No. Nil	2x1	22'-3"	2'-6"		111	Sft
B.No.4, W/Wall, R.No. 1	2x1	14'-8"	2'-11"+5'-0"/2		116	Sft
B.No.4, N/Wall, R.No. 4	1x1	26'-4"	5'-3"+6'-2"/2		150	Sft
B.No.4, W/Wall, R.No. 4	1x1	30'-0"	6'-0"		180	Sft
B.No.4, W/Wall, R.No. 2	2x1	13'-11"	4'-4"+4'-8"/2		121	Sft
B.No.4, E/Wall, R.No. 2	1x1	64'-0"	2'-10"+5'-7"/2		269	Sft
B.No.4, E/Wall, R.No. 4	2x1	14'-0"	5'-0"+2'-0"/2		98	Sft
B.No.6, E/Wall, R.No. 16	2x1	21'-4"	4'-4"+6'-6"/2		231	Sft
B.No.6, W/Wall, R.No. 16	2x1	17'-4"	5'-5"		188	Sft
B.No.6, S/Wall, R.No. 15	2x1	4'-9"	3'-0"		29	Sft
B.No.6, W/Wall, R.No. 15	2x1	10'-5"	3'-3"		68	Sft
B.No.6, N/Wall, R.No. 15	1x1	13'-9"	2'-8"		37	Sft
B.No.6, S/Wall, R.No. 14,15	2x1	13'-5"	4'-0"		107	Sft
B.No.6, N/Wall, R.No. 14	2x1	20'-7"	3'-0"		123	Sft
B.No.6, N Piller, (i)	2x1	3'-8"	2'-3"		17	Sft
B.No.6, N Piller, (ii)	2x1	3'-5"	1'-10"		13	Sft
B.No.6, W/Wall, R.No. 14	2x1	6'-4"	4'-2"		53	Sft
B.No.6, N/Wall, R.No. 9,14	2x1	22'-2"	3'-3"+2'-10"+1'-7"/3		61	Sft
B.No.6, W/Wall, R.No. 9	2x1	11'-4"	2'-5"+1'-6"/2		44	Sft
B.No.6, Piller beside R.No. 11	2x1	6'-4"	3'-0"		38	Sft
B.No.6, W/Wall, R.No. 17 (i)	1x1	11'-0"	2'-9"		30	Sft
B.No.6, W/Wall, R.No. 17 (ii)	2x1	23'-0"	1'-7"+3'-8"/2		121	Sft
B.No.6, Piller beside R.No. 8	2x1	8'-9"	3'-9"		66	Sft
B.No.6, Piller beside R.No. 20	2x1	5'-0"	3'-2"		32	Sft
B.No.6, Plateform in front m/street	2x1	15'-9"	1'-5"		45	Sft
B.No.6, W/Wall, R.No.19	2x1	6'-0"	3'-6"		42	Sft
B.No.6, E/Wall, Beside R.No.11	2x1	16'-9"	6'-0"+5'+5"/2		191	Sft
B.No.6, E/Wall, R.No.13	2x1	5'-10"	4'-11"		57	Sft

B.No.6, N/Wall, R.No.13	2x1	13'-7"	6'-4"+4'-8"/2	149	Sft
B.No.6, W/Wall beside, R.No.19	2x1	18'-7"	5'-5"	93	Sft
B.No.6, W/Wall, R.No.19	2x1	3'-3"	2'-7"	17	Sft
B.No.6, S/Wall, R.No.33	2x1	5'-8"	4'-5"+2'-6"/2	39	Sft
B.No.6, W/Wall, R.No.33	1x1	33'-0"	1'-8"	55	Sft
B.No.6, S/Pillar of, R.No.33	2x1	3'-5"	4'-8"	16	Sft
B.No.6, E/Wall, R.No.Nil (i)	2x1	16'-0"	4'-3"+4'-10"/2	145	Sft
B.No.6, E/Wall, R.No.Nil (ii)	1x1	8'-5"	3'-6"	29	Sft
B.No.6, N/Wall, R.No.Nil (i)	1x1	6'-6"	2'-5"	16	Sft
B.No.6, N/Wall, R.No.Nil (ii)	2x1	12'-7"	5'-4"	109	Sft
B.No.6, W/Wall, R.No.31,32	2x1	37'-11"	7'-8"+4'-4"/2	455	Sft
B.No.6, S/Wall, R.No.Nil	2x1	12'-0"	6'-8"	178	Sft
B.No.6, E/Pillar, R.No.Nil	1x1	5'-6"	6'-0"	33	Sft
B.No.6, W/Wall, R.No.28	2x1	6'-5"	5'-10"+2'-2"/2	26	Sft
B.No.6, W/Wall, Nil beside R.No.27	2x1	8'-11"	5'-8"	101	Sft
B.No.6, S/Wall, Nil beside R.No.27	2x1	10'-10"	5'-7"	121	Sft
B.No.6, W/Wall, Nil beside R.No.27	2x1	9'-0"	6'-9"	122	Sft
B.No.6, E/Wall, R.No.23	1x1	13'-5"	7'-7"+5'-6"/2	88	Sft
B.No.6, S/Wall, R.No.23	1x1	13'-11"	2'-8"+4'-10"/2	52	Sft
B.No.6, E/Wall, R.No.22	1x1	43'-10"	2'-7"+4'-9"/2	22	Sft
B.No.6, N/Wall, R.No.23	2x1	12'-5"	1'-8"+6'-3"/2	49	Sft
B.No.6, E/Wall, R.No.24	2x1	13'-11"	1'-5"	40	Sft
B.No.6, Pillar of R.No.25	2x1	9'-10"	4'-6"+3'-5"/2	78	Sft
B.No.6, S/Wall, R.No.29	2x1	9'-8"	4'-0"	77	Sft
B.No.6, N/Wall, R.No.29	2x1	26'-0"	2'-5"+3'-5"/2	152	Sft
B.No.6, N/Wall, R.No.31	2x1	9'-6"	3'-8"	70	Sft
B.No.6, N/Wall, R.No.32	2x1	12'-1"	4'-0"	97	Sft
B.No.6, E/Wall, R.No.32	2x1	16'-3"	3'-4"+2'-3"	122	Sft
B.No.6, N/Wall, R.No.33	2x1	3'-9"	1'-3"	9	Sft
B.No.6, S/Wall, R.No.34	2x1	4'-9"	0'-9"	7	Sft
B.No.6, S/Wall, R.No.35	2x1	6'-2"	5'-6"+2'-4"/2	48	Sft
B.No.6, N/Wall, R.No.35	2x1	4'-5"	1'-4"	12	Sft
B.No.6, N/Wall, R.No.36	2x1	6'-8"	2'-3"+6'-11"/2	61	Sft
B.No.6, E/Wall, R.No.33,34,35,36	2x1	41'-4"	6'-10"+4'-10"/2	482	Sft
B.No.6, E/Alley	2x1	46'-9"	6'-3"+4'-8"/2	511	Sft
B.No.6, N/Alley	2x1	69'-0"	6'-3"+6'-10"/2	903	Sft
B.No.6, E/Wall, R.No.Nil	2x1	20'-10"	2'-5"+5'-2"/2	158	Sft
B.No.6, N/Wall, R.No.Nil	2x1	9'-3"	1'-4"	25	Sft
B.No.6, W/Wall, R.No.Nil	2x1	21'-5"	2'-2"+3'-0"/2	111	Sft
B.No.6, E/Wall, R.No.Nil	1X1	14'-3"	4'-3"+3'-4"/2	54	Sft
B.No.6, Plate form N/Side of Alley	2x1	29'-10"	4'-9"	283	Sft
B.No.6, N/Wall beside Plate form	2x1	28'-8"	5'-6"	315	Sft
B.No.6, Plate form No.2	2x1	19'-4"	2'-8"+3'-9"/2	124	Sft
B.No.6, N/Wall, Plate form No.2	2x1	17'-8"	3'-6"	124	Sft
B.No.6, Pillar N/Side of Lane (i)	2x1	7'-0"	4'-3"	60	Sft
B.No.6, Pillar N/Side of Lane (ii)	2x1	9'-0"	2'-1"+3'-6"/2	57	Sft
B.No.7, Wall beside, R.No.Nil (i)	2x1	16'-0"	7'-0"	112	Sft

B.No.7, Wall beside, R.No.Nil (ii)	2x1	10'-7"	2'-9"		29	Sft
B.No.7, Wall beside, R.No.Nil (iii)	2x1	7'-0"	1'-4"		9	Sft
B.No.7, Wall beside, R.No.Nil (iv)	2x1	10'-7"	1'-6"+4'-1"/2		33	Sft
B.No.7, Wall beside, R.No.Nil (v)	2x1	17'-0"	4'-0"		68	Sft
B.No.7, Wall beside, R.No.Nil (vi)	2x1	7'-9"	2'-0"		16	Sft
B.No.7, Wall beside, R.No.Nil (vii)	2x1	9'-0"	4'-3"		30	Sft
B.No.7, Wall beside, R.No.Nil (viii)	2x1	17'-0"	2'-8"+1'-0"/2		62	Sft
B.No.7, Wall beside, R.No.Nil (ix)	2x1	6'-0"	1'-6"		18	Sft
B.No.7, Wall beside, R.No.Nil (x)	2x1	6'-10"	1'-0"		8	Sft
B.No.7, Wall beside, R.No.Nil (xi)	2x1	9'-6"	2'-4"		44	Sft
B.No.7, Wall beside, R.No.Nil (xii)	2x1	19'-5"	1'-0"		19	Sft
B.No.8, E/Wall, R.No.Nil	1x1	7'-8"	4'-6"		35	Sft
B.No.8, N/Wall, R.No.Nil	1x1	6'-0"	1'-0"		6	Sft
B.No.8, S/Wall, Lane	2x1	39'-9"	4'-4"+3'-5"/2		616	Sft
B.No.8, Piller R.No.Nil	2x1	5'-10"	2'-7"		30	Sft
B.No.8, Wall beside Piller	2x1	9'10"	1'-3"		25	Sft
B.No.8, N/Wall, R.No.12	2x1	47'-10"	3'-6"+1'-2"/2		367	Sft
B.No.8, E/Wall, Beside R.No.12	1x1	10'-3"	2'-7"+3'-4"/2		30	Sft
B.No.8, S/Wall, R.No.12 (i)	2x1	14'-0"	4'-8"+1'-3"/2		83	Sft
B.No.8, S/Wall, R.No.12 (ii)	2x1	26'-10"	4'-6"+1'-6"/2		161	Sft
B.No.8, W/Wall beside Well	2x1	20'-3"	2'-6"+2'-4"/2		98	Sft
B.No.8, S/Wall beside Well	1x1	55'-0"	5'-3"		289	Sft
B.No.8, E/Wall of Lane	1x1	35'-0"	2'-7"+4'-0"/2		115	Sft
B.No.9, W/Wall of Lane	1x1	59'-7"	3'-11"+4'-6"/2		251	Sft
B.No.9, S/Wall, R.No.14	2x1	22'-4"	2'-3"+1'-3"/2		78	Sft
B.No.9, W/Wall, R.No.15	2x1	4'-3"	1'-11"		16	Sft
B.No.9, W/Wall, R.No.11	2x1	6'-11"	0'-11"		13	Sft
B.No.9, N/Wall, R.No.11	2x1	6'-9"	2'-4"+1'-4"/2		25	Sft
B.No.9, N/Wall, R.No.14	2x1	63'-11"	1'-4"+3'-11"/2		76	Sft
B.No.9, W/Wall, R.No.15	2x1	10'-3"	1'-9"		36	Sft
B.No.9, W/Wall, R.No.12	2x1	9'-5"	1'-7"+3'-1"/2		43	Sft
B.No.9, W/Wall, R.No.6	2x1	10'-5"	3'-4"+4'-5"/2		81	Sft
B.No.9, W/Wall, R.No.9	2x1	10'-4"	3'-5"		71	Sft
B.No.9, W/Wall, R.No.5	2x1	9'-10"	3'-10"+2'-7"/2		63	Sft
B.No.9, W/Wall, R.No.3,4	2x1	7'-0"	2'-11"		41	Sft
B.No.9, Wall beside, R.No.3,4	1x1	11'-0"	2'-8"		59	Sft
B.No.9, N/Wall, R.No.3,4,5,6,9,12,16	1x1	81'-0"	5'-6"+4'-0"/2		364	Sft
B.No.9, E/Wall, R.No.13	1x1	61'-6"	1'-4"+0'-6/2		15	Sft
B.No.9, E/Wall, R.No.8	1x1	12'-4"	1'-3"		15	Sft
B.No.9, N/Wall, R.No.13	2x1	14'-2"	3'-0"+1'-0"/2		57	Sft
B.No.9, W/Wall, R.No.13	2x1	4'-10"	2'-5"		23	Sft
B.No.9, N/Wall, R.No.7	2x1	24'-4"	1'-6"+2'-3"/2		91	Sft
B.No.9, N/Wall, R.No.8	2x1	76'-0"	3'-0"+1'-0"/2		304	Sft
B.No.9, R.No.Nil, W/Wall No.1	2x1	18'-0"	3'-2"+1'-0"/2		75	Sft
B.No.9, R.No.Nil, W/Wall No.2	2x1	14'-6"	2'-6"+4'-11"/2		94	Sft
B.No.9, R.No.Nil, W/Wall No.3	2x1	10'-9"	1'-5"		31	Sft
B.No.9, R.No.Nil, W/Wall No.4	2x1	10'-8"	3'-0"+1'-4"/2		46	Sft

B.No.9, R.No.Nil, W/Wall No.5	2x1	8'-6"	4'-3"+1'-5"/2	48	Sft
B.No.9, R.No.Nil, N/Wall No.6	2x1	73'-0"	5'-0"+2'-11"/2	578	Sft
B.No.9, R.No.Nil, N/Wall No.7	2x1	18'-4"	4'-6"+1'-10"/2	116	Sft
B.No.9, R.No.Nil, W/Wall No.8	2x1	7'-6"	3'-0"+3'-9"/2	51	Sft
B.No.9, R.No.Nil, W/Wall No.9	2x1	17'-0"	2'-0"+1'-0"+4'-3/3	82	Sft
B.No.9, R.No.Nil, Piller	2x1	6'-0"	3'-0"+1'-9"/2	29	Sft
B.No.9, R.No.Nil, Wall beside B.No.7 (i)	2x1	26'-0"	4'-6"+2'-7"/2	184	Sft
B.No.9, R.No.Nil, Wall beside B.No.7 (ii)	1x1	36'-4"	1'-0"	36	Sft

Total

68388

CONSERVATION & RESTORATION OF WORLD HERITAGE MOEN- JO - DARO

A: Civil Work

Non- Schedule Items

Item No.	Items	Quantity/No.		Rate	Per	Amount
1	Resetting of loose bricks by relaying the loose and decayed courses of the brick walls exactly similar to the original this also includes:-	16,999	Sft		% Sft	
2	Re-pointing with mud mortar for consolidation of wall cores i.e. grouting of cracks, filling voids in walls, etc complete.	50,773	Sft		% Sft	
3	Provision for removal of saline earth from inside the structure and spreading it in low laying areas away from the site by means of manullay or machanically lead upto about 1/2miles to 5miles.	11,900	Sft		% Sft	
4	Mud slurry with a slurry tool or splashing over wall surface to protect them from salt attack in winter season. The slurry may be composed of approximately 1 part mud mortar (Slightly sandy) to 1 part Canal water. More or less water may be added to achieve desirable consistency, which will be sufficiently liquid to be splashed on to wall surface and not require working with trowel.	308,600	Sft		% Sft	
5	Mud capping on the top of the walls with Sundried bricks in two layers.	98,000	Sft		% Sft	
	Total Rs.					

GRAND TOTAL

A. Civil Work

=

Contractor

SEAL & SIGNATURE

Executive Engineer PDMI & E Cell

Directorate of Culture Sindh Secretariat

Block No. 76/A , Opposite MPA Hostel

Karachi Ph & Fax : 021-992063782

FINANCIAL BIDDING DOCUMENTS



GOVERNMENT OF SINDH
CULTURE, TOURISM & ANTIQUITIES DEPARTMENT
Planning, Development, Monitoring, Implementation & Evaluation Cell

Name of Project/Scheme

5

CONSERVATION & RESTORATION OF WORLD HERITAGE
MOEN- JO - DARO

Name of Procuring Agency

*PDMI&E CELL - CULTURE, TOURISM &
ANTIQUITIES DEPARTEMNT*

Document issued to
