

| Sr.No | Description | Qty | Unit | Rates (Rs.) | Amount (Rs.) |
|-------|--|-----|------|----------------|-----------------|
| | <p>All items under this head to be carried out as per specifications, Drawings, relevant BSI/ASTM Standards, complete in all respect to the entire satisfaction of the Employer, and following Sections of the Technical Specifications. Rates shall be applicable on all types of building/structures shown in the drawings under this contract.</p> <p><u>EARTHWORK</u></p> <p>1 Excavation in foundation of building, bridges and other structures including dagbelling, dressing, backfilling around structure with (suitable) excavated earth watering, ramming & compacting in 150mm layers and obtain required density, any lead & lift etc, complete in all respect as per specifications & relevant approved drawings, all works to the entire satisfaction of the Engineer/Project Manager.</p> <p>i) +/- 0'-0" to 6'-0"</p> <p>a) In Ordinary Soil 1 Cu.m</p> <p>b) In Hard Soil or Soft murum 1 Cu.m</p> <p>c) In Hard rock 1 Cu.m</p> <p>ii) - 6'-0" to -10'-0"</p> <p>a) In Ordinary Soil 1 Cu.m</p> <p>b) In Hard Soil or Soft murum 1 Cu.m</p> <p>c) In Hard rock 1 Cu.m</p> <p><u>PLAIN CEMENT CONCRETE</u></p> <p>2 Cement concrete plain including placing compacting, finishing and curing, complete (including screening and washing of stone aggregate with erection and removal of centering/shuttering for RCC or plain cement concrete works of Partal wood (2nd class) horizontal & vertical etc, complete in all respect as per specifications & relevant approved drawings, all works to the entire satisfaction of the Engineer/Project Manager.</p> <p>Under foundation & where required 1:4:8 1 Cu.m</p> <p>Cast in Situ 1:3:6 - Cu.m</p> | | | | |

| Sr.No | Description | Qty | Unit | Rates (Rs.) | Amount (Rs.) |
|-------|--|--------|--------------|----------------|-----------------|
| | | | | | |
| 3 | <p><u>REINFORCED CEMENT CONCRETE (SUB-STRUCTURE)</u></p> <p>Reinforced cement concrete work including all labor and material except the cost of steel reinforcement and its labor for bending and binding which will be paid seperately.This rate also includes all kinds of forms moulds lifting shuttering curing rendering and finishing the exposed surface (including screening and washing of shingle).RC work in roof slab,beams,columns rafts. Lintels and other structural members laid in situ or precast laid in position complete in all respects. Ratio (1:2:4) 90 Lbs cement 2 Cft sand 4 Cft shingle 1/8" to 1/4" gauge etc, complete in all respect as per specifications & relevant approved drawings, all works to the entire satisfaction of the Engineer/Project Manager. (Ratio 1:2:4 strength 20 Mpa)</p> <p>i) Foundation</p> <p>ii) Column</p> | 1 1 | Cu.m Cu.m | | |
| 4 | <p><u>REINFORCEMENT</u></p> <p>Fabrication of deformed steel reinforcement bar for reinforced cement concrete including cutting bending, laying in position, making joints and fastenings including cost of binding wire (also includes removal of rust from bars.) including the cost of straightening, cutting, bending, binding, wastage and such overlaps as are not shown in drawing, precast spacer block or m.s chairs etc, complete in all respect as per specifications & relevant approved drawings, all works to the entire satisfaction of the Engineer/Project Manager.</p> | 141 | Kg | | |

| Sr.No | Description | Qty | Unit | Rates (Rs.) | Amount (Rs.) |
|---|-------------|-----|------|----------------|-----------------|
| | | | | | |
| Total Cost of 01 No | | | | | |
| Total Cost of 05 Nos Carried to Grand Summary | | | | 5 | |