UNIVERSITY OF KARACHI ENGINEERING DEPARTMENT University Road, Karachi-75270. Tel: (021) 9926 1366, 9926 1300-06 Ext 2247

TENDER NOTICE

Hel NO.	. 300		1VICLY 17, 2010
Sr.No.		Name of Wor	k
1st Floor		ation of Existing Toilets of Groun rs at Political Science & Philoso partment, University of Karachi	ce & Philosophy
Estin	nated Cost	Completion Period	Tender Fee

Rs. 14,55,638/- 90-Days Rs. 1,400/
Construction of Animal House 25'x20' for Pharmacology Department, University of Karachi

Estimated Cost | Completion Period | Tender Fee Rs. 12,32,454/- | 45-Days | Rs. 1,200/-

3. Construction of Boundary Wall, Waiting Room Walk Ways of Boys Hostel, University of Karachi

Estimated Cost Completion Period Tender Fee
Rs. 12,99,011/- 60-Days Rs. 1,300/-

4. Laying of Cable at E, F & G Type Quarters Staff Town, University of Karachi

Estimated Cost Completion Period Tender Fee
Rs. 12,11,250/- 15-Days Rs. 1,200/-

TERMS & CONDITIONS:

1.Tender Documents can be purchased from the Office of the Undersigned with effect from 23rd May 2016 to 7th June 2016 on Payment of Amount noted above (Non-Refundable) between 09:00 am till 03:00 pm on any Working Day except the Day of Opening of Tender. 2. Sealed Tender accompanied by Pay Order of Earnest Money @ 2% of the Bid Amount in favour of University of Karachi, will be received in the Office of the University Engineer, University of Karachi up to 02:00 pm on 08th June 2016 and will be opened on the Same Day at 02:30 pm in presence of the Contractors or their Representatives who will be present at that time. 3. In case of any unforeseen situation resulting in closure of Office or Government declares Holiday on the Date of Opening, the Tenders shall be recieved/opened on the Next Working Day at the Same Time and Venue. 4. Any Tender not accompanied by Earnest Money or Short Amount of Earnest Money or Conditional Tenders will NOT be considered. No Cheque will be entertained along with Tender are Farnest Money. 5. All Contractors have to submit Proof of Proprietorship of Company along with the CNIC Copy of Valid NTN and noomeTax and Sales Tax (Where Applicable) are also to be submitted with Tender. Contractors have to submit Copy of Work Order for Execution of Work. 6. All Bids should be valid for a Period of 90 Days. 7. The Successful Bidders who refuse to do work after Opening of Tenders, shall be liable to forfeiture of their Earnest Money as a Penalty. 8. Competent Authority may reject all or any Bids subject to relevant Provisions of SPPRA Rules. 9. This Tender Notice is also available on SPPRA's Website: www.pprasindh.gov.pk and University of Karachi Website: www.uok.edu.pk



UNIVERSITY OF KARACHI

ENGINEERING DEPARTMENT

University Road, Karachi-75270. Tel: (021) 9926 1366, 9926 1300-06 Ext 2247

ثبنترنوتس				夏强	三角	
	MANAGE ALL DE	A-40K	RA-	A2740. 0	HELD ARTER A	

Hef No. 385

May 17, 2016

NO.	Name of Work
	Rennovation of Existing Toilets of Ground & 1st Floors at Political Science & Philosophy Department, University of Karachi

Estimated Cost	Completion Period	Tender Fee
Hs. 14,55,638/-	90-Days	Rs. 1,400/-

2. Construction of Animal House 25'x20' for Pharmacology Department, University of Karachi

Estimated Cost	Completion Period	Tender Fee
Rs. 12,32,454/-	45-Days	Rs. 1,200/-

3. Construction of Boundary Wall, Waiting Room Walk Ways of Boys Hostel, University of Karachi

Estimated Cost	Completion Period	Tender Fee
Rs. 12,99,011/-	60-Days	Rs. 1,300/-

Laying of Cable at E, F & G Type Quarters Staff Town, University of Karachi

Estimated Cost	Completion Period	Tender Fee
Rs. 12,11,250/-	15-Days	Hs. 1,200/-

شرائط و ضوابط:

1. شیندر کی دستاد برات دفتر زیر و تحظی سے معددجہ بالاشیندرفیس کی نا قابلی والیس ادا میگی بر23 می 2016 ے07 بول 2016 تک سوائے فیڈر کھانے کی تاریخ کے کام کے کی بھی دن گا و کے سے سے 3 ـ يح تك تريدى والحق بيل - 2. مر مير شينزر يوكه ويكش كافى رقم ك 2% كم ماوى دريتاند کے یہ آرڈر بنام بوغوری آف کراچی کے ہمراہ ہول، وفتر بوغوری الجیتر، بوغوری آف کراچی ش 08 جون 2016 كو احد ووير 2:00 ي تك وصول ك واكس ك اور اى روز احد دوير 2:30 يج اس موقع مرموجود كشريكشرزياان كي تما تندول كرسامة كمول جاكس ك-3. شيزر كولت كى تاريخ مرسى نا كهانى صورت حال يا حكومت كى جانب سيتيسى كم اعلان كى صورت یں سٹینڈرکام کے اگلے روز ای جگہ یہ اور ای وقت وصول کے اور کھولے جائیں مے - 4. الے کی مجى شينزر يرخو زيس كياجائ كاجوز ريعاند كي بغيره وياز ريعاندكي كم رقم كامو يامشروط مورز بعاند كاجيك بحى قبول نيس كياجائ كا-5. تما كم تشريك روكم ين كاما لك ورز كاثبوت معه CNIC ك كانى اور NTN اور يازيكس رجيزيش كى كايال يحى شيندر كي مراه يش كرنى بول كي - 6. تمام پيڪشيں 90روز كے لئے مؤثر وونى جائيں۔ 7. كامياب يولى ديمده جوشيز ركھلنے كے بعد كام كرنے الكاركرو ياق الكا دريوان اللور تر مان طيط كرايا جاتے كا- 8. كان اتحار في SPPRA كمتعلقة قواتين كرمطابق كم يحي ياتمام يشكشون كومتر وكركتي ب- 0 و المنظر معالي المام ک ویب مائٹ www.pprasindh.gov.pk اور یو نورٹی آ ایا کی ویب ילט מען בי www.uok.edu.pk ا ورشي انجيسه

خميس 19 مئي 2016ع روزانه كاوش حيدرآباد

*

UNIVERSITY OF KARACHI

University Road, Karachi-75270. Ref No. 385 May 17, 2016 Sr.No. Name of Work Rennovation of Existing Toilets of Ground & 1st Floors at Political Science & Philosophy Department, University of Karachi **Estimated Cost Completion Period** Tender Fee Rs. 14,55,638/-90-Days Rs. 1.400/-Construction of Animal House 25'x20' for Pharmacology Department, University of Karachi **Estimated Cost Completion Period** Tender Fee 45-Days Rs. 1,200/-Rs. 12,32,454/-**Construction of Boundary Wall, Waiting Room** Walk Ways of Boys Hostel, University of Karachi **Estimated Cost Completion Period** Tender Fee Rs. 12.99.011/-60-Days Rs. 1.300/-Laying of Cable at E, F & G Type Quarters Staff Town, University of Karachi **Completion Period** Tender Fee

15-Days

شرط عضابطا.

Rs. 1,200/-

1. ٽينڊر جا دستاويز هيٺ صحيح ڪندڙ کان مٿي ڏنل ٽينڊر في جي ناقابل واپسي ادائگر تى 23 مئى, 2016 كان 07 جون, 2016 تائين ٽينڊر كلڻ جي تاريخ كانسواءِ ڪُم ڪَنهن به ڏينهن صبح 9 وڳي کان ٽپهري 3 وڳي تائين خريد ڪري سگهجن ٿا. 2. مهربند ٽينڊر جيڪي آڇ ڪيل رقمر جي %2 جي مساوي سوٿي رقمر جي پي آرڊر نالي يونيورسٽي آف ڪراچي سان گڏ هجن, آفيس يونيوڙسٽي انجنيئر. يونيور كراچي پر 08 جون, 2016 تي منجهند 2:00 وڳي تائين وصول كيا ويندا ۽ دِّينهن منجهند 2:30 وڳي اُن موقعي تي موجود ڪَانٽريڪٽرز يا سندن نمائ سامهون كوليا ويندا. 3. تينڊر كلڻ جي تاريخ تي ڪنهن ناگهاني صورتحال يا طرفان موڪل جي اعلان جي صورت ۾ اهو ٽينڊر ڪمز ڪار واري ورندڙ ڏينهن جڳه تي ۽ هن ئي وقت وصول ڪيا ۽ کوليا ويندا. 4. اهڙي ڪنهن به ٽيندر تي غور نہ ڪيو ويندو جيڪو سوٿي رقم کانسواءِ هجي يا سوٿي رقم جي گهٽ رقم جو هجي يہ مشروط هجي. سوٽي رقعر جو چيڪ پڻ قبول ذڪيو ويندو. 5. سمورن ڪانٽري کي ڪمپني جو مالڪ هئڻ جو ثبوت گڏ CNIC جي ڪاپي ۽ NTN ۽ سيلز ٽيڪس يشن جون ڪاپيون پڻ ٽينڊر سان گڏ پيش ڪرڻيون هونديون. 6. سموريون آڇون 90 ڏينهن لاءِ موثر هئڻ گهرجن. 7. ڪامياب واڪ ڏيندڙ جيڪو ٽينڊر کلڻ کانيو ۽ ڪم ڪرڻ کان انڪارو ڪري ڇڏي ته اُن جي سوڻي رقم ڏنڍ طور ضبط ڪئي ويندي. 8. مجاز اٿارٽي SPPRA جي لاڳاپيل قانونن مطابق ڪَنهن بريا سمورين آڇن کي رد ڪري سگهي تي. و. هي ٽينڊر SPPRA جي ويب سائٽ www.pprasindh.gov.pk ۽ يونيورسٽي آف ڪراچي جي ويب سائٽ www.uok.edu.pk تي پڻ دستياب آهي

بونيورستي انجنيئر

Rs. 12,11,250/-

Jen sof!



UNIVERSITY OF KARACHI DIRECTOR FINANCE SECRETARIAT

No.MU/DF/160311/24 March 16, 2016

The Director P & D, University of Karachi, Chairman Committee, Procurement of Works & Related Services, University of Karachi, Karachi

Subject: Nomination received from the concerned organization on the committee of the Procurement of works and related services

Further to the Registrar Office Notification No. P.A./2015 dated 02-12-2015, the following Nominations on the "Committee for Procurement of Works and Related Setvices" have been received.

Ref. Item 3e Mr. Muhammad Hamid, FCMA (F-510), a Karachi based Fellow Member nominated by the ICMAP

Ref. Item 3f Engr. Ayaz Mirza, a Karachi based member nominated by the PEC.

Ref. Item 3g Mr. Haseeb Ansari an engineer working in the area of Planning & Development nominated by a public sector university (NED) based in Karachi.

Copies of the nomination letters are attached

Director Financ

- ell com



University of Karachi University Road Karachi-75270 Hakistan

December 1 2015

NOTIFICATION

The Vice Chancellor is pleased to constitute the following Complaint Redressal Committee under the Sindh Public Procurement Rules, 2010.

- 1. Director Finance, Chairman
- 2. Director, Planning & Development, Member
- 3. Resident Auditor / Auditor, Member
- 4. Chief Accountant, Member
- 5. Purchase Officer, Member
- 6. An independent professional from the relevant field for the procurement process in question, to be nominated by the Vice Chancellor (on the recommendation of the Director Finance)
- 7. A fellow/senior member from any of the following institutes, to be nominated by the Vice Chancellor (on the recommendation of the Director Finance) depending on the nature of the procurement:
 - a) Institute of Chartered Accountants of Pakistan OR
 - b) Institute of Cost & Management Accountants of Pakistan OR
 - c) Pakistan Engineering Council

Prof. Dr. Mobzitalin Ali Khan Registrar

Copy to:

- 1. Secretary to Vice Chancellor
- 2. P.A. to Registrar
- 3. All Concerned

egistrar



University of Karachi University Road Karachi-75270 Paktstan

No.P.A./2015

December 2 2015

· SAY NO TO CORRUPTION

NOTIFICATION

- 1. Under Rule 7 of the Sindh Public Procurement Rules, 2012, the following procurement committees have been constituted with immediate effect.
 - a) Committee for Procurement of Goods & General Services
 - b) Committee for Procurement of Works & Related Services
- 2. The Committee for Procurement of Goods & General Services with the following composition:
 - a) Purchase Officer, University of Karachi (Chairman)
 - b) Chief Accountant, University of Karachi (Member)
 - c) Auditor, University of Karachi (Member)
 - d) Head of the Department/Institute/Centre/Chair concerned or his/her nominee (Member)
 - c) A Karachi based fellow member nominated by the ICAP (Member)
 - f) A Karachi based fellow member nominated by the ICMAP (Member)
 - g) An officer working in the area of purchase to be nominated by a public sector priversity or degree awarding institution based in Karachi (Member)
- 3. The Committee for Procurement of Works & Related Services with the following composition:
 - a) Director, Planning & Development, University of Karachi (Chairman)
 - b) Chief Accountant, University of Karachi (Member)
 - c) Auditor, University of Karachi (Member)
 - d) University Engineer/Project Director concerned (Member)
 - e) A Karachi based fellow member nominated by the ICAP / ICMAP (Member)
 - f) A Karachi based member to be nominated by the PEC (Member)
 - g) An engineer working in the area of planning & development to be nominated by a public sector university or degree awarding institution based in Karachi (Member)
- 4. As per Rule 8 of the Sindh Public Procurement Rules, 2010, the Functions and Responsibilities of Procurement Committees shall be as under:
 - a) Preparing bidding documents
 - b) Carrying out technical as well as financial evaluation of the bids
 - c) Preparing evaluation report as provided in Rule 45
 - d) Making recommendations for the award of contract to the competent authority
 - e) Perform any other function ancillary and incidental to the above.

REGISTRAR

Copy to:

- 1. All Concerned
- 2. Secretary to Vice Chancellor

Jw.

Annual Procurement Plan for the Year of 2015-2016 University of Karachi

								1		1			1	1	1
15.	14.	13.	12.	Į.	10.	9.9	,00	7.	6,	5.	4.	μ	5		S)
Procurement of Toners	Exhibition/Celebration & Others	Procurement of Printers	Procurement of Computers Hardware & IT Equipments	Progurement of batteries	Procurement of Tyres	Procurement of Liveries	Procurement of Office Furniture	Procurement of Class Room Furniture	Procurement of Electric Cooler / Water Dispensor	Procurement of Refrigerators	Procurement of A.C's	Procuremen of Scientific Equipment's	Procurement of Glassware	Procurement of Chemicals	Contents
0.5	1.5	00.1	15.00	0.5	1.00	1.5	2.5	2.5	0.5	0.5	5.00	90.00	10.00	25.00	Estimated Cost (Rs. in Million)
Quotations	Quotations .	Single Stage Single Envelops/Quotations	Single Stage Single Envelops/Quotations	Single Stage Single Envelops/Quotations	Direct Contract .	Single Stage Single Envelops	Single Stage Single Envelops/Quotations	Single Stage Single Envelops/Quotations	Quotations	Single Stage Single Envelops/Quotations	Method				
July 15	July 15.	July 15	July 15	July 15	July 15	July 15	July 15	July 15	July 15	July 15	July 15	July 15	July 15	July 15	Tentative / Actual date of NIT
June 16	June 16	August 15	June 16	June 16	June 16	June 16	June 16	June 16	June 16	June 16	June 16	June-16	June 16	June 16	Tentative / Actual closing date of NIT
July 15	July 15	August 15	Sertember 15	September 15	February 16	November 15	'eptember 15	September 15	August 15	September 15	September 15	September 15	July 15	July 15	Tentative / Actual date of award of Contract
March 16	June 16	October 15	February 16	December 15	March 16	December 15	June 16	June 16	May 16	December 15	June 16	March 16	August 15	August 15	Tentative deadline/ Actual date of Execution
Actual dates may vary	Actual dates may vary	Actual dates may vary	Actual dates may vary	Actual dates may vary		Actual dates may vary	Actual dates may vary	Actual dates may vary	Actual dates may vary	Actual dates may vary	Actual dates may vary	Actual dates may vary	Actual dates may vary	Actual dates may vary	Remarks
												21			

UNIVERSITY OF KARACHI

Director Finance University of Karachi



16 5 8 21. 20. 24. 23. 22. 25. 27. 26. 83 S. 29 30. 31. 32 درا 34. Procurement of UPS Procurement of Scanners Procurement of Photocopiers Binding Works on Annual Contract Busis Accessories Procurement of Street Lights with Procurement of Papers & Stationery Items Souvenirs Hiring of Furniture, Shamiyana, Qanat, Water Tanki, Jug, Glass, Pedestal Fans for Services for VIP Arrangements for Procurement of Medals for Convocation Procurement of Sanitary Items Graduate Degree Annual / Supplimentary Repairing and Services of A.C's, Generators, Computers with Accessories, Examination Convocation Civil Work of Academic and Administrative Plant & Machin :ry Purchase of Transport Electric Coolers etc. Electrical Work of Academic and Buildings/Area Mechanical Work of Academic and Administrative Building Area Buildings/Area Academic and Administrative Miscellaneous Maintenance Work of Administrative Buildings/Area Contents 5.00 0.5 0.2 0.2 0.15 17.5 0.3 2.00 0.5 3.00 6.00 2.5 (Rs. in Million) 8.00 5.0 Estimated Cost 2.50 10.00 2.00 6.00 Quotations Quotalians Single Stage Single Envelops/Quotations Quotations Single Stage Single Envelops Single Stage Single Envelops/Quotations Single Stage Single Envelops Single Stage Single Envelops Quotations Quotations Single Stage Single Envelops Quotations Single Stage Single Envelops,
Direct Contract Direct Contract Single Stage Single Envelops/Quotations Single Stage Single Envelops/Quotations Quotations Quotations Method July 15 July 15 -Actual date of NIT July 15 November 15 November 15 Tentative / July 15 July 15 July 15 November 15 July 15 July 15 July 15 Tentative /
Actual closing
date of NIT August 15 January 16 August 15 June 16 June 16 June 16 November 15 June 16 November 15 June 16 November 15 June 16 August 15 August 15 August 15 September 15 date of award of August 15 July 15 August 15 December 15 December 15 July 1,5 December 15 July 15 July 15 July 15 July 15 July 15 Contract July 15 March 16 September 15 February 16 December 15 Actual date of August 15 September 15 October 15 September 15 December 15 December 15 deadime June 16 December 15 Execution June 16 June 16 June 16 June 16 June 16 Turie 16 Actual dates may vary Remarks

£

Tentative

M MOVES SON INVANA.

Director Finance University of Karachi

he

Purchase Officer Pulling CANAL AND OFFICER SECOND PROPERTY OF TANAL AND OFFICER SECOND PROPERTY OFFICER SECOND PROPERTY OF

35

Civil Work of Residential Area

8.50

Single Stage Single Envelops/Quotations

July 15

June 15

July 15

june 16

Actual dates may vary

July 15

June 16

July 15

June 16

Actual dates may vary

S.

Contents

Estimated Cost (Ks. in Million)

Method

Tentative /_ Actual date of NIT

Actual closing.

Tentative / Actual date of award of Contract.

Tentative deadline/
Actual date of Execution

Remarks

36.

Electrical Work of Residential Area

Single Stage Single Envelops/Quotations

38.

Mechanical Work of Residential Area
Miscellaneous Work of Residential Area

1.45

Quotations Quotations

> July 15 July 15

June 16

July 15

June 16

Actual dates may vary
Actual dates may vary

June 16

July 15

University Engineer

Director Finance

Director Finance University of Karachi

University Engineer

Phone: 99261366

99261300-6

2247 Ext:

Ref. No. 1

Engineering Department University of Karachi Karachi-75270

Date of Opening:

08-06-2016.

Time of Opening:

02:30 P.M.

Tender # 04

Place of Opening:

Office of the University Engineer, Engineering department, University of

Karachi.

Work:-

Laying of Cable E,F & G Type Quarters, Staff Town, University of Karachi.

University of Karachi.

S. #.	ITEMS OF WORK.	QTY.	UNIT.	Estimated Cost.
01.	Providing 4 Core 120 Sq mm PVC, PVC Armored cable Universal, Pakistan, Pinor, First Cable, or equivalent H.M 120 Sq. mm 4 Core PVC PVC Armored cable as required at site.		Rft.	11,21,250.00
02.	Providing Excavation 3' feet digging trench and red bricks with sand and back filling as required at site.		Job	90,000.00
	required at site.			12,11,250.00

(Rupees Twelve lac eleven thousand two hundred fifty only)

Debuth Executive Eugineer Engineering Department
University of Karachi.

University of Karachi Karachi

University Engineer



Phone: 99261366

99261300-6

Ext:

2247

Ref. No._

Engineering Department University of Karachi Karachi-75270

Date of Opening:

08-06-2016.

Time of Opening:

02:30 P.M.

Tender # 04

Place of Opening:

Office of the University Engineer, Engineering department, University of

Karachi.

Work:-

Laying of Cable E,F & G Type Quarters, Staff Town, University of Karachi.

University of Karachi.

S. #.	ITEMS OF WORK.	QTY.	RATE.	UNIT.	AMDUNT.
01.	Providing 4 Core 120 Sq mm PVC, PVC Armored cable Universal, Pakistan, Pinor, First Cable, or equivalent H 14 120 Sq man 4 Core PVC PVC Armored cable as required				
	at site.	575		Rft.	
02.	Providing Excavation 3' feet digging trench and red bricks with sand and back filling as required at site.	1		Job	

. (Rupees

UNIVERSITY ENGINEER

DEPUTY EXECUTIVE ENGINEER (E)

CONTRACTOR (With seal)

Instruction to Bidders (ITB) Preparation of Bids

- 1. Scope of Work: The University of Karachi plans to develop / acquire a comprehensive integrated solution to meet the requirement of Laying of Cable at E,F & G Type Quarters Staff Town, University of Karachi.
- 2. Method and Procedure of Procurement: National Competitive Bidding Single Stage One Envelope Procedure as per SPP Rules 2010 (updated 2013).
- 3. Language of Bid: The bid prepared by the Bidder, as well as all correspondence and documents relating to the bid exchanged by the Bidder and the Procuring Agency shall be written in English language.
- **4. Documents Comprising the Bid:** The bid prepared by the Bidders shall comprise the following components:
 - (a) Price Schedule completed in accordance with ITB Clauses 5, 6 and 7.
 - (b) Bid security furnished in accordance with ITB Clause 10.

5. Bid Prices:

- **5.1** The Bidder shall indicate on the appropriate Price Schedule the unit prices (where applicable) and total bid price of the Laying of Cable at E,F & G Type Quarters Staff Town, University of Karachi under the contract.
- 5.2 The prices shall be quoted inclusive of all taxes, stamps, duties, levies, fees and installation and integration charges imposed till the delivery of services specified in the Schedule of Requirements. No separate payment shall be made for the incidental services.
- 5.3 Prices quoted by the Bidder shall remain fixed during the Bidder's performance of the contract and not subject to variation on any account, unless otherwise specified in the Bid Data Sheet.
- **5.4** Prices shall be quoted in Pak Rupees.
- 7. **Bid Form:** The Bidder shall complete the Bid Form and the appropriate Price Schedule furnished in the bidding documents, indicating the material to be supplied and fixed, their descriptions and prices.
- 8. Bid Currencies: Prices shall be quoted 111 Pak, Rupees.
- Document Establishing Bidders Eligibility and Qualification: The Bidder shall furnish as part of its bid, documents establishing the Bidder's eligibility to bid and its qualifications to perform the contract if its bid is accepted.
 - (a) That the Bidder has the financial and technical capability necessary to perform the contract.
 - **(b)** That the Bidder meets the qualification criteria listed in the Bid Data Sheet.
- 10. Documents Eligibility and Conformity to Bidding Documents: The documentary evidence of conformity of the goods to the bidding documents may be in the form of literature and data.

11. Bid Security:

10.1 The bid security is required to protect the Procuring agency against the risk of Bidder's conduct, which would warrant the security's forfeiture.

The bid security shall be denominated in the currency of the bid:

- (a) 2% Bid Security should be deposited with the bid;
- (b) be submitted in its original form; copies will not be accepted;
- (c) remain valid for a period of at least 14 days beyond the original validity period of bids, or at least 14 days beyond any extended period of bid validity.

- 10.2 Bid securities shall be released to the unsuccessful bidders once the contract has been signed with the successful bidder or the validity period bas expired.
- 10.3 The successful Bidder's bid security shall be discharged upon the Bidder signing the contract, and furnishing the performance security.
- 10.4 The bid security may be forfeited:
 - (a) if a Bidder withdraws its bid during the period of bid validity or
 - (b) in the case of a successful Bidder, if the Bidder fails:
 - (i) to sign the contract in accordance or
 - (ii) to furnish performance security.

12. Period of Validity of Bids:

- 11.1 Bids shall remain valid for the period specified in the Bid Data Sheet after the date of bid submission prescribed by the Procuring agency. A bid valid for a shorter period shall be rejected by the Procuring agency as non responsive.
- 11.2 In exceptional circumstances, the Procuring Agency may solicit the Bidder's consent to an extension of the period of validity. The request and the responses thereto shall be made in writing. The bid security shall also be suitably extended as per Rule-38 of SPP Rules, 20 I 0 (updated 2013). A Bidder may refuse the request without forfeiting its bid security. A Bidder granting the request will not be required nor permitted to modify its bid.

13. Format and Signing of Bid:

- 12.1 The Bidder shall prepare an original and the number of copies of the bid indicated in the Bid Data Sheet, clearly marking each "ORIGINAL BID" and "COPY OF BID" as appropriate. In the event of any discrepancy between them, the original shall govern.
- 12.2 The original and the copy or copies of the bid shall be typed or written in indelible ink and shall be signed by the Bidder or a person or persons duly authorized to bind the Bidder to the contract. All pages of the bid, except for un-amended printed literature, shall be initialed by the person or persons signing the bid.
- 12.3 Any interlineations, erasures, or overwriting shall be valid only if they are initialed by the person or persons signing the bid.

Submission of Bids

14. Sealing and Marking of Bids:

- 13.1 The Bidder shall seal the original and each copy of the bid in envelopes, duly marking the envelopes as "ORIGINAL BID" and "ONE COPY". The outer envelopes shall be addressed to the Procuring agency at the address given in the Bidding Documents, and carry statement "DO NOT OPEN BEFORE 08-06-2016.
- 13.2 If the outer envelope is not sealed and marked as required, the Procuring Agency shall assume no responsibility for the bid's misplacement or premature opening.

15. Deadline for Submission of Bids:

- **14.1** Bids must be received by the Procuring Agency at the address specified in Bidding Documents, not later than the time and date specified in the Bid Data Sheet.
- 14.2 The Procuring Agency may, at its discretion, extend this dead line for the submission of bids by amending the bidding documents. In such case all rights and obligations of the Procuring agency and bidders previously subject to the deadline will thereafter be subject to the deadline as extended.
- Late Bids: Any bid received by the Procuring Agency after the deadline for submission of bids prescribed by the Procuring agency shall be rejected and returned unopened to the Bidder.

16. Modification and Withdrawal of Bids:

- 16.1 The Bidder may modify or withdraw its bid after the bid's submission, provided that written notice of the modification, including substitution or withdrawal of the bids, is received by the agency prior to the deadline prescribed for submission of bids.
- 16.2 No bid may be modified after the deadline for submission of bids.
- 16.3 No bid may be withdrawn in the interval between the deadline for submission of bids and the expiry of the period of bid validity. Withdrawal of a bid during this interval may result in the Bidder's forfeiture of its bid security.

Opening and Evaluation of Bids

17. Opening of Bids by the Procuring agency:

- 17.1 The Procuring agency shall open all bids in the presence of bidders' representatives who choose to attend, at the time, on the date, and at the place specified in the Bid Data Sheet. The bidders' representatives who are present shall sign a register/attendance sheet evidencing their attendance.
- 17.2 The Bidders' names, bid modifications or withdrawals, bid prices, discounts, and the presence or absence of requisite bid security and such other details as the Procuring agency may consider appropriate, will be announced at the opening.
- 18. Clarification of Bids: During evaluation of the bids, the Procuring agency may ask the Bidder for a clarification of its bid. The request for clarification and the response shall be in writing, and no change in the prices or substance of the bid shall be sought, offered, or permitted.
- 19. Preliminary Examination:
- 19.1 The Procuring agency shall examine the bids to determine whether they are complete, whether any computational errors have been made, whether required sureties have been furnished, whether the documents have been properly signed, and whether the bids are generally in order.
- 19.2 Arithmetical errors will be rectified on the following basis. If there is a discrepancy between the unit price and the total price that is obtained by multiplying the unit price and quantity, the unit price shall prevail, and the total price shall be corrected. If the Supplier does not accept the correction of the errors, its bid will be rejected, and its bid security may be forfeited. If there is a discrepancy between words and figures, the amount in words will prevail.
- 19.3 Prior to the detailed evaluation, the Procuring agency will determine the substantial responsiveness of each bid to the bidding documents. A substantially responsive bid is one which conforms to all the terms and conditions of the bidding documents without material deviations. Procuring agency's determination of a bid's responsiveness is to be based on the contents of the bid itself.
- 19.4 If a bid is not substantially responsive, it will be rejected by the Procuring agency and may not subsequently be made responsive by the Bidder by correction of the nonconformity.

20. Evaluation and Comparison of Bids:

- 20.1 The Procuring agency will evaluate and compare the bids which have been determined to be substantially responsive.
- 20.2 The Procuring agency's evaluation of a bid will be on delivery to consignee's end inclusive of all taxes, stamps, duties, levies, fees and execution charges imposed till the delivery location.

21. Contacting the Procuring agency:

21.1 No Bidder shall contact the Procuring agency on any matter relating to its bid, from the time of the bid opening to the time of announcement of Bid Evaluation Report. If the Bidder wishes to bring additional information to the notice of the Procuring agency, it should do so in writing.

21.2 Any effort by a Bidder to influence the Procuring agency in its decisions on bid evaluation, bid comparison, or contract award may result in the rejection of the Bidder's bid.

Award of Contract

22. Post-qualification:

- 22.1 In the absence of prequalification, the Procuring agency may determine to its satisfaction whether that selected Bidder having submitted the lowest evaluated responsive bid is qualified to perform the contract satisfactorily.
- 22.2 The determination will take into account the Bidder's financial and technical capabilities. It will be based upon an examination of the documentary evidence of the Bidder's qualifications submitted by the Bidder, pursuant to ITB Clause 7 as well as such other information as the Procuring agency deems necessary and appropriate.
- 22.3 An affirmative determination will be a prerequisite for award of the contract to the Bidder. A negative determination will result in rejection of the Bidder's bid, in which Procuring agency will proceed to the next lowest evaluated bid to make a similar determination of that Bidder's capabilities to perform satisfactorily.
- 23. Award Criteria: The Procuring agency will award the contract to the successful Bidder whose bid has been determined to be substantially responsive and has been determined to be the lowest evaluated bid, provided further that the Bidder is determined to be qualified to perform the contract satisfactorily.
- 24. Procuring Agency's right to accept any Bid and to reject any 01' all Bids:
- **24.1** Subject to relevant provisions of SPP, Rules, 20I0 (Amended 2013), the Procuring agency reserves the right to accept or reject any bid, and to annul the bidding process and reject all bids at any time prior to contract award.
- **24.2** Pursuant to Rule 45 of SPP Rules 20 I 0 (updated 2013), Procuring agency shall hoist the evaluation report on Authority's web site, and intimate to all the bidders seven days prior to notify the award of contract.

25. Notification of Award:

- **25.1** Prior to the expiration of the period of bid validity, the Procuring agency shall notify the successful Bidder in writing, that its bid has been accepted.
- **25.2** Upon the successful bidders furnishing of the performance security pursuant to ITB clause 26, the Procuring Agency will promptly notify each unsuccessful bidder and will release their bid security.

26. Signing of Contract:

- **26.1** At the same time as the Procuring agency notifies the successful Bidder that its bid has been accepted, the Procuring agency will send the Bidder the Contract Form provided in the bidding documents, incorporating all agreements between the parties.
- **26.2** Within the period specified in BDS, of receipt of the Contract Form, the successful Bidder shall sign and date the contract and return it to-the Procuring agency.

27. Performance Security:

- 27.1 Within the period specified in BDS of the receipt of notification of award from the Procuring agency, the successful Bidder shall furnish the performance security in accordance with the condition of contract. In the Performance Security Form provided in the Bidding Document or in another form acceptable to the Procuring agency.
- 27.2 Failure of the successful Bidder to comply with the requirement of ITB Clause 25shall constitute sufficient grounds for the annulment of the award and forfeiture of the bid security, in which event the Procuring agency may make the award to the next lowest evaluated Bidder or call for new bids.

- 28. Corrupt or Fraudulent Practices: The Government of Sindh requires that Procuring Agency's (including beneficiaries of donor agencies' loans), as well as Bidders/ Suppliers/ Contractors under Government- financed contracts, observe the highest standard of ethics *during the procurement and execution of such contracts. In pursuance of this policy, the SPPRA "in accordance with the S PP Act, 2009 and Rules made there under:
- (a) "Corrupt and Fraudulent Practices" means either one or any combination of the given below;
 - (i) "Coercive Practice" means any impairing or harming, or threatening to impair or harm, directly or indirectly, any patty or the property of the patty to influence the actions of a party to achieve a wrongful gain or to cause a wrongful loss to another patty;
 - (ii) "Collusive Practice" means any arrangement between two or more parties to the procurement process or contract execution, designed to achieve with or without the knowledge of the procuring agency to establish prices at artificial, noncompetitive levels for any wrongful gain;
 - (iii) "Corrupt Practice" means the offering, giving, receiving or soliciting, directly or indirectly, of anything of value to influence the acts of another party for wrongful gain;
 - (iv) "Fraudulent Practice" means any act or omission, including a misrepresentation, that knowingly or recklessly misleads, or attempts to mislead, a party to obtain a financial or other benefit or to avoid an obligation;
- (b) "Obstructive Practice" means harming or threatening to harm, directly or indirectly, persons or their property to influence their participation in a procurement process, or affect the execution of a contract or deliberately destroying, falsifying, altering or concealing of evidence material to the investigation or making false statements before investigators in order to materially impede an investigation into allegations of a corrupt, fraudulent, coercive or collusive practice; or threatening, harassing or intimidating any party to prevent it from disclosing its knowledge of matters relevant to the investigation or from pursuing the investigation, or acts intended to materially impede the exercise of inspection and audit rights provided for under the Rules.

Bid Data Sheet

The following specific data for Laying of Cable at E,F & G Type Quarters Staff Town, University of Karachi to be procured shall complement, supplement, or amend .the provisions in the Instructions to Bidders (ITB). Whenever there is a conflict, the provisions herein shall prevail over those in ITB.

	Introduction
ITB 1	Name and address of Procuring Agency:
	Engineering Department, University of Karachi, Karachi.
ITB 1	Laying of Cable at E,F & G Type Quarters Staff Town, University of
	Karachi.
	Bid Price and Currency
ITB 5	Prices quoted by the Bidder shall be "fixed" and in" Pak Rupees"
	Preparation and Submission of Bids
ITB20	Qualification requirements:
	Authorized Agent (Valid Agency Certificate required).
	2. Complete Company Profile.
	Valid Registration with Tax Authorities required.
	4. Relevant Experience of at least last one (I) year.
	5. Rs. 1.0 Million per year Turnover of last three (3) years.
ITB8	Amount of bid security:
	2 % of Bid Value
ITB9	Bid validity period:
	90 days
ITB 10	Performance Guarantee:
	10% of the Work Order Value.
ITB 11	Number of copies:
	One Original
ITB 20.1	Deadline for bid submission:
	08-06-2016
ITB 20.1	Bid Evaluation:
	Lowest Evaluated Bid
	Under following conditions, Bid will be rejected:
	Conditional tenders/bids;
	Bids not accompanied by bid security (Earnest Money);
	3. Bids received after specified date and time;
	4. Bidder submitting any false information;
	5. Black Listed Firms by Sindh Government or any entity of it

BID SUMMARY SHEET TENDER NOTICE

Price in PKR

The tender will rejected if this form will not accompany the tender bid.

Bid Value

S. No

		= 1,	
	9		
		*	-
	8		-
± 4			
	- j.		-
	Total Bid Value In PKR		
Ear	nest Money @ 2% In PKR	d	
Pay Order/Demand Draft No:		Date:	
Signature:	Seal:		
	= .		
			* I

TERMS & CONDITIONS

- The Procuring Agency may reject all bids at any time prior to the acceptance of a bid under SPP-Rules, 20 10.
- > 2% Bid Security should be deposited on the total cost of the quoted amount with the bidding documents in shape of pay order drawn in favor of University of Karachi.
- Bids not accompanied by the 2% Bid Security will not be considered.
- Copies of the Sales Tax Registration and NTN are to be attached with the bidding documents.
- > The quoted price shall be inclusive all applicable Govt. Taxes and charges.
- > Procurement Committee shall finalize the bids in light of SPP-Rules, 20 I0 clause (8).
- > The bidders are requested to submit their bids along with the bid validity period.
- Complete details specification/information to be provided about the products and firm by the bidder.
- > Prices shall be quoted in Pak rupees.
- The method of procurement is open competitive bidding single stage one envelop procedure.
- > The bids shall be evaluated on the following criterion.
 - o Quality basis
 - Specification mentioned as in the bidding documents
- The prices to be quoted shall be filled in the bidding documents mandatory.
- The successful bidders who execute to contract shall be liable to forfeiture of their bid security as a penalty.
- The last date of issuance of bidding document is day 07-06-2016 at 3:00 p.m.
- The last date of receipt of bidding document is 08-06-2016 at 11:30 a.m. The bids shall be opened on the same day at 02:30p.rn in presence of the bidders who may wish to be present.
- In case of any holiday or disturbance the bids shall be opened on the next working day as per schedule.
- The Tender Notice shall be available on the Official website www.uprasindh.gov.pk as well as Procuring Agency's website www.uek.eclu.pk

Total Amount	
(Rupees	 Only
(Total Earnest Money Rs.)

SIGNATURE OF THE PROPRIETOR AND RUBBER STAMP OF THE COMPANY

*University Engineer



Phone: 99261366

99261300-6

2247 Ext:

Engineering Department University of Karachi Kendeh# 95270

Work:-

Renovation of existing toilets of ground and 1st at Political Science &

Philosophy department, University of Karachi. Estimated Cost. S. #. ITEMS OF WORK. Quantity Unit Dismantling glazed tiles / Mosaic floor, dado in any floor including base mortar up to 1 1/2" thick & 29,859.80 Sft. 3460' stacking salvaged material & dispensing of surplus stuff as directed Engineer. P/L glazed tiles floor, dado of approved make 6" x 6" up to 12" x 12" in any floor laid over 1"thick C.M 4,49,800.00 3460' Sft base 1:2 including jointing & washing the tiles with white cement slurry of matching color & curing etc complete. 3 Providing and laying 1:3:6 cement concrete solid block masonry 4" to 6" thick using graded screened 140' Cft bajri ¾" and down gauge set in cement mortar 1:1:6 20,533.80 including scaffolding, raking out joints and curing etc. complete in any floor superstructure. 34" thick cement plaster 1:6 on walls, ceiling and columns etc in any floor including making edges, 1200' Sft corners, and curing etc, complete internal & 25,128.00 external surface of room in any floor. Dismantling C.C work cast in situ platform foundation, basement, plinth and ground floor Cft including disposing of the material as directed by 6,264.00 290' engineer in-charge. Providing and making platform up to 4'x 4'inside in 11/2" thick fine c.c over 4" thick c.c 1:2:4, kerb in cement concrete 1:2:4 and 1/2" thick cement plaster1:3 C.M all over and to walls up to a height 15,191.10 15 Each of 2'-6" complete, i/c dismantling existing c.c platform complete. P/F un-platisized polyvinyl chloride pipe (u.P.V.C) SDR schedule-"80" approved make with specials and clamps etc i/c cutting, fittings and jointing (Band, Tee, Y-Tee, cowel etc) complete with and including the cost of breaking through walls and roof and making good damages i/c taking out 210' Rft 5,455.80 existing Pipe with fitting .i/c cost of taking out existing pipe. 5,432.40 135' Rft A- 3/4" dia u.P.V.C For Water B- 1" dia u.P.V.C (Water) 525' Rft 1,41,750.00 C- 4" dia (Sewerage) i/c cost of cutting, fittings and jointing (Band, Tee, Y-Khawaja M. Masoon Tee, cowel etc) complete with and Assistant Engineer (Civil) including the cost of breaking through walls and roof and making good University of Karachi damages i/c taking out existing Pipe with fitting .i/c cost of taking out Karachi. existing pipe,. Excavation & back filling up to required depth & width if required.



S. #.	ITEMS OF WORK.	Quantity	UNIT.	Estimated Cost.
8	P/F S.Steel Handle valve Italy Make approved make,	3	Each	1,500.00
	or equivalent fix in G.I and c.PVC line with all necessary fitting complete etc. 3/4" dia. B-1" dia.	3	Each	3,000.00
9	Making connection with the existing G.I pipe & c.PVC pipe up to 2" dia i/c cutting the pipe and providing fixing necessary fitting.	3	Each	759.00
10	P/F 22'x16" lavatory Hand wash basin glazed approved make complete with and i/c the cost of pedestal, bracket, waste, waste pipe 1 ¼" dia, side pillar cock approved make, plastic connection, stop cock, glazed P-trap with S.S Jali and making requisite number of holes in walls, plinth, ceiling and floor for pipe connection and making good in cement concrete 1:2:4 complete.	9	Each	27,000.00
11	P/F 24"x18" beveled edges looking mirror of Belgium glass with 1/8" thick hard board and screw fixed to wooden cleats complete i/c taking out existing mirror if any.	9	Each	3,952.08
12	P/F glazed oresa W.C pan complete with & i/c the cost of Plastic low level flush tank approved make, P.V.C. flashing pipe suitable for squatting type with extra bands and length with fitting, u.PVC p-trap, making requisite of holes in walls, plinth, ceiling & for pipe connection, making good in cement concrete 1:2:4, with all necessary fitting i.e. stop cock, plastic connection etc B-Coupled commode	12 3	Each Each	33,600.00 24,000.00
13	P/F u P.V.C P-Trap 4" dia with S.S Jali i/c cutting hole and making good damages in c.c.	24	Each	6,000.00
14	Providing and fixing best quality deodar wood frames for doors, windows, ventilators, clerestory windows, shelves, partitions, trellis work, etc. as required at site. i/c cost of taking out existing frame complete.	24.91'	Cft	69,748.00
15	Providing and fixing 1 ½" thick best quality deodar wood solid flush door, fully flush with commercial ply wood (5 ply), approved iron hinges, door lock Babar (808), or equivalent sliding bolt complete as required at site. i/c cost of taking out existing door shutters complete. Note: Any flush door would be checked by Engineer in-charge randomly i.e taking out commercial ply to check the laying of wood properly as directed by Engineer in-charge, This all process's cost bear by contractor.	442'	Sft	88,400.00
16	P/F $\mbox{\it \%}''$ dia Chrome bib cock of approved make fix in G.I line with all necessary fitting	36	Each	16,200.00
17	P/F ½" dia Chrome plated concealed stop cock, T- stop cock and stop cock with all necessary fitting complete.	27	Each	10,800.00
18	Providing and fixing side pillar cock / Mixer approved make, long neck approved quality with all necessary fitting as required at site.	9	Each	Assistant English
19	P/F tower bolt / sliding bolt and door handle fixed on wooden shutter with screw etc complete i/c taking out old tower bolt.	84	Each	Assistant Engineer



S. #.	ITEMS OF WORK.	Quantity	UNIT.	Estimated Cost.
20	Providing and fixing door lock approved make as required at site.	21	Each	10,500.00
21	P/F aluminum sheet fixed with nails glue on shutter as required at site	180'	Sft	9,000.00
22	Painting iron/wood work with ready mixed paint of approved make and shade two coats complete at any height in any floor (GOBI'S) or equivalent make.	1650′	Sft	15,510.00
23	Oil bound distempering with distemper of approved make and shade in three coats including scraping, sand papering, dusting, and filling the holes, cracks and inequalities, if any at any height in any floor (GOBI'S)) or equivalent make.	5000′	Sft	37,550.00
24	Removing existing cement plaster of any thickness from existing columns i.e. nude RCC work seen and disposing of the rubbish etc. from the site as directed by engineer in-charge.	612′	Sft	1,738.08
25	1-1/2" thick cement patch plaster 1:5 in two layers at ceiling, columns etc. in any floor including making edges, corners, and curing etc complete as directed		l de la companya de l	
	by engineer in-charge.	612′	Sft	28,782.36
26	Replacing existing figured /plain glass 44 oz (5.40 mm) approx. with iron nails and putty including removing broken ones if required in any floor.	192'	Sft	28,598.40
27	Providing manhole type "A" 2' x 2' x 3' deep as per approved design and specifications complete for to 12" dia pipes up to 3'-11" depth with cast iron cover and frame 16" dia inside fixed in 4" thick RCC 1:2:4 slab, 8" thick c.c. 1:3:6 c.c 1:3:6 block masonry walls set in 1:3 C.M, 6" thick 1:3:6 c.c in foundation 1:2:4 c.c in benching, ½" thick cement plaster in 1:3 C.M to all inside & out side wall surface, channels and			
	benching etc. and to top including making requisite number of main and branch channels i/c the cost of excavation back filling and disposal of excavated stuff, manhole cover and frame.	5	Each	25,000.00
28	Providing and laying Cement fiber bitumen coated pipe, approved make "C" class for sewer line, including cost of cutting, fitting and jointing with asphalt composition and cement mortar 1:1,			n.
	including cost of excavation of trench up to required depth and back fills the excavated material in trench including testing with water to a pressure head of 80' feet complete, jointing with existing sewer line as directed by engineer in-charge. 6" dia	125′	Rft	50,000.00
9	Providing and laying in situ 1:3:6 (1 cement 3 sand and 6 coarse aggregate) cement concrete using screened graded bajri 3/4 inch (19 mm) and down gauge in foundation, basement and plinth including form work, compacting, curing and removal of form work, etc. complete, foundation and basement up to			
	5 feet (1.52 R.m) depth.	360'	Cft	53,593.20
80	Providing and applying SBR Chemical (imported Make)at exiting roof slab's surface for treatment of water proofing work, mixing composition 1 ½ kg neat cement mix in water and added in niro one(1) gallon of SBR chemical's bottle and applying with paint brushes at required surface, as directed by engineer in-charge as required at site	918′	Sft	11,016.00 Khawaj Assista

Chawaja M. Masoom Chori Assistant Engineer (Civil) University of Karachi Karachi.



S. #.	ITEMS OF WORK.	Quantity	UNIT.	Estimated	Cost.
1.	Construction of Septic tank	·			
	Excavation for foundation trenches and drains in all				
	kinds of soil and back filling the excavated material				
	in foundation, plinth or under-floor including				
	breaking clods, watering, consolidation by ramming				
	in layers not exceeding 9" in depth to full				1
	compaction, dressing and disposal of surplus	840'	Cft	4,494.00	
	excavated stuff as directed, lead up to one chain	360'	Cft	10,443.60	
	and lift up to 5'(2650' cft)				1
	Soil.				1
	Hard Rock.				-
32	Bailing or pumping out sub-soil water during				
	excavation, concreting, cast in situ concrete or				1
	masonry work in foundation etc. (only three				
	operations to be allowed, trench volume under			1	
	water to be measured first time for excavation,				
	second time for concreting, and third time for cast				
	in situ concrete or masonry work in foundation etc,.				1
		1200'	Cft	3,576,00	
13	Supplying, stacking, spreading and filling 9" thick				
	stone soling of required slope from approved			1	
	quarries in plinth or under floor including filling				
	voids with spawl and chips and consolidation by	90'	Cft	1,986.30	
	ramming layers not exceeding 9" in depth to full				
	compaction lift up to 5'.				
14	Providing and laying with mechanical mixing				
	machine reinforced cement concrete using				
	screened graded bajri ¾" and down gauge having a			1	
	minimum works cube crushing strength of 2250 lbs.				
	per sq. inch at 28 days with a mix not leaner than				1
	1:2:4 in footing, plinth beam, super structure			- 1	1
	columns, beams and roof slab of square or				ł
	rectangular shape of regular section including form	325'	Cft	70,066.75	
	work and its removal compacting with vibrator and			-	
	curing etc. complete but excluding the cost of				
	reinforcement, in any floor complete.				
5	Providing and laying cold worked ribbed deformed			-	1
	steel reinforcement bars with minimum yield stress				
	of 40,000 psi approved make as directed by				
	engineer in-charge, with and including the cost of				
	straightening, cutting, bending, binding, wastage,				
	and such overlaps as are not shown over the				
	drawings, placing in position on cement concrete	860	KG	73,100.00	
	1:2:4, precast or M.s. chair tying with binding wire				
	etc. cost of chairs and wires etc. Complete in all				
	kinds of RCC work at any height.				
Ò	Providing and laying with mechanical mixing				
	machine 2" thick C.C Screeding / floor 1:2:4 in				M
	panels, using graded screened bajri of 3/" and down			Khai	Waja M. Mason
	gauge in any floor's roof slab, including	*		Assi	M. Male
	consolidation, finishing, making chamfer the	110'	Cft	1/ni	Waja M. Mason Stant Enginee Versity of Kar Karachi.
	corners and curing etc. complete, .	110'	Sft	B,358.30*	Karachi.



P-5

S. #.	ITEMS OF WORK.	Quantity	UNIT.	Estimated Cost
37	Providing and fixing collapsible steel shutter or gate with vertical channels, flat iron diagonal top and bottom rails with steel rollers of required size, T-iron bottom track riveting the junctions, including locking arrangements and handles, cutting and making good damages to walls etc. painting two coats of enamel paint of (GOBI'S) or equivalent make and shade over a single coat of red oxide paint (GOBI'S) make or equivalent fixing bottom track with C.C 1:2:4 complete as required in any floor.			
		42'	Sft	15,250.62
			TOTAL	14,55,638.00

(Rupees

Khawaja M. Masoom Ghori Assistant Engineer (Civil) University of Karachi Karachi.

University Engineer



Phone: 99261366

99261300-6

Ext: 2247

Ref. No. _____

08-06-2016.

Time of Opening:

02:30 P.M.

Opening: 02:30 P.IVI

Engineering Department University of Karachi Kandek#195270

Place of Opening:

Office of the University Engineer, Engineering department, University of

Karachi.

Work:-

Renovation of existing toilets of ground and 1st at Political Science &

Philosophy department, University of Karachi.

P-1

	Philosophy department, Un		of Karachi.		P-1
S. #.	ITEMS OF WORK.	QTY.	RATE.	UNIT.	AMOUNT.
1	Dismantling glazed tiles / Mosaic floor, dado in any floor including base mortar up to 1 ½" thick & stacking salvaged material & dispensing of surplus stuff as directed Engineer.	3460′		Sft.	2 A
2	P/L glazed tiles floor, dado of approved make 6" x 6" up to 12" x 12" in any floor laid over 1"thick C.M base 1:2 including jointing & washing the tiles with white cement slurry of matching color & curing etc complete.	3460′		Sft	
3	Providing and laying 1:3:6 cement concrete solid block masonry 4" to 6" thick using graded screened bajri ¾" and down gauge set in cement mortar 1:1:6 including scaffolding, raking out joints and curing etc. complete in any floor superstructure.	140′	E	Cft	
4	**" thick cement plaster 1:6 on walls, ceiling and columns etc in any floor including making edges, corners, and curing etc, complete internal & external surface of room in any floor.	1200′		Sft .	
5	Dismantling C.C work cast in situ platform foundation, basement, plinth and ground floor including disposing of the material as directed by engineer in-charge.	290'		Cft	
6	Providing and making platform up to 4'x 4'inside in 1½" thick fine c.c over 4" thick c.c 1:2:4, kerb in cement concrete 1:2:4 and ½" thick cement plaster1:3 C.M all over and to walls up to a height of 2'-6" complete, i/c dismantling existing c.c platform complete.	15		Each	
7	P/F un-platisized polyvinyl chloride pipe (u.P.V.C) SDR schedule-"80" approved make with specials and clamps etc i/c cutting, fittings and jointing (Band,Tee,Y-Tee,cowel etc) complete with and including the cost of breaking through walls and roof and making good damages i/c taking out existing Pipe with fitting i/c cost of taking out existing pipe. D- 3/4" dia u.P.V.C For Water E- 1" dia u.P.V.C (Water) F- 4" dia (Sewerage) i/c cost of cutting, fittings and jointing (Band,Tee,Y-Tee,cowel etc) complete with and including the cost of breaking through walls and roof and making good damages i/c taking out existing Pipe with fitting i/c cost of taking out existing pipe, Excavation & back filling up to required depth & width if required.	210° 135° 525°		Rft Rft	



S. #.	ITEMS OF WORK.	QTY.	RATE.	UNIT.	AMOUNT.
8	P/F S.Steel Handle valve Italy Make approved make, or equivalent fix in G.I and c.PVC line with all necessary fitting complete etc. 3/4" dia. B- 1" dia.	3		Each Each	
9	Making connection with the existing G.I pipe & c.PVC pipe up to 2" dia i/c cutting the pipe and providing fixing necessary fitting.	3		Each	
10	P/F 22'x16" lavatory Hand wash basin glazed approved make complete with and i/c the cost of pedestal, bracket, waste, waste pipe 1 ½" dia, side pillar cock approved make, plastic connection, stop cock, glazed P-trap with S.S Jali and making requisite number of holes in walls, plinth, ceiling and floor for pipe connection and making good in cement concrete 1:2:4 complete.	9		Each	
11	P/F 24"x18" beveled edges looking mirror of Belgium glass with 1/8" thick hard board and screw fixed to wooden cleats complete i/c taking out existing mirror if any.	9		Each	
12	P/F glazed oresa W.C pan complete with & i/c the cost of Plastic low level flush tank approved make, P.V.C. flashing pipe suitable for squatting type with extra bands and length with fitting, u.PVC p-trap, making requisite of holes in walls, plinth, ceiling & for pipe connection, making good in cement concrete 1:2:4, with all necessary fitting i.e. stop cock, plastic connection etc B- Coupled commode	12 3		Each Each	
13	P/F u P.V.C P-Trap 4" dia with S.S Jali i/c cutting hole and making good damages in c.c.	24		Each	
14	Providing and fixing best quality deodar wood frames for doors, windows, ventilators, clerestory windows, shelves, partitions, trellis work, etc. as required at site. i/c cost of taking out existing frame complete.	24.91'		Cft	
15	Providing and fixing 1 ½" thick best quality deodar wood solid flush door, fully flush with commercial ply wood (5 ply), approved iron hinges, door lock Babar (808), or equivalent sliding bolt complete as required at site. i/c cost of taking out existing door shutters complete. Note: Any flush door would be checked by Engineer incharge randomly i.e taking out commercial ply to check the laying of wood properly as directed by Engineer in-charge, This all process's cost bear by contractor.	442'		Sft	
16	P/F ½" dia Chrome bib cock of approved make fix in G.I line with all necessary fitting	36		Each	
17	P/F ½" dia Chrome plated concealed stop cock, T- stop cock and stop cock with all necessary fitting complete.	27		Each	
18	Providing and fixing side pillar cock / Mixer approved make, long neck approved quality with all necessary fitting as required at site.	9		Each	
19	P/F tower bolt / sliding bolt and door handle fixed on wooden shutter with screw etc complete i/c taking out old tower bolt.	84		Each	



S. #.	ITEMS OF WORK.	QTY.	RATE.	UNIT.	AMOUNT.
20	Providing and fixing door lock approved make as required at site.	21		Each	
21	P/F aluminum sheet fixed with nails glue on shutter as required at site	180'		Sft	
22	Painting iron/wood work with ready mixed paint of approved make and shade two coats complete at any height in any floor (GOBI'S) or equivalent make.	1650′		Sft	
23	Oil bound distempering with distemper of approved make and shade in three coats including scraping, sand papering, dusting, and filling the holes, cracks and inequalities, if any at any height in any floor (GOBI'S)) or equivalent make.	5000′		Sft	3
24	Removing existing cement plaster of any thickness from existing columns i.e. nude RCC work seen and disposing of the rubbish etc. from the site as directed by engineer in-charge.	612'		Sft	
25	1-1/2" thick cement patch plaster 1:5 in two layers at ceiling, columns etc. in any floor including making edges, corners, and curing etc complete as directed by engineer in-charge.	612'		Sft	
26	Replacing existing figured /plain glass 44 oz (5.40 mm) approx. with iron nails and putty including removing broken ones if required in any floor.	192'		Sft	
27	Providing manhole type "A" 2' x 2' x 3' deep as per approved design and specifications complete for to 12" dia pipes up to 3'-11" depth with cast iron cover and frame 16" dia inside fixed in 4" thick RCC 1:2:4 slab, 8" thick c.c. 1:3:6 c.c 1:3:6 block masonry walls set in 1:3 C.M , 6" thick 1:3:6 c.c in foundation 1:2:4 c.c in benching, ½" thick cement	5 ,			
	plaster in 1:3 C.M to all inside & out side wall surface, channels and benching etc. and to top including making requisite number of main and branch channels i/c the cost of excavation back filling and disposal of excavated stuff, manhole cover and frame.	5		Each	
28	Providing and laying Cement fiber bitumen coated pipe, approved make "C" class for sewer line, including cost of cutting, fitting and jointing with asphalt composition and cement mortar 1:1, including cost of excavation of trench up to required depth and back fills the excavated material in trench including testing with water to a pressure head of 80' feet complete, jointing with existing sewer line as directed by engineer incharge. 6" dia	125'		Rft	
29	Providing and laying in situ 1:3:6 (1 cement 3 sand and 6 coarse aggregate) cement concrete using screened graded bajri 3/4 inch (19 mm) and down gauge in foundation, basement and plinth including form work, compacting, curing and removal of form work, etc. complete, foundation and basement up to 5 feet (1.52 R.m) depth.	360′		Cft	
30	Providing and applying SBR Chemical (imported Make)at exiting roof slab's surface for treatment of water proofing work, mixing composition 1 ½ kg neat cement mix in water and added in niro one(1) gallon of SBR chemical's bottle and applying with paint brushes at required surface, as directed by engineer in-charge as required at site	918'		Sft	



S. #.	ITEMS OF WORK	OTV	RATE.	UNIT.	AMOUNT.
	ITEMS OF WORK.	QTY.	KAIE.	UNIT.	AIVIOUNT.
31.	Construction of Septic tank Excavation for foundation trenches and drains in all kinds of soil and back filling the excavated material in foundation, plinth or under floor including breaking clods, watering, consolidation by ramming in layers not exceeding 9" in depth to full compaction, dressing and disposal of surplus excavated stuff as directed, lead up to one chain and lift up to 5'(2650' cft) Soil. Hard Rock.	840' 360'		Cft Cft	
32	Bailing or pumping out sub-soil water during excavation, concreting, cast in situ concrete or masonry work in foundation etc. (only three operations to be allowed, trench volume under water to be measured first time for excavation, second time for concreting, and third time for cast in situ concrete or masonry work in foundation etc,.	1200'		Cft	
33	Supplying, stacking, spreading and filling 9" thick stone soling of required slope from approved quarries in plinth or under floor including filling voids with spawl and chips and consolidation by ramming layers not exceeding 9" in depth to full compaction lift up to 5'.	90'		Cft	
34	Providing and laying with mechanical mixing machine reinforced cement concrete using screened graded bajri ¼" and down gauge having a minimum works cube crushing strength of 2250 lbs. per sq. inch at 28 days with a mix not leaner than 1:2:4 in footing, plinth beam, super structure columns, beams and roof slab of square or rectangular shape of regular section including form work and its removal compacting with vibrator and curing etc. complete but excluding the cost of reinforcement, in any floor complete.	325'		Cft	
35	Providing and laying cold worked ribbed deformed steel reinforcement bars with minimum yield stress of 40,000 psi approved make as directed by engineer in-charge, with and including the cost of straightening, cutting, bending, binding, wastage, and such overlaps as are not shown over the drawings, placing in position on cement concrete 1:2:4, precast or M.s. chair tying with binding wire etc. cost of chairs and wires etc. Complete in all kinds of RCC work at any height.	860		KG	
36	Providing and laying with mechanical mixing machine 2" thick C.C Screeding / floor 1:2:4 in panels, using graded screened bajri of %" and down gauge in any floor's roof slab, including consolidation, finishing, making chamfer the corners and curing etc. complete, .	110'	×	Sft	

*



S. #.	ITEMS OF WORK.	QTY.	RATE.	UNIT.	AMOUNT.
37	Providing and fixing collapsible steel shutter or gate with vertical channels, flat iron diagonal top and bottom rails with steel rollers of required size, T-iron bottom track riveting the junctions, including locking arrangements and handles, cutting and making good damages to walls etc. painting two coats of enamel paint of (GOBI'S) or equivalent make and shade over a single coat of red oxide paint (GOBI'S) make or equivalent fixing bottom track with C.C 1:2:4 complete as required in any floor.	42'		Sft	

(Rupees

UNIVERSITY ENGINEER

ASSTT.EXECUTIVE ENGINEER (C)

CONTRACTOR (With seal)

Instruction to Bidders (ITB) Preparation of Bids

- 1. Scope of Work: The University of Karachi plans to develop / acquire a comprehensive integrated solution to meet the requirement of Renovation of existing Toilets of Ground and 1st floor at Political Science & Philosophy department, University of Karachi
- 2. Method and Procedure of Procurement: National Competitive Bidding Single Stage One Envelope Procedure as per SPP Rules 2010 (updated 2013).
- 3. Language of Bid: The bid prepared by the Bidder, as well as all correspondence and documents relating to the bid exchanged by the Bidder and the Procuring Agency shall be written in English language.
- **4. Documents Comprising the Bid:** The bid prepared by the Bidders shall comprise the following components:
 - (a) Price Schedule completed in accordance with ITB Clauses 5, 6 and 7.
 - (b) Bid security furnished in accordance with ITB Clause 10.

5. Bid Prices:

- 5.1 The Bidder shall indicate on the appropriate Price Schedule the unit prices (where applicable) and total bid price of the Renovation of existing Toilets of Ground and 1st floor at Political Science & Philosophy department, University of Karachi under the contract.
- 5.2 The prices shall be quoted inclusive of all taxes, stamps, duties, levies, fees and installation and integration charges imposed till the delivery of services specified in the Schedule of Requirements. No separate payment shall be made for the incidental services.
- 5.3 Prices quoted by the Bidder shall remain fixed during the Bidder's performance of the contract and not subject to variation on any account, unless otherwise specified in the Bid Data Sheet.
- **5.4** Prices shall be quoted in Pak Rupees.
- 6. **Bid Form:** The Bidder shall complete the Bid Form and the appropriate Price Schedule furnished in the bidding documents, indicating the material to be supplied and fixed, their descriptions and prices.
- 7. Bid Currencies: Prices shall be quoted 111 Pak, Rupees.
- 8. Document Establishing Bidders Eligibility and Qualification: The Bidder shall furnish as part of its bid, documents establishing the Bidder's eligibility to bid and its qualifications to perform the contract if its bid is accepted.
 - (a) That the Bidder has the financial and technical capability necessary to perform the contract.
 - (b) That the Bidder meets the qualification criteria listed in the Bid Data Sheet.
- 9. Documents Eligibility and Conformity to Bidding Documents: The documentary evidence of conformity of the goods to the bidding documents may be in the form of literature and data.

10. Bid Security:

10.1 The bid security is required to protect the Procuring agency against the risk of Bidder's conduct, which would warrant the security's forfeiture.

The bid security shall be denominated in the currency of the bid:

- (a) 2% Bid Security should be deposited with the bid;
- (b) be submitted in its original form; copies will not be accepted;
- (c) remain valid for a period of at least 14 days beyond the original validity period of bids, or at least 14 days beyond any extended period of bid validity.

- 10.2 Bid securities shall be released to the unsuccessful bidders once the contract has been signed with the successful bidder or the validity period bas expired.
- 10.3 The successful Bidder's bid security shall be discharged upon the Bidder signing the contract, and furnishing the performance security.
- 10.4 The bid security may be forfeited:
 - (a) if a Bidder withdraws its bid during the period of bid validity or
 - (b) in the case of a successful Bidder, if the Bidder fails:
 - (i) to sign the contract in accordance or
 - (ii) to furnish performance security.

11. Period of Validity of Bids:

- 11.1 Bids shall remain valid for the period specified in the Bid Data Sheet after the date of bid submission prescribed by the Procuring agency. A bid valid for a shorter period shall be rejected by the Procuring agency as non responsive.
- 11.2 In exceptional circumstances, the Procuring Agency may solicit the Bidder's consent to an extension of the period of validity. The request and the responses thereto shall be made in writing. The bid security shall also be suitably extended as per Rule-38 of SPP Rules, 20 I 0 (updated 2013). A Bidder may refuse the request without forfeiting its bid security. A Bidder granting the request will not be required nor permitted to modify its bid.

12. Format and Signing of Bid:

- 12.1 The Bidder shall prepare an original and the number of copies of the bid indicated in the Bid Data Sheet, clearly marking each "ORIGINAL BID" and "COPY OF BID" as appropriate. In the event of any discrepancy between them, the original shall govern.
- 12.2 The original and the copy or copies of the bid shall be typed or written in indelible ink and shall be signed by the Bidder or a person or persons duly authorized to bind the Bidder to the contract. All pages of the bid, except for un-amended printed literature, shall be initialed by the person or persons signing the bid.
- 12.3 Any interlineations, erasures, or overwriting shall be valid only if they are initialed by the person or persons signing the bid.

Submission of Bids

13. Sealing and Marking of Bids:

- 13.1 The Bidder shall seal the original and each copy of the bid in envelopes, duly marking the envelopes as "ORIGINAL BID" and "ONE COPY". The outer envelopes shall be addressed to the Procuring agency at the address given in the Bidding Documents, and carry statement "DO NOT OPEN BEFORE 08-06-2016.
- 13.2 If the outer envelope is not sealed and marked as required, the Procuring Agency shall assume no responsibility for the bid's misplacement or premature opening.

14. Deadline for Submission of Bids:

- **14.1** Bids must be received by the Procuring Agency at the address specified in Bidding Documents, not later than the time and date specified in the Bid Data Sheet.
- 14.2 The Procuring Agency may, at its discretion, extend this dead line for the submission of bids by amending the bidding documents. In such case all rights and obligations of the Procuring agency and bidders previously subject to the deadline will thereafter be subject to the deadline as extended.
- 15. Late Bids: Any bid received by the Procuring Agency after the deadline for submission of bids prescribed by the Procuring agency shall be rejected and returned unopened to the Bidder.

16. Modification and Withdrawal of Bids:

- 16.1 The Bidder may modify or withdraw its bid after the bid's submission, provided that written notice of the modification, including substitution or withdrawal of the bids, is received by the Procuring agency prior to the deadline prescribed for submission of bids.
- 16.2 No bid may be modified after the deadline for submission of bids.
- 16.3 No bid may be withdrawn in the interval between the deadline for submission of bids and the expiry of the period of bid validity. Withdrawal of a bid during this interval may result in the Bidder's forfeiture of its bid security.

Opening and Evaluation of Bids

17. Opening of Bids by the Procuring agency:

- 17.1 The Procuring agency shall open all bids in the presence of bidders' representatives who choose to attend, at the time, on the date, and at the place specified in the Bid Data Sheet. The bidders' representatives who are present shall sign a register/attendance sheet evidencing their attendance.
- 17.2 The Bidders' names, bid modifications or withdrawals, bid prices, discounts, and the presence or absence of requisite bid security and such other details as the Procuring agency may consider appropriate, will be announced at the opening.
- 18. Clarification of Bids: During evaluation of the bids, the Procuring agency may ask the Bidder for a clarification of its bid. The request for clarification and the response shall be in writing, and no change in the prices or substance of the bid shall be sought, offered, or permitted.
- 19. Preliminary Examination:
- 19.1 The Procuring agency shall examine the bids to determine whether they are complete, whether any computational errors have been made, whether required sureties have been furnished, whether the documents have been properly signed, and whether the bids are generally in order.
- 19.2 Arithmetical errors will be rectified on the following basis. If there is a discrepancy between the unit price and the total price that is obtained by multiplying the unit price and quantity, the unit price shall prevail, and the total price shall be corrected. If the Supplier does not accept the correction of the errors, its bid will be rejected, and its bid security may be forfeited. If there is a discrepancy between words and figures, the amount in words will prevail.
- 19.3 Prior to the detailed evaluation, the Procuring agency will determine the substantial responsiveness of each bid to the bidding documents. A substantially responsive bid is one which conforms to all the terms and conditions of the bidding documents without material deviations. Procuring agency's determination of a bid's responsiveness is to be based on the contents of the bid itself.
- 19.4 If a bid is not substantially responsive, it will be rejected by the Procuring agency and may not subsequently be made responsive by the Bidder by correction of the nonconformity.

20. Evaluation and Comparison of Bids:

- 20.1 The Procuring agency will evaluate and compare the bids which have been determined to be substantially responsive.
- 20.2 The Procuring agency's evaluation of a bid will be on delivery to consignee's end inclusive of all taxes, stamps, duties, levies, fees and execution charges imposed till the delivery location.

21. Contacting the Procuring agency:

21.1 No Bidder shall contact the Procuring agency on any matter relating to its bid, from the bid opening to the time of announcement of Bid Evaluation Report. If the Bidder wishes to bring additional information to the notice of the Procuring agency, it should do so in writing.

21.2 Any effort by a Bidder to influence the Procuring agency in its decisions on bid evaluation, bid comparison, or contract award may result in the rejection of the Bidder's bid.

Award of Contract

22. Post-qualification:

- **22.1** In the absence of prequalification, the Procuring agency may determine to its satisfaction whether that selected Bidder having submitted the lowest evaluated responsive bid is qualified to perform the contract satisfactorily.
- 22.2 The determination will take into account the Bidder's financial and technical capabilities. It will be based upon an examination of the documentary evidence of the Bidder's qualifications submitted by the Bidder, pursuant to ITB Clause 7 as well as such other information as the Procuring agency deems necessary and appropriate.
- 22.3 An affirmative determination will be a prerequisite for award of the contract to the Bidder. A negative determination will result in rejection of the Bidder's bid, in which Procuring agency will proceed to the next lowest evaluated bid to make a similar determination of that Bidder's capabilities to perform satisfactorily.
- 23. Award Criteria: The Procuring agency will award the contract to the successful Bidder whose bid has been determined to be substantially responsive and has been determined to be the lowest evaluated bid, provided further that the Bidder is determined to be qualified to perform the contract satisfactorily.
- 24. Procuring Agency's right to accept any Bid and to reject any 01' all Bids:
- **24.1** Subject to relevant provisions of SPP, Rules, 20I0 (Amended 2013), the Procuring agency reserves the right to accept or reject any bid, and to annul the bidding process and reject all bids at any time prior to contract award.
- **24.2** Pursuant to Rule 45 of SPP Rules 20 I 0 (updated 2013), Procuring agency shall hoist the evaluation report on Authority's web site, and intimate to all the bidders seven days prior to notify the award of contract.

25. Notification of Award:

- **25.1** Prior to the expiration of the period of bid validity, the Procuring agency shall notify the successful Bidder in writing, that its bid has been accepted.
- **25.2** Upon the successful bidders furnishing of the performance security pursuant to ITB clause 26, the Procuring Agency will promptly notify each unsuccessful bidder and will release their bid security.

26. Signing of Contract:

- **26.1** At the same time as the Procuring agency notifies the successful Bidder that its bid has been accepted, the Procuring agency will send the Bidder the Contract Form provided in the bidding documents, incorporating all agreements between the parties.
- **26.2** Within the period specified in BDS, of receipt of the Contract Form, the successful Bidder shall sign and date the contract and return it to-the Procuring agency.

27. Performance Security:

- 27.1 Within the period specified in BDS of the receipt of notification of award from the Procuring agency, the successful Bidder shall furnish the performance security in accordance with the condition of contract. In the Performance Security Form provided in the Bidding Document or in another form acceptable to the Procuring agency.
- 27.2 Failure of the successful Bidder to comply with the requirement of ITB Clause 25shall constitute sufficient grounds for the annulment of the award and forfeiture of the bid security, in which event the Procuring agency may make the award to the next lowest evaluated Bidder or call for new bids.

- 28. Corrupt or Fraudulent Practices: The Government of Sindh requires that Agency's (including beneficiaries of donor agencies' loans), as well as Bidders/ Suppliers/ Contractors under Government- financed contracts, observe the highest standard of ethics during the procurement and execution of such contracts. In pursuance of this policy, the SPPRA "in accordance with the S PP Act, 2009 and Rules made there under:
- (a) "Corrupt and Fraudulent Practices" means either one or any combination of the practices given below;
 - (i) "Coercive Practice" means any impairing or harming, or threatening to impair or harm, directly or indirectly, any patty or the property of the patty to influence the actions of a party to achieve a wrongful gain or to cause a wrongful loss to another patty;
 - (ii) "Collusive Practice" means any arrangement between two or more parties to the procurement process or contract execution, designed to achieve with or without the knowledge of the procuring agency to establish prices at artificial, noncompetitive levels for any wrongful gain;
 - (iii) "Corrupt Practice" means the offering, giving, receiving or soliciting, directly or indirectly, of anything of value to influence the acts of another party for wrongful gain;
 - (iv) "Fraudulent Practice" means any act or omission, including a misrepresentation, that knowingly or recklessly misleads, or attempts to mislead, a party to obtain a financial or other benefit or to avoid an obligation;
- (b) "Obstructive Practice" means harming or threatening to harm, directly or indirectly, persons or their property to influence their participation in a procurement process, or affect the execution of a contract or deliberately destroying, falsifying, altering or concealing of evidence material to the investigation or making false statements before investigators in order to materially impede an investigation into allegations of a corrupt, fraudulent, coercive or collusive practice; or threatening, harassing or intimidating any party to prevent it from disclosing its knowledge of matters relevant to the investigation or from pursuing the investigation, or acts intended to materially impede the exercise of inspection and audit rights provided for under the Rules.

Bid Data Sheet

29. The following specific data for Renovation of existing Toilets of Ground and 1st floor at Political Science & Philosophy department, University of Karachi to be procured shall complement, supplement, or amend the provisions in the Instructions to Bidders (ITB). Whenever there is a conflict, the provisions herein shall prevail over those in ITB.

Name and address of Procuring Agency:	
Engineering Department, University of Karachi, Karachi.	
Name of Contract:	
Renovation of existing Toilets of Ground and 1 st floor at Political Philosophy department, University of Karachi.	Science &
Bid Price and Currency	
Prices quoted by the Bidder shall be "fixed" and in" Pak Rupees"	
Preparation and Submission of Bids	4
Qualification requirements:	
Authorized Agent (Valid Agency Certificate required).	
2. Complete Company Profile.	
Valid Registration with Tax Authorities required.	
4. Relevant Experience of at least last one (I) year.	
5. Rs. 1.0 Million per year Turnover of last three (3) years.	
Amount of bid security:	
2 % of Bid Value	
Bid validity period:	l l
90 days	
Performance Guarantee:	
10% of the Work Order Value.	
Number of copies:	
One Original	
Deadline for bid submission:	
08-06-2016	
Bid Evaluation:	
Lowest Evaluated Bid	
Under following conditions, Bid will be rejected:	
1. Conditional tenders/bids;	
Bids not accompanied by bid security (Earnest Money);	
3. Bids received after specified date and time;	
	Name of Contract: Renovation of existing Toilets of Ground and 1st floor at Political Philosophy department, University of Karachi. Bid Price and Currency Prices quoted by the Bidder shall be "fixed" and in" Pak Rupees" Preparation and Submission of Bids Qualification requirements: 1. Authorized Agent (Valid Agency Certificate required). 2. Complete Company Profile. 3. Valid Registration with Tax Authorities required. 4. Relevant Experience of at least last one (I) year. 5. Rs. 1.0 Million per year Turnover of last three (3) years. Amount of bid security: 2 % of Bid Value Bid validity period: 90 days Performance Guarantee: 10% of the Work Order Value. Number of copies: One Original Deadline for bid submission: 08-06-2016 Bid Evaluation: Lowest Evaluated Bid Under following conditions, Bid will be rejected: 1. Conditional tenders/bids; 2. Bids not accompanied by bid security (Earnest Money); 3. Bids received after specified date and time;

BID SUMMARY SHEET TENDER NOTICE

The tender will rejected if this form will not accompany the tender bid.

S. No	Bid Value	Price in PKR		
				,-
				- 1A
				al a
				_
				-
	-			
	- 1			_
	_			
		Total Bid Value In PK		*
		rnest Money @ 2% In PK		
	ler/Demand Draft No:		Date:	
Signatur	e:	Seal:		
				-1
		4		8

TERMS & CONDITIONS

- The Procuring Agency may reject all bids at any time prior to the acceptance of a bid under SPP-Rules, 20 10.
- ➤ 2% Bid Security should be deposited on the total cost of the quoted amount with the bidding documents in shape of pay order drawn in favor of University of Karachi.
- > Bids not accompanied by the 2% Bid Security will not be considered.
- Copies of the Sales Tax Registration and NTN are to be attached with the bidding documents.
- > The quoted price shall be inclusive all applicable Govt. Taxes and charges.
- Procurement Committee shall finalize the bids in light of SPP-Rules, 20 10 clause (8).
- > The bidders are requested to submit their bids along with the bid validity period.
- Complete details specification/information to be provided about the products and firm by the bidder.
- Prices shall be quoted in Pak rupees.
- The method of procurement is open competitive bidding single stage one envelop procedure.
- > The bids shall be evaluated on the following criterion.
 - o Quality basis
 - Specification mentioned as in the bidding documents
- The prices to be quoted shall be filled in the bidding documents mandatory.
- The successful bidders who execute to contract shall be liable to forfeiture of their bid security as a penalty.
- The last date of issuance of bidding document is day 07-06-2016 at 3:00 p.m.
- ➤ The last date of receipt of bidding document is 08-06-2016 at 11:30 a.m. The bids shall be opened on the same day at 02:30 p.rn in presence of the bidders who may wish to be present.
- In case of any holiday or disturbance the bids shall be opened on the next working day as per schedule.
- The Tender Notice shall be available on the Official website www.pprasindh.gov.pk as well as Procuring Agency's website www.uok.eclu.pk

Total Amount	
Rupees	Only)
Total Farnest Money Rs	3

SIGNATURE OF THE PROPRIETOR AND RUBBER STAMP OF THE COMPANY University Engineer

OB O

Phone: 9261366

9261300-6

Ext: 2247

Ref. No. 415

Engineering Department University of Karachi Karachi-752978

Work:-

Construction of Animal House 25' x 20'for Pharmacology department, University of Karachi.

	University of Karachi.			Tender # 01
S.#.	ITEMS OF WORK.	Quantity	UNIT.	Estimated Cost.
1	Excavation for foundation trenches and drains in all kinds of soil and back filling the excavated material in foundation, plinth or under floor including breaking clods, watering, consolidation by ramming			
	in layers not exceeding 9" in depth to full compaction, dressing and disposal of surplus excavated stuff as directed, lead up to one chain and lift up to 5'			
	1.Soil.	807'	Cft	4,317.45
	2.Hard rock	345'	Cft	10,008.45
2	Bailing or pumping out sub-soil water during excavation or concreting etc. (trench volume below sub soil water level and concrete level respectively to be paid) once after final excavation and once after concreting.	576′	Cft	1,716.48
3	Providing and laying 1:4:8 (1 cement 4 sand and 8 coarse aggregate) cement concrete using graded stone ballast 2" and down gauge in foundation including leveling, compacting and curing etc. complete.	502'	Cft	52,283.30
4 .	Supplying earth from approved outside sources including digging, loading and unloading and filling in foundation trenches, plinth or under floor, etc. including breaking clods, dressing, watering and consolidation by ramming in layers not exceeding 9" in depth to full compaction complete within a lead of one chain and lift of 5'.	684'	Cft	16,874.25
5	Providing and laying with mechanical mixing machine reinforced cement concrete using screened graded bajri ¾" and down gauge having a minimum works cube crushing strength of 2250 lbs. per sq. inch at 28 days with a mix not leaner than 1:2:4 in ordinary slab 5" to 6" thick including form work and its removal compacting with vibrator and curing etc. complete but excluding the cost of reinforcement, in any floor complete.	930'	Cft	2,32,500.00
6	Providing and laying cold worked ribbed deformed steel reinforcement bars with minimum yield stress of 40,000 psi (AMRELI / RAZAQ) or equivalent make with and including the cost of straightening, cutting, bending, binding, wastage, and such overlaps as are not shown over the drawings, placing in position on cement concrete 1:2:4, precast or M.s. chair tying with binding wire etc. cost of chairs and wires etc. Complete in all kinds of		e e	A Sala M. Maseon (Constitution of Karachi.
	RCC work at any height.	2500	KG	2,23,000.00



S.#.	ITEMS OF WORK.	Quantity	Unit	Estimated Cost.
7	Providing and laying 1:3:6 cement concrete solid block masonry 4" to 6" thick using graded screened bajri ¾" and down gauge set in cement mortar 1:1:6 including scaffolding, raking out joints and curing etc. complete in any floor superstructure.	620′	Cft	90,935.40
8	*" thick cement plaster 1:6 on walls, ceiling and columns etc in any floor including making edges, corners, and curing etc, complete internal & external surface of room in any floor.	4560′	Sft	95,486.40
9	Providing and fixing best quality deodar wood frames for doors, windows, ventilators, clerestory windows, shelves, partitions, trellis work, etc. as required at site. i/c cost of taking out existing frame complete.	13.11'	Cft	36,708.00
10	Providing and fixing 1 ½" thick best quality deodar wood solid flush door, fully flush with commercial ply wood (5 ply), approved iron hinges, door lock Babar (808), sliding bolt complete as required at site. i/c cost of taking out existing door shutters complete. Note: Any flush door would be checked by Engineer in-charge randomly i.e taking out commercial ply to check the laying of wood properly as directed by Engineer in-charge, This all process's cost bear by contractor.	170′	Sft	34,000.00
.1	Providing & fixing hot dipped galvanized fully glazed with 5mm thick glass, single leaf hung steel doors, windows and ventilators made of "Z" channel of approved section comprising of frame and shutter frame, beading for fixing glass panes, clamping the screws at 4 inches center to center, rubber packing for glazing, painting two coats of enamel paint over a two coats of red oxide paint including using iron lugs, cutting holes and making good damages to walls etc. complete as required in any floor including the cost of glass panes.	205'	Sft	45,167.65
12	Providing and fixing iron grills with required section of 3/8" sq. bar iron as per approved design including welding all sides of the section at the junction, and fixing with sunk iron screws, painting two coats of enamel paint of (GOBI'S) make OR Equivalent over a single coat of red oxide paint of (GOBI'S) make OR Equivalent etc. complete as required in any floor in masonry or concrete work.	135'	Sft	24,300.00
13	Providing and laying light colour, non- glazed/nonskid vitrified porcelean tiles (Polished) not exceeding 1600 Sqcm each, (Pak made) on walls and floors, in any floor, laid with dry bond (stile bond) over a base of 1" thick cement mortar (1:3) including jointing to tiles with joint filler of approved			Sistant Enginee Wersity of Kar Karachi. 1,10,868.40
	quality as per direction of the Engineer incharge.	620'	Sft	1,10,868.40



S.#	ITEMS OF WORK.				
14	P/F un-platisized polyvinyl chloride pipe (u.P.V.C) SDR schedule-"80" approved make or equivalent	Quantity	Unit	Estimated Cost	
	with specials and clamps etc i/c cutting, fittings and jointing (Band,Tee,Y-Tee,cowel etc) complete with and including the cost of breaking through walls and roof and making good damages i/c taking out existing Pipe with fitting i/c cost of taking out	6			
1E	existing pipe. 3/4" dia u.P.V.C For Water 1 ½" dia u.P.V.C (Water) 4" dia (Sewerage) i/c cost of cutting, fittings and	130' 160'	Rft. Rft.	5,200.00 10,400.00	4'
	jointing (Band,Tee,Y-Tee,cowel etc) complete with and including the cost of breaking through walls and roof and making good damages i/c taking out existing Pipe with fitting i/c cost of taking out existing pipe,. Excavation & back filling up to required depth & width if required	100′	Rft.	27,000.00	
15	P/F S.Steel Handle valve Italy Make OR Equivalent approved make, fix in G.I and c.PVC line with all necessary fitting complete etc. 3/4" dia.	6	Each	4,800.00	
6	B-1½" dia. Making connection with the existing G.I pipe &	2	Each	4,000.00	
0	c.PVC pipe up to 2" dia i/c cutting the pipe and providing fixing necessary fitting.	1	Each	500.00	• •
7	P/F 22'x16" lavatory Hand wash basin glazed				
	approved make complete with and i/c the cost of pedestal, bracket, waste, waste pipe 1 ¼" dia, side pillar cock approved make, plastic connection, stop cock, glazed P-trap with S.S Jali and making requisite number of holes in walls, plinth, ceiling and floor for pipe connection and making good in cement concrete 1:2:4 complete.	1	Each	3,000.00	
8	P/F 24"x18" beveled edges looking mirror of Belgium glass with 1/8" thick hard board and screw fixed to wooden cleats complete i/c taking out existing mirror if any.	1	Each	1,000.00	
9	Providing and fixing approved quality stainless steel sink double bowl 48" x 20" Pak made (Atlas) or equivalent complete with brass oxidized bolt kit/angle iron brackets built into walls ½" dia CP sink mixer 1-1/4" rubber plug and CP brass chain 1-1/4" CP brass waste 1-1/4" dia malleable iron or CP brass bottle trap with malleable iron or brass unions and making			Khawaja M. Masoom Assistant Engineer (C University of Karach Karachi	Sh
	requisite number of holes in walls, plinth and floor for pipe connections and making good in cement concrete 1:2:4	3	Each	1\$,000.00	
0	P/F u P.V.C P-Trap 4" dia with S.S Jali OR Equivalent i/c cutting hole and making good damages in c.c.	4	Each	1,000.00	
21	P/F ½" dia Chrome bib cock of approved make fix in G.I line with all necessary fitting	4	Each	1,800.00	



					P-4	1
S.#	ITEMS OF WORK.	Quantity	Unit	Estimate	ed Cost	
22	P/F ½" dia Chrome plated concealed stop cock, T-stop cock and stop cock with all necessary fitting P/F ½" dia Chrome plated concealed stop cock, T-stop cock and stop cock with all necessary fitting Complete.	4	Each	1,60	00.00	
23	P/F tower bolt / sliding bolt and door handle fixed on wooden shutter with screw etc complete i/c taking out old tower bolt.	25	Each	1,2	50.00	
24	Providing and fixing collapsible steel shutter or gate with vertical channels, flat iron diagonal top and bottom rails with steel rollers of required size, T-iron bottom track riveting the junctions, including locking arrangements and handles, cutting and making good damages to walls etc. painting two coats of enamel paint of (GOBI'S) make OR Equivalent and shade over a single coat of red oxide paint (GOBI'S) make, OR Equivalent fixing bottom track with C.C 1:2:4 complete as required in any floor.		Sft	36,3	11.00	
25	Providing manhole type "A" 2' x 1'-6" x 2' deep as per approved design and specifications complete for to 12" dia pipes up to 3'-11" depth with cast iron cover and frame 16" dia inside fixed in 4" thick RCC 1:2:4 slab, 8" thick c.c. 1:3:6 c.c 1:3:6 block masonry walls set in 1:3 C.M, 6" thick 1:3:6 c.c in foundation 1:2:4 c.c in benching, ½" thick cement plaster in 1:3 C.M to all inside & outside wall surface, channels and benching etc. and to top including making requisite number of main and branch channels i/c the cost of excavation back filling and disposal of excavated stuff, manhole cover and frame.	4	Each	Khawaja J Assistant	M. Masoc	The state of the s
26	Providing and laying Cement fiber bitumen coated pipe, approved make for sewer line, including cost of cutting, fitting and jointing with asphalt composition and cement mortar 1:1, including cost of excavation of trench up to required depth and back fills the excavated material in trench including testing with water to a pressure head of 80' feet complete, jointing with existing sewer line as directed by engineer in-charge. 6" dia	100′	Rft		ty of Ka Irachi.	r (



S.#	ITEMS OF WORK.	Quantity	Unit	Estimated Cost
27	Providing and laying with mechanical mixing machine 2" thick C.C Screeding / floor 1:2:4 in panels, using graded screened bajri of ¾" and down gauge in any floor's roof slab, including consolidation, finishing, making chamfer the corners and curing etc. complete, .	645'	Sft	19,691.85
28	Painting iron/wood work with ready mixed paint of approved make and shade two coats complete at any height in any floor (GOBI'S) or equivalent make.	860'	Sft	8,084.00
29	Oil bound distempering with distemper of approved make and shade in three coats including scraping, sand papering, dusting, and filling the holes, cracks and inequalities, if any at any height in any floor (GOBI'S)) or equivalent make.	4560′	Sft	34,245.60
30	Providing and laying RCC lintel approved quality as required at site.	40′	Rft	4,000.00
31	Providing and fixing Bronz anodized partly glazed with 5mm thick tinted glass and partly fixed with aluminum strips, aluminum hinged door with frame as per British standard manufactured by Lucky, Alcop, Krudson, Pakistan cables and A.C.P, Deluxe model or equivalent section 101.6mm x 30mm and 2mm thick including aluminum fittings with all accessories cutting hole, locking arrangement etc. and making good damages to walls etc. complete as required in any floor as per direction of engineer-in charge, including the cost of glass pans.	21'	Sft	11,665.71
32	Providing and fixing 2' x 2' C.I cover with frame GMP (H) makes or equivalent including locking arrangement complete as required at site.	1	Each	3,000.00
33	Providing and applying SBR Chemical (U.A.E Make) or equivalent at exiting roof slab's surface for treatment of water proofing work, mixing composition 1 ½ kg neat cement mix in water and added in niro one(1) gallon of SBR chemical's bottle and applying with paint brushes at required surface, as directed by engineer in-charge as required at site	645′	Sft	7,740.00
	required desites.		TOTAL	12,32,454.00

(Rupees Twelve lac thirty two thousand four hundred fifty four only)

Khawaja M. Masoom Ghori Assistant Engineer (Civil) University of Karachi Karachi.

University Engineer



Phone: 99261366

99261300-6

Ext: 2247

08-06-2016

Date of Opening:-Time of Opening:-

02:30 P.M.

Place of Opening:-

Engineering Department University of Karachi Karachi-75270 Office of the University Engineer, Engineering Department, University of

Work:-

Construction of Animal House 25' x 20'for Pharmacology department,

	University of Karachi.			Te	nder # 02	
S.	ITEMS OF WORK.	QTY.	RATE.	UNIT.	AMOUI	NT
ŧ.						at.
1	Excavation for foundation trenches and drains in all kinds of soil and back filling the excavated material in foundation, plinth or under floor including breaking clods, watering, consolidation by ramming in layers not exceeding 9" in depth to full compaction, dressing and disposal of surplus excavated stuff as directed, lead up to one chain and lift up to 5' 1.Soil.	807'	<i>x</i>	Cft		
	2.Hard rock	345'		Cft		
2	Bailing or pumping out sub-soil water during excavation or concreting etc. (trench volume below sub soil water level and concrete level respectively to be paid) once after final excavation and once after concreting.	576'		Cft	,	41
3	Providing and laying 1:4:8 (1 cement 4 sand and 8 coarse aggregate) cement concrete using graded stone ballast 2" and down gauge in foundation including leveling, compacting and curing etc. complete.	502'		Cft		-
4	Supplying earth from approved outside sources including digging, loading and unloading and filling in foundation trenches, plinth or under floor, etc. including breaking clods, dressing, watering and consolidation by ramming in layers not exceeding 9" in depth to full compaction complete within a lead of one chain and lift of 5'.	684'		Cft		
5	Providing and laying with mechanical mixing machine reinforced cement, concrete using screened graded bajri ¾" and down gauge having a minimum works cube crushing strength of 2250 lbs. per sq. inch at 28 days with a mix not leaner than 1:2:4 in ordinary slab 5" to 6" thick including form work and its removal compacting with vibrator and curing etc. complete but excluding the cost of					**
6	reinforcement, in any floor complete. Providing and laying cold worked ribbed deformed steel reinforcement bars with minimum yield stress of 40,000 psi (AMRELI / RAZAQ) or equivalent make with and including the cost of straightening, cutting, bending, binding, wastage, and such overlaps as are not shown over the drawings,	930′		Cft	1	
	placing in position on cement concrete 1:2:4, precast or M.s. chair tying with binding wire etc. cost of chairs and wires etc. Complete in all kinds of RCC work at any height.	2500	7	, KG		



7	Providing and laying 1:3:6 cement concrete solid block masonry 4" to 6" thick using graded screened bajri ¾" and down gauge set in cement mortar 1:1:6 including scaffolding, raking out joints and curing					*1
	etc. complete in any floor superstructure.	620'		Cft		
8	3/4" thick cement plaster 1:6 on walls, ceiling and columns etc in any floor including making edges, corners, and curing etc, complete internal &	020				
	external surface of room in any floor.	4560'		Sft		
9	Providing and fixing best quality deodar wood frames for doors, windows, ventilators, clerestory windows, shelves, partitions, trellis work, etc. as required at site. i/c cost of taking out existing frame complete.	13.11'		Cft		
10		15.11		CIL		
10	Providing and fixing 1 ½" thick best quality deodar wood solid flush door, fully flush with commercial ply wood (5 ply), approved iron hinges, door lock Babar (808), sliding bolt complete as required at site. i/c cost of taking out existing door shutters complete. Note: Any flush door would be checked by Engineer in-charge randomly i.e taking out commercial ply to check the laying of wood properly as directed by Engineer in-charge, This all		5	-	8	
	process's cost bear by contractor.	170'		Sft		
11	Providing & fixing hot dipped galvanized fully glazed with 5mm thick glass, single leaf hung steel	170	C	Sit		
	doors, windows and ventilators made of "Z" channel of approved section comprising of frame and shutter frame, beading for fixing glass panes, clamping the screws at 4 inches center to center, rubber packing for glazing, painting two coats of enamel paint over a two coats of red oxide paint including using iron lugs, cutting holes and making good damages to walls etc. complete as required in	205/		Sft		
12	any floor including the cost of glass panes. Providing and fixing iron grills with required section of 3/8" sq. bar iron as per approved design including welding all sides of the section at the junction, and fixing with sunk iron screws, painting two coats of enamel paint of (GOBI'S) make OR Equivalent over a single coat of red oxide paint of (GOBI'S) make OR Equivalent, etc. complete as required in any floor in masonry or concrete work.	135'		Sft		d*
13	Providing and laying light colour, non-glazed/nonskid vitrified porcelean tiles (Polished) not exceeding 1600 Sqcm each, (Pak made) on walls and floors, in any floor, laid with dry bond (stile bond) over a base of 1" thick cement mortar (1:3) including jointing to tiles with joint filler of approved quality as per direction of the Engineer incharge.	620′		Sft		41



14	P/F un-platisized polyvinyl chloride pipe (u.P.V.C) SDR schedule-"80" approved make or equivalent with specials and clamps etc i/c cutting, fittings and jointing (Band,Tee,Y-Tee,cowel etc) complete with and including the cost of breaking through walls and roof and making good damages i/c taking out existing Pipe with fitting i/c cost of taking out existing pipe. 3/4" dia u.P.V.C For Water 1 ½" dia u.P.V.C (Water) 4" dia (Sewerage) i/c cost of cutting, fittings and jointing (Band,Tee,Y-Tee,cowel etc) complete with and including the cost of breaking through walls and roof and making good damages i/c taking out existing Pipe with fitting i/c cost of taking out existing Pipe with fitting i/c cost of taking out existing pipe,. Excavation & back filling up to required depth & width if required.	130' 160'		Rft. Rft.		a ¹
	required depth & width ii required	100		KIL.		
15	P/F S.Steel Handle valve Italy Make OR Equivalent approved make, fix in G.I and c.PVC line with all necessary fitting complete etc. 3/4" dia.	6		Each		**
16	B-1½" dia.	2		Each		
16	Making connection with the existing G.I pipe & c.PVC pipe up to 2" dia i/c cutting the pipe and providing fixing necessary fitting.	1		Each		
17	P/F 22'x16" lavatory Hand wash basin glazed approved make complete with and i/c the cost of pedestal, bracket, waste, waste pipe 1 ¼" dia, side pillar cock approved make, plastic connection, stop cock, glazed P-trap with S.S Jali and making requisite number of holes in walls, plinth, ceiling and floor for pipe connection and making good in cement concrete 1:2:4 complete.	1		Each		
18	P/F 24"x18" beveled edges looking mirror of Belgium glass with 1/8" thick hard board and screw fixed to wooden cleats complete i/c taking out existing mirror if any.	1		Each		41
19	Providing and fixing approved quality stainless steel sink double bowl 48" x 20" Pak made (Atlas) or equivalent complete with brass oxidized bolt kit/angle iron brackets built into walls ½" dia CP sink mixer 1-1/4" rubber plug and CP brass chain 1-1/4" CP brass waste 1-1/4" dia malleable iron or CP brass bottle trap with malleable iron or brass unions and making requisite number of holes in walls, plinth and floor for pipe connections and making good in cement concrete 1:2:4	3		Each		
20	P/F u P.V.C P-Trap 4" dia with S.S Jali OR			Lacii		-
20	Equivalent i/c cutting hole and making good damages in c.c.	4	=	Each		
21	P/F ½" dia Chrome bib cock of approved make fix				*	41
	in G.I line with all necessary fitting	4	3	Each		



22	P/F ½" dia Chrome plated concealed stop cock, T-stop cock and stop cock with all necessary fitting P/F ½" dia Chrome plated concealed stop cock, T-stop cock and stop cock with all necessary fitting Complete.	4		Each		
23	P/F tower bolt / sliding bolt and door handle fixed on wooden shutter with screw etc complete i/c taking out old tower bolt.	25		Each		41
24	Providing and fixing collapsible steel shutter or gate with vertical channels, flat iron diagonal top and bottom rails with steel rollers of required size, T-iron bottom track riveting the junctions, including locking arrangements and handles, cutting and making good damages to walls etc.					
^	painting two coats of enamel paint of (GOBI'S) make OR Equivalent and shade over a single coat of red oxide paint (GOBI'S) make, OR Equivalent fixing bottom track with C.C 1:2:4 complete as required in any floor.	100′		Sft	29	4'
25	Providing manhole type "A" 2' x 1'-6" x 2' deep as per approved design and specifications complete for to 12" dia pipes up to 3'-11" depth with cast iron cover and frame 16" dia inside fixed in 4" thick RCC 1:2:4 slab, 8" thick c.c. 1:3:6 c.c 1:3:6 block masonry walls set in 1:3 C.M, 6" thick 1:3:6 c.c in foundation 1:2:4 c.c in benching, ½" thick					•
	cement plaster in 1:3 C.M to all inside & outside wall surface, channels and benching etc. and to top including making requisite number of main and branch channels i/c the cost of excavation back filling and disposal of excavated stuff, manhole cover and frame.	4	,	Each		
26	Providing and laying Cement fiber bitumen coated pipe, approved make for sewer line, including cost of cutting, fitting and jointing with asphalt composition and cement mortar 1:1, including cost of excavation of trench up to required depth and back fills the excavated material in trench including testing with water to					**
	a pressure head of 80' feet complete, jointing with existing sewer line as directed by engineer in-charge. 6" dia	100′		Rft		



27	Providing and laying with mechanical mixing machine 2" thick C.C Screeding / floor 1:2:4 in panels, using graded screened bajri of ¾" and down gauge in any floor's roof slab, including consolidation, finishing, making chamfer the corners and curing etc. complete,	645′		Sft		
28	Painting iron/wood work with ready mixed paint of approved make and shade two coats complete at any height in any floor (GOBI'S) or equivalent make.	860′		Sft	.1	at .
29	Oil bound distempering with distemper of approved make and shade in three coats including scraping, sand papering, dusting, and filling the holes, cracks and inequalities, if any at any height in any floor (GOBI'S)) or equivalent make.	4560′	×	Sft	10	
30	Providing and laying RCC lintel approved quality as required at site.	40'		Rft		
31	Providing and fixing Bronz anodized partly glazed with 5mm thick tinted glass and partly fixed with aluminum strips, aluminum hinged door with frame as per British standard manufactured by Lucky, Alcop, Krudson, Pakistan cables and A.C.P, Deluxe model or equivalent section 101.6mm x 30mm and 2mm thick including aluminum fittings with all accessories cutting hole, locking arrangement etc. and making good damages to walls etc. complete as	21'		Sft		
	required in any floor as per direction of engineer-in charge, including the cost of glass pans.	21		310		
32	Providing and fixing 2' x 2' C.I cover with frame GMP (H) makes or equivalent including locking arrangement complete as required at site.	1	4	Each		
33	Providing and applying SBR Chemical (U.A.E Make) or equivalent at exiting roof slab's surface for treatment of water proofing work, mixing composition 1 ½ kg neat cement mix in water and added in niro one(1) gallon of SBR chemical's bottle and applying with paint brushes at required surface, as directed by engineer in-charge as required at site	645′		Sft		at.
- 1				TOTAL		

UNIVERSITY ENGINEER.

ASSISTANT EXECUTIVE ENGINEER (CIVIL)

Instruction to Bidders (ITB) Preparation of Bids

- 1. Scope of Work: The University of Karachi plans to develop / acquire a comprehensive integrated solution to meet the requirement of Construction of Animal House 25'x20' for Pharmacology department, University of Karachi.
- 2. Method and Procedure of Procurement: National Competitive Bidding Single Stage One Envelope Procedure as per SPP Rules 2010 (updated 2013).
- 3. Language of Bid: The bid prepared by the Bidder, as well as all correspondence and documents relating to the bid exchanged by the Bidder and the Procuring Agency shall be written in English language.
- **4. Documents Comprising the Bid:** The bid prepared by the Bidders shall comprise the following components:
 - (a) Price Schedule completed in accordance with ITB Clauses 5, 6 and 7.
 - (b) Bid security furnished in accordance with ITB Clause 10.
- 5. Bid Prices:
- 6. 5.1 The Bidder shall indicate on the appropriate Price Schedule the unit prices (where applicable) and total bid price of the Construction of Animal House 25'x20' for Pharmacology department, University of Karachi under the contract.
- 5.2 The prices shall be quoted inclusive of all taxes, stamps, duties, levies, fees and installation and integration charges imposed till the delivery of services specified in the Schedule of Requirements. No separate payment shall be made for the incidental services.
- 5.3 Prices quoted by the Bidder shall remain fixed during the Bidder's performance of the contract and not subject to variation on any account, unless otherwise specified in the Bid Data Sheet.
- 5.4 Prices shall be quoted in Pak Rupees.
- 7. **Bid Form:** The Bidder shall complete the Bid Form and the appropriate Price Schedule furnished in the bidding documents, indicating the material to be supplied and fixed, their descriptions and prices.
- 8. Bid Currencies: Prices shall be quoted 111 Pak, Rupees.
- 9. Document Establishing Bidders Eligibility and Qualification: The Bidder shall furnish as part of its bid, documents establishing the Bidder's eligibility to bid and its qualifications to perform the contract if its bid is accepted.
 - (a) That the Bidder has the financial and technical capability necessary to perform the contract.
 - (b) That the Bidder meets the qualification criteria listed in the Bid Data Sheet.
- 10. Documents Eligibility and Conformity to Bidding Documents: The documentary evidence of conformity of the goods to the bidding documents may be in the form of literature and data.
- 11. Bid Security:
- **10.1** The bid security is required to protect the Procuring agency against the risk of Bidder's conduct, which would warrant the security's forfeiture.

The bid security shall be denominated in the currency of the bid:

- (a) 2% Bid Security should be deposited with the bid;
- (b) be submitted in its original form; copies will not be accepted;
- (c) remain valid for a period of at least 14 days beyond the original validity period of bids, or at least 14 days beyond any extended period of bid validity.

- 10.2 Bid securities shall be released to the unsuccessful bidders once the contract has been signed with the successful bidder or the validity period bas expired.
- 10.3 The successful Bidder's bid security shall be discharged upon the Bidder signing the contract, and furnishing the performance security.
- 10.4 The bid security may be forfeited:
 - (a) if a Bidder withdraws its bid during the period of bid validity or
 - (b) in the case of a successful Bidder, if the Bidder fails:
 - (i) to sign the contract in accordance or
 - (ii) to furnish performance security.

11. Period of Validity of Bids:

- 11.1 Bids shall remain valid for the period specified in the Bid Data Sheet after the date of bid submission prescribed by the Procuring agency. A bid valid for a shorter period shall be rejected by the Procuring agency as non responsive.
- 11.2 In exceptional circumstances, the Procuring Agency may solicit the Bidder's consent to an extension of the period of validity. The request and the responses thereto shall be made in writing. The bid security shall also be suitably extended as per Rule-38 of SPP Rules, 20 I 0 (updated 2013). A Bidder may refuse the request without forfeiting its bid security. A Bidder granting the request will not be required nor permitted to modify its bid.

12. Format and Signing of Bid:

- 12.1 The Bidder shall prepare an original and the number of copies of the bid indicated in the Bid Data Sheet, clearly marking each "ORIGINAL BID" and "COPY OF BID" as appropriate. In the event of any discrepancy between them, the original shall govern.
- 12.2 The original and the copy or copies of the bid shall be typed or written in indelible ink and shall be signed by the Bidder or a person or persons duly authorized to bind the Bidder to the contract. All pages of the bid, except for un-amended printed literature, shall be initialed by the person or persons signing the bid.
- 12.3 Any interlineations, erasures, or overwriting shall be valid only if they are initialed by the person or persons signing the bid.

Submission of Bids

13. Sealing and Marking of Bids:

- 13.1 The Bidder shall seal the original and each copy of the bid in envelopes, duly marking the envelopes as "ORIGINAL BID" and "ONE COPY". The outer envelopes shall be addressed to the Procuring agency at the address given in the Bidding Documents, and carry statement "DO NOT OPEN BEFORE 08-06-2016.
- 13.2 If the outer envelope is not sealed and marked as required, the Procuring Agency shall assume no responsibility for the bid's misplacement or premature opening.

14. Deadline for Submission of Bids:

- **14.1** Bids must be received by the Procuring Agency at the address specified in Bidding Documents, not later than the time and date specified in the Bid Data Sheet.
- 14.2 The Procuring Agency may, at its discretion, extend this dead line for the submission of bids by amending the bidding documents. In such case all rights and obligations of the Procuring agency and bidders previously subject to the deadline will thereafter be subject to the deadline as extended.
- 15. Late Bids: Any bid received by the Procuring Agency after the deadline for submission of bids prescribed by the Procuring agency shall be rejected and returned unopened to the Bidder.

16. Modification and Withdrawal of Bids:

- 16.1 The Bidder may modify or withdraw its bid after the bid's submission, provided that written notice of the modification, including substitution or withdrawal of the bids, is received by the Procuring agency prior to the deadline prescribed for submission of bids.
- 16.2 No bid may be modified after the deadline for submission of bids.
- 16.3 No bid may be withdrawn in the interval between the deadline for submission of bids and the expiry of the period of bid validity. Withdrawal of a bid during this interval may result in the Bidder's forfeiture of its bid security.

Opening and Evaluation of Bids

17. Opening of Bids by the Procuring agency:

- 17.1 The Procuring agency shall open all bids in the presence of bidders' representatives who choose to attend, at the time, on the date, and at the place specified in the Bid Data Sheet. The bidders' representatives who are present shall sign a register/attendance sheet evidencing their attendance.
- 17.2 The Bidders' names, bid modifications or withdrawals, bid prices, discounts, and the presence or absence of requisite bid security and such other details as the Procuring agency may consider appropriate, will be announced at the opening.
- 18. Clarification of Bids: During evaluation of the bids, the Procuring agency may ask the Bidder for a clarification of its bid. The request for clarification and the response shall be in writing, and no change in the prices or substance of the bid shall be sought, offered, or permitted.
- 19. Preliminary Examination:
- 19.1 The Procuring agency shall examine the bids to determine whether they are complete, whether any computational errors have been made, whether required sureties have been furnished, whether the documents have been properly signed, and whether the bids are generally in order.
- 19.2 Arithmetical errors will be rectified on the following basis. If there is a discrepancy between the unit price and the total price that is obtained by multiplying the unit price and quantity, the unit price shall prevail, and the total price shall be corrected. If the Supplier does not accept the correction of the errors, its bid will be rejected, and its bid security may be forfeited. If there is a discrepancy between words and figures, the amount in words will prevail.
- 19.3 Prior to the detailed evaluation, the Procuring agency will determine the substantial responsiveness of each bid to the bidding documents. A substantially responsive bid is one which conforms to all the terms and conditions of the bidding documents without material deviations. Procuring agency's determination of a bid's responsiveness is to be based on the contents of the bid itself.
- 19.4 If a bid is not substantially responsive, it will be rejected by the Procuring agency and may not subsequently be made responsive by the Bidder by correction of the nonconformity.

20. Evaluation and Comparison of Bids:

- **20.1** The Procuring agency will evaluate and compare the bids which have been determined to be substantially responsive.
- 20.2 The Procuring agency's evaluation of a bid will be on delivery to consignee's end inclusive of all taxes, stamps, duties, levies, fees and execution charges imposed till the delivery location.

21. Contacting the Procuring agency:

21.1 No Bidder shall contact the Procuring agency on any matter relating to its bid, from the time of the bid opening to the time of announcement of Bid Evaluation Report. If the Bidder wishes to bring additional information to the notice of the Procuring agency, it should do so in writing.

21.2 Any effort by a Bidder to influence the Procuring agency in its decisions on bid evaluation, bid comparison, or contract award may result in the rejection of the Bidder's bid.

Award of Contract

22. Post-qualification:

- 22.1 In the absence of prequalification, the Procuring agency may determine to its satisfaction whether that selected Bidder having submitted the lowest evaluated responsive bid is qualified to perform the contract satisfactorily.
- 22.2 The determination will take into account the Bidder's financial and technical capabilities. It will be based upon an examination of the documentary evidence of the Bidder's qualifications submitted by the Bidder, pursuant to ITB Clause 7 as well as such other information as the Procuring agency deems necessary and appropriate.
- 22.3 An affirmative determination will be a prerequisite for award of the contract to the Bidder. A negative determination will result in rejection of the Bidder's bid, in which Procuring agency will proceed to the next lowest evaluated bid to make a similar determination of that Bidder's capabilities to perform satisfactorily.
- 23. Award Criteria: The Procuring agency will award the contract to the successful Bidder whose bid has been determined to be substantially responsive and has been determined to be the lowest evaluated bid, provided further that the Bidder is determined to be qualified to perform the contract satisfactorily.
- 24. Procuring Agency's right to accept any Bid and to reject any 01' all Bids:
- **24.1** Subject to relevant provisions of SPP, Rules, 20I0 (Amended 2013), the Procuring agency reserves the right to accept or reject any bid, and to annul the bidding process and reject all bids at any time prior to contract award.
- **24.2** Pursuant to Rule 45 of SPP Rules 20 I 0 (updated 2013), Procuring agency shall hoist the evaluation report on Authority's web site, and intimate to all the bidders seven days prior to notify the award of contract.

25. Notification of Award:

- **25.1** Prior to the expiration of the period of bid validity, the Procuring agency shall notify the successful Bidder in writing, that its bid has been accepted.
- **25.2** Upon the successful bidders furnishing of the performance security pursuant to ITB clause 26, the Procuring Agency will promptly notify each unsuccessful bidder and will release their bid security.

26. Signing of Contract:

- **26.1** At the same time as the Procuring agency notifies the successful Bidder that its bid has been accepted, the Procuring agency will send the Bidder the Contract Form provided in the bidding documents, incorporating all agreements between the parties.
- **26.2** Within the period specified in BDS, of receipt of the Contract Form, the successful Bidder shall sign and date the contract and return it to-the Procuring agency.

27. Performance Security:

- 27.1 Within the period specified in BDS of the receipt of notification of award from the Procuring agency, the successful Bidder shall furnish the performance security in accordance with the condition of contract. In the Performance Security Form provided in the Bidding Document or in another form acceptable to the Procuring agency.
- 27.2 Failure of the successful Bidder to comply with the requirement of ITB Clause constitute sufficient grounds for the annulment of the award and forfeiture of the bid security, in which event the Procuring agency may make the award to the next lowest evaluated Bidder or call for new bids.

- 28. Corrupt or Fraudulent Practices: The Government of Sindh requires that Procuring Agency's (including beneficiaries of donor agencies' loans), as well as Bidders/ Suppliers/ Contractors under Government- financed contracts, observe the highest standard of ethics during the procurement and execution of such contracts. In pursuance of this policy, the SPPRA "in accordance with the S PP Act, 2009 and Rules made there under:
- (a) "Corrupt and Fraudulent Practices" means either one or any combination of the practices given below;
 - (i) "Coercive Practice" means any impairing or harming, or threatening to impair or harm, directly or indirectly, any patty or the property of the patty to influence the actions of a party to achieve a wrongful gain or to cause a wrongful loss to another patty;
 - (ii) "Collusive Practice" means any arrangement between two or more parties to the procurement process or contract execution, designed to achieve with or without the knowledge of the procuring agency to establish prices at artificial, noncompetitive levels for any wrongful gain;
 - (iii) "Corrupt Practice" means the offering, giving, receiving or soliciting, directly or indirectly, of anything of value to influence the acts of another party for wrongful gain;
 - (iv) "Fraudulent Practice" means any act or omission, including a misrepresentation, that knowingly or recklessly misleads, or attempts to mislead, a party to obtain a financial or other benefit or to avoid an obligation;
- (b) "Obstructive Practice" means harming or threatening to harm, directly or indirectly, persons or their property to influence their participation in a procurement process, or affect the execution of a contract or deliberately destroying, falsifying, altering or concealing of evidence material to the investigation or making false statements before investigators in order to materially impede an investigation into allegations of a corrupt, fraudulent, coercive or collusive practice; or threatening, harassing or intimidating any party to prevent it from disclosing its knowledge of matters relevant to the investigation or from pursuing the investigation, or acts intended to materially impede the exercise of inspection and audit rights provided for under the Rules.

Bid Data Sheet

The following specific data for Construction of Animal House 25'x20' for Pharmacology department, University of Karachi to be procured shall complement, supplement, or amend the provisions in the Instructions to Bidders (ITB). Whenever there is a conflict, the provisions herein shall prevail over those in ITB.

	Introduction	
ITB 1	Name and address of Procuring Agency:	8 - 1
	Engineering Department, University of Karachi, Karachi.	
ITB 1	Name of Contract:	
	Construction of Animal House 25'x20' for Pharmacology dep	artment,
	University of Karachi	
	Bid Price and Currency	
ITB 5	Prices quoted by the Bidder shall be "fixed" and in" Pak Rupees"	
	Preparation and Submission of Bids	
ITB20	Qualification requirements:	
	Authorized Agent (Valid Agency Certificate required).	
	2. Complete Company Profile.	
	Valid Registration with Tax Authorities required.	
	4. Relevant Experience of at least last one (I) year.	
	5. Rs. 1.0 Million per year Turnover of last three (3) years.	
TB8	Amount of bid security:	
	2 % of Bid Value	
ITB9	Bid validity period:	
	90 days	
TB 10	Performance Guarantee:	
	10% of the Work Order Value.	
ITB 11	Number of copies:	В.
	One Original	
TB 20.1	Deadline for bid submission:	
	08-06-2016	
TB 20.1	Bid Evaluation:	
	Lowest Evaluated Bid	
	Under following conditions, Bid will be rejected:	
	1. Conditional tenders/bids;	
	2. Bids not accompanied by bid security (Earnest Money);	
	3. Bids received after specified date and time;	
	4. Bidder submitting any false information;	
	5. Black Listed Firms by Sindh Government or any entity of it	

BID SUMMARY SHEET TENDER NOTICE

The tender will rejected if this form will not accompany the tender bid.

S. No	Bid Value	Price in PKR		
			1	
		×		
		7		, =
	7			
-				-
		н —		- ",
		Total Bid Value In PKR		
	Far	nest Money @ 2% In PKR		
Pay Ord	er/Demand Draft No:	nest Money (a) 270 m r KK	Date:	
Signatur		Seal:		
		,		
				= 1
				1 T
		- 1		

TERMS & CONDITIONS

- The Procuring Agency may reject all bids at any time prior to the acceptance of a bid under SPP-Rules, 20 10.
- 2% Bid Security should be deposited on the total cost of the quoted amount with the bidding documents in shape of pay order drawn in favor of University of Karachi.
- > Bids not accompanied by the 2% Bid Security will not be considered.
- Copies of the Sales Tax Registration and NTN are to be attached with the bidding documents
- The quoted price shall be inclusive all applicable Govt. Taxes and charges.
- Procurement Committee shall finalize the bids in light of SPP-Rules, 20 10 clause (8).
- The bidders are requested to submit their bids along with the bid validity period.
- Complete details specification/information to be provided about the products and firm by the bidder.
- Prices shall be quoted in Pak rupees.
- The method of procurement is open competitive bidding single stage one envelop procedure.
- The bids shall be evaluated on the following criterion.
 - o Quality basis
 - Specification mentioned as in the bidding documents
- The prices to be quoted shall be filled in the bidding documents mandatory.
- The successful bidders who execute to contract shall be liable to forfeiture of their bid security as a penalty.
- The last date of issuance of bidding document is day 07-06-2016 at 3:00 p.m.
- The last date of receipt of bidding document is 08-06-2016 at 11:30 a.m. The bids shall be opened on the same day at 02:30 p.rn in presence of the bidders who may wish to be present.
- In case of any holiday or disturbance the bids shall be opened on the next working day as per schedule.
- The Tender Notice shall be available on the Official website www.pprasindh.gov.pk as well as Procuring Agency's website www.uok.eclu.pk

Total Amount		
(Rupees	O.	Only)
(Total Earnest Money Rs.		

SIGNATURE OF THE PROPRIETOR AND RUBBER STAMP OF THE COMPANY University Engineer

Phone: 99261366 99261300-6

Ext:

2247

Ref. No. by 1

Work:-

Engineering Department
University of Karachi
Kanachier#50370

Construction of Boundary wall, Construction of waiting room, Construction of walk way of Boys Hostel, University of Karachi.

S. #.	ITEMS OF WORK.	Quantity	UNIT.	Estimated cost
1	Construction of boundary wall. Excavation for foundation trenches and drains in all kinds of soil and back filling the excavated material in foundation, plinth or under floor including breaking clods, watering, consolidation by ramming in layers not exceeding 9" in depth to full compaction, dressing and disposal of surplus excavated stuff as directed, lead up to one chain and lift up to 5'	2767.5′	Cft	7,140.15
2	Felling trees of any height, girth exceeding one foot, cutting into portable pieces, taking out their entire roots and filling the hollow with earth complete with dressing, consolidating and watering the filling including stacking the serviceable material as directed, lead up to 10 chains.	3	Each	1,500.00
3	Providing and laying 1:4:8 (1 cement 4 sand and 8 coarse aggregate) cement concrete using graded stone ballast 2" and down gauge in foundation including leveling, compacting and curing etc. complete.	490.5′	Cft	33,344.19
4	Providing and laying with mechanical mixing machine reinforced cement concrete using screened graded bajri ¾" and down gauge having a minimum works cube crushing strength of 2250 lbs. per sq. inch at 28 days with a mix not leaner than 1:2:4 in ordinary slab 5" to 6" thick including form work and its removal compacting with vibrator and curing etc. complete but excluding the cost of reinforcement, in ground floor complete.	1051.5′	Cft	1,38,656.04
5	Providing and laying ribbed deformed steel reinforcement bars with minimum yield stress of 60,000 psi (AMRELI / RAZAQ) make or equivalent with and including the cost of straightening, cutting, bending, binding, wastage, and such overlaps, placing in position on cement concrete 1:2:4 inclusive m.s. chairs, tying with binding wire, etc. cost of chair and wires complete in all kinds of RCC work.	2800	KG	225,680.00
6	Providing and laying 1:3:6 cement concrete solid block masonry 4" to 6" thick using graded screened bajri ¾" and down gauge set in cement mortar 1:1:6 including scaffolding, raking out joints and curing etc. complete in any floor superstructure.	1059.76	Cft	1,02,468.18

Khawaja M. Masoong Ghori Khawaja M. Masoong (Civil) Khawaja M. Masoong (Civil) Assistant Engineer University of Karachi Karachi.



S. #.	ITEMS OF WORK.	Q uantity	UNIT.	Estimated cos
7	34" thick cement plaster 1:6 on walls, ceiling and columns etc in any floor including making edges, corners, and curing etc, complete internal & external surface of room.	5400′	Sft	69,822.00
8	Oil bound distempering with distemper of approved make and shade in three coats including scraping, sand papering, dusting, and filling the holes, cracks and inequalities, if any at any height in any floor (ICI Paintex) make or equivalent.	5400'	Sft	31,914.00
9	Providing and fixing hot dipped galvanized fully panelled double leaf steel doors made to crittal or equivalent standard and of approved section with G.I sheet of 12 gauge including using approved brass section oxidized fittings, iron lugs, cutting holes and making good to walls etc. complete as required in any floor.	150′	Sft	39,892.50
10	Painting iron/wood work with ready mixed paint of approved make and shade two coats complete at any height in any floor (ICI) make or equivalent.	288'	Sft	3,788.64
11	Construction of waiting room. Excavation for foundation trenches and drains in all kinds of soil and back filling the excavated material in foundation, plinth or under floor including breaking clods, watering, consolidation by ramming in layers not exceeding 9" in depth to full compaction, dressing and disposal of surplus excavated stuff as directed, lead up to one chain and lift up to 5'	512'	Cft	1,320.96
12	Providing and laying 1:4:8 (1 cement 4 sand and 8 coarse aggregate) cement concrete using graded stone ballast 2" and down gauge in foundation including leveling, compacting and curing etc. complete.	216′	Cft	14683.68
13	Supplying earth from approved outside sources including digging, loading and unloading and filling in foundation trenches, plinth or under floor, etc. including breaking clods, dressing, watering and consolidation by ramming in layers not exceeding 9" in depth to full compaction complete within a lead of one chain and lift of 5'.	480'	Cft	7,401.60





S. #.	ITEMS OF WORK.	Quantity	UNIT.	Estimated cos
14	Providing and laying with mechanical mixing machine reinforced cement concrete using screened graded bajri ¾" and down gauge having a minimum works cube crushing strength of 2250 lbs. per sq. inch at 28 days with a mix not leaner than 1:2:4 in ordinary slab 5" to 6" thick including form work and its removal compacting with vibrator and curing etc. complete but excluding the cost of reinforcement, in ground floor complete.	498.5'	Cft	65,734.69
15	Providing and laying ribbed deformed steel reinforcement bars with minimum yield stress of 60,000 psi (AMRELI / RAZAQ) make OR equivalent with and including the cost of straightening, cutting, bending, binding, wastage, and such overlaps, placing in position on cement concrete 1:2:4 inclusive m.s. chairs, tying with binding wire, etc. cost of chair and wires complete in all kinds of RCC work.	1200	KG	96,720.00
16	Providing and laying 1:3:6 cement concrete solid block masonry 4" to 6" thick using graded screened bajri ¾" and down gauge set in cement mortar 1:1:6 including scaffolding, raking out joints and curing etc. complete in any floor superstructure.	340.24'	Cft	32,897.80
17	3/4" thick cement plaster 1:6 on walls, ceiling and columns etc in any floor including making edges, corners, and curing etc, complete internal & external surface of room.	1920′	Sft	24,825.60
18	Providing and laying with mechanical mixing machine 3" thick C.C floor in panels 1:2:4 using graded screened bajri of ¾" and down gauge in ground floor including consolidation, finishing, chamfer the corners and curing etc. complete,	240′	Sft	7,106.40
19	Providing and laying 2" thick C.C screeding 1:2:4 cast in situ using graded screened bajri of ½" and down gauge including compacting, curing, form work and its removal etc. complete with applying a coat of hot bitumen (asphalt 80/100 or equivalent) using 35 lbs. per hundred sq. feet on DPC after complete drying and cleaning the surface.	385'	Sft	9,274.65





S. #.	ITEMS OF WORK.	Quantity	UNIT.	Estimated cos
20	Providing and fixing hot dipped galvanized fully glazed with 5mm thick glass, single leaf hung steel window and ventilators made to critical or equivalent standard and of approved section including using approved brass section oxidized fittings, iron lugs, cutting holes and making good damages to walls etc. complete as required in any floor.	60'	Sft	13,893.30
21	Oil bound distempering with distemper of approved make and shade in three coats including scraping, sand papering, dusting, and filling the holes, cracks and inequalities, if any at any height in any floor (ICI Paintex) make or equivalent.	1920′	Sft	11,347.20
22	Providing and fixing iron grills with required section of 3/8" sq. bar iron as per approved design including welding all sides of the section at the junction, and fixing with sunk iron screws, painting two coats of enamel paint of (ICI) make or equivalent over a single coat of red oxide paint of (ICI) make or equivalent etc. complete as required in any floor in masonry or concrete work.	21'	Sft	2,310.00
23	Painting iron/wood work with ready mixed paint of approved make and shade two coats complete at any height in any floor (ICI) make or equivalent.	42'	Sft	552.51
24	Construction of walk way. Leveling and dressing the ground by cutting and filling earth up to 6" in depth including consolidating and watering, complete as required at site.	3330′	Sft.	4,995.00
25	Excavation for foundation trenches and drains in all kinds of soil and back filling the excavated material in foundation, plinth or under floor including breaking clods, watering, consolidation by ramming in layers not exceeding 9" in depth to full compaction, dressing and disposal of surplus excavated stuff as directed, lead up to one chain and lift up to 5'	320.5′	Cft	826.89
26	Providing and laying 1:4:8 (1 cement 4 sand and 8 coarse aggregate) cement concrete using graded stone ballast 2" and down gauge in foundation including leveling, compacting and curing etc. complete.	1803.5′	Cft	1,22,601.93





S. #.	ITEMS OF WORK.	Quantity	UNIT.	Estimated cost
27	Supplying earth from approved outside sources including digging, loading and unloading and filling in foundation trenches, plinth or under floor, etc. including breaking clods, dressing, watering and consolidation by ramming in layers not exceeding 9" in depth to full compaction complete within a lead of one chain and lift of 5'.	3420′	Cft	52,736.40
28	Providing & laying in Situ 1:2:4 (1 cement 2 sand and 4 coarse aggregate) cement concrete using crush graded boulders ¾" and down gauge in foundation, basement and plinth including form work, compacting, curing and removal of form work etc. complete, foundation and basement up to 5' depth and plinth up to 4' height from ground level.	350′	Cft	44,436.00
29	3" thick cement plaster 1:6 on walls, ceiling and columns etc in any floor including making edges, corners, and curing etc, complete internal & external surface of room.	1680′	Sft	21,722.40
30	Providing and laying with mechanical mixing machine 3" thick C.C floor in panels 1:2:4 using graded screened bajri of ¾" and down gauge in ground floor including consolidation, finishing, chamfer the corners and curing etc. complete,	3360′	Sft	99,489.60
31	Oil bound distempering with distemper of approved make and shade in three coats including scraping, sand papering, dusting, and filling the holes, cracks and inequalities, if any at any height in any floor (ICI Paintex) make OR equivalent.	1680′	Sft	9,928.80
			TOTAL	Rs.12,99,011/

(Rupees Twelve lac ninety nine thousand and eleven only)

Masoom Ghori Sistant Engineer (Civil) Iniversity of Karachi Karachi

University Engineer

Phone: 99261366

99261300-6

Ext: 2247

Ref. Whate of Opening:-

Work:-

Place of Opening:-

08-06-2016
02:30 P.M.
Office of the University Engineer, Engineering Department University of Karachi Karachi. Construction of Boundary wall, Construction of waiting room, Construction 5270

walk way of Boys Hostel, University of Karachi.

. 44		er # 03	DATE	LINUT	P-1	INIT
5. #.	ITEMS OF WORK.	QTY.	RATE.	UNIT.	AMOU	INI
1	Construction of boundary wall. Excavation for foundation trenches and drains in all kinds of soil and back filling the excavated material in foundation, plinth or under floor including breaking clods, watering, consolidation by ramming in layers not exceeding 9" in depth to full compaction, dressing and disposal of surplus excavated stuff as directed, lead up to one chain and lift up to 5'	2767.5′		Cft		
2	Felling trees of any height, girth exceeding one foot, cutting into portable pieces, taking out their entire roots and filling the hollow with earth complete with dressing, consolidating and watering the filling including stacking the serviceable material as directed, lead up to 10 chains.	3	<u> </u>	Each	-	
3	Providing and laying 1:4:8 (1 cement 4 sand and 8 coarse aggregate) cement concrete using graded stone ballast 2" and down gauge in foundation including leveling, compacting and curing etc. complete.	490.5′		Cft		
4	Providing and laying with mechanical mixing machine reinforced cement concrete using screened graded bajri ¾" and down gauge having a minimum works cube crushing strength of 2250 lbs. per sq. inch at 28 days with a mix not leaner than 1:2:4 in ordinary slab 5" to 6" thick including form work and its removal compacting with vibrator and curing etc. complete but excluding the cost of reinforcement, in ground floor complete.	1051.5′	×	Cft		
5	Providing and laying ribbed deformed steel reinforcement bars with minimum yield stress of 60,000 psi (AMRELI / RAZAQ) make or equivalent with and including the cost of straightening, cutting, bending, binding, wastage, and such overlaps, placing in position on cement concrete 1:2:4 inclusive m.s. chairs, tying with binding wire, etc. cost of chair and wires complete in all kinds of RCC work.	2800		KG	41	
6	Providing and laying 1:3:6 cement concrete solid block masonry 4" to 6" thick using graded screened bajri ¾" and down gauge set in cement mortar 1:1:6 including scaffolding, raking out joints and curing etc. complete in any floor superstructure.	1059.76		Cft		



7	%" thick cement plaster 1:6 on walls, ceiling and columns etc in any floor including making edges, corners, and curing etc, complete internal & external surface of room.	5400′		Sft	
8	Oil bound distempering with distemper of approved make and shade in three coats including scraping, sand papering, dusting, and filling the holes, cracks and inequalities, if any at any height in any floor (ICI Paintex) make or equivalent.	5400′		Sft	
9	Providing and fixing hot dipped galvanized fully panelled double leaf steel doors made to crittal or equivalent standard and of approved section with G.I sheet of 12 gauge including using approved brass section oxidized fittings, iron lugs, cutting holes and making good to walls etc. complete as required in any floor.	150′	4	Sft	
10	Painting iron/wood work with ready mixed paint of approved make and shade two coats complete at any height in any floor (ICI) make or equivalent.	288'		Sft	4*
11	Excavation for foundation trenches and drains in all kinds of soil and back filling the excavated material in foundation, plinth or under floor including breaking clods, watering, consolidation by ramming in layers not exceeding 9" in depth to full compaction, dressing and disposal of surplus excavated stuff as directed, lead up to one chain and lift up to 5'	512′		Cft	d ¹
12	Providing and laying 1:4:8 (1 cement 4 sand and 8 coarse aggregate) cement concrete using graded stone ballast 2" and down gauge in foundation including leveling, compacting and curing etc. complete.	216′		Cft	
13	Supplying earth from approved outside sources including digging, loading and unloading and filling in foundation trenches, plinth or under floor, etc. including breaking clods, dressing, watering and consolidation by ramming in layers not exceeding 9" in depth to full compaction complete within a lead of one chain and lift of 5'.	480′		Cft	a!



14	Providing and laying with mechanical mixing machine reinforced cement concrete using screened graded bajri ¾" and down gauge having a minimum works cube crushing strength of 2250 lbs. per sq. inch at 28 days with a mix not leaner than 1:2:4 in ordinary slab 5" to 6" thick including form work and its removal compacting with vibrator and curing etc. complete but excluding the cost of reinforcement, in ground floor complete.	498.5'	Cft		
15	Providing and laying ribbed deformed steel reinforcement bars with minimum yield stress of 60,000 psi (AMRELI / RAZAQ) make OR equivalent with and including the cost of straightening, cutting, bending, binding, wastage, and such overlaps, placing in position on cement concrete 1:2:4 inclusive m.s. chairs, tying with binding wire, etc. cost of chair and wires complete in all kinds of RCC work.	1200	KG	ar.	
16	Providing and laying 1:3:6 cement concrete solid block masonry 4" to 6" thick using graded screened bajri ¾" and down gauge set in cement mortar 1:1:6 including scaffolding, raking out joints and curing etc. complete in any floor superstructure.	340.24′	Cft	, -	
17	%" thick cement plaster 1:6 on walls, ceiling and columns etc in any floor including making edges, corners, and curing etc, complete internal & external surface of room.	1920′	Sft	41	
18	Providing and laying with mechanical mixing machine 3" thick C.C floor in panels 1:2:4 using graded screened bajri of ¾" and down gauge in ground floor including consolidation, finishing, chamfer the corners and curing etc. complete,	240′	Sft		
19	Providing and laying 2" thick C.C screeding 1:2:4 cast in situ using graded screened bajri of ¾" and down gauge including compacting, curing, form work and its removal etc. complete with applying a coat of hot bitumen (asphalt 80/100 or equivalent) using 35 lbs. per hundred sq. feet on DPC after complete drying and cleaning the surface.	385'	Sft	a!	



20	Providing and fixing hot dipped galvanized fully glazed with 5mm thick glass, single leaf hung steel window and ventilators made to critical or equivalent standard and of approved section including using approved brass section oxidized fittings, iron lugs, cutting holes and making good damages to walls etc. complete as required in any floor.	60'	Sft	
21	Oil bound distempering with distemper of approved make and shade in three coats including scraping, sand papering, dusting, and filling the holes, cracks and inequalities, if any at any height in any floor (ICI Paintex) make or equivalent.	1920′	Sft	
22	Providing and fixing iron grills with required section of 3/8" sq. bar iron as per approved design including welding all sides of the section at the junction, and fixing with sunk iron screws, painting two coats of enamel paint of (ICI) make or equivalent over a single coat of red oxide paint of (ICI) make or equivalent etc. complete as required in any floor in masonry or concrete work.	21'	Sft	
23	Painting iron/wood work with ready mixed paint of approved make and shade two coats complete at any height in any floor (ICI) make or equivalent.	42'	Sft	
24	Construction of walk way. Leveling and dressing the ground by cutting and filling earth up to 6" in depth including consolidating and watering, complete as required at site.	3330'	Sft.	
25	Excavation for foundation trenches and drains in all kinds of soil and back filling the excavated material in foundation, plinth or under floor including breaking clods, watering, consolidation by ramming in layers not exceeding 9" in depth to full compaction, dressing and disposal of surplus excavated stuff as directed, lead up to one chain and lift up to 5'	320.5′	Cft	
26	Providing and laying 1:4:8 (1 cement 4 sand and 8 coarse aggregate) cement concrete using graded stone ballast 2" and down gauge in foundation including leveling, compacting and curing etc. complete.	1803.5′	 Cft	



27	Supplying earth from approved outside sources including digging, loading and unloading and filling in foundation trenches, plinth or under floor, etc. including breaking clods, dressing, watering and consolidation by ramming in layers not exceeding 9" in depth to full compaction complete within a lead of one chain and lift of 5'.	3420′	×	Cft	2	
28	Providing & laying in Situ 1:2:4 (1 cement 2 sand and 4 coarse aggregate) cement concrete using crush graded boulders ¾" and down gauge in foundation, basement and plinth including form work, compacting, curing and removal of form work etc. complete, foundation and basement up to 5' depth and plinth up to 4' height from ground level.	350′		Cft		
29	3/4" thick cement plaster 1:6 on walls, ceiling and columns etc in any floor including making edges, corners, and curing etc, complete internal & external surface of room.	1680′		Sft		
30	Providing and laying with mechanical mixing machine 3" thick C.C floor in panels 1:2:4 using graded screened bajri of ¾" and down gauge in ground floor including consolidation, finishing, chamfer the corners and curing etc. complete,	3360'		Sft	at.	
31	Oil bound distempering with distemper of approved make and shade in three coats including scraping, sand papering, dusting, and filling the holes, cracks and inequalities, if any at any height in any floor (ICI Paintex) make OR equivalent.	1680′		Sft		

UNIVERSITY ENGINEER

ASSISTANT EXECUTIVE ENGINEER (CIVIL)

CONTRACTOR WITH SEAL

Instruction to Bidders (ITB) Preparation of Bids

- 1. Scope of Work: The University of Karachi plans to develop / acquire a comprehensive integrated solution to meet the requirement of Construction of Boundary wall, waiting room, walk way of Boys Hostel, University of Karachi.
- 2. Method and Procedure of Procurement: National Competitive Bidding Single Stage One Envelope Procedure as per SPP Rules 2010 (updated 2013).
- 3. Language of Bid: The bid prepared by the Bidder, as well as all correspondence and documents relating to the bid exchanged by the Bidder and the Procuring Agency shall be written in English language.
- 4. **Documents Comprising the Bid:** The bid prepared by the Bidders shall comprise the following components:
 - (a) Price Schedule completed in accordance with ITB Clauses 5, 6 and 7.
 - (b) Bid security furnished in accordance with ITB Clause 10.
- 5. Bid Prices:
- 6. 5.1 The Bidder shall indicate on the appropriate Price Schedule the unit prices (where applicable) and total bid price of the Construction of Boundary wall, waiting room, walk way of Boys Hostel, University of Karachi under the contract.
- 5.2 The prices shall be quoted inclusive of all taxes, stamps, duties, levies, fees and installation and integration charges imposed till the delivery of services specified in the Schedule of Requirements. No separate payment shall be made for the incidental services.
- 5.3 Prices quoted by the Bidder shall remain fixed during the Bidder's performance of the contract and not subject to variation on any account, unless otherwise specified in the Bid Data Sheet.
- **5.4** Prices shall be quoted in Pak Rupees.
- 7. **Bid Form:** The Bidder shall complete the Bid Form and the appropriate Price Schedule furnished in the bidding documents, indicating the material to be supplied and fixed, their descriptions and prices.
- 8. Bid Currencies: Prices shall be quoted 111 Pak, Rupees.
- Document Establishing Bidders Eligibility and Qualification: The Bidder shall furnish as part of its bid, documents establishing the Bidder's eligibility to bid and its qualifications to perform the contract if its bid is accepted.
 - (a) That the Bidder has the financial and technical capability necessary to perform the contract.
 - (b) That the Bidder meets the qualification criteria listed in the Bid Data Sheet.
- 10. Documents Eligibility and Conformity to Bidding Documents: The documentary evidence of conformity of the goods to the bidding documents may be in the form of literature and data.
- 11. Bid Security:
- 10.1 The bid security is required to protect the Procuring agency against the risk of Bidder's conduct, which would warrant the security's forfeiture.

The bid security shall be denominated in the currency of the bid:

- (a) 2% Bid Security should be deposited with the bid;
- (b) be submitted in its original form; copies will not be accepted;
- (c) remain valid for a period of at least 14 days beyond the original validity period of bids, or at least 14 days beyond any extended period of bid validity.

- 10.2 Bid securities shall be released to the unsuccessful bidders once the contract has been signed with the successful bidder or the validity period bas expired.
- 10.3 The successful Bidder's bid security shall be discharged upon the Bidder signing the contract, and furnishing the performance security.
- 10.4 The bid security may be forfeited:
 - (a) if a Bidder withdraws its bid during the period of bid validity or
 - (b) in the case of a successful Bidder, if the Bidder fails:
 - (i) to sign the contract in accordance or
 - (ii) to furnish performance security.

12. Period of Validity of Bids:

- 11.1 Bids shall remain valid for the period specified in the Bid Data Sheet after the date of bid submission prescribed by the Procuring agency. A bid valid for a shorter period shall be rejected by the Procuring agency as non responsive.
- 11.2 In exceptional circumstances, the Procuring Agency may solicit the Bidder's consent to an extension of the period of validity. The request and the responses thereto shall be made in writing. The bid security shall also be suitably extended as per Rule-38 of SPP Rules, 20 I 0 (updated 2013). A Bidder may refuse the request without forfeiting its bid security. A Bidder granting the request will not be required nor permitted to modify its bid.

13. Format and Signing of Bid:

- 12.1 The Bidder shall prepare an original and the number of copies of the bid indicated in the Bid Data Sheet, clearly marking each "ORIGINAL BID" and "COPY OF BID" as appropriate. In the event of any discrepancy between them, the original shall govern.
- 12.2 The original and the copy or copies of the bid shall be typed or written in indelible ink and shall be signed by the Bidder or a person or persons duly authorized to bind the Bidder to the contract pages of the bid, except for un-amended printed literature, shall be initialed by the person or persons signing the bid.
- 12.3 Any interlineations, erasures, or overwriting shall be valid only if they are initialed by the person or persons signing the bid.

Submission of Bids

14. Sealing and Marking of Bids:

- 13.1 The Bidder shall seal the original and each copy of the bid in envelopes, duly marking the envelopes as "ORIGINAL BID" and "ONE COPY". The outer envelopes shall be addressed to the Procuring agency at the address given in the Bidding Documents, and carry statement "DO NOT OPEN BEFORE 08-06-2016.
- 13.2 If the outer envelope is not sealed and marked as required, the Procuring Agency shall assume no responsibility for the bid's misplacement or premature opening.

15. Deadline for Submission of Bids:

- 14.1 Bids must be received by the Procuring Agency at the address specified in Bidding Documents, not later than the time and date specified in the Bid Data Sheet.
- 14.2 The Procuring Agency may, at its discretion, extend this dead line for the submission of bids by amending the bidding documents. In such case all rights and obligations of the Procuring agency and bidders previously subject to the deadline will thereafter be subject to the deadline as extended
- 16. Late Bids: Any bid received by the Procuring Agency after the deadline for submission of bids prescribed by the Procuring agency shall be rejected and returned unopened to the Bidder.

16. Modification and Withdrawal of Bids:

- 16.1 The Bidder may modify or withdraw its bid after the bid's submission, provided that written notice of the modification, including substitution or withdrawal of the bids, is received by the Procuring agency prior to the deadline prescribed for submission of bids.
- 16.2 No bid may be modified after the deadline for submission of bids.
- 16.3 No bid may be withdrawn in the interval between the deadline for submission of bids and the expiry of the period of bid validity. Withdrawal of a bid during this interval may result in the Bidder's forfeiture of its bid security.

Opening and Evaluation of Bids

17. Opening of Bids by the Procuring agency:

- 17.1 The Procuring agency shall open all bids in the presence of bidders' representatives who choose to attend, at the time, on the date, and at the place specified in the Bid Data Sheet. The bidders' representatives who are present shall sign a register/attendance sheet evidencing their attendance.
- 17.2 The Bidders' names, bid modifications or withdrawals, bid prices, discounts, and the presence or absence of requisite bid security and such other details as the Procuring agency may consider appropriate, will be announced at the opening.
- 18. Clarification of Bids: During evaluation of the bids, the Procuring agency may ask the Bidder for a clarification of its bid. The request for clarification and the response shall be in writing, and no change in the prices or substance of the bid shall be sought, offered, or permitted.
- 19. Preliminary Examination:
- 19.1 The Procuring agency shall examine the bids to determine whether they are complete, whether computational errors have been made, whether required sureties have been furnished, whether the documents have been properly signed, and whether the bids are generally in order.
- 19.2 Arithmetical errors will be rectified on the following basis. If there is a discrepancy between the unit price and the total price that is obtained by multiplying the unit price and quantity, the unit price shall prevail, and the total price shall be corrected. If the Supplier does not accept the correction of the errors, its bid will be rejected, and its bid security may be forfeited. If there is a discrepancy between words and figures, the amount in words will prevail.
- 19.3 Prior to the detailed evaluation, the Procuring agency will determine the substantial responsiveness of each bid to the bidding documents. A substantially responsive bid is one which conforms to all the terms and conditions of the bidding documents without material deviations. Procuring agency's determination of a bid's responsiveness is to be based on the contents of the bid itself.
- 19.4 If a bid is not substantially responsive, it will be rejected by the Procuring agency and may not subsequently be made responsive by the Bidder by correction of the nonconformity.

20. Evaluation and Comparison of Bids:

- 20.1 The Procuring agency will evaluate and compare the bids which have been determined to be substantially responsive.
- 20.2 The Procuring agency's evaluation of a bid will be on delivery to consignee's end inclusive of all taxes, stamps, duties, levies, fees and execution charges imposed till the delivery location.

21. Contacting the Procuring agency:

21.1 No Bidder shall contact the Procuring agency on any matter relating to its bid, from the time of the bid opening to the time of announcement of Bid Evaluation Report. If the Bidder wishes to bring additional information to the notice of the Procuring agency, it should do so in writing.

21.2 Any effort by a Bidder to influence the Procuring agency in its decisions on bid evaluation, bid comparison, or contract award may result in the rejection of the Bidder's bid.

Award of Contract

23. Post-qualification:

- 22.1 In the absence of prequalification, the Procuring agency may determine to its satisfaction whether that selected Bidder having submitted the lowest evaluated responsive bid is qualified to perform the contract satisfactorily.
- 22.2 The determination will take into account the Bidder's financial and technical capabilities. It will be based upon an examination of the documentary evidence of the Bidder's qualifications submitted by the Bidder, pursuant to ITB Clause 7 as well as such other information as the Procuring agency deems necessary and appropriate.
- 22.3 An affirmative determination will be a prerequisite for award of the contract to the Bidder. A negative determination will result in rejection of the Bidder's bid, in which event the Procuring agency will proceed to the next lowest evaluated bid to make a similar determination of that Bidder's capabilities to perform satisfactorily.
- 24. Award Criteria: The Procuring agency will award the contract to the successful Bidder whose bid has been determined to be substantially responsive and has been determined to be the lowest evaluated bid, provided further that the Bidder is determined to be qualified
- 25. Procuring Agency's right to accept any Bid and to reject any 01' all Bids:
- 24.1 Subject to relevant provisions of SPP, Rules, 2010 (Amended 2013), the Procuring agency reserves the right to accept or reject any bid, and to annul the bidding process and reject all bids at any time prior to contract award.
- 24.2 Pursuant to Rule 45 of SPP Rules 20 I 0 (updated 2013), Procuring agency shall hoist the evaluation report on Authority's web site, and intimate to all the bidders seven days prior to notify the award of contract.

26. Notification of Award:

- 25.1 Prior to the expiration of the period of bid validity, the Procuring agency shall notify the successful Bidder in writing, that its bid has been accepted.
- 25.2 Upon the successful bidders furnishing of the performance security pursuant to ITB clause 26, the Procuring Agency will promptly notify each unsuccessful bidder and will release their bid security.

27. Signing of Contract:

- 26.1 At the same time as the Procuring agency notifies the successful Bidder that its bid has been accepted, the Procuring agency will send the Bidder the Contract Form provided in the bidding documents, incorporating all agreements between the parties.
- 26.2 Within the period specified in BDS, of receipt of the Contract Form, the successful Bidder shall sign and date the contract and return it to-the Procuring agency.

28. Performance Security:

- 27.1 Within the period specified in BDS of the receipt of notification of award from the Procuring agency, the successful Bidder shall furnish the performance security in accordance with the condition of contract. In the Performance Security Form provided in the Bidding Document or in another form acceptable to the Procuring agency.
- 27.2 Failure of the successful Bidder to comply with the requirement of ITB Clause 25shall constitute sufficient grounds for the annulment of the award and forfeiture of the bid security, in which event the Procuring agency may make the award to the next lowest evaluated Bidder or call for new bids.

- Agency's (including beneficiaries of donor agencies' loans), as well as Bidders/ Suppliers/ Contractors under Government- financed contracts, observe the highest standard of ethics during the procurement and execution of such contracts. In pursuance of this policy, the SPPRA "in accordance with the S PP Act, 2009 and Rules made there under:
- (a) "Corrupt and Fraudulent Practices" means either one or any combination of the practices given below;
 - (i) "Coercive Practice" means any impairing or harming, or threatening to impair or harm, directly or indirectly, any patty or the property of the patty to influence the actions of a party to achieve a wrongful gain or to cause a wrongful loss to another patty;
 - (ii) "Collusive Practice" means any arrangement between two or more parties to the procurement process or contract execution, designed to achieve with or without the knowledge of the procuring agency to establish prices at artificial, noncompetitive levels for any wrongful gain;
 - (iii) "Corrupt Practice" means the offering, giving, receiving or soliciting, directly or indirectly, of anything of value to influence the acts of another party for wrongful gain;
 - (iv) "Fraudulent Practice" means any act or omission, including a misrepresentation that knowingly or recklessly misleads, or attempts to mislead, a party to obtain a financial or other benefit or to avoid an obligation;
- (b) "Obstructive Practice" means harming or threatening to harm, directly or indirectly, persons or their property to influence their participation in a procurement process, or affect the execution of a contract or deliberately destroying, falsifying, altering or concealing of evidence material to the investigation or making false statements before investigators in order to materially impede an investigation into allegations of a corrupt, fraudulent, coercive or collusive practice; or threatening, harassing or intimidating any party to prevent it from disclosing its knowledge of matters relevant to the investigation or from pursuing the investigation, or acts intended to materially impede the exercise of inspection and audit rights provided for under the Rules.

Bid Data Sheet

The following specific data for Construction of Boundary wall, waiting room, walk way of Boys Hostel, University of Karachi to be procured shall complement, supplement, or amend the provisions in the Instructions to Bidders (ITB). Whenever there is a conflict, the provisions herein shall prevail over those in ITB.

ITTD 1	Introduction		
ITB 1	Name and address of Procuring Agency:		
	Engineering Department, University of Karachi, Karachi.		
ITB 1	Construction of Boundary wall, waiting room, walk way of Boys		
	University of Karachi	loster	
	Bid Price and Currency		
ITB 5	Prices quoted by the Bidder shall be "fixed" and in" Pak Rupees"		
	Preparation and Submission of Bids		
ITB20	Qualification requirements:		
	1. Authorized Agent (Valid Agency Certificate required).		
	2. Complete Company Profile.		
	3. Valid Registration with Tax Authorities required.		
	4. Relevant Experience of at least last one (I) year.		
	5. Rs. 1.0 Million per year Turnover of last three (3) years.		
ITB8	Amount of bid security:		
	2 % of Bid Value		
ITB9	Bid validity period:		
	90 days		
ITB 10	Performance Guarantee:		
	10% of the Work Order Value.		
ITB 11	Number of copies:		
	One Original		
ITB 20.1	Deadline for bid submission:	77	
	08-06-2016		
ITB 20.1	Bid Evaluation:		
	Lowest Evaluated Bid		
	Under following conditions, Bid will be rejected:		
	Conditional tenders/bids; (Farmert Money):		
	2. Bids not accompanied by bid security (Earnest Money);		
	3. Bids received after specified date and time;		
	4. Bidder submitting any false information;		
	5. Black Listed Firms by Sindh Government or any entity of it		

BID SUMMARY SHEET TENDER NOTICE

The tender will rejected if this form will not accompany the tender bid.

S. No Bid Value	Price in PKR	
	7	
	·	
	,	
	-	
	Total Bid Value In PKR	
Ear	rnest Money @ 2% In PKR	
Pay Order/Demand Draft No:	, 0	Date:
Signature:	Seal:	

TERMS & CONDITIONS

- The Procuring Agency may reject all bids at any time prior to the acceptance of a bid under SPP-Rules, 20 10.
- 2% Bid Security should be deposited on the total cost of the quoted amount with the bidding documents in shape of pay order drawn in favor of University of Karachi.
- > Bids not accompanied by the 2% Bid Security will not be considered.
- Copies of the Sales Tax Registration and NTN are to be attached with the bidding documents.
- The quoted price shall be inclusive all applicable Govt. Taxes and charges.
- Procurement Committee shall finalize the bids in light of SPP-Rules, 20 10 clause (8).
- The bidders are requested to submit their bids along with the bid validity period.
- Complete details specification/information to be provided about the products and firm by the bidder.
- Prices shall be quoted in Pak rupees.
- The method of procurement is open competitive bidding single stage one envelop procedure.
- > The bids shall be evaluated on the following criterion.
 - o Quality basis
 - Specification mentioned as in the bidding documents
- > The prices to be quoted shall be filled in the bidding documents mandatory.
- The successful bidders who execute to contract shall be liable to forfeiture of their bid security as a penalty.
- The last date of issuance of bidding document is day 07-06-2016 at 3:00 p.m.
- ➤ The last date of receipt of bidding document is 08-06-2016 at 11:30 a.m. The bids shall be opened on the same day at 02:30 p.rn in presence of the bidders who may wish to be present.
- In case of any holiday or disturbance the bids shall be opened on the next working day as per schedule.
- The Tender Notice shall be available on the Official website www.pprasindh.gov.pk as well as Procuring Agency's website www.uok.eclu.pk

Total Amount	
(Rupees	 Only)
(Total Farnest Money Rs	,

SIGNATURE OF THE PROPRIETOR AND RUBBER STAMP OF THE COMPANY