

Issued to Mr. \_\_\_\_\_

Vide D.R. No. \_\_\_\_\_ dated \_\_\_\_\_.

## T E N D E R F O R W O R K S

I/We hereby tender for the execution, for the Government of Sindh/ Chancellor of Sindh Agriculture University, Tando Jam (hereinbefore and hereinafter referred to as "University of the work specified in the underwritten memorandum within the time specified in such memorandum at \_\_\_\_\_ % above/below Part-I, and at \_\_\_\_\_ %Above/Below Part-II, and at \_\_\_\_\_ %Above/Below Part-III the estimated rates entered in schedule "B" memorandum showing items of work to be carried out) and in accordance in all respects with the Specifications, designs, drawings and instructions in written referred to in Rule 1 hereof and in clause 13 of the annexed conditions of contract and agree that when materials for the work are provided by the University such materials and rates to be paid for them shall be as provided in schedule, A, hereto.

## M E M O R A N D U M

General Description: **Construction of Additional Infrastructure Faculty of Agricultural Engineering SAU Tandojam.**

- |                                                                                    |                     |
|------------------------------------------------------------------------------------|---------------------|
| (a) Estimate cost.                                                                 | Rs:                 |
| (b) Earnest money.                                                                 | Rs: <b>3%</b>       |
| (c) Security deposit i/c earnest money.                                            | Rs: <b>10.</b>      |
| (d) Percentage if any to be deducted                                               | Rs:                 |
| From bills (Rupees _____) percent.                                                 |                     |
| (e) Time allowed for the completion of work from date of written order to commence | <b>12 month(s).</b> |

Should this tender be accepted I/We hereby agree to abide by and fulfill all the terms and provisions of the conditions of contract annexed hereto so far as applicable, and in default there of to forfeit and pay to University the sums of money mentioned in the said conditions.

Receipt No. \_\_\_\_\_ dated \_\_\_\_\_ from the \_\_\_\_\_ Bank at \_\_\_\_\_ in respect of the sum of Rs. \_\_\_\_\_ is herewith forwarded presenting the earnest Money / (a) the full value of which is to be absolutely forfeited to University should I/We not deposit the full amount of security deposit specified in the above memorandum, in accordance with clause 1 (A) of the said conditions, otherwise the said sum of Rs. \_\_\_\_\_ shall be retained by University on account of such security deposit as aforesaid / or (b) the full value of which shall be retained by University on account of the security deposit in clause (B) of the condition.

Dated the \_\_\_\_\_ day of \_\_\_\_\_ 2016

**CONTRACTOR**

**SINDH AGRICULTURE UNIVERSITY, TANDOJAM**

**AGRICULTURAL ENGINEERING**

**SUMMARY OF COST**

	<b><u>SCHEDULE ITEM</u></b>	<b><u>NON-SCHEDULE</u></b>
1) <b>CIVIL WORKS</b>	Rs. 26,162,387.31	Rs.
Below/ above _____ % premium on Schedule items:	Rs. _____	_____
2) <b>PLUMBING WORKS</b>	Rs. 375,767.32	Rs.
Below/ above _____ % premium on Schedule items:	Rs. _____	_____
<b>TOTAL =</b>	Rs. _____	Rs. _____
3) <b>ELECTRICAL WORKS</b>	Rs. 914,626.00	Rs.
Below/ above _____ % premium on Schedule items:	Rs. _____	_____
<b>TOTAL =</b>	Rs. _____	Rs. _____
<b>Grand Total =</b>	Rs. _____	Rs. _____
<b>Total Schedule + Non-Schedule Items:</b>	<b>Rs.</b> _____	
<b>Say :</b>	<b>Rs.</b> _____	

**SINDH AGRICULTURE UNIVERSITY, TANDOJAM**

**AGRICULTURAL ENGINEERING**

**CIVIL WORKS**

**SCHEDULE "B"**

S.No.	Quantity	Description	Unit	Rate in Figure Rupees	Rate in Words Rupees	Amount
-------	----------	-------------	------	-----------------------	----------------------	--------

**SCHEDULE ITEMS:**

01.	24810 Cft	Excavation in foundation of buildings bridges and other structures including dag belling, dressing, refilling around the structure with excavated earth watering and ramming. lead upto one chain and lift upto 5 ft. in Ordinary soil. (S.I. No.18(b) chapter 1 of Schedule of Rates 2012)	%Cft	3,176.25		78,802.76
02.	3145 Cft	Cement concrete brick or stone ballast 1½" to 2" gauge ratio 1:4:8. (a) In foundation (S.I. No.4(b) chapter 4 of Schedule of Rates 2012)	%Cft	9,416.28		296,142.01
03.	3055 Cft	Cement Concrete plain including placing, compacting, finishing and curing complete (including screening and washing of stone aggregate without shuttering): (i) Ratio 1:3:6	%Cft	12,595.00		384,777.25
	4640 Cft	(ii) Ratio 1:4:8 (Under Floor) (S.I. No.5(h) & 12 (a&b) and 5(i) chapter 4 of Schedule of Rates 2012)	%Cft	11,288.75		523,798.00
04.	3070 Sft	Erection and removal of centering for RCC or plain cement concrete works for Partal wood (Vertical). (S.I. No.19(b) chapter 4 of Schedule of Rates 2012)	%Sft	3,127.41		96,011.49
05.	22190 Cft	Reinforced cement concrete work in all labour and material except the cost of steel reinforcement and its labour for bending and binding which will be paid seperately. This rate also including all kinds of forms, moulds, lifting, shuttering, curing, rendring and finishing the exposed surface.(including screening and washing of shingle). (b) RCC work in roof slabs, beams, columns, rafts, lintels and other structural mambers laid in situ or pre-cast laid in position complete in all respects. (i) Ratio 1:2:4, 90 lbs cement, 2 cft sand, 4 cft shingle 1/8" to 1/4" gauge. (S.I. No.6(a)(i) chapter 4 of Schedule of Rates 2012)	Cft	337.00		7,478,030.00
06.	1115 Sft	Damp Proof Course with cement sand and shingle concrete (1:2:4) including 2 coats of asphaltic mixture 2" thick. (S.I. No.28(b) chapter 4 of Schedule of Rates 2012)	%Sft	3,912.85		43,628.28

S.No.	Quantity	Description	Unit	Rate in Figure Rupees	Rate in Words Rupees	Amount
07.	12375 Sft	Vertical damp proof course of 3/4" thick cement plaster 1:2 with bitument @ 20 Lbs per % sft. (S.I. No.70, chapter 18 of Schedule of Rates 2012)	%Sft	2,760.99		341,672.51
08.	10970 Cft	Pucca brick work in Ground Floor in cement sand mortar 1:6 including striking of joints. (S.I. No.5(i)(e) chapter 5 of Schedule of Rates 2012)	%Cft	12,674.36		1,390,377.29
09.	26690 Cft	Supplying and filling sand under floors and plugging in walls. (S.I. No.29 chapter 5 of Schedule of Rates 2012)	%Cft	1,141.25		304,599.63
10.	6805 Cft	Dry rammed brick or stone ballast 1½" to 2" gauge. (S.I. No.2 chapter 4 of Schedule of Rates 2012)	%Cft	3,327.50		226,436.38
11.	580 Sft	Laying floors of approved white glazed tiles 1/4" thick in white cement 1:2 over 3/4" thick cement mortar 1:2 complete. (S.I. No.24 chapter 8 of Schedule of Rates 2012)	%Sft	27,678.86		160,537.39
12.	4670 Sft	Glazed tile dado 1/4" thick laid in pigment over 1:2 cement sand mortar 3/4" thick including finishing. (S.I. No.38 chapter 8 of Schedule of Rates 2012)	%Sft	28,299.30		1,321,577.31
13.		Providing & laying 2" thick topping cement concrete (1:2:4) i/c surface finishing and dividing into pannels.				
	1685 Sft	(a) Floor	%Sft	3,275.50		55,192.18
	13350 Sft	(b) Over Roof Top (S.I. No.16(c) & 18 chapter 8 of Schedule of Rates 2012)	%Sft	3,956.14		528,144.69
14.		Providing and laying single per layer of polythene sheet 0.13 mm thick for water proofing as per specification and instructions of Engineer Incharge:				
	1685 Sft	(a) Under Floor	Sft	10.70		18,029.50
	13350 Sft	(b) Over Roof Top (S.I. No.38 chapter 7 of Schedule of Rates 2012)	Sft	10.70		142,845.00
15.		Two coats of bitumen laid hot using 34 lbs for % Sft over roof and blinded with sand at one Cft Per % Sft:				
	1685 Sft	(a) Under Floor	%Sft	1,887.40		31,802.69
	13350 Sft	(b) Over Roof Top (S.I. No.13 chapter 7 of Schedule of Rates 2012)	%Sft	1,887.40		251,967.90
16.	29650 Sft	Cement plaster 3/8" thick Ratio 1:6 (1st Coat Internal). (S.I. No.13(a) chapter 9 of Schedule of Rates 2012)	%Sft	2,122.72		629,386.48
17.	29650 Sft	Cement plaster 3/8" thick Ratio 1:4 (2nd Coat Internal). (S.I. No.11(a) chapter 9 of Schedule of Rates 2012)	%Sft	2,197.52		651,564.68
18.	16200 Sft	Cement plaster 3/8" thick Ratio 1:6 (1st Coat External). (S.I. No.13(a)+29 chapter 9 of Schedule of Rates 2012)	%Sft	2,122.72		343,880.64

S.No.	Quantity	Description	Unit	Rate in Figure Rupees	Rate in Words Rupees	Amount
19.	16200 Sft	Cement plaster 3/8" thick Ratio 1:4 (1st Coat External). (S.I. No.11(a) chapter 9 of Schedule of Rates 2012)	%Sft	2,197.52		355,998.24
20.	12 Nos	Reinforced cement concrete spent including fixing in position with top and bottom Khuras. (S.I. No.27 chapter 4 of Schedule of Rates 2012)	Each	524.98		6,299.76
21.	1191 Cwt	Fabrication of ToR steel reinforcement for cement concrete including cutting, bending, laying in position making joints and fastenings including cost of binding wire (also includes removal of rust from bars). (S.I. No.8(b) chapter 4 of Schedule of Rates 2012)	Cwt	5,001.70		5,957,024.70
22.	785 Rft	Providing & Fixing G.I frames/chowkats of size 7" x 2" or 4½" x 3" for door using 20 guage G.I sheet including welded hinges and fixing at site with necessary hold fasts. Filling with cement and slurry of ratio 1:6 and repairing the jambs. The cost also includes all carriage, tools and plants used in making and fixing. (S.I. No.29 chapter 17 of Schedule of Rates 2012)	Rft	228.90		179,686.50
23.	752 Sft	First class deodar wood, wrought joinery in doors & windows etc, fixed in position i/c chowkats, hold fasts, cleats, handles & cords with hooks etc. Deodar paneled or paneled & glazed or fully glazed. 1-3/4" thick (shutter only). (S.I. No.7(b)-25(d) chapter 10 of Schedule of Rates 2012)	Sft	902.93		679,003.36
24.	2010 Sft	Preparing new surface and 2 coats of painting over priming coat on doors and windows any type (including edges). (S.I. No.5(c)(i) & (ii) chapter 11 of Schedule of Rates 2012)	%Sft	2,116.41		42,539.84
25.	18320 Sft	Preparing the surfaces and painting with plastic Emulsion paint of approved make including rubbing the surface with sand paper, filling the voids with chalk/plaster of paris and then painting etc complete (new surface 3 coats) (on wall). (S.I. No.40(A&B) chapter 9 of Schedule of Rates 2012)	%Sft	2,237.95		409,992.44
26.	11335 Sft	Distempering (3 coats) (on ceiling). (S.I. No.24(c) chapter 9 of Schedule of Rates 2012)	%Sft	1,079.65		122,378.33
27.	16200 Sft	Preparing the surface and painting with weather coat including rubbing brick/sand paper filling the voids with chalk/plaster of paris and then painting with weather coat of approved make (3 coats). (S.I. No.38(A&B) chapter 9 of Schedule of Rates 2012)	%Sft	2,567.95		416,007.90

**SINDH AGRICULTURE UNIVERSITY, TANDOJAM**

**AGRICULTURAL ENGINEERING**

**CIVIL WORKS**

**SCHEDULE "B"**

S.No.	Quantity	Description	Unit	Rate in Figures Rupees	Rate in Words Rupees	Amount
-------	----------	-------------	------	------------------------------	----------------------------	--------

**NON-SCHEDULE ITEMS:**

01. 11750 Sft Providing and laying Porcelain Tiles Floor of approved size, design and quality laid over 1<sup>3</sup>/<sub>4</sub>" thick C.C. 1:2:4 bed floor including filling and grouting the joints with neat white cement slurry using colour pigment for matching, including levelling and curing etc; complete as per specification and as directed by the Engineer Incharge. (RA attached).  
i) Size of Tile 12" x 12" Sft
02. 1005 Sft Providing and laying 12" x 6" size Porcelain Tiles Skirting of approved design and quality set in cement sand mortar ratio 1:3 including filling the joints with neat white cement slurry using colour pigment for matching, including levelling and curing etc; complete as per specification and as directed by the Engineer Incharge. (RA attached). Sft
03. 90 Rft Providing and fixing balustrade of Mild steel 3/4" square bars fixed with 1" x 1/4" mild steel flat to 6" x 3" sheesham wood hand rail moulded to required details as per drawing and specifications including polishing the hand rail and painting the mild steel square bars with 2 coats of enamelled paint over a priming coat of anticorrosive (red oxide) of approved manufacture's (3'-0" high for stair steps and for open area) for all floor. (Market Rate). Rft
04. 264 Sft Providing and fixing 1<sup>1</sup>/<sub>2</sub>" thick solid core machine pressed commercial ply veneered door (single or double leaf) best quality shutters of first class deodar wood skeleton and commercial ply wood (3 ply) on both sides, openable on one side of approved manufacturer with and including brass oxidized fittings such as hinges, tower bolts, handles, al-drop mortice lock door stopper etc; as per schedule of hardware etc; complete as per drawings and specifications (For all height). (Market Rate). Sft

**TOTAL NON-SCHEDULE ITEMS: Rs.** \_\_\_\_\_

**SINDH AGRICULTURE UNIVERSITY, TANDOJAM**

**AGRICULTURAL ENGINEERING**

**PLUMBING WORKS**

**SCHEDULE "B"**

S.No.	Quantity	Description	Unit	Rate in Figure Rupees	Rate in Words Rupees	Amount
-------	----------	-------------	------	-----------------------	----------------------	--------

**SCHEDULE ITEMS:**

01.	9 Nos.	Providing & fixing C.P. Brass Towel Rail complete with bracket fixing on wooden cleats with 1" long C.P. brass screws, 30" long 3/4" dia (round standard quality). (S.I. No.1(ii)(a) Chapter-2 of Schedule of Rate of 2012)	Each	1,082.95		9,746.55
02.	11 Nos.	Providing & fixing 24"x18" bevelled edge mirror of Belgium Glass complete with 1/8" thick C.P. Brass Towel Rail complete with bracket fixing on wooden cleats with 1" long C.P. brass screws, 30" long 3/4" dia (round standard quality). (S.I. No.3(a) Chapter-2 of Schedule of Rate of 2012)	Each	1,711.60		18,827.60
03.		Providing R.C.C pipe with collars class "B" and digging the trenches to required depth & fixing in position including cutting, fitting and jointing with asphalt composition and cement mortar 1:1 and testing with water pressure to a head of 4ft: above the top of the highest pipe and refilling with excavated stuff. (S.I. No.2 Chapter-10 of Schedule of Rate of 2012)				
	100 Rft	a) RCC Pipe 4" dia	Rft	146.57		14,657.00
	300 Rft	b) RCC Pipe 6" dia	Rft	199.25		59,775.00
	50 Rft	c) RCC Pipe 9" dia	Rft	250.60		12,530.00
04.	15 Nos.	Providing and fixing 6"x4" gully trap with 4" outlet complete with 4" thick 1:2:4 C.C. for bed and kerb, 1/2" thick cement plaster (1:3) to the kerb C.I. Grating 6"x6" and C.I. cover and frame 12"x12" (inside) etc; complete C.C. Gully traps 6"x6" with C.I. cover and frame. (S.I. No.1(i), Chapter-10 of Schedule of Rate of 2012)	Each	1,193.17		17,897.55
05.		Providing and fixing full way gunmetal valves with wheels threaded or flanged ends with rubber washers, standard pattern. (Note: Standard manufacturer by M/s. Anwar Mechanical Works) (S.I.No.4(B), Chapter-6 of Schedule of Rate of 2012)				
	4 Nos	a) 1 1/2" dia	Each	970.92		3,883.68
	4 Nos	b) 1" dia	Each	271.92		1,087.68
	2 Nos	c) 3/4" dia	Each	227.92		455.84
06.	33 Nos.	Supply and fixing concealed stop cock of superior quality with C.P. head 1/2" dia. (S.I.No.11(b), Chapter-6 of Schedule of Rate of 2012)	Each	509.74		16,821.42

S.No.	Quantity	Description	Unit	Rate in Figure Rupees	Rate in Words Rupees	Amount
07.	5 Nos.	Providing & fixing C.P. brass toilet paper holder of standard size with chrome plated brass brackets complete, (superior quality). (S.I.No. 2(b), Chapter-2 of Schedule of Rate of 2012)	Each	1,071.40		5,357.00
08.	11 Nos.	Supplying and fixing C.P. Muslim shower with double bib cock and ring pipe etc; complete. (S.I.No. 19(a), Chapter-6 of Schedule of Rate of 2012)	Each	3,432.00		37,752.00
09.	12 Nos	Construction of manhole or inspection chamber for the required dia of circular sewer and 3'-6" depth with walls of B.B in cement mortar 1:3, cement plaster 1:3 1/2" thick inside of walls and 1" thick over benching and channel including fixing C.I. manhole cover with frame of clear opening 1 1/2"x1 1/2' of 1.75cwt. embedded in plain C.C. 1:2:4 and fixing 1"dia M.S. steps 6" wide projecting 4" from the face of wall at 12" c.c. duly painted etc; complete as per specifications and drawing No: DP/I of Public Health Circle Southern Zone Hyderabad.  a) 4" to 12" dia 2' x 2' x 3'-6". (S.I. No.1(a) Chapter-II of P.H. Engg. of 2012)	Each	14,748.00		176,976.00
<b>TOTAL SCHEDULE ITEMS: Rs.</b>						<b><u>375,767.32</u></b>

**SINDH AGRICULTURE UNIVERSITY, TANDOJAM**

**AGRICULTURAL ENGINEERING**

**PLUMBING WORKS**

**SCHEDULE "B"**

S.No.	Quantity	Description	Unit	Rate in Figure Rupees	Rate in Words Rupees	Amount
-------	----------	-------------	------	-----------------------	----------------------	--------

**NON-SCHEDULE ITEMS:**

01. 5 Nos Providing, and fixing European type coupled white vitreous China wash down water closet bowl of Karam Ceramics complete with closed front black plastic seat and cover including 2 gallons low level white vitreous China flush tank; 1 1/4" dia G.I. telescopic flush pipe with bend, 1/2" dia C.P. stop cock [heavy] 3/8" dia flexible inlet connection [heavy] C.I. thimble and other necessary accessories including making cuts, holes in walls, floors etc; and making good the same in cement with testing etc; complete in all respects, the fittings are first class best quality, locally made. Each  
(R.A. Attached)
02. 11 Nos Providing and fixing wash basin of Karam Ceramics overall size 24" x 18" of white vitreous China, wall hung with CP bottle trap of approved design, anti splash front rim with front overflow 1/2" dia C.P. goose neck pillar tap [heavy] 3/8" dia flexible inlet connection and C.P. stop valves with a pair of C.I. brackets to support the basin, 1 1/4" dia waste pipe with C.P. brass coupling and waste including making cuts, holes in walls, floors, etc; and making good the same in cement with testing etc.; complete in all respects, the fittings are first class best quality, locally made. Each  
(R.A. Attached)
03. 6 Nos Providing and fixing white vitreous China squatting type water closet of (Orisa) Karam Ceramics 2 1/2 gallons low level white vitreous China flush tank 1 1/4" dia G.I. flush pipe with bends, 3/8" dia flexible inlet connection, including 1/2" dia C.P. stopcock [heavy] C.I. thimble and glazed P trap, including making cuts, holes in walls, floors etc.; and making good the same as required etc.; complete in all respects, the fittings are first class best quality locally made. Each  
(R.A. Attached)

S.No.	Quantity	Description	Unit	Rate in Figure Rupees	Rate in Words Rupees	Amount
-------	----------	-------------	------	-----------------------	----------------------	--------

04. Providing and laying PPRC pipe and fittings to specification DIM 8077-8078 including all necessary fittings (tees, sockets, elbows, crosses etc.) including heat fusion joint, required for proper completion of the job heavy duty, clamping or anchoring pipes to walls or chipping the walls to embedded pipes in walls and making good the surface and/or laying underground pipes including excavation of trenches required and testing the pipe line with 20 PN, pipes and 25 PN fittings are first class best quality manufactured by DADEX/AGM or approved equivalent etc; complete in all respects as per drawing and specifications and as directed by the Engineer Incharge.  
(R.A. Attached)
- 180 Rft a) 20 mm dia (1/2" dia:) Rft
- 80 Rft b) 25 mm dia (3/4" dia:) Rft
- 100 Rft c) 32 mm dia (1" dia:) Rft
- 150 Rft d) 50 mm dia (1 1/2" dia:) Rft
05. Providing and laying Soil/Waste/Vent U-PVC pipes and fittings with plain socket end/spigot ends (heavy grade) confirming to be BS-4514/1983 Specifications complete, jointing with best quality solvent cement joint or rubber ring push fit joint, U-PVC fittings such as bends, tees, crosses, tee, P-trap, Cowels, Clamps and hangers, including excavation and backfilling etc; required for the proper completion of the job complete in all respects, pipes and fittings are first class best quality manufactured by DADEX/AGM or approved equivalent etc; complete in all respects as per drawing and specifications and as directed by the Engineer Incharge.  
(R.A. Attached)
- 240 Rft a) 75 mm dia (3" dia:) Rft
- 310 Rft b) 110 mm dia (4" dia:) Rft
06. 1 No. Providing and installation of 10 gallons water cooler with water supply and drainage connections, resting over angle iron brackets wall mounted at appropriate height with two nos 1/2" dia C.P. brass taps etc, complete. First class best locally made quality of MECO. Each  
(Market Rate)
07. 1 No. Supply, erecting and fixing in position fiber glass overhead water tank of required gallons capacity of approved design with all accessories with inlet and outlet connection, paint etc; complete and as directed by the Engineer Incharge (2000 Gallons). (Market Rate) Each

TOTAL NON-SCHEDULE ITEMS: Rs. \_\_\_\_\_

**SINDH AGRICULTURE UNIVERSITY, TANDO JAM**

**AGRICULTURAL ENGINEERING**

**ELECTRICAL WORKS**

**SCHEDULE "B"**

S.No.	Quantity	Description	Unit	Rate in Figure Rupees	Rate in Words Rupees	Amount
-------	----------	-------------	------	-----------------------	----------------------	--------

**SCHEDULE ITEM:**

1.	275 Point	Wiring for light or fan point with (3/.029") PVC insulated wire in 20 mm <sup>2</sup> (3/4") PVC conduit recessed in slab/wall/column as required. (Schedule Item No. 124-p15)	Point	1130.00		310,750.00
2.	80 Point	Wiring for plug point with (3/.029") PVC insulated wire in 20 mm <sup>2</sup> (3/4") PVC conduit recessed in the wall or column as required. (Schedule Item No. 126-p15)	Point	985.00		78,800.00
3.	25 Point	Providing & fixing bakelite ceiling rose with two terminals. (Schedule Item No. 228-p33)	Point	72.00		1,800.00
4.	72 Point	Providing & fixing brass ceiling fan 56" (good quality) (Schedule Item No. 231-p33)	Point	3185.00		229,320.00
5.	50 Mtrs	Providing & laying (main or sub-main) PVC insulated/PVC sheathed, 3.5 core copper conductor 600/1000V size 95mm <sup>2</sup> , buried underground. (Schedule Item No. 83 -p10)	Per Mtr.	5742.00		287,100.00
6.	4 Point	Providing & fixing one way SP 5amp switch flush type. (Schedule Item No. 219 -p33)	Point	54.00		216.00
7.	80 Point	Providing & fixing two pin 5amp plug socket flush type. (Schedule Item No. 225 -p33)	Point	83.00		6,640.00

**TOTAL SCHEDULE ITEMS (ELECTRICAL WORKS) :      Rs.      914,626.00**

**SINDH AGRICULTURE UNIVERSITY, TANDO JAM**

**AGRICULTURAL ENGINEERING**

**ELECTRICAL WORKS**

**SCHEDULE "B"**

S.No.	Quantity	Description	Unit	Rate in Figure Rupees	Rate in Words Rupees	Amount
-------	----------	-------------	------	-----------------------	----------------------	--------

**NON SCHEDULE ITEMS:**

**A. SEC-A: WIRING INSTALLATIONS:**

1		Provide, wire and connect 2 x 2.5mm <sup>2</sup> + 1x1.5 sq. mm S/C PVC cable in 20mm dia high impact PVC conduit recessed in slab/wall, complete with all accessories, for:				
101	30 Nos	Circuits for light/fan points	Each			
2		Provide, fix and connect following accessories 1.5mm thick sheet steel back box of appropriate dimensions surface on walls:				
201	32 Nos	Two gang switch plate.	Each			
202	5 Nos	Three gang switch plate.	Each			
203	72 Nos	Solid state fan dimmer with "ON-OFF" control.	Each			
204	18 Nos	Telephone outlet plates with Jack plug.	Each			
205	2 Nos	TV outlet plate.	Each			

**B. SEC: B: LIGHT FITTINGS & FIXTURES:**

1.		Provide, fix, connect and commission light fixtures Philips make or equivalent with Philips components as approve, complete in all respects and ready for use:				
101.	113 Nos	Philips Type TBS-240 or equivalent complete with 2x40 W fluorescent lamps.	Each			
102.	47 Nos	Philips Type GKD-240 or equivalent complete with 2x40 W fluorescent lamps.	Each			
103.	31 Nos	Light fixture ceiling mounted with 1x24W PLCE lamp.	Each			
02.		Provide, install, connect and commission Exhaust fan, complete in all respects:				
201.	10 Nos	9" dia exhaust fan.	Each			

**C. SEC: C: FEEDERS:**

1.	40 Mtrs	Provide lay and connect feeder from Main Source to Main DB, 3 x 35mm <sup>2</sup> + 2 x 16mm <sup>2</sup> S/core PVC cable in 50mm dia high impact PVC conduit, complete with all accessories.	Mtr			
----	---------	------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------	-----	--	--	--

S.No.	Quantity	Description	Unit	Rate in Figure Rupees	Rate in Words Rupees	Amount
-------	----------	-------------	------	-----------------------	----------------------	--------

2      2      Nos Providing, wiring and connecting of TV points with WISI make or equivalent 2x75 OHMS TV antenna coaxial cable RG6U single shielded having centre conductor of 1 sq.mm in 25 mm dia high impact PVC conduit recessed in floor/slab/wall. Each

**D.                    SEC: D: DISTRIBUTION BOARDS:**

1.                    Provide, install, connect and commission MAIN DB-G, 1.5mm thick sheet steel fabricated, flush type totally enclosed with hinged front cover suitable for 3 Phase, 4 wire, 50 Hz A/c system and equipped as under:

Incoming:

1 - 175 Amp, TP, 15 KA, MCCB:  
3 - Phase indicating lamps:  
1 - Set of Bus bars

Outgoing:

1 - 100 Amps TP, 15 KA, MCB  
15 - 10 Amps SP, 7.5 KA, MCBs  
9 - 15 Amps SP, 7.5 KA, MCBs

1      Job      6 - 30 Amps SP, 7.5 KA, MCBs Each

2.                    Provide, install, connect and commission DB-F , 1.5mm thick sheet steel fabricated, flush type totally enclosed with hinged front cover suitable for 3 Phase, 4 wire, 50 Hz A/c system and equipped as under:

Incoming:

1 - 40 Amp, TP, 15 KA, MCCB:  
3 - Phase indicating lamps:  
1 - Set of Bus bars

Outgoing:

15 - 10 Amps SP, 7.5 KA, MCBs  
9 - 15 Amps SP, 7.5 KA, MCBs

1      Job      6 - 30 Amps SP, 7.5 KA, MCBs Each

**E.                    SEC: E: EARTHING:**

1.      1      Job Provide, install, test and commission Earth point measuring an earth resistance of not more than "ONE OHM" with 600mm x 600MM x 5mm thick copper plate, burried 5 meters deep or to the depth of water table, whichever is less, fill with lime, salt and charcoal in appropriate ratio, also construct 450 x 450 x 450 deep inspection chamber, complete with heavy duty C.I. cover with frame, complete in all respects as per drawings and specifications. Each

S.No.	Quantity	Description	Unit	Rate in Figure Rupees	Rate in Words Rupees	Amount
-------	----------	-------------	------	-----------------------	----------------------	--------

2. 10 Mtrs Provide, lay and connect 2x1/0 SWG copper conductors in 50mm dia G.I. Pipe from earth plate to DB. Mtr

**F. SEC: F: TELEPHONE SYSTEM:**

01. 30 Mtrs Provide, lay and connect 5 pairs telephone cable, laid in 25mm dia D CLASS PVC conduit recessed underground, complete with all accessories. Mtr

02. 1 Job Provide and install 5 pairs telephone junction box, 1.5mm thick sheet steel fabricated with hinged door, having 2 x 5 pairs telephone tag blocks. Job

03. 14 Nos Provide, wire and connect telephone points wired with 2 pairs telephone cable in 20mm dia high impact PVC conduit recessed in floor/wall, complete with all accessories. Each

**TOTAL NON-SCHEDULE ITEMS: Rs. \_\_\_\_\_**