



- NOTES:
- FOR GENERAL NOTES REFER DRAWING NO. N-HEJ-01 AND N-HEJ-02.
 - FOR DIMENSIONS & DETAILS REFER ARCHITECTURE DRAWINGS.
 - ALL SLAB ARE 6" THICK OTHERWISE SHOWN.
 - PROVIDE TOP DISTRIBUTION STEEL : 6" THICK SLAB= #3@10"C/C.
 - ALL DRAWING REQUIRED APPROVAL FROM CLIENT BEFORE PROCEEDING OF WORK.

TENDER DRAWING



FIRST FLOOR REINFORCEMENT PLAN
 ALL SLAB ARE 6" THICK OTHERWISE SHOWN.

SCHEDULE OF SLAB STEEL	
Z	#3@10"c/c
Y	#3@9"c/c
X	#3@8"c/c
W	#3@6"c/c
V	#3@5"c/c
U	#3@4"c/c
T	#4@6"c/c
S	#4@4"c/c



ISSUED FOR TENDER		
NO.	DATE	DESCRIPTION
-	-	-

DESIGNED BY: A. H. MANSURI	DRAWN BY: NOMAN
CHECKED / CO-ORDINATED BY: WASIF NAZAR	APPROVED BY: -

PROJECT
Strengthening Of Research Program

TITLE
**VIROLOGY LABORATORY
 First Floor Reinforcement Plan**

HEJ	SCALE: N.T.S	JOB NO. P-1701
	DRAWING No. ST-HEJ-VL-10	REVISION. -
	DATE. OCT 2016	PLOT SCALE. A3