

0223342607

OFFICE OF THE EXECUTIVE ENGINEER EDUCATION WORKS DIVISION TANDO MUHAMMED KHAN

No: TC/G-55 (EWD)/ 81 /of 2016

T.M.Khan, Marted 13-02-2017

Notice Inviting Tenders

Sealed tenders on Standard Bidding Documents (SBD's) are invited from all intending Contractors under SPPRA rules 2010.

S.#		Estimated Cost (M)	BID Security		
	PRO	VINCIAL-ADP (On-going)			
	Primar	291) Clustering/ Rehabilitation of Existing ry Schools (2015-2016 Programme) in UC Allah urk Tal: B.S.Karim Distt: T.M.Khan.	l.		
1	GBPS	Yousif Laghari (Ext. Dev:)	B.S.Karim	1.000	20000
2	GBPS	Suleman Laghari (Ext. Dev:)	B S Karim	1.000	20000
3	GBPS	Abdullah Chandio (Ext. Dev.)	B S Karim	1.000	20000
4	GBPS	GBPS Dharmoon Kolhi (Ext. Dev.) B.S.Karim			
	DIST	RICT-ADP (On-going)			
		336/234) Construction of Shelterless Primary s Tal: T.G.Hyder (2007-08 Prog:)			
5	GPS	Hafi Natho Chang (Ext. Dev:)	T.G.Hvder	1.000	20000
6	GPS	Bhai Khan Jat (Ext. Dev:)	T.G.Hyder	1.000	20000
		338/236) Construction of Shelterless Primary s Tal: B.S.Karim (2008-09 Programme)			
7	GGPS	Hafiz Muhammad Ali Khaskhely (Ext. Dev:)	B.S.Karim	1.000	20000
		339/237) Construction of Shelterless Primary s Tal: T.G.Hyder (2008-09 Programme)			
8	(ADP-	Nindo Khowaja (Ext. Dev:) 342/240) Re-Construction of Existing Primary Buildings District T.M.Khan (2008-09 mme)	T.G.Hyder	1.000	20000
9	GPS	Haji Chhutto Soomro (Ext. Dev:)	B.S.Karim	1.000	20000
10	GPS	Bachal Kaloo (Ext. Dev:)	T.G.Hyder	1.000	20000
		Schedule for issue, receipt & Opening of bi		ments:-	
		Particular		Ist Att	empt

1st Attempt
27.02.2017
28.02.2017

S.#	Name of Scheme / Locations	Taluka	Estimated Cost (M)	BID Security	Bid Documents Fee	Time for completion
-----	----------------------------	--------	-----------------------	-----------------	-------------------------	---------------------

- Bidding documents may be obtaind from the office of undersigned on any working day from the date of the Advertisement is hoisted on the Wesite of SPPRA on payment of amount as shown against each work Non-refundable.
- 2 The Bid security should be in shape of Bank Draft, Call Deposit, Security Receipt of any reputed Bank of Pakistan.
- 3 Conditional bid and bids without bids security will not be considered.
- 4 The Bids will be opened in the presence of Procurement Committee and the authorised representaives of the participating firms / contractors. In case of any emergency the opening will be performed on the next working day at the same time.
- 5 The procuring Agency may reject all or any bid in persuance of the SPPRA Rules 2010.

EXECUTIVE ENGINEER EDUCATION WORKS DIVISION T.M.KHAN

Copy Forwarded with compliments to:-

- The Managing Director, (A&F) Sindh Public Procurement Regulatory Authority, Services General Administration & Coordination Department, Barrack No. 8, Sindh Secretariat No. 4-A, Court Road Karachi, for hoisting the advertisement on the SPPRA Website.
- 2 The Chief Engineer, Education Works, Hyderabad for information.
- 3 The Superintending Engineer, Education Works Circle Hyderabad for information
- 4 The Assistant Engineer, Education Works Sub-Division, T.M.Khan for information & wide publicity.
- 5 Copy to Notice Board.

EXECUTIVE ENGINEER EDUCATION WORKS DIVISION T.M.KHAN



GOYERMMENT OF SINDH EDUCATION & LITERACY DEPARTMENT Karachi, data the 28-04-2015

NOTIFICATION

NO.SO(G) EDU/E&A/PRO-EW(CRC)/14-15: In pursuance of Rule - 31 of the Sindo Public Procureme Rules, 2010 a Departmental Complaint Redressal Committee comprising of following Officers constituted as under to resolve complaint's of aggrieved bidders:-

1. Superintendent Engineer (Education Works)
of concerned Education Works Circle
Education & Literacy Department

Chairman

2. Representative of District Account Officer /

Member

Accountant General, Sindh

 Representative of Head of procuring Agency (Professional from relevant field concerning) Member

ToRs

To perform according to Rule - 31 of SPPRA, 2010;

Perform any other function ancillary and incidental to the above.

SECRETARY EDUCATION TO GOVT, OF SINDH Karachi, date the 28th May, 2015

NO.SO(G) EDU/E&A/PRO-EW(CRC)/14-15:

A copy is forwarded for information & necessary action to:-

- 1. All Members of the Committee.
- 2. The P.S to Secretary, Education & Literacy Department.
- 3. Office Order File

SINDH EDUCATION &

DEPOTY SECRETARY GA



GOVERNMENT OF SINDH EDUCATION & LITERACY DEPARTMENT Karachi, date the 28-04-2015

NOTIFICATION

NO.SO(d) EDU/E&A/PRO-EW/14-15: In pursuance of Rule - 7 of the Sindh Public Procurement Rules, 2010, a Departmental Procurement Committee comprising of following Officers for procurement of works for various Educational Institutes / Offices / Line Departments working under Administrative Control of Education & Literacy Department to be procured under ADP / Regular Budget / SNE of Education Department is constituted as under:-

Executive Engineer (Education Works)
 Concerned Education Works Division
 Education & Literacy Department

Chairmán

Assistant Engineer
 Local Government Public Health Engineering Department

Member

. 3. Assistant Engineer (Education Works) of Headquarter
Concerned Education Works sub Division
Education & Literacy Department

Member

ToRs

Preparing bidding documents;

Carrying out technical as well as financial evaluation of the bids;

art to a first to the

Preparing evaluation report as provided in Rule 45 of SPPRA 2010;

Making recommendations for the award of contract to the competent authority; and

Perform any other function ancillary and incidental to the above.

- DR. FAZLULLAH PECHUHO -

NO.SO(G) ECU/E&A/PRO-EW/14-15:

Karachi, date the 28th May, 2015

A lopy is forwarded for information & necessary action to:-

1. All Members of the Committee.

2. The P.S. to Senior Minister, Education & Literacy Department, Govt. of Sindh, Karachi,

3. The P.S to Secretary, Education & Literacy Department.

4. The P.S to Secretary, Local Government Public Health Engineering Department.

5. Office Order File

DEPUTY SECRET

SINDIN EDUCATION & ITERACY DEPARTMENT

NAME OF WORK:-

(ADP-216/291) Clustering/ Rehabilitation of existing primary schools (2015-2016 Programme) in UC Allah Yar Turk Taluka B.S.Karim District T.M.Khan @ GBPS. Yousif Łaghari (External Development).

S.No	Description	Qua	ntity	Rate.	Unit	Amount		
Excavation of foundation of building bridges and other structure i/c dagbelling dressing refilling around structure with excavated lead upto one chain and lift upto 5' feet (S.I.NO:18(b)P-4).								
		630.00	Cft	3176.25	%.OCft	200		
2	Cement Concret brick or stone ballast 1-1/2"	to 2"guage Rati	o1:4:8. (S	5.1.No:4/B/P-14).				
		1741.00	Cft	9416.28	%.Cft	16393		
3	Pacca brick work in foundation or plinth in c	ement sand mor	ter 1:6 (S.	I.No. 04/E/P-24)				
		1103.00	Cft	11948.36	%.Cft	13179		
4	Filling, watering, and ramming earth under the chain and lift upto 5'ft (S.I.NO:22/P-04).	floors with new	earth exca	vated from outsid	le lead upto 1			
		19900.00	Cft	3630.00	%0.Cft	7223		
5	Extra lead for 06 Miles.							
		19900.60	Cft	771.96	% Cft	15362		
6	Providing and laying 3" thick topping ceme panells.(S.I.No:16(d)/p-41).	ent concrete 1:2:	4 I/c surf	ace finishing and	dividing into			
		1000.00	S.ft	4411.82	%.Sft	4411		
7	Cement Plaster 1:4 upto 20 ft. hight 3/4"	thick (S.I.No.)	3(b)/P -	57)				
		1050.00	Sft	2206.60	% Sft	2316		
8	Cement Plaster 1:4 upto 20 ft, hight 3/4"	thick (S.I.No.)	3(b)/P -	57)				
		1050,00	Sfi	2197.52	% Sft	2307		
					Total	61394		

S.No	Description	Quantity	Rate.	Unit	Amount
		The court of the c			

Part.t.....B.

P/F cement paving blocks flooring having size of 197x97x80 (mm) of city/quddra/cobble shape with natural colours, having strength b/w 5000 psi to 8500 psi i/c filling the joints with hill sand and laying in specified manner / pattern and design etc complete. (S.I.No.73/P-49).

1275.00	S.ft	248.17 P.Sft	316417
		Total Part - B.	316417
		Total Part - A.	613947
		G. Total - (A + B)	930364

(ADP-216/291) Clustering/ Rehabilitation of existing primary schools (2015-2016 Programme) in UC Allah Yar Turk Taluka B.S.Karim District T.M.Khan @ GBPS. Suleman Leghari (External Development).

S.No	Description	Qua	ntity	Rate.	Unit	Amount				
1	1 Excavation of foundation of building bridges and other structure i/c dagbelling dressing refilling around structure with excavated lead upto one chain and lift upto 5' feet.(S.I.NO:18(b)P-4).									
		630.00	Cft	3176.25	%.OCft	2001				
2	Cement Concret brick or stone ballast 1-1/2" to	2"guage Rati	o1:4:8. (S.I	.No:4/B/P-14).						
		1741.00	Cft	9416.28	%.Cft	163937				
3	Pacca brick work in foundation or plinth in cen-	nent sand mort	ter 1:6 (S.L.	No. 04/E/P-24)						
		1103.00	Cft	11948.36	%.Cft	131790				
4	Filling, watering, and ramming earth under floo chain and lift upto 5'ft (S.I.NO:22/P-04).	ors with new e	earth excava	ated from outsid	le lead upto 1					
		19900.00	Cft	3630.00	%0.Cft	72237				
5	Extra lead for 06 Miles.									
		19900.00	Cft	771.96	% Cft	153620				
6	Providing and laying 3" thick topping cement panells.(S.1.No:16(d)/p-41).	concrete 1:2:4	4 1/c surfac	e finishing and	dividing into					
		1000.00	S.ft	4411.82	%.Sft	44118				
7	Cement Plaster 1:4 upto 20 ft. hight 3/4" thi	ick (S.I.No. 1	3(b)/P - 5°	7)						
		1050.00	Sft	2206.60	% Sft	23169				
8	Cement Plaster 1:4 upto 20 ft. hight 3/4" thi	ick (S.I.No. 1	3(b)/P - 5	7)						
		1050.00	Sft	2197.52	% Sft	23074				
					Total	613947				

1

2

			1		
S.No	Description	Quantity	Rate.	Unit	Amount

Partt.....B.

1 P/F cement paving blocks flooring having size of 197x97x80 (mm) of city/quddra/cobble shape with natural colours, having strength b/w 5000 psi to 8500 psi i/c filling the joints with hill sand and laying in specified manner / pattern and design etc complete. (S.I.No.73/P-49).

1275.00 S.ft 248.17 P.Sft 316417

Total Part - B. 316417

Total Part - A. 613947

G. Total - (A + B) 930364

(ADP-216/291) Clustering/ Rehabilitation of existing primary schools (2015-2016 Programme) in UC Allah Yar Turk Taluka B.S.Karim District T.M.Khan @ GBPS. Abdullah Chandio (External Development).

S.No	Description	Qua	ntity	Rate.	Unit	Amount				
1	1 Excavation of foundation of building bridges and other structure i/c dagbelling dressing refilling around structure with excavated lead upto one chain and lift upto 5' feet.(S.I.NO:18(b)P-4).									
		630.00	Cft	3176.25	%.OCft	2001				
2	Cement Concret brick or stone ballast 1-1/2"	to 2"guage Rati	o1:4:8. (S	.1.No:4/B/P-14).						
		1741.00	Cft	9416.28	%.Cft	163937				
3	Pacca brick work in foundation or plinth in ce	ment sand mort	ter 1:6 (S.	I.No. 04/E/P-24)						
		1103.00	Cft	11948.36	%.Cft	131790				
	Filling, watering, and ramming earth under fl chain and lift upto 5'ft (S.I.NO:22/P-04).	oors with new o	earth exca	vated from outsic	le lead upto 1					
		19900.00	Cft	3630.00	%0.Cft	72237				
5	Extra lead for 06 Miles.									
		19900.00	Cft	771.96	% Cft	153620				
	Providing and laying 3" thick topping cemen panells.(S.I.No:16(d)/p-41).	t concrete 1:2:	1 I/c surfa	ace finishing and	dividing into					
		1000.00	S.ft	4411.82	%.Sft	44118				
7	Cement Plaster 1:4 upto 20 ft. hight 3/4" tl	nick (S.I.No. 1	3(b)/P - 5	57)						
		1050.00	Sft	2206.60	% Sft	23169				
8	Cement Plaster 1:4 upto 20 ft. hight 3/4" tl	nick (S.I.No. 1	3(b)/P - 5	57)						
		1050.00	Sft	2197.52	% Sft	23074				
					Total -	613947				

7

S.No	Description	Quantity	Rate.	Unit	Amount

Part.....B.

1 P/F cement paving blocks flooring having size of 197x97x80 (mm) of city/quddra/cobble shape with natural colours, having strength b/w 5000 psi to 8500 psi i/c filling the joints with hill sand and laying in specified manner / pattern and design etc complete. (S.I.No.73/P-49).

1275.00	S.ft	248.17 P.Sft	316417
		Total Part - B.	316417
		Total Part - A.	613947
		G. Total - (A + B)	930364

(ADP-216/291) Clustering/ Rehabilitation of existing primary schools (2015-2016 Programme) in UC Allah Yar Turk Taluka B.S.Karim District T.M.Khan @ GBPS. Dharmoon Kolhi (External Development).

s.No	Description	Qua	ntity	Rate.	Unit	Amount		
1 Excavation of foundation of building bridges and other structure i/c dagbelling dressing refilling around structure with excavated lead upto one chain and lift upto 5' feet.(S.I.NO:18(b)P-4).								
		630.00	Cft	3176.25	%.OCft	2001		
2	Cement Concret brick or stone ballast 1-1	/2" to 2"guage Rati	o1:4:8. (S	5.1.No:4/B/P-14).				
		1741.00	Cft	9416.28	%.Cft	163937		
3	Pacca brick work in foundation or plinth i	n cement sand mor	ter 1:6 (S.	I.No. 04/E/P-24)				
		1103.00	Cft	11948.36	%.Cft	131790		
4	Filling, watering, and ramming earth under chain and lift upto 5'ft (S.I.NO:22/P-04).	er floors with new o	earth exca	ivated from outsic	de lead upto I			
		19900.00	Cft	3630.00	%0.Cft	72237		
5	Extra lead for 06 Miles.							
		19900.00	Cft	771.96	% Cft	153620		
6	Providing and laying 3" thick topping cepanells.(S.I.No:16(d)/p-41).	ment concrete 1:2:	1 I/c surf	ace finishing and	dividing into			
		1000.00	S.ft	4411.82	%.Sft	44118		
7	Cement Plaster 1:4 upto 20 ft. hight 3/-	4" thick (S.I.No, I	3(b)/P -	57)				
		1050.00	Sft	2206.60	% Sft	23169		
8	Cement Plaster 1:4 upto 20 ft. hight 3/4	4" thick (S.I.No. 1	3(b)/P -	57)				
		1050.00	Sft	2197.52	% Sft	23074		
					Total	613947		

ı

2

S.No Description	Quantity	Rate.	Unit	Amount	1
------------------	----------	-------	------	--------	---

Part.....B.

1 P/F cement paving blocks flooring having size of 197x97x80 (mm) of city/quddra/cobble shape with natural colours, having strength b/w 5000 psi to 8500 psi i/c filling the joints with hill sand and laying in specified manner / pattern and design etc complete. (S.I.No.73/P-49).

1275.00	S.ft	248.17 P.Sft	316417
		Total Part - B.	316417
		Total Part - A.	613947
		G. Total - (A + B)	930364

NAME OF WORK:-

(ADP-336/234 Construction of shelterless Primary Schools Taluka T.G Hyder (2007-08 Programme) (External Development) @ GPS. Hafiz Natho chang.

S.No	Description	Qua	ntity	Rate.	Unit	Amount			
.1	Excavation of foundation of building bridges and other structure i/c dagbelling dressing refilling around structure with excavated lead upto one chain and lift upto 5' feet.(S.I.NO:18(b)P-4).								
		240.00	Cft	3176.25	%.OCft	762			
2	Cement Concret brick or stone ballast 1-1/2" to	2"guage Rat	io1:4:8. (S.I.N	io:4/B/P-14).					
		727.00	Cft	9416.28	%.Cft	68456			
3	Pacca brick work in foundation or plinth in cen	nent sand mor	ter 1:6 (S.I.No	o. 04/E/P-24)					
		126.00	Cft	11948.36	%.Cft	15055			
4	4 R.C.C. work i/c all labour and material except the cost of steel reinforcement and its labour for bending binding which will be paid separately. This rate also i/c all kinds of forms moulds lifting shuttering curing rendering washing of shingle surface. (a) R.C.C work in roof slabs, beams, columns, rafts, lintels and other structural members laid in situ or precast laid in position, complete in all respects Ratio 1:2:4 (S.I No 6/p -18).								
		169.00	P.C	337.00	P.Cft	56953			
5	Cement Plaster 1:6 upto 20 ft. hight 1/2" thi	ck (S.I.No.	13(b)/P - 57)						
		495.00	Sft	2206.60	% Sft	10923			
6	Cement Plaster 1:4 upto 20 ft. hight 3/8" thick (S.I.No: 11(a)	/P-57).						
		495.00	Sft	2197.52	% Sft	10878			
	Providing and laying 1-1/2" thick topping ceme panells.(S.I.No:16(d)/p-41).	nt concrete 1	:2:4 I/c surfac	e finishing and	dividing into				
		894.00	S.ft	2548.29	%.Sft	22782			
8	White washing 03 coats (S.I.No. 26/(c)P-53).								
		1322.00	S.ft	829.95	%.Sft	10972			

ş.No	Description	Qua	ntity	Rate.	Unit	Amount
9	Primary coat of chalk under distemper.(S.I.No.	23/P-58).				
		4279.00	S.ft	442.75	%.Sft	18945
10	Distempering 03 coats . (S.I.No. 24(b)/P-6	60)				
*		4279.00	S.ft	1079.65	%.Sft	46198
11	Painting new surface preparing surface and (S.I.No.5(c)/ P-76)	door & wind	dow any type	i/c edges.		
	(3.1.10.5(0)/ 1-70)	410.00	S.ft	2116.41	%.Sft	8677
12	Painting new surface preparing surface and gua bracess etc. & similar open work (S.I.No.5 (d.)		n bars gratting	g railing i/c sta	ndard	
		100.00	S.ft	1270.83	%.Sft	1271
				7	'otal	271872
1	PartB. Fabrication of mild steel reinforcement for R.C. laying in position making joints and fastening is bars (S.I.No. 8/ P- 16)				m* /	
		7.54	Cwt	5001.70	P.Cwt	37713
2	S/F iron steel grill of 3/4" and 1/4" size flate complete(weight not less than 3.7 Lb./ Sq:	0.7	_		coats etc.	
		9.00	Sft	194.16	P.Sft	1747
	Part				Total	39460
1	Laying floor of approved with glazed tiles 1/4" 1:2 (S.I No 34/P-42)	thick in white	e cement 1:2 o	ver 3/4" thick	cement mortor	
		32.00	S.ft	27678.86	%.Sft	8857
	PartD.				Total	8857
1	Providing & laying floor for VERONA Marble surface without winding set in white cement laid setting the tiles with grey cement sulurry. Jointin & pigment to match the colour of tiles. i/c curring complete etc i/c cutting tiles to proper file. (R.	l over 3/4" thing & washinging granding, i	ick bed of 1:2 the tiles with	grey cement m sulurry of whit	ortor e cement	
		1057.00	Sft	310.43	P.Sft	328125

S.No	Description	Quantity	Rate.	Unit	Amount
5.110	Description	Quantity	rate.	Can	Amount

2 P/F cement paving blocks flooring having size of 197x97x80 (mm) of city/quddra/cobble shape with natural colours, having strength b/w 5000 psi to 8500 psi i/c filling the joints with hill sand and laying in specified manner / pattern and design etc complete. (S.I.No.73/P-49).

955.00	S.ft	223.17	P.Sft	213127
			Total	541252
			ABSTRACT.	
		T	otal Part - A.	271872
		Т	otal Part - B.	39460
		T	otal Part - C.	8857
		T	otal Part - D.	541252
		G. Total I	Part (A + B).	861442

NAME OF WORK:- (ADP-336/234 Construction of shelterless Primary Schools Taluka T.G Hyder (2007-08 Programme) (External Development) @ GPS. Bhai Khan Jat.

S.No	Description		Quantity (Rate.	Unit	Amount.		
01	Excavation of foundation of building bridges and other structure i/c dagbelling dressing refilling around structure with excavated lead upto one chain and lift upto 5' feet.(S.I.NO:18(b)P-4).							
		560.00	Cft	3176.25	%.OCft	17787		
02	Cement Concret brick or stone ballast 1-1/2" to 2"guage Ratio1:4:8(S.I.No:4/B/P-17).							
		110.00	Cft	9416.28	%.Cft	10358		
03	3 Pacca brick work in foundation or plinth in cement sand morter 1:6 (S.I.No. 04/E/P-24)							
		436.00	Cft	11948.36	%.Cft	52095		
04	R.C.C. work i/c all labour and material except the cost of steel reinforcement and its labour for bending binding which will be paid separately. This rate also i/c all kinds of forms moulds lifting shuttering curing rendering washing of shingle surface. (a) R.C.C work in roof slabs, beams, columns, rafts, lintels and other structural members laid in situ or precast laid in position, complete in all respects Ratio 1:2:4 (S.I No 6/p -18).							
		95.00	P.Cft	337.00	P.Cft	32015		
5	Filling, watering, and ramming earth under floors 1 chain and lift upto 5'ft (s.I.NO:22/(a)P-05).	with nev	w earth excavat	ted from outside	lead upto			
		1564.00	Cft	3630.00	%0.Cft	5677		
6	Pacca brick work in Ground Floor i/c stricking or ratio 1:6 (S.I. No. 5/(I E)P-20)	of joints	upto 20 ft: hieş	ght in cement sa	and mortor			
		221.00	Cft	12674.36	% Cft	28010		
9	Cement Plaster 1:6 upto 20 ft. hight 1/2" thick (S.	I.No. 13((b)/P-51)					
	3	3903.00	Sft	2206.60	% Sft	86124		
10	Cement Plaster 1:4 upto 20 ft. hight 3/8" thick (S.	I.No. 11(a)/P - 51)					
	3	903.00	Sft	2197.52	% Sft	85769		
11	Cement pointing stuck joints on walls ratio 1:2.(S.	.I.No. 19	/P-52)					

S.No	Description	Q	uantity	Rate.	Unit	Amount.
		926.00	Sft	1287.44	% Sft	11922
12	Providing and laying 3" thick topping cement corpanells.(S.I.No:16(d)/p-41). 1-1/2" Thick	ncrete 1:2	:4 I/c surface	finishing and div	viding into	
		1389.00	S.ft	2548.29	%.Sft	35396
	3" Thick	1250.00	S.ft	4411.82	%.Sft	55148
13	Notice board made with cement. (S.I.No. 1/P-96)).				
		64.00	S.ft	58.11	P.Sft	3719
14	Two coats of bituman 34 Lbs. Laid hot using ov Sft. (S.I.No.13/P-34)	ver roof a	nd blinded wi	th sand at one (Cft. Per %	
		1474.00	S.ft	1887.40	%.Sft	27820
15	First class deodar wood wrought joinery in doors cords hooks iron tower bolts hinges holds fasts (S.I.No7/(b)P-57)					
	The contract of the contract o	202.00	S.ft	902.93	P.Sft	182392
16	White washing 03 coats (S.I.No. 26/(c)P-53).					
	1	1437.00	S.ft	829.95	%.Sft	11926
17	Colour wasing two coats. (S.I.No. 25/P-53)					
		926.00	S.ft	859.90	%.Sft	7963
18	Primary coat of chalk under distemper (S.I.No.23	/P-53)				
	3	3903.00	S.ft	442.75	%.Sft	17281
19	Distempering 03 coats . (S.I.No. 24(c)/P-53)					
	3	3903.00	S.ft	1079.65	%.Sft	42139
20	Painting new surface preparing surface and door	& windov	v any type i/c e	edges. (S.I.No.5)	c)/ P-76)	
	4	404.00	S.ft	2116.41	%.Sft	8550
21	Painting new surface preparing surface and guar bracess etc. & similar open work (S.I.No.5 (d)/P		f Iron bars gra	atting railing i/c	standard	
		96.00	S.ft	1207.83	%.Sft	1160

S.No	Description	Q	uantity	Rate.	Unit	Amount.
					Total	723250
1	PartB. Fabrication of mild steel reinforcement for R.C.C laying in position making joints and fastening i/c bars (S.I.No. 7/ P- 19)			5 T		
		4.67	Cwt	5001.70	P.Cwt	23358
2	Providing and fixing chowkhats of size 7"x2" for i/c welded hinges & fixing at site with necessary 1:6 and reparing the jambs the cost olso i/c all car Door Chowkhats / Window chowkhats(S.I.No. 28)	hood fast rriage too	s filling with c	ement sand sullr	ry of ratio	
A)	DOOR CHOWKATS	33.00	Rft	228.90	P.Rft	7554
B)	WINDOW CHOWKATS	14.00	Rft	240.50	P.Rft	3367
3	S/F iron steel grill of 3/4" and 1/4" size flate i complete(weight not less than 3.7 Lb./ Sq: ft: of				coats etc.	
		9.00	S.ft	194.16	P.Sft	1747
4	M/F steel grated door with 1/16" thick sheeting i/s Sq: bars at 4" C/C with locking arrangements(S.I.	-		x2"x3/8" with 3/	4" dia	
		72.00	S.ft	726.72	P.Sft	52324
					Total	88350
1	PartC. Laying floor of approved with glazed tiles 1/4" th 3/4" thick cement mortor (S.I No 25/P-49)	ick laid ir	n white cement	t and pigment on		86330
		35.00	Sft	27678.86	%.Sft	9688
2	White glazed tiles 1/4" thick dadoo jointed in whi 3/4" thick i/c finishing (S.I.No. 37/P-49)	te cemen	t and laid over	1:2 cement sand	mortor	
		128.00	S.ft	28253.61	%.Sft	36165

3 P/L Hala or patterned tiles glazed 8"x8"and 1/4" on floor or walls facing in required pattern of Stile specification jointed in white cement and pigment over a base of 1:2 grey cement mortar 3/4" thick I/c washing and filling of joints with slurry of white cement and pigment in desired shade with finishing, cleaning and wax polish etc complete i/c cutting tile to proper profile (S.I. No 62 /P-47)

239.00	S.ft	34520.31	%.Sft	82504
			Total:-	128356
			ABSTRACT. al Part - A.	723250
		Tota	al Part - B.	88350
		Tota	al Part - C.	128356

G. Total Part (A + B + C).

939955

NAME OF WORK:-

ADP-338/236 Construction of Shelterless Primary Schools Taluka B.S Karim (2008-09 Prog:) (External Development) GGPS Hafiz Mohammed Ali Khaskhely

S.No	Description	Qua	ntity	Rate.	Unit	Amount
1	Pacca brick work in foundation or plinth in cem	nent sand mor	ter 1:6(S.I.No	5.04/E/P-24)		
6:		22.00	Cft	12501.41	%.Cft	2750
	R.C.C. work i/c all labour and material except to bending binding which will be paid separately. shuttering curing rendering washing of shingle strafts, lintels and other structural members laid in respects Ratio 1:2:4 (S.I No 6/p -18).					
		4.00	P.Cft	337.00	P.Cft	1348
	Pacca brick work in Ground Floor i/c stricking ratio 1:6 (S.I. No. 05/P-24)	of joints upto	20 ft: hieght	in cement sand n	nortor	
		58.00	Cft	12674.36	%.Cft	7351
4	Cement Plaster 1:6 upto 20 ft. hight 1/2" thick ((S.I.No. 13(b)	/P - 57)			
		3182.00	S.ft	2206.60	%.Sft	70214
5	Cement Plaster 1:4 upto 20 ft. hight 3/8" thick ((S.I.No. 11(a)/	/P - 57)			
		3182.00	S.ft	2197.52	%.Sft	69925
6	Cement Plaster 1:4 upto 20 ft. hight 3/4" thick (5	S.I.No: 11(a)/	P-57).			
		261.00	S.ft	3015.76	%.Sft	7871
	Extra Labour rate for making cement plaster pat around the edges of roof slabs the width not less Incharge.(S.I.No. 35/P-61)					
		523.00	Rft	19.36	P.Rft	10125
					Total	169585

S.No	Description	Qua	antity	Rate.	Unit	Amount
1	PartB. Fabrication of mild steel reinforcement for R in position making joints and fastening i/c (S.I.No. 8/ P- 16)					
		0.20	Cwt	5001.70	P.Cwt	1000
	PartC.				Total	1000
1	Providing & laying floor for VERONA Marb without winding set in white cement laid over tiles with grey cement sulurry. Jointing & was to match the colour of tiles. i/c curring grandi	r 3/4" thick bed shing the tiles v	of 1:2 grey vith sulurry	y cement mortor of white cemen	setting the it & pigment	
	cutting tiles to proper file . (R. A).			onoming ore com	piete ete ve	
	cutting tiles to proper file . (R. A).	2482.00	Sft	310.43	P.Sft	770487
	cutting tiles to proper file . (R. A).					770487
	cutting tiles to proper file . (R. A).				P.Sft	
	cutting tiles to proper file . (R. A).			310.43	P.Sft Total	
	cutting tiles to proper file . (R. A).			310.43	P.Sft Total ABSTRACT.	770487
	cutting tiles to proper file . (R. A).			310.43	P.Sft Total ABSTRACT. Total Part - A.	770487 169585

NAME OF WORK:-

ADP-339/237 Construction of Shelterless Primary Schools Taluka T.G.Hyder (2008-09 Programme) @ GPS. Nindo Khowaja UC. Dando Taluka T.G.Hyder.(External Development)

S.No	Description	Quant	ity	Rate.	Unit	Amount.						
01	Excavation of foundation of building bri refilling around structure with excava feet.(S.I.NO:18(b)P-4).											
		428.00	Cft	3176.25	%.OCft	1359						
02	Cement Concret brick or stone ballast 1-1/	/2" to 2"guag	e Ratio1	:4:8. (S.I.No:4/	B/P-14).							
		1001.00	Cft	9416.28	%.Cft	94257						
03	Pacca brick work in foundation or plinth is 24)	n cement san	d morter	1:6 (S.I.No. 04	/E/P-							
		501.00	Cft	11948.36	% Cft	59861						
4	R.C.C. work i/c all labour and material except the cost of steel reinforcement and its labour for bending binding which will be paid separately. This rate also i/c all kinds of forms moulds lifting shuttering curing rendering washing of shingle surface. (a) R.C.C work in roof slabs, beams, columns, rafts, lintels and other structural members laid in situ or precast laid in position, complete in all respects Ratio 1:2:4 (S.I No 6/p -18).											
		14.00	P.Cft	337.00	P.Cft	4718						
5	Filling, watering, and ramming earth un outside lead upto 1 chain and lift upto 5'ft			earth excavat	ed from							
		7589.00	Cft	3630.00	%.OCft	27548						
6	Pacca brick work in Ground Floor i/c str sand mortor ratio 1:6 (S.I. No. 5/(I E)P-20	Company of the contract of the	nts upto	20 ft: hieght in	cement							
		58.00	Cft	12674.36	% Cft	7351						
7	Cement Plaster 1:6 upto 20 ft. hight 1/2" t	hick (S.I.No.	13(b)/P-	51)								
		608.00	Sft	2206.60	% Sft	13416						

S.No	Description	Quan	tity	Rate.	Rate. Unit		Amount.			
8	Cement Plaster 1:4 upto 20 ft. hight 3/8" t	hick (S.I.No.	11(a)/P	- 51)						
		608.00	Sft	2197.52	9/	% Sft	13361			
9	Providing and laying 3" thick topping cem dividing into panells.(S.I.No:16(d)/p-41).	ent concrete	1:2:4 I/o	c surface fini	shin	g and				
	2" Thick	409.00	S.ft	3275.50	9/	6.Sft	13397			
10	10 First class deodar wood wrought joinery in doors & windows fixed in position with chowkads i/c cleats cords hooks iron tower bolts hinges holds fasts deodar panelled or glazed or fully glazed 1-3/4" thick (S.I.No7/(b)P-57)									
		6.00	S.ft	902.93	I	.Sft	5418			
							240686			
	PartB. Fabrication of mild steel reinforcement finding and laying in position making join also removal of rust from bars (S.I.No. 8/1	nts and faster				~				
		0.74	Cwt	5001.70	P	.Cwt	3701			
	S/F iron steel grill of 3/4" and 1/4" size coats etc. complete(weight not less than 3 93)									
		180.00	Sft	194.16	F	.Sft	34949			
						9	38650			
	PartC. Providing and fixing printed glazed porcel laid over a bed of 1/2" rhick gray cement s with white cement etc complete in all response.	and mortar r								
		1752.00	Sft	350.00	I	.Sft	613200			

Total :-

613,200

S.No	Description	Quantity	Rate.	Unit	Amount.
			<u>A</u> Total Pa	BSTRACT.	240,686
			Total Pa		38,650
			Total Pa	rt C.:-	613,200
			G. Total	Part :-	892,536

NAME OF WORK:-

ADP-342/240Re Construction of Shelterless Primary Schools (2008-09 Programme) (External Development) @ GPS Haji Chutto Soomro.

S.No	Description	Qu	antity	Rate.	Unit	Amount
1	Primary coat of chalk under distemper (S.I	.No.23/P-5	(8)			
		4017.00	S.ft	442.75	%.Sft	17785
2	Distempering 03 coats . (S.I.No. 24(b)/P-	60)				
		4017.00	S.ft	1079.65	%.Sft	43370
3	White washing 03 coats (S.I.No. 26/P-60).					
		1416.00	S.ft	829.95	%.Sft	11752
4	Colour wash 02 coats (S.I.No.25(b)/P-60).					
		1781.00	S.ft	859.00	%.Sft	15299
				_	Total	88206

Part.....B.

Providing & laying floor for VERONA Marble Tiles of size 12"x12"x3/4" find dressed on the surface without winding set in white cement laid over 3/4" thick bed of 1:2 grey cement mortor setting the tiles with grey cement sulurry. Jointing & washing the tiles with sulurry of white cement & pigment to match the colour of tiles. i/c curring granding, rubbing & chemical polishing etc complete etc i/c cutting tiles to proper file . (R. A).

2415.00	Sft	310.43	P.Sft	749688
			Total:-	749688
	Total P	art- A.		88206
	Total P	art- B.		749688
	G. T	otal:-		837894

NAME OF WORK:- ADP-342/240 Re Construction of Shelterless Primary Schools District
T.M.Khan (2008-09 Programme) (External Development) @ GPS. Bachal

S.No	Description	Q	uantity	Rate.	Unit	Amount.			
01	Excavation of foundation of building bridges and around structure with excavated lead upto one ch		The state of the s						
		984.00	Cft	3176.25	%.OCft	31254			
02	Cement Concret brick or stone ballast 1-1/2" to 2	2"guage R	atio1:4:8(S.I.N	lo:4/B/P-17).					
		1251.00	Cft	9416.28	%.Cft	117798			
03	Pacca brick work in foundation or plinth in ceme	ent sand m	orter 1:6 (S.I.N	No. 04/E/P-24)					
		428.00	Cft	11948.36	%.Cft	51139			
04	R.C.C. work i/c all labour and material except the cost of steel reinforcement and its labour for bending binding which will be paid separately. This rate also i/c all kinds of forms moulds lifting shuttering curing rendering washing of shingle surface. (a) R.C.C work in roof slabs, beams, columns, rafts, lintels and other structural members laid in situ or precast laid in position, complete in all respects Ratio 1:2:4 (S.I No 6/p -18).								
		100.00	P.Cft	337.00	P.Cft	33700			
05	Filling watering and ramming earth in floor surpl lift upto 5'feet.(S.I.No:21/p-4).	lus earth f	from foundation	n lead upto one o	chain and				
6	Filling, watering, and ramming earth under floors 1 chain and lift upto 5'ft (s.I.NO:22/(a)P-05).	656.00 s with new	Cft w earth excavate	1512.50 ed from outside l	%.OCft ead upto	992			
	1	13665.00	Cft	3630.00	%0.Cft	49604			
7	Extra lead for (06) miles.	2775 00	0.00	771.00	0/ 00	105400			
		13665.00			% Cft	105488			
8	Pacca brick work in Ground Floor i/c stricking or ratio 1:6 (S.I. No. 5/(I E)P-20)	of joints u	upto 20 ft: hieg	ght in cement san	nd mortor				
		69.00	Cft	12674.36	% Cft	8745			
9	Cement Plaster 1:6 upto 20 ft. hight 1/2" thick (S.	.I.No. 13(b)/P-51)						

S.No	Description	Q	uantity	Rate.	Unit	Amount.
		393.00	Sft	2206.60	% Sft	8672
10	Cement Plaster 1:4 upto 20 ft. hight 3/8" thick (S	I.No. 11	(a)/P - 51)			
		393.00	Sft	2197.52	% Sft	8636
11	Providing and fixing ornamental cement jalli 2" t	thick with	out steel.(S.I.N	lo.11/P-18).		
		126.00	Sft	226.02	P.Sft	28479
12	Providing and laying 3" thick topping cement corpanells.(S.I.No:16(d)/p-41).	ncrete 1:2	:4 I/c surface	finishing and div	iding into	
	3" Thick	24.00	S.ft	4411.82	%.Sft	1059
	1-1/2" Thick	41.00	S.ft	2548.29	%.Sft	1045
1	PartB. Fabrication of mild steel reinforcement for R.C.C laying in position making joints and fastening i/c bars (S.I.No. 7/ P- 19)		1 H. J. M. S. W. S.			446611
		4.91	Cwt	5001.70	P.Cwt	24558
1	PartC. Providing and fixing laying tiles glazed 6"x6"x1/4 pattern of STILE specification jointed in white ce joints with slaurry of white cement and pigment i	ement mo	rtar 3/4" thick i	c washing and	filling of	24558
	of wax polish etc complete i/c cutting tiles to pro					
		111.00	Sft	30509.77	%.Sft	33866
2	P/L Hala or patterned tiles glazed 8"x8"and 1/4' specification jointed in white cement and pigmer washing and filling of joints with slurry of white cleaning and wax polish etc complete i/c cutting to	nt over a le cement	base of 1:2 gregand pigment in	y cement mortar desired shade v	3/4" thick I/c	
		30.00	S.ft	34520.31	%.Sft	10356

ANNUAL PROCUREMENT PLAN 2016-17

S.	Description of Procurement			Estimated Unit Cost where applicable	Funds Available	Source of Funds ADP/			rocuren		Remarks
NO			applicabl e	(in (Million)	(in (Million)	Non ADP	1st Qtr	2nd Qtr	3rd Qtr	4th Qtr	
1	2		3	4	5	6	7	8	9	10	11
	(Provincial ADP-146) Upgradation of Primary S Middle Schools (2007-08 Programme)	Schools to									
1	GPS Moya	T.G.Hyder		1.000		ADP			/		
	(Provincial ADP- 252) Upgradation of Middle School to High Schools in Sindh (2008-09 Prog.) @										
2	GMS Ghulam Shah Nizamani (Phsse-III)	T.G.Hyder		2.000		ADP			/		
3	GMS Bhai Khan Talpur	T.M.Khan		5.000		ADP			/		
	(Provincial ADP- 255) Upgradation of Middle Schools to High Schools & High Schools to Higher Secondary Schools (2007-08 Programme)										
_	Upgradation of Middle Schools to High Schools.				*		_	-			
4	GBMS Uris Sathio @ Sadiq Sathio	B.S.Karim		5.000		ADP		-	~		
	Upgradation of High to Higher Sec: Schools.										
5	GBHS Raji Nizamani	T.M.Khan		5.000		ADP			/		
6	GBHS Ghulam Shah Bagrani	T.G.Hyder	1	5.000		ADP		/	~		
	(Provincial ADP- 257) Rehabilitation of existing High/ Higher Secondary Schools in Sindh (2008-09 Program)										
7	GGHS Main T.M.Khan (R.W)	T.M.Khan		1.500		ADP					
8	GBHS Mulakariar	B.S.Karim		2.000		ADP	V 35 =				
9	Syed Ahmed Ali Shah (Matli-II) U.C Nazarpur	T.G.Hyder		1.000	1	ADP					

s.	Description of Procurement		Quantity where	Estimated Unit Cost where	Funds Available	Source of Funds	Timi	ng of P	rocurei	nent	Remarks
NO			applicabl e	applicable (in (Million)	(in (Million)	ADP / Non ADP	1st Qtr	2nd Otr	3rd Qtr	4th Otr	
1	2		3	4	5	6	7	8	9	10	11
11	(Provincial ADP-291) Clustering/ Rehabilitation Primary Schools (2015-2016 Programme) in UC Turk Tal: B.S.Karim Distt: T.M.Khan. GBPS Yousif Laghari (Ext. Dev:) GBPS Suleman Laghari (Ext. Dev:) GBPS Abdullah Chandio (Ext. Dev:) GBPS Dharmoon Kolhi (Ext. Dev:)			1.000 1.000 1.000 1.000		ADP ADP ADP					
	District ADP - 234, Construction of Shelterless Primary Schoosl (2008-09 Prog) @										
14	GPS Arbab Manthar	T.G.Hyder		1.000		ADP					
15	GPS Hafiz Natho Chang shifted from Wakeel Chang	T.G.Hyder		2.300		ADP					
16	GPS Hafi Natho Chang (Ext. Dev:)	T.G.Hyder		1.000		ADP					
17	Bhai Khan Jat (Ext. Dev:)	T.G.Hyder		1.000		ADP		-			
	(District ADP- 236) Construction of Shelterless Primary Schools Tal: B.S.Karim (2008-09 Programme)										
18	GGPS Haji Muhammad Ali Khaskhely (Ext. Dev:)	B.S.Karim		1.000		ADP			/		
	(District ADP-237) Construction of Shelterle Schools Tal: T.G.Hyder (2008-09 Prog:)	ss Primar	Y								
19	GPS Ghulam Mustafa Chandio	T.G.Hyder	r	1.000		ADP			/		
20	GPS Ali Ahmed Lund shifted from Misri Kolhi	T.G.Hyde	г	1.000		ADP			/		
21	GPS Allah Ditto Langah	T.G.Hyde	r	1.000		ADP			/		
22	GPS Nindo Khowaja (Ext. Dev:)	T.G.Hyde	r	1.000		ADP			/		

			Quantity	Estimated Unit	Funds	s Source of many con					(,
S.	Description of Procurement			Cost where	Available	Funds	Timing of Procurement				Remarks
NO	Description of Procurement		applicabl e	applicable (in (Million)	(in (Million)	ADP / Non ADP	1st Qtr	2nd Qtr	3rd Qtr	4th Qtr	110///
1	2		3	4	5	6	7	8	9	10	11
	(District ADP-238) Construction of Shelterless Schools (2008-09 Prog.) (Phase-I) (Ext. Dev.) @	<u>Primary</u>									
23	GPS Haji Umer Laghari	T.M.Khan		1.000		ADP			/		
24	GPS Haji Samoo	T.M.Khan		1.000		ADP					
25	GPS Jam Khan Chandio	T.G.Hyder		1.000		ADP					
26	GPS Amb (Laloo Chang)	T.G.Hyder		1.000		ADP					
27	GPS Gul Muhammad Laghari (Pir Kathee)	T.G.Hyder		1.000		ADP					
	(District ADP-240) Re-Construction of existing School Buildings (2008-09 Prog.) (R.Work) @	g Primary									
28	GPS Dars Mohalla shifted to GPS Mohammad Laiq Nizamani	T.M.Khan		2.600		ADP					
29	GPS Naseeabad shifted to Pir Bux Kandhra	T.M.Khan		2.600		ADP					
30	GPS Haji Chhutto Soomro (Ext. Dev:)	B.S.Karim		1.000		ADP					
31	GPS Bachal Kaloo (Ext. Dev:)	T.G.Hyder		1.000		ADP			/		

EXECUTIVE ENGINEER
EDUCATION WORKS DIVISION
T.M.KHAN

STANDARD FORM OF BIDDING DOCUMENT
FOR

PROCUREMENT OF WORKS

(For Contracts (Small) upto Rs. 2.5 Million)

OFFICE OF THE EXECUTIVE ENGINEER **EDUCATION WORKS DIVISION T.M.KHAN**

Instructions to Bidders/ Executive Engineer, Education Works Division, T.M. Rulan General Rules and Directions for the Guidance of Contractors

This section of the bidding documents should provide the information necessary for bidders to prepare responsive bids, in accordance with the requirements of the "Executive Engineer, Education Works Division, T.M.Khan" It should also give information on bid submission, opening and evaluation, and on the award of contract.

Matters governing the performance of the Contract or payments under the Contract, or matters affecting the risks, rights, and obligations of the parties under the Contract are included as Conditions of Contract and Contract Data.

The Instructions to Bidders will not be part of the Contract and will cease to have effect once the contract is signed.

- All work proposed to be executed by contract shall be notified in a form of Notice Inviting Tender (NIT)/Invitation for Bid (IFB) hoisted on website of Authority and "Executive Engineer, Education Works Division, T.M.Khan" and also in printed media where ever required as per rules. NIT must state the description of the work, dates, time and place of issuing, submission, opening of bids, completion time, cost of bidding document and bid security either in lump sum or percentage of Estimated Cost/Bid Cost. The interested bidder must have valid NTN also.
- 2. Content of Bidding Documents must include but not limited to: Conditions of contract, Contract Data, specifications or its reference, Bill of Quantities containing description of items with scheduled/item rates with premium to be filled in form of percentage above/ below or on item rates to be quoted, Form of Agreement and drawings.
- 3. Fixed Price Contracts: The Bid prices and rates are fixed during currency of contract and under no circumstance shall any contractor be entitled to claim enhanced rates for any item in this contract.
- The "Executive Engineer, Education Works Division, T.M.Khan" shall have right of rejecting all or any of the tenders as per provisions of SPP Rules 2010.
- 5. Conditional Offer: Any person who submits a tender shall fill up the usual printed form stating at what percentage above or below on the rates specified in Bill of Quantities for items of work to be carried out: he is willing to undertake the work and also quote the rates for those items which are based on market rates. Only one rate of such percentage, on all the Scheduled Rates shall be framed. Tenders, which propose any alternative in the works specified in the said form of invitation to tender or in the time allowed for carrying out the work, or which contain any other conditions, will be liable to rejection. No printed form of tender shall include a tender for more than one work, but if contractor wish to tender for two or more works, they shall submit a separate tender for each. The envelope containing the tender documents shall refer the name and number of the work.
- 6. All works shall be measured by standard instruments according to the rules.
- 7. Bidders shall provide evidence of their eligibility as and when requested by the Executive Engineer, Education Works Division, T.M.Khan.
- Any bid received by the Agency after the deadline for submission of bids shall be rejected and returned unopened to the bidder.
- 9. Prior to the detailed evaluation of bids, the Executive Engineer, Education Works Division, T.M.Khan will determine whether the bidder fulfills all codal requirements of eligibility criteria given in the tender notice such as registration with tax authorities, registration with PEC (where applicable), turnover statement, experience statement, and any other condition mentioned in the NIT and bidding document. If the bidder does not fulfill any of these conditions, it shall not be evaluated further.
- 10. Bid without bid security of required amount and prescribed form shall be rejected.
- Bids determined to be substantially responsive shall be checked for any arithmetic errors. Arithmetical errors shall be rectified on the following basis;
 - a) In case of schedule rates, the amount of percentage quoted above or below will be checked and added or subtracted from amount of bill of quantities to arrive the final bid cost.
 - b) In case of item rates, .If there is a discrepancy between the unit rate and the total cost that is obtained by multiplying the unit rate and quantity, the unit rate shall prevail and the total cost will be corrected unless in the opinion of the Agency there is an obvious misplacement of the decimal point in the unit rate, in which case the total cost as quoted will govern and the unit rate corrected. If there is a discrepancy between the total bid amount and the sum of total costs, the sum of the total costs shall prevail and the total bid amount shall be corrected.
 - c) Where there is a discrepancy between the amounts in figures and in words, the amount in words will govern.

Conditions of Contract

Clause – 1: Commencement & Completion Dates of work. The contractor shall not enter upon or commence any portion or work except with the written authority and instructions of the Engineer-in-charge or of in subordinate-in-charge of the work. Failing such authority the contractor shall have no claim to ask for measurements of or payment for work.

The contractor shall proceed with the works with due expedition and without delay and complete the works in the time allowed for carrying out the work as entered in the tender shall be strictly observed by the contractor and shall reckoned from the date on which the order to commence work is given to the contractor. And further to ensure good progress during the execution of the wok, contractor shall be bound, in all in which the time allowed for completion of any work exceeds one month, to achieve progress on the prorate basis.

Clause – 2: Liquidated Damages. The contractor shall pay liquidated damages to the Agency at the rate per day stated in the bidding data for each day that the completion date is later than the Intended completion date; the amount of liquidated damage paid by the contractor to the Agency shall not exceed 10 per cent of the contract price. Agency may deduct liquidated damages from payments due to the contractor. Payment of liquidated damages does not affect the contractor's liabilities.

Clause - 3: Termination of the Contract.

- (A) Executive Engineer, Education Works Division, T.M.Khan may terminate the contract if either of the following conditions exits:
 - i) Contractor causes a breach of any clause of the Contract.
 - The progress of any particular portion of the work is unsatisfactory and notice of 10 days has expired;
 - In the case of abandonment of the work owing to the serious illness or death of the contractor or any other cause.
 - iv) contractor can also request for termination of contract if a payment certified by the Engineer is not paid to the contractor within 60 days of the date of the submission of the bill;
- (B) The Executive Engineer, Education Works Division, T.M.Khan has power to adopt any of the following courses as may deem fit:-
 - To forfeit the security deposit available except conditions mentioned at A (iii) and (iv) above;
 - ii) To finalize the work by measuring the work done by the contractor.
- (C) In the event of any of the above courses being adopted by the Executive Engineer/Executive Engineer, Education Works Division, T.M.Khan, the contractor shall have:-
 - No claim to compensation for any loss sustained by him by reason of his having purchased or procured any materials, or entered into any engagements, or made any advances on account of, or with a view to the execution of the work or the performance of the contract,
 - ii) However, the contractor can claim for the work done at site duly certified by the executive engineer in writing regarding the performance of such work and has not been paid. Executive Engineer, Education Works Division, T.M.Khan/Engineer may invite fresh bids for remaining work.
- Clause 4: Possession of the site and claims for compensation for delay. The Engineer shall give possession of all parts of the site to the contractor. If possession of site is not given by the date stated in the contract data, no compensation shall be allowed for any delay caused in starting of the work on account of any acquisition of land, water standing in borrow pits/ compartments or in according sanction to estimates. In such case, either date of commencement will be changed or period of completion is to be extended accordingly.
- Clause -5: Extension of Intended Completion Date. The Executive Engineer, Education Works Division, T.M.Khan either at its own initiatives before the date of completion or on desire of the contractor may extend the intended completion date, if an event (which hinders the execution of contract) occurs or a variation order is issued which makes it impossible to complete the work by the intended completion date for such period as he may think necessary or proper. The decision of the Executive Engineer in this matter shall be final; where time has been extended under this or any other clause of this agreement, the date for completion of the work shall be the date fixed by the order giving the extension or by the aggregate of all such orders, made under this agreement. When time has been extended as aforesaid, it shall continue to be the essence of the contract and all clauses of the contract shall continue to be operative during the extended period.
- Clause -6: Specifications. The contractor shall execute the whole and every part of the work in the most substantial and work-man-like manner and both as regards materials and all other matters in strict accordance with the specifications lodged in the office of the Executive Engineer and initialed by the parties, the said specification being a

part of the contract. The contractor shall also confirm exactly, fully and faithfully to the designs, drawing, and instructions in writing relating to the work signed by the Engineer-in-charge and lodge in his office and to which the contractor shall be entitled to have access at such office or on the site of work for the purpose of inspection during office hours and the contractor shall, if he so requires, be entitled at his own expense to make or cause to be made copies of the specifications, and of all such designs, drawings, and instructions as aforesaid.

Clause - 7: Payments.

- (A) Interim/Running Bill. A bill shall be submitted by the contractor as frequently as the progress of the work may justify for all work executed and not included in any previous bill at least once in a month and the Engineer-in-charge shall take or cause to be taken the requisite measurements for the purpose of having the same verified and the claim, as for as admissible, adjusted, if possible before the expiry of ten days from the presentation of the bill, at any time depute a subordinate to measure up the said work in the presence of the contractor or his authorized agent, whose countersignature to the measurement list will be sufficient to warrant and the Engineer-in-charge may prepare a bill from such list which shall be binding on the contractor in all respects. The Engineer /Executive Engineer, Education Works Division, T.M.Khan shall pass/certify the amount to be paid to the contractor, which he considers due and payable in respect thereof, subject to deduction of security deposit, advance payment if any made to him and taxes. All such intermediate payment shall be regarded as payments by way of advance against the final payment only and not as payments for work actually done and completed, and shall not preclude the Engineer-in-charge from recoveries from final bill and rectification of defects and unsatisfactory items of works pointed out to him during defect liability period.
- (B) The Final Bill. A bill shall be submitted by the contractor within one month of the date fixed for the completion of the work otherwise Engineer-in-charge's certificate of the measurements and of the total amount payable for the works shall be final and binding on all parties.
- Clause -8: Reduced Rates. In cases where the items of work are not accepted as so completed, the Engineer-incharge may make payment on account of such items at such reduced rates as he may consider reasonable in the preparation of final or on running account bills with reasons recorded in writing.

Clause - 9: Issuance of Variation and Repeat Orders.

- (A) Agency may issue a Variation Order for procurement of works, physical services from the original contractor to cover any increase or decrease in quantities, including the introduction of new work items that are either due to change of plans, design or alignment to suit actual field conditions, within the general scope and physical boundaries of the contract.
- (B) Contractor shall not perform a variation until the Executive Engineer, Education Works Division, T.M.Khan has authorized the variation in writing subject to the limit not exceeding the contract cost by of 15% on the same conditions in all respects on which he agreed to do them in the work, and at the same rates, as are specified in the tender for the main work. The contractor has no right to claim for compensation by reason of alterations or curtailment of the work.
- (C) In case the nature of the work in the variation does not correspond with items in the Bill of Quantities, the quotation by the contractor is to be in the form of new rates for the relevant items of work, and if the Engineer-incharge is satisfied that the rate quoted is within the rate worked out by him on detailed rate analysis, and then only he shall allow him that rate after approval from higher authority.
- (D) The time for the completion of the work shall be extended in the proportion that the additional work bear to the original contact work.
- (E) In case of quantities of work executed result the Initial Contract Price to be exceeded by more than 15%, and then Engineer can adjust the rates for those quantities causing excess the cost of contract beyond 15% after approval of Superintending Engineer.
- (F) Repeat Order: Any cumulative variation, beyond the 15% of initial contract amount, shall be subject of another contract to be tendered out if the works are separable from the original contract.

Clause-10: Quality Control.

(A) Identifying Defects: If at any time before the security deposit is refunded to the contractor/during defect liability period mentioned in bid data, the Engineer-in-charge or his subordinate-in-charge of the work may instruct the

contractor to uncover and test any part of the works which he considers may have a defect due to use of unsound materials or unskillful workmanship and the contractor has to carry out a test at his own cost irrespective of work already approved or paid.

(B) Correction of Defects: The contractor shall be bound forthwith to rectify or remove and reconstruct the work so specified in whole or in part, as the case may require. The contractor shall correct the notified defect within the Defects Correction Period mentioned in notice.

(C) Uncorrected Defects:

- (i) In the case of any such failure, the Engineer-in-charge shall give the contractor at least 14 days notice of his intention to use a third party to correct a defect. He may rectify or remove, and re-execute the work or remove and replace the materials or articles complained of as the case may be at the risk and expense in all respects of the contractor.
- (ii) If the Engineer considers that rectification/correction of a defect is not essential and it may be accepted or made use of; it shall be within his discretion to accept the same at such reduced rates as he may fix therefore.

Clause - 11:

- (A) Inspection of Operations. The Engineer and his subordinates, shall at all reasonable times have access to the site for supervision and inspection of works under or in course of execution in pursuance of the contract and the contractor shall afford every facility for and every assistance in obtaining the right to such access.
- (B) Dates for Inspection and Testing. The Engineer shall give the contractor reasonable notice of the intention of the Engineer-in-charge or his subordinate to visit the work shall have been given to the contractor, then he either himself be present to receive orders and instructions, or have a responsible agent duly accredited in writing present for that purpose, orders given to the contractor's duly authorized agent shall be considered to have the same force an effect as if they had been given to the contractor himself.

Clause - 12: Examination of work before covering up.

- (A) No part of the works shall be covered up or put out of view/beyond the reach without giving notice of not less than five days to the Engineer whenever any such part of the works or foundations is or are ready or about to be ready for examination and the Engineer shall, without delay, unless he considers it unnecessary and advises the contractor accordingly, attend for the purpose of examining and measuring such part of the works or of examining such foundations;
- (B) If any work is covered up or placed beyond the reach of measurement without such notice having been given, the same shall be uncovered at the contractor's expense, and in default thereof no payment or allowance shall be made for such work, or for the materials with which the same was executed.
- Clause 13: Risks. The contractor shall be responsible for all risks of loss of or damage to physical property or facilities or related services at the premises and of personal injury and death which arise during and in consequence of its performance of the contract. if any damage is caused while the work is in progress or become apparent within three months of the grant of the certificate of completion, final or otherwise, the contractor shall make good the same at his own expense, or in default the Engineer may cause the same to be made good by other workmen, and deduct the expenses from retention money lying with the Engineer.
- Clause-14: Measures for prevention of fire and safety measures. The contractor shall not set fire to any standing jungle, trees, bush-wood or grass without a written permit from the Executive Engineer. When such permit is given, and also in all cases when destroying, cutting or uprooting trees, bush-wood, grass, etc by fire, the contractor shall take necessary measures to prevent such fire spreading to or otherwise damaging surrounding property. The contractor is responsible for the safety of all its activities including protection of the environment on and off the site. Compensation of all damage done intentionally or unintentionally on or off the site by the contractor's labour shall be paid by him.

Clause-15:Sub-contracting. The contractor shall not subcontract the whole of the works, except where otherwise provided by the contract. The contractor shall not subcontract any part of the works without the prior consent of the Engineer. Any such consent shall not relieve the contractor from any liability or obligation under the contract and he shall be responsible for the acts, defaults and neglects of any subcontractor, his agents, servants or workmen as if these acts, defaults or neglects were those of the contractor, his agents' servants or workmen. The provisions of this contract shall apply to such subcontractor or his employees as if he or it were employees of the contractor.

Clause - 16: Disputes. All disputes arising in connection with the present contract, and which cannot be amicably settled between the parties, , the decision of the Superintending Engineer of the circle/officer/one grade higher to

awarding authority shall be final, conclusive and binding on all parties to the contract upon all questions relating to the meaning of the specifications, designs drawings, and instructions, hereinbefore mentioned and as to the quality of workmanship, or materials used on the work or as to any other questions, claim, right, matter, or thing whatsoever in any way arising out of, or relating to the contract design, drawings, specifications, estimates, instructions, orders or these conditions or otherwise concerning the works, or the execution, of failure to execute the same, whether arising, during the progress of the work, or after the completion or abandonment thereof.

Clause -17: Site Clearance. On completion of the work, the contractor shall be furnished with a certificate by the Executive Engineer (hereinafter called the Engineer in-charge) of such completion, but neither such certificate shall be given nor shall the work be considered to be complete until the contractor shall have removed all temporary structures and materials brought at site either for use or for operation facilities including cleaning debris and dirt at the site. If the contractor fails to comply with the requirements of this clause then Engineer-in-charge, may at the expense of the contractor remove and dispose of the same as he thinks fit and shall deduct the amount of all expenses so incurred from the contractor's retention money. The contractor shall have no claim in respect of any surplus materials as aforesaid except for any sum actually realized by the sale thereof.

Clause -18: Financial Assistance /Advance Payment.

(A) Mobilization advance is not allowed.

(B) Secured Advance against materials brought at site.

(i) Secured Advance may be permitted only against imperishable materials/quantities anticipated to be consumed/utilized on the work within a period of three months from the date of issue of secured advance and definitely not for full quantities of materials for the entire work/contract. The sum payable for such materials on site shall not exceed 75% of the market price of materials;

(ii) Recovery of Secured Advance paid to the contractor under the above provisions shall be affected from the monthly payments on actual consumption basis, but not later than period more than three months (even if unutilized).

Clause -19: Recovery as arrears of Land Revenue. Any sum due to the Government by the contractor shall be liable for recovery as arrears of Land Revenue.

Clause -20: Refund of Security Deposit/Retention Money. On completion of the whole of the works (a work should be considered as complete for the purpose of refund of security deposit to a contractor from the last date on which its final measurements are checked by a competent authority, if such check is necessary otherwise from the last date of recording the final measurements), the defects notice period has also passed and the Engineer has certified that all defects notified to the contractor before the end of this period have been corrected, the security deposit lodged by a contractor (in cash or recovered in installments from his bills) shall be refunded to him after the expiry of three months from the date on which the work is completed.

Contractor

Divisional Accounts Officer Education Works Division T.M.Khan Executive Engineer
Education Works Division
T.M.Khan