

OFFICE OF THE DEPUTY INSPECTOR GENERAL OF POLICE, TRAINING, SINDH KARACHI.

NO. 2481-87 /DIGP/TRG/GEN/2017

KARACHI, DATED:-02 -02 -2017.

The Director (Advertisement)
Public Relation Department,
Government of Sindh,
Block-96, Sindh Secretariat, Karachi.

Subject:

CORRIGENDUM

Enclosed please find herewith Draft of corrigendum (Seven copies) for publication in the leading Newspapers simultaneously on 04-02-2017 positively.

- 1. Daily Urdu (Jung)
- 2. Daily English (Dawn)
- 3. Daily Sindhi (Kawish)
- 03. One copy each of the Newspaper containing the advertisement in question may please be sent to this office for record.

(DR. AFTAB AHMED PATHAN)PSP,

Deputy Inspector General of Police, Training, Sindh Karachi.

Copy to:

- The Secretary to Government of Sindh Information Technology Department alongwith copy of corrigendum for placing on website of Government of Sindh www.Sindh.govt.pk.
- The Director A & F SPPRA Government of Sindh alongwith copy of Corrigendum for placing on website of Government of Sindh.
- 3. The DIGP/Finance CPO Sindh.
- 4. The Director I.T Sindh Police CPO Karachi alongwith copy of corrigendum for placing on website of Police Department www.sindhpolice.govt.pk.
- 5. The Assistant Engineer CPO Sindh.
- 6. PS to IGP Sindh Karachi.



OFFICE OF THE DEPUTY INSPECTOR GENERAL OF POLICE, TRAINING SINDH, KARACHI.

Subject: CORRIGENDUM

Reference this office tender notice published in press in 01-02-2017 vide INF-KRY-No.456/17 regarding Repair/Renovation work for Bachelor Barracks (No.12 to 16) at Police Training College Saeedabad Karachi. The following clarification in the above tender notice may be noted:-

- The last date for obtaining bid documents is 27-02-2017 instead of 23-02-2017.
- ii. Sealed tenders on prescribed proforma in duplicate along-with 2.5% earnest money of the total bid in the form of Pay Order (Payee's A/C in favour of DIGP/Training Sindh Karachi should be dropped in the tender box kept in the DIGP Training Office, 1st Floor Central Police Office, I.I. Chundriger Road Karachi on 28-02-2017 at 1430 hours instead of 24-02-2017.
- iii. Tender will be opened on 28-02-2017 at 1500 hours.

02. Rest of instructions will remain good.

(DR. AFTAB AHMED PATHAN)PSP,

Deputy Inspector General of Police, Training, Sindh <u>Karachi</u>.



OFFICE OF THE DEPUTY INSPECTOR GENERAL OF POLICE, TRAINING, SINDH KARACHI.

NO. 2101-07_/DIGP/TRG/GEN/2017

KARACHI, DATED 28 - 01 -2017.

The Director (Advertisement) Public Relation Department, Government of Sindh, Block-96, Sindh Secretariat, Karachi.

Subject:

PUBLICATION OF TENDER NOTICE

Enclosed please find herewith of Tender Notice (Seven copies) for publication in the leading Newspapers on 02-02-2017.

- 1. Daily Urdu (Jung)
- 2. Daily English (Dawn)
- 3. Daily Sindhi (Kawish)

2/-One copy each of the Newspaper containing the advertisement in question may please be sent to this office for record.

(DR. AFTAB AHMED PATHAN)PSP,

Deputy Inspector General of Police, Training, Sindh Karachi. (Chairman Procurement Committee)

Copy to:

1. The Secretary to Government of Sindh, Information Technology Department alongwith copy of tender notice for placing on website of Government of Sindh www.sindh.govt.pk.

The Director A&F SPPRA Government of Sindh alongwith copy of tender notice for placing on website of Government of Sindh.

The DIGP/Finance CPO Sindh. 3.

- The Director IT Sindh Police CPO Karachi alongwith copy of tender notice for placing 4. on website of Sind Police www.sindhpolice.govt.pk
- The Assistant Engineer CPO Sindh, Karachi. 5.
- The PS to IGP Sindh Karachi. 6.





POLICE DEPARTMENT GOVERNMENT OF SINDH

www.sindhpolice.gov.pk TENDER NOTICE

Sealed tenders are invited in accordance with the Sindh Public Procurement Rules, 2010 from contractors/contracting firms for following works of the Police Department, Government of Sindh Karachi.

S#	Scope Of The Work	Estimated Cost (approximate)	Earnest Money	Tender Fee	Completion Work
1.	Repair/Renovation work for Bachelor Barracks (No.12 to 16) at Police Training College Saeedabad, Karachi	Rs.26.448 million	2.5% of Quoted Bid	Rs.1,000/-	03 months

TERMS & CONDITIONS:

- Contractors/Contracting Firms should be registered with Pakistan Engineering Council, (FBR) Income Tax, Sales Tax and Sindh Revenue Board (NTN and STN registration certificates will be required).
- Contractors/Contracting Firms are advised to quote rates on Unit/Job/Per Sft/Rft. basis.
- Payments shall be made for the works on basis of job, unit basis as the case may be on completion of each item/work, on the basis of measurement & verification in accordance with specification/Schedule "B".
- The work calculation/RCE may vary by (+) or (-)5%.
- The contractors/contracting firms will be required to show evidence of experience, capability in respect of personnel/machinery, financial position etc (Profile of the Firm, Technical Evaluation).
- Contractors/Contracting Firms black listed by Government Departments or agency will not be allowed to participate in the tender/bid (participating contractors/contracting firms will be required to submit affidavit to the effect that they are not black listed), for any Government Department.
- Contractors will be required to provide copy of CNIC and Contracting Firms will also be required to provide Certificate of Registration (Category wise).
- Only bids offered on the prescribed Tender Form issued by this department shall be accepted.
 However, additional sheets may be attached, if required.
- The contractor / firm may submit offers for one or all or as many locations in Sindh. However, work at each location should be treated as separate and offer be made accordingly.
- 10. Conditional tender / application will not be entertained.
- 11. Validity of bid/offer shall be at least 90 days from the date of opening of tender.
- The competent authority reserves the right to reject all or any tender/bid subject to and in accordance with the relevant provisions of the Sindh Public Procurement Rules, 2010 and conditions contained in Tender Documents.

INFORMATION & PROCEDURE:

- Tenders/Bids (duly sealed along-with call deposit) shall be dropped in the tender box (placed in the
 office of DIGP Training, CPO, Sindh Karachi, at the address given above) on or before (As last
 date) 24-02-2017 up to 1400 hours. The tenders/bids will be opened by Departmental Procurement
 Committee on the same date at 1500 hours in presence of duly authorized representatives of
 Contractors/Contracting firms participating in the tender/bid.
- Any other information relating to this tender/bid or detail of work or any further clarification can be obtained from the DIGP Training, CPO, Sindh Karachi at given address during office hours before opening of tender.
- 4. The Contractors/Contracting Firms are advised in their own interest to fully understand the scope of work and quality/quantities. They may also visit the site to asses themselves any additional/incidental work (availability of electricity, water or any other item) which may come up before or during execution of the work of this tender for the reason that no extra cost will borne out by Police Department for such eventualities nor any extension in time will be provided on such pretext.

The work will commence after the approval of competent authority and also subject to availability of funds which are in pipe line.

> DIGP/TRAINING, Central Police Office Sindh, Karachi. Tel: 02199212696



Op. Manager / Manager Authorize Sig No.	on account of	We enclose our payment order for 2,000.93	Processor seems con	Pay to 2/7/2017 20	stan	This praction to be detected by the project before presentation	PONo. 05354371
*05354371 00000000000000000000000000000000000	Please do not write below this line.	Dubess Mo Hindisella Allia	Disposed to Thomas Ook	Pay to DIRECTOR A&F SPPRA GOVT OF SINDH Or Order	For Rs.2000/= Only		O N N N N N N N N N N N N N N N N N N N
	Officer Op. Wanager Manager Authorize Sig No. Authorize Sig No.		РКЯ 2,000.00		97 82 20+7M Y Y Y	Stationery/Ref No:	P.O. No. 05354371

REPAIR / RENOVATION WORK FOR BACHELOR BARRACKS (NO. 12 TO 16) AT P OLICE TRAINING COLLEGE, SAEEDABAD, KARACHI.

SCHEDULE BOOK DOCUMENT

CIVIL WORK SCHEDULE ITEMS:

	Description	No	Length	Width	Height	Area
1.	Over roof		1x3x69	0.0x16.0		3312
2.	Over roof		1x(100+10	0+28.0)x6.0		1368
3.	Staircase tower	1x2x8.50x17.50				
101	No. of the last of				Total:	4978 Cft
4.	For Cubical content			(2)	4978x0.25	1245 Cft
					Total:	1245 Cft
900 2003				@ Rs. 3327.50	x 1245 %Cft	41427
2.	Removing windows with	chowkats. (NAVATA AND A STATE OF THE STATE			
S.No	Description	No	Length	Width	Height	Quantity
1.	Windows front side	36				36
2.	Windows back side	42	The state of the s		-	.42
) (La company			Total:	78
				@ Rs.102	.85 x 78 Each	8022
	Removing doors with ch	T	******	Ton Control		
S.No	Description	No	Length	Width	Height	Quantity
1.	Hall Doors	06	-		-	6
					18 x 06 Each	853
4.	Scraping (b) Ordinary di					
S.No	Description	No	Length	Width	Height	Area
1.	Barracks		3x1x2(69.0-	16.0)x11.0		5610
2.	Stair case hall		2x1x2(9.50-	+16.0)x11.0		1122
3.	Veranda		1x2(100.0+100.0	+28.0+6.0)x11.0)	5148
4.	External side		1x2(100.0+100.0-	+29.0+24.0)x15.	0	7590
5.	Front chajja		2x1x(100.0+10	0.0+29.0)x1.50		687
6.	Side chajja		1x2x6.	0x1.50		18
					Total:	20175 sft
				@ Rs. 226.88 x	20175 %Sft	45773
				feed many man a to a .		10110
	P/L 1:3:6 cement concre			elow 6" in thicl		
	P/L 1:3:6 cement concre ground floor super struct			elow 6" in thicl		
				elow 6" in thicl		
S.No	ground floor super struct Description	ture in/c rak	cing out joints & cu	pelow 6" in thick tring etc comple Width	te. (SI.24/P-19)	ement mortar
	Description On upper wall	ture in/c rak	ting out joints & cu Length 4x1x9.0x	below 6" in thick tring etc comple Width 0.50x3.0	te. (SI.24/P-19)	ement mortar
S.No	ground floor super struct Description	ture in/c rak	ting out joints & cu Length	below 6" in thick tring etc comple Width 0.50x3.0	te. (SI.24/P-19) Height	Area 54 150
S.No	Description On upper wall	ture in/c rak	ting out joints & cu Length 4x1x9.0x	below 6" in thick tring etc comple Width 0.50x3.0 (0.50x3.0	te. (SI.24/P-19) Height Total:	Area 54 150 204 Cft
S.No 1.	Description On upper wall On parapet wall	ture in/c ral No	Length 4x1x9.0x 1x2x50.0x	welow 6" in thick ring etc comple Width 0.50x3.0 0.50x3.0	Total:	Area 54 150 204 Cft 32172
S.No 1. 6.	ground floor super struct Description On upper wall On parapet wall P/F G.I frames / choukhats fixing at site with necessar	No No s of size 7"	Length 4x1x9.0x 1x2x50.0x 4x2" or 4 ½"x3" for filling with cement	width 0.50x3.0 0.50x3.0 0.80x3.0 0.50x3.0 0.50x3.0 0.50x3.0 0.50x3.0	Total: 1 x 204 %Cft tage G.I sheet i/c v tio 1:6 and repairin	Area 54 150 204 Cft 32172 welded hinges a
S.No 1.	ground floor super struct Description On upper wall On parapet wall P/F G.I frames / choukhats	No No s of size 7"	Length 4x1x9.0x 1x2x50.0x 4x2" or 4 ½"x3" for filling with cement	width 0.50x3.0 0.50x3.0 0.80x3.0 0.50x3.0 0.50x3.0 0.50x3.0 0.50x3.0	Total: 1 x 204 %Cft tage G.I sheet i/c v tio 1:6 and repairin	Area 54 150 204 Cft 32172 welded hinges
S.No 1.	ground floor super struct Description On upper wall On parapet wall P/F G.I frames / choukhats fixing at site with necessar cost also i/c all carriage, too	No No s of size 7"; ry hold fasts	Length 4x1x9.0x 1x2x50.0x 4x2x50.0x 4x2x3x3x3x3x3x3x3x3x3x3x3x3x3x3x3x3x3x3x	width 0.50x3.0	Total: 1 x 204 %Cft rage G.I sheet i/c vtio 1:6 and repairin.	Area 54 150 204 Cft 32172 welded hinges ang the jambs. T
S.No 1. 6. S.no 1.	ground floor super struct Description On upper wall On parapet walf P/F G.I frames / choukhate fixing at site with necessar cost also i/e all carriage, to Description Main Door	No No s of size 7''; ry hold fasts ols and plant No.	Length 4x1x9.0x 1x2x50.0x 22" or 4 ½"x3" for filling with cement s used in amking and Length 3x1x	elow 6" in thick ring etc comple Width 0.50x3.0 c0.50x3.0 door using 20 gu sand slurry of rafixing. (SI.29 / P-Width 7.50 @ Rs. 228.5	Total: 1 x 204 %Cft lage G.I sheet i/c vito 1:6 and repairing. Height 100 x 53 P/Rft	Area 54 150 204 Cft 32172 welded hinges and the jambs. The state of th
S.No 1. 6. S.no 1. 7.	ground floor super struct Description On upper wall On parapet wall P/F G.I frames / choukhate fixing at site with necessar cost also i/c all carriage, to Description Main Door P/F in position, doors, w	No s of size 7"; ry hold fasts ols and plant No.	Length 4x1x9.0x 1x2x50.0x (2" or 4 ½"x3" for filling with cement s used in amking and Length 3x1x	width 0.50x3.0 0.50x3.0 0.50x3.0 0.50x3.0 0.50x3.0 0.50x3.0 0.50x3.0 0.7571.0 0.750 0.750 0.750 0.750 0.750 0.750	Total: 1 x 204 %Cft rage G.I sheet i/c vitio 1:6 and repairing. Height 100 x 53 P/Rft rage G.I sheet and repairing.	Area 54 150 204 Cft 32172 welded hinges and the jambs. The state of th
S.No 1. 6. S.no 1. 7.	ground floor super struct Description On upper wall On parapet walf P/F G.I frames / choukhate fixing at site with necessar cost also i/e all carriage, to Description Main Door	s of size 7"; ry hold fasts ols and plant No.	Length 4x1x9.0x 1x2x50.0x (2" or 4 ½"x3" for filling with cement s used in amking and Length 3x1x	width 0.50x3.0 0.50x3.0 0.50x3.0 0.50x3.0 0.50x3.0 0.50x3.0 0.50x3.0 0.7571.0 0.750 0.750 0.750 0.750 0.750 0.750	Total: 1 x 204 %Cft tage G.I sheet i/c v tio 1:6 and repairin 93) Height 90 x 53 P/Rft ood frames, and I and commercial p	Area 54 150 204 Cft 32172 welded hinges and the jambs. The state of th
S.No 1. 6. S.no 1. 7.	ground floor super struct Description On upper wall On parapet wall P/F G.I frames / choukhats fixing at site with necessar cost also i/c all carriage, to Description Main Door P/F in position, doors, w commercial, ply veener se	s of size 7"; ry hold fasts ols and plant No.	Length 4x1x9.0x 1x2x50.0x (2" or 4 ½"x3" for filling with cement s used in amking and Length 3x1x	width 0.50x3.0 0.50x3.0 0.50x3.0 0.50x3.0 0.50x3.0 0.50x3.0 0.50x3.0 0.7571.0 0.750 0.750 0.750 0.750 0.750 0.750	Total: 1 x 204 %Cft lage G.I sheet i/c vio 1:6 and repairit 93) Height 90 x 53 P/Rft bod frames, and I and commercial I	Area 54 150 204 Cft 32172 welded hinges and the jambs. The state of th
S.No 1. 6. S.no 1. 7.	ground floor super struct Description On upper wall On parapet wall P/F G.I frames / choukhate fixing at site with necessar cost also i/e all carriage, too Description Main Door P/F in position, doors, we commercial, ply veener son both sides. (SI.9 / P-5	s of size 7": ry hold fasts ols and plant No. rindows and shutter of fi	Length 4x1x9.0x 1x2x50.0x 1x2x50.0x 4x1x9.0x 1x2x50.0x 4x1x9.0x 1x2x50.0x 4x1x9.0x 1x2x50.0x 4x1x9.0x 1x2x50.0x 1x2x50.0x 4x1x9.0x 1x2x50.0x 4x1x9.0x 1x2x50.0x 1x2x50	width 0.50x3.0 0.50x3.0 0.50x3.0 0.50x3.0 0.50x3.0 0.50x3.0 0.60x3.0 0.50x3.0 0.50x3.0 0.50x3.0 0.50x3.0 0.50x3.0 0.50x3.0 0.60x3.0 0.50x3.0 0.60x3.0 0.60x3	Total: Total: 1 x 204 %Cft rage G.I sheet i/c vito 1:6 and repairing. Height 90 x 53 P/Rft rand commercial publication.	Area 54 150 204 Cft 32172 welded hinges and the jambs. The street is seen and the street is seen as a seen
S.No 1. 6. S.no 1. 7. S.no 1.	ground floor super struct Description On upper wall On parapet wall P/F G.I frames / choukhats fixing at site with necessar cost also i/c all carriage, to Description Main Door P/F in position, doors, w commercial, ply veener s on both sides. (SI.9 / P-5 Description Main door	s of size 7"; ry hold fasts ols and plant No. rindows and shutter of fi	Length 4x1x9.0x 1x2x50.0x (2" or 4 ½"x3" for filling with cement s used in amking and Length 3x1x I ventilators of first rst class deodar ske Length 3.50	width 0.50x3.0 0.50x3.0 0.50x3.0 0.50x3.0 0.050x3.0 0.50x3.0 0.50x3.0 0.50x3.0 0.50x3.0 0.50x3.0 0.60x3.0 0.60x3.0 0.70x3.0 0.80x3.0 0.80x	Total: Total: 1 x 204 % Cft rage G.I sheet i/c v rtio 1:6 and repairin 93) Height 90 x 53 P/Rft rod frames, and I and commercial p Height 7.0 53 x 74 P/sft	Area 54 150 204 Cft 32172 welded hinges and the jambs. The street of the
S.No 1. 6. S.no 1. 7. S.no 1. 8.	ground floor super struct Description On upper wall On parapet wall P/F G.I frames / choukhate fixing at site with necessar cost also i/c all carriage, to Description Main Door P/F in position, doors, we commercial, ply veener son both sides. (SI.9 / P-5 Description Main door P/L 2" thick topping cere	s of size 7"; ry hold fasts ols and plant No. rindows and shutter of fi	Length 4x1x9.0x 1x2x50.0x (2" or 4 ½"x3" for filling with cement s used in amking and Length 3x1x I ventilators of first rst class deodar ske Length 3.50	width 0.50x3.0 0.50x3.0 0.50x3.0 0.50x3.0 0.050x3.0 0.50x3.0 0.50x3.0 0.50x3.0 0.50x3.0 0.50x3.0 0.60x3.0 0.60x3.0 0.70x3.0 0.80x3.0 0.80x	Total: Total: 1 x 204 % Cft rage G.I sheet i/c v rtio 1:6 and repairin 93) Height 90 x 53 P/Rft rod frames, and I and commercial p Height 7.0 53 x 74 P/sft	Area 54 150 204 Cft 32172 welded hinges and the jambs. The standard standar
S.No 1. 6. S.no 1. 7. S.no 1. 8.	ground floor super struct Description On upper wall On parapet wall P/F G.I frames / choukhate fixing at site with necessar cost also i/e all carriage, too Description Main Door P/F in position, doors, we commercial, ply veener son both sides. (SI.9 / P-5 Description Main door P/L 2" thick topping cer 2" thick. (SI.16-c/P-42)	s of size 7": ry hold fasts ols and plant No. rindows and shutter of fi i8) No. 03	Length 4x1x9.0x 1x2x50.0x 1x2x50.0x 4x2" or 4 ½"x3" for filling with cement s used in arnking and Length 3x1x ventilators of first rst class deodar sket Length 3,50 ete (1:2:4) including	width 0.50x3.0 0.50x3.0 0.50x3.0 0.50x3.0 0.050x3.0 0.50x3.0 0.50x3.0 0.50x3.0 0.50x3.0 0.50x3.0 0.60x3.0 0.60x3.0 0.70x3.0 0.80x3.0 0.80x	Total: Total: 1 x 204 % Cft rage G.I sheet i/c v rtio 1:6 and repairin 93) Height 90 x 53 P/Rft rod frames, and I and commercial p Height 7.0 53 x 74 P/sft	Area 54 150 204 Cft 32172 welded hinges and the jambs. The standard standar
S.No 1. 6. S.no 1. 7. S.no 1. 8.	ground floor super struct Description On upper wall On parapet wall P/F G.I frames / choukhate fixing at site with necessar cost also i/c all carriage, to Description Main Door P/F in position, doors, we commercial, ply veener son both sides. (SI.9 / P-5 Description Main door P/L 2" thick topping cere	s of size 7"; ry hold fasts ols and plant No. rindows and shutter of fi	Length 4x1x9.0x 1x2x50.0x (2" or 4 ½"x3" for filling with cement s used in amking and Length 3x1x I ventilators of first rst class deodar ske Length 3.50	width 0.50x3.0 0.50x3.0 0.50x3.0 0.50x3.0 0.50x3.0 0.00x3.0 0.50x3.0 0.00x3.0 0.00x3	Total: 1 x 204 %Cft tage G.I sheet i/c v tio 1:6 and repairings) Height 90 x 53 P/Rft od frames, and I and commercial p Height 7.0 53 x 74 P/sft ing and dividing	Area 54 150 204 Cft 32172 welded hinges and the jambs. The standard standar



6156 sft				Quantity same as item No: 08						
116188	6156 %Sft	1887.40 x	@ Rs.		Market Name - The Art of the Art					
et in lime mo	ut winding so				Laying %" thick white marble floor					
Area	Height	Width	Length	No No	2 including rubbing and polishing of Description	S.No				
323	Height	9.50x17.0	-	110	Staircase hall	1.				
198 .		2x4,50x17.0			Staircase tread	2.				
76		x9.5x4.0			Staircase treat	3.				
597 Sft	Total:	A2.7A7.0	40.1.		Staticase failung	- Personal				
338786		Rs. 567.48	@ F	-0.0	War the state of t	6 V665 1 to				
ortar base i/c	of cement mo	thick base	tc over 1/2"	aster surface e	P/F 3/8" thick marble of approved quemoval and tucking of existing plast ointing of washing the tiles with whi					
Area	Height	Width	Length	No	Description	S.No				
106		.50÷17.0)1.	CONTRACTOR CONTRACTOR CONTRACTOR		Staircase hall	1.				
54		9.50+4.0)1.0			Staircase landing	2.				
99		2x4.50x0.50			Staircase riser	3.				
259 Sft	Total:		1971.0		**************************************	******				
48184	259 P/Sft	Rs. 186.04 x	@ F							
Area	Height	Width	Length		omm thick tinted glass glazing (Be arrangement etc complete (SI.84-b / Description					
936 sft		26x3.0x4.0			Front back windows	1.				
1542238	936 P/Sft	s. 1647.69 x	@ Rs							
		2)	SI-11-C/P-52	(c) 3/4" thick (5	Cement plaster 1:4 upto 12' height (c	13. (
Area	Height	Width	Length	No	Description					
1020	0	8.0+27.0)2.0	Length 1x2(228		Description On plinth	S.No 1.				
1020 . 30761 e of flat iron j	0 1020 %Sft 4" and frame	3015.76 x Page 2 Page 3	Length 1x2(228 @ Rs. 2 1/2" x 1/2"	No are bars of size	On plinth P/F Iron Steel grill using solid square	5.No 1.				
1020 . 30761 e of flat iron p painting 3 co	0 1020 %Sft 4" and frame	3015.76 x Page 2 Page 3	Length 1x2(228 @ Rs. 2 1/2" x 1/2"	No are bars of size 0 apart equiva	On plinth P/F Iron Steel grill using solid squar of 3/4"x3/4" in/c circle shape at 1'-0 with 1st coat of red oxide paint etc. (S Description	1. 14.)				
1020 . 30761 e of flat iron p painting 3 co Area 936 sft	0 1020 %Sft 4" and frame are pins in/c Height	8.0+27.0)2.0 3015.76 x 2 2 placed @ with screws Width	Length 1x2(228 @ Rs. e 1/2" x 1/2" clent fitted w Length	are bars of size -0 apart equiva (SI.30/P-94)	On plinth P/F Iron Steel grill using solid squar of 3/4"x3/4" in/c circle shape at 1'-0 with 1st coat of red oxide paint etc. (S	1. 14.)				
1020 . 30761 e of flat iron p painting 3 co Area 936 sft 181734	1020 %Sft 4" and frame are pins in/c Height	8.0+27.0)2.0 3015.76 x 2 7 placed @ with screws Width	Length 1x2(228 @ Rs. e 1/2" x 1/2" dent fitted w Length @ R	are bars of size 0 apart equiva (SI.30/P-94)	On plinth P/F Iron Steel grill using solid squar of 3/4"x3/4" in/c circle shape at 1'-0 with 1st coat of red oxide paint etc. (S Description Quantity same as item No. 12	1. 14.) 3.No 1.				
Area 936 sft 181734 our and patternment mortar 3 in desired shoop proper prof	1020 %Sft 4" and frame are pins in/c Height 2936 P/Sft required color 1:2 grey cen and pigment cutting tiles to	8.0+27.0)2.0 3015.76 x Palaced @ with screws Width Rs. 194.16 x If facing in the part of	Length 1x2(228 Rs. 21/2" x 1/2" clent fitted w Length Refloor or wal pigment over slurry of wh c. complete	are bars of size 0 apart equiva (SI.30/P-94) No x 6" x 1/4" on the cement and to foints with a companion of the companion	On plinth P/F Iron Steel grill using solid squar of 3/4"x3/4" in/c circle shape at 1'-0 with 1st coat of red oxide paint etc. (S Description Quantity same as item No. 12 Providing and laying tiles glazed 6" > STILE specification jointed in white hick including washing and filling o with finishing, clearing and cost of s SI.60/P-47).	1. 14, 1 14, 1 5.No 1. 15. 1				
1020 30761 e of flat iron properties and pattern ment mortar 3 in desired she area	1020 %Sft 4" and frame are pins in/c Height 2936 P/Sft required color 1:2 grey cen and pigment cutting tiles to	8.0+27.0)2.0 3015.76 x 2 placed @ with screws Width Rs. 194.16 x Il facing in the part a base of the cement including of the width	Length 1x2(228 Rs. 21/2" x 1/2" dent fitted w Length R R floor or wal pigment ove slurry of wh c. complete	are bars of size O apart equiva (SI.30/P-94) No x 6" x 1/4" on the cement and pof joints with	On plinth P/F Iron Steel grill using solid squar of 3/4"x3/4" in/c circle shape at 1'-0 vith 1st coat of red oxide paint etc. (S Description Quantity same as item No. 12 Providing and laying tiles glazed 6" > STILE specification jointed in white hick including washing and filling of vith finishing, clearing and cost of v SI.60/P-47). Description	14.) 14.) 6.No 1. 15.) 6.No				
1020 30761 e of flat iron properties and pattern mortar 3 in desired ship to proper professional pattern and pattern mortar 3 in desired ship to proper professional pattern and pattern mortar 3 in desired ship to proper professional pattern and pattern mortar 3 in desired ship to proper professional pattern and pattern mortar 3 in desired ship to proper professional pattern and pattern a	1020 %Sft 4" and frame are pins in/c Height 2936 P/Sft required color 1:2 grey cen and pigment cutting tiles to	8.0+27.0)2.0 3015.76 x 1 Placed @ with screws Width Rs. 194.16 x If facing in the rabase of the cement including of the width Width 9.0+27.0)6.0	Length 1x2(228 Rs. 21/2" x 1/2" dent fitted w Length Refloor or wal pigment ove slurry of wh c. complete Length 1x2 (229	are bars of size 0 apart equiva (SI.30/P-94) No x 6" x 1/4" on the cement and to foints with a companion of the companion	On plinth P/F Iron Steel grill using solid squar of 3/4"x3/4" in/c circle shape at 1'-0 vith 1st coat of red oxide paint etc. (S Description Quantity same as item No. 12 Providing and laying tiles glazed 6" > STILE specification jointed in white hick including washing and filling of with finishing, clearing and cost of v SI.60/P-47). Description External portion	14.) 14.) 3.No 1. 15.) 5.No 1.				
1020 . 30761 e of flat iron properties and patternment mortar 3 in desired she to proper professor and patternment and patternment mortar 3 in desired she to proper professor and patternment mortar 3 in desired she to professor and patternment mortar 3 in desired she to professor and patternment mortar 3 in desired she to professor and patternment mortar 3 in desired she to professor and patternment mortar 3 in desired she to professor and patternment mortar 3 in desired she to professor and patternment mortar 3 in desired she to professor and patternment mortar 3 in desired she to professor and pat	1020 %Sft 4" and frame are pins in/c Height 2936 P/Sft required color 1:2 grey cen and pigment cutting tiles to	8.0+27.0)2.0 3015.76 x 2 placed @ with screws Width Rs. 194.16 x Il facing in the part a base of the cement including of the width	Length 1x2(228 Rs. 21/2" x 1/2" dent fitted w Length Refloor or wal pigment ove slurry of wh c. complete Length 1x2 (229	are bars of size 0 apart equiva (SI.30/P-94) No x 6" x 1/4" on the cement and to foints with a companion of the companion	On plinth P/F Iron Steel grill using solid squar of 3/4"x3/4" in/c circle shape at 1'-0 vith 1st coat of red oxide paint etc. (S Description Quantity same as item No. 12 Providing and laying tiles glazed 6" > STILE specification jointed in white hick including washing and filling of vith finishing, clearing and cost of v SI.60/P-47). Description	14.) 14.) 6.No 1. 15.) 6.No				
Area 3072 Area 3072 131 3203 Sft	1020 %Sft 4" and frame are pins in/c Height 2936 P/Sft required color 1:2 grey cen and pigment cutting tiles to Height 0 Total:	8.0+27.0)2.0 3015.76 x 2 7 placed @ with screws Width Rs. 194.16 x If facing in the rabase of the cement including of the company of the cement including of the cement inclu	Length 1x2(228 Rs. 2 1/2" x 1/2" clent fitted w Length Refloor or wal pigment ove slurry of wh c. complete Length 1x2 (229 1x29)	are bars of size 0 apart equiva (SI.30/P-94) No x 6" x 1/4" on the cement and to foints with a companion of the companion	On plinth P/F Iron Steel grill using solid squar of 3/4"x3/4" in/c circle shape at 1'-0 vith 1st coat of red oxide paint etc. (S Description Quantity same as item No. 12 Providing and laying tiles glazed 6" > STILE specification jointed in white hick including washing and filling of with finishing, clearing and cost of v SI.60/P-47). Description External portion	14.) 14.) 3.No 1. 15.) 5.No 1.				
Area 936 sft 181734 our and patterment mortar 3 in desired shot proper profession proper profession proper 3203 Sft 977228	1020 %Sft 4" and frame are pins in/c Height 2936 P/Sft required color 1:2 grey cen and pigment cutting tiles to Height 0 Total: 3203 %Sft	8.0+27.0)2.0 3015.76 x 12 2 placed @ with screws Width Rs. 194.16 x II facing in the rabase of the cement including of the cement included of the cement included of the cement included of the ceme	Length 1x2(228 Rs. 21/2" x 1/2" dent fitted w Length Riloor or wal pigment ove slurry of wh c. complete Length 1x2 (229 1x29) Rs. 36 th paint of a	are bars of size 0 apart equiva (SI.30/P-94) No x 6" x 1/4" on the cement and of joints with wax polish et No with matt finis	On plinth P/F Iron Steel grill using solid squar of 3/4"x3/4" in/c circle shape at 1'-0 vith 1st coat of red oxide paint etc. (S Description Quantity same as item No. 12 Providing and laying tiles glazed 6" > STILE specification jointed in white hick including washing and filling of vith finishing, clearing and cost of v SI.60/P-47). Description External portion Backside offset	14. 1 14. 1 3. No 1. 15. 1 5. No 1. (6. S.No 1. 2. (16. I				
Area 936 sft 181734 our and patterment mortar 3 in desired shot proper profession proper profession proper 3203 Sft 977228	1020 %Sft 4" and frame are pins in/c Height 2936 P/Sft required color 1:2 grey cen and pigment cutting tiles to Height 0 Total: 3203 %Sft	8.0+27.0)2.0 3015.76 x 12 2 placed @ with screws Width Rs. 194.16 x II facing in the rabase of the cement including of the cement included of the cement included of the cement included of the ceme	Length 1x2(228 Rs. 21/2" x 1/2" dent fitted w Length Riloor or wal pigment ove slurry of wh c. complete Length 1x2 (229 1x29) Rs. 36 th paint of a	are bars of size 0 apart equiva (SI.30/P-94) No x 6" x 1/4" on the cement and of joints with wax polish et No with matt finis	On plinth P/F Iron Steel grill using solid squar of 3/4"x3/4" in/c circle shape at 1'-0 vith 1st coat of red oxide paint etc. (S Description Quantity same as item No. 12 Providing and laying tiles glazed 6" > STILE specification jointed in white hick including washing and filling o vith finishing, clearing and cost of v SI.60/P-47). Description External portion Backside offset	14.) 14.) 13. No 1. 15.) 3. No 1. 2.				
Area 3072 Area 3072 3072 Area 936 sft 181734 Our and patternment mortar 3 in desired shalo proper prof	1020 %Sft 4" and frame are pins in/c Height 2936 P/Sft required color 1:2 grey cen and pigment cutting tiles to Height 0 Total: 3203 %Sft ake to old ma	8.0+27.0)2.0 3015.76 x 1 placed @ with screws Width Rs. 194.16 x II facing in the rabase of the cement including of the company of the comp	Length 1x2(228 @ Rs. e 1/2" x 1/2" clent fitted w Length @ R floor or wal pigment ove slurry of wh c. complete Length 1x2 (229 1x29) @ Rs. 36 ch paint of a 1.37-A+B/F Length	are bars of size O apart equiva (SI.30/P-94) No x 6" x 1/4" on the cement and sof joints with wax polish et No with matt finis ace in 3 coat (S)	On plinth P/F Iron Steel grill using solid squar of 3/4"x3/4" in/c circle shape at 1'-0 vith 1st coat of red oxide paint etc. (S Description Quantity same as item No. 12 Providing and laying tiles glazed 6" > STILE specification jointed in white hick including washing and filling of with finishing, clearing and cost of v SI.60/P-47). Description External portion Backside offset Preparing the surface and Painting w and 2"d & subsequent coat, old surface	14. 1 14. 1 3. No 1. 15. 1 5. No 1. (6. S.No 1. 2. (16. I				
Area 3072 Area 936 sft 181734 our and patterment mortar 3 in desired shall proper profits a profits	1020 %Sft 4" and frame are pins in/c Height 2936 P/Sft required color 1:2 grey cen and pigment cutting tiles to Height 0 Total: 3203 %Sft ake to old ma Height 0	8.0+27.0)2.0 3015.76 x 2 placed @ with screws Width Rs. 194.16 x If facing in er a base of hite cement including of the company of the comp	Length 1x2(228 @ Rs. 21/2" x 1/2" dent fitted w Length Ength floor or wal pigment ove slurry of wh c. complete Length 1x2 (229 1x29) @ Rs. 36 th paint of a 1.37-A+B/F Length 3x1x2(69)	are bars of size O apart equiva (SI.30/P-94) No x 6" x 1/4" on the cement and sof joints with wax polish et No with matt finis ace in 3 coat (S)	On plinth P/F Iron Steel grill using solid squar of 3/4"x3/4" in/c circle shape at 1'-0 vith 1st coat of red oxide paint etc. (S Description Quantity same as item No. 12 Providing and laying tiles glazed 6" > STILE specification jointed in white hick including washing and filling o vith finishing, clearing and cost of v SI.60/P-47). Description External portion Backside offset Preparing the surface and Painting w and 2st description Description	14, 1 14, 1 3, No 1. 15. 1 5, No 1. 2. 16. I 3, No				
Area 3072 Area 936 sft 181734 our and patterment mortar 3 in desired shoto proper prof Area 3072 131 3203 Sft 977228 att finish surfi	1020 %Sft 4" and frame are pins in/c Height 2 936 P/Sft required color 1:2 grey cen and pigment cutting tiles to Height 0 Total: 3203 %Sft ake to old ma Height 0 .0	8.0+27.0)2.0 3015.76 x 2 7 placed @ vith screws Width Rs. 194.16 x If facing in er a base of hite cement including of the complex of the com	Length 1x2(228 @ Rs. 21/2" x 1/2" dent fitted w Length Length floor or wal pigment ove slurry of wh c. complete Length 1x2 (229 1x29) @ Rs. 30 th paint of a 1.37-A+B/F Length 3x1x2(69 2x1x2(9):	are bars of size O apart equiva (SI.30/P-94) No x 6" x 1/4" on the cement and sof joints with wax polish et No with matt finis ace in 3 coat (S)	On plinth P/F Iron Steel grill using solid square of 3/4"x3/4" in/c circle shape at 1'-0 vith 1st coat of red oxide paint etc. (Solution Description Quantity same as item No. 12 Providing and laying tiles glazed 6" of the standard of t	14, 1 14, 1 15, 1 15, 1 15, 1 16, 1 2, 2 3, No 1, 2				
1020 30761 e of flat iron printing 3 co Area 936 sft 181734 our and patternment mortar 3 in desired shape to proper professor Area 3072 131 3203 Sft 977228 att finish surfa Area 5610 1122 5148 11880 Sft	1020 %Sft 4" and frame are pins in/c Height 2 936 P/Sft required color 1:2 grey cen and pigment cutting tiles to Height 0 Total: 3203 %Sft ake to old ma Height 0 Total:	8.0+27.0)2.0 3015.76 x 1 2 placed @ with screws Width Rs. 194.16 x II facing in the rabase of the cement including of the ce	Length 1x2(228 @ Rs. e 1/2" x 1/2" dent fitted w Length Length floor or wal pigment ove slurry of wh c. complete Length 1x2 (229 1x29) @ Rs. 36 th paint of a L37-A+B/F Length 3x1x2(69 2x1x2(9) 1x2(228	are bars of size O apart equiva (SI.30/P-94) No x 6" x 1/4" on the cement and sof joints with wax polish et No with matt finis ace in 3 coat (S)	On plinth P/F Iron Steel grill using solid squar of 3/4"x3/4" in/c circle shape at 1'-0 vith 1st coat of red oxide paint etc. (S Description Quantity same as item No. 12 Providing and laying tiles glazed 6" > STILE specification jointed in white hick including washing and filling of vith finishing, clearing and cost of v SI.60/P-47). Description External portion Backside offset Preparing the surface and Painting w and 2nd & subsequent coat, old surface Description On hall Staircase hall	5.No 1. 14, 1 6.No 1. 15, 1 6.No 1. 2. 16, I 2.				
and painting 3 constraints and painting 3 constraints and painting 3 constraints and pattern ment mortar 3 in desired shall be proper professional pattern professional pattern professional proper professional p	1020 %Sft 4" and frame are pins in/c Height 2 936 P/Sft required color 1:2 grey cen and pigment cutting tiles to Height 0 Total: 3203 %Sft ake to old ma Height 0 Total:	8.0+27.0)2.0 3015.76 x 12 3015.	Length 1x2(228 @ Rs. e 1/2" x 1/2" dent fitted w Length Length floor or wal pigment ove slurry of wh c. complete Length 1x2 (229 1x29) @ Rs. 36 th paint of a L37-A+B/F Length 3x1x2(69 2x1x2(9) 1x2(228	are bars of size O apart equiva (SI.30/P-94) No x 6" x 1/4" on the cement and sof joints with wax polish et No with matt finis ace in 3 coat (S)	On plinth P/F Iron Steel grill using solid squar of 3/4"x3/4" in/c circle shape at 1'-0 vith 1st coat of red oxide paint etc. (S Description Quantity same as item No. 12 Providing and laying tiles glazed 6" > STILE specification jointed in white hick including washing and filling of vith finishing, clearing and cost of v SI.60/P-47). Description External portion Backside offset Preparing the surface and Painting w and 2nd & subsequent coat, old surface Description On hall Staircase hall	5.No 1. 14, 1 6.No 1. 15, 1 6.No 1. 2. 16, I 2.				
1020 30761 e of flat iron painting 3 co Area 936 sft 181734 our and patterment mortar 3 in desired shoto proper profe Area 3072 131 3203 Sft 977228 att finish surfi Area 5610 1122 5148 11880 Sft 296971	1020 %Sft 4" and frame are pins in/c Height 936 P/Sft required color 1:2 grey cen and pigment cutting tiles to Height 7 Total: 8203 %Sft ake to old ma Height 0 Total: 880 %Sft	8.0+27.0)2.0 3015.76 x 1 placed @ with screws Width Rs. 194.16 x II facing in the rabase of the cement including of the company of the comp	Length 1x2(228 @ Rs. e 1/2" x 1/2" clent fitted w Length Length floor or wal pigment over slurry of wh c. complete Length 1x2 (229 @ Rs. 36 ch paint of a 1.37-A+B/F Length 3x1x2(69 2x1x2(9 1x2(228	are bars of size O apart equiva (SI.30/P-94) No x 6" x 1/4" on the cement and position of joints with a second of joints wi	On plinth P/F Iron Steel grill using solid squar of 3/4"x3/4" in/c circle shape at 1'-0 vith 1st coat of red oxide paint etc. (S Description Quantity same as item No. 12 Providing and laying tiles glazed 6" > STILE specification jointed in white hick including washing and filling of vith finishing, clearing and cost of v SI.60/P-47). Description External portion Backside offset Preparing the surface and Painting w and 2nd & subsequent coat, old surface Description On hall Staircase hall	5.No 1. 14, 1) 6.No 1. 15. 1 6.No 1. 2. 16, I 2. 3. 17. I				
1020 30761 e of flat iron painting 3 co Area 936 sft 181734 our and patterment mortar 3 in desired shoto proper profe Area 3072 131 3203 Sft 977228 att finish surfi Area 5610 1122 5148 11880 Sft 296971	1020 %Sft 4" and frame are pins in/c Height 936 P/Sft required color 1:2 grey cen and pigment cutting tiles to Height 7 Total: 8203 %Sft ake to old ma Height 0 Total: 880 %Sft	8.0+27.0)2.0 3015.76 x 1 placed @ with screws Width Rs. 194.16 x II facing in the rabase of the cement including of the company of the comp	Length 1x2(228 @ Rs. e 1/2" x 1/2" clent fitted w Length Length floor or wal pigment over slurry of wh c. complete Length 1x2 (229 @ Rs. 36 ch paint of a 1.37-A+B/F Length 3x1x2(69 2x1x2(9 1x2(228	are bars of size O apart equiva (SI.30/P-94) No x 6" x 1/4" on the cement and position of joints with a second of joints wi	On plinth P/F Iron Steel grill using solid squar of 3/4"x3/4" in/c circle shape at 1'-0 vith 1st coat of red oxide paint etc. (S Description Quantity same as item No. 12 Providing and laying tiles glazed 6" > STILE specification jointed in white hick including washing and filling of vith finishing, clearing and cost of v SI.60/P-47). Description External portion Backside offset Preparing the surface and Painting w and 2"d & subsequent coat, old surface Description On hall Staircase hall Veranda Providing and fixing deodar Almirah Providing and fixing deodar Almirah	14.) 14.) 13. No 1. 15.) 3. No 1. 2. 16. I 2. 3. 17. I 8				
1020 30761 e of flat iron printing 3 construction and pattern ment mortar 3 in desired shot oproper professor and pattern ment flat and pattern ment mortar 3 in desired shot oproper professor and pattern ment mortar 3 in desired shot oproper professor and pattern ment mortar 3 in desired shot oproper professor and professor and pattern ment mortar 3 in desired shot oproper professor and pattern ment mortar 3 in desired sho	1020 %Sft 4" and frame are pins in/c Height 2 936 P/Sft required color 1:2 grey cen and pigment cutting tiles to Height 0 Total: 3203 %Sft ake to old ma Height 0 Total: 880 %Sft aut boxing wi	8.0+27.0)2.0 3015.76 x 1 placed @ with screws Width Rs. 194.16 x II facing in the rabase of the cement including of the ceme	Length 1x2(228 @ Rs. e 1/2" x 1/2" dent fitted w Length Length floor or wal pigment ove slurry of wh c. complete Length 1x2 (229 1x29) @ Rs. 36 th paint of a 1.37-A+B/F Length 3x1x2(69 2x1x2(9.: 1x2(228 @ Rs. 24 epth excluding	are bars of size 0 apart equiva (SI.30/P-94) No x 6" x 1/4" on the cement and of joints with wax polish et No with matt finistice in 3 coat (S) No th 9" - 12" de 23 / P-61).	On plinth P/F Iron Steel grill using solid squar of 3/4"x3/4" in/c circle shape at 1'-0 vith 1st coat of red oxide paint etc. (S Description Quantity same as item No. 12 Providing and laying tiles glazed 6" > STILE specification jointed in white hick including washing and filling of with finishing, clearing and cost of s SI.60/P-47). Description External portion Backside offset Preparing the surface and Painting washing and 2" & subsequent coat, old surface Description On hall Staircase hall Veranda Providing and fixing deodar Almirah hutters brass fittings complete. (SI.2)	5.No 1. 14, 1 6.No 1. 15. 1 6.No 1. 2. 16, I 2. 3.				

S.No	Description	No	Length	Width	Height	Area
1.	Ceiling		3x1x	69.0x16.0		3312
2.	Ceiling		2x1x	9.50x16.0		304
3.	Veranda	1x228.0x6.0				1368
					Total:	4985 Sft
			@ Rs. 1	079.65 x	4985 %Sft	53820
19.	Preparing surface and painting of do	ors and windo	ws any type	, (including	edges) (SI.5(c) i+ii, / P-70
	Chimeron and the Control of the Cont	D.T.	Lawrell	490 24 30 3	22 4 4	
S.No	Description	No	Length	Width	Height	Area
S.No	Main door	140	- U	2x3.50x7.0	Height	Area 147
S.No 1. 2.		100	3x1x2			7377-751
1.	Main door	140	3x1x2	2x3.50x7.0		147
S.No 1. 2.	Main door	1/0	3x1x/ 3x1x7	x3.50x7.0 x2x3.0x6.0		147 756

CIVIL WORK NON SCHEDULE ITEMS:

20. P/L Laser cut porcelain glazed or double glazed granite tile of size 16"x16" of Master make on floor or wall facing in required colour jointed in German bonds & Pigment over a base of 1:2 grey cement mortar ½" thick washing & filling of joints with grouting material in/c cost of wax polish in/c finishing and cleaning etc complete as per instruction of Engineer Incharge

S.No	Description	No	Length	Width	Height	Area	
1.	Hall		3x1x	69.0x16.0		3312	
2.	Veranda	1x228.0x6.0			1368		
3.	Main opening	3x1x9.0x1.0				27	
	Total:						
	@ Rs.						

21. P/M Graffito paint to wail surface to provide durable & aesthetic surface having thickness between 1.6 – 2.0mm in specified color / shade & working upto height of 90-0' using scaffolding as directed by the Engineer Incharge

S.No	Description	No	Length	Width	Height	Area
1.	External portion		1x2(228	.0+27.0)13	.0	6630
2.	Chajja	1x2(228.0+6.0)2.0)	936
	Total;					
	@ Rs.					
	Total (B):					

Grand Total (A+B):
Grand total amount Multiply by 04 No of barracks:
Total Amount in Rs:
Or say in Millions:


TERMS AND CONDITIONS

- Any typographical errors in the Schedule B are subject to the correction with Reference to the Schedule of rate General 2012 enforced from 12th July 2012 as Approved by the SRC Sindh, Karachi.
- 2. Arbitration clause stands deleted from the agreement.
- 3. No premium shall be paid on a Non schedule items.
- 4. 100% Well Graded crushed bajri shall be used in items of work without any extra payment.
- All sample of items should be got approved by the Engineer Incharge.

(HAFIZ SAFDAR SHIAKH)
Assistant Engineer,
CPO, Sindh, Karachi.







20 N DEER

8

روز تامد جنگ کراچی بفته 4 رفر وری 2017 و





w.smanpones.gov.px

پوليس دپارتمينٽ، حڪومت سنڌ، ڪراچي جي هيٺين ڪين واسطي ڪانٽريڪٽرن/ڪانٽريڪٽٽگ فرمن کان سنڌ پبلڪ پروڪيورمينٽ رولز-1100 مطابق مهربند ٿينبر گهرائجن ٿا.

ڪرجي	تينابر	سوثي	كثيل لأكت (اتكل روء) 26.448 ملين ريا	ڪر جي نوعيت	سیریل نمبر
تكميل	في	وقعر	(انڪل روء)		C40, 9178.
0.3	1000	جملي را≟	26,448	پرليس ٹريننگ ڪائيج، معيدآباد ڪراچي ۾ بيچلر بيرڪن(نعلد 12 کان16) جي مرستاريتريشن	-1
مهينا	ربيا	جو 2.5%	ملين رييا	بيركن(تعلاد 12 كان 16) جي مرستاريتوريشن.	3 8

رطع ضابطا:

- كانتريكترز/كانتريكتنگ فرمون. پاكستان انجنيترنگ كائونسل. (FBR). انڪم ٽيڪس، سيلز ٽيڪس ۽ سنڌ روينيو بورڊ وٽ رجسٽرڊ هئڻ گهرجن. (اين ٽي اين ۽ ايس تي اين رجسٽريشن سرٽيفڪيٽ گهريل هوندا).
- كانتريكترن كانتريكتنگ فرمن كي مشورو تو دَّجي ته اڳه يونت جاب في چورس فث/Rft بنياد تي جاڻائين.
- 3. جاب، يونٽبنيادتي ڪمن لاءِ ادائگيون اسپيسيفڪيشن/شيڊيول "B" مطابق ماپ ۽
 - چڪاس جي بنياد تي هر هڪ آئٽم/کمر جي مڪمل ٿيڻ تي کيون وينديون. ڪمر جو حساب/RCE ۾ (+) يا (-) %5 جو فرق تي سگهي ٿو. کاندرڪٽن/کاندرڪٽنگ فرمز کي عملدارن/منينزي، مالياتي جينت(غير) جي سلسا
- .5 تجريمي، أهليت جو ثبوت ذيكار الا؛ گهريل هوندا. (قرم جَرَ بررفائيلَ. تيكنيكل لويليونيشن).
- ڪانٽريڪٽرز/ڪانٽريڪٽنگ فرمون جن کي سرڪاري کانن يا ايجت .6 لسٽ ڪيو ويو هجي, تن کي ٽينڊر/واڪم شرڪت ڪُرڻ جي (شركت كندارُ كَالْتَريكِيُّنَ/كانتريكِتنگ فرمن كي ان نْسَ مِرْ خَلَفْمَامُو فَيَكُر پوندو ته اهي کنهن به سرکاري کاڻي پاران بليڪ لسّٽ ٿيل نہ آهن)،
- ڪانٽريڪٽرن کي سي اين آءِ سي جي ڪاپي ڏيڻي پوندي ۽ ڪانٽريڪٽنگ رجستويشن جو سُرتيقڪيٽ (ڪَٽٽيڭري وار) پڻ فراهم ڪرڻو پوندو.
- فقط هن كاتي پاران جاري كيل مقرر تيندر فارمر تي قبل واك قيمون كيا ويندا. بهرحال جيكڏهن گهربل هجي تراضافي شينتون شاهل كري سگهجن ٿيون. كانٽريكٽر افرم سنڌ ۾ هڪيا سيني يا گهڻن هنڌن لاءِ آچون اماڻي سگهن ٿا. بهرحال
 - هرهك هنذ تي كمركي الكِ الكِ تصور كَيو ويندوع أج ان مطابق امائي ويندي.
 - واكا أج حو كار أمدي مدو نيندر جي كولڻ واري ثاريخ كان گهٽ ۾ گهٽ 90- دينهن هوندو.
- مجاز اختياري, سنة پبلك پروكيورمينٽ رولز-2010 جي واسطينار فقون ۽ ٽينبر ڪاغذن ۾ .12 ڄاڻايل شرطن مطابق سمورا يا ڪوبرٽينڊراواڪرد ڪرڻ جو حق محفوظ رکي ٿي.

8

ملومات ۽ طريقيڪار: ''آهن جمادي جمر ند ڪنيڌ باري سي رين مو اسم ترين هجه آهن

الجامرة فرانس مي فلك ميوزيع ۾ ملاڙي عيرت جديد لياس پهريو آخي مور ڳرگل گلاس پاڻڙي بند پلاستك مي گلاس ۾ بونڪ يي رهي اهي ميوزيد آمدودي عمر جي ماڻهن لاءِ جديد تيڪنالاجي فارجن ڪندن دون آهن دوي عمر ۾ جڪي جاڻهو ڳهني ڏين ديا سگهن آهن ماڻهن لاءِ آهي خديد لياس تاهيز آيو آهي، جيڪي کين جريد ڪري ۾ بعد ذرندا إلي آيان جي



DAWN WEDNESDAY FEBRUARY 1, 2017



POLICE DEPARTMENT, GOVERNMENT OF SINDH

www.sindhpolice.gov.pk

الم ومنظروى كے خلاف مخد إلى-

NOTICE D

Say No to Corruption

Sealed tenders are invited in accordance with the Sindh Public Procurement Rules, 2010 from contractors / contracting firms for the following works of the Police Department, Government of Sindh, Karachi.

S.#	Scope of Work	Estimated Cost (Approx)	Earnest Money	Tender Fee	Completion Work
	Repair/Renovation Work for Bachelor Barracks (No. 12 to 16) at Police Training College Seedabad, Karachi.		2.5% of Quoted Bid	Rs. 1,000/-	03 Months

TERMS & CONDITIONS:

- Contractors / contracting firms should be registered with Pokistan Engineering Council, (FBR), Income Tax, Sales Tax and Sindh Revenue Board, (NTN and STN registration certificates will be required).
- Contractors / contracting firms are advised to quote rates on Unit / Job / Per Sft / Rft, basis.
- Payments shall be made for the works on basis of job, unit basis, as the case may be, on completion of each item / work, on the basis of measurement & verification in accordance with specification / Schedule "B".
- The work calculation / RCE may vary by (+) or (-)5%
- The contractors / contracting firms will be required to show evidence of experience, capability in respect of personnel / machinery, financial position etc. (Profile of the Firm, Technical Evaluation).
- Contractors / contracting firms blacklisted by Government departments or agencies will not be allowed to participate in the tender / bid (participating contractors / contracting firms will be required to submit affidavil to the effect that they are not blacklisted for any Government department).
- Contractors will be required to provide copy of CNIC and contracting firms will also be required to provide Certificate of Registration (Category-wise).
- Only bids offered on the prescribed tender form issued by this department shall be accepted. However, additional sheets may be attached, if
- The contractor / firm may submit offers for one or all or as many locations in Sindh, However, work at each location should be treated as separate and offer be made accordingly.
- 10. Conditional tenders / applications will not be entertained.
- 11. Validity of bid / offer shall be at least 90 days from date of opening of fender.
- 12. The competent authority reserves the right to reject all or any tender / bid subject to and in accordance with the relevant provisions of the Sindh Public Procurement Rules, 2010 and conditions contained in tender documents.

INFORMATION & PROCEDURE:

- INFORMATION & PROCEDURE:

 1. Complete set of bidding documents containing the scope of work and relevant details along with specification can be obtained by the interested contractors / contracting firms from the Reception Counter of Central Police Office, contact Mr. Muhammad Younus Junior Clerk, Training Branch, CPO, Sindh, Karachi, Cell No. 0313-2753106 & Office No. 99212896, I.I. Chundriger Road, Karachi of DIGP Training, CPO, Sindh, Karachi, during working hours upto Fifteen (15) days of the date of publication of this notice on payment of tender fee (non-refundable). Method of Procurement will be aingle-stage one-envelope.
- Tenders / bids (duly scaled along with call deposit) should be dropped in the Tender Box (placed in the office of DIGP Training, CPO Singh Karachi at the address given above) on or before (as last date) 24-02-2017 upto 1400 hrs. The tenders / bids will be opened by the Departmental Procurement Committee on the same date at 1500 hours in presence of duly authorized representatives of contractors / contracting firms participating in the tender / bid.
- Any other information relating to this tender / bid or detail of work or any further clarification can be obtained from the DIGP Training, CPO Sindh, Karachi at given address during office hours before opening of tender.
- The contractors / contracting firms are advised in their own interest to fully understand the scope of work and quality / quantities. They may also visit the site to assess themselves any additional / incidental work (availability of electricity, water or any other item) which may come up before or during execution of the work of this tender for the reason that no extra cost will be borne out by Police Department for such eventualities nor any extension in time will be provided on such pretext.
- The work will commence after the approval of competent authority and also subject to availability of funds which are in pipeline.

DIGP/TRAINING Central Police Office Sindh Karachi Tel: 021 99212696

INF-KBY No. 458/17



DAWN SATURDAY FEBRUARY 4, 2017



OFFICE OF THE DEPUTY INSPECTOR GENERAL OF POLICE TRAINING SINDH, KARACHI

CORRIGENDUM

Reference this office Tender Notice published in press on 01-02-2017 vide INF-KRY No. 456/17 regarding Repair / Renovation Work for Bachelor Barracks (No. 12 to 16) at Police Training College Saeedabad Karachi. The following clarifications in the above Tender Notice may be noted:-

- The last date for obtaining the bid documents is 27-02-2017 instead of 23-02-2017.
- ii. Sealed tenders on prescribed proforms in duplicate along with 2.5% carnest money of the total bid in the form of Pay Order (Payee's Arc) in favour of DIGP //Training Sindh Karachi should be dropped in the Tender Box kept in the DIGP Training Office, 1st Floor, Central Police Office, I.I. Chundrigar Road, Karachi on 28-02-2017 at 1430 hours instead of 24-02-2017.
- iii. Tenders will be opened on 28-02-2017 at 1500 hours.
- 02. Rest of instructions will remain good.

Deputy Inspector General of Police Training Sindh, Karachi

INF-KRY No. 541/17

Say No to Corruption

-03-15-CO-PSF



ANNUAL PROCUREMENT PLAN

FINANCIAL YEAR 2016-17 OFFICE OF THE DEPUTY INSPECTOR GENERAL OF POLICE

TRAINING, SINDH KARACHI

2	-	# S
Repair/Renovation work for Aftab Nabi Hall at Police Training College Saeedabad Karachi	Repair/Renovation work for Bachelor Barracks (No.12 to 16) at Police Training College Saeedabad Karachi	Description of Procurement
N/A	N/A	Quantity (where applicable)
N/A	N/A	Estimated Unit cost (where applicable)
Rs.1.773 Million	Rs.26.448 Million	Estimated Total cost
	Rs.50 Million	Funds allocated
N/A	N/A	Source of funds (ADP/ Non ADP)
Single Stag - One Envelop	Single Stag - One Envelop	Proposed procurement method
3 rd Qtr	3 rd Qtr	Timings of Procurements 1 st 2 nd 3 rd Otr Otr Otr
		Remarks

(SHAD IDNE MASIH)PSP
Principal PTC Saeedabad

(MEMBER)

(M. IQBAL CHANNA)
SO (Dev) Home Department
(MEMBER)

Assistant Engineer CPO
(MEMBER)

(HAFIZ SAYDAR SHAIKH)

(ABDUL QUDOOS SHAIKH)

Executive Engineer Buildings
Works & Services Department
(MEMBER)

(DR. AFTAB AHMED PATHAN)PSP DIGP TRAINING SINDH, KARACHI (CHAIRMAN)



آفيس آف دي ڊپٽي انسپيڪٽر جنرل آف پوليس، ٽريننگ سنڌ، ڪراچي

مضمون: تصحيح

پوليس ٽريننگ ڪاليج سعيد آباد ڪراچي ۾ بيچلر بيرڪس (تعداد 12 کان 16 تائين) لاءِ مرمت/ رينوويشن جي ڪم بابت انفارميشن-ڪراچي نمبر .456/17 مطابق تاريخ 2017-01-01 تي اخبارن ۾ شايع ٿيل هن نوٽيس جو حوالو . مٿئين ٽينڊر نوٽيس ۾ هيئين وضاحت نوٽ ڪئي وڃي:

أ. واك كاغذن وئن جي آخري تاريخ 2017-02-23 جي بدران 2017-02-27 آهي.

أ. مقرر پروفارما تي ڊپليڪيٽ ۾ مهربند ٽينڊرن سان گڏ جملي واڪ جو 2.5% سوٿي رقم پي
 آرڊر جي صورت ۾ (بحق ڊي آءِ جي پي/ٽريننگ سنڌ ڪراچي جي پيئييز اڪائونٽ ۾) ڊي آءِ
 جي پي ٽريننگ آفيس, فرسٽ فلور سينٽرل پوليس آفيس, آءِ آءِ چندريگر روڊ, ڪراچي ۾
 رکيل ٽينڊر باڪس ۾ تاريخ 2017-20-24 جي بدران 2017-20-28 تي 1430 وڳي تائين
 وجهڻ گهرجن.

iii. ٽينڊر 2017-02-28 تي 1500 وڳي کوليا ويندا.

.02 باقى هدايتون ساڳيون رهنديون.

ڊپٽي انسپيڪٽر جنرل آف پوليس، ٽريننگ، سنڌ ڪراچي INF/KRY.No:541/2017

SAY NO TO CORRUPTION

اسان دهشتگردي جي خلاف متحد آهيون

MEXIT

سنڌ ۾ تعليم جي بهتري لاءِ علمي + پنهنجو پيغام لکي 8 9 3 8 تي ايس ايم ايس ڪريو



