

BIDDING DATA

(This section should be filled in by the Engineer/Procuring Agency before issuance of the Bidding Documents).

(a). Name of Procuring Agency: Executive Engineer Education Works Division N.Feroze

(b). Brief Description of Works: MAINTENANCE & REPAIR OF GGPS KANDIARO TALUKA KANDIARO.

(c). Procuring Agency's address: Near DC House N.Feroze.

(d). Estimated Cost:- 600000/-

(e). Amount of Bid Security:- 2% (Fill in lump sum amount or in % age of bid amount /estimated cost, but not exceeding 5%)

(f). Period of Bid Validity (days):- 30 Days (Not more than sixty days).

(g). Security Deposit :- (including bid security): 10% (in % age of bid amount / estimated cost equal to 10%)

(h). Percentage, if any, to be deducted from bills:- 10.50%.

(i). Deadline for Submission of Bids along with time:- 12-04-2017 (2:00PM)

(j). Venue, Time, and Date of Bid Opening:- XEN Office dated: 12-04-2017 on 3:00 PM

(k). Time for Completion from written order of commence: - 03 Months

(L). Liquidity damages:- _____ (0.05 of Estimated Cost or Bid cost per day of delay, but total not exceeding 10%).

(m). Deposit Receipt No: Date: Amount: (in words and figures)

(Executive Engineer/Authority issuing bidding document)


EXECUTIVE ENGINEER
EDUCATION WORKS DIVISION
NAUSHAHRO FEROZE

SCHEDULE 'B'

NAME OF SCHEME:-REPAIR TO GOVT:GIRLS PRIMARY SCHOOL KANDIARO
TALUKA KANDIARO DISTRICT NAUSHAHRO FEROZE

S.NO	ITEM OF WORK	QTY	RATE	UNIT	AMOUNT
01.	Dismantling 2 nd class tile roofing	531.0	378/15	%Cft	RS:-2008/-
02.	Dismantling Brick work in lime or cement mortar	383.0	1285/63	%Cft	RS:-4924/-
03.	Removing Doors with chowkats	02Nos	142/18	P:NO:	RS:-284/-
04.	Removing Windows With Chowkats.	06Nos	102/85	P:NO:	RS:-617/-
05.	Supplying and fixing Girder at site.	3.321	3850/-	P:Cwt	RS:-12786/-
06.	Supplying and fixing T.Iron at site	17.892	3575/-	P:Cwt	RS:-63964/-
07.	Second Class Tile roofing consisting of 4" earth and 1" mud Plaster with gobri leeping Over ½" thick cement plaster 1.6. with 34 lbs of hot bitumen coating sand blinded Provided over one layer of 12"x6"x2" tiles laid in 1.6. cement mortar including 1.2. Cement pointing under neath of tiles complete including curring etc.	531.0	7607/25	%Cft	RS:-40394/-
08.	Providing and fixing G:I: Frames/Chowkats of size 7"x2" or 4-1/2"x3" for door Using 20 guage G;I: Sheet i/c welded hinges and fixing at site with necessary hold fasts Filling with cement sand slurry of ratio 1.6. and repairing the jambs>The cost also i/c All carriage of tools and plants used in making and fixing				
	Doors	35.0	228/90	P:Rft	RS:-8012/-
	Windows	180.0	240/50	P:Rft	RS:-43290/-
09.	Pacca Brick work in Ground Floor in cement sand mortar ratio 1.6.	383.0	12674/36	%Cft	RS:-48543/-
10.	Supplying and fixing in position iron/steel grill ¾" x1/4" size flate iron of approved design Including painting 3 coats approved design including painting three coats etc complete Weight not to be less than 3.7 lbs/sq foot of finished grill	71.0	180/50	P:Sft	RS:-12816/-
11.	Pacca Brick work in Foundation and plinth in cement cement mortar ratio 1.6.	156.0	11948/36	%Cft	RS:-18639/-

R.C.C.Work in all labour and material except the cost of steel reinforcement and its labour for bending and binding which will be paid separately .This rate also includes all Kinds of forms moulds lifting shuttering curring rendering and finishing the exposed Surface including screening and washing of shingle (a) R.c.c. work in roof slabs,beams, Coloumns rafts lintels and other structurel members laid in situ or pre cost laid in position completed in all respects ratio 1.2.4.

	45.0	337/-	P:Cft	RS:-15165/-
13.	Fabrication of Mild Steel reinforcement for cement concrete i/c cutting bending And laying in position making joints and fastenings i/c also removal of rust from Bars			
	2.008	5001/70	P:Cwt	RS:-10043/-
14	Cement Plaster ½" Thick upto 20" height ratio 1.6.			
	1705.0	2206/60	%Sft	RS:-37711/-
15.	Cement Plaster 3/8" Thick upto 20" height ratio 1.4.			
	1705.0	2197/52	%Sft	RS:-37468/-
16.	Ist Class deodar wood wrought joinery in doors and windows etc fixes in position Including chowkats hold fasts hinges iron tower bolts chocks cleats handles and cords with hocks etc deodar paneled and glazed or fully glazed (b)1-3/4" thick			
	121.0	902/93	P:Sft	RS:-109255/-
17.	Providing and lying c.c. topping 1.2.4. including surface finishing and dividing in to panels			
	448.0	4411/82	%Sft	RS:-19765/-
18	White washing of three coats			
	448.0	829/95	%Sft	RS:-3718/-
19	Primary cost of chalk under distempering			
	1408.0	442/75	%Sft	RS:-6234/-
20.	Distempering of three coats			
	1408.0	1079/65	%Sfts	RS:-15201/-
21.	Colour wash of two coats			
	1556.0	859/90	%Sft	RS:-13380/-
22.	Preparing painting doors and windows new surface any type i/c edges three coats			
	242,	2743/14	%Sft	RS:-6638/-
			TOTAL	RS:-5,30.855/-

Amount Total (a)

_____ above/below on the
The rates of CSR

Amount to be added/ deducted on the
basis of premium quoted Total (b)

Total (A) a+b in words and figure: _____