

OFFICE OF THE ADDL. INSPECTOR GENERAL OF POLICE, KARACHI RANGE

No. AB/A-II/35349-53 / Karachi.

To,

The Director Information (Advertisement), Public Relation Department, Govt. of Sindh, Block-95 Sindh Secretariat, Karachi

SUBJECT: PUBLICATION OF RE-TENDER NOTICE.

Enclosed please find herewith a draft Re-Tender / inviting Notice in-respect of Repair / Renovation work of Madadgar 15 (Police Help Line) Call Centre for Publication in the daily Newspapers in English, Urdu and Sindhi at the Earliest.

(DR. GHULAM SARWAR JAMALI) PPM, PSP DIGP/Administration

For. Addl. Inspector General of Police Karachi Range

Copy to the following for information please.

- 1. The Inspector General of Police Sindh Karachi
- 2. The Manager (Assessment), Government of Sindh Public Procurement Regulatory Authority, (SPPRA) Barrack No.8 Sindh Secretariat No.4 Court Road Karachi
 - 3. The Director **I.T. Sindh Police** for advertisement display on Sindh Police Official website (www.sindh police.gov.pk).

4. Master File.

(DR. GHULAM SARWAR JAMALI) PPM, PSP
DIGP/Administration

MAMMAN

For. Addl. Inspector General of Police Karachi Range

RE-TENDER NOTICE.

Sealed tenders are invited in accordance with the Sindh Public Procurement Rules, 2010 from contractors/contracting firms for following works of the Police Department, Karachi Range,

S#	Name of Work	Estimat ed Cost	Earnest Money	Tender FEE	Completion time	Opening Date	Opening place
1	Repair / Renovation of Madadgar 15 (Police Help Line) Call Centre shifting from CPO to PS Air Port. Civil work, wood work, Aluminum work, AC / Electrification work, interior work, coloring & painting work & sanatory fixing & fixtures etc works.	4 million	2.5% of quoted Bid Cost	2,000/- (non- refundable)	30 days	25-04-2017 at 16:00 hrs	Addl:IGP Karachi Conference Room

TERMS & CONDITIONS:

- 1. Contractors/Contracting Firms should be registered with Pakistan Engineering Council, (FBR) Income Tax, Sales Tax and Sind Revenue Board (NTN and STN registration certificates will be required).
- 8. Contractors/Contracting Firms are advised to quote rates on Unit/Job/Per Sft/Rft. basis.
- 59. Payments shall be made for the works on basis of job, unit basis as the case may be on completion of each item/work, on the basis of measurement & verification in accordance with specification.
- 60. The work calculation/RCE may vary by (+) or (-)5%.
- 61. The contractors/contracting firms will be required to show evidence of experience, capability in respect of personnel/machinery, financial position etc (Profile of the Firm).
- 62. Contractors/Contracting Firms black listed by Government Departments or agency will not be allowed to participate in the tender/bid (participating contractors/contracting firms will be required to submit affidavit to the effect that they are not black listed), for any Government Department.
- 63. Contractors will be required to provide copy of CNIC and Contracting Firms will also be required to provide Certificate of Registration (Category wise).
- Only bids offered on the prescribed Tender Form issued by this department shall be accepted. However, additional sheets may be attached, if required.

- 65. The contractor / firm may submit offers for one or all or as many locations in Sindh. However, work at each location should be treated as separate and offer be made accordingly.
- 66. Conditional tender / application will not be entertained.
- 67. Validity of bid/offer shall be at least 60 days from the date of opening of tender.
- The competent authority reserves the right to reject all or any tender/bid subject to and in accordance with the relevant provisions of the Sindh Public Procurement Rules, 2010 and conditions contained in Tender Documents.

INFORMATION & PROCEDURE:

- Ocomplete set of bidding documents containing the scope of work and relevant details along-with specification can be obtained by the interested Contractors/Contracting Firms from the office of Additional IGP Karachi, Account Branch 3nd Floor, Karachi Police Office Saddar, Karachi during working hours up to Fifteen (15) days of the date of publication of this notice on payment of tender fee (non refundable). **Method of procurement will be single stage-One envelope.**
- Tenders/Bids (duly sealed along-with call deposit) shall be dropped in the tender box (placed in the office of the Addl; Inspector General of Police Karachi Range Conference Room 4th Floor on or before (As last date) deposit on 25.04.2017 at 15:00 hours. The tenders/bids will be opened by Departmental Procurement Committee on 25.04.2017 at 16:00 hours in presence of duly authorized representatives (who may like to be present) of Contractors/Contracting firms participating in the tender/bid.
- Any other information relating to this tender/bid or detail of work or any further clarification can be obtained from the Addl;IGP Karachi Range (Account Branch) at given address during office hours before opening of tender.
- The Contractors/Contracting Firms are advised in their own interest to fully understand the scope of work and quality/quantities. They may also visit the site to asses themselves any additional/incidental work (availability of electricity, water or any other item) which may come up before or during execution of the work of this tender for the reason that no extra cost will borne out by Police Department for such eventualities nor any extension in time will be provided on such pretext.

The work will commence after the approval of competent authority.

(DR. GHULAM SARWAR JAMALI) PPM, PSP DIGP/Administration

For. Addl. Inspector General of Police Karachi Range



OFFICE OF THE ADDL. INSPECTOR GENERAL OF POLICE, KARACHI RANGE

No. AB/A-II/ 33367-79 Karachi.

dated 28-03-2017

To,

The Director information (Advertisement), Public Relation Department, Govt. of Sindh, Block-95 Sindh Secretariat, Karachi

SUBJECT: CANCELLATION OFTENDER NOTICE.

Enclosed please find herewith a draft of cancellation Tender Notice in-respect of Repair / Renovation of Madadgar 15 (Police Help Line) Call Centre for Publication in the daily Newspapers in Jang, Dawn and Kawish at the Earliest.

(DR. GHULAM SARWAR JAMALI) PSP, PPM
DIGP / ADMINISTRATION

For. Addl. Inspector General of Police, Karachi Range

Copy to the following for information please.

The Inspector General of Police Sindh Karachi.

The Manager (Assessment), Government of Sindh Public Procurement Regulatory Authority, (SPPRA) Barrack No.8 Sindh Secretariat No.4 Court Road Karachi.

- 3. The Director **I.T. Sindh Police** for advertisement display on Sindh Police Official website (www.sindh police.gov.pk).
- 4. Master File.

(DR. GHULAM SARWAR JAMALI) PSP, PPM DIGP / ADMINISTRATION

For. Addl. Inspector General of Police, Karachi Range

CANCELLATION OF TENDER NOTICE.

Tender was published in Newspaper (The Dawn, Jung,) on 27.04.2017, vide this office letter No. AB/ A-II / 20503 Dated: 24.02.2017 regarding Repair / Renovation of Madadgar 15 (Police Help Line) Call Centre shifting from CPO to PS Air Port is hereby cancelled due to some unavoidable reasons.

Vide Tender Notice No. INF-KRY No. 953/2017.

(DR. GHULAM SARWAR JAMALI) PPM, PSP DIGP/Administration

For. Addl. Inspector General of Police Karachi Range



OFFICE OF THE ADDL. INSPECTOR GENERAL OF POLICE, KARACHI RANGE

No. AB/A-II/ 20So4-07/ Karachi. dated 24-02-2017

To,

The Director information (Advertisement), Public Relation Department, Govt. of Sindh, Block-95 Sindh Secretariat, Karachi

SUBJECT: PUBLICATION OF TENDER NOTICE.

Enclosed please find herewith a draft Tenders / inviting Notice in-respect of Repair / Renovation of Madadgar 15 (Police Help Line) Call Centre for Publication in the daily Newspapers in Jang, Dawn and Kawish at the Earliest.

(DR. GHULAM SARWAR JAMALI) PSP, PPM DIGP / ADMINISTRATION

For. Addl. Inspector General of Police, Karachi Range

Copy to the following for information please.

- 1. The Inspector General of Police Sindh Karachi.
- 2. The Manager (Assessment), Government of Sindh Public Procurement Regulatory Authority, (SPPRA) Barrack No.8 Sindh Secretariat No.4 Court Road Karachi.
- The Director I.T. Sindh Police for advertisement display on Sindh Police Official website (www.sindh police.gov.pk).

4. Master File.

(DR. GHULAM SARWAR JAMALI) PSP, PPM
DIGP / ADMINISTRATION

For. Addl. Inspector General of Police, Karachi Range

S. Ho- 02 15 Modalger



	ط ا	ر ند	3.	ь Н	دوباره	
						يس
کھلنے کی تاریخ	مدت تکمیل	تينڈرفيس	زربيعانه	تخميني لاگت	LORLR	بر
25.04.2017 خ 04:00 بخ	30رن	2,000/-	پیشکش لاگت کا	4ملين	مرمت التجديد ودگار 15، (پوليس بيلپ لائن) كال سينز كى CPO سے PS از پورٹ منتقل؛ سول ورك، ووڈ	
		(نا قابل واپسی)	2.5%	(188 KS)	ورک، کلرنگ، پینفنگ ورک اور سنیٹری فکسنگ اور فکسچرز	
	فرمزے سر بمہر ٹینڈرن کھلنے کی تاریخ 25.04.2017	اکنٹر کیننگ فرمز سے مریمپر ٹینڈر رہ مدت کھلنے کی تاریخ محیل 25.04.2017	مطابق کنٹر کیکٹر زاکنٹر کیٹنگ فرمز سے سر بمہر میٹر روز میٹر وقیس مدت کھلنے کی تاریخ شیٹر وقیس منگوں -25.04.2017 میٹر روپ روپ روپ	رولز 2010 کے مطابق کنٹر کیٹر زاکنٹر بیکننگ فرمز سے سر بمہم شینٹر روز زر بیعانہ شینٹر فیس مدت کھلنے کی تاریخ نکیل مدت کھلنے کی تاریخ پیشکش 2,000/- کی دون 25.04.2017 لاگت کا روپے لاگت کا روپے لاگت کا روپے کی کی تاریخ	پروکیورمنٹ رولز 2010 کے مطابق کنٹر کیٹر زاکنٹر بکننگ فرمز سے سر بمہم شینٹر روئی مختینی لاگت زربیعانہ شینٹر فیس مدت کھلنے کی تاریخ مختینی لاگت کی میں مدت کھلنے کی تاریخ مختین لاگت کی مطابق کے 2,000 کی مدت کھلنے کی تاریخ منام 04:00 بی تاریخ لاگت کا روپے شام 04:00 بیج	مرمت/تجدیدهدوگار 15، (پولیس بیلپ لائن) کال سینز کملین پیشکش -/300 2,000 دن 25.04.2017 کی مرمت/تجدیدهدوگار 15، (پولیس بیلپ لائن) کال سینز کملین پیشکش درک ووژ کا تا کال دوپ کام (04:00 بیخ ورک این این این کرد ورک این کرد ورک (را تا تا تا کال این کرد ورک این کرد و کر

شرائط وضوابط:

1_ کنٹر یکٹرز/کنٹر یکنٹگ فرمز کو پاکستان انجینیئر تک کونسل، (FBR)انگرنیکس، بیلزنیکس اور سندھ ریو نیو بورڈ (NTN اور STN رجسٹریشن سرٹیفکیٹ درکار ہیں) میں رجسٹر

٤ ـ کنٹر کیٹرز/کنٹر کیٹنگ فرمز کوہدایت کی حاتی ہے *کہ زخ یونٹ/حاب/* فی مربع فٹ/رنگ فٹ کی بنیاد پر پیش کریں۔

55 کا موں کی ادائیگی جاب، بینٹ جیسی بھی صورت ہو، کی بنیاد پر ہرآئٹم/کام کی بحیل پرتھر بچات کےمطابق پیاکش، تصدیق کی بنیاد پر کی جائیگ۔

60_ورك كيككوليشن/RCE مين (+) يا (-) %5ردوبدل موسكتا ہے۔

61 کنٹر کیٹرز/کنٹر کیننگ فرمز سےافرادی توے/مشیزی، مالیاتی حیثیت وغیرہ کے حوالے سےصلاحیت، تجربے کے متعلق ثبوت طلب کئے جا نمینگے (فرم کی پروفائل)۔ 62 کی سر کاری محکمے با یجننی کی جانب ہے بلیک لبٹ کر دہ کنٹر یکٹر زاکنٹر یکٹنگ فرمز کوکسی سر کاری محکمے کے ٹینڈرزا بڈیلی شرکت کی احاز نے نہیں وی جائیگی (شرکت کنندو نٹریکٹرز/کنٹریکٹنگ فرمزکواں امرکا حلف نامہ جمع کرانا ہوگا کہ وہ بلیک لسٹ نہیں کئے گئے)۔

:6 _ كنثر يكثر زكو CNIC كي نقل جمع كرانا هو گي اور كنثر يكننگ فرمز كو (بحساب كيفگري) رجسٹريشن سرشيفكييٹ فرا ہم كرنا ہوگا۔

64 مے مرف محکمہ بذا کے جاری کردہ ٹینڈر فارم پر پیش کردہ پیشکشیں قبول کی جائینگی تا ہم ضرورت پڑنے پراضا فی شیٹس استعال کی جاسکتی ہیں۔

65 کنٹر کیٹر/فرم سندھ میں کسی ایک یاتمام مقامات کیلیے ہیشکشیں جمع کراسکتے ہیں تاہم ہرمقام پر کام جوجدا گانتہ مجھاجائے گاور پیشکش اس مناسبت سے دی جائے۔

66_مشر وط ٹینڈر/ درخواست پرتو چنہیں دی جائیگی۔

67_بڑ/ پیشکش مئوثر رہنے کی مدت ٹینڈر کھولنے کی تاریخ سے کم از کم 60 دن ہونی چاہیئے۔

68 مجازا تھارٹی سندھ پبلک پروکیورمنٹ رولز 2010 کے متعلقہ مندرجات اورٹینڈروستاویزات میں دی گئیں شرا کط کی روسے تمام یا کوئی ٹینڈرا پیشکش مستر دکردینے کاحق

معلومات اورطريق كار:

کے کام کے اسکوپ اور متعلقہ تفصیلات مع تصریحات پر مشتمل بڈیگ دستادیزات کا مکمل سیٹ دلچپی رکھنے والے کنفریکٹرز/کنفریکننگ فرمز دفتر ایڈیشنل IGP کراچی ، کاؤنٹ برانچ واقع تیسری منزل، کرا چی پویس آفس صدر کرا چی ہے دوران اوقات کارتاریخ اشاعت نوٹس بندا ہے اندرون پندرہ (15) بوم (نا قابل واپسی) ٹینڈرفیس کی ادائیگی برحاصل کیا جاسکتا ہے۔ پرو کیورمنٹ کا طریق کارسنگل سٹیج۔ ایک لفافہ ہوگا۔

10 ئینڈر/پیشکش (یا قاعدہ سربمبر ہمراہ کال ڈیازٹ) (ایڈیشٹل انسکٹر جزل آف پولیس، کراچی رینج کے کانفرنس روم واقع چوتھی منزل میں رکھے ٹینڈر بکس میں آخری نارخ لینی 25.04.2017س پېر 03:00 بج تک وال دیمیج جا نمیں مینیژرز/ پیشکشیں و پارفسطل پرو کیورمنٹ کمیٹی 25.04.2017س پیر 04:00 بج (موقع پر ں جودگی کے خواہاں) ٹینڈر/ بڈمیں شریک کنٹر کیٹر زا کنٹر میکٹنگ فرمز کے با قاعدہ مجاز کر دہ نمائندوں کے سامنے کھولے گ

1 ٹینڈر/ پیشکش بذا کے متعلق کوئی اورمعلومات یا کام کی تفصیلات یا کوئی اوروضاحت ایڈیشنل IGP کراچی رینج (اکاؤنٹ برانج) ہے دیئے گئے پید ہے۔

مانے سے قبل دفتری اوقات کے دوران حاصل کی حاسکتی ہے۔

12 کنٹر کیٹرز اکنٹر کیٹنگ فرمزکوان کے اپنے مفادیٹس ہوایت دی جاتی ہے کہ کام کااسکوپ اورمعیار/تعداد کواچھی طرح سمجھ لیس شینڈر بلزائے کام کی شروعات ہے قبل یا وران کمی اضا فی/ وا قعاتی کام (بحل، پانی اور دیگر آئٹم کی دستیا بی) کے تخیینے کی غرض ہے وہ سائٹ کا دورہ بھی کر سکتے ہیں کیونکدا پسے کاموں کیلئے محکمہ یولیس اضافی اخراجات ر داشت کرے گا اور نہ ہی اس باعث مدت تکمیل میں توسیع کی جا نیگی۔ ومنغط DIGP / ایدمنسٹریشن

13 _ کام کا آغاز محاز اتھارٹی کی منظوری کے بعد کیا جائیگا۔

(INF-KRY-1794/17) ہم دہشت_گر دی کے خشاونے متحب ہیں

ایڈیشنل انسیکٹر جنرل آف پولیس كرا جي ريخ

SAY NO TO



S. No. 2. Repair/RenoveHous of Madadgar-15

DAWN MONDAY APRIL 3, 2017

CANCELLATION OF TENDER NOTICE

Tender was published in Newspapers (The Dawn, Jang) on 27-04-2017, vide this office Letter No. AB/A-II/20503, dated: 24-02-2017 regarding Repair / Renovation of Madadgar 15 (Police Help Line) Call Centre shifting from CPO to PS Airport is hereby cancelled due to some unavoidable reasons.

Vide Tender Notice No. INF-KRY No. 953/2017.

DIGP / Administration For Addl. Inspector General of Police Karachi Range

ام دی کے فال تھے ہیں۔ INF-KRY No. 1663/17 Say No to Corruption

DAWN MONDAY FEBRUARY 27, 2017



OFFICE OF THE ADDL. INSPECTOR GENERAL OF POLICE KARACHI RANGE

No. AB/A-II/20503/Karachi

Dated: 24-02-2017

TENDER NOTICE

Sealed tenders are invited in accordance with the Sindh Public Procurement Rules, 2010 from contractors / contracting firms for following works of the Police Department, Karachi Range.

S#	Name of Work	Estimated Cost	Earnest Money	Tender Fee	Completion Time	Opening Date	Opening Place
	Repair / Renovation of Madadgar 15 (Police Help Line) Call Center shifting from CPO to PS Airport. Civil work, wood work, Aluminum work, AC / Electrification work, interior work, coloring & painting work & sanitary fixing & fixtures etc works.	4 million	2.5% of quoted Bid Cost	2,000/- (non- refundable)	60 days	21-3-2017 at 1600 hrs.	Addl. IGP Karachi Conference Room

TERMS & CONDITIONS:

 Contractors / Contracting Firms should be registered with Pakistan Engineering Council, (FBR) Income Tax, Sales Tax and Sindh Revenue Board (NTN and STN Registration Certificates will be required).

Contractors/Contracting Firms are advised to quote rates on Unit/Job/Per Sft/Rft. basis.

 Payments shall be made for the works on basis of job, unit basis as the case may be on completion of each item / work, on the basis of measurement & verification in accordance with specification.

4. The work calculation / RCE may vary by (+) or (-)5%

The Work calculation? NOE may vary by (+) or (-) or (-) or (-).
 The Contractors / Contracting Firms will be required to show evidence of experience, capability in respect of personnel/machinery, financial position etc (Profile of the Firm).

 Contractors / Contracting Firms blacklisted by Government Departments or agency will not be allowed to participate in the tender / bid (participating contractors / contracting firms will be required to submit affidavit to the effect that they are not blacklisted), for any Government Department.

7. Contractors will be required to provide copy of CNIC and Contracting Firms will also be required to provide Certificate of

Registration (Category wise).
 Only bids offered on the prescribed Tender Form issued by this department shall be accepted. However, additional sheets may be attached, if required.

9. The Contractor / Firm may submit offers for one or all or as many locations in Sindh. However, work at each location should be treated as separate and offer be made accordingly.

10. Conditional tender / application will not be entertained.

1. Validity of bid/offer shall be at least 60 days from the date of

opening of tender.

12. The competent authority reserves the right to reject all or any tender / bid subject to and in accordance with the relevant provisions of the Sindh Public Procurement Rules, 2010 and conditions contained in Tender Documents.

INFORMATION & PROCEDURE:

Complete set of bidding documents containing the scope
of work and relevant details along with specification can be
obtained by the interested Contractors / Contracting Firms
from the office of Additional IGP Karachi, Account Branch
3rd Floor, Karachi Police Office Saddar, Karachi during working
hours up to Fifteen (15) days from the date of publication of
this notice on payment of tender fee (non-refundable). Method
of procurement will be single stage-one envelope.

of procurement will be single stage-one envelope.

Tenders / Bids (duly sealed along with call deposit) shall be dropped in the tender box (placed in the office of Addl; Inspector General of Police Karachi Range Conference Room, 4th Floor, on or before (As last date) deposit 21-03-2017 at 1500 hours. The tenders / bids will be opened by Departmental Procurement Committee on 21-03-2017 at 1600 hours in presence of duly authorized representatives (who may like to be present) of Contractors / Contracting Firms participating in the tender/bid.

Any other information relating to this tender / bid or detail
of work or any further clarification can be obtained from the
Addl; IGP, Karachi Range (Account Branch) at given address
during office hours before opening of tender.

4. The Contractors / Contracting Firms are advised in their own interest to fully understand the scope of work and quality/ quantities. They may also visit the site to asses themselves any additional / incidental work (availability of electricity, water or any other item) which may come up before or during execution of the work of this tender for the reason that no extra cost will borne out by Police Department for such eventualities nor any extension in time will be provided on such pretext.

The work will commence after the approval of competent authority.

DIGP/Administration For. Addl: Inspector General of Police Karachi Range

Say No to Corruption

INF-KRY No. 953/17

ہم دستگردی کے خلاف متحدیں۔

25/17

25/17

www.jang.com.pk اقاعد تصديق شدا تناعت مروزنام المحاية



دفترايديشنل انسكر جزل آف بوليس كراجي ريخ

مورخه: 24-02-2017

No.AB/A-II/20503/Karachi



ک جی پیغری دورید و نام کاموں کیلئزین مدیا کی موقوں میں اور 2010ء کی مطابقت سے کنٹریکٹر

لهلنے کا مقام	کھلنے کی تاریخ	مدت يحيل	ٹینڈرفیں		تخميني لا گت	يس كرا چى رخ كے مندرجه ذيل كاموں كيلے سندھ پبلك كام كانام	مبرشار
ایدیشل IGP	21-03-2017	60/يوم	2000/-	ورج كرده بذ	4ملين	مرمت/تجديد بابته مددگار 15 (يوليس جيلپ لائن)	-
كرا چى كانفرنس	بوتت شام 4 بج	1,	J:50)	لاگتکا	1 - G A G (2)	کال سینونتقلی CPO سے تھانہ ایر رپورٹ سول	
روم 💮		45	واپسی)	2.5%		ورک، ککڑی کا کام، الموینم ورک،	
1421		700		4.5		AC/اليكشريفكيشن ورك، اندروني كام، كلرنك اور	
1.81		Y				پنیٹنگ درک اور سینٹری فکسنگ فکسچر زوغیرہ کے کام	

شرائطوضوابط:

1- کنٹو یکٹوراکنٹر کیننگ فرمز کا پاکستان انجینئر نگ کوسل (ایف بی آر)، اکم فیکس، سیز فیکس اور سندھ ربونیو بورڈ میں رجسٹرڈ ہونا ضروری ہے۔NTNاور STNرجسٹریشن سرٹینگلیٹس درکار ہوئیگے۔

۱ مار سر می طر سیات کی مورکو بدایت کی جاتی ہے کہ وہ اپنے زخ بونٹ/ جاب/ فی مرابع فٹ/ Rft کی بنیاد پر چیش کریں۔ 2- کاموں کیلئے اوا میگل برائٹ کی کام کی مجمعیل پر جاب/ یونٹ کی بنیاد پر بھیدا بھی معاملہ ہو، آتھر بیجات کے مطابق پیاکش اور تصدیق کی بنیاد پر کی جائیگی۔

2-ورک کیکولیشن/RCE میں 86 کی یااضافہ ہوسکتا ہے۔ 3۔ کنٹر کیفرز/کنٹر کیکنگ فرمز کو تجربہ، افراد کی قوت/مشینری، مالیاتی حیثیت وغیرہ مسخص شیں صلاحت کے حوالے سے شواہد پیش کرنا ہو تکھے۔(فرم کی پروفائل)۔ 4۔ شینڈر/پٹیکٹش میں کسی سرکاری ڈپارشنٹ یا ایمبنٹ کے بلیک لسٹ کردہ کنٹر کیئٹر فرمزکو شرکت کی اجازت نہیں دی جائیگ کنٹر کیلئز آرکنز کینٹگ فرمزکوس بیان کاافی ڈیوٹ بھٹر کرانا ہوگا کہ دہ کس کرکاری ڈپارشنسٹ کی جانب سے بلیک لسٹ نہیں کئے گئے)،

5- كنزيكرزكو CNIC كى كافي اوركنزيكننگ فرمزكو (بحساب كيفكري) سرشيفكيث آف رجسزيش بھي جمع كرانا ہو تگا۔

6- پیشکشیں صرف ڈپارٹمنٹ ہٰذا کی جانب ہے جاری کردہ مقررہ ٹمینڈر فارم پر بی قبول کی جائیگی۔ تاہم اگر ضرورت ہوتو اضافی شیٹس منسلک کی جائتی ہیں۔ 7- کنٹر کیٹٹر زافر مزسندھ میں کوئی یا تمام یاجتی بھی لوکیشنز ہوں کیلئے پیشکشیں جمع کراسکتے ہیں۔ تاہم ہرکوکیشن پرکام جداگانہ سجھا جائے گااورای کے مطابق پیشکش دی جائے۔ 8- مشروط ٹیپڈرزار درخواستوں پرتو جذبیں دی جائیگی۔

و پیشکش کے کارآ مدر نے کی مت ٹینڈر کھولے جانے کی تاریخ ہے کم از کم 60 دن تک ہونی چاہیے۔

10- مجازا تقار کی سندھ پیلک پرد کیورمنٹ رولز 2010 کی متعلقہ شرا کط اور شینگر دستاویزات میں شامل شرا کط کےمطابق پیرختی محفوظ رکھتی ہے کہ کوئی یا تمام پیشکشیں نمیز برزمسته وکر و سرب

معلومات اورطريق كار

3- کام کے اسکوپ اورمتعلقہ تفصیلات مع تصریحات پر مشمتل پیشکش وستاویزات کا تمل سیٹ دلچیسی کے حال کنٹریکٹرزا کنٹریکٹنگ فرمز ، وفتر ایڈیشٹل IGP کرا پی اکاؤنٹ برائج تھر ڈفلورکرا پی پولیس آفس صدر کرا ہی ہے دوران اوقات کا را شاعت آڈٹس الڈ اکی تاریخ سے پندر ہ (15) بیم تک ٹینڈرفیس (نا قابل واپسی) کی اوا میگل کے حاصل کر سکتے ہیں۔ پروکیورمنٹ کا طریق کارسٹنگل آئیج۔ ایک افاذہ ہوگا۔

ان کے با قاعدہ مجازنمائندوں کی موجودگی میں کھولی جائینگی۔

ں ۔ با معدد کا معدد کا معدد کا معدد ہوں ہے۔ 5۔ ٹینڈر/ پینکٹش بندایا کام کی تفصیلات کے متعلق کوئی دیگر معلومات یا کوئی اور وضاحت دوران دفتر کی اوقات ٹینڈر کھولنے سے قبل مذکورہ بالا پہتہ پر واقع وفتر ایڈیشنل

IGP کراچی ریخ (اکاؤنٹ برانچ) سے حاصل کی جاسکتی ہے۔

6- کنٹر یکٹرز/کنٹر کیٹنگ فرمزکوان کاپنے مفادیش آگاہ کیاجا تا ہے کہ کام کے اسکوپ، کواٹٹی/کواٹٹی کام یکٹی کے مشادیش آگاہ کیا جا تا ہے کہ کام کے اسکوپ، کواٹٹی کام یکٹی کی دیگر آئٹم) کا ندازہ کرنے کی غرض سے دوسائٹ کامعائند بھی کر سکتے ہیں جواس دجہ سے ٹینٹر بذا کے کام شروع کرنے سے قبل یادوران ہونا چاہیج کدا پیسے کامول کیلیے پولیس ڈیار شمنٹ اضافی لاگٹ برداشت نیس کرے گاوراس حوالے سے مدت بھیل ہیں بھی اضافہ ٹیس کیا جائیگا۔

7- کام کا آغاز افسر مجازی منظوری کے بعد کرنا ہوگا۔

وسعد DIGP ايد منستريش برائ ايد يشنل أنس كرجن رل آن بوليس كرا چى رائ

NF-KRY-953/17





GOVERNMENT OF SINDH POLICE DEPARTMENT

No. G-I/____/2017/Karachi Dated 27.02.2017.

ORDER

CONSTITUTION OF COMMITTEES FOR THE REPAIR & RENOVATION SUBJECT:-WORK OF MADADGAR 15 (POLICE HELP LINE) CALL CENTER FOR THE YEAR 2016-17

The following Committees are hereby constituted for the Repair & Renovation Work of Madadgar 15 (Police Help Line) Call Center during current financial year 2016-17:-

Procurement Committee

1.	DIGP/South Zone, Karachi	(Chairman)
	SSP/Korangi, Karachi	(Member)
	Assistant Engineer CPO	(Secretary)
4.	Rep. of Home Department Sindh	(Member)
5.	Rep. of Works & Services Deptt: Sindh	(Member)

Inspection Committee

1.	DIGP/West Zone, Karachi	(Chairman)
		(Member)
		(Secretary)
		(Member)
5.	Rep. of Education Works Department Sindh	(Member)

iii) Redressal of Grievance & Settlement of Disputes Committee

1.	Addl.IGP/Karachi	(Chairman)
	SSP/East, Karachi	(Secretary)
	SSP/West, Karachi	(Member)
	Rep. of Accountant General Sindh	(Member)
5.		(Member)
	Vocational Training Authority, Sindh	

Sd/-INSPECTOR GENERAL OF POLICE. SINDH, KARACHI.

Copy to following for information:-

- 1. Secretary Home Department, Government of Sindh for nominating the representative.
- 2. Secretary Work & Services Department, Govt. of Sindh for nominating the representative.
- 3. Secretary Industries Department, Govt. of Sindh for nominating the representative.
- 4. Secretary Education Department, Govt. of Sindh for nominating the representative.
- Accountant General Sindh Karachi for nominating the representative.Addl.fGP/Karachi.

 - 7. M.D. Sindh Technical Education & Vocational Training Authority, Sindh for nominating the representative.
 - 8. DIGP/South Karachi
 - 9. DIGP/West, Karachi
 - 10. SSP/Korangi, Karachi
 - 11. SSP/Central, Karachi
 - 12. SSP/City, Karachi
 - 13. SSP/East, Karachi
 - 14. SSP/West, Karachi
 - 15. Asstt: Engineer CPO Sindh Karachi.
 - 16. PS to IGP Sindh.
 - 17. PS to DIGP/Finance Sindh

(Qamar Raza Jiskani)PSP

AIGP-Logistics. For Inspector General of Police. Sindh Karachi.

ADDITIONAL HISPECTOR GENERAL OF POLICE KARACHI RANGE

SCHEDULE BOOK DOCUMENT

CIVIL WORK SCHEDULE ITEMS:

1,	Dismantling solid block maso	nary 1. 4				
.No	Description	No	Length	Width	Height	Area
distance of	Partition walls between rooms		02x1	7.0x0.5x10.0		170 Cft
				@ Rs. 113	4.38 x 170 %Cft	1928
2.	Removing windows with chow					
No.	Description	No.	Length	Width	Height	Quantity
1.	Windows			3x2		06
				@ Rs.1	02.85 x 06 Each	617
3.	Removing doors with chowks				***	
.No	Description	No	Length	Width	Height	Quantity
1.	Doors			1x3	140 40 03 17 3	03 427
					142.18 x 03 Each	
4.	Fabrication of mild steel rein joints and fastenings i/c cost of	iforceme of buildi	ent for cement ng wire (also i/	concrete i/c cu c removal of ru	tting bending, lying ast using Tor bars) (in position makin SL8(b) /P-17)
.No	Description	No	Length	Width	Height	Area
1.	Columns & Plinth Beam	1.0	2018	94X6/112	-	5 Cwt
	Reinforced cement concrete	.1		@ Rs. 5	001.70 x 05 P/Cwt	25009
	labour for bending and bindi lifting shuttering curing rend single) (a) R.C work in roof precast laid in position comp to 1/4 Gauge. (SI.6 (a) (I) / P	ering ar slab, be leted in	nd finishing the ams columns r	e exposed surfa afts, lintels and	ce (including screen other structural mer	ing and washing on hers laid in situ
S.No	Description Description	No	Length	Width	Height	Area
	AN COUNTY AND COUNTY	1	-11			48
	Columns		4	x12.0x1.0x1.0		
1.	Columns Plinth beam			x12.0x1.0x1.0 3.66+17.0)1.0x	1.0	46
	Columns Plinth beam			x12.0x1.0x1.0 3.66+17.0)1.0x	1.0 Total:	
1.	Providing and laving 1: 3: 6	cement	1(28	8.66+17.0)1.0x @ block mason:	Total: Rs. 337 x 94 P/Cft y wall 6" and below	46 94 Cft 31678 v in thickness set
2,	Plinth beam	cement d floor	1(28	8.66+17.0)1.0x @ block mason:	Total: Rs. 337 x 94 P/Cft y wall 6" and below	46 94 Cft 31678 v in thickness set
2. 6.	Providing and laying 1: 3: 6 1:6 cement mortar in groun SI.24 / P-19).	d floor	1(28 concrete solid Super Structur Length	8.66+17.0)1.0x a block masonr e including rak	Total: Rs. 337 x 94 P/Cft y wall 6" and beloving out joints & cu Height	46 94 Cft 31678 v in thickness set ring etc, complete Area 370
1. 2. 6.	Providing and laying 1: 3: 6 1:6 cement mortar in groun SI.24 / P-19). Description Mess hall Mess Kitchen	d floor	concrete solid Super Structur Length 1x2(2 1x2(8	8.66+17.0)1.0x	Total: Rs. 337 x 94 P/Cft y wall 6" and beloving out joints & cu Height x10.0 x10.0	46 94 Cft 31678 v in thickness set ring etc, complete Area 370 257
1. 2. 6. 8.No	Providing and laying 1: 3: 6 1:6 cement mortar in groun SI.24 / P-19). Description Mess hall	d floor	concrete solid Super Structur Length 1x2(2 1x2(8	8.66+17.0)1.0x @ block masonry e including rak Width 0.0+17.0)x0.55	Total: Rs. 337 x 94 P/Cft y wall 6" and belove the control of the	46 94 Cft 31678 v in thickness set ring etc, complete Area 370 257 48
6. 6. 1. 2.	Providing and laying 1: 3: 6 1:6 cement mortar in groun SI.24 / P-19). Description Mess hall Mess Kitchen	d floor	concrete solid Super Structur Length 1x2(2 1x2(8	8.66+17.0)1.0x	Total: Rs. 337 x 94 P/Cft y wall 6" and belove the control of the	46 94 Cft 31678 v in thickness set ring etc, complete Area 370 257 48 675 Cft
6. 6. 1. 2.	Providing and laying 1: 3: 6 1:6 cement mortar in groun SI.24 / P-19). Description Mess hall Mess Kitchen	No No	concrete solid Super Structur Length 1x2(2 1x2(8 03	8.66+17.0)1.0x @ block masonry e including rak Width 0.0+17.0)x0.55 6.66+17.0)x0.55 x02x4.0x4.0x0 @ Rs.157	Total: Rs. 337 x 94 P/Cft y wall 6" and belove the control of the	46 94 Cft 31678 v in thickness set ring etc, complete Area 370 257 48
1. 2. 6. S.No 1. 2. 3.	Providing and laying 1: 3: 6 1:6 cement mortar in groun SI.24 / P-19). Description Mess hall Mess Kitchen In Windows of rooms	No No	concrete solid Super Structur Length 1x2(2 1x2(8 03 32" thick. (SI.1	8.66+17.0)1.0x @ block masonr; e including rak Width 0.0+17.0)x0.5; x66+17.0)x0.5; x02x4.0x4.0x0 @ Rs.157 4/P-53). Length W	Total: Rs. 337 x 94 P/Cft y wall 6" and beloveing out joints & cu Height k10.0 k10.0 .5 Total: 71.01 x 675 %Cft	46 94 Cft 31678 v in thickness set ring etc, complete Area 370 257 48 675 Cft 106454 Area
1. 2. 6. 8.No 1. 2. 3. 7. 8.No 1.	Providing and laying 1: 3: 6 1:6 cement mortar in groun SI.24 / P-19). Description Mess hall Mess Kitchen In Windows of rooms Applying floating coat of Ce Description Rooms walls	No No	concrete solid Super Structur Length 1x2(2 1x2(8 03 32" thick. (SL1 No 1	8.66+17.0)1.0x @ block masonrie including rak Width 0.0+17.0)x0.55 6.66+17.0)x0.55 x02x4.0x4.0x0 @ Rs.157 4/P-53). Length W (2x(14.33+17.0	Total: Rs. 337 x 94 P/Cft y wall 6" and belove the state of the state	46 94 Cft 31678 v in thickness set ring etc, complete Area 370 257 48 675 Cft 106454 Area 1880
1. 2. 6. S.No 1. 2. 3. 7. S.No 1. 2.	Providing and laying 1: 3: 6 1:6 cement mortar in groun SI.24 / P-19). Description Mess hall Mess Kitchen In Windows of rooms Applying floating coat of Ce Description Rooms walls Mess Hall	No No	concrete solid Super Structur Length 1x2(2 1x2(8 03 32" thick. (SL1 No 1 32	8.66+17.0)1.0x	Total: Rs. 337 x 94 P/Cft y wall 6" and belove the state of the state	46 94 Cft 31678 v in thickness set ring etc, complete Area 370 257 48 675 Cft 106454 Area 1880 740
1. 2. 6. S.No 1. 2. 3. 7. S.No 1. 2. 3.	Providing and laying 1: 3: 6 1:6 cement mortar in groun SI.24 / P-19). Description Mess hall Mess Kitchen In Windows of rooms Applying floating coat of Ce Description Rooms walls Mess Hall Mess Kitchen	d floor No	concrete solid Super Structur Length 1x2(2 1x2(8 03 32" thick. (SL1 No 1 32	8.66+17.0)1.0x	Total: Rs. 337 x 94 P/Cft y wall 6" and belove the state of the state	46 94 Cft 31678 v in thickness set ring etc, complete Area 370 257 48 675 Cft 106454 Area 1880 740 514
1. 2. 6. 8.No 1. 2. 3. 7. 8.No 1. 2. 2. 3.	Providing and laying 1: 3: 6 1:6 cement mortar in groun SI.24 / P-19). Description Mess hall Mess Kitchen In Windows of rooms Applying floating coat of Ce Description Rooms walls Mess Hall	d floor No	concrete solid Super Structur Length 1x2(2 1x2(8 03 32" thick. (SL1 No 1 32	8.66+17.0)1.0x	Total: Rs. 337 x 94 P/Cft y wall 6" and belove the state of the state	46 94 Cft 31678 v in thickness set ring etc, complete Area 370 257 48 675 Cft 106454 Area 1880 740 514 487
1. 2. 6. S.No 1. 2. 3. 7. S.No 1. 2. 3.	Providing and laying 1: 3: 6 1:6 cement mortar in groun SI.24 / P-19). Description Mess hall Mess Kitchen In Windows of rooms Applying floating coat of Ce Description Rooms walls Mess Hall Mess Kitchen	d floor No	concrete solid Super Structur Length 1x2(2 1x2(8 03 32" thick. (SL1 No 1 32	8.66+17.0)1.0x	Total: Rs. 337 x 94 P/Cft y wall 6" and belove the state of the state	46 94 Cft 31678 v in thickness set ring etc, complete Area 370 257 48 675 Cft 106454 Area 1880 740 514 487 3621 sft
1. 2. 6. S.No 1. 2. 3. 7. S.No 1. 2. 3.	Providing and laying 1: 3: 6 1:6 cement mortar in groun SI.24 / P-19). Description Mess hall Mess Kitchen In Windows of rooms Applying floating coat of Ce Description Rooms walls Mess Hall Mess Kitchen Ceiling of Mess hall & kitch	d floor No Rement 1/	concrete solid Super Structure Length 1x2(2 1x2(8 03 32" thick. (SL1 No 1 32	8.66+17.0)1.0x @ block masonre including rak Width (0.0+17.0)x0.5; (3.66+17.0)x0.5; (x02x4.0x4.0x0) @ Rs.157 4/P-53. Length W (2x(14.33+17.0)x0.17.0) (x2(8.66+17.0)x0.17.0) (x2(8.66+17.0)x0.17.28.66x17) @ R	Total: Rs. 337 x 94 P/Cft y wall 6" and belove the state of the state	46 94 Cft 31678 v in thickness set ring etc, complete Area 370 257 48 675 Cft 106454 Area 1880 740 514 487
1. 2. 6. S.No 1. 2. 3. 7. S.No 1. 2. 3.	Providing and laying 1: 3: 6 1:6 cement mortar in groun SI.24 / P-19). Description Mess hall Mess Kitchen In Windows of rooms Applying floating coat of Ce Description Rooms walls Mess Hall Mess Kitchen	d floor No Rement 1/	concrete solid Super Structure Length 1x2(2 1x2(8 03 32" thick. (SL1 No 1 32	8.66+17.0)1.0x @ block masonre including rak Width (0.0+17.0)x0.5; (3.66+17.0)x0.5; (x02x4.0x4.0x0) @ Rs.157 4/P-53. Length W (2x(14.33+17.0)x0.17.0) (x2(8.66+17.0)x0.17.0) (x2(8.66+17.0)x0.17.28.66x17) @ R	Total: Rs. 337 x 94 P/Cft y wall 6" and belove the state of the state	46 94 Cft 31678 v in thickness set ring etc, complete Area 370 257 48 675 Cft 106454 Area 1880 740 514 487 3621 sft
1. 2. 6. 6. S.No 1. 2. 3. 4. 4. 8.	Providing and laying 1: 3: 6 1:6 cement mortar in groun SI.24 / P-19). Description Mess hall Mess Kitchen In Windows of rooms Applying floating coat of Ce Description Rooms walls Mess Hall Mess Kitchen Ceiling of Mess hall & kitch	d floor No Rement 1/	Concrete solid Super Structure Length 1x2(2 1x2(8 03 03 03 03 03 04 04 04	B.66+17.0)1.0x @ block masonrie including rak Width	Total: Rs. 337 x 94 P/Cft y wall 6" and belove the state of the state	46 94 Cft 31678 v in thickness set ring etc, complete Area 370 257 48 675 Cft 106454 Area 1880 740 514 487 3621 sft
1. 2. 6. S.No 1. 2. 3. 4. 8.	Providing and laying 1: 3: 6 1:6 cement mortar in groun SI.24 / P-19). Description Mess hall Mess Kitchen In Windows of rooms Applying floating coat of Ce Description Rooms walls Mess Hall Mess Kitchen Ceiling of Mess hall & kitch Cement plaster 1:6 upto 12"	d floor No No ement 1/	Concrete solid Super Structure Length 1x2(2 1x2(8 03 03 03 03 03 04 04 04	8.66+17.0)1.0x @ block masonrie including rak Width	Total: Rs. 337 x 94 P/Cft y wall 6" and belove the state of the state	46 94 Cft 31678 v in thickness set ring etc, complete Area 370 257 48 675 Cft 106454 Area 1880 740 514 487 3621 sft 23899
1. 2. 6. 8.No 1. 2. 3. 4. 8. S.No	Providing and laying 1: 3: 6 1:6 cement mortar in groun SI.24 / P-19). Description Mess hall Mess Kitchen In Windows of rooms Applying floating coat of Ce Description Rooms walls Mess Hall Mess Kitchen Ceiling of Mess hall & kitch Cement plaster 1:6 upto 12"	d floor No No ement 1/	Concrete solid Super Structure Length 1x2(2 1x2(8 03 03 03 03 03 04 04 04	8.66+17.0)1.0x @ block masonrie including rak Width	Total: Rs. 337 x 94 P/Cft y wall 6" and belove the state of the state	46 94 Cft 31678 v in thickness set ring etc, complete Area 370 257 48 675 Cft 106454 Area 1880 740 514 487 3621 sft 23899 Area
1. 2. 6. S.No 1. 2. 3. 4. S.No 1. S.No 1.	Providing and laying 1: 3: 6 1:6 cement mortar in groun SI.24 / P-19). Description Mess hall Mess Kitchen In Windows of rooms Applying floating coat of Ce Description Rooms walls Mess Hall Mess Kitchen Ceiling of Mess hall & kitch Cement plaster 1:6 upto 12" Description Quantity same as item No.0	ement 1/	1(28	8.66+17.0)1.0x @ block masonre including rak Width	Total: Rs. 337 x 94 P/Cft y wall 6" and belove the state of the state	46 94 Cft 31678 v in thickness set ring etc, complete Area 370 257 48 675 Cft 106454 Area 1880 740 514 487 3621 sft 23899 Area 3621 sft
1. 2. 6. S.No 1. 2. 3. 4. S.No 1. 9.	Providing and laying 1: 3: 6 1:6 cement mortar in groun SI.24 / P-19). Description Mess hall Mess Kitchen In Windows of rooms Applying floating coat of Ce Description Rooms walls Mess Hall Mess Kitchen Ceiling of Mess hall & kitch Cement plaster 1:6 upto 12" Description Quantity same as item No.0 Cement plaster 1:4 upto 12'	ement 1/	1(28	8.66+17.0)1.0x @ block masonre including rak Width	Total: Rs. 337 x 94 P/Cft y wall 6" and belove the state of the state	46 94 Cft 31678 v in thickness set ring etc, complete Area 370 257 48 675 Cft 106454 Area 1880 740 514 487 3621 sft 23899 Area 3621 sft
1. 2. 6. S.No 1. 2. 3. 4. S.No 1. 9. S.No	Providing and laying 1: 3: 6 1:6 cement mortar in groun S1.24 / P-19). Description Mess hall Mess Kitchen In Windows of rooms Applying floating coat of Ce Description Rooms walls Mess Hall Mess Kitchen Ceiling of Mess hall & kitch Cement plaster 1:6 upto 12" Description Quantity same as item No.0 Cement plaster 1:4 upto 12' Description	ement 1/ height (1(28	8.66+17.0)1.0x @ block masonre including rak Width	Total: Rs. 337 x 94 P/Cft y wall 6" and belove the state of the state	46 94 Cft 31678 v in thickness set ring etc, complete Area 370 257 48 675 Cft 106454 Area 1880 740 514 487 3621 sft 23899 Area 3621 sft 79901
1. 2. 6. 8.No 1. 2. 3. 4. 8. S.No 1.	Providing and laying 1: 3: 6 1:6 cement mortar in groun SI.24 / P-19). Description Mess hall Mess Kitchen In Windows of rooms Applying floating coat of Ce Description Rooms walls Mess Hall Mess Kitchen Ceiling of Mess hall & kitch Cement plaster 1:6 upto 12" Description Quantity same as item No.0	ement 1/	1(28	8.66+17.0)1.0x @ block masonre including rak Width	Total: Rs. 337 x 94 P/Cft y wall 6" and belove the state of the state	46 94 Cft 31678 v in thickness set ring etc, complete Area 370 257 48 675 Cft 106454 Area 1880 740 514 487 3621 sft 23899 Area 3621 sft
1. 2. 6. S.No 1. 2. 3. 4. S.No 1. 9.	Providing and laying 1: 3: 6 1:6 cement mortar in groun SI.24 / P-19). Description Mess hall Mess Kitchen In Windows of rooms Applying floating coat of Ce Description Rooms walls Mess Hall Mess Kitchen Ceiling of Mess hall & kitch Cement plaster 1:6 upto 12" Description Quantity same as item No.0 Cement plaster 1:4 upto 12'	ement 1/ height (1(28	8.66+17.0)1.0x @ block masonrie including rak Width	Total: Rs. 337 x 94 P/Cft y wall 6" and belove the state of the state	46 94 Cft 31678 v in thickness set ring etc, complete Area 370 257 48 675 Cft 106454 Area 1880 740 514 487 3621 sft 23899 Area 3621 sft 79901 Area

S.No	Description	No	Length	Width	Height	Area
8	Over roof of rooms		03x14.3	3x17.0		731
2.	Over roof of Mess area		1x28.6			487
<i>h</i>	Over 1001 Or syless area		1/120.0	OAI (1.0	Total:	1218 sft
			(a) D	. 4/11 07 .	1218 %Sft	53736
	011	2471 6				
	Two coats of bitumen laid hot using (SI.13 / P-35)	34 Lbs for	% SIL. Ober ro	or and bline	ied with sand a	t one Cit per % Si
S.No	Description	No	Length	Width	Height	Area
1	Quantity same as item no. 10					1218 sft
	Quantity States as item no. 10		@ R	1887.40	(1218 %Sft	22989
12.	Supplying & fixing imposition Alu thick tinted glass glazing (Belgium model (Bronze).(SI.83-b / P-108).	n) and Alp	nnels framing	for hinged	doors of Alcop	made with 5 mr s etc.(b) Delux
S.No	Description	No	Length	Width	Height	Area
***************************************	Room Doors	03	3.0		7.0	63
	Mess Hall And kitchen doors	03	3.0		7.0	63
	Mess Hall Allu Kitchell doors	03	3.0		Total:	126 sft
				*\		
					x 126 P/Sft	189965
13.	thick tinted glass glazing (Belgium etc complete (SI.84-b / P-108)	framing for alumin	r sliding wind um fly screen	ows & vent I/c handles	ilators of Alco stoppers & lo	p made with Smi cking arrangemen
S.No	Description	No	Length	Width	Height	Area
1.	Mess Hall & Kitchen windows	06	4.0	4.0		96 Sft
			A		9 x 96 P/Sft	158178
14.	Laying 3/4" thick white marble flo- including rubbing and polishing of		ressed on the s			in lime mortar 1:
S.No	Description	No	Length	Width	Height	Area
1.	Floor of rooms		03x1	4.33x17.0		731
2.	Mess Hall			0.0x17.0		340
۸.,	147000 11011		1750	0.0/11/10	Total:	1071 Sft
			(a)	D. 567.49	x 1071 P/Sft	607771
15. S.No	Laying floors of approved coloured thick cement mortar 1:2 (SI.25 / P-4		Length	in white ce	ment and pigm Height	
		170		L	neigni	Area
1.	Mess Kitchen Floor		***************************************	.66x17.0	44504616	147 Sft
1.0	T3 110 12 2 30	. 2			5 x 147 %Sft	40788
	Tile skirting lain in 1:2 cement me filling joints complete. (SI.35-b/P-4	4)				ement wasning ai
S.No	Description	No	Length	Width	Height	
1.	Inside rooms					Area
2.				.33+17.0)x0		Area 124
	Outer side of rooms		03x2x(14	.33+17.0)x0 4.0x0.66		124
3.	·····		03x2x(14 1x4	4.0x0.66	1.66	
	Outer side of rooms Mess Hall and kitchen area		03x2x(14 1x4		1.66	124 29
3.	·····		03x2x(14 1x4	4.0x0.66	66	124 29 60
	·····	DEDU	03x2x(14 1x4	4.0x0.66	1.66	124 29
3.	Mess Hall and kitchen area	DEDU	03x2x(14 1x4 1x2(28.6	4.0x0.66	66	124 29 60 213 Sft
3.	·····	DEDU	03x2x(14 1x4 1x2(28.6	4.0x0.66 56+17.0)x0. 2x3.0x0.66	7.66 66 Total (A):	124 29 60 213 Sft 24 Sft
3.	Mess Hall and kitchen area	DEDI	03x2x(14 1x4 1x2(28.6 UCTION 06x0	4.0x0.66 56+17.0)x0. 2x3.0x0.66 Net Qu	7.66 Total (A):	124 29 60 213 Sft 24 Sft 189 Sft
3.	Mess Hall and kitchen area Doors Preparing the surface and Painting 2 nd & subsequent coat, old surface	with matt fi	03x2x(14 1x4 1x2(28.6 UCTION 06x0: @ I	4.0x0.66 66+17.0)x0 2x3.0x0.66 Net Qu: Rs. 13108.3'	Total (A): antity (A-B): 7 x 189 %Sft	124 29 60 213 Sft 24 Sft 189 Sft 24775
3.	Mess Hall and kitchen area Doors Preparing the surface and Painting	with matt fi	03x2x(14 1x4 1x2(28.6 UCTION 06x0: @ I	4.0x0.66 66+17.0)x0 2x3.0x0.66 Net Qu: Rs. 13108.3'	Total (A): antity (A-B): 7 x 189 %Sft	124 29 60 213 Sft 24 Sft 189 Sft 24775
3.	Mess Hall and kitchen area Doors Preparing the surface and Painting 2 nd & subsequent coat, old surface	with matt fii	03x2x(14 1x4 1x2(28.6 UCTION 06x0: @ I nish paint of a .37-A+B / P-5 Length	4.0x0.66 66+17.0)x0. 2x3.0x0.66 Net Qu: Rs. 13108.3' pproved ma	Total (A): Total (A): antity (A-B): 7 x 189 % Sft ke to old matt f	124 29 60 213 Sft 24 Sft 189 Sft 24775 inish surface and
3. 3. 1. 17. S.No 1.	Mess Hall and kitchen area Doors Preparing the surface and Painting 2 nd & subsequent coat, old surface Description	with matt fii	03x2x(14 1x4 1x2(28.6 UCTION 06x0: @ I nish paint of a .37-A+B / P-5 Length 03x02x(14	4.0x0.66 66+17.0)x0. 2x3.0x0.66 Net Qu: Rs. 13108.3' pproved ma 5) Width	Total (A): Total (A): antity (A-B): 7 x 189 % Sft ke to old matt f Height 10.0	124 29 60 213 Sft 24 Sft 189 Sft 24775 inish surface and
3. 3. 1. 17.	Doors Preparing the surface and Painting 2 nd & subsequent coat, old surface Description Inside rooms walls	with matt fii	03x2x(14 1x4 1x2(28.6 UCTION 06x0: @ I nish paint of a .37-A+B / P-5 Length 03x02x(14 1x2(20.	4.0x0.66 66+17.0)x0. 2x3.0x0.66 Net Qui Rs. 13108.3' pproved ma 15) Width 4.33+17.0)x 0+17.0)x10	Total (A): Total (A): antity (A-B): 7 x 189 %Sft ke to old matt f Height 10.0	124 29 60 213 Sft 24 Sft 189 Sft 24775 Inish surface and Area 1880 740
3. 1. 17. S.No 1. 2.	Doors Preparing the surface and Painting 2 nd & subsequent coat, old surface Description Inside rooms walls Mess hall	with matt fii in 3 coat (SI No	03x2x(14 1x4 1x2(28.6 UCTION 06x0: @ I nish paint of a .37-A+B / P-5 Length 03x02x(14 1x2(20. 1x2(8.6	4.0x0.66 66+17.0)x0. 2x3.0x0.66 Net Qu: Rs. 13108.3' pproved ma 5) Width	Total (A): Total (A): antity (A-B): 7 x 189 %Sft ke to old matt f Height 10.0	124 29 60 213 Sft 24 Sft 189 Sft 24775 inish surface and Area 1880
3. 1. 17. S.No 1. 2. 3.	Doors Preparing the surface and Painting 2 nd & subsequent coat, old surface Description Inside rooms walls Mess hall Mess kitchen	with matt fii	03x2x(14 1x4 1x2(28.6 UCTION 06x0: @ I nish paint of a .37-A+B / P-5 Length 03x02x(14 1x2(20. 1x2(8.6	4.0x0.66 66+17.0)x0. 2x3.0x0.66 Net Qu: Rs. 13108.3' pproved ma 5) Width 4.33+17.0)x 0+17.0)x10 6+17.0)x10	Total (A): Total (A): antity (A-B): 7 x 189 %Sft ke to old matt f Height 10.0 .0	124 29 60 213 Sft 24 Sft 189 Sft 24775 Inish surface and Area 1880 740 514 3134 sft
3. 1. 17. S.No 1. 2.	Doors Preparing the surface and Painting 2 nd & subsequent coat, old surface Description Inside rooms walls Mess hall	with matt fii in 3 coat (SI No	03x2x(14 1x4 1x2(28.6 UCTION 06x0: @ I nish paint of a .37-A+B / P-5 Length 03x02x(14 1x2(20. 1x2(8.6	4.0x0.66 66+17.0)x0. 2x3.0x0.66 Net Qui Rs. 13108.3' pproved ma 15) Width 4.33+17.0)x 0+17.0)x10	Total (A): Total (A): antity (A-B): 7 x 189 %Sft ke to old matt f Height 10.0 .0 Total (A):	124 29 60 213 Sft 24 Sft 189 Sft 24775 Inish surface and Area 1880 740 514 3134 sft
3. 1. 17. S.No 1. 2. 3.	Doors Preparing the surface and Painting 2 nd & subsequent coat, old surface Description Inside rooms walls Mess hall Mess kitchen	with matt fii in 3 coat (SI No	03x2x(14 1x4 1x2(28.6 UCTION 06x0: @ I nish paint of a .37-A+B / P-5 Length 03x02x(14 1x2(20. 1x2(8.6	4.0x0.66 66+17.0)x0. 2x3.0x0.66 Net Qu: Rs. 13108.3' pproved ma 1.5) Width 1.33+17.0)x 0+17.0)x10 6+17.0)x10	Total (A): Total (A): antity (A-B): 7 x 189 % Sft ke to old matt f Height 10.0 .0 Total (A):	124 29 60 213 Sft 24 Sft 189 Sft 24775 Inish surface and Area 1880 740 514 3134 sft
3. 1. 17. S.No 1. 2. 3.	Doors Preparing the surface and Painting 2 nd & subsequent coat, old surface Description Inside rooms walls Mess hall Mess kitchen	with matt fii in 3 coat (SI No	03x2x(14 1x4 1x2(28.6 UCTION 06x0: @ I nish paint of a .37-A+B / P-5 Length 03x02x(14 1x2(20. 1x2(8.6	4.0x0.66 66+17.0)x0. 2x3.0x0.66 Net Qui Rs. 13108.3' pproved ma 5) Width 4.33+17.0)x 0+17.0)x10 6+17.0)x10 x3.0x7.0	Total (A): Total (A): antity (A-B): 7 x 189 %Sft ke to old matt f Height 10.0 .0 Total (A): Total (B): antity (A-B):	124 29 60 213 Sft 24 Sft 189 Sft 24775 Inish surface and Area 1880 740 514 3134 sft 126 126 sft 3008 Sft
3. 3. 1. 17. S.No 1. 2. 3.	Doors Preparing the surface and Painting 2 nd & subsequent coat, old surface Description Inside rooms walls Mess hall Mess kitchen Doors	with matt fir in 3 coat (SI No DEDUCTI	03x2x(14 1x4 1x2(28.6 UCTION 06x0: @ I nish paint of a .37-A+B / P-5 Length 03x02x(14 1x2(20. 1x2(8.6 ON	4.0x0.66 66+17.0)x0. 2x3.0x0.66 Net Qui Rs. 13108.3' pproved ma 5) Width 4.33+17.0)x 0+17.0)x10 6+17.0)x10 x3.0x7.0	Total (A): Total (A): antity (A-B): 7 x 189 % Sft ke to old matt f Height 10.0 .0 Total (A):	124 29 60 213 Sft 24 Sft 189 Sft 24775 Inish surface and Area 1880 740 514 3134 sft
3. 1. 17. S.No 1, 2. 3.	Doors Preparing the surface and Painting 2 nd & subsequent coat, old surface Description Inside rooms walls Mess hall Mess kitchen Doors Priming coat of chalk distemper. (S	with matt fir in 3 coat (SI No DEDUCTI	03x2x(14 1x4 1x2(28.6 UCTION 06x0: @ I nish paint of a .37-A+B / P-5 Length 03x02x(14 1x2(20. 1x2(8.6 ON 06	4.0x0.66 66+17.0)x0 2x3.0x0.66 Net Qu: Rs. 13108.3' pproved ma 5) Width 4.33+17.0)x 0+17.0)x10 6+17.0)x10 Net qua s. 2499.76	Total (A): Total (A): Total (A): 7 x 189 %Sft ke to old matt f Height 10.0 .0 .0 Total (A): Total (B): untity(A-B): x 3008 %Sft	124 29 60 213 Sft 24 Sft 189 Sft 24775 Inish surface and Area 1880 740 514 3134 sft 126 126 sft 3008 Sft
3. 3. 1. 17. S.No 1. 2. 3.	Doors Preparing the surface and Painting 2 nd & subsequent coat, old surface Description Inside rooms walls Mess hall Mess kitchen Doors Priming coat of chalk distemper. (S	with matt fir in 3 coat (SI No DEDUCTI	03x2x(14 1x4 1x2(28.6 UCTION 06x0: @ I nish paint of a .37-A+B / P-5 Length 03x02x(14 1x2(20. 1x2(8.6 ON	4.0x0.66 66+17.0)x0. 2x3.0x0.66 Net Qui Rs. 13108.3' pproved ma 5) Width 4.33+17.0)x 0+17.0)x10 6+17.0)x10 x3.0x7.0	Total (A): Total (A): antity (A-B): 7 x 189 %Sft ke to old matt f Height 10.0 .0 Total (A): Total (B): antity (A-B):	124 29 60 213 Sft 24 Sft 189 Sft 24775 Inish surface and Area 1880 740 514 3134 sft 126 126 sft 3008 Sft
3. 1. 17. S.No 1, 2. 3.	Doors Preparing the surface and Painting 2 nd & subsequent coat, old surface Description Inside rooms walls Mess hall Mess kitchen Doors Priming coat of chalk distemper. (S	with matt fir in 3 coat (SI No DEDUCTI	03x2x(14 1x4 1x2(28.6 UCTION 06x0: @ I nish paint of a .37-A+B / P-5 Length 03x02x(14 1x2(20. 1x2(8.6 ON 06. @ R	4.0x0.66 66+17.0)x0 2x3.0x0.66 Net Qu: Rs. 13108.3' pproved ma 5) Width 4.33+17.0)x 0+17.0)x10 6+17.0)x10 Net qua s. 2499.76	Total (A): Total (A): Total (A): 7 x 189 %Sft ke to old matt f Height 10.0 .0 .0 Total (A): Total (B): untity(A-B): x 3008 %Sft	124 29 60 213 Sft 24 Sft 189 Sft 24775 inish surface and Area 1880 740 514 3134 sft 126 126 sft 3008 Sft 75193
3. 1. 17. S.No 1. 2. 3.	Doors Preparing the surface and Painting 2 nd & subsequent coat, old surface Description Inside rooms walls Mess hall Mess kitchen Doors Priming coat of chalk distemper. (S	with matt fir in 3 coat (SI No DEDUCTI	03x2x(14 1x4 1x2(28.6 UCTION 06x0: @ I nish paint of a .37-A+B / P-5 Length 03x02x(14 1x2(20. 1x2(8.6 ON 06. @ R . Length 01x4	4.0x0.66 66+17.0)x0 2x3.0x0.66 Net Qui Rs. 13108.3' pproved ma 65) Width 4.33+17.0)x 0+17.0)x10 6+17.0)x10 Net qua s. 2499.76 Width 44.0x10.0	Total (A): Total (B): Intity (A-B): x 3008 %Sft Height	124 29 60 213 Sft 24 Sft 189 Sft 24775 Inish surface and Area 1880 740 514 3134 sft 126 126 sft 3008 Sft 75193 Area
3. 1. 17. S.No 1. 2. 3. 1 18. S.No 1,	Doors Preparing the surface and Painting 2 nd & subsequent coat, old surface Description Inside rooms walls Mess hall Mess kitchen Doors Priming coat of chalk distemper. (S Description Outer side of rooms	with matt fir in 3 coat (SI No DEDUCTI	03x2x(14 1x4 1x2(28.6 UCTION 06x0: @ I nish paint of a .37-A+B / P-5 Length 03x02x(14 1x2(20. 1x2(8.6 ON 06. @ R . Length 01x4	4.0x0.66 66+17.0)x0. 2x3.0x0.66 Net Qui Rs. 13108.3' pproved ma 65) Width 4.33+17.0)x 0+17.0)x10 6+17.0)x10 Net qua s. 2499.76 Width	Total (A): Total (B): Intity (A-B): x 3008 %Sft Height	124 29 60 213 Sft 24 Sft 189 Sft 24775 Inish surface and Area 1880 740 514 3134 sft 126 126 sft 3008 Sft 75193 Area 440

19.	Distempering three coats (SI.24c / I	P-54}			
S.No-	Description	No Length	Width	Height	Å ron
1.	Quantity same as item No. 18				1353.50
20		(a)	Rs. 1079.65	x 1353 %Sft	14608
20.	R.C.C. spout including fixing in po-	sition (SI.14/P-18)			
S.No	Description	No Length	Width	Height	Quantity
I.	Over Roof in different location	A			01
			C 13 A/-		V4 nos
			(a) Rs. 211	.75 x 04 Nos	847
		To	tal amount (of part (A):	1544325

ELECTRIC WORK SCHEDULE ITEMS:

S.no	Description	W *	*			
	Electric points	No	length	width	height	Quanti
	Liceate points	48	w	*		48
-	2. Providing & laving (Main	CUID MAN	To Table	(a	Rs. 797 x 48 each	38256
	Providing & laying (Main conduit on surface. (S.I No	or SUB Main)	PVC insulated w	vith size 2-3/.029	copper conductor in	1 3/4" Dia P
Sino	Description	No No	3 .	7		
	Wiring	1200	length	width	height	Meter
	1111119	1200	70	*	w	1200 n
3	Providing & Javing (Main	on CITO Malay DX	7611 1 1 1 11	@ Rs. 1	21 x 1200 P/Meter	145200
	Providing & laying (Main conduit on surface. (Sl.5 / I	or 506 Main) PA P-01)	C insulated with	size 2-7/44 copper	conductor in 3/4" I	Dia PVC
i.no	Description	No	length		2 4 5	
	Wiring	600	1033531	width	height	Meter
		L.		(a) D- (20* (00 8)4	600 m
4	Control of the state of the sta	or SUB Main) PV	/C insulated with	cize 2.7/36 connov	305 x 600 P/Meter	183000
	conduit on surface (SI.4 / P	-01)	- Modified Willi	size 2-7/30 copper	conductor in 3/4" [ла РУС
.110	Description	No	length	width	height	8.8.4
	Wiring	500		** ************************************	ucigiit	Meter
***************************************		A		@ Re	200 x 500 P/Meter	500 m
5	The of baller of 10,10,10,	20,30,40,50, & 6	3 amp DP (TB-58	s) on prepared hoar	d as required (SL2)	127D 213
no_		No	length	width	height	Quantit
	Circuit breaker	06	V.	100	*********	- Quantit
					A**	
6.	D. C. C.			(a)	Rs. 916 x 06 each	5496
.00	The contract one way	SP 5amp switch	flush type (SI-2	19 / P-33)		
. 22 4 9	Description	No	length		THE RESERVE THE PERSON NAMED IN COLUMN TWO IS NOT THE OWNER.	
			~ ~ ~ ~ ~ ~ ~ ~ ~ ~ ~ ~ ~ ~ ~ ~ ~ ~ ~	width	height	Quantit
	switch	18	w.	width	height	Quantit;
7			M	W.	w	Quantit 18 972
7.			M	W.	height -) Rs. 54 x 18 each	18
	S/F energy saver of approve	d quality. (SI.15	/ P-33)	(a	Rs. 54 x 18 each	18 972
110		d quality. (SI.15	/ P-33) length	W.	w	18 972 Quantity
no	S/F energy saver of approve Description Energy savers	d quality. (SI.15	/ P-33)	width	Rs. 54 x 18 each	18 972 Quantity 12
110	S/F energy saver of approve Description Energy savers	d quality. (SI.15	/ P-33)	width	Rs. 54 x 18 each	18 972 Quantity
8.	S/F energy saver of approve Description Energy savers P/F two pin 5 amp plug & so Description	d quality. (SI.15	/ P-33) length - SI.225/P-33)	width - @ R	height s. 497 x 12 Each	18 972 Quantity 12 5964
8.	S/F energy saver of approve Description Energy savers P/F two pin 5 amp plug & so	d quality. (SI.15) No 12 Docket flush type (/ P-33)	width @ R width	Rs. 54 x 18 each	18 972 Quantity 12 5964 Quantity
8.	S/F energy saver of approve Description Energy savers P/F two pin 5 amp plug & so Description Plug sockets	d quality. (SI.15. No 12 pocket flush type (/ P-33) length	width - @R width -	height s. 497 x 12 Each height	972 Quantity 12 5964 Quantity 24
8.	S/F energy saver of approve Description Energy savers P/F two pin 5 amp plug & so Description Plug sockets	d quality. (SI.15. No 12 pocket flush type (/ P-33) length	width - @R width -	height s. 497 x 12 Each height	18 972 Quantity 12 5964 Quantity
8. no	S/F energy saver of approve Description Energy savers P/F two pin 5 amp plug & so Description Plug sockets Providing & fixing three pin	d quality. (SI.15. No	/ P-33) length - SI.225/P-33) length -	width	height s. 497 x 12 Each height Rs. 83 x 24 Each	Quantity 12 5964 Quantity 24 1992
8. no	S/F energy saver of approve Description Energy savers P/F two pin 5 amp plug & so Description Plug sockets	d quality. (SI.15. No 12 Docket flush type () No 24 10/15 amp plug () No	/ P-33) length - SI.225/P-33) length - & socket flush ty	width width pe.(SI.227 / P-33) width	height s. 497 x 12 Each height	Quantity 12 5964 Quantity 24 1992 Quantity
8. 10 9.	S/F energy saver of approve Description Energy savers P/F two pin 5 amp plug & so Description Plug sockets Providing & fixing three pin Description Three pins	No 12	/ P-33) length - SI.225/P-33) length - & socket flush typelength -	width width pe.(SI.227 / P-33) width	height s. 497 x 12 Each height Rs. 83 x 24 Each height	Quantity 12 5964 Quantity 24 1992 Quantity 18
8. 8. 10 9.	S/F energy saver of approve Description Energy savers P/F two pin 5 amp plug & so Description Plug sockets Providing & fixing three pin Description Three pins	No 12	/ P-33) length - SI.225/P-33) length - & socket flush typelength -	width width pe.(SI.227 / P-33) width	height s. 497 x 12 Each height Rs. 83 x 24 Each height	Quantity 12 5964 Quantity 24 1992 Quantity 18
8. 8. 9. 10	S/F energy saver of approve Description Energy savers P/F two pin 5 amp plug & so Description Plug sockets Providing & fixing three pin Description	d quality. (SI.15 No 12 Docket flush type () No 24 10/15 amp plug of No 18 s size 96/96mm	/ P-33) length - SI.225/P-33) length - & socket flush typelength -	width width pe.(SI.227 / P-33) width	height s. 497 x 12 Each height Rs. 83 x 24 Each height	Quantity 12 5964 Quantity 24 1992 Quantity 18
8. 8. 9. 10	S/F energy saver of approve Description Energy savers P/F two pin 5 amp plug & so Description Plug sockets Providing & fixing three pin Description Three pins Providing & Fixing ammeter	d quality. (SI.15 No 12 Docket flush type () No 24 10/15 amp plug of No 18 s size 96/96mm	/ P-33) length - SI.225/P-33) length - & socket flush typelength - Direct 15A.30A.5	width - @ R width - @ pe.(SI.227 / P-33) width - @ R: 50A.60A & 100A a	height .s. 497 x 12 Each height Rs. 83 x 24 Each . height Rs. 83 x 24 Each . s. 162 x 18 Each as required & as per	Quantity 12 5964 Quantity 24 1992 Quantity 18 2916 instruction
8. 8. 9. 10	S/F energy saver of approve Description Energy savers P/F two pin 5 amp plug & so Description Plug sockets Providing & fixing three pin Description Three pins Providing & Fixing ammeter Engineer Incharge.(SI.284 /	d quality. (SI.15 No 12 Docket flush type () No	/ P-33) length - SI.225/P-33) length - & socket flush typelength -	width width pe.(SI.227 / P-33) width	height s. 497 x 12 Each height Rs. 83 x 24 Each height	Quantity 12 5964 Quantity 24 1992 Quantity 18 2916 instruction Quantity
9. 10	S/F energy saver of approve Description Energy savers P/F two pin 5 amp plug & so Description Plug sockets Providing & fixing three pin Description Three pins Providing & Fixing ammeter Engineer Incharge.(SI.284 / Description ammeters	d quality. (SI.15. No	/ P-33) length - SI.225/P-33) length - & socket flush ty length - Direct 15A.30A.5	width	height .s. 497 x 12 Each height	Quantity 12 5964 Quantity 24 1992 Quantity 18 2916 instruction Quantity 02
8. 8. 9. 10	S/F energy saver of approve Description Energy savers P/F two pin 5 amp plug & so Description Plug sockets Providing & fixing three pin Description Three pins Providing & Fixing ammeter Engineer Incharge.(SI.284 / Description ammeters	d quality. (SI.15. No	/ P-33) length - SI.225/P-33) length - & socket flush ty length - Direct 15A.30A.5	width	height .s. 497 x 12 Each height	Quantity 12 5964 Quantity 24 1992 Quantity 18 2916 instruction Quantity 02
8. 8. 9. 10	S/F energy saver of approve Description Energy savers P/F two pin 5 amp plug & so Description Plug sockets Providing & fixing three pin Description Three pins Providing & Fixing ammeter Engineer Incharge.(\$1.284 / Description ammeters Providing & fixing voltmete \$1.285 / P-41).	d quality. (SI.15. No	/ P-33) length - SI.225/P-33) length - & socket flush ty length - Direct 15A.30A.5	width	height .s. 497 x 12 Each height	Quantity 12 5964 Quantity 24 1992 Quantity 18 2916 instruction Quantity 02
8. 8. 9. 10	S/F energy saver of approve Description Energy savers P/F two pin 5 amp plug & so Description Plug sockets Providing & fixing three pin Description Three pins Providing & Fixing ammeter Engineer Incharge.(SI.284 / Description ammeters Providing & fixing voltmeter SI.285 / P-41). Description	d quality. (SI.15. No	/ P-33) length - SI.225/P-33) length - & socket flush typer length - Direct 15A.30A.5 length - 500volts as requ	width width pe.(SI.227 / P-33) width width width width width RSOA.60A & 100A a width width width width	height s. 497 x 12 Each height Rs. 83 x 24 Each height s. 162 x 18 Each as required & as per height 1. 1054 x 02 Each truction of Enginee	Quantity 12 5964 Quantity 24 1992 Quantity 18 2916 instruction Quantity 02 2108 r Incharge.
8. 8. 9. 10	S/F energy saver of approve Description Energy savers P/F two pin 5 amp plug & so Description Plug sockets Providing & fixing three pin Description Three pins Providing & Fixing ammeter Engineer Incharge.(\$1.284 / Description ammeters Providing & fixing voltmete \$1.285 / P-41).	No 12 No 12 No 24 No 18 No 18 No 18 No No 18 No No No No No No No	/ P-33) length - SI.225/P-33) length - & socket flush ty length - Direct 15A.30A.5	width width pe.(SI.227 / P-33) width	height .s. 497 x 12 Each height	Quantity 12 5964 Quantity 24 1992 Quantity 18 2916 instruction Quantity 02 2108 r Incharge.
9. 10	S/F energy saver of approve Description Energy savers P/F two pin 5 amp plug & so Description Plug sockets Providing & fixing three pin Description Three pins Providing & Fixing ammeter Engineer Incharge.(SI.284 / Description ammeters Providing & fixing voltmeter SI.285 / P-41). Description	No 12 No 12 No 24 No 24 No 18 No 18 No 02 No 02 No 02	/ P-33) length - SI.225/P-33) length - & socket flush typer length - Direct 15A.30A.5 length - 500volts as requ	width width pe.(SI.227 / P-33) width	height s. 497 x 12 Each height Rs. 83 x 24 Each height s. 162 x 18 Each as required & as per height 1054 x 02 Each truction of Enginee	Quantity 12 5964 Quantity 24 1992 Quantity 18 2916 instruction Quantity 02 2108 r Incharge.

SANITORY WORK SCHEDULE ITEMS:

2. Providing G.I Pipes, and clamps etc, including fixing cutting & fitting complete with and In/c the cost of breaking through walls and roof, making good etc painting two coats after cleaning the pipe etc with white zink paint with pigment to match the colour 5 of the building and testing with water to a pressure head of 200 feet and handling.(

SL1-i + ii + iii / P-12). ½" dia.

No length width beight DE

 S.no
 Description
 No
 length
 width
 height
 Rft

 G.I Pipe ½" dia
 20
 20 rft

 3
 Providing CLD
 0.88, 73,21 x 20 P/Rft
 1464

Providing G.I Pipes, and clamps etc, including fixing cutting & fitting complete with and In/c the cost of breaking through walls and roof, making good etc painting two coats after cleaning the pipe etc with white zink paint with pigment to match the colour 5 of the building and testing with water to a pressure head of 200 feet and handling.(SI.I-i+ii+iii/P-12). I' dia.

S.no	Description	No	lenoth	12/2/16 b	Lainte I	* > C
	G.I Pine 1'' dia	1	40.0	77 1535.11	neigni	KIL
	Cirripo i dia	<u> </u>	40.0	*	~	40 rft
4.	Supplying & fixing sink min	vtura cook of au	nonion andia id	@ Rs.	. 128.55 x 40 P/Rft	5142
S.no	Supplying & fixing sink mix Description	No.	length	n c.p head etc comp	* * * *	· · · · · · · · · · · · · · · · · · ·
3	Sink Mixture	0.4	30836183	WILLIAM	height	Quantity
	Commence of the Commence of th	V4	*	*	~	04
				@ Re	2745.60 x 04 Each	10000

S/F fiber glass tank of approved quality & design and wall thickness as specified in/c cost of nuts, bolts and fixing in platform of cement concrete 1:3:6 and making connections for inlet & outlet over flow pipes etc complete. (SI. 3/a+b+c+d+e)

S.no	Description	No	length	width	boight	Omneite
	350 gallons	02				02
				@ Rs. 30	773.42 x 02 Each	61547
				Total am	ount of part(C):	99785

NON-SCHEDULE ITEMS:

1. P/F Gypsum board pelmet to be hanged from ceiling in specified shape and design as approved by the consultant. This in/c cutting the existing Gypsum board false ceiling in proper shape, hanging the structure by aluminum angle 1'x1" @ 3'-0 apart drilled and screwed in RCC slab, making hanging frame by using Aluminum U-channel section 1-1/2" wide in 18"x18" rafters and fixing Gypsum board sheet with chips and screws. Then filling the joints & screws holes with plastic mesh and plaster of Paris and making surface smooth as directed by the Engineer Incharge.

S.no	Description	No	length	width	height	area
1.	In rooms	03	14.33	17.0		731
2.	Mess Hall & Kitchen area	01	28.66	17.0	*	487
					Total:	1218 sfi
				@ Rs.	x 1218 P/Sft	

2. P/F marble top 7/8" thick china Verona / teravera or equivalent for stair steps upto size of 5'-0x1'-0 in/c cutting in required size making round gola, making cuts 3 Nos for avoiding slipping and laid over a base of ¾" thick cement sand mortar, filling joints with slurry of white cement grinding & chemical polishing etc compete. The rate in/c all carriage and wastage as required as directed by the Engineer Incharge 500 sft

S.no	Description	No	length	width	height	area
1.	Service Counter	01	17.0	5.0	N.	85
2.	counter with short wall	01	8.66	5.0	w	44
					Total:	129 sft
				@ Rs	v 120 D/Cf4	

3. P/F wooden cabinet with shutter and back shelves by using laminated lassani sheet 3/4" thick and frame work of 1st class partal wood 2"x1" with 18" deep box in/c providing & fixing wooden leaping or gola around lassani shutter or making gola by router in approved design & shape & polishing it. The cost in/c necessary hinges, catchers, handles, sliding wheels in draws, nails, screws, draws locks etc. The cost also in/c necessary tools and plants to be used in making etc complete as directed by the Engineer Incharge.

5.00	Description	No	length	width	height	area
1.	In rooms alongwith Lwalls	02	17.0	5.0	- M	170
2.	In rooms along with s.walls	03	14.33	5.0	· ·	215
3.	Mess Kitchen long wall	02	17.0	5.0	00	170
4.	Mess KitchenShort wall	02	8.66	5.0	м.	87
***************************************					Total:	642 sft
				@ Rs.	x 642 P/Sft	

S.no	window as required @ site a Description	No	length	width	1 · 1 ·	
1.	Windows	06	5.0	VV 853 533	height	area
		1	5.0		5.0	150 sft
5	P/F wall bracket fan 18" dia directed by the Engineer Inc.	of anneoved mo	Ira & molity (D.	@ Rs.	x 150 P/Sft	
	directed by the Engineer Incl	от аруготов на нагае	we or dramity (WO.	yai/Pak, Millat or e	equivalent) in/c fixing	g on wall as
5.110	Description	No	1	3 x 3		
Ì,	In Mess area	14	length	width	height	Quantity
		14	*	W	*	14 Nos
6.	P/F exhauct fan 10" dia sina	1		@ Rs.	x 14 Each	
		piasuc / metal (ody in/c making	hole in wall to req	uired size in/c cutting	g, chiseling.
					oving distmental co	mcrete site
5.110	The state of the s	prace as uncere	ed by the Enginee	r Incharge 3800		
	Description	No	length	width	height	Quantity
1.	Kitchen area	04	A*		VV V 1 1 1 1 1	×
						13/1 Ninc
				@ Rs.	v Od Foch	04 Nos
7.	S/F LED spot light China m	ake with 7 No	os lamps each 6	@ Rs.	x 04 Each	
	or open main china h	ake with 7 No	os lamps each 6	@ Rs. watts fitted on wa	x 04 Each	
7. S.no	S/F LED spot light China m directed by the Engineer Inch Description	ake with 7 No		watts fitted on wa	lls, ceiling of appro	ved quality a
	Description Description	No No	os lamps each 6	watts fitted on wa	x 04 Each Ils, ceiling of appro height	ved quality a
.no	The state of the s	arge		watts fitted on wa	lls, ceiling of appro	ved quality a
5.no	Description LED spot lights	No 52	length	watts fitted on wa	lls, ceiling of appro	ved quality a Quantity 52
	Description LED spot lights P/F ceiling fan 56" sweep Programme fan 56" sweep	No 52 ak/Royal/GFC (length or equivalent (pla	watts fitted on wa width @ Rs. estic body) Deluve	height x 52 Each	ved quality a Quantity 52
.no 1. 8.	Description LED spot lights P/F ceiling fan 56" sweep Presite of work, fixing & necessary	No 52 ak/Royal/GFC or lead connections to the state of t	length or equivalent (plation as directed by	width @ Rs. astic body) Deluxe by the Engineer Inch	height x 52 Each	ved quality a Quantity 52
×. \$	Description LED spot lights P/F ceiling fan 56" sweep Prosite of work, fixing & necessary Description	No 52 ak/Royal/GFC ory lead connection No No	length or equivalent (pla	watts fitted on wa width @ Rs. estic body) Deluve	height x 52 Each	ved quality a Quantity 52
	Description LED spot lights P/F ceiling fan 56" sweep Presite of work, fixing & necessary	No 52 ak/Royal/GFC or lead connections to the state of t	length or equivalent (plation as directed by	width @ Rs. astic body) Deluxe y the Engineer Inch width	height x 52 Each model in/c carriage	Quantity 52 from shop t
8. 1.	Description LED spot lights P/F ceiling fan 56" sweep Presite of work, fixing & necesser Description Ceiling fan in rooms	No 52 ak/Royal/GFC of the street of the str	length or equivalent (plation as directed by length	width @ Rs. astic body) Deluxe the Engineer Inch width @ Rs.	height x 52 Each model in/c carriage arge height	Quantity 52 from shop t Quantity 08
8. 8no	Description LED spot lights P/F ceiling fan 56" sweep Prosite of work, fixing & necessar Description Ceiling fan in rooms S/F of Air condition approve	No 52 ak/Royal/GFC of ary lead connect No 08 quality 1.5 ton 1	length or equivalent (plation as directed by length	width @ Rs. astic body) Deluxe y the Engineer Inch width	height x 52 Each model in/c carriage arge height	Quantity 52 from shop t Quantity 08
8. 8. .no 1.	Description LED spot lights P/F ceiling fan 56" sweep Prosite of work, fixing & necessor Description Ceiling fan in rooms S/F of Air condition approve Description	No 52 ak/Royal/GFC of the street of the str	length or equivalent (plation as directed by length	width @ Rs. astic body) Deluxe y the Engineer Inch width	height x 52 Each model in/c carriage arge height x 08 Each arging etc. complete	Quantity 52 from shop t Quantity 08
8. 8. .no 1.	Description LED spot lights P/F ceiling fan 56" sweep Prosite of work, fixing & necessar Description Ceiling fan in rooms S/F of Air condition approve	No 52 ak/Royal/GFC of ary lead connect No 08 quality 1.5 ton 1	length or equivalent (plation as directed by length and an arrangement of the second	width @ Rs. astic body) Deluxe y the Engineer Inch width @ Rs. connection, gas ch	height x 52 Each model in/c carriage arge height	Quantity 52 from shop t Quantity 08
8. 8.	Description LED spot lights P/F ceiling fan 56" sweep Prosite of work, fixing & necessor Description Ceiling fan in rooms S/F of Air condition approve Description	No 52	length or equivalent (plation as directed by length and an arrangement of the second	width @ Rs. astic body) Deluxe y the Engineer Inch width @ Rs. connection, gas ch width	height x 52 Each model in/c carriage arge height x 08 Each arging etc. complete	Quantity 52 from shop t Quantity 08

Grand Total (A+B+C+D); Total Amount in Rs: Or say in millions:

TERMS AND CONDITIONS

- Any typographical errors in the Schedule B are subject to the correction with Reference to the Schedule of rate General 2012 enforced from 12th July 2012 as Approved by the SRC Sindh, Karachi.
- 2. Arbitration clause stands deleted from the agreement.
- No premium shall be paid on a Non schedule items.
- 4. 100% Well Graded crushed bajri shall be used in items of work without any extra payment.
- 5. All sample of items should be got approved by the Engineer Incharge.

(HAFIZ SAFIAR SHIAKH) Assistant Engineer, CPO, Sindh, Karachi.

	2			2		S	
6	U ₁	4 V	3. R 3 PRC 9 PS (4
WORK OF MADADGAR 15 CALL CENTRE (AIRPORT PS)	PARTIALLY OUT SOURCE OF CALL CENTRE 15 MADADGAR	WORK OF ADDL:IGP/KHI BANGLOW	3. REPAIR / RENOVATION WORK OF PROTOTYPE REPORTING ROOM IN 38 PS OF EAST ZONE	2. REPAIR / RENOVATION WORK OF PROTOTYPE REPORTING ROOM IN 26 PS OF SOUTH ZONE	1. REPAIR / RENOVATION WORK OF PROTOTYPE REPORTING ROOM IN 36 PS OF WEST ZONE	DESCRIPTION OF PROCUREMENT	
MADADGAR 15	MADADGAR 15	ADDL:IGP/KHI BANGLOW		FACILITATION CENTRE OF SSPs KARACHI RANGE		QUANTITY (WHERE APPLICABLE)	
MADADGAR 15	MADADGAR 15	CAMP OFFICE		POLICE STATIONS & ZONAL SSPs OFFICE		ESTIMATED UNIT COST (WHERE APPLICABLE)	
4 MILLION		2 MILLION ONE HUNDRED & SEVENTY FOUR		60 MILLION		ESTIMATED TOTAL COST	FINAI
GOVT OF SINDH	GOVT OF SINDH	GOVT OF SINDH	GOVT OF SINDH		FUNDS ALLOCATED	FINANCIAL YEAR ZUIO-11	
ADP	ADP	ADP		ADP		SOURCE OF FUNDS (ADP/NON ADP)	0-1/
SINGLE STAGE ONE ENVELOPE	SINGLE STAGE TWO ENVELOPE	SINGLE STAGE ONE ENVELOPE		SINGLE STAGE ONE ENVELOPE		PROPOSED PROCUREMENT METHOD	
1	1	1		1		1ST QTR PROC	MIT
1		1		, t		1ST QTR 2ND QTR 3RD QTR 4TH QTR	TIMING OF
1		1		Ι .		4TH QTR ≤	F
FUND RECEIVED THROUGH RE- APPROPRIATION	FUND RECEIVED THROUGH RE- APPROPRIATION	FUND RECEIVED THROUGH RE- APPROPRIATION		FUND RECEIVED FROM GOVT OF SINDH		REMARKS	

(REVISED)
ANNUAL PROCUREMENT PLAN
(WORKS, GOODS & SERVICES)

=	10	9 9	∞	7
REPAIR & MAINTENANCE OF 01 NO APC OF COURT POLICE	PURCHASE OF EQUIPMENT FOR 15 MADADGAR	PURCHASE OF FURNITURE FOR 15 MADADGAR	PURCHASE OF EQUIPMENT FOR RECEIPTION ROOMS, EAST, WEST & SOUTH PS	PURCHASE OF FURNITURE FOR RECEIPTION ROOMS, EAST, WEST & SOUTH PS
REPAIR & MAINTENANCE OF 01 APC OF SSP COURT POLICE	MADADGAR 15	MADADGAR 15	FACILITATION CENTRE OF SSPs KARACHI RANGE	FACILITATION CENTRE OF SSPs KARACHI RANGE
01 APC OF COURT POLICE	MADADGAR 15	MADADGAR 15	POLICE STATIONS & ZONAL SSPs OFFICE	POLICE STATIONS & ZONAL SSPS OFFICE
EIGHT HUNDRED & NINETY FIVE THOUSAND	3 MILLION	3 MILLION	18 MILLION	22 MILLION
GOVT OF SINDH	GOVT OF SINDH	GOVT OF SINDH	GOVT OF SINDH	GOVT OF SINDH
ADP	ADP	ADP	ADP	ADP
SINGLE STAGE ONE ENVELOPE	SINGLE STAGE TWO ENVELOPE	SINGLE STAGE TWO ENVELOPE	SINGLE STAGE TWO ENVELOPE	SINGLE STAGE TWO ENVELOPE
1 1	1	1	1	1
1	1	1	1	1
1	- 1	1		1
FUND RECEIVED THROUGH RE- APPROPRIATION	FUND RECEIVED THROUGH RE- APPROPRIATION	FUND RECEIVED THROUGH RE- APPROPRIATION	FUND RECEIVED. THROUGH RE- APPROPRIATION	FUND RECEIVED THROUGH RE- APPROPRIATION

APPROVED & SIGNED BY THE HEAD OF PROCURING AGENCY

(SYED SOHAIL HUSSAIN SHAM)
DSP / PCA
For Addl: Inspector General of Police
Karachi Range