OFFICE OF THE TOWN COMMITTEE KASHMORE

Phone No.0722-576833

No.TC/KSH/

OF 2017

NOTICE INVITING TENDERS.

Dated



01.Town committee Kashmore taluka Kashmore invites sealed tenders from interested parties/firms meeting the eligibility criteria to participate as per SPPRA Rues (2010);-

Sr.No	Name Of	Estimated	Earnest	Tender	Time	Specialization	Category
	Work	Cost	Money	Fee	Allowed Of		
		۸۲	DED III	CT ATT	Completion		

02. QUALIFICATION

- (a) List of two similar assignments under-taken over the past 7 years
- (b)Detail of equipments and transports owned by firm/ contractor
- (c) Financial statement (summary) (Rs.2 Million) and income tax return for the last 3 years.
- (d) Financial turnover amounting to Rs.2 Million for last three years
- (e) Affidavit that firm has never has been black listed.
- (f) Name, Qualification and Experience of Technical Staff Working with firm.
- (g) The SRB Certificate for the year 2017 is required.
- 03. METHOD OF PROCUREMENT

single stage single envelope.

04. TERMS & CONDITIONS

Under following condition bid will be rejected;-

- (1) Conditional and telegraphic bids/tenders.
- (2) Bids not accompanied by bid security of required amount and form.
- (3) Bids received after specified date and time.
- (4) Black listed firms.
- (5) The undersigned reserved the right of accepting / rejecting any or all tender as per relevant clues of SPPRA-2010.


	Late date of receipt of application and issuance of tender documents	Last date of submission of tenders	The date of opening tenders
1 st	From the date of publication up to \$\sigma\$05-	03-05-2017 Till 12:00	03-05-2017 till 01:00
DATE	2017 till 03:00 P.M	Noon	p.m

TOWN OFFICER
TWON COMMITTEE
KASHMORE

CHAIRMAN TWON COMMITTEE KASHMORE

LIST OF WORKS

S.NO	Name of scheme	Estimated Cost (In Million)	Completion - Period	Cost of Tender	Earnest Money
01	Providing Jointing Testing R.C.C Saver 18" dia with disposal at Aliabad Ward No.01 Kashmore Town.	4.000	06 Months	3000/=	02%
02	Providing Water Supply 4" dia Line of Aliabad to Sardaro Phatak Ward No.01 Kashmore Town	2.500	06 Months	3000/=	02%
03	Construction of Graveyard Boundary Wall of Ward No.02 Kashmore Town.	2.000	06 Months	3000/=	02%
04	Construction of Drainage Line Abdullah Mazari, Kore Shah to Old Exchange Ward No. Kashmore Town.	2.000	06 Months	3000/=	02%
05	Construction of 1-6 vide R.C.C Walls and Cover Nala Old Libratory Lachman Das via Jamia Masjid Street Ward No.06 Kashmore Town.	2.000	06 Months	2000/=	02%
06	Construction of Open Drain Shaikh Masjid to Bilal Masjid Ward No.03 Kashmore Town.	1.500	06 Months	2000/=	02%
07	Construction of Open Drain Dashti Mohall to Niaz Ahmed Khoso Street Ward No.03 Kashmore Town.	1.200	06 Months	2000/=	02%
08	Construction of Open Drain Main Road via PPL Store Street to Ghazali School Ward No.04 Kashmore Town.	0.800	06 Months	1500/=	02%
09	Construction of 1-6 vide Brick lying covered R.C.C Nala Abdul Hameed Khoso Street Ward No.10 Kashmore Town.	0.800	06 Months	2000/=	02%
10	Construction of Tough Tile / Paver Road with drainage at Sajjad Ahmed Solangi Ward No.10 Kashmore Town.	0.500	06 Months	1000/=	02%
11	Construction of Open Drain Lanjwani Mohalla, Ghulam Nabi Shar near PPL Store Ward No.04 Kashmore Town.	0.700	06 Months	1000/=	02%
12	Construction of Tough Tile / Paver Road at Saleemabad, Ebineseena School Ward No.11 Kashmore Town.	0.800	06 Months	1500/=	02%
13	Construction of Tough Tile / Paver Road with Drainage Khair Mohammad Chachar Ward No. 05 Kashmore Town.	0.800	06 Months	1500/=	02%
14	Construction of Open Drain Mehar Bhatti to Murad Wah Kashmore Town.	0.800	06 Months	1500/=	02%
15	Construction of Tough Tile / Paver Road with Drainage Kalwar Mohalla Kashmore Town.	0.800	06 Months	1500/=	02%
16	Construction of Tough Tile / Paver Road with Drainage of Eid Gah Mohalla Kashmore Town.	0.800	06 Months	1500/=	02%
17	Construction of Tough Tile / Paver Road Bahadur Chachar Ward No.04 Kashmore Town.	0.800	06 Months	1500/=	02%
18	Providing Water Supply 4" Dia at Ghafarabad Ward No. 02 Kashmore Town.	0.800	06 Months	1500/=	02%
19	Construction of Tough Tile / Paver Road with Drainage Mir Hazar Mirani Old Shahi Wah Kalwar Mohalla Ward No.8 & 09 Kashmore Town.	2.000	06 Months	3000/=	02%
20	Construction of Open Drain Niaz Soomro to Solangi Mohalla Ward	2.000	06 Months	3000/=	02%







GOVERNMENT OF SINDH LOCAL GOVERNMENT DEPARTMENT

Karachi dated the 28th February, 2017

Date 28.2.1 NOTIFICATION

NO SOIV (LG)/8-10/2016/LAR: With the approval of Competent Authority, a Procurement committee consisting on following for under taking Development Schemes in Town Committee Kashmore. District Kashmore @ Kandhkot, is hereby constituted under Section-7 of SPPRA Rules, 2010:-

Town Officer. Town Committee.
 Kashmore.

Chairman

 Assistant Engineer Provincial Highway Sub Division Kashmore, District Kashmore Member

3. Taxation Officer, Town Committee Kashmore,

Member

The Function and responsibilities of Procurement Committee shall be as under Section-8 of SPPR ARule 2010):-

- 1. Preparing bidding documents.
- 2. Carrying out technical as well as financial evaluation of the bids.
- 3. Preparing evaluation report as provided in Rule 45.
- 4. Making recommendations for the award of contract to the competent authority, and
- 5. Perform any other function ancillary and incidental to the above.

-: SECRETARY TO GOVT. OF SINDH:-


NO.SOIV (LG)/8-10/2016/LAR

Karachi, dated the 28th February, 2017.

A copy is forwarded for information and necessary action to:-

- 1. The Director, Sindh Public Procurement Regularity Authority, Karachi.
- 2. The Deputy Commissioner, District Kashmore @ Kandhkot.
- 3. The Director, Local Government, Larkana.
- 4. The Assistant Director, Local Fund Audit, Kashmore.
- 5. The Chairman, Municipal Committee, Kashmore, District Kashmore @ Kandhkot.
- 6. P.S to Secretary, Local Government Department Karachi.
- V7. Officers Concerned (Chairman/Members), Procurement Committee.
- 8. Office order file.

(LIAQUAT ALI MANGI) SECTION OFFICER-IV



GOVERNMENT OF SINDH LOCAL GOVERNMENT DEPARTMENT

Karachi dated the 28th February, 2017

NOTIFICATION

NO SOIV(LG)/8-10/2016/LAR: With the approval of Competent Authority, a Complaint Redressal Committee, is hereby constituted under Rule-31(1)(2) of SPPRA, Rules-2010, of Town Committee Kashmore, District Kashmore @ Kandhkot, during the year 2016-17:-

Chairman.
 Town Committee. Kashmore.

 Town Officer. Town Committee Kashmore.
 District Kashmore @ Kandhkot.

 Assistant Engineer Provincial Highway .

 Member

The Function and responsibilities of Complaint Redressal Committee, shall be under Rule-31(1)(2) of SPPRA Rule-2010:-

: SECRETARY TO GOVT. OF SINDH:-

NO.SOIV (LG)/8-10/2016/LAR

Karachi, dated the 28th February, 2017

A copy is forwarded for information and necessary action to:-

- 1. The Director, Sindh Public Procurement Regularity Authority, Karachi.
- 2. The Deputy Commissioner, District Kashmore @ Kandhkot.

Sub Division Kashmore, District Kashmore

- 3. The Director, Local Government, Larkana.
- 4. The Assistant Director, Local Fund Audit, Kashmore @ Kandhkot.
- 5. The Chairman, Town Committee, Kashmore, District Kashmore @ Kandhkot.

Officers Concerned (Chairman/Members), Complaint Redressal Committee.

7. Office order file.

(LIAQUAT ALI MANGI) SECTION OFFICER-IV

ANNUAL PROCUREMENT PLAN FOR YEAR 2017

Sr.#	Name of scheme	Estimated cost (in Millions)	Completion period	Cost of tender	Earnest money
01.	Providing joining testing R.C.C. Saver 18" dia with disposal at Aliabad Ward No.01. Kashmore Town	4.000	06 Months	3000/-	02%
02,	Providing Water Supply 4" dia Line of Aliabad to Sardaro Phatak War No.1 Kashmore Town	2.500	06 Months	3000/-	02%
03.	Construction of Graveyard Boundary Wall of Ward No.2, Kashmore Town	2.000	06 Months	3000/-	02%
04.	Construction of Drainage Line Abdullah Mazari to Nadir Shah Kore Shah to Old Exchange Ward No.7, Kashmore Town.	2.000	06 Months	3000/-	02%
05.	Construction of 1-6 vide R.C.C. Walls and cover Nala Lachman Das via Jama Masjid Street Ward No.06 & 8 Kashmore .	2.000	06 months	2000/-	02%
06.	Construction of Opened Drain Shaikh Masjid to Bilal Masjid Ward No.03 Kashmore Town.	1.500	06 Months	2000/-	02%
07.	Construction of Open Drain Dashti Mohalla to Niaz Ahmed Khoso Street Ward No.03, Kashmore Town	1.200	06 Months	2000/-	02%
08.	Construction of Open Drain Main Road via PPL Store Street to Ghazali School Ward No.04, Kashmore Town	0.800	06 Months	1500/-	02%
09.	Construction of 1-6 vide Brick lying covered R.C.C Nala Abdul Hameed Khoso Stree Ward No.10 Kashmore Town	08.00	06 months	2000/-	02%
10.	Construction of Tough Tile / Paver Road with drainage at Sajjad Ahmed Solangi Ward No.10 Kashmore Town.	0.500	06 Months	1000/-	02%
11.	Construction of open Drain Lanjwani Mohall, Ghulam Nabi Shar Near PPL Store Ward No.4, Kashmore Town.	07.00	06 Months	1000/-	02%
12.	Construction of Tough Tile /Paver Road at Saleem abad, Ebineseena School Ward No.11, Kashmore Town.	08.00	06 Months	1500/-	02%
13.	Construction of Tough Tile/Paver Road with Drainage Khair Muhammad Chachar Ward No. 05 Kashmore Town	08.00	06 Months	1500/-	02%
14.	Construction of Open Drain Mehar Bhatti to Murad Wah Kashmore Town.	0.800	06 Months	1500/-	02%
15.	Construction of Tough Tile/Paver Road with Drainage Kalwar Mohalla Kashmore Town	0.800	06 Months	1500/-	02%
16.	Construction of Tough Tile/Paver Road with Drainage of Eid Gah Mohalla Kashmore Town.	0.800	06 Months	1500/-	02%
17.	Construction of Tough Tile /Paver Road Bahadur Chachar Ward No.04 Kashmore Town	0.800	06 Months	1500/-	02%
18.	Providing Water Supply 4" Dia at Ghafarabad Ward No.02. Kashmore Town	0.800	06 Months	1500/-	02%
19.	Construction of Tough Tile/Paver Road with Drainage Mir Hazar Mirani old Shahi Wah Kalwar Mohalla Ward No.8 & 9 Kashmore Town.	2.000	06 Months	3000/-	02%
20.	Construction/Repair of Open Drain Niaz Soomro to Solangi Mohalla Ward No.10, Kashmore Town	2.000	06 Months	3000/-	02%

Town Officer, Town Committee Kashmore Taxation Officer Town Committee Kashmore

SCHEDULE-(B) PROVIDING JOINTING TESTING R.C.C SAVER 18" DIA WITH DISPOSAL AT ALIABAD WARD NO.01 TALUKA KASHMORE.

DRAFT BIDDING DOCUMENT FOR WORKS BILLS OF QUANTITIES

(A) Description and rate of Items bases on composite schedule of Rates.

S. No.	Item of work	Qty:	Rate	Unit	Amount
01.	Excavation for Pipe line in trenches, and pits in soft soil i'c trimming and dressing sides of to true alignment and shape leveling of bed of trenches (S.I.No. 01 P-60)	1008 Cft	3600/-	%0Cft	3629/-
02.	Excavation for Pipe line in trenches, and pits in wet soil clay or mud i/c trimming and dressing sides to true alignment and shape leveling of bed of trenches (S.I.No. 14 P-66)	536 Cft	5400/-	%0Cft	2894/-
	* - * * · · · · · · · · · · · · · · · ·	3.30 CH	5400/-	700011	2074/-
03.	Cement Concrete brick or stone ballast 1-1/2" to 2' 1:4:8 (S.1.No. 04 (d) P-17)	199 Cft	11288/75	%Cft	22465/-
04.	Providing, Lying RCC Pipes of A.S.T.M C-76-62 T/C-76-70 of Class II Wall B and fixing in trench i/c cutting, fitting and jointing with rubber i/c testing with water to specified pressure.450 MM (18" dia) (S.I.No. 01 B P-17	93 RN	618/-	P.Rfi	57474/-
05.	Constructing manhole for the required dia of circular sewer and 7" 9" depth with wall s of B.B in cement mortar 1:3 cement plastered 1:3 ½" thick, Inside of wall and 1" (25mm) thick over benching and channel i/c fixing C.I manhole cover with frame of clear opening 2" x 2 (610x610 mm) of 4.5 cwt (S.No. 2 (d) P-47) 18" to 21 dia 4'6"x4'x7'-9"	03 Nos.	49918/-	Each Total	149754/- 233858/-
		The	refore <u>233858 x 17</u>	10 =	3998971/-
			100		
	% on the rate	s of CSR.			
	Amount to be	e added /dedi	ucted on the		
Total ((A)				Rs:
Diff: co	ost of Bitumen (B)				Rs:
G.Tota	ıl (A+B)				Rs.
	Table Konson Comment Co.	. D (
	Total Amount in words (A	+15/			

Contractor

TOWN OFFICERATIONN COMMITTEE

CONSTRUCTION OF GRAVEYARD BOUNDARY WALL OF WARD NO.02 KASHMORE TOWN.

DRAFT BIDDING DOCUMENT FOR WORKS BILLS OF QUANTITIES

(A) Description and rate of Items bases on composite schedule of Rates.

S. No.	Item of work	Qty:	Rate	Unit	Amount	_
01.	Excavation in foundation of building bridges And other structures including dabbling Dressing refilling ground structure with Excavated earth watering and ramming lead upto 5ft in ordinary soil (S.I.No. 18 (b) P-05).	400 Cft	3176/25	°o0Cfi	7251/-	
02.	Cement concrete brick or stone ballast 1-1/2" to 2" 1:5:10 (S.I.No. 4 (c) P-17).	100 Cft	8694/95	%Cft	8695/-	
03.	Pacca brick work in foundation and plinth in 1:6 cement sand mortar (S.I.No. 04 (e) P-24).	536 Cft	11948/50	%Cft	64044/-	
04.	Reinforced cement concrete work including all labour and material except the cost of steel reinforced and its labour for bending and binding which will be paid separately. This rate also includes all kinds of form moulds lifting shuttering curing rendering and finishing the exposed surface (including screening and washing of shingle 1:2:4 (S.1.No. 06 (i) P-19)	82 Cfi	337/-	%Sfi	27634/-	
05.	Fabrication of TOR Steel reinforced for cement concrete including cutting bending laying in position, making joints and fastenings including cost of binding wire (also including removal of rust from bars (S.I.No. 07 (ii) P-20)	3,660 Cwt	5001/70	P.Cwt	18306/-	
06.	Pacca brick work other than building including sticking of joints upto 20 feet height in 1:6 (S.I.No. 07 (e) P-26).	300 Cft	12346/65	%Cft	37040:-	
07.	Cement Plaster 1:6 upto 2" height 1/2" thick (S.I.No. 13 (b) P-58)	800 Sft	2206/60	%Sft	17653/-	
08.	Cement Plaster 1:4 upto 2" height 3'8" thick (S.I.No. 11 (a) P-58)	800 Sft	2197/52	%Sft	17580/-	
09.	Cement Pointing Struck Joints (S.I.No. 19 (a) P-59)	800 Sii	1287/44	%Sfi	5150'-	
10.	Steel Grated Doors	60 Sfi	726/72	P.Sft	43603/-	
11.	Preparing Painting Guard Bars Gates	120 Sft	1270/83	⁰ °SIJ	1525/-	

S.*No.	Item of work -	Qty:	Rate	Unit	Amount
12.	Primary Coat of Chalk	1400 Sft	442/52	%Sit	6195/-
3.	Distempering 03 Coats	1400 Sfi	1079/65	%Sft Total	15115/- 266747/-
-		The	refore <u>266747 x</u> 100		1997935/-
ē					
	%	on the rates of CSR.			
		Amount to be added /ded	ucted on the		
otal	(A)				Rs:
)iff: c	cost of Bitumen (B)				Rs:
G.Tot	al (A+B)				Rs.
	Total Amo	unt in words (A+B)			

Contractor

TOWN OFFICER TOWN COMMITTEE KASHMORE

SCHEDULEO=(B) PROVIDING WATER SUPPLY 4" DIA LINE OF ALIABAD TO SARDARO PHATAK WARD NO.01 KASHMORE TOWN.

DRAFT BIDDING DOCUMENT FOR WORKS **BILLS OF QUANTITIES**

Description and rate of Items bases on composite schedule of Rates. (A)

S. No.	Item of work	Qty:	Rate	Unit	Amount	-
•		V:3:	Title			
01.	Excavation for Pipe line in trenches, and pits in wet soil clay or mud i/c trimming and dressing sides to true alignment and shape leveling of bed of trenches (S.I.No. 14 P-66)	525 Cft	5400/-	%0Cti	2835/-	
02.	Providing Lying uPVC pipes of Class "B" fixing trench i/c cutting, fitting and jointing with solvent cement i/c testing with water to a head of 61 meter or 200 ft. (S.I.No. 04 (d) P-23)	h 100 Rft	259/-	P.Rft Total	25900/- 28735/-	
		The	erefore <u>28735 x 8</u> 100		2499945/-	
	% on the ra	tes of CSR.				
l'otal		be added /ded	ucted on the		Rs:	
Diff: c	ost of Bitumen (B)				Rs:	
G.Tota	al (A+B)				Rs.	
	Total Amount in words (Λ+B)				
Cont	TOWN	N OFFICER COMMITTEE		Cha Town C	irman committe chmore	0

KASHMORE

CONSTRUCTION OF DRAINAGE LINE ABDULLAH MAZARI, KORE SHAH TO OLD EXCHANGE WARD NO. KASHMORE TOWN.

DRAFT BIDDING DOCUMENT FOR WORKS BILLS OF QUANTITIES

(A) Description and rate of Items bases on composite schedule of Rates.

S. No.	Item of work	Qty:	Rate	Unit	Amount
) I. •	Excavation in foundation of building bridges and other structures including dagbelling dressing refilling ground structure with excavated earth watering—and ramming lead upto 5ft in ordinary soil (S.I.No. 18 (b) P-04).	1225 Cft	3600:-	%OCH	4410'-
)2.	Cement Concrete brick or stone ballast 1-1/2" to 2' 1:4:8 (S.I.No. 04 (d) P-17)	175 Cft	11288/75	%Cfi	19755/-
03.	Paeca brick work in foundation and plinth in 1:6 cement sand mortar (S.I.No. 04 (c) P-24).	750 Cit	12501/41	° oCli	93761 -
)-1.	Cement concrete plain i'c placing compacting finishing and curing complete (i/c screening and washing of stone aggregate without shuttering 1:2:4 (S.I.No. 05 (i) P-18)	38 Cfi	14429/25	%CH	5483/-
15.	Cement Plaster 1:4 upto 2" height 3-8" thick (S.I.No. 11 (a) P-58)	1100 Sft	3015/76	%Sft Total	33173/- 156582/-
		The	refore <u>156582 x 1</u>	277_=	1999552/-
			anto done the		
otal	(A)	added /dedi	ucted on the		Rs:
iff: c	ost of Bitumen (B)				Rs:
	J. (A., D)				Rs.
î.Toti	II (A+B)				

Contractor

TOWN OFFICER*
TOWN COMMITTEE
KASHMORE

CONSTRUCTION OF 1'-6 VIDE R.C.C WALLS AND COVER NALA OLD LIBRATORY LACHMAN DAS VIA JAMIA MASJID STREET WARD NO.06 KASHMORE TOWN.

DRAFT BIDDING DOCUMENT FOR WORKS BILLS OF QUANTITIES

(A) Description and rate of Items bases on composite schedule of Rates.

S. No.	Item of work	Qty:	Rate	Unit	Amount
01.	Excavation in foundation of building bridges and other structures including dagbelling dressing refilling ground structure with excavated earth watering—and ramming lead				
	upto 5ft in ordinary soil (S.I.No. 18 (b) P-04).	1225 Cfi	3176-25	0.00011	2779"-
02.	Cement Concrete brick or stone ballast 1-1/2" to 2' 1:4:8 (S.I.No. 04 (d) P-17)	175 Cft	11288/75	%Cft	19755/-
03.	Reinforced cement concrete work including all labour and material except the cost of steel reinforced and its labour for bending and binding which will be paid separately. This rate also includes all kinds of form moulds lifting shuttering curing rendering and finishing the exposed surface (including screening and washing of shingle 1:2:4 (S.I.No. 06 (i) P-19)	700 Cft	337/-	P.Cfi	235900/-
04.	Fabrication of Mild Steel reinforced for cement concrete including cutting bending laying in position, making joints and fastenings including cost of binding wire (also including removal of rust from bars (S.I.No. 07 (ii) P-20)	20.77 Cwt	4820/20	P.Cwt	100144/-
05.	Const. of Standard Open Drain cunette Block of cement concrete 1:2:4 in suit to the design profile i/c cost of mould as per drawing i/c applying floating cost of cement 1'32" thick to exposed face finished smooth curing etc complete as per detailed drawing (S.I.No. D- P-58)	ENA PAG		0.05	171005
	II Type B Drain	100 Rft	17-1:-	P.Rft Total	17400/- 375978/-
		There	efore <u>375978 x 5.</u> 100	31 =	1996443/-
	% on the rates	of CSR.			
	Amount to be	added/dedu	icted on the		
fotal ((A)				Rs:
Diff: co	ost of Bitumen (B)				Rs:
G.Tota	al (A+B)				Rs.

Contractor

TOWN OFFICER*
TOWN COMMITTEE
KASHMORE

(SCHEDULE-(B)

CONSTRUCTION OF OPEN DRAIN SHAIKH MASJID TO BILAL MASJID WARD NO.03 KASHMORE TOWN.

DRAFT BIDDING DOCUMENT FOR WORKS BILLS OF QUANTITIES

(A) Description and rate of Items bases on composite schedule of Rates.

S. No.	Item of work	Qty:	Rate	Unit	Amount
01.	Excavation in foundation of building bridges and other structures including dagbelling dressing refilling ground structure with excavated earth watering—and ramming lead upto 5ft in ordinary soil (S.I.No. 18 (b) P-04).	1225 CÑ	3600 -	8°0(C,U	4410/-
	upo an in ordinary and (astaros to (a)) way.	1 mm / N-13	.7000		7,775
02.	Cement Concrete brick or stone ballast 1-1/2" to 2" 1:4:8 (S.I.No. 04 (d) P-17)	175 Cft	11288/75	%Cft	19755/-
03.	Pacca brick work in foundation and plinth in 1:6 cement sand mortar (S.I.No. 04 (e) P-24).	750 Cft	12501/41	o.o(` ì	937617-
0-1.	Cement concrete plain i/c placing compacting finishing and curing complete (i/c screening and washing of stone aggregate without shuttering 1:2:4 (S.I.No. 05 (i) i²-18)	38 Cii	14429/25	%₀Cfi	5483/-
)5.	Cement Plaster 1:4 upto 2" height 3/8" thick (S.I.No. 11 (a) P-58)	1100 Sft	3015/76	%sft Total	33173/- 156582/-
		The	<u>57</u> =	1498489/-	
	% on the rate	s of CSR.			
Total	(A)	e added /ded	ucted on the		Rs:
Diff: c	ost of Bitumen (B)				Rs:
G.Tota	ıl (A+B)				Rs.

Contractor

TOWN OFFICERA .
TOWN COMMITTEE
KASHMORE

(SCHEDULE-(B)

STREET WARD NO.03 KASHMORE TOWN.

DRAFT BIDDING DOCUMENT FOR WORKS BILLS OF QUANTITIES

(A) Description and rate of Items bases on composite schedule of Rates.

SNo.	Item of work	Qty:	Rate	Unit	Amount
01,	Exeavation in foundation of building bridges and other structures including dagbelling dressing refilling ground structure with				
	excavated earth watering—and ramming lead upto 5ft in ordinary soil (S.I.No. 18 (b) P-04).	1225 Cfi	3600-	0.00011	4410/-
02.	Cement Concrete brick or stone ballast 1-1/2" to 2" 1:4:8 (S.I.No. 04 (d) P-17)	175 Cft	11288/75	%Cft	19755/-
03.	Pacca brick work in foundation and plinth in 1:6 cement sand mortar (S.I.No. 04 (e) P-24).	750 Cii	12501/41	%oCft	93761/-
0-1.	Cement concrete plain i/e placing compacting finishing and curing complete (i/c screening and washing of stone aggregate without shuttering 1:2:4 (S.I.No. 05 (i) P-18)	38 Cft	14429/25	° oCfi	5483/-
)5.	Cement Plaster 1% upto 2" height 3/8" thick (S.I.No. 11 (a) P-58)	1100 Sit	3015/76	% Sfi Total	33173 156582/-
		The	refore <u>156582 x 7</u>	66_=	1199418/-
-		es of CSR.			
	Amount to b	e added /ded	ucted on the		
'otal	(A)				Rs:
Diff: co	ost of Bitumen (B)				Rs:
3.Tota	ul (A+B)				Rs.
	Total Amount in words (A	(B)			

Contractor

TOWN OFFICER
TOWN COMMITTEE
KASHMORE

(OCTURIVOLUE(D)

S CONSTRUCTION OF OPEN DRAIN MAIN ROAD VIA PPL STORE STREET TO GHAZALI SCHOOL WARD NO.04 KASHMORE TOWN.

DRAFT BIDDING DOCUMENT FOR WORKS BILLS OF QUANTITIES

(A) Description and rate of Items bases on composite schedule of Rates.

S. No.	Item of work	Oty:	Rate	Unit	Amount
+					
()] .	Exeavation in foundation of building bridges				
7	and other structures including dagbelling				
	dressing refilling ground structure with excavated earth watering and ramming lead				
	upto 5ft in ordinary soil (S.I.No. 18 (b) P-04).	1225 Cft	3600 -	"aOCTI	44107-
02.	Cement Concrete brick or stone ballast				
	1-1/2" to 2" 1:4:8 (S.I.No. 04 (d) P-17)	175 Cft	11288/75	%Cft	19755/-
13.	Pacca brick work in foundation and				
F-0.1	plinth in 1:6 cement sand mortar				
	(S.I,No. 04 (e) P-2-1).	750 Cft	12501/41	o.ºCU	93761/-
)-; .	Cement concrete plain i'e placing				
	compacting finishing and curing				
	complete (i c screening and washing				
	of stone aggregate without shuttering 1:2:4 (S.I.No. 05 (i) P-18)	38 Cñ	14429/25	° oCff	5483/-
		30 (.11			
)5.	Cement Plaster 1:4 upto 2" height	1100 50	3015/76	%oSit	33173/-
	3/8" thick (S.I.No. +1 (a) P-58)	1100 Sft	3013/70	Total	156582/-
					=00=<0.
		The	refore <u>156582 x 5</u> 100	10 =	798568/-
		s of CSR.			
	A				
	Amount to be	e added /ded	ucted on the		n -
otal	(A)				Rs:
N 1 1/1	700				D
лјј; с	ost of Bitumen (B)				Rs:
200	J. (A. D)				D _C
	al (A+B)				Rs.
	Total Amount in words (A-	+B)			
	* ****** * ********* *** ******** (* *				

Contractor

TOWN OFFICER
TOWN COMMITTEE
KASHMORE

CONSTRUCTION OF 1-6 VIDE BRICK LYING COVERED R.C.C NALA ABOUL HAMEED KHOSO

STREET WARD NO.10 KASHMORE TOWN. DRAFT BIDDING DOCUMENT FOR WORKS BILLS OF QUANTITIES

(A) Description and rate of Items bases on composite schedule of Rates.

S. No.	Item of work	Qty:	Kate	Unit	Amount
	W				
01.	Excavation in foundation of building bridges and other structures including dagbelling				
9	dressing refilling ground structure with				
	excavated earth watering and ramming lead				
	upto 51i in ordinary soil (S.I.No. 18 (b) P-04).	875 CR	3176/25	" oUCTI	2779 -
0.4	Cement Concrete brick or stone ballast				
	1-1/2" to 2" 1:4:8 (S.I.No. 04 (d) P-17)	175 CII	11288/75	°oCN	19755/-
03.	Paeca brick work in foundation and				
	plinth in 1:6 cemear sand mortar				
	(S.I.No. 04 (e) P-24).	600 CH	12501-41	" oCH	75008 -
()-i.	Const. of Standard Open Drain cunette				
	Block of cement concrete 1:2:4 in suit				
	to the design profile i/e cost of mould as per drawing i'c applying floating cost of				
	cement 1/32" thick to exposed face				
	finished smooth caring etc complete as				
	per detailed drawing				
	(S.I.No. D- P-58)	17175 1975	17.1	14 12 12	17105
	II Type B Drain	100 Rft	174/-	P.Rft	17400/-
05.	Cement Plaster 15/4 upto 2" height				
	3.8" thick (S.I.No. 11 (a) P-58)	1050 SII	3015/76	o oSII	31665/-
OG.	Reinforced cement concrete work				
	including all labour and material except				
	the cost of steel reinforced and its labour				
	for bending and binding which will be paid separately. This rate also includes all kinds of				
	form moulds litting shuttering curing rendering				
	and finishing the exposed surface (including				
	screening and washing of shingle 1:2:4				
	(S.I.No. 06 (i) P-19)	150 Cft	337/-	P.Cft	50550/-
17.	Fabrication of Mild Steel reinforced for				
	cement concrete including cutting bending laying in position, making joints and fastenings				
	including cost of binding wire (also including				
	removal of rust from bars (S.I.No. 07 (ii) P-20)	7.14 Cwt	4820/20	P.Cwt	3-1416/-
				Total	231573/-
		Ther	efore 231573 x 34	<u> 15</u> =	798926/-
			100		
	on the rates	of CSR.			
121 12	Amount to be	added/dedu	acted on the		
otal ((A)				Rs:
)iff: co	ost of Bitumen (B)				Rs:
	l(A+B)				Rs.
					113.
	Total Amount in words (A+				

Contractor

TOWN OFFICER *TOWN COMMITTEE
KASHMORE

(SCITEDULE-B)

CONSTRUCTION OF TOUGH TILE / PAVER ROAD WITH DRAINAGE AT SAJJAD AHMED SOLANGI WARD NO.10 KASHMORE TOWN. DRAFT BIDDING DOCUMENT FOR WORKS

BILLS OF QUANTITIES

S. No.	Description and rate of Items Item of work	Qty:	Rate	Unit	Amount
-		THE / PAVER	ROAD		
01.	Filling Watering and ramming earth under floor with new earth excavated from				
	foundation lead upto one chain and				
	lift upto 5 ft. (S.I.No. 22 P-05)	1000 Cft	3630/-	n.90C.U	3630/-
02.	Supplying and filling sand under floor				
.,	and plugging in warls (S.I.No. 29 P-31)	500 Cft	1141 25	0 oC11	5706/-
03.	Dry rammed brick or stone ballast 1/2"				
	to 2"gauge (S.I.No. 02 P-17)	500 Cft	3327/50	º oCTi	16638/-
Del.	Providing & fixing cement paving blocks				
or	flooring having size of 197 x 97 x 60 (mm)				
	of catty / quddra/coble b/w 5000 psi to				
	8500 psi i/c filling the joints with hill sand and lying in specified manner / pattern				
	and design etc. complete (S.I.No.54 P-56)	1000 Cft	199/77	P.Sft	199770/-
				Total	225744/-
			Therefore 22	25744 x 192	=433428/-
				100	
		OPEN DRAIN			
1.	Excavation in foundation of building bridges and other structures including dagbelling				
	dressing refilling ground structure with				
	excavated earth watering—and ramming lead upto 5ft in ordinary soil (\$.1.No. 18 (b) P-04).	1.225 Cft	3600 -	%SOCTI	4410 -
	upto 50 in ordinary son (5.1.500, 16 (6) 1 -0-1).	1 (.11	.10001-	- box 11	4410
2.	Cement Concrete brick or stone ballast	17022 001	1	0.000	
	1-1/2" to 2" 1:4:8 (S.1.No. 04 (d) P-17)	175 Cft	11288/75	%Cft	19755/-
13.	Pacca brick work in foundation and				
	plinth in 1:6 cemen, sand mortar (S.I.No. 04 (c) P-24).	750 Cft	12501/41	° oCH	93761
	(3.1.30. 04 (4) 1-24).	7.50 CH	12,701.41	oc n	33701
ei.	Cement concrete plain i'e placing				
	compacting finishing and curing complete (i/c screening and washing				
	of stone aggregate without shuttering				
	1:2:4 (S.I.No. 05 (i. P-18)	38 Cft	14429.25	° oCTI	5483/-
5.	Cement Plaster 1-4 upto 2" height				
	3 8" thick (S.I.No. 11 (a) P-58)	1100 Sft	3015/76	%Sft	33173/-
				Total	156582/-
	% on the ra	tes of CSR.			
		res or core.			
		tes of CSR.			
	Amount to	be added /dedi	acted on the		
otal		be added /dedi	acted on the		Rs:
	· ·				113.
)iff: c	ost of Bitumen (B)				Rs:
	ul (A+B)				
. 1 (/11	11 (/1 TD)				Rs.

Contractor

TOWN OFFICER TOWN COMMITTEE KASHMORE

(OCHEDULE-(D)

CONSTRUCTION OF OPEN DRAIN LANJWANI MOHALLA, GHULAM NABI SHAR NEAR PPL STORE WARD NO.04 KASHMORE TOWN.

DRAFT BIDDING DOCUMENT FOR WORKS BILLS OF QUANTITIES

(A) Description and rate of Items bases on composite schedule of Rates.

S. No.	Item of work	Qty:	Rate	Unit	Amount
01.	Excavation in foundation of building bridges				
	excavated earth watering and ramming lead				
	upto 5ft in ordinary soil (S.I.No. 18 (b) P-04).	refriging ground structure with ded earth watering and ramming lead to in ordinary soil (S.I.No. 18 (b) P-04). 1225 Cft 3600 ² %0Cft 4410 ² . 1 Concrete brick or stone ballast to 2° 134.8 (S.I.No. 04 (d) P-17) 175 Cft 11288/75 %Cft 19755/- 1 Concrete brick or stone ballast to 2° 134.8 (S.I.No. 04 (d) P-17) 175 Cft 11288/75 %Cft 19755/- 1 Concrete brick or stone ballast to 2° 134.8 (S.I.No. 04 (d) P-17) 175 Cft 11288/75 %Cft 19755/- 1 Concrete brick or stone ballast to 2° 134.8 (S.I.No. 04 (d) P-17) 175 Cft 11288/75 %Cft 19755/- 1 Concrete brick or stone ballast to 2° 134.8 (S.I.No. 04 (d) P-17) 175 Cft 11288/75 %Cft 19755/- 1 Concrete brick or stone ballast to 2° 134.8 (S.I.No. 05 (i) P-23). 750 Cft 12501/41 % Cft 19755/- 1 Concrete brick or stone ballast to 2° 134.8 (S.I.No. 05 (i) P-23). 750 Cft 12501/41 % Cft 19755/- 2 Cft 19755/- 2 Cft 19755/- 2 Sol 12501/41 % Cft 19755/- 2 Sol 12501/41 % Cft 19755/- 3 S Cft 14429/25 % Cft 5483/- 1 Concrete brick or stone ballast to 2° 13761/- 1 Concrete brick or stone ballast to 2° 13761/- 2 Sol 1288/75 % Cft 19755/- 3 S Cft 14429/25 % Cft 5483/- 1 Concrete brick or stone ballast to 2° 13761/- 3 S Cft 14429/25 % Cft 19755/- 3 S Cft 14429/25 % Cft 5483/- 1 Concrete brick or stone ballast to 2° 13761/- 2 Sol 1288/75 % Cft 19755/- 3 S Cft 14429/25 % Cft 5483/- 1 Concrete brick or stone ballast to 2° 13761/- 3 S Cft 1288/75 % Cft 19755/- 3 S Cft 1429/25 % Cft 19755/- 3 S Cft 14429/25 % Cft 5483/- 1 Concrete brick or stone ballast to 2° 13761/- 2 S Cft 19755/- 3 S Cft 1429/25 % Cft 19755/- 3 S Cft 1429/25 % Cft 19755/- 3 S Cft 14429/25 %	-1-110:-		
02.	Cement Concrete brick or stone ballast				
	1-1/2" to 2" 1:4:8 (S.I.No. 04 (d) P-17)	175 Cft	11288/75	%Ctt	19755/-
03.	Parea brick work in foundation and				
6.00	plinth in 1:6 cement sand mortar				
	(S.I.No. 04 (e) P-24).	750 Cft	12501-41	"aCii	93761:-
04.	Coment convents also is also in				
71.	compacting finishing and curing				
	complete (i/c screening and washing				
	of stone aggregate without shuttering	20 (20	11120/25	0.726	6.107
	1.2.3 (3.1.10. 0.7(1) 1-10)	10.00	1445/(2)	Sol II	3483 -
)5.	Cement Plaster 1% upto 2" height				
	3/8" thick (S.I.No. 11 (a) P-58)	1100 Sft	3015/76		
				Total	150582/-
		The	refore <u>156582 x 4</u>	47_=	699921/-
			100		
	0."	CCCD			
		S OF CSR.			
25 17 12 1.		e added /dedi	acted on the		
otal ((A)				Rs:
iff: co	ost of Bitumen (B)				Rs:
.Tota	l (A+B)				Rs.

Contractor

TOWN OFFICER TOWN COMMITTEE KASHMORE

(OCHEDULE-B)

CONSTRUCTION OF TOUGH TILE / PAVER ROAD AT SALEEMABAD, EBINESEENA SCHOOL WARD NO.11 KASHMORE TOWN.

DRAFT BIDDING DOCUMENT FOR WORKS BILLS OF QUANTITIES

(A) Description and rate of Items bases on composite schedule of Rates.

S. No.	Item of work	Qıy:	Rate	Unit	Amount
01.	Filling Watering and ramming earth under floor with new earth excavated from foundation lead upto one chain and lift upto 5 ft. (S.I.No. 22 P-05)	1000 Cft	3630/-	e _a ()('fi	3630/-
02.	Supplying and filling sand under floor and plugging in warls (S.I.No. 29 P-31)	500 Cft	1141-25	11'که ۵	5706/-
03.	Dry rammed brick or stone ballast ½" to 2"gauge (S.I.No. 02 P-17)	500 Cft	3327/50	%Cft	16638/-
04.	Providing & fixing rement paying blocks flooring having size of 197 x 97 x 60 (mm) of catty / quddra/coble b/w 5000 psi to 8500 psi i/c filling the joints with hill sand and lying in specified manner / pattern and design etc. complete (S.I.No.54 P-56)	1000 Cft	199/77 Therefore 2.	P.SR Total 25744 x 354 100	199770/- 225744/- =799826/-
		es of CSR.			
Total		pe added /ded	ucted on the		Rs:
Diff: c	ost of Bitumen (B)				Rs:
	al (A+B)				Rs.
G.Tota					

Contractor

TOWN OFFICER TOWN COMMITTEE KASHMORE

(SCHEDULE-D)

CÖNSTRUCTION OF TOUGH TILE / PAVER ROAD WITH DRAINAGE KHAIR MOHAMMAD CHACHAR WARD NO. 05 KASHMORE TOWN. DRAFT BIDDING DOCUMENT FOR WORKS

BILLS OF QUANTITIES

s. No.	A) Description and rate of Items I Item of work	Qty:	Rate	Unit	Amount
•		THE / PAVER	ROAD		
()!.	Filling Watering and ramming earth under floor with new earth excavated from				
	foundation lead upto one chain and		V-2-201	14 1111 1616	27.26
	lift upto 5 ft. (S.I.No. 22 P-05)	1000 Cit	3630	0.00011	3630-
02.	Supplying and filling sand under floor				
	and plugging in walls (S.I.No. 29 P-31)	500 Ch	1141/25	"oCII	5706 -
03.	Dry rammed brick or stone ballast 12"				
	to 2"gauge (S.I.No. 02 P-17)	500 Cft	3327.50	% CII	16638
04.	Providing & fixing cement paving blocks flooring having size of 197 x 97 x 60 (mm)				
	of earty 'quddra/coble b w 5000 psi to 8500 psi i'e filling the joints with hill sand				
	and lying in specified manner / pattern	1000000	100/27	n en	100770
	and design etc. complete (S.I.No.54 P-56)	1000 Cit	199/77	P.Sft Total	199770/ 225744/
			Therefore 23	25744 x 200	=451488/
		DENTIND ATAL		100	
01.	Excavation in foundation of building bridges	PEN DRAIN			
	and other structures including dagbelling				
	dressing refilling ground structure with				
	excavated earth watering—and ramming lead upto 5ft in ordinary soil (S.I.No. 18 (b) P-04).	1225 Cft	36007-	"oOCII	44101-
10					
)	Cement Concrete orick or stone ballast 1-1/2" to 2" 1/4/8 (S.I.No. 04 (d) P-17)	175 CII	11288/75	"oCii	19755/-
13.					
Grin.	Pacca brick work in foundation and plinth in 1:6 coment sand mortar				
	(S.t.No. 04 (e) P-24);	750 CH	12501/41	o o C'll	93761/-
)	Cement concrete plain i e placing compacting finishing and curing				
	complete (i'c screening and washing				
	of stone aggregate without shuttering	and the second	and the second	gr 1775 m m 1	
	1:2:4 (S.I.No. 05 (i) P-18)	38 Cft	14429/25	ff Oa ?	5483'-
15.	Cement Plaster 1 % upto 2" height	glijgrinanasi na o	V40		
	3 8" thick (S.L.No. 14 (a) P-58)	1100 Sft	3015 76	° öSft Total	331734- 156582/-

			Therefore 15	6582 x 222 =	-347612/-
		s of CSR.			
		s of CSR.			
	Amount to b	e added /dedi	acted on the		
otal	(A)				Rs:
oiff: c	ost of Bitumen (B)				Rs:
	at(A+B)				Rs.
.Tot					

Contractor

TOWN COMMITTEE KASHMORE

(CLIEDULE-(D)

CONSTRUCTION OF OPEN DRAIN MEHAR BHATTI TO MURAD WAH KASHMORE TOWN.

DRAFT BIDDING DOCUMENT FOR WORKS BILLS OF QUANTITIES

(A) Description and rate of Items bases on composite schedule of Rates.

S. No.	Item of work	Qty:	Rate	Unit	Amount
0 .	Excavation in foundation of building bridges and other structures including dagbelling				
*	dressing retilling ground structure with excavated earth watering—and ramming lead upto 5ft in ordinary soil (S.I.No. 18 (b) P-04).	1225 Cft	3600/-	ff Dog °	4410.'-
)2.	Cement Concrete brick or stone ballast 1-1/2" to 2" 1:4:8 (S.I.No. 04 (d) P-17)	175 Cft	11288/75	%Cft	19755/-
)3.	Pacca brick work in foundation and plinth in 1:6 cement sand mortar (S.I.No. 04 (e) P-24).	750 Cft	1250141	0 oC11	93761'-
ėį,	Cement concrete plain i'e placing compacting finishing and curing complete (i'e screening and washing of stone aggregate without shuttering 1:2:4 (S.I.No. 05 (i) P-18)	38 Cft	14429/25	%cn	£ 1827
Ž.	Cement Plaster 1:4 apto 2" height 3/8" thick (S.I.No. 11 (a) P-58)	1100 Sñ	3015-76	°aSñ Totai	33173 _{.5} 156582/-
		Ther	refore 156582 x 5	10 =	798568/-
	% on the rates	of CSR.			
otal (Amount to be (A)	added/dedu	icted on the		Rs:
	ost of Bitumen (B)				Rs:
iff: co	ost of Bitumen (B)				Rs: Rs.

Contractor

TOWN OFFICER
TOWN COMMITTEE
KASHMORE

(OCTITIVULE-D)

CONSTRUCTION OF TOUGH TILE / PAVER ROAD WITH DRAINAGE KALWAR MOHALLA

DRAFT BIDDING DOCUMENT FOR WORKS BILLS OF QUANTITIES

No.) Description and rate of tem of work		Qty:	Rate	Unit	Amount
			E/PAVER	ROAD		
1,	Filling Watering and ramming earth u	nder				
	floor with new earth excavated from foundation lead upto one chain and					
	lift upto 5 ft. (S.I.No. 22 P-05)		1000 Cft	3630/-	n oOCH	3630/-
2	Supplying and filling sand under floor					
600	and plugging in walls (S.I.No. 29 P-3		500 Cit	1141/25	o oCh	5706/-
3.	Dry rammed brick or stone ballast 15th					
	to 2"gauge (S.t.No. 02 P-17)		500 Cft	3327/50	%CII	16638/-
1.	Providing & fixing cement paving blo	ieks				
	flooring having size of 197 x 97 x 60 ((mm)				
	of catty ' quddra/coble b/w 5000 psi to 8500 psi i/c filling the joints with hill:					
	and lying in specified manner / pattern					
	and design etc. complete (S.I.No.54 P-56)	-56)	1000 Cft	199/77	P.Sft Total	199770/ 225744/
					10(4)	223/44/
			Therefore 22	5744 x 200 100	=451488/	
		OPI	N DRAIN		100	
	Excavation in foundation of building U		Divilia			
	and other structures including dagbelli					
	dressing refilling ground structure with excavated earth watering and rammin					
	upto 5ft in ordinary soil (S.I.No. 18 (b		1225 Cft	3600/-	"aOCH	4410 -
	Cement Concrete prick or stone ballas	E				
	1-1/2" to 2" 1:4:8 (S.I.No. 04 (d) P-17		175 Cft	11288-75	o.oCII	19755
	Paeca brick work in foundation and					
96	plinth in 1:6 cement sand mortar					
	(S.I.No. 04 (e) P-24).		750 Cft	12501/41	%Cti	93761/-
	Cement concrete plain i'e placing					
	compacting finishing and curing					
	complete (i/c screening and washing of stone aggregate without shuttering					
	1:2:4 (S.I.No. 05 (i) P-18)		38 Cft	14429/25	%Cft	5483/-
	Camoni Plactor Let mate 3º baileta					
1	Cement Plaster 1:4 upto 2" height 3:8" thick (S.I.No. 11 (a) P-58)		1100 Sft	3015-76	°oSti	33173 -
	The second of the second secon				Total	156582/-
				Therefore 150	5582 x 222 =	=347612/-
					00	
	OI	the rates	of CSR.			
	OI	the rates	of CSR.			
	Amo	ount to be	added /dedi	ucted on the		
tal						Rs:
	ost of Bitumen (B)					Rs:
	ıl (A+B)					Rs.

Total Amount in words (A+B)

Contractor

TOWN OFFICER *
TOWN COMMITTEE
KASHMORE

(SCHEDULE-D)

*CONSTRUCTION OF TOUGH TILE / PAVER ROAD WITH DRAINAGE OF EID GAH MOHALLA KASHMORE TOWN.

DRAFT BIDDING DOCUMENT FOR WORKS BILLS OF QUANTITIES

. No.	Description and rate of Items between of work	Qty:	Rate	Unit	Amount
•		TILE / PAVER	ROAD		
01.	Filling Watering and ramming earth under floor with new earth excavated from				
	foundation lead upta one chain and				
	lift upto 5 ft. (S.I.No. 22 P-05)	1000 Cft	3630 -	o otteri	3630 -
12.	Supplying and filling sand under floor				
	and plugging in walls (S.I.No. 29 P-31)	500 Cft	1141/25	° oCft	5706/-
03.	Dry rammed brick or stone ballast 15"				
	to 2"gauge (S.I.No. 02 P-17)	500 Cft	3327/50	° oC11	16638/-
()4.	Providing & fixing cement paving blocks				
	flooring having size of 197 x 97 x 60 (mm)				
	of catty / quddra/coble b/w 5000 psi to 8500 psi i/c filling the joints with hill sand				
	and lying in specified manner 'pattern				
	and design etc. complete (\$.1.No.54 P-56)	1000 Cft	199-77	P.Sfi Total	199770-
				1 (/tai	2251441
			Therefore 22		=451488/
	0	DEN DRAIN		100	
j.).	Excavation in foundation of building bridges	PEN DRAIN			
10	and other structures including dagbelling				
	dressing refilling ground structure with				
	excavated earth watering—and ramming lead upto 5ft in ordinary soil (S.I.No. 18 (b) P-04).	1225 Cft	3600/-	%0CH	4410/-
	THE PERSON OF THE ARCHITECTURE WAS AND PRODUCT TO MICE.				
)	Cement Concrete brick or stone ballast 1-1/2" to 2" 1:4:8 (S.I.No. 04 (d) P-17)	175 Cft	11288:75	%oC'fi	19755/-
	1-1/2 10 2 1-3-3 13-13-0 01 (4) 1-17/	17,700	1.1.200.7.		1.01.00
)3,	Pacea brick work in foundation and				
	plinth in 1:6 cement sand mortar (S.I.No. 04 (e) P-2-1).	750 Cft	12501/41	%Cfi	93761/-
).,.	Cement concrete plain 1'c placing compacting finishing and curing				
	complete (i/c screening and washing				
	of stone aggregate without shuttering	200		D = 2.745	64021
	1:2:4 (S.I.No. 05 (i) P-18)	38 Cft	14429/25	%CII	5483/-
5.	Cement Plaster 1:4 upto 2" height				
	3 8" thick (S.I.No. 11 (a) P-58)	1100 Sft	3015/76	o Sli Total	33173/- 156582/-
				rount	1.10.1114/
			Therefore 15	To California II	=347612/-
	% on the rate	es of CSR.		100	
	o on the rate	s of CSR.			
	Amount to b	e added /ded	ucted on the		
otal	(A)				Rs:
) iff: c	ost of Bitumen (B)				Rs:
111. 0					Rs.
71.50	11 (A+B)				NS.

Contractor

TOWN OFFICER TOWN COMMITTEE KASHMORE

Town Committee Kashmore

(OCHEDULE-D)

CONSTRUCTION OF TOUGH TILE / PAVER ROAD BAHADUR CHACHAR WARD NO.04 KASHMORE TOWN.

DRAFT BIDDING DOCUMENT FOR WORKS BILLS OF QUANTITIES

(A) Description and rate of Items bases on composite schedule of Rates.

S. No.	Item of work	Qty:	Rate	Unit	Amount
01.	Filling Watering and ramming earth under				
	floor with new earth excavated from				
	foundation lead upto one chain and	1,100,000,000,000	20.20	0 : /// 15	2620
	lift upto 5 ft. (S.L.No. 22 P-05)	g and ramming earth under earth exeavated from upto one chain and 1.No. 22 P-05) 1000 Cft 3630 - %-0Cft 3630 - 3630 - 3630 - 3630 - 3630 - 3630 - 3630 - 3630 - 3630 - 3630 - 3630 - 3630 - 3630 - 3630 - 3630 - 3630 - 3630 - 3630 - 3630 - 3630 - 3630 - 3630 - 3630 - 3630 - 3630 - 3630 - 3630 - 3630 - 3630 - 3630 - 3630 - 3630 - 3630 - 3630 - 3630 - 3630 - 3630 - 3630 - 3630 - 3630 - 3630 - 3630 - 3630 - 3630 - 3630 - 3630 - 3630 - 3630 - 3630 - 3630 - 3630 - 3630 - 3630 - 3630 - 3630 - 3630 - 3630 - 3630 - 3630 - 3630 - 3630 - 3630 - 3630 - 3630 - 3630 - 3630 - 3630 - 3630 - 3630 - 3630 - 3630 - 3630 - 3630 - 3630 - 3630 - 3630 - 3630 - 3630 - 3630 - 3630 - 3630 - 3630 - 3630 - 3630 - 3630 - 3630 - 3630 - 3630 - 3630 - 3630 - 3630 - 3630 - 3630 - 3630 - 3630 - 3630 - 3630 - 3630 - 3630 - 3630 - 3630 - 3630 - 3630 - 3630 - 3630 - 3630 - 3630 - 3630 - 3630 - 3630 - 3630 - 3630 - 3630 - 3630 - 3630 - 3630 - 3630 - 3630 - 3630 - 3630 - 3630 - 3630 - 3630 - 3630 - 3630 - 3630 - 3630 - 3630 - 3630 - 3630 - 3630 - 3630 - 3630 - 3630 - 3630 - 3630 - 3630 - 3630 - 3630 - 3630 - 3630 - 3630 - 3630 - 3630 - 3630 - 3630 - 3630 - 3630 - 3630 - 3630 - 3630 - 3630 - 3630 - 3630 - 3630 - 3630 - 3630 - 3630 - 3630 - 3630 - 3630 - 3630 - 3630 - 3630 - 3630 - 3630 - 3630 - 3630 - 3630 - 3630 - 3630 - 3630 - 3630 - 3630 - 3630 - 3630 - 3630 - 3630 - 3630 - 3630 - 3630 - 3630 - 3630 - 3630 - 3630 - 3630 - 3630 - 3630 - 3630 - 3630 - 3630 - 3630 - 3630 - 3630 - 3630 - 3630 - 3630 - 3630 - 3630 - 3630 - 3630 - 3630 - 3630 - 3630 - 3630 - 3630 - 3630 - 3630 - 3630 - 3630 - 3630 - 3630 - 3630 - 3630 - 3630 - 3630 - 3630 - 3630 - 3630 - 3630 - 3630 - 3630 - 3630 - 3630 - 3630 - 3630 - 3630 - 3630 - 3630 - 3630 - 3630 - 3630 - 3630 - 3630 - 3630 - 3630 - 3630 - 3630 - 3630 - 3630 - 3630 - 3630 - 3630 - 3630 - 3630 - 3630 - 3630 - 3630 - 3630 - 3630 - 3630 - 3630 - 3630 - 3630 - 3630 - 3630 - 3630 - 3630 - 3630 - 3630 - 3630 - 3630 - 3630 - 3630 - 3630 - 3630 - 3630 - 3630 - 3630 - 3630 - 3630 - 3630 - 3630 - 3630 - 3630 - 3630 - 3630 - 363	3030 -		
02.	Supplying and filling sand under floor				1 3630 - 5706/- 16638 - 199770/- 225744/- 4 =799826/- Rs:
	and plugging in walls (S.I.No. 29 P-31)	500 Cft	1141/25	%Crt	5706/-
03.	Dry rammed brick or stone ballast 12"				
100.00	to 2"gauge (S.I.Nc. 02 P-17)	500 Cft	3327/50	OCII	16638
04.	Providing & fixing cement paving blocks				
	flooring having size of 197 x 97 x 60 (mm)				
	of eatty / quddra cable b/w 5000 psi to				
	8500 psi i'e filling the joints with hill sand				
	and lying in specified manner pattern	1000 60	199/77	P \$6	199770/-
	and design etc. complete (5.1.No.54 15.0)	1000 CH	1.44.77		24 - C.
				25711 251	7000377
			Therefore 2.		= /99820/-
	% on the rai	tes of CSR.			
	Amount to	be added /ded	ucted on the		
Fotal	(A)				Rs:
Diff: c	ost of Bitumen (B)				Rs:
	· Santa Antonia.				
2.72	-1 /A - D1				P.o.
J.101	al (A+B)				NS.
	Total Amount in words (Λ+B)			

Contractor

TOWN OFFICER*TOWN COMMITTEE
KASHMORE

SUITED OFFICE (D) · PROVIDING. WATER SUPPLY 4" DIA AT GHAFARABAD WARD NO. 02 KASHMORE TOWN.

DRAFT BIDDING DOCUMENT FOR WORKS BILLS OF QUANTITIES

Description and rate of Items bases on composite schedule of Rates. (A)

S. No.	Item of work	Qty:	Rate	Unit	Amount
0).	Exeavation for Pipe line in trenches, and pits in wet soil play or mud ile trimming and dressing sides to true				
	alignment and shape leveling of bed of trenches (S.I.No. 14 P-66)	525 Cft	5400′-	ouCit	2835/-
02.	Providing Lying ut VC pipes of Class "B" fixing trench is ceating, fitting and jointing with solvent cement i.e testing with water to a head of 61 meter or 200 ft.				
	(S.I.No. 04 (d) P-23)	100 Rft	259/-	P.Rft Total	25900/- 28735/-
		Th	erefore <u>28735 x 27</u> 100		799982/-
Total	% on the rates Amount to be		ducted on the		Rs:
Diff: c	cost of Bitumen (B)				Rs:
C.Tot	al (A+B)				Rs.
	Total Amount in words (A+	В)			
Con	tractor	* here	A) -	4	Chairman

TOWN OFFICER' TOWN COMMITTEE KASHMORE

Town Committee

(SCHEDULE-D)

CONSTRUCTION OF TOUGH TILE / PAVER ROAD WITH DRAINAGE MIR HAZAR MIRANI OLD SHAHI WAH KALWAR MOHALLA WARD NO.8 & 09 KASHMORE TOWN. DRAFT BIDDING DOCUMENT FOR WORKS

BILLS OF QUANTITIES

i. No.	Description and rate of Items Item of work	Qty:	Rate	Unit	Amount
			2011		
•		TILE / PAVER	ROAD		
1.	Filling Watering and ramming earth under floor with new earth excavated from				
•	foundation lead up to one chain and lift up to 5 ft. (S.L.No. 22 P-05)	1000 CH	3630 -	o o() C 11	3630 -
2.	Supplying and filling sand under floor and plugging in wails (S.I.No. 29 P-31)	500 Cft	1141-25	%oCit	5706 -
	Colonia de la Colonia de Colonia				
),ì.	Dry rammed brick or stone ballast 15° to 2° gauge (S.I.No. 02 P-17)	500 Cft	3327/50	°.Cli	166384
)4; .	Providing & fixing cement paving blocks flooring having size of 197 x 97 x 60 (mm) of eatty / quddra coble b/w 5000 psi to 8500 psi i/c filling the joints with hill sand and lying in specified manner / pattern			L-75	100770
	and design etc. complete (\$1.No.54 P-56)	1000 Cit	199-77	P.Sft Total	199770
			Therefore 22	25744 x 400	=902976/
	73	ADEST IND A IN		100	
ü.	Excavation in foundation of building bridges	PEN DRAIN			
	and other structures including dagbelling				
	dressing refilling ground structure with excavated earth watering and ramming lead				
	upto 5ft in ordinary soil (S.I.No. 18 (b) P-04).	1225 Cft	3600/-	0 000011	4-110/-
2)	Cement Concrete brick or stone ballast				
	1-1-2" to 2" 154:8 (S.I.No. 04 (d) P-17)	175 CR	11288/75	" oC'11	19755 -
ă.	Pacca brick work is foundation and				
	plinth in 1:6 cemear sand mortar (S.I.No. 04 (e) P-24).	750 Cft	12501311	نا کی ت	93761 -
v.	Cement concrete plain i'e placing compacting finishing and enring				
	complete (i'c screening and washing				
	of stone aggregate without shuttering 1:2:4 (S.I.No. 05 (i) P-18)	38 Cit	14429/25	%oC II	5483/-
5.	Cement Plaster 1.4 upto 2" height 3'8" thick (S.I.No. i l (a) P-58)	1100 Sft	3015'76	%Sft Total	33173/- 156582/-
			Therefore 15	66582 x 700=	-1096074/
	% on the rat	es of CSR.			
	% on the rat	es of CSR.			
	Amount to I	be added /ded	ucted on the		
otal					Rs:
	ost of Bitumen (B)				Rs:
	(13) (1) (13)				

Contractor

TOWN OFFICER TOWN COMMITTEE

Chairman Town Committee

(2CTIT:DOLT:-(R)

CONSTRUCTION OF OPEN DRAIN NIAZ SOOMRO TO SOLANGI MOHALLA WARD NO. 07 & 10 KASHMORE TOWN.

DRAFT BIDDING DOCUMENT FOR WORKS BILLS OF QUANTITIES

(A) Description and rate of Items bases on composite schedule of Rates.

S. No.	Item of work	Qty:	Rate	Unit	Amount
01.	Excavation in foundation of building bridges				
•	and other structures including dagbelling dressing refilling ground structure with				
	excavated earth watering and ramming lead				
	upto 5ft in ordinary soil (S.I.No. 18 (b) P-04).	1225 Cft	3600/-	0.00011	4410/-
02.	Cement Concrete brick or stone ballast				
	1-1/2" to 2" 1:4:8 (S.L.No. 04 (d) P-17)	175 Cft	11288/75	°oC1ì	19755/-
)3.	Pagea brick work in foundation and				
V.1.	plinth in 1:6 centers sand mortar				
	(S.I.No. 04 (e) P-24).	750 Cft	12501/41	%CII	93761/-
)-i.	Cement concrete plain i'e placing				
orts.	compacting finishing and curing				
	complete (i/e screening and washing				
	of stone aggregate without shuttering	19.716	14429/25	*oCII	5483 -
	1:2:4 (S.I.No. 05 (r. P-18)	38 Cft	1-1-1-77	0011	.140.1 -
05.	Cement Plaster 1:4 upto 2" height		10 Sept. 12 10 1	2002	
	3/8" thick (S.I.No. 11 (a) P-58)	1100 Sft	3015/76	%Sft Total	33173/- 156582/-
				Total	1505027
		The	refore <u>156582 x 1</u>	277 =	1999552/-
			100		
	9/ on the rate	e of CSR			
	% on the rate	s of CSR.			
	% on the rate	s of CSR.			
		441 = 3441	usted on the		
	Amount to be	441 = 3441	ucted on the		P.c.
Stal	Amount to be	441 = 3441	ucted on the		Rs:
Fotal	Amount to be	441 = 3441	ucted on the		Rs:
	Amount to be	441 = 3441	ucted on the		
	Amount to be	441 = 3441	ucted on the		Rs:
	Amount to be	441 = 3441	ucted on the		
Diff: c	Amount to be (A) ost of Bitumen (B)	441 = 3441	ucted on the		Rs:
Diff: c	Amount to be	441 = 3441	ucted on the		
Diff: c	Amount to be (A) ost of Bitumen (B)	e added /ded			Rs:

Contractor

TOWN OFFICER TOWN COMMITTEE KASHMORE

FY734R

No. SO-IV/(LG)/8-10/2016/LAR GOVERNMENT OF SINDH

GOVERNMENT OF SINDH LOCAL GOVERNMENT DEPARTMENT

Karachi dated the 20th October, 2016

To.

/ basis 21-10-14

The Chairman,

Town Committee, Kashmore,

DISTRICT Kashmore@Kandhkot.

SUBJECT:-APPROVAL OF PROPOSED BUDGET ESTIMATE FOR THE YEAR, 2016-17 OF TOWN COMMITTEE KASHMORE.

I am directed to refer to your letter No. TC/Estt:/242 dated 27-06-2016, on the subject noted above and inform you that the Competent Authority allowed Budget Estimate for the financial year 2016-17 of Town Committee, Kashmore, District Kashmore@Kandhkot subject to following usual conditions:-

- i) No official Vehicle will be purchased without prior approval of this Department
- ii) No creation / up-gradation and re-designation of the posts will be carried out without approval of the Government.
- iii) Maximum efforts should be made to achieve the revenue target and enhancement of the recoveries exaggerated budgeting must be avoided.
- iv) The expenditure may be incurred in accordance with the policy guidelines issued by the Local Government Department from time to time Rules applicable & functions assigned to the Council under SLG, Act 2013.
- Non-development expenditure including POL/Fuel must be controlled minimized.
- vi) Budget must be on the format of Budget Rules 1985 & all Components should be classified properly & subject to allocation of budgetary policy issued by Finance Department, Government of Sindh.
- vii) No liabilities of previous year will be claimed from early Budget without approval of Competent Authority.
- viii) The Development Expenditure (except salaries and pension operating maintenance delivery) may be reduced by 40% of the last year.

SECTION OFFICER-IV

Cc to:-

1. The Director Local Government Larkano.

2. The Assistant Director Local Fund Audit District Kashmore@Kandhkot.

3. P.S to Secretary Local Government Department.

SECTION OFFICER-IV