

EXECUTIVE ENGINEER BUILDING DIVISION KAMBER-SHAHDADKOT



**SINDH PUBLIC PROCUREMENT REGULATORY AUTHORITY
(SPPRA)
STANDARD BIDDING DOCUMENT**

Name of Work:- M & R TO GOVERNMENT DISPENSARY @ VILLAGE UBEDULLAH
MASTOI.

N.I.T No. & Date: XEN/(B)TC/ 519 Dated: 18-10-2017

Date of Issue up to: 07-11-2017

Date of Opening: 08-11-2017

Tender Issued to.

D.R No. & Date:

Amount of Tender Fee: 3000/-


EXECUTIVE ENGINEER,
BUILDINGS DIVISION
KAMBER-SHAHDADKOT

Email:- xenbuildingskamber@gmail.com


**NIT S.NO. 18
CONTRACT / BIDDING DATA**

The following specific data for the works to be tendered shall complement, amend or supplement the provisions in the Instructions to Bidders. Wherever there is a conflict, the provisions herein shall prevail over those in the Instruction to Bidders.

Instruction to Bidders.

Clause Reference

1. Name and Address of the Procuring Agency:- Office of the Executive Engineer, Buildings Division
Kamber-Shahdadkot @ D.C Secretariat Kamber.
2. Name of the Project and Summary of the Work:- M & R TO GOVERNMENT DISPENSARY @ VILLAGE UBEDULLAH
MASTOL.
3. Name of the Borrower/Source of Financing /
Funding Agency / Funding Source. Government of Sindh
4. Amount and Type of Financing / Scheme Cost
and Allocation Funds:- Cost of scheme Rs: 4.200 Million
Allocation Rs: Million
5. Time for clarification:- Three days prior to submission of bids.
6. Bid Language:- English
7. Prequalification Information to be updated
(Where applicable) :-
8. Furnish and Technical Proposal (in case of two
evolve method) of Company Profile in single
stage Single Envelope:- Single Stage / Single Envelope
9. Bidders to quote entirely in Pak. Rupees but
specify the percentage of foreign currency they
require, if applicable:- Pakistan Rupees.
10. Period of Bid Validity:- 90 Days
11. Amount of Bid Security:- 5% of Bid Price
12. Venue, time and date of the Pre-Bid meeting:- --
13. Number of copies of the bid to be completed and
returned:- ONE
14. Procuring Agency's address for the purpose of
bid submission :- As Above
15. Name and Identification Number of the
Contract:-
16. Deadline for submission of bids: Bid submission 07-11-2017 upto 12.00 P.M
(a) 23-11-2017 upto 12.00 P.M
Venue, time and date of bid opening :- Bid opening 08-11-2017at 12.30 P.M
(b) 24-11-2017at 12.30 P.M
Office of the Executive Engineer, Buildings Division
Kamber-Shahdadkot @ D.C Secretariat Kamber.
17. Standard form and amount of Performance
Security acceptable to the procuring agency:- 5%
18. Stamp duty 0.30% will be paid by successful bidder as stamp duty


Executive Engineer
Buildings Division
Kamber-Shahdadkot

**M&R GOVT: DISPENSARY AT UBEDULLAH MASTOI TALUKA MIROKHAN DISTRICT
KAMBER-SHAHDADKOT**

SCHEDULE-B

S.N	Item of work.	Quantity	Rate.	Unit	Amount.	
1	2	3	4	5	6	
1	Excavation in foundation of buildings in other structure with excavated earth watering and ramming lead upto one chain 5 ft in ordinary soil (SINO: 18-P-4).	1215	Cft:	3176.25	%0Cft	3,859
2	Dismantling of cement concrete plain 1:2:4 (S.I.No:19(c)-P.10)	184	Cft	3327.50	% Cft	6123
3	Dismantling of cement concrete reinforced separating reinfor cement from concrete cleaning and straightening the same.(S.I.No:20-P.10)	574	Cft	5445.00	% Cft	31254
4	Dismantling brick work in lime or cement mortar (S.I.No:13-P.10)	1819	Cft	1285.63	% Cft	23386
5	Removing door with chowket.(S.I.No:33(a)-P.12)					
A	Door	9	No	142.18	P.No	1280
B	Window	13	No	102.85	P.No	1337
6	Cement concrete brick or stone ballast 1-1/2" to 2" gauge ratio 1:5:10 (SINO: 4 (C) P 15).	909	Cft:	8694.95	% Cft	79,037
7	Pacca brick work in foundation and plinth in 1:6 ratio.(SINO: 04(E)(P21)	881	Cft:	11948.36	% Cft	105,265
8	Reinforced cement concrete work i/c in all labor and material except the cost of steel reinforced and labor for bending and which will be paid separately. This rate also i/c all kinds of forms molds lifting shiting Curring rendering and finishing the exposed surface i/c screening and washing of shingle. Ratio (1:2:4) 90 lbs cement 2 cft. Sand 4 cft shingle 1/8" to 1/4" gauge. (SINO: 6(a)-P-17).	1495	Cft:	337.00	P.Cft	503,815
9	Fabrication of mild steel reinforcement for cement concrete i/c cutting bending laying in position making joints fastening i/c coat of binding wire also i/c removal of rust from bars. (SINO: 8 (b) P-17).	67	Cwt.	5001.70	P.Cwt	335,114
10	Filling watering ramming earth under floor with new earth (excavated from out side) lead upto 1 chain lift upto 5 ft(SINO:22-P-4).	12815	Cft:	3630.00	%0Cft	46,518
11	Supplying and filling sand under floor and plaguing in to walls (SINO: 29 P-26.)	6408	Cft:	1141.25	% Cft	73,131
12	Pacca Brick Work in G. Floor (1:6) Cement Sand mortor(S.No:5(E) P-21).	1932	Cft	12674.36	% Cft	244,869


S.N	Item of work.	Quantity	Rate.	Unit	Amount.	
1	2	3	4	5	6	
13	Pacca brick work other than building i/c striking joints upto 20' feet height. (S.I.No:07-P.22)	608	Cft.	12346.65	% Cft	75,068
14	Providing and laying 3" thick topping Cement concrete 1:2:4 ratio i/c surface finishing and dividing into panels (S.I.NO: 16(c) P-47).	1067	Sft:	4411.82	% Cft	47,074
15	Cement concrete plain 1:2:4 ratio i/c placing compacting finishing and curring complete i/c scering and washing of stones aggagate without shuttering (S.I.No. 5(f) P-17).	191	Cft:	14429.25	% Cft	27,560
16	S/Fixing M.S Girder at site of work.	16	Cwt	3850.00	P.Cwt	61600
17	S/Fixing T-iron at site of work.	18	Cwt	3575.00	P.Cwt	64350
18	Erecting rail steel beams or old rail in roofs etc correction and fixing in position.(S.I.No:6-P.91)	34	Cwt	186.34	P.Cwt	6336
19	Second class tile roofing consisting of 4"earth and 1"mud plaster with gobri leaping over 1/2" thick cement plaster. 1:6 with 34lbs. of hot bitumen coating sand blinded provide over 2, layers of tiles 12" x 6" 1/4 " laid in 1:6 cement mortar with 1/2" thick sand witched layer of 1:6 cement pointing under side of tiles complete including curing etc.(S.I.No:02-P.33)	1176	Sft	7607.25	% Sft	89461
20	Providing single layer of polythine sheet 0.13" thick for water proofing as per specifying and instruction of Engineer (S.I.No. 38 P-38)	1176	Sft:	10.70	P.Sft	12,583
21	Single layer of tiles 9" x4 1/2" x 2" laid over 4" earth 1" mud plaster without Bhoosa grouted with cement sand 1:3 on top of R.C.C slab provide with 34 Lbs. Bitumen coating sand blinded. (SINo:05-P.34)	1176	Sft:	5310.35	% Sft	62,450
22	Cement plaster 1:6 upto 20'ft height 3/4" thick (SINO.13(b)-P-52).	8316	Sft:	2206.60	% Sft	183,501
23	Cement plaster 1:4 1/2" thick upto 20'ft height.(S.I.No:11(a)-P.52)	8316	Sft:	2197.52		182,746
24	Providing and fixing G.I. frame/chowkats of size 7"x2" x4 1/2"x3" for door using 20 gauge G.I. sheet welded hinges and fixing at site with necessary hold fasts. Filling with cement sand slurry of ration 1:6 and repairing the jambs. The cost also i/c all carriage, tools and plants used in making					
	Doors	165	Rft	228.90	P.Rft	37,769
	Windows	286	Rft	240.50	P.Rft	68,783

S.N	Item of work.	Quantity	Rate.	Unit	Amount.
1	2	3	4	5	6
25	First Class deodar wood wrought joinery in doors and windows etc fixed in position i/c chowkats hold fasts hinges, iron, tower bolts, handles and cords with hooks, Deodar paneled or paneled and glazed or fully glazed (b) 1x3/4" thick etc complete.(SI NO: 7a P-58) (Only Shutters).	315	Sft: 902.93	P.Sft	284,423
26	First class deodar wood wrought joinery work in wire gauze door and windows with 22 S.W.G Galvanized wire gauze 144 mesh per square inch iron fittings complete. Glvanized wire gauze fixed to chowkats with 3/4" deodar stips and screws (S.I.No. 14(d) P-60).	168	Sft: 190.72	P.Sft	32,041
27	laying floors of approved coloured glazed tiles 1/4" thick laid in white cement and pigment on a bed of 3/4" thick cement mortar 1:2. (S.I.No:25-P.43)	601	Sft: 27747.06	% Sft	166,760
28	Split tiles 1/4" thick matt glazed or double glazed jointed in white cement and laid over 1:2 grey cement sand mortar 3/4" thick i/c finishing complete (Flooring and facing). (S.I.No:69-P.49)	107	Sft: 21021.11	% Sft	22,493
29	Providing & fixing false ceiling of thermopile in panels of required design and size including frame work of Aluminum T- section hanged with nail wire to ceiling etc: completed. (S.I.No:43-P.39)	873	Sft: 91.5	P.Sft	79,880
30	Providing & fixing plaster of pairs ceiling border of 8" or 10" with of specified design and thikness i/c fixing besidees ceiling with nails / screws with jetties.(SINO:44 P-39).	272	Rft: 104.22	P.Rft	28,348
31	Cement Pointing Strking joints on walls 1.3 ratio. (S.I.No:19(a)-P.53)	2654	Sft: 1287.44	% Sft	34,169
32	(d) Preparing surface and painting guard bars, gates of iron bars, gratings, railings (including standards braces, etc). And similar open work. (S.I.No:5(d)-P.70)	949	Sft: 896.39	% Sft	8,507
33	Painting doors and windows any type etc complete New surface painting door and windows. (S.I.N:05(C)-P.70)	741	Sft: 1489.68	% Sft	11,039
34	Providing and fixing iron steel grill using solid square bars of size 1/2" x 1/2" placed at 4" i/c and frame of flate iron patti of 3/4" x 3/4" i/c cilcle shape at 1-0 apart equivalent fitted with screw or pins i/c painting 3 coats with 1 coat of red oxide paint etc.(S.I.No.30 P-94).	168	Sft: 194.16	P.Sft	32,619

S.N	Item of work.	Quantity	Rate.	Unit	Amount.
1	2	3	4	5	6
35	Making & fixing steel grated doors with complete locking arrangements angle iron frame 2"x2"x3/8" & 3/4" square bars 4" centre (S.I.No. 24 P-92).	60	Sft: 726.72	P.Sft	43,603
36	Priming coat of chalk distemper. (S.I.No:23-P.54).	873	Sft: 442.75	% Sft	3,865
37	Distemping in three Coats. (S.I.No:24(c)-P.54)	873	Sft: 1079.65	% Sft:	9,425
38	Preparing the surface and painting with matt finish i/c rubbing the surface with Bathy (silicon carbide rubbing brick) filling the voids with zink /chalk / plaster of paris mixture, applying first coat premix, making the surface smooth and then painting 3 coats with matt finish of approved make etc: complete .(new surface)..(SINo.36A, P-55).	3392	Sft: 2717	% Sft	92,161
39	Preparing the surface and painting % sft with weathor coat i/c rubbing the surface paper filling the weathor coat appr: new surface. (S.I.No:38(a+b)-P.56)	8411	Sft: 1948.10	% Sft	163,855
40	Re-inforced cement Concrete spout i/c fixing in position with top and bottom khuras(SINO: 68 P-105).	3	No 524.98	P.No	1,575
41	Boring & fixing 1-1/2" dia pressure pipe (SIN:26-P-102)	100	Lft 98.82	P-Lft	9,882
42	Fixing hand pump (Machine only)	1	No 217.8	P-No	218

TOTAL:- **3,399,128**

Contractor


Executive Engineer
(Buildings) Division
Kamber-Shahdadt.

**M & R GOVERNMENT DISPENSARY AT UBEDULLAH MASTOI TALUKA MIROKHAN (ELECTRIC WORK)
DISTRICT KAMBER-SHAHIDADKOT**

SCHEDULE-B

S.N o.	Item of work.	Quantity	Rate.	Unit	Amount.
1	2	3	4	5	6

ELECTRIC WORK.

"A". SCHEDULE ITEMS

1	Wiring for light or fan point with 3/.029 PVC insulated wire in 20mm (3/4") PVC channel patti on surface as required. (SINO: 129-P-15)	70 Nos	910.0	P.NO	63,700
2	Wiring for plug point with 3/.029 PVC insulated wire in 20mm (3/4") PVC channel patti on surface as required. (SINO: 130-P-15)	28 Nos	742.0	P.NO	20,776
3	Providing and laying (MAIN or SUB MAIN) PVC insulated with size 2-7/.029 copper conductor in 3/4" dia PVC conduit on surface. (SINO:3-P-1)	50 Nos	171.0	P.M	8,550
4	Providing and laying (MAIN or SUB MAIN) PVC insulated with size 2-7/.044(6mm2) copper conductor in 1" dia PVC conduit on surface. (SINO:5-P-1)	50	305	P.M	15,250
5	Providing and laying (MAIN or SUB MAIN) PVC insulated with size 2-7/.052(10mm2) copper conductor in 1" dia PVC conduit on surface. (SINO:6-P-1)	50	428.00	P.M	21,400
6	Providing and fixing one way SP 5amp switch flush type.(SINO:219-P-33)	60 Nos	54.00	P.NO	3,240
7	Providing and fixing 2 pin 5amp plug and socket flush type.(SINO:225-P-33)	30 Nos	83.00	P.NO	2,490
8	Providing and fixing 3 pin 15 amp plug and socket flush type.(SINO:227-P-33)	8 Nos	162.00	P.NO	1,296
9	Providing and fixing brass pattern holder.(SINO:232-P-33)	30 Nos	70.00	P.NO	2,100
10	Providing and fixing brass back light ceiling rose with 2 terminals.(SINO:228-P-33)	11 Nos	72.00	P.NO	792
11	Providing and fixing brass ceiling fan 56" (good quality).(SINO:235-P-34)	7 Nos	3185	P.NO	22,295
12	Providing and fixing circuit breaker 15,20,30,40,50,and 60 amp TP (XS-100NS) on prepared board as required.(SINO:207-P-31)	1 Nos	9261	P.NO	9,261
14	Providing and fixing volt meter size 96/96mm500 volts as required and as per instruction of EI (SINO:285 P-41.)	1 Nos	599.00	P.NO	599

TOTAL:- 171,749


S.N o.	Item of work.	Quantity	Rate.	Unit	Amount.
1	2	3	4	5	6

PART "B" NON-SCHEDULE ITEMS

1	Providing and fixing A.C ceiling fan regulator on S.W board.	7 Nos	845	P.NO	5,915
2	Providing & Fixing Mild steel bar fan clamp 15.8 mm (5/8") dia suitable for roof.	7 Nos	224	P.NO	1,568
3	Providing and fixing bulk head capsual light	10 Nos	600	P.NO	6,000
4	Providing and fixing Energy saver quailty i/c finshing on exiting holder etc complete.	30 Nos	497.00	P.NO	14,910

TOTAL:-	28,393
----------------	---------------

CONTRACTOR


 Executive Engineer
 (Buildings) Division
 Mamber-Shahdadkot.

M & R GOVERNMENT DISPENSARY AT UBEDULLAH MASTOI TALUKA MIROKHAN (WATER SUPPLY AND SANITARY FITTING) DISTRICT KAMBER-SHAHDADKOT

SCHEDULE-B

S.No.	Item of work.	Quantity	Rate.	Unit	Amount.
1	2	3	4	5	6
1	Providing & Fixing Orisa type white or coloured glazed earthen ware W.C pan with cost of low level plastic flush tank of 3 gallons capacity of approved quality i/c making requisite number of holes to wall plinth & floor & making good in cement concrete 1:2:4.(i)with 4" dia C.I trap (SINO:03(i)-P-2)	3 Nos.	5836.60	P.No	17,510
2	Providing & Fixing 24"x18" lavatory basin in white glazed earthen ware complete with i/c the cost of W.I or C.I canti lever bracket 6 inches built in to wall painted white in two coat after a primary coat of red lead paint a pair of 1/2" good in cement concrete (1:2:4) standard pattern (SINO.8-P-3)	3 Nos.	4253.70	P.No	12,761
3	Add extra for labour for providing & fixing of earthen ware Padestal white or coloured glazed (SINO.9-P-3)	3 Nos.	938.47	P.No	2,815
4	Providing and fixing European white glazed earthen ware wash down W.C pan complete with and i/c the cost of white/black plastic seat (Best Quality) and lid c.p brass hineges and buffers 3 gallons white glazed earthen ware low level foushing cistern with siphon fitting 1-1/2" dia white porcelain enamelled flush bend 3/4" dia and making requisite number of holes in wall and plinth and floor for pipe connection and making good in cement concrete (1:2:4) (SINO.05-P-02)	1 Nos.	11477.40	P.No	11,477
5	Providing & Fixing 6"x2" or 6"x3" C.I floor trap of the approved selt cleaning design with a C.I screwed down gratting with or without a vent arm complete with i/c making requisite number of holes in walls,plinth and floor for pipe connections and making good cement concrete 1;2;4(SINO.20-P-6)	6 Nos	2042.43	P.No	12,255
6	P/F in position nylon connection complete with 1/2" dia bras stop cock of brass nuts and lining jointed to nylon connection (SINO.23 -P-6)	2 Nos.	447.15	P.No	894
7	Providing & Fixing 4" dia C.I Soil and Vent Pipes including cutting and fitting and extra paint to match the colour of the building (SINO.1- P-9)	25 Rft:	333.29	P-Rft:	8,332

8	Providing & Fixing M.S Clamps of the approved design to 4" dia C.I Pipes sockets i/c the cost of cutting and making good to wall or M.S Bolts and nuts 4" into wall i/c pipe distance pieces extra painting to match the colour of the building (SINO. 2-P-9)	20 Nos.	72.16	P.No	1,443
9	Providing & Fixing 4"x4"x4" dia C.I floor branchen of the required dagree wliith access doors rubber washer 1/8" thick and bolts and nuts and extra painting to match the colour of the building(SINO.5-P-09)	5 Nos	270.60	P.No	1,353
10	Providing & Fixing 4" dia C.I off sets of various length including extra painting to match the colour of the building(SINO.8-P-10)	5 Nos	702.00	P.No	3,510
11	Providing & Fixing 4" dia bend of the require degree with access door rubber washer 1/8" thick with bolt & nuts & extra painting to match the colour of the Building (SINO.9-P-10)	6 Nos	599.60	P.No	3,598
12	P/F 3" dia C.I Waste and vent pipe including cutting fitting and extra painting to match the colour of buildings (SINO.13-P-10)	6 Nos	289.25	P.No	1,736
13	P/F 4" dia C.I offset of various lenghts including extra painting to match the colour of building. (SINO.20-P-11)	6 Nos	584.40	P.No	3,506
14	P/F 3" dia C.I bend of the Each required degree with access door, reubber washer 1/8" thick bolts and nuts and extra painting to match the colour of the building. (SINO.21-P-11)	6 Nos	508.80	P.No	3,053
15	P/F 3" dia C.I terminal guard Each including extra painting to match the colour of building (SINO.23-P-11)	6 Nos	342.70	P.No	2,056
16	Providing & Laying UPVC pressure pipes of class (D) (equivalent make) fixing in trench i/c cutting fitting and jointing with solvent cement i/c testing with water to a head of 122 meter or 400 ft.(SINO-6-P-24)				
	b) 3/4" dia Pipe	100 Rft:	19.00	P.Rft	1,900
	c) 1" dia Pipe	20 Rft:	27.00	P.Rft	540
	d) 1-1/4" dia Pipe	20 Rft:	33.00	P.Rft	660
	h) 3" dia Pipe	20 Rft:	136.00	P.Rft	2,720
	i) 4" dia Pipe	20 Rft:	226.00	P.Rft	4,520
17	Supplying & fixing cancelled stop cock of superior quality C.P hed 1/2" dia. (SINO.11-P-18)	4 Nos.	478.28	P.No	1,913
18	Supplying & fixing cancelled Tee stop cock of superior quality with C.P head 1/2" dia. (SINO.12(a)-P-18)	4 Nos.	843.92	P.No	3,376

19	Supplying & Fixing long bib cock of crystal head with ½" dia. (SIN.13(b)- P-19)	4 Nos.	1384.24	P.No	5,537
20	Supplying & fixing swan type pillar cock of superior quality single C.P head 1/2" dia. (SINO.16(b) P-19)	4 Nos.	795.30	P.No	3,181
21	Supplying & Fixing jet shower with rod of superior quality single C.P head ½" dia. (SINO.15-P-19)	2 Nos.	1142.24	P.No	2,284
22	Cancealed C.P fitting of superior quality for tiles bathrooms.(b)Suppling & Fixing cancealed stop cock of superior quality with C.P head 1/2" dia. (SINO.11 (b)-P-18)	4 Nos.	509.74	P.No	2,039
23	Supplying & Fixing washbasen mixture of superior quality with C.P head ½" dia (SINO.14(b)-P-19)	2 Nos.	3179.00	P.No	6,358
24	Supplying & Fixing sink mixture cock of superior quality with C.P head etc complete. (SINO.17-P-19)	2 Nos.	2745.60	P.No	5,491
25	Supplying & Fixing C.P muslim showerer with double bib cock & ring pipe etc complete.(SINO.19(a)-P-19).	1 Nos.	3432.00	P.No	3,432
27	Providing & Fixing handle Valves (China).(SINO.5-P-17)				
	(i) 1/2" dia.	2 Nos	200.42	P.No	401
	(ii) 3/4" dia	2 Nos	271.92	P.No	544
	(iii) 1" dia	2 Nos	365.42	P.No	731
28	Providing & fixing 250 gallons fibre glass tank of approve quality and design and wall thickness 4.5mm as specified i/c cost of nuts bults & fixing in plate from of cement concrete 1:3:6 and making connection for in-let out-let & over flow pipes etc complete (SINO:03(a)-P-21)	1 Nos.	21989.61	P.No	21,990
29	Providing chambers 15"x19"x24" deep for house meters with 6" thick C.C 1:3:6 blocks set on 1:6 cement mortar 6" thick C.C 1:4:8 in foundation 1/2" thick cement plaster 1:3 to all inside wall surface and to top 1" thick C.C 1:2:4 flooring complete with hinged cast iorn cover and frame 15"x9" (inside) clear opening etc.Fixed iln cement concrete 1:2:4 includling curing excavation back filling and disposal of surplus earth etc complete. (SIN:02-P-20).	1 No.	5913	P.No	5,913
30	Providing R.C.C pipe with colors class "B" and digging trenches to required depth and fixing in position i/c cutting,fitting and jointing with maxphalt composition and cement mortar 1:1 and testing with water pressure to a head of 4 feet above the top of the highest pipe and refilling with excavated staff. (SINO:02-P-24)				
	(c) 6" dia R.C.C pipe class (B)	50 Rft:	199.25	P-Rft:	9,963

- | | | | | | |
|----|---|--------|-------|------|--------|
| 31 | Construction of main hole or inspection chamber for the require dia of circular sewer and 3" 6" earth with walls and cement mortar (1:3) cement plaster (1:3) ½" thick inside wall and 1" thick over bearing 1 ½" x 1 ½" of 1.75 cwt: embers in plain C.C (1:2:4) arawing No.PB/1 of PHC southern sone 4" to 12" dia 2"x2"x3 -6" (S.I.No. 1 P- 32). | 1 No. | 14748 | P.No | 14,748 |
| 32 | Providing & Fixing piston pump set 1 H.P single phase 220 volts with 1 1/4"x1/4" suction & delivery local make etc complete (S.I.No. 25/P-32). | 1 Nos. | 15600 | P.No | 15,600 |

TOTAL Rs:- 200,140

CONTRACTOR


Executive Engineer
(Buildings) Division
~~Kamber-Shahdadkot.~~