

**EXECUTIVE ENGINEER BUILDING DIVISION KAMBER-SHAHDADKOT**



**SINDH PUBLIC PROCUREMENT REGULATORY AUTHORITY  
(SPPRA)  
STANDARD BIDDING DOCUMENT**

**Name of Work:-** CONSTRUCTION OF INTERNAL ROADS ( PAVER BLOCKS ) & GREEN  
BELT OF REVENUE COLONY @ DISTRICT KAMBER-SHAHDADKOT

**N.I.T No. & Date:** XEN/(B)TC/

**Dated:**

**Date of Issue up to:**

07-11-2017

**Date of Opening:**


08-11-2017

**Tender Issued to.**

**D.R No. & Date:**

**Amount of Tender Fee:**

3000/-

  
EXECUTIVE ENGINEER,  
BUILDINGS DIVISION  
KAMBER-SHAHDADKOT

**Email:- [xenbuildingskamber@gmail.com](mailto:xenbuildingskamber@gmail.com)**


**NIT S.NO. 9  
CONTRACT / BIDDING DATA**

The following specific data for the works to be tendered shall complement, amend or supplement the provisions in the Instructions to Bidders. Wherever there is a conflict, the provisions herein shall prevail over those of the Instruction to Bidders.

### Instruction to Bidders.

#### Clause Reference

- |     |   |   |
|-----|---|---|
| 1.  | Name and Address of the Procuring Agency:-  | Office of the Executive Engineer, Buildings Division<br>Kamber-Shahdadkot @ D.C Secretariat Kamber.       |
| 2.  | Name of the Project and Summary of the Work:-   | CONSTRUCTION OF INTERNAL ROADS (PAVER BLOCKS) & GREEN BELT OF REVENUE COLONY @ DISTRICT KAMBER-SHAHDADKOT |
| 3.  | Name of the Borrower/Source of Financing / Funding Agency / Funding Source.   | Government of Sindh   |
| 4.  | Amount and Type of Financing / Scheme Cost and Allocation Funds:-   | Cost of scheme Rs: 7.500 Million<br>Allocation Rs: Million  |
| 5.  | Time for clarification:-  | Three days prior to submission of bids.   |
| 6.  | Bid Language:-  | English   |
| 7.  | Prequalification Information to be updated (Where applicable) :-  |   |
| 8.  | Furnish and Technical Proposal (in case of two evolve method) of Company Profile in single stage Single Envelope:-    | Single Stage / Single Envelope  |
| 9.  | Bidders to quote entirely in Pak. Rupees but specify the percentage of foreign currency they require, if applicable:- | Pakistan Rupees.  |
| 10. | Period of Bid Validity:-  | 90 Days   |
| 11. | Amount of Bid Security:-  | 5% of Bid Price   |
| 12. | Venue, time and date of the Pre-Bid meeting:-   | --  |
| 13. | Number of copies of the bid to be completed and returned:-  | ONE   |
| 14. | Procuring Agency's address for the purpose of bid submission :-   | As Above  |
| 15. | Name and Identification Number of the Contract:-  |   |
| 16. | Deadline for submission of bids:  | Bid submission 07-11-2017 upto 12.00 P.M  |
| (a) |   | 23-11-2017 upto 12.00 P.M   |
| (b) | Venue, time and date of bid opening :-  | Bid opening 08-11-2017 at 12.30 P.M   |
|     |   | 24-11-2017 at 12.30 P.M   |
|     |   | Office of the Executive Engineer, Buildings Division<br>Kamber-Shahdadkot @ D.C Secretariat Kamber.       |
| 17. | Standard form and amount of Performance Security acceptable to the procuring agency:-                                 | 5%  |
| 18. | Stamp duty  | 0.30% will be paid by successful bidder as stamp duty.  |

  
Executive Engineer  
Buildings Division  
Kamber-Shahdadkot

**CONSTRUCTION OF INTERNAL ROADS (PAVER BLOCKS) OF REVENUE COLONY @ KAMBER  
DISTRICT KAMBER-SHAHDADKOT**

**SCHEDULE-B**

S.N	Item of work.	Quantity	Rate.	Unit	Amount.
1	2	3	4	5	6
1	Excavation for foundation of building bridges and other structures including dagbelling dressing refilling around the structure with excvated earth watering and ramming lead upto 5 ft.(S.I.No:18(b)P-4)	1000	Cft: 3176.25	%0 Cft	3,176
2	Pacca brick work in foundation and plinth in 1:6 ratio. (S.I.No:04(e)P-21)	1356	Cft: 11948.36	%Cft	162,020
3	Reinforced cement concrete work including in all labour and material except the cost of steel reinforced and lift its labour for bending and binding witch will be paid separately.This rate also includes all kinds forms moulds lifting,shuttering,curing rendering and finishing the exposed surface(including screening and wshing of shingle.) (S.I.No:6-P-16)	89	Cft: 337.00	P.Cft:	29,993
4	Fabrication of mild steel reinforced cement concrete including cutting bending laying in position making joints and fastening including cost of binding wire also including removal of rust from bars.(S.I.No:8(b)P-17)	4.0	Cwt. 5001.70	P.Cwt	20,007
5	Filling watering ramming earth under floor with new earth excavated from out side lead upto 1 chain lift upto 5 ft. (S.I.No:22-P.4)	59125	Cft: 3630.00	%0Cft	214,624
5	Extra lead of new earth 3.0 miles.	59125	Cft: 579.00	%0Cft	34,233
7	Supplying and filling sand under floor and plugged in walls.(S.I.No:29,P-26 ).	23650	Cft 1141.25	%Cft	269,906
8	Extra lead of sand under floor 3.0 miles.	23650	Cft 579.00	%Cft	136,934
9	Cement concrete brick or stone ballast 1-1/2" to 2" gauge ratio 1:5:10. (S.I.No: 4 (C) P-15)	5913	Cft: 8694.95	%Cft	514,089
10	Cement plaster 1:4 3/8" thick upto 20'ft height.(S.I.No:11-P.52)	1400	Sft: 2197.52	%Sft	30,765
11	Trufing slops of banks or lawns with gross sods i/c plonghing laying setting and watering (truf got from with in a distance of 5 miles and maintenance for 15 days (SINO: 27-P-5)	5000	Sft: 1210	%Sft	60,500
12	Providing and fixing curve stone	265	Rft: 297	P.Rft	78,705

S.N	Item of work.	Quantity	Rate.	Unit	Amount.
1	2	3	4	5	6
11	Laying Murum flooring consisting of 1" layer of fine powdery or flakey variety of Murum laid over 6" good hard layer of Murum spread over 9" thick sub-bse comprising of hand pcked rubble or broken bricks properly watered and rammed provided over well rammed earth. (S.I.No:01-P-40)	3784	Cft: 3918.20	%Cft:	148,265

**TOTAL:- 1,703,216**

**PART (B) PAVER BLOCK**

1	Providing and fixing cement paving blocks flooring having size of 197 x 97 x 80 (mm) of city/quddra/cobble shape with ntural colours having strength b/w 5000 PSI to 8500 PSI including filling joints with hill sand and laying in specified manner/pattern and design etc complete.(S.I.No:73-P-50)	23650	Sft: 223.97	P.Sft: 5,296,891	
---	---	-------	-------------	------------------	--

**TOTAL:- 5,296,891**

**CONTRACTOR**

**Executive Engineer  
(Buildings) Division  
Kamber-Shahdadt.**

**CONSTRUCTION OF INTERNAL ROADS (PAVER BLOCKS) OF REVENUE COLONY @ KAMBER  
DISTRICT KAMBER-SHAHDADKOT**

**SCHEDULE-B**

S.N	Item of work.	Quantity	Rate.	Unit	Amount.
1	2	3	4	5	6
1	Excavation for foundation of building bridges and other structures including dagbelling dressing refilling around the structure with excvated earth watering and ramming lead upto 5 ft.(S.I.No:18(b)P-4)	1000	Cft:	3176.25 %0 Cft	3,176
2	Pacca brick work in foundation and plinth in 1:6 ratio. (S.I.No:04(e)P-21)	1356	Cft:	11948.36 %Cft	162,020
3	Reinforced cement concrete work including in all labour and material except the cost of steel reinforced and lift its labour for bending and binding witch will be paid separately.This rate also includes all kinds forms moulds lifting,shuttering,curing rendering and finishing the exposed surface(including screening and wshing of shingle.) (S.I.No:6-P-16)	89	Cft:	337.00 P.Cft:	29,993
4	Fabrication of mild steel reinforced cement concrete including cutting bending laying in position making joints and fastening including cost of binding wire also including removal of rust from bars.(S.I.No:8(b)P-17)	4.0	Cwt.	5001.70 P.Cwt	20,007
5	Filling watering ramming earth under floor with new earth excavated from out side lead upto 1 chain lift upto 5 ft. (S.I.No:22-P.4)	59125	Cft:	3630.00 %0Cft	214,624
5	Extra lead of new earth 3.0 miles.	59125	Cft:	579.00 %0Cft	34,233
7	Supplying and filling sand under floor and plugged in walls.(S.I.No:29,P-26 ).	23650	Cft	1141.25 %Cft	269,906
8	Extra lead of sand under floor 3.0 miles.	23650	Cft	579.00 %Cft	136,934
9	Cement concrete brick or stone ballast 1-1/2" to 2" gauge ratio 1:5:10. (S.I.No: 4 (C) P-15)	5913	Cft:	8694.95 %Cft	514,089
10	Cement plaster 1:4 3/8" thick upto 20'ft height.(S.I.No:11-P.52)	1400	Sft:	2197.52 %Sft	30,765
11	Trufing slops of banks or lawns with gross sods i/c plonhging laying setting and watering (truf got from with in a distance of 5 miles and maintenance for 15 days (SINO: 27-P-5)	5000	Sft:	1210 %Sft	60,500
12	Providing and fixing curve stone	265	Rft:	297 P.Rft	78,705

S.N	Item of work.	Quantity	Rate.	Unit	Amount.
1	2	3	4	5	6

- |    |   |      |      |         |       |         |
|----|---|------|------|---------|-------|---------|
| 11 | Laying Murum flooring consisting of 1" layer of fine powdery or flakey variety of Murum laid over 6" good hard layer of Murum spread over 9" thick sub-bse comprising of hand pcked rubble or broken bricks properly watered and rammed provided over well rammed earth. (S.I.No:01-P-40) | 3784 | Cft: | 3918.20 | %Cft: | 148,265 |
|----|---|------|------|---------|-------|---------|

**TOTAL:- 1,703,216**

**PART (B) PAVER BLOCK**

- |   |   |       |      |        |        |           |
|---|---|-------|------|--------|--------|-----------|
| 1 | Providing and fixing cement paving blocks flooring having size of 197 x 97 x 80 (mm) of city/quddra/cobble shape with ntural colours having strength b/w 5000 PSI to 8500 PSI including filling joints with hill sand and laying in specified manner/pattern and design etc complete.(S.I.No:73-P-50) | 23650 | Sft: | 223.97 | P.Sft: | 5,296,891 |
|---|---|-------|------|--------|--------|-----------|

**TOTAL:- 5,296,891**

**CONTRACTOR**

  
Executive Engineer  
(Buildings) Division  
Kamber-Shahdadt.