

**EXECUTIVE ENGINEER BUILDING DIVISION KAMBER-SHAHDADKOT**



**SINDH PUBLIC PROCUREMENT REGULATORY AUTHORITY  
(SPPRA)  
STANDARD BIDDING DOCUMENT**

**Name of Work:-** M & R OF IMPROVEMENT OF INTERNAL ROAD, PARK IN DC  
HOUSE I/C PAVER BLOCK WALKING TRACK, LIGHT ETC.

**N.I.T No. & Date:** XEN/(B)TC/ 519 **Dated:** 18-10-2017

**Date of Issue up to:** 07-11-2017


**Date of Opening:** 08-11-2017

**Tender Issued to.**

**D.R No. & Date:**

**Amount of Tender Fee:**

3000/-

  
EXECUTIVE ENGINEER,  
BUILDINGS DIVISION  
KAMBER-SHAHDADKOT

**Email:-** [xenbuildingskamber@gmail.com](mailto:xenbuildingskamber@gmail.com)


**NIT S.NO. 19**  
**CONTRACT / BIDDING DATA**

The following specific data for the works to be tendered shall complement, amend or supplement the provisions in the Instructions to Bidders. Wherever there is a conflict, the provisions herein shall prevail over those in the Instruction to Bidders.

### **Instruction to Bidders.**

#### **Clause Reference**

- |     |   |  |
|-----|---|--|
| 1.  | Name and Address of the Procuring Agency:-  | Office of the Executive Engineer, Buildings Division<br>Kamber-Shahdadkot @ D.C Secretariat Kamber.  |
| 2.  | Name of the Project and Summary of the Work:-   | M & R OF IMPROVEMENT OF INTERNAL ROAD, PARK IN DO<br>HOUSE I/C PAVER BLOCK WALKING TRACK, LIGHT ETC. |
| 3.  | Name of the Borrower/Source of Financing /<br>Funding Agency / Funding Source.  | Government of Sindh  |
| 4.  | Amount and Type of Financing / Scheme Cost<br>and Allocation Funds:-  | Cost of scheme Rs: 3.500 Million<br>Allocation Rs: Million   |
| 5.  | Time for clarification:-  | Three days prior to submission of bids.  |
| 6.  | Bid Language:-  | English  |
| 7.  | Prequalification Information to be updated<br>(Where applicable) :-   |  |
| 8.  | Furnish and Technical Proposal (in case of two<br>envelope method) of Company Profile in single<br>stage Single Envelope:-  | Single Stage / Single Envelope   |
| 9.  | Bidders to quote entirely in Pak. Rupees but<br>specify the percentage of foreign currency they<br>require, if applicable:- | Pakistan Rupees.   |
| 10. | Period of Bid Validity:-  | 90 Days  |
| 11. | Amount of Bid Security:-  | 5% of Bid Price  |
| 12. | Venue, time and date of the Pre-Bid meeting:-   | --   |
| 13. | Number of copies of the bid to be completed and<br>returned:-   | ONE  |
| 14. | Procuring Agency's address for the purpose of<br>bid submission :-  | As Above   |
| 15. | Name and Identification Number of the<br>Contract:-   |  |
| 16. | Deadline for submission of bids:  | Bid submission 07-11-2017 upto 12.00 P.M   |
| (a) |   | 23-11-2017 upto 12.00 P.M  |
| (b) | Venue, time and date of bid opening :-  | Bid opening 08-11-2017at 12.30 P.M   |
|     |   | 24-11-2017at 12.30 P.M   |
|     |   | Office of the Executive Engineer, Buildings Division<br>Kamber-Shahdadkot @ D.C Secretariat Kamber.  |
| 17. | Standard form and amount of Performance<br>Security acceptable to the procuring agency:-                                    | 5%   |
| 18. | Stamp duty  | 0.30% will be paid by successful bidder as stamp duty.   |

  
Executive Engineer  
Buildings Division  
Kamber-Shahdadkot


**M/R TO IMPROVEMENT OF INTERNAL ROAD,PARK IN D.C HOUSE I/C  
PAVER BLOCK ,WALKING TRACK ,LIGHTS ETC.**

**Abstract Sheet**

S.#	Item of work.	Quantity		Rate.	Unit	Amount.
1	Excavation for foundation of building bridges and other structure i/c dag belling dressing refilling around the structure with excavated earth watering ramming	2786	Cft:	3176.25	%0 Cft:	8,849
2	Cement concrete brick or stone ballast 1-1/2" to 2" gauge Ratio: 1:5:10. (SINO.4 (b), P- 14)	2070	Cft:	8694.95	% Cft	179,985
3	Pacca brick work in foundation and plinth in cement sand mortar Ratio 1:6 (SINO.4,P-20)	1205	Cft:	11948.36	% Cft	143,978
4	Filling watering Ramming earth under floor and plugging in to walls	23447	Cft:	3630	% Cft	85,113
5	Supplying & filling pit sand under floors and plugging into wall (CSINO.29, P.25).	6699	Cft:	1141.25	% Cft:	76,452
6	Extra lead 3.0 miles	30146		579.00	%	174,545
7	Cement Concrete plain (1:2:4) i/c placing compacting finishing and curing complete i/c screening and washing of stone	566	Cft:	14429.25	% Cft	81,670
8	Erection & removal of centering for R.C.C or plain cement concrete works of deodar wood (2nd class) (SINO.19.P/18) (a)	385	Sft:	7693.13	%Sft	29,619
9	Fabrication of Tor steel reinforced cement concrete i/c cutting bending laying in position making joints and fastening i/c cost of binding wire also i/c removal of rust from bars (SINO: 8 P-16).	2.438	Cwt :	5001.70	P.cwt:	12,192
10	Reinforced cement concrete work i/c in all labor and material except the cost of steel reinforced and lift its labour for bending and windowing which will be paid separately this rate also i/c all kinds forms	124	Cft:	337	P.Cft:	41,788
11	Cement Plaster 1:6 up to 20'ft height 1/2" thick (SINO.13 (b) / P-51).	3079	Sft:	2206.60	% Sft:	67,941
12	Cement Plaster 1:4 3/8" thick up to 20'ft height (SINO: 11 /P-51).	3079	Sft:	2197.52	% Sft:	67,662
13	Preparing the surface and Painting % Sft with weather coat i/c rubbing the surface with rubbing brick / sand paper filling the voids with chalk plaster of Paris and then painting with weather coat of approved make etc ( new surface ) (SINO:38./ P-56).	341	Sft:	2567.95	% Sft:	8,757

14	Providing and laying tiles glazed 6" x6"x1/4" on floor or wall facing required colour and pattern stile specification jointed in white cement and pigment over a base of 1:2 grey cement mortar 3/4" thick i/c washing and filling of joints with slurry of white cement and pigment in desired shape with finishing cleaning and cost of wax polish etc complete i/c cutting tiles to proper profile. (SINO.60 P-46).	276	Sft:	30509.77	% Sft:	84,207
15	Laying Murum flooring consisting of 1" layer of fine powdery or flakey variety of Murum laid over 6" good hard layer of Murum spread over 9" thick sum-base comprising of hand packed rubble or	874	Sft:	3918.20	%Sft	34,245
16	Providing & fixing cement paving blocks flooring having size of 197x97x80(mm) of city / Quadra /cobble shape with pigmented having strength b/w 5000 psi to 8500 psi including filling the joints with hill sand & laying in specified manner /pattern & design etc complete. (SINO.74, P/49).	3649	Sft:	248.17	P. Sft	905,572
17	Providing & fixing cement paving blocks flooring having size of 197x97x80(mm) of city / Quadra /cobble shape with natural colours, having strength b/w 5000 psi to 8500 psi including filling the joints with	826	Sft:	223.97	P. Sft	184,999
18	Supplying Manure. (SINO. 44, P/104).	60	Car	298.12	P.cart	17,887
19	Trufing slops of banks or lawns with grass sods i/c plonhging laying setting and watering (Turf got from with in a distance of 5 miles and maintenance for 15 days. (SINO 27 P/5)	5440	Sft:	1210	%Sft	65,824
20	Providing and fixing curve stone	160	Sft:	297.01	P-rft	47,522
Total Rs.						2,318,806

CONTRACTOR


  
Executive Engineer  
(Buildings) Division  
Kamher-Shahdadt.

**Part B W/S & S/F.****Abstract Sheet**

S. No.	Item of work.	Quantity		Rate.	Unit	Amount.
1	P/F Ball valve (with unsoldered copper ball) made to B.B.S 1212. (SINO.6, P/18). (W./S AND S/F)					
	(III) 1" dia.	4	No.	318.34	Each	1,273
	(IV) 1-1/4" dia	4	No.	510.84	Each	2,043
2	Providing laying UPVC pressure pipes of class 'D' fixing in trench i/c cutting, fitting and jointing with solvent cement i/c testing with water to a head of 122 meter or 400 ft. (SINO.5,P/24). P.H.E					
	(c) 1" dia.	288	Rft:	27	P. Rft:	7,776
	(d) 1-1/4" dia	90	Rft:	33	P. Rft:	2,970

**Total Rs. 14,063**

CONTRACTOR

  
Executive Engineer  
(Buildings) Division  
Kamber-Shahdaskot.

## **PART C NON SCHEDULE ITEMS.**

S.N o.	Item of work.	Quantity		Rate.	Unit	Amount.
1	Supplying & fixing Iron Steel Grill of ¾" x ¾" sq- vertical bars with 4 Nos. ¾"sq- horizontal bars with circular design with 3/8" sq-bars with centre pole of 4- ¾" sq-bars, as per design. The rate includes cost of all material, labour, fixing & painting with three coats etc complete <b>(R.A attached).</b>	488	Sft:		P.Sft:	-
2	Providing & Fixing piston pump set 1 H.P single phase 220 volts.	1	No.		Each	-
3	Hand Pump Machine i/c Boring, pipe (5.0x5.0) C.C Hodi etc complete.In all respects	1	No.		Each	-
4	Providing & Wrapping Khabar.	1	No.		Each	-
5	Steiner for pipe	1	No.		Each	-
6	P/fixing Sitting Banches	5	No.		Each	-
7	P/f fiber glass umbrella i/c 5" dia GI pipe colouring and painting complete in all respects	1	No.		Each	-
8	P/fixing Dust bin	2	No.		Each	-
9	P/f Water Fall Mountain 12x8 i/c Moter complete in all respects	96	p-Sft:		Each	-
				G. Total Rs.		-

CONTRACTOR

  
Executive Engineer  
(Buildings) Division  
Kamber-Shahdadkot.

**M/R TO IMPROVEMENT OF INTERNAL ROAD,PARK IN D.C HOUSE I/C PAVER  
BLOCK ,WALKING TRACK ,LIGHTS ETC.**

SCHEDULE-B						
Item of work.		Quantity		Rate.	Unit	Amount.
2		3		4	5	6
PART-"D" ELECTRIC WORK.						
"A".SCHEDULE ITEMS						
1	Wiring for light or fan point with 3/.029 PVC insulated wire in 20mm (3/4") PVC channel patti on surfce as required. (SINO: 129-P-15)	5	Nos	910.0	P.NO	4,550
2	Wiring for plug point with 3/.029 PVC insulated wire in 20mm (3/4") PVC channel patti on surface as required. (SINO: 130-P-15)	2	Nos	742.0	P.NO	1,484
3	Providing and laying (MAIN or SUB MAIN) PVC insulated with size 2-7/.029 copper conductor in 3/4" dia PVC conduit on surface. (SINO:3-P-1)	20	P.M	171.0	P.M	3,420
4	Providing and laying (MAIN or SUB MAIN) PVC insulated with size 2-7/.044(6mm2) copper conductor in 1" dia PVC conduit on surface. (SINO:5-P-1)	10	P.M	305	P.M	3,050
5	Providing and laying (MAIN or SUB MAIN) PVC insulated with size 2-7/.052(10mm2) copper conductor in 1" dia PVC conduit on surface. (SINO:6-P-1)	22	P.M	428.00	P.M	9,416
6	Providing and fixing one way SP 5amp switch flush type.(SINO:219-P-33)	10	Nos	54.00	P.NO	540
7	Providing and fixing 2 pin 5amp plug and socket flush type.(SINO:225-P-33)	2	Nos	83.00	P.NO	166

8	Providing and fixing 3 pin 15 amp plug and socket flush type.(SINO:227-P-33)	2	Nos	162.00	P.NO	324
9	Providing and fixing brass pattern holder.(SINO:232-P-33)	10	Nos	70.00	P.NO	700
10	Providing and fixing brass back light ceiling rose with 2 terminals.(SINO:228-P-33)	10	Nos	72.00	P.NO	720
11	Providing and fixing brass ceiling fan 56" (good quality).(SINO:235-P-34)	1	Nos	3185	P.NO	3,185
12	Providing and fixing circuit breaker 15,20,30,40,50,and 60 amp TP (XS-100NS) on prepared board as required.(SINO:207-P-31)	1	Nos	9261	P.NO	9,261
13	Providing and fixing circuit breaker 6, 10,15.20,30,40,50and 63 amp SP (TB-S5) on prepared board as required.(SINO:207-P-31)	1	Nos	916	P.NO	916
14	P/F main pannel board double shutter to accommodate heavey duty circuit breakers bus bar painting (S.I No.8,P/13)	1.0	Nos	1426.34	P.NO	1,426
15	Fixing A.C ceiling fan regulator on S.W board (S.I.No:1,P-14)	1.0	Nos	91.30	P.NO	91



16	Manufacturing providing & fixing GI pipe Per No. 117.9 8372 Bracket in hexagonal shape to accommodate 6 no's street lights fitting 250watts/400 watts with following specification as per site requirement & instruction of EI GI pipe 2`dia Length 3ft 6 no's Canopy 5`dia 1ft long with nuts Over all dia 18ft(Sino156 p-no 23)	2.0	Nos	8372	P.NO	16,744
					<b>PART-"A"</b>	<b>55,993</b>

<b>NON-SCHEDULE ITEMS</b>						
1	Providing & Fixing Mild steel bar fan clamp 15.8 mm (5/8") dia suitable for roof.	12	Nos	141	P.NO	1,692
2	Providing and fixing Energy saver quailty i/c finshing on exiting holder etc complete.	25	Nos	497.00	P.NO	12,425
3	Providing and fixing Capsual light.	10	Nos	600	P.NO	6,000
4	providing & fixing breaket fan	1		5000		5,000
					<b>PART-"B"</b>	<b>25,117</b>

<b>G- TOTAL:-</b>	<b>81,110</b>
-------------------	---------------

CONTRACTOR

  
 Executive Engineer  
 (Buildings) Division  
 Kamber-Shahdadkot.